


PVC braided hoses



360°

Technical data:

operating pressure: 10bar
burst pressure: 30bar
temperature: max. 60°C

no.	order no.	connections	length (mm)
1	520272	1/2"	1000
2	520277	1/2"	1500

no.	order no.	connections	length (mm)
3	520096	1/2"	2000
4	520097	1/2"	2200

no.	order no.	connections	length (mm)
5	520098	1/2"	2600



Technical data:

operating pressure: 10bar
burst pressure: 30bar
temperature: max. 60°C

no.	order no.	connections	length (mm)
1	540293	1/2"	1000
2	540294	1/2"	1200

no.	order no.	connections	length (mm)
3	540295	1/2"	1500

no.	order no.	connections	length (mm)
4	540297	1/2"	2000

accessories for spraying hoses




no.	order no.	description	connections
1	548353	swivel adapter	1/2" ID - 1/2" ET
2	540674	swivel coupling	1/2" ID - 1/2" ET
3	548195	adapter	1/2" ID - 15mm

no.	order no.	description	connections
4	541918	screw connection	1/2" ID - 1/2" ID
5	520168	screw connection	1/2" ET - 1/2" ET

no.	order no.	description	connections
6	540071	fibre gasket	1/2"
7	520055	rubber gasket	1/2"

hoses (sold by length)

GASTROTOP® drinking water hoses



Technical data:


LMBG approved
operating pressure: 10bar
burst pressure: 30bar
temperature: max. 70°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520100	13	19	5
2	520101	13	19	20

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
3	520095	13	19	40
4	520254	19	27	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
5	520255	19	27	20
6	520109	19	27	40

PVC braided hoses



Technical data:


operating pressure: 10bar
burst pressure: 30bar
temperature: max. 60°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520018	4	10	5
2	570018	4	10	50
3	520019	6	12	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
4	570020	6	12	50
5	530564	10	16	10
6	570564	10	16	50

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
7	530565	13	19	10
8	570565	13	19	50

PVC beer hoses/ carbonic acid hoses with SK symbol



Technical data:

operating pressure: 16bar
burst pressure: 30bar
temperature: max. 80°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520030	6	12	10
2	520048	6	12	20

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
3	570048	6	12	50
4	520049	8	14	10

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
5	520144	8	14	20
6	570049	8	14	50

EPDM supply hoses

**Technical data:**

operating pressure: 30bar
burst pressure: 90bar
temperature: max. 95°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520015	10	17	5
2	520014	10	17	40

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
3	520017	13	20	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
4	520016	13	20	40

Niplaflex® universal hoses

**Technical data:**

operating pressure: 25bar
burst pressure: 75bar
temperature: max. 110°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	530561	10	17	5
2	570561	10	17	40

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
3	530562	13	21	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
4	570562	13	21	100

Goldschlange® supply hoses

**Technical data:**

operating pressure: 30bar
burst pressure: 90bar
temperature: max. 60°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	530540	13	19,5	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
2	530538	13	19,5	40

extraction and pressure hoses

**Technical data:**

operating pressure: 10bar
burst pressure: 30bar
temperature: max. 80°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	530340	25	35	0,5
2	530440	25	35	1,0
3	530341	28	38	0,5
4	530441	28	38	1,0
5	530342	32	43	0,5
6	530442	38	43	1,0
7	530343	35	46	0,5
8	530443	35	46	1,0

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
9	530344	38	50	0,5
10	530444	38	50	1,0
11	530345	40	53	0,5
12	530445	40	53	1,0
13	530346	42	55	0,5
14	530446	42	55	1,0
15	530347	45	59	0,5
16	530447	45	59	1,0

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
17	530348	48	61	0,5
18	530448	48	61	1,0
19	530349	50	64	0,5
20	530449	50	64	1,0
21	530350	60	74	0,5
22	530450	60	74	1,0
23	530351	63	79	0,5
24	530451	63	79	1,0

hoses for pressure switches


**Technical data:**

operating pressure: 30bar
burst pressure: 90bar
temperature: max. 60°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	530563	4	10	5
2	570563	4	10	20

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
3	530560	5	11	5
4	570560	5	11	20

PVC hoses, clear/transparent



Technical data:


temperature: max. 60°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520090	4	6	2
2	520026	4	6	10
3	570026	4	6	100
4	520027	4	7	10
5	570027	4	7	100
6	520380	5	7	2
7	520046	5	7	10

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
8	570046	5	7	100
9	520278	6	8	2
10	520028	6	8	10
11	570028	6	8	100
12	520279	6	9	2
13	520029	6	9	10

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
14	570029	6	9	100
15	520030	6	12	10
16	520047	6	12	50
17	520022	8	12	10
18	520434	8	12	50
19	570022	8	12	100

PVC hoses, blue



Technical data:

temperature: max. 60°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520383	4	6	2
2	520384	4	6	10

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
3	570383	4	6	100
4	520381	5	8	2

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
5	520382	5	8	10
6	570381	5	8	100

nylon hoses, clear/transparent



Technical data:

operating pressure: 10bar
burst pressure: 50bar
temperature: max. 100°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520091	4	6	2
2	520031	4	6	5
3	520251	4	6	50

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
4	520252	6	8	5
5	520253	6	8	50

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
6	530566	8	10	5
7	570566	8	10	50

nylon hoses, blue



Technical data:

operating pressure: 10bar
burst pressure: 50bar
temperature: max. 100°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520032	4	6	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
2	570025	4	6	50

silicone hoses unreinforced, clear



Technical data:

operating pressure: without pressure
burst pressure: non defined
temperature: max. 200°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	361609	5	8	5
2	570609	5	8	100
3	530550	6	10	5
4	570550	6	10	100
5	530552	8	14	5
6	570552	8	14	25

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
7	530821	10	15	1
8	530822	10	16	1
9	530823	12	16	1
10	530555	12	18	5
11	570555	12	18	25

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
12	530060	13	19	1
13	530061	14	20	1
14	530730	15	20	1
15	530062	16	23	1
16	530063	18	25	1

silicone hoses unreinforced, brown

**Technical data:**

operating pressure: without pressure
burst pressure: non defined
temperature: max. 200°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520842	3	6	1
2	520843	5	9	1
3	520844	6	9	1

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
4	520841	6	12	1
5	520959	8	10	2

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
7	520960	9	12	2
8	520840	9	13	1

silicone hoses single thread braided, clear-transparent

**Technical data:**

operating pressure: 4 bar
burst pressure: non defined
temperature: max. 200°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	530542	10	17	5
2	570542	10	17	50

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
3	530543	13	21	5
4	570543	13	21	50

silicone hoses monofil braided, white

**Technical data:**

operating pressure: 4 bar
burst pressure: 26 bar at 95°C
14 bar at 130°C
temperature: max. 200°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520025	12	19	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
2	570125	12	19	25

silicone hoses fibre glass braided, white

**Technical data:**

operating pressure: 4 bar
burst pressure: 26 bar at 95°C
14 bar at 130°C
temperature: max. 200°C

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	520023	6	12	5
2	570023	6	12	25

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
3	520024	9,5	17	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
4	570024	9,5	17	25

silicone hoses for peristaltic pump

**Technical data:**

temperature: max. 200°C
hardness: 55° Shore A

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	361601	2,0	5,2	5
2	570601	2,0	5,2	100
3	361602	2,5	5,7	5
4	570602	2,5	5,7	100
5	361603	3,0	5,0	5
6	570603	3,0	5,0	100
7	361604	3,0	6,0	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
8	570604	3,0	6,0	100
9	361605	3,0	7,0	5
10	570605	3,0	7,0	100
11	520242	4,0	7,0	5
12	570606	4,0	7,0	100
13	361607	4,0	7,2	5
14	570607	4,0	7,2	100

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
15	361608	4,0	8,0	5
16	570608	4,0	8,0	100
17	361609	5,0	8,0	5
18	570609	5,0	8,0	100
19	361610	5,0	9,0	5
20	570610	5,0	9,0	100

Santoprene® hoses for peristaltic pumps



Technical data:
 temperature: max. 135°C
 hardness: 65° +/- 5° Shore A

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
1	361631	2,4	5,6	5
2	361632	3,0	5,0	5
3	361633	3,2	6,4	5
4	361634	4,0	6,0	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
5	361635	4,0	7,0	5
6	361636	4,0	8,0	5
7	361637	5,0	8,0	5

no.	order no.	ø inner (mm)	ø outer (mm)	length (m)
8	361638	6,0	9,0	5
9	361639	6,0	10,0	5
10	361640	7,0	10,0	5

couplings



fig.	order no.	description	type	connection
1	540484	plug chrom plated brass	DN13	1/2" ET
1	540485	plug chrom plated brass	DN13	3/4" ET
2	540486	plug chrom plated brass	DN13	1/2" ID
2	540487	plug chrom plated brass	DN13	3/4" ID
3	540515	plug chrom plated brass	DN13	1/2" hose (13mm)

fig.	order no.	description	type	connection
4	540516	bush chrom plated brass	DN13	1/2" ID
4	540640	bush chrom plated brass	DN13	3/4" ID
5	540641	bush chrom plated brass	DN13	1/2" ET
5	540642	bush chrom plated brass	DN13	3/4" ET
6	540485	bush chrom plated brass	DN13	1/2" hose (13mm)
6	540643	bush chrom plated brass	DN13	3/4" hose (19mm)



fig.	order no.	description	type	connection
1	540519	plug chrom plated brass	DN19	1/2" ET
2	540518	plug chrom plated brass	DN19	3/4" hose

fig.	order no.	description	type	connection
3	540519	bush chrom plated brass	DN19	3/4" ID
4	540489	bush chrom plated brass	DN19	3/4" hose



fig.	order no.	description	type	connection
1	540520	plug stainless steel	DN13	3/8" ET
1	540521	plug stainless steel	DN13	1/2" ET
2	540522	plug stainless steel	DN13	1/2" ID

fig.	order no.	description	type	connection
3	540479	bush stainless steel	DN13	1/2" ID
4	540523	bush stainless steel	DN13	1/2" ET

hose accessories

hose couplings chrom plated brass



fig.	order no.	ø hose (mm)	connection
1	361170	4x1	1/8"
1	361171	4x1	1/4"
1	361172	4x1	3/8"
1	361500	6x1	1/8"
1	361501	6x1	1/4"
1	361502	6x1	3/8"

fig.	order no.	ø hose (mm)	connection
2	361173	4x1	1/8"
2	361174	4x1	1/4"
2	361175	4x1	3/8"
2	361503	6x1	1/8"
2	361504	6x1	1/4"

fig.	order no.	ø hose (mm)	connection
2	361505	6x1	3/8"
3	361178	4x1	1/8"
3	361179	4x1	1/4"
3	361506	6x1	1/8"
3	361507	6x1	1/4"