

ELECTRICAL **10**

Motors

<i>Gear motors</i>	page 438
<i>Motors</i>	page 447
<i>Pump motors</i>	page 454
<i>Spindle motors</i>	page 459
<i>Timer motors</i>	page 460



gear motors

for automatic coffee machines



No.	Part no.	manufacturer	type	voltage (V)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	601486	-	-	230	48	15	N&W	252030
2	601488	-	-	230	70	15	N&W	251866
3	500236	CIARAMELLA	-	230	-	8	Brasilia	11735.4.00.08
4	500237	CROUZET	80881002	12	-	4	Brasilia Rossi	12220.2.00.08 3288
5	500935	CROUZET	82861080	24	-	4	Cimbali	484603000
6	500316	LIP	066C	230	12	-	Nuova Simonelli	04600001



No.	Part no.	manufacturer	type	voltage (V)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
7	500235	LIP	51	24	9	6x8	Brasilia	10155
8	601490	LIP	111	230	8	6x8.5	N&W	98708

for bratt pans



No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	ph.	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500615	-	156B4	230/400	50/60	3	0.48/0.58	24	Ambach	5061207235
2	500349	-	MB564A	230	50	1	-	14	Modular	66401000
3	500627	CROUZET	82222006	230	50	1	-	7x8	Electrolux Zanussi	002144 002144
4	500348	ERREKA	65-T2100CF01	230	50	1	0.27	59.5	Fagor	X343000

for dishwashers



No.	Part no.	type	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	suitable for	equiv. no.
1	500194	-	230/400	50/60	3	25	ATA	9620
2	500783	71	230/400	50/60	3	-	Fagor	Z275073
3	600041	404988	24	-		7.5	Winterhalter	3116062
4	500930	S01-M1C6/4	230/400	50/60	3	14	Winterhalter	3116070

for dosers



1

2

3

4

No.	Part no.	manufacturer	type	voltage (V)	speed (rpm)
1	361225	CROUZET	82048054	24	65
2	361205	CROUZET	82048055	24	36

No.	Part no.	manufacturer	type	voltage (V)	speed (rpm)
3	361202	METEOR	MOD956UL/T60	230	1
4	361203	METEOR	MOD956UL/T60	230	20

for drink dispensers



1

2

3

4


No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500910	FIBER	G02510BAF81	12	50/60	40	6	CAB	FB209
2	500908	FIBER	G03520AASC3	24	50	20	6	CAB	F023/3
3	500911	FIBER	G025J0BAFM	230	50/60	40	4	CAB	L8102
4	500907	FIBER	G025J0BAFHA	230	50/60	40	6	CAB	P201



1

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500909	KENTA	CD79F	115/230	50/60	33/40	6x12	CAB	F033

for grills



1

2

3

4

5

6

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500795	BITRON	-	-	-	2	15	Chergui	03KEMO0180
2	500929	BITRON	97109	230	50	1.8	6x8	Naomi-Grills	gear motor SH.B.2G.
3	500800	BITRON	39700022	230	50	1.9	15	Chergui	03KEMP0060
4	500799	BITRON	39700023	230	50	1.9	9	Chergui	03KEMO0120
5	500977	KENTA	K9115153	230	50	5	9	North	HCR1
6	500978	KENTA	K9115153	230	50	5	9	North	HCR1_B



7

8

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
7	500499	TRIAL	MR5	230	-	-	-	Universo	GES20026
8	500495	TRIAL	R5/F004	230	50/60	-	5/8	CF RM-Gastro	63.7.0751 637075100



1

2

3

4

5

6

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500490	-	323	230	50/60	-	9	Modular	66402600
2	500497	HEIDOLPH	607113018820	230	50	1/3	6x8	Silanos	904191
3	601126	KELVIN	K80640	230	50	4.5	9/10	Tecno MCM Tecno-MCM	020112 020112
4	500796	MERKLE-KORFF	B4415UI	230	50	4.5	8	Chergui	03KEMO0080
5	500768	METEOR	981	230	50	2	16	CB	-
6	500603	RMS	HGF06R005	230	50	-	8	Roller-Grill	A03038



1

2

3

4

5

6

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500498	-	-	-	-	-	24	Star10	079501
2	500801	-	-	230	-	-	-	MKN	203039
3	500493	-	-	230	-	-	-	Suprema	Motor kpl. Mod.4/3
4	500492	-	-	230	50	-	18	Haka	9135
5	500602	CROUZET	82662563	230	50/60	4	42.5	Roller-Grill	A03007
6	500704	SPG	K225	230	50/60	2/2.5	11x12	Chergui	03KEMO0120

for gyro grills



1

2

3

4

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500805	AEG	M008	230	50/60	2	10	Electrolux King	01050015 01050015
2	500605	CROUZET	805274	230	50	1	7x8	Inoksan	10130100
3	500803	CROUZET	80527402	230	-	1	-	Naomi-Grills	101A
4	500969	CROUZET	80527414	230	50	1	8	CB	-



5

6

7

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
5	500608	CROUZET	89945210	230	50	1	8	Inoksan	10130104
6	500070	POTIS	206	230	50	1	8	Potis	PT0153
7	500502	POTIS	208	230	50	2	8	Potis	PT0156



1

2

3

4

5

6

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500682	-	-	230	-	1	24	Naomi-Grills	100
2	500877	-	-	230	-	1.8	18	CB	14080053
3	500606	INOKSAN	208	230	50	-	16x19	Inoksan	24011340
4	500504	POLYDOR	28/1.5	230	50	-	20	Polydor	201530
5	500509	POLYDOR	450/1.5	230	50	-	20	Polydor	201550
6	500500	POLYDOR	850/1.5	230	50	-	10	Polydor	201570



7

8

9

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
7	500785	POTIS	-	12	-	1	18	Potis	PT0161
8	500797	POTIS	-	230	50	1	18	Potis	PT0152
9	500879	URAL	-	230	50	1	19	Meltem	GM-02



1

2

3

4

5

6

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500748	-	-	230	50	5	-	Roller-Grill	A03054
2	500868	-	323	230	50/60	-	9	Star10	079515
3	500976	BITRON	97172	230	50	1.8	8.5	North	GG1
4	500600	CROUZET	80644024	230	50/60	-	15	Roller-Grill	A03025
5	500607	CROUZET	89945210	230	50	1	12x12.5	Inoksan	24023040
6	500869	KENTA	K9113077	230	50	0.5	8.5	Star10	079513



7

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
7	500993	KENTA	K9175001	230	50	1	8	Roller-Grill	A03055

for ice-cube maker
for paddels



1



2



3



4



5

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500415	FIBER	G0251AMAKOO	12	50/60	30	12	Staff	90/82014000
2	500487	FIBER	G03550AABEA	230	50	25	4	Brema	23341
3	500991	FIBER	GE15JAMAD00	230	-	-	12	Staff	9082013500
4	500413	FIBER	M51BJ0L0001	230	50/60	25	4	Brema	23194
5	500420	FIBER	W0100ALAD00	230	50	5	12	Staff	90/82012000



1



2



3



4

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500421	-	-	230	50		-	Eurfrigor Nuova Simonelli	RG003650 16000143
2	500424	-	-	230	50	-	6	ITV	205201
3	500407	BITRON	97101	230	50	48	4	Eurfrigor Icematic SF-Maschinen	RG000636 19440059/0 I-184
4	500422	CROUZET	SJ-1219-10	230	50	30	6	ITV	105364

for sumps



1



2



3



4



5

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	WL (mm)	suitable for	equiv. no.
1	500411	BITRON	97103	230	50	0.7	7	30	Icematic Scotsman SF-Maschinen Simag	19440057/0 CM19440057 I-305 CM19440057
2	500410	ELETTROVAGO	330N	230	50	0.7	7	23	Icematic Scotsman SF-Maschinen Simag	19440065/0 CM19440065 I-309 CM19440065
3	500409	LIP	001	230	50	0.7	7	20	Icematic Scotsman SF-Maschinen Simag	19440063/0 CM19440063 I-303 CM19440063
4	500412	LIP	021B	230	50	1	7	20	Icematic Scotsman SF-Maschinen Simag	19440073/0 CM19440073 I-307 CM19440073
5	500688	LIP	068	230	50	1	7	20	Eurfrigor Scotsman Simag	RG000640 CM19440073 CM19440073



1



2



3



4

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	spindle ø (mm)	suitable for	equiv. no.
1	500425	-	-	230	50	10	ITV	105200
2	500423	CROUZET	80336505	230	50	10	ITV	105363
3	500786	LIP	-	230	50	8	Icematic SF-Maschinen	81404024/0 I-308
4	500756	LIP	10	230	50	8	Icematic SF-Maschinen	81442072/0 I-306




1



2

No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	spindle ø (mm)	suitable for	equiv. no.
1	500414	-	-	230	50	8	Brema Zanussi	23195 085299
2	500402	KENTA	IC9113065	230	50	14	Staff	90/82020000

other



No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	spindle ø (mm)	suitable for	equiv. no.
1	500773	-	S5814A	230	-	5	Scotsman	1200240726
2	500403	AUTOM	-	230	50	8	Staff	90/82016000
3	500914	KENTA	K9117403	230	-	12	Brema	23310
4	601539	LIP	049D	230	50	18	Icematic Scotsman	81401520/0 81401520
5	500739	MERKLE-KORFF	-	115	50	8	Scotsman	02474305
6	601518	MERKLE-KORFF	3724UP-350	230	50/60	9	Scotsman	1200161006



No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	spindle ø (mm)	suitable for	equiv. no.
1	500675						Brema	23532
2	601445						Wessamat	32301
3	500401	-	794225	230	50/60	16x22	Giga Scotsman	179244509 79422509R
4	500792	KELVIN	-	230	50	6	ITV	105291
5	500775	MK	-	230	50	9.1	Scotsman	02465606

for microwaves



No.	Part no.	voltage (V)	freq. (Hz)	speed (rpm)	spindle ø (mm)	type	manufacturer	suitable for	equiv. no.
1	601658	230	50/60	3	5x7	-	-	-	-
2	601168	230	50/60	12	6.5x4.5	RMOTDA234WRE0	Higashifuji	Sharp	RMOTDA234WRE0
3	601169	230	50/60	12	6.5x4.5	RMOTDA238WRZZ	Higashifuji	Sharp	RMOTDA238WRZZ

for ovens
for flues



No.	Part no.	manufacturer	type	voltage (V)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
1	500873	-	G70C10AFTEG	12	-	6	Rational	22.00.318
2	601467	CROUZET	823440	230	6	4	TurboChef	100891
3	530008	CROUZET	82334009	230	10	6x5	Fagor	T323010
4	361651	CROUZET	82524421	230	1	4	MBM Italy	RTFOC00197
5	361565	CROUZET	82841056	24	4.2	4	Rational	3101.1007
6	500670	FIBER	G025JABDAAD	230	2	4	Electrolux Juno	002696 002696



No.	Part no.	manufacturer	type	voltage (V)	speed (rpm)	spindle ø (mm)	suitable for	equiv. no.
7	500880	FIBER	G026HABDGAD	230	2	4	Electrolux Juno	004011 004011
8	601247	FIBER	G0655CABN00	230	7.5	6	Cuppone	91310530+91310540
9	360342	FIBER	P245J01C620	230	2	6	Electrolux Zanussi	0C0883 0C0883
10	601138	KROSS	G70C10AFTEG	12	-	4	Rational	3101.1010

for conveyor belt



No.	Part no.	manufacturer	type	voltage (V)	spindle ø (mm)	suitable for	equiv. no.
1	500819					Moretti	74015580
2	500820	TRANSTECNO	WM26/P522CD	24	12	Moretti	74015590
3	500809	TRANSTECNO	WM26/P522CS	48	12	Zanolli	MOTO0052



No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	spindle ø (mm)	suitable for	equiv. no.
1	500811	AUTOM	ASR/30/FR	230	50	8	Bourgeois	MOT018
2	601470	CROUZET	80533004	230	60	8	TurboChef	HHB-3200
3	361564	ESCAP	22N28210E	24	-	5	Rational	3101.1001

for softeners



1



2



3



4



5

No.	Part no.	type	voltage (V)	freq. (Hz)	pinion ø (mm)	suitable for	equiv. no.
1	530330	41870120	12	50	8	Bores s.r.l.	MOTA12
2	530268	50SM13-4B	230	50	11	Bores s.r.l.	MOTF56
3	530305	G0152ACLLFL	24	50/60	28	Bores s.r.l.	MOTB3H24CI
4	530301	G0252AEEBFL	24	50	15	Bores s.r.l.	MOTM1M24CI
5	530264	M004	24	50	11	Bores s.r.l.	MOTF65

for timers



No.	Part no.	manufacturer	type	voltage (V)	freq. (Hz)	operation time (s)	speed (rpm)	spindle ø (mm)
1	360106	FIBER	G025JBIEU00	230	50	90	2/3	4
2	360107	FIBER	G025JBIFE00	230	50/60	120	0.5	4.5
3	360109	FIBER	G025JBIFT00	230	50/60	180	1/3	4.4
4	360105	FIBER	M51BJ0R0000	230	50/60	60	1	4

other



1



2



3



4



5



6

No.	Part no.	type	voltage (V)	application	suitable for	equiv. no.
1	500920	-	-	for chocolatiere	VEMA	XRCI20
2	500921	-	-	for chocolatiere	VEMA	XRCI21
3	500344	-	230	for chocolatiere	-	-
4	500730	-	230	for citrus-fruit squeezer	Sirman	IB9865132
5	500932	-	230	for pizza display	Sirman	IB5036000
6	601483	4515UI-063	230	for toaster	Hatco	02.12.079.00



7



8

No.	Part no.	type	voltage (V)	ph.	application	suitable for	equiv. no.
7	500489	80804011	24		for toaster	Fimar Sirman	CO1680 IB5036810
8	500488	60711302410	230	1	for toaster	CB Sirman	07012401 IB5036800



No.	Part no.	type	voltage (V)	ph.	application	suitable for	equiv. no.
9	500913	B4509UI-025	230	1	refrigerated displays	Tecfrigo	00807/1
10	500632	MS56A/4	230/400	3	for boiling kettles	Küppersbusch	115975
11	500496	R5/G4.5	24		for toasters	CF	63.7.0752
12	601484	S4355L	230	1	for hot displays	Hatco	02.12.026.00

motors

for automatic coffee machines



No.	Part no.	voltage (V)	power (W)	spindle ø (mm)	WL (mm)	suitable for	equiv. no.
1	601495	230	-	4	27	N&W	098808

No.	Part no.	voltage (V)	power (W)	spindle ø (mm)	WL (mm)	suitable for	equiv. no.
2	601494	230	48	7.5	24	N&W	251777

for bar blenders



No.	Part no.	voltage (V)	power (W)	speed (rpm)	TS	BA (mm)	suitable for	equiv. no.
1	500791	230	200	-	-	-	VEMA	XRFR49
2	500728	230	450	18000	M6L	36	Sirman	IB5000800
3	500729	230	750	14000/24000	M8L	90	Sirman	IB5000900



No.	Part no.	voltage (V)	power (W)	speed (rpm)	spindle ø (mm)	WL (mm)	suitable for	equiv. no.
1	500731	230	100	14000	10	143	Sirman	IB9865200
2	500732	230	100	14000	18	143	Sirman	IB9865201

for bratt pans



1

2

3

No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	WL (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500813	0.12	230	50	1	9	20	2750	M TUBO 56	MBM Italien	RTBF900122
2	500626	0.17	230	50	1	17	60	320/2800	20571.210	Electrolux Zanussi	056980 056980
3	500823	0.17	230	50	1	17	60	320/2800	20571252	Electrolux Zanussi	052802 052802

for coffee grinders
complete

1

2

3

4

5

No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	WL (mm)	type	suitable for	equiv. no.
1	500243	-	230	50	1	17	45	MD.80/MC4	Rancilio	34014002
2	500241	0.09	230	50	1	10	38	C002801	Bezzera Obel	OBDF15 DF15
4	500242	0.2	230	50/60	1	14	35	MC125/55	Rancilio	14000022
5	500315	0.25	230	50	1	12	36	D001302	Nuova Simonelli	04500031
6	500949	0.25	230	50	1	15	54	11004007	Wega	WY28247001



7

No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	WL (mm)	type	suitable for	equiv. no.
7	500240	0.3	230	50/60	1	-	47	102.000C	Obel	DF15

component parts



No.	Part no.	voltage (V)	freq. (Hz)	ph.	ø (mm)	int. ø (mm)	H (mm)	spindle ø (mm)	suitable for	equiv. no.
1	500239	230	50	1	100	65	195	16	Fiorenzato Obel	190067 EB73
2	500238	230	50	1	110	65	160	14	Fiorenzato	190050

for cream whipping machines



1

No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500701	0.41	230	50	1	15	79	1400	RM80B4	Telme	M01.042.R

for cutter



No.	Part no.	voltage (V)	spindle ø (mm)	WL (mm)	ø (mm)	H (mm)	BA (mm)	suitable for	equiv. no.
1	500897	230	20	25	100	140	64	Sirman	MSC04N136

for ice-cube maker
complete



No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500872	0.09	230	50/60	1	10	1400/1600	MPMF/60-4P	Linea Blanca	A039202
2	500793	0.12	230	50/60	1	10	1390/1600	RM63/50	ITV	105261
3	500871	0.12	230	50/60	1	10	1390/1600	RM63/50	Linea Blanca	A039201
4	500787	0.18	230	50/60Hz	1	12.8	1300	-	Eurfrigor	RG000647
5	500745	0.2	230	50/60	1	16	-	7942150305	Scotsman	06027303



7

No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	speed (rpm)	type	suitable for	equiv. no.
7	500727	0.35	230	50	1	-	12000	-	Sirman	IB5000801

rotors



1

2

No.	Part no.	ø (mm)	spindle ø (mm)	WL (mm)	suitable for	equiv. no.
1	500751	65	13	180	Scotsman	79412303R

No.	Part no.	ø (mm)	spindle ø (mm)	WL (mm)	suitable for	equiv. no.
2	500774	79	16	52	Scotsman	79421600R

stators



1

2

No.	Part no.	voltage (V)	freq. (Hz)	ph.	ø (mm)	int. ø (mm)	H (mm)	suitable for	equiv. no.
1	500747	230	50	1	101	59	51	Scotsman	00140026
2	695826	230	50/60	1	135	80	45	Icematic Scotsman	29000010/0 62029500

for gyro slicers



1

2

No.	Part no.	spindle ø (mm)	Fø (mm)	type	L (mm)	suitable for	equiv. no.
1	401567					Gastro Technik Lahr	Elektromotor für Dön
2	401864	20	50	314101	103	Star10	079523

for meat mincer
complete

No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500866	3	230/400	50	3	19	1390	M112	Sirman	LF1839701

rotors



No.	Part no.	ø (mm)	spindle ø (mm)	WL (mm)	suitable for	equiv. no.
1	697311	89.2	25	220	Fimar	SA6800
2	500725	89.2	25	357	Fama Sirman	F2202 MF2202

No.	Part no.	ø (mm)	spindle ø (mm)	WL (mm)	suitable for	equiv. no.
3	500726	89.2	25	357	Fama Sirman	F2095 MF2095A

stators



No.	Part no.	voltage (V)	freq. (Hz)	ph.	number of poles (-poles)	ø (mm)	int. ø (mm)	H (mm)	suitable for	equiv. no.
1	500827	230	50	1	4	110	62	75	Fama	F2009
2	500825	230	50	1	4	110	66	60	Fama Sirman	F2077 MF0004
3	500828	230	50	1	4	150	90	70	Fama Sirman	F2096 MF0102
4	500830	230	50	1	6	150	103	90	Fama Sirman	F2203 MF0170
5	500829	400	50	3	4	150	83.6	50	Fama Sirman	F2097 MF0103
6	500831	400	50	3	6	150	90	70	Fama Sirman	F2204 MF0171


for microwaves



1

No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	WL (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500628	0.02	230	50	1	9	12	73	1400	M81A25G4GE	Electrolux Zanussi	002794 002794

for mozzarella cutter




No.	Part no.	voltage (V)	speed (rpm)	ph.	spindle ø (mm)	WL (mm)	ø (mm)	H (mm)	BA (mm)	Lø (mm)	suitable for	equiv. no.
1	500722	230	1400	1	15	31	115	155	110	10	Sirman	IB5053002
2	500723	230/400	1400	3	15	31	115	155	110	10	Sirman	IB5053003
3	500716	240	1400	1	15	31	115	155	110	10	Sirman	IB5053004
4	500867	400	-	3	19	30	115	155	110	10	Sirman	IB5053403

for potato peelers




No.	Part no.	voltage (V)	freq. (Hz)	ph.	spindle $\varnothing$ (mm)	WL (mm)	speed (rpm)	suitable for	equiv. no.
1	500711	230	50	1	10	21	1400	Sirman	RG04260A
2	500713	230	50	1	12	23	1400	Sirman	RG08260A
3	500712	400	50	3	10	21	1400	Sirman	RG04260B
4	500714	400	50	3	12	23	1400	Sirman	RG08260B

for slicers



No.	Part no.	voltage (V)	ph.	speed (rpm)	spindle $\varnothing$ (mm)	WL (mm)	$\varnothing$ (mm)	H (mm)	BA (mm)	LA (mm)	L $\varnothing$ (mm)	type	suitable for	equiv. no.
1	500923	230	1	1380	15	28	115	87	49	145	6	H35-508	RGV	00000000508
2	500912	230	1	1380	15	28	115	92	49	145	6	H40-510	RGV	00000000510
3	500973	230	1	1380	15	28	115	112	75	145	6	H60-425	RGV	00000000425
4	500954	230	1	1380	15	28	115	112	75	145	8	H60-1150	RGV	00000001150
5	500956	230	1	1380	17	27	154	130	98	170	10	125-40/577	RGV	00000000577
6	500898	230	1	1400	15	20	125	100	71	155	6	C71/40	Sirman	19400101
7	500717	230	1	1400	15	21	135	120	63	155	8	C71/40	Sirman	SM400108
8	500718	400	3	1400	15	22	135	120	63	155	8	-	Sirman	SM402215



No.	Part no.	voltage (V)	ph.	speed (rpm)	spindle $\varnothing$ (mm)	WL (mm)	$\varnothing$ (mm)	H (mm)	BA (mm)	L $\varnothing$ (mm)	suitable for	equiv. no.
1	500992	230	1	1400	15	22	93	103	65	6	-	-
2	500721	230	1	890	16.5	32	130	140	108	8	Sirman	19400108
3	500715	230	1	1400	15	23	110	98	69	6	Sirman	AMC648
4	500901	230	1	1400	16.5	32	130	140	108	8	Sirman	19400107
5	500720	230/400	3	890	16.5	32	130	120	87	8	Sirman	19400408

for vegetable cutters



No.	Part no.	voltage (V)	power (W)	freq. (Hz)	ph.	spindle ø (mm)	WL (mm)	ø (mm)	H (mm)	BA (mm)	Lø (mm)	suitable for	equiv. no.
1	500719	230	515	50	1	14	37			154		Sirman	IV5050002

universal



No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500625	0.06	230	50	1	9	80	820	156C6	Tecno MCM Tecno-MCM	140020 140020
2	601463	0.09	230	50	1	9	80	1300	AMM56ZAA4	Olis	2510631
3	500876	0.09	230	50	1	9	80	1400	MM56B4	CB	07010051
4	500633	0.37	230	50	1	14	105	1400	LME71L4R3	Cuppone	91411040
5	601179	0.55	230/400	50	3	14	105	1400	T71BX4	Pizza-Group	5420800
6	500634	0.55	230/400	50	3	14	105	1400	T71C4	Cuppone	91411050
7	601180	0.55	230/400	50	3	19	120	1400	AlS80A4	Pizza-Group	5420900
8	500744	0.55	230/400	50	3	19	120	1400	BN80A4	Scotsman	62048001
9	500473	0.75	230/400	50	3	19	120	1400	FS80B4	Pizza-Group	PF08300
10	500471	1.1	400	50	3	19	120	1400	YS8034	Pizza-Group	8300530
11	500472	2	400	50	3	24	140	1400	YS9034	Pizza-Group	8300540




No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500874	0.09	230	50	1	9	120	1400	MM56B4	CB	07010635
2	500875	0.09	230/400	50	3	9	120	1400	M56B4	CB	07011238
3	500903	0.25	230	50	1	14	160	1400	M71B4	Pizza-Group	5420200
4	500883	0.37	230	50	1	11	140	1400	M71BL4	Fimar	SL1112
5	500821	0.37	230	50	1	14	160	1400	M71BL4	Moretti Pizza-Group	74015340 5420300
6	500904	0.55	230	50	1	14	160	1400	M80B4	Pizza-Group	5420310
7	500887	0.6/0.8	400	50	3	14	160	1400/2800	DN80B2/4	Fimar	SL0939
8	500885	0.75	230	50	1	14	160	1400	M80BL4	Fimar	SL0041
9	500839	0.75	230	50	1	19	160	1400	80/4	Alimacchine	25NT20 230V
10	500840	0.75	230/400	50	3	19	160	1400	80/4	Alimacchine	25NT20 400V
11	500888	1.1	230	50	1	19	160	1400	M905B	Fimar	SL0090
12	500891	1.5	230	50	1	19	160	1400	M90L4	Fimar	SL0092
13	500890	1/1.4	400	50	3	19	160	1400/2800	DN90S2/4	Fimar	SL0940



No.	Part no.	P (kW)	voltage (V)	freq. (Hz)	ph.	spindle ø (mm)	speed (rpm)	type	BM (mm)	suitable for	equiv. no.
1	601140	0.18	230	50	1	11	1400	MDE63C4	80x100	Intimpex	6028
2	500766	0.25	220	50	1	14	1400	71	90x112	Scotsman	62031600
3	500724	0.25	230	50	1	11	2800	MY632-2	80x100	Sirman	29401502
4	500870	0.37	230	50	1	14	1400	M71BL4T	90x112	IGF	2300/B30Z15
5	500767	0.55	230/400	60	3	19	900	H80B6	100x125	Scotsman	62038302

pump motors

for booster pumps
clip connection



No.	Part no.	type	power (W)	voltage (V)	freq. (Hz)	suitable for	equiv. no.
1	500442	11002708	165	230	50/60	-	-
2	500061	11002755	165	230	50	Astoria CMA	18300 18300
3	500458	11002778	165	230	50	Vibiemme	ELETMOT22V
4	500080	128P	180	230	50	-	-
5	500073	128PA	180	110	60	-	-
6	500233	90P	120	230	50	-	-



No.	Part no.	type	power (W)	voltage (V)	freq. (Hz)	suitable for	equiv. no.
7	500452	C004311	100	230	50/60	Vibiemme	ELETMOTRPM304
8	500317	C004320	120	230	50/60	Nuova Simonelli	04500033
9	500072	C013726	120	230	50/60	Astoria CMA	18304 18304
10	500950	C013728	120	230	50	Wega	WY18303



No.	Part no.	type	power (W)	voltage (V)	freq. (Hz)	suitable for	equiv. no.
1	500226	-	-	230	50/60	Astoria CMA	56402 56402
2	500225	C042200	330	230	50/60	Astoria CMA	56406 56406

flange connection



No.	Part no.	type	power (W)	voltage (V)	freq. (Hz)	suitable for	equiv. no.
1	500081	11039007	150	230	50	-	-
2	500062	11039007	150	230	50	-	-
3	500689	C021002	60	230	50/60	Thermoplan	91.39.10
4	500076	SEC10256/A	170	230	50/60	Faema	2441-116600
5	500077	SEC10256/B	170	230	50/60	Faema	2441-133416

accessories

pump heads

FLUID-O-TECH



No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500918	CA104	60	100	3/8" GAS	brass	clip connection	-	-



No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500078	FA204	75	250	3/8" GAS	brass	flange with 2 holes	Faema	-
2	500065	PA204F	82	200	3/8" NPT	brass	flange with 3 holes	Faema	-



No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500765	MA104	75	100	3/8" GAS	brass	clip connection	-	-
2	500174	PA104	82	100	3/8" GAS	brass	clip connection	Nuova Simonelli Wega	01300004 WY26303001
3	500211	PO054	82	50	3/8" GAS	brass	clip connection	-	-
4	500074	PO104	82	100	3/8" GAS	brass	clip connection	-	-
5	500064	PO204	82	200	3/8" GAS	brass	clip connection	Astoria Brasilia Cimbali CMA Futurmat Gaggia Italcrem la SCALA S.r.l. Mairali ...	26303 04321.4.00.08 533-197-300 26303 07822109 - 07822109 C-0521 07822109 ...



No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500068	PA311	82	300	3/8" GAS	stainless steel	clip connection	-	-



No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500177	PA204X	82	200	3/8" GAS	brass	clip connection	-	-
2	500176	PO104X	82	100	3/8" GAS	brass	clip connection	Bezzera	7730506

PROCON



No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500293	T1039	82	180	3/8" NPT	brass	flange with 3 holes	-	-



No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500453	T6495	82	100	3/8" NPT	brass	clip connection	Vibiemme	POMPRONOSETN
2	500290	V3797	82	100	3/8" NPT	brass	clip connection	Cimbali	M31 Bistro
3	500230	V6105	82	180	3/8" NPT	brass	clip connection	Astoria CMA Rancilio	26302 26302 69000039



1

No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500294	V6076	82	300	3/8" NPT	stainless steel	clip connection	-	-



No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500454	PA1504	82	-	3/8" NPT	brass	clip connection	Vibiemme	POMPROCFL
2	500291	S2530	82	100	3/8" NPT	brass	clip connection	-	-
3	500292	S7900	82	180	3/8" NPT	brass	clip connection	-	-
4	500934	U0882	82	100	3/8" NPT	brass	clip connection	Cimbali	533197100



1

No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	500455	T6492	82	300	3/8" NPT	brass	clip connection	Vibiemme	POMPROCFLBYP

ROSSI



1

No.	Part no.	type	L (mm)	flow rate (L/h)	connection	material	fixing	suitable for	equiv. no.
1	504238	RF140SO9E	82	100	3/8" NPT	brass	clip connection	Brasilia Nuova Simonelli	00604.4.00.08 01300005

accessories



1



2



3



4



5



6

No.	Part no.	Description
1	520157	adaptor for insulating coupling
2	500456	by-pass for PROCON pump
3	520126	clip for pump motor

No.	Part no.	Description
4	520155	coupling
5	527146	coupling set
6	520156	dumper coupling



7



8



9



10



11

No.	Part no.	Description
7	500066	coupling, flange connection complete
8	520158	coupling
9	365015	operating capacitor (capacity 10µF 450V)

No.	Part no.	Description
10	365017	operating capacitor (capacity 5µF 450V)
11	365012	operating capacitor (capacity 6.3µF 450V)

for wash pumps



1



2



3



4

No.	Part no.	power (W)	voltage (V)	freq. (Hz)	ph.	speed (rpm)	suitable for	equiv. no.
1	500288	2200/4000	400	50/60	3	1400/1700	Meiko	0501040
2	500285	550	230/400	50	3	1400	Meiko	0501016
3	500975	670/730	220-240	50/60	1	-	Hanning Winterhalter	WP60 122 3102481 60003595
4	500286	750	230/400	50	3	1380	Meiko	0501024

other



1

No.	Part no.	power (W)	voltage (V)	freq. (Hz)	L (mm)	usage	suitable for	equiv. no.
1	500692	180	230	50/60	140	for milk foamer	Thermoplan	90.39.10

spindle motors**MAGNETIC**

No.	Part no.	type	voltage (V)	spindle ø (mm)	suitable for	equiv. no.
1	500609	MAX30-120-0050	24	28	Küppersbusch	120106
2	500622	MAX30-120-0050	24	29	Küppersbusch	120114



No.	Part no.	type	voltage (V)	ph.	spindle ø (mm)	suitable for	equiv. no.
1	500672	DSP4550-200-01	400	3	30	Electrolux Juno	0H6953 0H6953
2	500612	WSP2650-150-01	230	1	30	Ambach	5061207233

MECVEL

No.	Part no.	type	voltage (V)	spindle ø (mm)	suitable for	equiv. no.
1	500621	PP041.0012	24	16	Electrolux Zanussi	006690 006690

SKF/ATB

No.	Part no.	type	voltage (V)	spindle ø (mm)	suitable for	equiv. no.
1	500613	SRBFU0.09/2-B31R/0310	230	12	Ambach	5061214801
2	500614	SRBFU0.09/2-B31R/0311	230	12	Ambach	5061214601
3	500638	SRBFU0.09/2-B31R/X07	230	12	Ambach	5061214563

timer motors

CDC



No.	Part no.	CODE	supply (V)	turn direction	ø pinion/teeth
1	360325	M37LN	24	left	5.4 / 12
2	360131	M37LN	230	left	5.4 / 12
3	360324	M37RN	24	right	5.4 / 12
4	360119	M37RN	230	right	5.4 / 12

No.	Part no.	CODE	supply (V)	turn direction	ø pinion/teeth
5	360323	M48L ATS	24	left	4.9 / 10
6	360083	M48L ATS	230	left	4.9 / 10
7	360322	M48R ATS	24	right	4.9 / 10
8	360118	M48R ATS	230	right	4.9 / 10

FIBER



No.	Part no.	CODE	supply (V)	turn direction	ø pinion/teeth
1	360117	M51B20L2200	24	left	4.3 / 10
2	360130	M51B20L6400	24	left	6.6 / 15
3	360116	M51B20R2200	24	right	4.3 / 10
4	360129	M51B20R6400	24	right	6.6 / 15
5	360063	M51BJ0L2200	230	left	4.3 / 10
6	360128	M51BJ0L6400	230	left	6.6 / 15
7	360062	M51BJ0R2200	230	right	4.3 / 10
8	360127	M51BJ0R6400	230	right	6.6 / 15
9	360321	M61B20L6400	24	left	6.6 / 15
10	360320	M61B20R6400	24	right	6.6 / 15
11	360319	M61B40L6400	230 (110V with pre-resistor)	left	6.6 / 15
12	360114	M61B40R6400	230 (110V with pre-resistor)	right	6.6 / 15

SAIA



No.	Part no.	CODE	supply (V)	turn direction	ø pinion/teeth
1	360113	UDS11NE1LHZ	230	left	4 / 12