

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS

Spare parts suitable for


ABNER

heating elements

heating elements for bain maries

			
No.	418320	Ref. No.	M113025
description	heating element 1000W 230V heating circuits 1 L 745mm W 83mm flange length 118mm flange width 32mm hole distance 104mm connection length 16mm connection male faston 6.3mm tube ø 8.8mm rectangular flange hole ø 5mm dry heating element		
For models:	1365		

			
No.	418321	Ref. No.	M113022
description	heating element 250W 230V heating circuits 1 L 438mm W 82mm connection male faston 6.3mm connection distance 68mm tube ø 8.5mm dry heating element		
For models:	ETV2-6GN1-1, EVT3-2		

			
No.	418319	Ref. No.	M113026
description	heating element 666W 230V heating circuits 1 L 515mm W 80mm flange length 117mm flange width 29mm hole distance 103mm connection length 15mm connection male faston 6.3mm tube ø 8.5mm rectangular flange hole ø 5mm dry heating element		
For models:	1360, 1368, ETV1-10GN2-1		

			
No.	418318	Ref. No.	M113044
description	heating element 700W 230V heating circuits 1 L 370mm W 155mm tube ø 8.5mm lug ø 32mm connection length 31mm connection male faston 6.3mm hole ø 3mm dry heating element bracket mounting hole distance 146mm connection distance 146mm		
For models:	1378, CR3200C, EVT3-2		

thermostats

control and safety thermostats

various

control thermostats

			
No.	375758	Ref. No.	M150164
description	thermostat 1-pole 16A probe ø 6mm probe L 140mm capillary pipe 1370mm capillary pipe isolated 1360mm shaft ø 6x4.6mm shaft position upper rotation 270° 240V		
For models:	1360, 1365, 1368, 1378, CR3200C, ETV1-10GN2-1, ETV2-6GN1-1, EVT3-2		

			
No.	375759	Ref. No.	M113109
description	thermostat t.max. 95°C temperature range 35-95°C 1-pole 1NO 16A probe ø 6mm probe L 68mm capillary pipe 910mm capillary pipe isolated 860mm gland nut shaft ø 6x4.6mm shaft L 22mm shaft position upper rotation 270° probe material copper 240V		
For models:	1378, CR3200C, EVT3-2		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

labelled

			
No.	301164	Ref. No.	M110607
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		
For models:	1360, 1365, 1368, 1378, CR3200C, ETV1-10GN2-1, ETV2-6GN1-1, EVT3-2		
accessories for	301164		
	No.	301036	Ref. No.
			—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

electric accessories

cables

spiral cables

			
No.	550101	Ref. No.	M112150
description	spiral cable plug type CEE7/7 type E+F 1.5mm² 3-pole with plug L 500mm expansion 5:1 countries A/B/D/F/I orange t.max. 70°C		
For models:	1360, 1365, 1368, 1378, CR3200C, ETV1-10GN2-1, ETV2-6GN1-1, EVT3-2		



knobs

universal knobs



1

No.	110253	Ref. No.	M111401
description	knob switch zero mark t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	1360, 1365, 1368, 1378, CR3200C, ETV1-10GN2-1, ETV2-6GN1-1, EVT3-2		

producer-specific knobs

ABNER



1

No.	110253	Ref. No.	M111401
description	knob switch zero mark t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	1360, 1365, 1368, 1378, CR3200C, ETV1-10GN2-1, ETV2-6GN1-1, EVT3-2		

handles and hand wheels

handle bars

consoles



1

No.	690939	Ref. No.	M115398
description	console for handle rod tube ø 30mm		
For models:	1360, 1365, 1368, 1378, CR3200C, ETV1-10GN2-1, ETV2-6GN1-1, EVT3-2		

TENTE

with fixing plate

chrome-plated steel



1

No.	710003 ¹	Ref. No.	M116047
description	swivel castor ø 125mm plate fixing housing zinc-plated sheet steel plate size 77x67mm hole distance 61x51mm capacity 100kg bearing slide bearing wheel body polypropylene tread TPE tyres H 160mm wheel width 32mm -20 up to +60°C Qty 1 pcs		
For models:	ETV2-6GN1-1		

¹hole distance 61x51- 56x46

1

No.	710004 ^{1,2}	Ref. No.	M116048
description	swivel castor with swivel brake ø 125mm plate fixing housing chrome-plated sheet steel plate size 77x67mm hole distance 61x51mm capacity 100kg bearing slide bearing wheel body polypropylene tread TPE tyres H 160mm wheel width 32mm -20 up to +60°C Qty 1 pcs		
For models:	ETV2-6GN1-1		

¹hole distance 61x51- 56x46 ²with swivel brake

1

No.	700337	Ref. No.	M116022
description	swivel castor ø 150mm plate fixing housing chrome-plated steel plate size 77x67mm hole distance 61.5x51.5mm capacity 100kg bearing slide bearing wheel body polypropylene tread 32 H 185mm wheel width 32mm -20 up to +60°C Qty 1 pcs		
For models:	ETV1-10GN2-1		



1

No.	700338 ¹	Ref. No.	M116024
description	swivel castor ø 150mm plate fixing housing chrome-plated steel plate size 77x67mm hole distance 61.5x51.5mm capacity 100kg bearing slide bearing wheel body polypropylene tread 32 H 185mm wheel width 32mm -20 up to +60°C Qty 1 pcs		
For models:	ETV1-10GN2-1		

¹with swivel brake

			
1			
No.	700243	Ref. No.	M116003
description	swivel castor ø 160mm plate fixing housing chrome-plated sheet steel plate size 137x105mm hole distance 105x77mm capacity 300kg bearing ball bearing wheel body polypropylene tread TPE tyres H 200mm wheel width 46mm -20 up to +80°C Qty 1 pcs		
For models:	EVT3-2		

			
1			
No.	700244 ¹	Ref. No.	M116004
description	swivel castor with swivel brake ø 160mm plate fixing housing chrome-plated sheet steel plate size 137x105mm hole distance 105x77mm capacity 300kg bearing ball bearing wheel body polypropylene tread TPE tyres H 200mm wheel width 46mm -20 up to +80°C Qty 1 pcs		
For models:	EVT3-2		

¹with swivel brake

with bolt hole


chrome-plated steel

			
1			
No.	700253	Ref. No.	M116068
description	swivel castor ø 125mm bolt hole bolt hole ø 11mm housing chrome-plated sheet steel capacity 100kg bearing slide bearing wheel body polypropylene tread TPE tyres H 160mm wheel width 32mm -20 up to +60°C Qty 1 pcs		
For models:	1360, 1365, 1368, 1378, CR3200C		

			
1			
No.	700254 ¹	Ref. No.	M116069
description	swivel castor with swivel brake ø 125mm bolt hole bolt hole ø 11mm housing chrome-plated sheet steel capacity 100kg bearing slide bearing wheel body polypropylene tread TPE tyres H 160mm wheel width 32mm -20 up to +60°C Qty 1 pcs		
For models:	1360, 1365, 1368, 1378, CR3200C		

¹with swivel brake

bumper angles

			
1			
No.	690938	Ref. No.	M115503
description	bumper angle outer length 126mm inner length 99mm W 27mm H 29mm mounting distance 30mm hole distance 35mm hole ø 5mm rubber black		
For models:	1360, 1365, 1368, 1378, CR3200C, EVT3-2		

valves and tank inlets

ball valves

universal

ball valves with lever handle

			
1			
No.	514360	Ref. No.	M114900
description	ball valve connection 1/2" IT - 1/2" IT DN15 total length 49mm		
For models:	1360, 1365, 1368, 1378, CR3200C, EVT3-2		