

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

ADANDE



switches and momentary switches

microswitches

with push button

switches with snap-fit



1

No.	347163	Ref. No.	102923
description	microswitch with push button 250V 1A 1NO connection male faston 6.3mm L 16x12mm ambient temperature max. 85°C mounting distance 26x12mm type actuating force: 250g		
For models:	VCR, VCS		

transformers

power supplies



1

No.	402169	Ref. No.	103512
description	power supply primary 100-240VAC secondary 12VDC 24VA secondary 2A H 35mm L 88mm W 50mm connection plug-in connection 50/60Hz type STD-12020T		
For models:	VCR, VCS		



1

No.	402170	Ref. No.	103531
description	power supply primary 100-240VAC secondary 24VDC 90VA secondary 3.75A connection cable 50/60Hz		

electronic controllers

DIXELL

refrigeration controllers

built-in version



1

No.	378254	Ref. No.	103060
description	electronic controller DIXELL XB570L-5R0C1-X mounting measurements 150x30mm built-in depth 65.5mm 230V voltage AC NTC relay outputs 6 NO-20A(8) NO-8A(3) NO-8A(3) NO-16A(5) NO-8A(3) NO-16A(5) NTC NTC DI DI yes yes yes protection IP65 preprogrammed -50 up to +99°C display 3½ digits		
accessories for	378254		
	No.	378261	Ref. No.
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire		

accessories for	378254		
	No.	379057	Ref. No.
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	No.	379160	Ref. No.
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379161	Ref. No.
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379342	Ref. No.
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 1.5m 2-wire protection IP67		
	No.	379343	Ref. No.
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
	No.	379458	Ref. No.
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	No.	379784	Ref. No.
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	No.	379860	Ref. No.
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	No.	402818	Ref. No.
	programming key 4K for electronic controller DIXELL		

LAE

refrigeration controllers

built-in version



1

No.	378252	Ref. No.	102924
description	electronic controller LAE type AT2-5BS4E-AG(P) mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 relays -50 up to +150°C display 3 digits		
For models:	VCS		

built-in version 2-piece



No.	379771	Ref. No.	103555
description	keypad unit LAE type LCD5-S mounting measurements 71x29mmV voltage relay outputs front measurements 77x35x20mm built-in depth 20mm protection IP55°C display 3 digits		
accessories for	379771		
	No.	378253	Ref. No. 103554
	load module LAE type BD1-28C155W-B mounting measurements 107x95x47mm 230V voltage AC NTC relay outputs 5 NO-16A(12) NO-16A(4) NO-16A(4) NO-7A(2) NO-7A(2) NTC NTC DI DI built-in depth 47mm protection IP40 yes yes -50 to +120°C display		
	No.	403458	Ref. No. —
	load module LAE type BIT25B153E-A mounting measurements 88x85mm 230V voltage AC NTC relay outputs 3 NO-20A(8) NO-16A(4) NO-7A(2) NTC NTC DI DI front measurementsmm built-in depth 40mm protection IP55 yes yes -50 up to +110°C display		
	No.	403459	Ref. No. —
	connection cable LAE type FC06-20M01		



No.	378253	Ref. No.	103554
description	load module LAE type BD1-28C155W-B mounting measurements 107x95x47mm 230V voltage AC NTC relay outputs 5 NO-16A(12) NO-16A(4) NO-16A(4) NO-7A(2) NO-7A(2) NTC NTC DI DI built-in depth 47mm protection IP40 yes yes -50 to +120°C display		
accessories for	378253		
	No.	379771	Ref. No. 103555
	keypad unit LAE type LCD5-S mounting measurements 71x29mmV voltage relay outputs front measurements 77x35x20mm built-in depth 20mm protection IP55°C display 3 digits		
	No.	379784	Ref. No. —
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	No.	403459	Ref. No. —
	connection cable LAE type FC06-20M01		

probes

universal probes

temperature probes



No.	379160	Ref. No.	103063 103355
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		

evaporation and condensing trays

evaporation trays heated



No.	750279	Ref. No.	103009 103009,103082,103491
description	evaporation tray heated L 480mm W 197mm H 11mm 230V 150W		
For models:	VCR, VCS		



No.	750280	Ref. No.	103079 103105 103105,103079,103491 104292
description	evaporation tray heated L 680mm W 197mm H 11mm 230V 200W		
For models:	VCR, VCS		

fans

axial fans

ebm-papst



No.	601656 ¹	Ref. No.	103110
description	axial fan L 119mm W 119mm H 38mm 24VDC 12.5W bearing ball bearing manuf. no. 4114NHH connection cable 1500mm ebm-papst		


¹with ball bearings

import



1

No.	601080 ¹	Ref. No.	103008	
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C			
For models:	VCR, VCS			
accessories for	601080			
	No.	550898	Ref. No.	—
connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan				
	No.	692519	Ref. No.	—
guard L 120mm W 120mm plastic				

¹with ball bearings


1

No.	601655 ¹	Ref. No.	102508 106483
description	axial fan L 40mm W 40mm H 20mm 12VDC 1.6W bearing ball bearing connection cable cable length 1300mm SUNON		
For models:	VCR, VCS		

¹with ball bearings

electric accessories

cables

power supply cables



1

No.	550726	Ref. No.	103053
description	low temperature appliance supply cable CEE7/7 - C15 3-pole contacts P+N+E 1mm ² max. 10A max 250V 2.0m H05VVF T70 2-pole + earthing insulation PVC		

extension cables




1

No.	550824	Ref. No.	103036
description	extension cable C13 - C14 3-pole contacts P+N+E 1mm ² max. 10A max 250V 1m T70 for equipment inlet		

equipment-specific units


for refrigerated counters

housing and bezels



1

No.	691991	Ref. No.	103494 103494+103584
description	fan plate		



1

No.	691989	Ref. No.	102907 102907+103583 103729
description	fan plate L 700mm W 550mm H 80mm		
For models:	VCR, VCS		

for dishwashers

spare parts and accessories




1

No.	691983	Ref. No.	103582
description	drain pipe L 190mm		



1

No.	691984	Ref. No.	103581
description	drain pipe L 730mm		
For models:	VCS		



1

No.	901144	Ref. No.	103580
description	refrigeration gasket W 620mm L 785mm plug size heated		

handles and hand wheels

recessed handles



1

No.	691985	Ref. No.	103257 104675
description	recessed handle W 123mm H 64mm		
For models:	VCR, VCS		

gaskets

refrigeration gaskets

plug-in gaskets

plug-in gaskets, heated



1

No.	901143	Ref. No.	102745 106794
description	refrigeration gasket W 600mm L 755mm plug size heated		
For models:	VCR, VCS		