

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**




**TOOLS**


Spare parts suitable for

# ALPENINOX

## heating elements

### heating elements for bain maries


	<b>No.</b>	415096	<b>Ref. No.</b>	0A2197
	<b>description</b>	heating element 550W 230V heating circuits 1 L 438mm W 44mm flange length 60mm flange width 40mm connection length 38mm connection male faston 6.3mm tube ø 6.3mm rectangular flange hole ø 6mm dry heating element		


	<b>No.</b>	415097	<b>Ref. No.</b>	0A2137
	<b>description</b>	heating element 800W 230V heating circuits 1 L 630mm W 44mm flange length 60mm flange width 40mm connection length 32mm connection male faston 6.3mm tube ø 6.3mm rectangular flange hole ø 6mm dry heating element		


### heating elements for fryers

	<b>No.</b>	417631	<b>Ref. No.</b>	0C2616
	<b>description</b>	heating element 2900W 230V heating circuits 1 L 270mm W 50mm H 235mm rectangular flange connection male faston 6.3mm immersion heater L1 10mm L2 260mm H1 27mm H2 170mm H3 38mm windings 4 hole distance 53mm hole ø 6mm flange length 67mm flange width 32mm tube ø 8.5mm		


### heating elements for griddles

	<b>No.</b>	415099	<b>Ref. No.</b>	0A2208
	<b>description</b>	heating element 1500W 220V heating circuits 1 L 380mm W 90mm H 124mm tube ø 8.5mm L1 80mm L2 300mm cable length 1000mm connection distance 68mm dry heating element		

	<b>No.</b>	415100	<b>Ref. No.</b>	0A2070
	<b>description</b>	heating element 1500W 230V heating circuits 1 L 242mm W 155mm H 120mm tube ø 6.5mm L1 50mm L2 192mm cable length 1000mm dry heating element		







	<b>No.</b>	415098	<b>Ref. No.</b>	0A2068 0A2247
	<b>description</b>	heating element 2250W 220V heating circuits 1 L 533mm W 75mm H 123mm tube ø 14mm L1 78mm L2 456mm connection cable cable length 2000mm dry heating element		

### heating elements for tilting bratt pan


	<b>No.</b>	415098	<b>Ref. No.</b>	0A2068 0A2247
	<b>description</b>	heating element 2250W 220V heating circuits 1 L 533mm W 75mm H 123mm tube ø 14mm L1 78mm L2 456mm connection cable cable length 2000mm dry heating element		

### immersion heating elements

#### with round flange ø47.5mm

	<b>No.</b>	415598	<b>Ref. No.</b>	046622 046623
	<b>description</b>	heating element 4500W 230V heating circuits 3 mounting ø 47.5mm L 350mm W 28mm H 34mm round flange connection male faston 6.3mm immersion heater tube ø 6.5mm thermostat sleeves ø 6.5mm number of thermostat sleeves 1 length thermostat sleeves 305mm thermostat sleeve centre not clinging		
<b>spare parts for</b>		415598		
	<b>No.</b>	510408	<b>Ref. No.</b>	—
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
<b>accessories for</b>		415598		
	<b>No.</b>	510562	<b>Ref. No.</b>	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	<b>No.</b>	520235	<b>Ref. No.</b>	—
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	<b>No.</b>	520236	<b>Ref. No.</b>	—
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	<b>No.</b>	550002	<b>Ref. No.</b>	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			




accessories for	415598			
	No.	550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm			

## hot plates

### square & rectangular

#### with radiused edge

			
1			
No.	490065	Ref. No.	0A2198
description	hot plate dimensions 220x220mm 2000W 230V with spill ring connection 4 screw clamps protector no square		

			
1			
No.	490066 <sup>1</sup>	Ref. No.	0A2199
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector

			
1			
No.	490054 <sup>1</sup>	Ref. No.	0A2020
description	hot plate dimensions 300x300mm 2500W 230V with spill ring connection 4 screw clamps protector yes		

<sup>1</sup>incl. protector


			
1			
No.	490071 <sup>1</sup>	Ref. No.	052199
description	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector

## energy regulators

### EGO


#### 1-circuit

			
1			
No.	380015	Ref. No.	0A2482
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

## thermostats

### bi-metal thermostats

#### safety bi-metal thermostats

			
1			
No.	390590	Ref. No.	0KK203
description	bi-metal safety thermostat hole distance 24mm switch-off temp.°C 1NC 1-poleAV connection plug 2 hole fixing		

### control and safety thermostats

#### EGO

#### control thermostats

#### 55.10/19\_ series

			
1			
No.	375055	Ref. No.	0A2018
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 318° 250V		



1

No.	375661	Ref. No.	056701
description	thermostat t.max. 500°C temperature range 75-500°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1470mm capillary pipe isolated 960mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

## 55.34\_ series



1

No.	375143	Ref. No.	0A2237
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




1


No.	375412	Ref. No.	0A2206
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		

## safety thermostats


## 55.10/19\_ series



1

No.	390062	Ref. No.	0A2011
description	safety thermostat switch-off temp. 235°C 1-pole 0.5A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1500mm gland nut M9x1 probe SS		
accessories for	390062		
	No.	551083	Ref. No.
			—
	 cap for safety thermostat thread M8x1		

## 55.32\_ series



1

No.	390064	Ref. No.	0A2204
description	safety thermostat switch-off temp. 220°C 3-pole 3NC 20A probe ø 6mm probe L 133mm capillary pipe 1890mm capillary pipe isolated 700mm gland nut probe SS		

## switches and momentary switches

## microswitches

## lever actuated




1

No.	346362	Ref. No.	0A2145
description	microswitch with lever connection cable		



## cam switches

## on/off



1

No.	300074	Ref. No.	0A2162 0A2227
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		






1

No.	300017	Ref. No.	0A2241
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

## 7-position



1

No.	300025	Ref. No.	0A2021
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
accessories for	300025		
	No.	112172	Ref. No. —
knob universal ø 70mm black without adaptor/dial plate			
	No.	112213	Ref. No. —
knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm			
	No.	112311	Ref. No. —
knob adapter shaft ø 6x4.6mm L 0mm with spring			



1

No.	300106	Ref. No.	0A2022
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

## 4 operating positions



1

No.	347483	Ref. No.	053866 0C7965
description	cam switch 4 operating positions 8NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 17mm connection male faston 6.3mm plastic		

## operation switches



1

No.	300002	Ref. No.	0A2134
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1

No.	300200	Ref. No.	0A2036
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		



## miscellaneous



1

No.	301299	Ref. No.	0C6245
description	cam switch 8 operating positions 5NO sequence 0-1-2-3-4-5-6-7 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

## control equipment

## MOELLER/EATON

## switches (complete)

## push/momentary push switches



1

No.	346367	Ref. No.	0A2234
description	momentary push switch mounting measurements ø22mm black 1NO water momentary		



1

No.	346366	Ref. No.	0A2232
description	momentary push switch mounting measurements ø22mm black 1NO/1CO arrow momentary		



1

No.	346340	Ref. No.	0A2196
description	switch mounting measurements ø22mm red complete EMERGENCY SHUT-DOWN		

## lamps

## indicator lights

## indicator lights (complete)

ø10mm

with screw socket



1

No.	359378	Ref. No.	0A2224
description	indicator light ø 10mm 230V green connection male faston 6.3mm socket screw base		



1

No.	359380	Ref. No.	0A2408
description	indicator light ø 10mm 230V red connection male faston 6.3mm socket screw base		



1

No.	359379	Ref. No.	0A2225
description	indicator light ø 10mm 230V yellow connection male faston 6.3mm socket screw base		

## oven lamps



## universal oven lamps

mounting diameter 47.8mm



1

No.	357187	Ref. No.	056708
description	oven lamp mounting ø 47.8mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		

spare parts for		357187		
	No.	359610	Ref. No.	—
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips			
	No.	359725	Ref. No.	—
	oven lamp glass thread ø 44mm H 43mm ø 54mm hard glas temp.-resist. 350°C			




## timers

### programme timers



1

<b>No.</b>	360525	<b>Ref. No.</b>	088285
<b>description</b>	timer CDC 11904 engines 1 chambers 4 operation time 10min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BCR000.0000 motor type M48R ATS		
<b>spare parts for</b>	360525		
	<b>No.</b>	360118	<b>Ref. No.</b> —
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		

### defrost timers

#### miscellaneous



1

<b>No.</b>	360187	<b>Ref. No.</b>	084986
<b>description</b>	defrost timer type RZ-2001-21 defrosting interval 4H defrosting time 15min fan delay 5min 230V 50Hz defr. funct. 4x per 24h		

## relays

### power relays

#### with bracket mounting



1

<b>No.</b>	380052	<b>Ref. No.</b>	088267
<b>description</b>	power relays 230VAC 25A 2NO connection male faston 6.3mm flange support		

## transformers

### miscellaneous

1

<b>No.</b>	403448	<b>Ref. No.</b>	083389
<b>description</b>	transformer for blast chiller suitable for ZANUSSI		

## probes

### producer-specific probes

#### probes




1

<b>No.</b>	379628	<b>Ref. No.</b>	086560
<b>description</b>	temperature probe 2x NTC 10K cable PVC probe -40 up to +110°C cable -10 up to 100°C connection coded plug thread probe ø6.5x45mm cable length 0.4/0.55m		

## electronics

### PCBs



1

<b>No.</b>	402137	<b>Ref. No.</b>	086520
<b>description</b>	PCB for float switch		

## solenoïd valves

### solenoïd valves (water)

#### RPE

#### special outlet



1


<b>No.</b>	370453	<b>Ref. No.</b>	0H9328
<b>description</b>	solenoid valve single angled 230VAC inlet 11.5mm outlet 11.5mm RPE		

## solenoid valves (refrigeration)

## PARKER

## valve bodies



<b>No.</b>	370536	<b>Ref. No.</b>	0KM756
<b>description</b>	solenoid valve body p max 35bar connection 3/8" US PARKER for ice maker tube ø 10mm hot gas		
<b>accessories for</b>	370536		
	<b>No.</b>	371098	<b>Ref. No.</b> —
	solenoid coil 220-230VAC 50/60Hz seat ø 14mm cable length 1000mm 14W		

## pressure switches

## for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



<b>No.</b>	543030	<b>Ref. No.</b>	0KZ785
<b>description</b>	pressure control pressure range 40/15mbar connection 6mm ø 58mm pressure connection horizontal warewashing		

## for steam control



<b>No.</b>	541350	<b>Ref. No.</b>	0A2480
<b>description</b>	pressure control pressure range adjustable 0.3-0.8bar connection 1/4" CO 250V 10A ambient temperature max. 60°C pressure connection 1/4"		

## compressors

## EMBRACO / ASPERA

## R134A

## HBP monophase

High evaporation temperature above -15°C



<b>No.</b>	605189	<b>Ref. No.</b>	093207
<b>description</b>	compressor coolant R134a type EMT6160Z 220-240V 50Hz HBP 7.8kg 1/4HP cylinder capacity 6.76cm³ CSIR H 166mmWWW 325W 412W 513W 630W 762W 910W ambient temperature max. 45°C		



<b>No.</b>	605208	<b>Ref. No.</b>	093297
<b>description</b>	compressor coolant R134a type NEK6210Z-A 220-240V 50Hz HBP 11kg 1/3HP cylinder capacity 12.1cm³ CSIR H 200mmWWW 364W 485W 636W 818W 1030W 1273W test method EN 12900 ambient temperature max. 55°C		



<b>No.</b>	605210	<b>Ref. No.</b>	093205
<b>description</b>	compressor coolant R134a type NEK6212Z-A 220-240V 50Hz HBP 11.2kg 1/2HP cylinder capacity 14.28cm³ CSIR H 206mmWWW 413W 561W 739W 945W 1181W 1295W test method EN 12900 ambient temperature max. 55°C		





1

No.	605079	Ref. No.	092312
description	compressor coolant R134a type NT6215Z 220-240V 50Hz HBP fully hermetic 17kg 1/2HP cylinder capacity 17.4cm <sup>3</sup> CSIR H 207mmWW 484W 646W 843W 1071W 1326W 1606W test method EN 12900		

## R404a/R507

### LBP monophase

Lower evaporation temperature below -20°C



1

No.	605174	Ref. No.	084076
description	compressor coolant R404a/R507 type NJ2192GK 220-240V 50Hz LBP 20.4kg 1 1/4HP cylinder capacity 26.2cm <sup>3</sup> CSR H 265mm 685W 989W 1342W 1745W 2196W 2196WWWWWW		

### HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605139	Ref. No.	093208
description	compressor coolant R404a/R507 type EMT6165GK 220-240V 50Hz HMBP 7.92kg 1/4HP cylinder capacity 5.19cm <sup>3</sup> CSIR H 180mmWW 315W 384W 477W 570W 689W 808W test method ASHRAE		



1

No.	605162	Ref. No.	093373
description	compressor coolant R404a/R507 type NEK6181GK 220-240V 50Hz HMBP 10.4kg 1/4HP cylinder capacity 7.28cm <sup>3</sup> CSIR H 190mmWW 454W 533W 677W 826W 1000W 1198W 1422W		



1

No.	605161	Ref. No.	093377
description	compressor coolant R404a/R507 type NEK6210GK 220-240V 50Hz HMBP fully hermetic 8.5kg 3/8HP cylinder capacity 8.78cm <sup>3</sup> CSIR H 200mmW 566W 674W 815W 988W 1195W 1435W 1707W		



1

No.	605178	Ref. No.	092239
description	compressor coolant R404a/R507 type NEK6217GK 220-240V 50Hz HMBP 11.6kg 5/8HP cylinder capacity 14.3cm <sup>3</sup> CSIR H 206mmW 777W 954W 955W 1171W 1386W 1651W 1916W		




## fans

## refrigeration fans

## cold air circulating fans (complete)

## miscellaneous



## cross flow fans

## COPREL

## with standard coil




## pumps

## wash and rinse pumps

## FIR

## pumps



## pumps for ice machines





## gas taps

## PEL

## 20S series

















1

No.	101094	Ref. No.	0A2163
<b>description</b>	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
<b>spare parts for</b>	101094		
	No.	100408	Ref. No. —
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No. —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101205	Ref. No. —
gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
<b>accessories for</b>	101094		
	No.	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No. —
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No. —
union nut thread M16x1.5 tube ø 8mm			
	No.	110081	Ref. No. —
knob ø 70mm shaft ø 8x6.5mm shaft flat universal			
	No.	110083	Ref. No. —
knob dial plate gas tap without ignition flame silver			

## 21S series


















1




No.	101397	Ref. No.	0A2169
<b>description</b>	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
<b>spare parts for</b>	101397		
	No.	100408	Ref. No. —
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No. —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101206	Ref. No. —
gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21			
	No.	101231	Ref. No. —
thermocouple nut T1: M9x1 T2: M18x1			
<b>accessories for</b>	101397		
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No. —
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No. —
union nut thread M16x1.5 tube ø 8mm			
	No.	110081	Ref. No. —
knob ø 70mm shaft ø 8x6.5mm shaft flat universal			
	No.	112206	Ref. No. —
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

## 22S/O series



1

No.	101089	Ref. No.	300026
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper		
spare parts for	101089		
	No.	100259	Ref. No. —
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101240	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101089		
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101241	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. —
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No. —
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No. —
union nut thread M20x1.5 for pipe ø 12mm			

accessories for	101089		
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No. —
knob ø 70mm shaft ø 10x8mm shaft flat universal			
	No.	112206	Ref. No. —
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			



1





No.	101086	Ref. No.	300028
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		
spare parts for	101086		
	No.	100259	Ref. No. —
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101231	Ref. No. —
thermocouple nut T1: M9x1 T2: M18x1			
	No.	101240	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101086		
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101241	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. —
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			

Table continues overleaf











accessories for 101086				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

## 23S/O series



1

No.	101092	Ref. No.	0A2146	
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper			
spare parts for	101092			
	No.	100455	Ref. No.	—
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5				
	No.	101059	Ref. No.	—
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1				
	No.	101204	Ref. No.	—
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S				
	No.	101244	Ref. No.	—
gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps				
	No.	101463	Ref. No.	—
screw suitable for PEL23S Qty 4 pcs				
	No.	528455	Ref. No.	—
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs				
accessories for	101092			
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				

accessories for 101092				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101252	Ref. No.	—
union nut thread M24x1.5 for pipe ø 12mm				
	No.	101253	Ref. No.	—
union nut thread M24x1.5 PEL for pipe ø 16mm				
	No.	101254	Ref. No.	—
union nut thread M28x1.5 tube ø 20mm				
	No.	101255	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs				
	No.	101256	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	—
olive for pipe ø 20mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

## gas thermostats

## SIT

## 710 Minisit series



1



No.	101132	Ref. No.	056833	
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulatormbar gland nut ignition gas no			
	spare parts for 101132			
	No.	101053	Ref. No.	—
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102102	Ref. No.	—
	probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			

Table continues overleaf





accessories for 101132		No.	100809	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs	No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs	No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit	No.	101136	Ref. No.	051567
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8	No.	101137	Ref. No.	—
	cover cap without piezoelectric igniter	No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm	No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710	No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710	No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm	No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm	No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal	No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs	No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs	No.	110068	Ref. No.	054268 0A2172
	knob suitable for Minisit ø 37mm				

## gas valves and ignition boxes

## gas control valves

## SIT

## ELETTROSIT



1

No.	101123	Ref. No.	0A2035	
description	gas valve SIT type ELETROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.138			
spare parts for	101123			
	No.	101312	Ref. No.	054539
microswitch				
	No.	101352	Ref. No.	—
solenoid coil 230V 50Hz suitable for ELETROSIT				
accessories for	101123			
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101301	Ref. No.	—
gas connection thread 1/2" straight ELETROSIT screw with O-ring				
	No.	101303	Ref. No.	—
gas connection straight thread 3/4" ELETROSIT				
	No.	101309	Ref. No.	—
extension				

## NOVASIT

## accessories



1

No.	101312	Ref. No.	054539
description	microswitch		



## ignition boxes

SIT



1

No.	102346	Ref. No.	0C1059
description	ignition box SIT type 577DBC electrodes 2 waiting time 1.5s safety time 6s 220/240V 20VA 50/60Hz protection IP40		

## ignition parts










## pilot burners







SIT

100 series




1

No.	106904	Ref. No.	300436 300437	
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm			
spare parts for	106904			
	No.	100245	Ref. No.	—
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100855	Ref. No.	—
pilot burner bracket triple				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107160	Ref. No.	—
pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs				
	No.	107166	Ref. No.	—
pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				

<b>accessories for</b> 106904			
	No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No. —
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

## accessories

## ignition electrodes

















No.	100706	Ref. No.	300035
description	ignition electrode connection M4 Qty 1 pcs		




No.	100707	Ref. No.	054336 056754
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		




1


No.	100109	Ref. No.	0A2472	
description	pilot burner SIT type 160 series 1 flame nozzle ømm gas connecti- onmm			
spare parts for	100109			
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	100109			
	No.	100202	Ref. No.	—
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm				
	No.	100203	Ref. No.	—
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm				
	No.	100701	Ref. No.	0A2473
ignition electrode connection M4 Qty 1 pcs				
	No.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100869	Ref. No.	—
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm				
	No.	100906	Ref. No.	—
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101282	Ref. No.	—
olive for pipe ø 4mm L 7.4mm Qty 1 pcs				
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107650	Ref. No.	—
pilot burner nozzle SIT LPG code 30 Qty 1 pcs				

## electrodes




1

<b>No.</b>	100701	<b>Ref. No.</b>	0A2473	
<b>description</b>	ignition electrode connection M4 Qty 1 pcs			
<b>accessories for</b>	100701			
	<b>No.</b>	100906	<b>Ref. No.</b>	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			



1

<b>No.</b>	100706	<b>Ref. No.</b>	300035
<b>description</b>	ignition electrode connection M4 Qty 1 pcs		



1

<b>No.</b>	100707	<b>Ref. No.</b>	054336 056754
<b>description</b>	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		

## ignition cables

pre-assembled cables



1

<b>No.</b>	100026	<b>Ref. No.</b>	054273
<b>description</b>	ignition cable cable length 1000mm connection ø4mm / F6.3mm		



## piezoelectric igniters

### miscellaneous



1				
No.	nla <sup>1</sup>	Ref. No.	051567	
description	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
spare parts for	101136			
	No.	100001	Ref. No.	—
	piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm			

<sup>1</sup>no longer available

## ignition units



1				
No.	102485	Ref. No.	300484	
description	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz			



1				
No.	101015	Ref. No.	300486	
description	ignition unit outputs 4 230VAC 0.6VA 50Hz			



1				
No.	102388	Ref. No.	300486	
description	ignition unit outputs 4 230VAC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 type WAC-T4 0.6VA 50/60Hz			


## thermocouples

### plug-in thermocouples


#### plug-in thermocouples standard

with barrel socket ø6(6.5)mm

#### thermocouples SIT




No.	107619	Ref. No.	0A2161
description	thermocouple SIT M10x1 L 1000mm plug connection ø6.0(6.5)mm		



No.	107614	Ref. No.	300034
description	thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm		

### plug-in thermocouples with interruption




No.	107863	Ref. No.	051932 056914
description	thermocouple SIT with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm cable 820mm		

## threaded thermocouples

## threaded thermocouples standard

## threaded thermocouples (miscellaneous)



<b>No.</b>	107646	<b>Ref. No.</b>	052163
<b>description</b>	thermocouple M9x1 L 1000mm M8x1		

## gas burners

## hob burners

## producer-specific hob burners

## ALPENINOX

## 700, 900 series



<b>No.</b>	103052	<b>Ref. No.</b>	300489
------------	--------	-----------------	--------

**description** burner cap ø 125mm

**accessories for** 103052



<b>No.</b>	104083	<b>Ref. No.</b>	0A2165 0A2168 300488
------------	--------	-----------------	----------------------------

burner head for burner cap ø 125mm



<b>No.</b>	104087	<b>Ref. No.</b>	300487
------------	--------	-----------------	--------

burner lower part for burner cap ø 125mm



<b>No.</b>	103051	<b>Ref. No.</b>	300475
------------	--------	-----------------	--------

**description** burner cap ø 80mm

**accessories for** 103051



<b>No.</b>	104084	<b>Ref. No.</b>	0A2093
------------	--------	-----------------	--------

burner head for burner cap ø 80mm



<b>No.</b>	104086	<b>Ref. No.</b>	300473
------------	--------	-----------------	--------

burner lower part for burner cap ø 80mm



1

<b>No.</b>	104083	<b>Ref. No.</b>	0A2165 0A2168 300488
<b>description</b>	burner head for burner cap ø 125mm		



1

<b>No.</b>	104082	<b>Ref. No.</b>	300474
<b>description</b>	burner head for burner cap ø 80mm		

**accessories for** 104082



<b>No.</b>	103051	<b>Ref. No.</b>	300475
------------	--------	-----------------	--------

burner cap ø 80mm



<b>No.</b>	104086	<b>Ref. No.</b>	300473
------------	--------	-----------------	--------

burner lower part for burner cap ø 80mm



1

<b>No.</b>	104087	<b>Ref. No.</b>	300487
<b>description</b>	burner lower part for burner cap ø 125mm		



1

<b>No.</b>	104086	<b>Ref. No.</b>	300473
<b>description</b>	burner lower part for burner cap ø 80mm		

**accessories for** 104086



<b>No.</b>	103051	<b>Ref. No.</b>	300475
------------	--------	-----------------	--------

burner cap ø 80mm



<b>No.</b>	104084	<b>Ref. No.</b>	0A2093
------------	--------	-----------------	--------

burner head for burner cap ø 80mm





## 900 series



1

No.	103052	Ref. No.	300489
description	burner cap ø 125mm		
accessories for	103052		
	No.	104083	Ref. No.
			0A2165 0A2168 300488
burner head for burner cap ø 125mm			
	No.	104087	Ref. No.
			300487
burner lower part for burner cap ø 125mm			



1

No.	104083	Ref. No.	0A2165 0A2168 300488
description	burner head for burner cap ø 125mm		



1

No.	104085	Ref. No.	0A2099
description	burner head for burner cap ø 125mm		



1

No.	104084	Ref. No.	0A2093
description	burner head for burner cap ø 80mm		
accessories for	104084		
	No.	103051	Ref. No.
			300475
burner cap ø 80mm			
	No.	104086	Ref. No.
			300473
burner lower part for burner cap ø 80mm			



1

No.	104087	Ref. No.	300487
description	burner lower part for burner cap ø 125mm		

## reducers for pan supports



1

No.	210001	Ref. No.	301044
description	reducer for pan support L 265mm W 265mm SS suitable for universal		

## accessories

## reducers for pan supports



1

No.	210001	Ref. No.	301044
description	reducer for pan support L 265mm W 265mm SS suitable for universal		

## bar burners

## bar burners



1

No.	105773	Ref. No.	0A2474
description	bar burner angled L 660mm W 205mm ømm Hmm oven		

## gas nozzles

## main nozzles

## gas nozzles (other)



1

No.	103180	Ref. No.	026623
description	nozzle bore ø 2.85mm		

## auxiliary gas parts

## gas pressure regulators

Standard pressure according to country:

Germany 50mbar

France 37mbar

Italy 30mbar

Spain 37/50mbar

UK 20mbar



1

No.	250124	Ref. No.	0S0027
description	gas pressure regulator BP2205 connection 1/4" - 1/2" 30mbar/7kg/h countries IT input pressure max. 4bar NOVACOMET LPG		

## equipment-specific units

## for ice-cube maker

## drain systems

## filters



1

<b>No.</b>	695769	<b>Ref. No.</b>	086023
<b>description</b>	drain filter thread 7/8" ø 32mm H 10mm		

## doors

## door guides



1

<b>No.</b>	695447	<b>Ref. No.</b>	OKM684
<b>description</b>	door guides mounting pos. right L 215/240mm W 14mm		

## mechanics for evaporators

## holders



1

<b>No.</b>	694437	<b>Ref. No.</b>	OKM705
<b>description</b>	bearing block for evaporator kit with holder mounting pos. lower		

## miscellaneous



1

<b>No.</b>	695630	<b>Ref. No.</b>	086445 OKM780
<b>description</b>	coupling set ø 37mm		



1

<b>No.</b>	695744	<b>Ref. No.</b>	086584
<b>description</b>	insulation L 150mm W 100mm H 140mm ID ø 55mm		

## for convection ovens/combi-steamers

## spare parts and accessories



1

<b>No.</b>	545179	<b>Ref. No.</b>	003701
<b>description</b>	spring for hose reel thickness 1mm for hose 6x12mm spring steel combi-steamer		

## knobs

## producer-specific knobs

## ALPENINOX



1

<b>No.</b>	110084	<b>Ref. No.</b>	0A2260
<b>description</b>	knob gas tap with ignition flame ø 57mm shaft ø 10x8mm shaft flat -135° black		



1

<b>No.</b>	111731	<b>Ref. No.</b>	0A2468
<b>description</b>	knob gas tap without ignition flame shaft ø 8x6.5mm shaft flat left black		



1

<b>No.</b>	111732	<b>Ref. No.</b>	0A2461
<b>description</b>	knob thermostat 1-8 shaft ø 6x4.6mm shaft flat right black		

## hinges

### spring assisted hinges

#### producer-specific

#### ELECTROLUX/ZANUSSI



1


<b>No.</b>	690620	<b>Ref. No.</b>	2209/R
<b>description</b>	spring assisted hinge		



1

<b>No.</b>	690621	<b>Ref. No.</b>	2257/R
<b>description</b>	spring assisted hinge left		

### oven hinges






1

<b>No.</b>	700001	<b>Ref. No.</b>	053096
<b>description</b>	opposite support L 118mm W 17mm mounting distance 94mm		




1

<b>No.</b>	700006	<b>Ref. No.</b>	0A2005
<b>description</b>	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm		
<b>accessories for</b>	700006		
	<b>No.</b>	700001	<b>Ref. No.</b> 053096
	opposite support L 118mm W 17mm mounting distance 94mm		
	<b>No.</b>	700007	<b>Ref. No.</b> 0A2004
	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm		



1

<b>No.</b>	700007	<b>Ref. No.</b>	0A2004
<b>description</b>	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm		
<b>accessories for</b>	700007		
	<b>No.</b>	700001	<b>Ref. No.</b> 053096
	opposite support L 118mm W 17mm mounting distance 94mm		




1

<b>No.</b>	701561	<b>Ref. No.</b>	050766
<b>description</b>	oven hinge mounting distance 173mm mounting distance 2mm lug mounting 14mm lever length 112mm groove distance 10mm spring thickness 3mm mounting ear position left/right spring length 111mm L 205mm W 25mm with opposite support		

## pullouts

## rollers

## rollers




			
<b>No.</b>	690680	<b>Ref. No.</b>	600889
<b>description</b>	roller rollerø 24mm B1 6mm overall width 9mm A 24mm B 6mm C 9mm D 6mm E 10mm ceramic bearing ball bearing		

## fittings for catering equipment

## drain taps

## brass


## drain taps

			
<b>No.</b>	540296	<b>Ref. No.</b>	0S0112
<b>description</b>	drain tap ET M60x2mm chrome-plated brass		
<b>spare parts for</b>	540296		
	<b>No.</b>	505092	<b>Ref. No.</b> —
O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs			
	<b>No.</b>	540213	<b>Ref. No.</b> —
handle ID ø 5mm L 117mm			

## baskets

## fryer baskets

## ALPENINOX

			
<b>No.</b>	970419	<b>Ref. No.</b>	0A2603
<b>description</b>	fryer basket L1 290mm W1 285mm H1 125mm chrome-plated steel		


## gaskets


## refrigeration gaskets

## plug-in gaskets

## profile 9048


We offer custom-made gaskets for this profile


			
<b>No.</b>	900019	<b>Ref. No.</b>	082759
<b>description</b>	refrigeration gasket profile 9048 W 262mm L 372mm plug size drawer size 1/2		


			
<b>No.</b>	900018	<b>Ref. No.</b>	082725
<b>description</b>	refrigeration gasket profile 9048 W 372mm L 572mm plug size door size 1/1		

## profile 9773

We offer custom-made gaskets for this profile

			
<b>No.</b>	900984	<b>Ref. No.</b>	600748
<b>description</b>	refrigeration gasket profile 9773 W 664mm L 762mm external size W1 651mm L1 749mm plug size suitable for ELECTROLUX, ZANUSSI		

			
<b>No.</b>	900983	<b>Ref. No.</b>	600743
<b>description</b>	refrigeration gasket profile 9773 W 665mm L 1570mm external size W1 652mm L1 1557mm plug size suitable for ELECTROLUX, ZANUSSI		



<b>No.</b>	900254	<b>Ref. No.</b>	0780085719
<b>description</b>	refrigeration gasket profile 9773 W 682mm L 1531mm external size W1 669mm L1 1518mm plug size suitable for ELECTROLUX, ZANUSSI		

## profile 9794

We offer custom-made gaskets for this profile


1

<b>No.</b>	902546	<b>Ref. No.</b>	091143 092689
<b>description</b>	refrigeration gasket profile 9794 W 561mm L 685mm plug size		


## screw-in gaskets

## profile 9030

We offer custom-made gaskets for this profile



<b>No.</b>	900002	<b>Ref. No.</b>	0A8079
<b>description</b>	refrigeration gasket profile 9030 W 310mm L 390mm external size drawer for refrigerated counter refrigeration size 1/2		



<b>No.</b>	900004	<b>Ref. No.</b>	600213
<b>description</b>	refrigeration gasket profile 9030 W 391mm L 640mm external size door for refrigerated counter refrigeration size 1/1		

## foam rubber gaskets



1

<b>No.</b>	901292	<b>Ref. No.</b>	086670
<b>description</b>	foam rubber gasket W 15mm thickness 8mm self-adhesive Qty supplied by meter		

## shaft gaskets

## shaft gaskets



1

<b>No.</b>	511533	<b>Ref. No.</b>	0KM798
<b>description</b>	shaft seal ID ø 25mm ED ø 34mm thickness 5mm for ice maker		

## refrigeration cycle components

## valves

## spare parts and accessories



1

<b>No.</b>	371310	<b>Ref. No.</b>	089614
<b>description</b>	insulating cover		

## evaporation and condensing trays

## unheated condensing trays



1

<b>No.</b>	750316	<b>Ref. No.</b>	089615
<b>description</b>	condensing tray L 160mm W 80mm H 85mm		



## transmission technology and ball bearings

### drive belts

#### toothed belts



<b>No.</b>	698653	<b>Ref. No.</b>	OKJ039
<b>description</b>	toothed belt profile V L 1000mm CODE 4668 W 31.5mm		

## springs

### torsion springs



<b>No.</b>	690683	<b>Ref. No.</b>	600091
<b>description</b>	torsion spring ø 14.5mm wire gauge ø 2.5mm L1 86mm L2 30mm L3 16mm refrigerator		



<b>No.</b>	700087	<b>Ref. No.</b>	600092
<b>description</b>	torsion spring ø 14.5mm wire gauge ø 2.7mm L1 86mm L2 30mm L3 16mm refrigerator		

### gas tension springs

#### gas tension springs



<b>No.</b>	692685	<b>Ref. No.</b>	033241
<b>description</b>	gas tension spring 150N hub 100mm D1 ø 6mm D2 ø 15mm hole distance 260mm hole ø 6mm L 275mm		

## hose reels and spray guns

### hose reels

#### spare parts and accessories

#### miscellaneous



<b>No.</b>	545179	<b>Ref. No.</b>	003701
<b>description</b>	spring for hose reel thickness 1mm for hose 6x12mm spring steel combi-steamer		

## consumables

### lubricants

#### machine lubricants



<b>No.</b>	890029	<b>Ref. No.</b>	OKL180
<b>description</b>	machine lubricant Mobilux EP004 can 500g for gearbox -25 up to +120°C		
<b>description</b>	<p>Mobilux EP004 - can 500g</p> <p>Suitable for lubricating enclosed gears and bearings in poorly sealed gear cases with the exception of electric motor bearings. Can also be used for many other industrial applications, e.g. gear cases and chains, in which conventional gear oils would escape due to leaks caused by worn or missing seals. Meets requirements of SEW 1008 hour gear test, DR.EM.2003 mod.</p> <p>Temperature resistance: -25°C to +120°C</p>		