

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

BAKE-OFF

heating elements


heating elements for convection

			
1			
No.	420228	Ref. No.	373500013
description	heating element 2000W 240V heating circuits 1 ID ø 180mm ED ø 192mm L 246mm H 42mm L1 48mm W1 30mm H1 20mm H2 28mm flange length 70mm flange width 22mm hole distance 56mm connection screw connection length 65mm tube ø 6.25mm convection heating element hole ø 5mm		

			
1			
No.	420189	Ref. No.	373500041
description	heating element 208/230W 2535/3100V heating circuits 1 ID ø 220mm ED ø 232mm L 269mm H 60mm L1 34mm W1 61mm H1 23mm H2 37mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm flange connection		

			
1			
No.	419149	Ref. No.	373500032
description	heating element 3990W 230V heating circuits 2 ID ø 215mm ED ø 227mm L 245mm H 42mm L1 15mm W1 61mm H1 16mm H2 24mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 79mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		

			
1			
No.	419163	Ref. No.	373500040
description	heating element 5000W 230V heating circuits 2 ID ø 214mm ED ø 228mm L 245mm H 42mm L1 12mm W1 60mm H1 9mm H2 34mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 62mm tube ø 6.3mm convection heating element hole ø 5mm		

			
1			
No.	419150	Ref. No.	373500014 373500015
description	heating element 9000W 220V heating circuits 3 ID ø 316mm ED ø 329mm L 396mm H 83mm L1 66mm W1 103mm H1 18mm H2 65mm flange length 142mm flange width 25mm hole distance 126mm connection M6 connection length 95mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	STTR		

thermostats

control and safety thermostats

EGO


safety thermostats

55.31_ series

			
1			
No.	375377	Ref. No.	182500021 182500022
description	safety thermostat switch-off temp. 350°C 3-pole 3NC 1x20/2x0.5A probe ø 6mm probe L 157mm capillary pipe 1230mm capillary pipe isolated 1100mm gland nut probe		
For models:	STTR		

CAEM

control thermostats

			
1			
No.	390790	Ref. No.	182500044
description	thermostat t.max. 300°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 1450mm capillary pipe isolated 650mm gland nut shaft ø 6x4.6mm shaft L 22mm rotation 270° 250V		



safety thermostats



No.	376043	Ref. No.	182500035
description	safety thermostat switch-off temp. 335°C 1-pole 16A probe ø 3mm probe L 180mm capillary pipe 970mm capillary pipe isolated 780mm probe SS		

switches and momentary switches

rocker/momentary rocker switches

30x22mm



No.	347662	Ref. No.	167600000
description	momentary rocker switch mounting measurements 30x22mm black 2CO 250V 16A steam connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		

microswitches

pin-plunger actuated

M10



No.	345032	Ref. No.	151600000 151600020
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	STTR		

lamps

indicator lights

indicator lights (complete)

ø10mm

with plug-in socket



No.	359139	Ref. No.	149000000
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		

screw-on/push-on fit

halogen lamp

for socket G4 / G6.35 / G9



No.	347637	Ref. No.	146600003
description	halogen lamp socket G4 24V 20W temp.-resist. 300°C ø 8mm L 30mm		
For models:	STTR		

linear lamps

infrared lamps

with base type X lug



No.	359617	Ref. No.	146600007
description	infrared lamp 1000W 220V L 365mm lens L 340mm total length 480mm with mounting strap		

oven lamps

universal oven lamps

mounting diameter 35.5mm



No.	359705	Ref. No.	166400007	
description	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C			
accessories for	359705			
	No.	359610	Ref. No.	—
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips				
	No.	359700	Ref. No.	—
gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm				
	No.	359721	Ref. No.	—
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs				

accessories for 359705				
	No.	359837	Ref. No.	—
	gasket ID ø 33mm ED ø 46mm thickness 1mm graphite			
	No.	359838	Ref. No.	—
	gasket ID ø 33mm ED ø 45mm			

sockets

G4 / G5,3 / G6,35



No.	359646	Ref. No.	166400002
description	lamp socket socket G4/G5.3/G6.35 24V ø 17mm H 15mm connection cable 130mm mounting distance 26mm for halogen lamp holder length 31mm cable length 130mm		
For models:	5TTR, 6TTR		

timers

programme timers

1

No.	360703	Ref. No.	366900005
description	timer CDC 8802F1 engines 1 chambers 2 operation time 4min 230V 50Hz shaft ømm shaft Lmm manuf. no. 8802F10AGE000.0010 motor type M48R 230V		

1

No.	360540	Ref. No.	182500028
description	timer FIBER P25 engines 1 chambers 2 operation time 5min 230V 50/60Hz shaft ø hexagon 6mm shaft L 11mm manuf. no. P255JC2H800 motor type M51BJ0R0000 for convection oven		

electric timers

with time spread

1

No.	350154	Ref. No.	183000010 183000015
description	timer MS65 with bell operation time 120min time spread 30min 2CO/1NO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 20mm connection lateral Invensys 230V 3-pole		

contactors

GENERAL ELECTRIC (AEG)

power contactors

1

No.	380337	Ref. No.	182500047
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type AEG LS05 400A type GE MC1A 400A		

1

No.	381136	Ref. No.	182500042
description	power contactor resistive load 25A 24VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL01A310T1		
For models:	5TTR		

auxiliary contacts

1

No.	380269	Ref. No.	320800007
description	auxiliary contact contacts 1NC AC15 6A for contactors CL+LS_K connection screw AC-12 10A type AEG HS07K 01 type GE BCLF 01		
For models:	5TTR		



relays

time relays

time relays



1

No.	360523	Ref. No.	183000006
description	time relay FIBER E50BM_0100 time range 6s-6h 24-240VAC/24VDC 5A 1CO connection plug-in connection round 8-pole		
For models:	STTR		

electronic controllers

EVCO - EVERY CONTROL

universal controllers

built-in version



1

No.	378282	Ref. No.	182500010	
description	electronic controller EVERY CONTROL EVK411 mounting measurements 71x29mm built-in depth 59mm 230V voltage AC TC (J,K) relay outputs 1 CO-16A(8) TC (J,K) yes protection IP65 -100 to +800°C display 4 digits			
accessories for	378282			
	No.	378075	Ref. No.	—
	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C probe ø4.5x150mm cable length 3m without screw connection 2-wire			
	No.	379051	Ref. No.	—
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire			
	No.	379062	Ref. No.	—
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x50mm cable length 3m without screw connection 2-wire			
	No.	379693	Ref. No.	—
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe 0 up to +350°C cable°C probe ø6x100mm cable length 1.35m without screw connection cable colours red/blue 2-wire			

probes

producer-specific probes

probes



1

No.	379807	Ref. No.	179600000
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C connection 2-wire thread probe ø6x85mm cable length 1.5m		
For models:	STTR		

electronics

PCBs



1

No.	401840	Ref. No.	780605046
description	keypad PCB		
For models:	STTR		

keypads

front foils



1

No.	401838	Ref. No.	382000012
description	keypad foil L 300mm W 110mm		
For models:	STTR		



1

No.	401839	Ref. No.	382000051
description	keypad foil L 563mm W 115mm		



1

No.	401844	Ref. No.	382000052
description	keypad foil L 563mm W 115mm		



1

No.	505299	Ref. No.	382000019
description	keypad foil suitable for convection oven L 300mm W 110mm buttons 19		
For models:	STTR		

solenoid valves

solenoid valves (water)

RPE

solenoid valves with reducers

single



1



1




1

fans

hot air motors




1



1

No.	601784	Ref. No.	353000024 353000030 353000034 353000035
description	fan motor 220/240V 1 phase 50/60Hz 0.18/0.12kW 2750/3300rpm speeds 1 L1 94mm L2 31mm L3 23mm L4 12mm D1 ø 6/8mm D2 ø 8mm M5 Cos(fi) 0.96 at 50Hz 2750rpm at 60Hz 3300rpm suitable capacitor 5µF/450V		



1

No.	601770	Ref. No.	353000010
description	fan motor 220-240/380-415V 3 phase 50/60Hz 0.5HP 1400/1600rpm speeds 1 L1 158mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT at 50Hz 1400rpm at 60Hz 1600rpm type 1088.4354		
For models:	5TTR, 6TTR		



1

No.	601799	Ref. No.	391500007 391500015
description	fan wheel D1 ø 197mm H1 43mm blades 45 D2 ø 8mm D3 ø 8mm H2 25mm		



1

No.	601781	Ref. No.	391500011 391500016
description	fan wheel D1 ø 198mm H1 61mm blades 45 D2 ø 8mm D3 ø 8x6.8mm H2 14.5mm		



1

No.	601785	Ref. No.	391500013
description	fan wheel D1 ø 240mm H1 61mm blades 55 D2 ø 8mm D3 ø 8x6.5mm H2 20mm		

ignition parts

ignition units



1

No.	103334	Ref. No.	184507050
description	ignition unit outputs 2 220-240VAC dimensions 83x42x32mm mounting distance 34mm inlet F2.8 outlet F2.8 type TSM 17VA 50/60Hz		

equipment-specific units

for convection ovens/combi-steamers

spare parts and accessories



1

No.	692107	Ref. No.	743600000 743600010
description	mounting set for glass plate 6-fold		
For models:	5TTR		

glass panels



1

No.	692056	Ref. No.	391505401
description	glass panel L 721mm W 591mm thickness 5mm mounting pos. outer		
For models:	5TTR		

			
1			
No.	692055	Ref. No.	391505400 391505400+743600000 391505400+743600010
description	glass panel L 770mm W 564mm thickness 6mm mounting pos. inner		
For models:	5TTR		

locks

turning lever locks

universal

RAHRBACH

1

No.	690500	Ref. No.	311506500 751606500	
description	handle latch right L 185mm H 66mm handle material plastic type 6300 series			
For models:	6TTR			
spare parts for	690500			
	No.	699841	Ref. No.	—
	cover cap for turning lever lock ø 32mm H 14mm			
accessories for	690500			
	No.	514281	Ref. No.	—
	base plate L 110mm W 35mm for door catch thickness 10mm			
	No.	690136	Ref. No.	—
	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm			
	No.	691174	Ref. No.	—
	counterpart L 90mm W 60mm for door latch			
	No.	700091	Ref. No.	—
	door catch mounting pos. right off-set 20mm L 110mm H 56mm W 33mm mounting distance 68/68mm zinc die cast series 6300			
	No.	700098	Ref. No.	355606500
	door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750			



1

No.	700098	Ref. No.	355606500	
description	door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750			
For models:	6TTR			
spare parts for	700098			
	No.	690136	Ref. No.	—
	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm			
accessories for	700098			
	No.	514281	Ref. No.	—
	base plate L 110mm W 35mm for door catch thickness 10mm			

STUV



1

No.	700098	Ref. No.	355606500	
description	door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750			
For models:	6TTR			
spare parts for	700098			
	No.	690136	Ref. No.	—
	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm			
accessories for	700098			
	No.	514281	Ref. No.	—
	base plate L 110mm W 35mm for door catch thickness 10mm			

producer-specific

BAKE OFF



1

No.	700098	Ref. No.	355606500	
description	door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750			
For models:	6TTR			
spare parts for	700098			
	No.	690136	Ref. No.	—
	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm			
accessories for	700098			
	No.	514281	Ref. No.	—
	base plate L 110mm W 35mm for door catch thickness 10mm			



1

No.	690500	Ref. No.	311506500 751606500
description	handle latch right L 185mm H 66mm handle material plastic type 6300 series		
For models:	6TTR		
spare parts for	690500		
	No.	699841	Ref. No. —
cover cap for turning lever lock ø 32mm H 14mm			
accessories for	690500		
	No.	514281	Ref. No. —
base plate L 110mm W 35mm for door catch thickness 10mm			
	No.	690136	Ref. No. —
sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm			
	No.	691174	Ref. No. —
counterpart L 90mm W 60mm for door latch			
	No.	700091	Ref. No. —
door catch mounting pos. right off-set 20mm L 110mm H 56mm W 33mm mounting distance 68/68mm zinc die cast series 6300			
	No.	700098	Ref. No. 355606500
door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750			

handle latches

producer-specific

BAKE OFF




1

No.	691839	Ref. No.	743600002
description	door catch kit		
For models:	5TTR		

hinges

oven hinges




1

No.	693045	Ref. No.	36640005
description	opposite support L 110mm W 12mm mounting distance 94mm		



1

No.	701123	Ref. No.	311000006 41013970
description	oven hinge mounting distance 142mm lever length 117mm groove distance 7mm spring thickness 3.7mm spring length 58mm L 156mm W 22mm		




1

No.	700459	Ref. No.	311000005
description	oven hinge mounting distance 142mm mounting distance 2mm lug mountingmm lever length 117mm groove distance 7mm spring thickness 3.5mm mounting ear position spring length 58mm L 156mm W 22mm		
accessories for	700459		
	No.	693045	Ref. No. 36640005
opposite support L 110mm W 12mm mounting distance 94mm			

gaskets


gaskets for heated units

door seals




1

No.	900171	Ref. No.	331800008
description	door seal profile 2050 external size Qty supplied by meter		
For models:	5TTR		




1

No.	900901	Ref. No.	331800011
description	door seal profile 2746 Qty supplied by meter		
For models:	6TTR		



1

No.	901500	Ref. No.	331800003 331800015
description	door seal profile 2769 L 7000mm		



1

No.	900805	Ref. No.	N/A
description	door seal profile 2769 Qty supplied by meter		

door seals with fixing hook



1

No.	901503	Ref. No.	331800006
description	door seal L 650mm W 340mm 4-sided with 12 mounting clips		