Professionale pentru echipamente profesionale









Spare parts suitable for

BOURGEAT

heating elements

accessories

Washers No. 560112 Ref. No. VI0072 description plain washer ID Ø 5.3mm ED Ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5

thermostats

bi-metal thermostats

No. 390624 Ref. No. BM0095 description bi-metal safety thermostat hole distance 40mm switch-off temp. 125°C 2NC 2-pole 16A connection F6.3 2 hole fixing

switches and momentary switches

rocker/momentary rocker switches

30x22m	ım		
1			
No.	347791	Ref. No.	480365 EH0011
description	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		

electronic controllers

ELIWELL

universal controllers

built-in version



379690	Ref. No.	860	29999	
electronic controller ELIWELL type ICPlus902 model ICP16D0750000 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 CO-15A(8) NTC/PTC built-in depth 60mm defr. funct50 up to +150°C display 3½ digits				
379690				
No.	378194	Ref. No.	_	
temperature probe NTC 10kOhm cable PVC probe -20 up to $+80^{\circ}$ C cable -10 up to 100° C probe \emptyset 7x24.5mm cable length 1.5m withous crew connection 2-wire				
No.	379052	Ref. No.	EH0019	
temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1. without screw connection 2-wire				
No.	379053	Ref. No.	_	
temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire				
No.	379057	Ref. No.	_	
temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire				
No.	379064	Ref. No.	_	
temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire				
No.	379142	Ref. No.	_	
temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100 °C probe ø6x30mm cable length 1.5m without screw connection 2-wire				
No.	379160	Ref. No.	_	
temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire				
No.	379161	Ref. No.	_	
temperature probe NTC 10kOhm cable thermoplastic probe -40 up to $+110^{\circ}$ C cable -40 up to $+110^{\circ}$ C probe ø6x14mm cable length 3m without screw connection 2-wire				
No.	379343	Ref. No.	_	
temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire				
No.	379458	Ref. No.		
+110°C cable -50	up to +180°C pro			
No.	379781	Ref. No.	_	
temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire				
	electronic contro mounting measu outputs 1 CO-15/ to +150°C display 379690 No. temperature prol cable -10 up to 1/ screw connectior No. temperature prol +150°C cable -50 without screw co No. temperature prol cable -10 up to 1/ screw connectior No. temperature prol cable -10 up to 1/ screw connectior No. temperature prol +150°C cable -50 without screw co No. temperature prol +150°C cable -50 without screw co No. temperature prol +150°C cable -50 without screw co No. temperature prol to +110°C cable - without screw co No. temperature prol to +110°C cable -50 2-wire No. temperature prol +110°C cable -50 2-wire No. temperature prol to +110°C cable -50 2-wire No. temperature prol +110°C cable -50 2-wire No. temperature prol to +110°C cable -50 2-wire No. temperature prol to +110°C cable -50 2-wire No. temperature prol to +110°C cable -50 2-wire No. temperature prol to +110°C cable -50 2-wire No. temperature prol to +110°C cable -50 2-wire No. temperature prol to +110°C cable -50 2-wire No. temperature prol to +110°C cable -50 2-wire	electronic controller ELIWELL type mounting measurements 71x29m outputs 1 CO-15A(8) NTC/PTC built to +150°C display 3½ digits 379690 No. 378194 temperature probe NTC 10kOhm cable -10 up to 100°C probe ø7x24 screw connection 2-wire No. 379052 temperature probe PTC 1kOhm ca+150°C cable -50 up to +180°C prowithout screw connection 2-wire No. 379053 temperature probe PTC 1kOhm ca cable -10 up to 100°C probe ø6x30 screw connection 2-wire No. 379057 temperature probe NTC 10kOhm ca cable -10 up to 100°C probe ø6x30 screw connection 2-wire No. 379064 temperature probe PTC 1kOhm ca cable -10 up to 100°C probe ø6x25 No. 379064 temperature probe PTC 1kOhm ca cable -10 up to 100°C probe ø6x30 screw connection 2-wire No. 379142 temperature probe PTC 1kOhm ca cable -10 up to 100°C probe ø6x30 screw connection 2-wire No. 379160 temperature probe NTC 10kOhm ca cable -10 up to 100°C probe ø6x30 screw connection 2-wire No. 379161 temperature probe NTC 10kOhm ca cable -10 up to 100°C probe ø6x30 screw connection 2-wire No. 379343 temperature probe NTC 10kOhm ca cable -50 up to +180°C probe without screw connection 2-wire No. 379458 temperature probe NTC 10kOhm ca cable -50 up to +180°C probe without screw connection 2-wire No. 379458 temperature probe NTC 10kOhm ca cable -50 up to +180°C probe without screw connection 2-wire No. 379781 temperature probe PTC 1kOhm ca cable -50 up to +180°C probe without screw connection 2-wire No. 379781	electronic controller ELIWELL type ICPlus902 model mounting measurements 71x29mm 230V voltage AC outputs 1 CO-15A(8) NTC/PTC built-in depth 60mm of to +150°C display 3½ digits 379690 No. 378194 Ref. No. temperature probe NTC 10kOhm cable PVC probe -2 cable -10 up to 100°C probe ø7x24.5mm cable length screw connection 2-wire No. 379052 Ref. No. temperature probe PTC 1kOhm cable silicone probe +150°C cable -50 up to +180°C probe ø6x40mm cabl without screw connection 2-wire No. 379053 Ref. No. temperature probe PTC 1kOhm cable PVC probe -50 cable -10 up to 100°C probe ø6x30mm cable length screw connection 2-wire No. 379057 Ref. No. temperature probe NTC 10kOhm cable PVC probe -20 cable -10 up to 100°C probe ø6x25mm cable length screw connection 2-wire No. 379064 Ref. No. temperature probe PTC 1kOhm cable Silicone probe +150°C cable -50 up to +180°C probe ø6x40mm cable without screw connection 2-wire No. 379142 Ref. No. temperature probe PTC 1kOhm cable PVC probe -50 cable -10 up to 100°C probe ø6x30mm cable length screw connection 2-wire No. 379142 Ref. No. temperature probe NTC 10kOhm cable PVC probe -50 cable -10 up to 100°C probe ø6x30mm cable length screw connection 2-wire No. 379160 Ref. No. temperature probe NTC 10kOhm cable thermoplastit to +110°C cable -40 up to +110°C probe ø6x14mm cable vithout screw connection 2-wire No. 379161 Ref. No. temperature probe NTC 10kOhm cable thermoplastit to +110°C cable -40 up to +110°C probe ø6x14mm cable vithout screw connection 2-wire No. 379343 Ref. No. temperature probe NTC 10kOhm cable silicone probe +110°C cable -50 up to +180°C probe ø6x40mm cable vithout screw connection 2-wire No. 379458 Ref. No. temperature probe NTC 10kOhm cable silicone probe +110°C cable -50 up to +180°C probe ø6x40mm cable vithout screw connection 2-wire No. 379458 Ref. No. temperature probe NTC 10kOhm cable silicone probe +110°C cable -50 up to +180°C probe ø6x40mm cable vithout screw connection 2-wire	

Table continues overleaf




accessories for	379690				
	No.	379782	Ref. No.	_	
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm				

probes

universal probes

temperature probes




fans

hot air fans

ebm-papst





No.	601249	Ref. No.	480370 EH0018	
description	hot air fan 230V 32W 0.27A L1 60mm L2 20mm L3 20mm L4 157mm fan wheel ø 150mm ebm-papst type R2K150-AC01-15			

pumps

vibration pumps



1				
No.	500124	Ref. No.	EH	0137
description	vibration pump type EX 5 230V 48W 50/60Hz inlet ø 6 outlet ø 1/8" IT flat seal ULKA brass L 123mm			
accessories for	500124			
	No.	520152	Ref. No.	_
	hose connector Santoprene grommet ø 7mm grommet length 14mm			
	No.	520330	Ref. No.	_
	bracket rubber d	limensions 69x44	x4mm	

STEINCO

with bolt hole

stainless steel





No.	700323	Ref. No.		RO0012	
description	capacity 100	swivel castor ø 125mm bolt hole bolt hole ø 10.5mm housing SS capacity 100kg bearing ball bearing wheel body polyamide tread TPE tyres H 158mm wheel width 32mm Qty 1 pcs			
accessories for	700323				
•	No.	560190	Ref. No.	_	
	cylinder head bolt thread M10 L 80mm thread L 35mm WS 8 intake hexagonal zinc-coated steel Qty 1 pcs DIN 912/ISO 4762				
0	No.	560193	Ref. No.	_	
	tooth lock washer ID ø 10.4mm ED ø 18mm zinc-coated steel DIN/ ISO DIN 6798A Qty 1 pcs for thread M10				
0	No.	700148	Ref. No.	_	
	sleeve suitable for circular pipes ED ø 27.5 - 30mm ID ø M10mm				
1	sleeve suita	bie for circular pip	2011		



gaskets

gaskets for heated units





Ref. No.

1335mm with metal reinforcement


door seal suitable for BOURGEAT for technical chamber door L


76954016



tools







fastening material

screws





No. 560566 Ref. No. VI0130 description sheet-metal screw Ø 4.5mm L 15.5mm SS Qty 1 pcs head Ø 9.5mm	N	560566	D. f. N.	V//0120
description sheet-metal screw ø 4.5mm L 15.5mm SS Qty 1 pcs head ø 9.5mm	NO.	560566	Ket. No.	VI0130
	description			

kitchen accessories

901579

baking sheets

No.

description



washers DIN 125A No. 560112 Ref. No. V10072 description plain washer ID Ø 5.3mm ED Ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5





