Professionale pentru echipamente profesionale



thermostats

bi-metal thermostats

safety bi-metal thermostats



No.	390590	Ref. No.	C23114
description		ermostat hole dista nection plug 2 hole	nce 24mm switch-off temp.°C fixing
For models:	CB1565, CB1565-C CB316-CubeA, CB4 CB840, CB955, CB9 FreshMaker, G150,	ubeA, CB184, CB24 416, CB425, CB425-0 955-CubeA, DSS42, G250, G500, GB154 F29, IF30, IF55, IF75	CB1265, CB1265-CubeA, 6, CB246-CubeA, CB249, CB316, CubeA, CB640, CB640-CubeA, DSS42-CubeD, F230, FB802, 40, GB1555, GB902, GB903, , IMF28, IMF35, IMF58, IMF80,

refrigeration thermostats

RANCO

K22 series



No.	390587	Ref. No.	23447
description	thermostat RANCO type K22L1069 probe ø 2mm		
For models:	CB640, CB840, CB955, M350, M800		



No.	390524	Ref. No.	23591 24727 R23591	
description	thermostat RANCO type K22L1082 probe ømm probe Lmm capill pipe 2000mm temperature range -22 up to -3°C			
For models:	CB1265-CubeA, CB CB246-CubeA, CB2 CB425-CubeA, CB6 DSS42, DSS42-Cub	3134, CB1565, CB15 249, CB316, CB316-0 340, CB640-CubeA,	A, C80, C80-CubeA, CB1265, 65-CubeA, CB184, CB246, CubeA, CB416, CB425, CB840, CB955, CB955-CubeA, 18, IC24, IC24A-CubeA, IC30, 1700	



No.	390589	Ref. No.	23597 R23597	
description	thermostat RANCO type K22L1083 probe ø 2mm probe Lmn lary pipe 2300mm			
For models:	VM350, VM500, VN	1900		

K50 series

RANCO



No.	390288 Ref. No.		23034	
description	thermostat RANCO type K50L3163 probe ømm probe Lmm capilla pipe 2100mm temperature range -24 up to -14°C			
For models:	F230, FB802, G250, G500, GB1540, GB1555, GB902			




No.	390588	Ref. No.	23421 R23421		
description	thermostat RANCO type K50L3274 probe ø 2mm probe Lmm capillary pipe 3000mm				
For models:	C150, C300, C300-CubeA, C80, F230, G1000, G1000-Split, G250, G500, G500-Split, M1500, M1500-Split, M350, M350-Split, M600, M600-Split, M800, M800-Split				



No.	390286	Ref. No.	23005 R23005		
description	thermostat RANCO type K50L3383 probe ømm probe Lmm capillary pipe 1500mm temperature range +1 up to +3°C				
For models:	CB1565, CB1565-C CB316-CubeA, CB4 CB840, CB955, CB9 ker, G150, GB1540, IC30, IC30A-CubeA	ubeA, CB184, CB24 116, CB425, CB425- 155-CubeA, DSS42, GB1555, GB902, GI 1, IceWater45, IF26, 80, M1500, M1500-	CB1265, CB1265-CubeA, CB134, 6, CB246-CubeA, CB249, CB316, CubeA, CB640, CB640-CubeA, DSS42-CubeD, FB802, FreshMa- 3903, IC18, IC24, IC24A-CubeA, IF29, IF30, IF55, IF75, IMF28, Split, M350(Other models you		







switches and momentary switches

rocker/momentary rocker switches

3 U	v7	ว	m	m



1						
No.	345982	Ref. No.		23611		
description	16A illumina	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap				
For models:	VM350, VM50	00, VM900				
accessories for	345982					
1	No.	301036	Ref. No.	_		
	protective co		30x22mm for rocke	er switch mounting		

labelled No. 300125 Ref. No. 23327 rocker switch mounting measurements 30x22mm green 2NO 230V description 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap C150, C300, CB1265, CB1265-CubeA, CB134, CB1565, CB1565-CubeA, CB184, CB246, CB246-CubeA, CB249, CB316, CB316-CubeA, CB416, CB425, CB425-CubeA, CB640, CB640-CubeA, CB840, CB955, CB955-CubeA, FB802, FreshMaker, G1000, G150, G250, G500, G500-For models: Split, GB1540, GB1555, GB902, GB903, IC18, IC24, IC24A-CubeA, IC30, IC30A-CubeA, IceWater45, IF26, IF29, IF30, IF55, IF75, IMF28, IMF35, IMF58, IMF80, TB1405, TB852, VB250...(Other models you can see in the webshop) accessories for 300125 Ref. No. No. 301036 protective cover internal size 30x22mm for rocker switch mounting

push/momentary push switches

19x13mm



· •							
No.	346871 ¹	346871 ¹ Ref. No. 23619					
description	push switch mounting measurements 19x13mm green 2NO 250V 16A illuminated connection male faston 4.8mm ambient temperature max. 105/55°C protection IP40						
For models:	VM1700, VM350,	VM500, VM900					
accessories for	346871						
0	No.	346541	Ref. No.	_			
Le de	protective cover for rocker switch external size 23.4x17.4mm internal size 19x13mm H 9.5mm mounting measurementsmm						

¹illuminated

2 hole fixing



1	-			
	No.	346879	Ref. No.	23078
description				at 250V 16A illuminated ent temperature max. 125/55°C
For m	odels:	CB134, CB184		

microswitches

universal



1					
No.	345042	Ref. No.		3196 3372	
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black				
For models:	G1000, G1000-Sp IF55, IF75	G1000, G1000-Split, G150, G250, G500, G500-Split, IF26, IF29, IF30, IF55, IF75			
accessories for	345042				
	No.	345043	Ref. No.	_	
111	lever set 5-piece				



pin-plunger actuated **CROUZET** 23196 No. 345042 Ref. No. 23372 microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance description 22mm type EF83161.3 actuating force: 75g blue/black G1000, G1000-Split, G150, G250, G500, G500-Split, IF26, IF29, IF30, For models: IF55, IF75 345042 accessories for 345043 Ref. No. No. lever set 5-piece

1					
No.	345105	Ref. No.	23055		
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black				
For models:	DSS42, DSS42-CubeD, F230, FB802, FreshMaker, G1000, G1000-Split, G150, G250, G500, G500-Split, GB1540, GB1555, GB902, GB903, IceWater45, TB1405, TB852				

non-standard					
1					
No.	348181	Ref. No.	23803 C23803 NC23803		
description	switch kit mounting distance 48mm 250V 16A 2x1NO connection F6.3 L 57mm				
For models:	IFT65, IMF28,	IFT65, IMF28, IMF35, IMF58, IMF80			

No. 360525 Ref. No. 23247 timer CDC 11904 engines 1 chambers 4 operation time 10min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BCR000.0000 motor type description C150, C150-CubeA, C300, C300-CubeA, C80, CB1265, CB1565, CB1565-CubeA, CB184, CB246, CB249, CB316, CB416, CB425, CB640, For models: CB840, CB955, DSS42, DSS42-CubeD, FreshMaker, IC18, IC24, IC30, IceWater45, VB250 spare parts for 360525 360118 Ref. No. No. motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W



timers

programme timers



















contactors

LOVATO

No. 380704 Ref. No. 23092 power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 11BG0901A230 For models: F230, FB802





No.	380964	Ref. No.	23594
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection screw connection type 11BG09T4A230		
For models:	C150, C150-CubeA, CB1565, CB1565-CubeA, G1000, G500-Split, M1500-Split, M2000, M2000-Split, M350-Split, M600-Split, M800-Split, WM350		

relays


power relays

with bracket mounting



No.	380312	Ref. No.	23190
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		
For models:	GB903, IF26, IF29,		GB1540, GB1555, GB902, 28, IMF35, IMF58, IMF80, M350,

supervisory relays





time relays


time relays



No.	380783	Ref. No.	23560
description	time relay CROUZET TAR1-88865115 time range 0.1s-100h 24-240VAC/24VDC 8A		
For models:	DSS42, G1000, G15	50, G250, G500, VM	500, VM900

probes

sensors







solenoid valves

solenoid valves (water)

No. 370443 Ref. No. 22

No. 370443 Ref. No. 23144

solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C ELBI plastic output A 2l/min output B 0.5l/min output C 0.5l/min flow regulating valve outlet A white flow regulating valve outlet B red flow regulating valve outlet C red

For models: FreshMaker



No.	370444	Ref. No.	C23174
description	90°C ELBI plastic o	utput A 2I/min outp ve outlet A white fl	inlet 3/4" outlet 11.5mm t.max. out B 0.5l/min output C 2.5l/min ow regulating valve outlet B red
For models:	IceWater45		


No. 370441 Ref. No. 10239 description solenoid valve single straight inlet 3/4" input 10-12l/min output 6l/min RPE flow regulating valve inlet white For models: C300, G1000, M1500, M2000, M350, M350-Split, M600, M600-Split, M800, M800-Split, VM500, VM900

solenoid valves with reducers single No. 370440 Ref. No. 10368 solenoid valve 1-fold, without membrane (constantly open) angled inlet 3/4" outlet 11.5mm input 10-12l/min RPE plastic flow regulating

C150, G250, G500, M1500-Split, M2000-Split, M350-Split, M600-Split,

TP solenoid valves with reducers No. 370777 Ref. No. BR23781 solenoid valve double angled 230VAC inlet 3/4 output 1.5/2.5l/min TP outlet 11.5mm output A yellowl/min output B brownl/min












For models:

M800-Split




























1				
No.	370450	Ref. No.	23623	
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 51/min t.max. 90°C TP plastic flow regulating valve outlet white flow regulating valve inlet pink			
For models:	VM900			













solenoid valves (refrigeration)

CASTEL

valva hadias

STANDARD series

suitable for refrigerants R22, R134a, R404A, R407C, R410A, R507





No.	370383	Ref. No.	20	0409
description	solenoid valve body NC type 1068/M10S p max 45bar connection 10mm soldering connection DN 7mm -35 up to +105°C L 111mm refrigeration straight CASTEL			
For models:	C150, C150-CubeA, C300, C300-CubeA, CB1265, CB1265-CubeA, CB1565, CB1565-CubeA, CB840, CB955, CB955-CubeA, M1500, M2000, M350, M600, VB250, VM350, VM500, VM900			
accessories for	370383			
SSCarrel	No.	371084	Ref. No.	_
	solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2			

371090

No.


Ref. No.

accessories for	370383					
STCastel	No.	371301	Ref. No.	_		
		solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2				
Lettuced .	No.	371314	Ref. No.	_		
	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm					
SSLasti	No.	371321	Ref. No.	_		
	solenoid coil Co	ASTEL 12/24VAC 50 e HF2	0/60Hz seat ø 11.5	mm connection		

various	ies				
valve bodies					
No.	370478	Ref. No.	20853		
description	solenoid valve		n soldering connection refrige-		
For models:	CB134, CB184, FreshMaker, IC18				

pressure switches

service kits



for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



No.	541045	Ret. No.	238/0
description	pressure control p 58mm pressure co		2mbar connection 6mm ø I warewashing





for refrigeration

DANFOSS



No.	541481	Ref. No.	K23763
scription		ar reset manual pr	ressure range -0.9 up to +7.0bar essure connection vertical
r models:	G1000		

SAGI NO MIYA



No.	541480	Ref. No.	23342	
description	pressure control HD reset manual p max 33bar refrigeration type FTB-3UC37 connection male faston 6.3mm switch-off pressure 30bar -20 to +70°C			
For models:	C150, C150-CubeA, C300, C300-CubeA, G1000, G250, G500, M1500, M2000. M350, M600. M800. VM350. VM500, VM900			



No.	541479	Ref. No.	23175	
description	pressure control HD reset automatic refrigeration type HTB-X114 connection 2.4mm			
For models:	CB1265-CubeA, CB beA, CB249, CB316 CB640, CB640-Cub DSS42-CubeD, F23 GB1555, GB902, G	31565, CB1565-Cub 6, CB316-CubeA, CB 9eA, CB840, CB955, 80, FB802, G1000, G B903, IceWater45, IF 80, M350, M800, TB	A, C80, C80-CubeA, CB1265, eA, CB184, CB246, CB246-Cu- 416, CB425, CB425-CubeA, CB955-CubeA, DS542, 150, G250, G500, GB1540, F26, IF29, IF30, IF55, IF75, IMF28, 1405, TB852(Other models you	

compressors

ACC/ZEL

R404a/R507

HMBP monophase

High/Medium evaporation temperature above -20/-15 $^{\circ}\mathrm{C}$



•			
No.	605068	Ref. No.	23886
description	HMBP fully hermet	tic 10kg 1/5HP cylir	e ML45TB 220-240V 50Hz nder capacity 4.5cm³ CSIR H 465W 557W 659W 771W test

EMBRACO / ASPERA

R134A

HBP monophase

High evaporation temperature above -15°C



No.	605086	Ref. No.	23857	
description	compressor coolant R134a type EMT45HDR 220-240V 50Hz HBP fully hermetic 7.7kg 1/8HP power inputW cylinder capacity 3.97cm ³ CSIRWW 162W 207W 256W 314W 383W 467W test method ASHRAE			
For models:	CB134			



R404a/R507

description

HMBP monophase

High/Medium evaporation temperature above -20/-15 ℃



HMBP 7.92kg 1/4HP cylinder capacity 5.19cm³ CSIR H 180mmWW 315W 384W 477W 570W 689W 808W test method ASHRAE



No.	605161	Ref. No.	23505
description	HMBP fully hermet	tic 8.5kg 3/8HP cylii	NEK6210GK 220-240V 50Hz nder capacity 8.78cm³ CSIR H 95W 1435W 1707W
For models:	CB425, CB425-Cub	eA. CB640. CB640-	CubeA. GB1540. GB1555



No.	605178	Ref. No.	23875
	HMBP 11.6kg 5/8H		P NEK6217GK 220-240V 50Hz 14.3cm³ CSR H 206mmW 777W 16W
For models:	C80, CB840, VB250		



L'UNITE HERMETIQUE / TECUMSEH

R404A

For models:

High/Medium evaporation temperature above -20/-15 ℃



I					
No.	605025	Ref. No.	23	3441	
description	compressor coolant R404A type AE4430Z-FZ 220-240V 50Hz HMBP fully hermetic 10.2kg 1/4HP power input 427W cylinder capacity 5.7cm³ CSIR H 186mmWW 258W 346W 441W 550W 682W 794W test method EN 12900 908W				
For models:	CB249, CB316, CB316-CubeA, CB416, FB802, GB902, GB903, IC30, IC30A-CubeA, IF55, IMF58, TB852				
spare parts for	605025				
14 40	No.	380061	Ref. No.	_	
F. D.	start relay MTRP0027-31 120/240V voltage AC 8A 1NO				









	No.	605021	Ref. No.	23436
description	description	ly hermetic 9.8kg 1	1/5HP cylinder capa	4425Z 220-240V 50Hz HMBP ful- ncity 4.5cm³ CSIR H 186mmWW test method EN 12900 723W
	For models:		246-CubeA, CB249, 5, IF29, IF30, IMF28,	FreshMaker, IC18, IC24, IMF35



No.	605022	Ref. No.	23437
description		nder capacity 7.550	4440Z 230V 50Hz HMBP fully :m³ CSIR H 292mm 415W 517W d EN 12900 1234W
For models:	CB416, DSS42, DSS	642-CubeD, IceWate	er45, IF75, IMF80





No.	605032	Ref. No.	23440
description	fully hermetic 23kg	g 1HP cylinder capa	2510Z 220-240V 50Hz HMBP city 18.3cm³ CSR H 282mm 2W 2437W 2826W test method
For models:	CB1265, CB1265-C	ubeA	

miscellaneous

R404A

1

No.	605045	Ref. No.	23583
description	compressor coola	nt R404A	
For models: G1000, M600			

'			
No.	605039	Ref. No.	23543
description compressor coolant R404A 230V			
For models: G500, VM500			



1				
No.	605043	Ref. No.	23575	
description compressor coolant R404A 230V				
For models:	GB1540, GB1555			

1					
No.	605038	Ref. No.	23453		
description	description compressor coolant R404A 400V				
For models:	For models: C300, C300-CubeA, VM900				

 No.
 605044
 Ref. No.
 23570

 description
 compressor coolant R404A 230V

 For models:
 G250

1				
No.	605040	Ref. No.	23589	
description compressor coolant R404A 400V				
For models:				

1

No. 605046 Ref. No. 23448

description compressor coolant R404A 230V

For models: M350

1				
No.	605041	Ref. No.	23588	
description	description compressor coolant R404A 400V			
For models:	For models: G500, VM500			

 1
 No.
 605047
 Ref. No.
 23514

 description
 compressor coolant R404A 230V

 For models:
 M350

1			
No.	605048	Ref. No.	23450
description compressor coolant R404A 400V			
For models:	M350		

 1
 No.
 605042
 Ref. No.
 23647

 description
 compressor coolant R404A 230V 50Hz

 For models:
 C300, VM900

1				
No.	605049	Ref. No.	23516	
description	description compressor coolant R404A 400V			
For models: M350				





No. 605050 Ref. No. 23518 description compressor coolant R404A 400V For models: M800

2			
No.	605051	Ref. No.	23648
description compressor coolant R404A 400V			
For models: M800			

fans

axial fans

Import No. 601510¹ Ref. No. C23856 axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22/21W bearing ball bearing connection male faston 6.3mm SUNON temp.-resist.

with ball bearings


refrigeration motors universal ELCO BT series - capacitor motors PLCO No. 6014201 Ref. No. 23121 23121F fan motor 45W 230V 50Hz L1 53mm L2 18mm L3 120mm W 103mm cable length 500mm 1300rpm ELCO 3FBT 50-40/15 3 mounting


C150, C150-CubeA, C300, C300-CubeA, CB1565, CB1565-CubeA,

G250, G500, M350, M600, M800, VM350, VM500, VM900


options bearing slide bearing

For models:













F230, G150, GB1540, GB1555, IF75, IMF80, TB1405, VB250, VM350















motors

gear motors

for ice-cube maker


for paddles



No.	501589	Ref. No.	23802
description		, i	20V 50Hz shaft ø 4x3.7mm shaft DS40NE1RMZ165 cable length
For models:	IME28 IME35 IME	58	



1			
•			
No.	500678	Ref. No.	C23363
description	gear motor		
For models:	M350, M350-Split		











pumps

pumps for ice machines




No.	601413	Ref. No.	10014			
description	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm					
For models:	CB1265-CubeA, CB CB249, CB316, CB3	31565, CB1565-Cub 316-CubeA, CB416,	A, C80, C80-CubeA, CB1265, eA, CB246, CB246-CubeA, CB425, CB425-CubeA, CB640, CubeA, DSS42, DSS42-CubeD,			




No.	530639	Ref. No.	10066		
description	impellor suitable for REBO ø 42mm ID ø 6x7mm H 17mm				
For models:	CB134, CB184, FreshMaker, IC18, IC24, IC30, M1500, M1500-Split, M2000, M2000-Split, VM500, VM900				



1					
No.	500590	Ref. No.		3377 23377	
description	pump FIR type 4240.2300 120W 230V 50/60Hz inlet ø 22mm outlet ø 22mm L 240mm rotation direction right for ice-cube maker capacitor $5\mu F$				
For models:	C80, CB246, CB249, CB316, CB416, CB425, CB640, CB840, CB955, DSS42, IceWater45				
spare parts for	500590				
M.	No.	601412	Ref. No.	10213	
8	fan wheel sucki angle 28° W 34r	ing ø 154mm fan w nm plastic	heel mounting 25	.4mm blade	
	No.	601413	Ref. No.	10014	
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm				





















distance 26mm























condensators & interference suppression filters





equipment-specific units

for potato peelers

lids



No.	696727	Ref. No.	18116
description	lid ø 310mm ID ø	275mm H 60mm m	ounting distance 90mm plastic
For models:	GB1540, GB1555, G	GB902	

for ice-cube maker

drain systems

drain fittings



No.	695620	Ref. No.	10472
description	drain fitting straig	ht connection 24m	m for ice maker
For models:	CB416, CB425, CB6 GB1555, GB902, GB	40, CB840, CB955, 3903, IC18, IC24, IC	B184, CB246, CB249, CB316, DSS42, FreshMaker, GB1540, 30, IceWater45, IF26, IF29, IMF80, TB1405, TB852, VB250,

	1							
		No.	695039	Ref. No.	10471			
	desci	ription	drain fitting thread ice-cube maker	d M30x2 L 40.7mm	straight connection 17mm for			
For models: C300, CB1265, CB1565, CB640, CB840, CB955, ID70, ID70-Plu VM500, VM900								

overflow pipes											
1											
No.	695622	695622 Ref. No. 10305									
description	lid for overflow p	lid for overflow pipe tube ø 34mm									
For models:		, ,	CB246, CB249, CB3 12, IC24, IC30, IceW								
accessories for	695622										
No. 695086 Ref. No. 1013 20233+1											
	overflow pipe tu	be ø 20.5mm pipe	e length 88.6mm								



1	0								
No.	695086	Ref. No.)133 3+10133					
description	overflow pipe tu	be ø 20.5mm pipe	e length 88.6mm						
For models:			CB246, CB249, CB 12, IC24, IC30, IceW						
accessories for	695086								
	No.	532517	Ref. No.	20233					
\bigcirc	O-ring silicone thickness 1.78mm ID ø 17.17mm Qty 1 pcs								
0	No.	695059	Ref. No.	10007					
0	hose connector	for ice-cube make	r						
	No.	695537	Ref. No.	13006					
gasket silicone ED ø 40mm ID ø 30mm thickness 2mm Qty 1									
	No.	695622	Ref. No.	10305					
	lid for overflow p	oipe tube ø 34mm							

ice breakers





-							
No.	750216	Ref. No.	20440				
description	ice breaker						
For models:	GB1540, GB1555, GB902						




No.	698899	Ref. No.	20626
description	ice breaker H 42mm	65mm ID ø 22mm ED ø	ø 69mm hole ø 6mm seat ø
For models:	G150, GB1540), GB1555, GB902, GB90)3
































1	-	8		9	6					
No.	695498		Re	f. No.		C20572				
description	spray arr	spray arm L 330mm nozzles 6 for ice-cube type M								
For models:	IC24									











1	8895		8 8						
No.	695499	Ref. No. C20571							
description	spray arm L 440mm nozzles 11 for ice-cube type S								
For models: IC30									











1	8	1	0	B	8	8			
	No.	69550)2	Ref. N	No.		C20465		
description spray arm L 550mm nozzles 7 for ice-cube type A									
For models: VB250, VM500									







	0	0	0	B	0	0	0	D	B	0	B	8	-	D	B	16		B	
1																			
	No.			6	95	488	3			Re	f. N	о.					C20	190	
descri	ption			S	spray arm L 670mm nozzles 18 for ice-cube type D														
For mo	dels:	CB640, CB840, CB955																	

1									
No.	C20157								
description	spray arm L 718mm nozzles 14 for ice-cube type C/E								
For models: C150, C300, CB1265, CB1565									


1	00000	8 8	8 8	6	8	最	8	-	-	
No.	695492	Ref.	. No.				C	2014	14	
description	spray arm L7	18mm no	zzles 18	for i	e-cu	be ty	pe A	with	caps	
For models:	C150, C150-C CB1565, CB15	,	,	-Cub	eA, C	B126	5, CB	1265	-Cube	Α,

1	EFFER	4 B R R C	0000	
No.	695491	Ref. No.	C20200	
description	spray arm L 718mm nozzles 20 for ice-cube type D			
For models:	C150, C300, CB12	C150, C300, CB1265, CB1565		


1		B	6	6		D	F	-		8	
No.	69549	6		Re	f. N	o .			(20460	
description	ription spray arm L 785mm nozzles 14 for ice-cube type C										
For models:	C80										

1	2			
No.	695495	Ref. No.	C20459	
description	spray arm L 785mm nozzles 18 for ice-cube type A			
For models:	C80, C80-CubeA	80, C80-CubeA		

1	0000000			
No.	695494	Ref. No.	C20461	
description	escription spray arm L 785mm nozzles 21 for ice-cube type D			
For models:	C80	80		



1				
No.	695069	Ref. No.	D20002	
description	spray nozzle for ice maker			
For models:	CB1265-CubeA, CB CB246-CubeA, CB2 CB425-CubeA, CB6 DSS42, DSS42-Cub	, 3134, CB1565, CB15 249, CB316, CB316-0 540, CB640-CubeA,	A, C80, C80-CubeA, CB1265, 65-CubeA, CB184, CB246, CubeA, CB416, CB425, CB840, CB955, CB955-CubeA, 18, IC24, IC24A-CubeA, IC30, 350, VM500	









































without holder				
1				
No.	695619	Ref. No.	C10532	
description	curtain for ice maker W 275mm H 80mm shaft length 280mm shaft ø 7.5mm			
For models:	CB134, CB184, Fre	shMaker, IC18		

















1	1		
No.	694439	Ref. No.	C10484
description	sump complete for ice-cube maker L 227mm W 175mm H 100mm		
For models:	IMF28		

1				
No.	695517	Ref. No.	C22256	
description	sump for ice maker L 290mm W 175mm H 75mm			
For models:	IF30			







spare parts and accessories				
1				
No.	695376	Ref. No.	20227	
description	adjusting ring for spindle H 7mm ID ø 6mm ED ø 12mm thread M4 stainless steel			
For models:	IF26, IF29, IF30, IF55, IF75, IMF28, IMF35, IMF58, IMF80			


1				
No.	695542	Ref. No.	20230	
description	bush for spindle ID ø 6mm			
For models:	IF26, IF29, IF30, IF55, IF75, IMF28, IMF35, IMF58, IMF80			

9					
No.	695543	Ref. No.	20231		
description	bush for sump ED	bush for sump ED ø 14mm ID ø 12.2mm			
For models:	IF26, IF29, IF30, IF55, IF75, IMF28, IMF35, IMF58, IMF80				

1				
No.	695574	Ref. No.	22359	
description	lever for microswitch			
For models:	IF55, IF75			









suction system

intake filters



I	No.	695532	Ref. No.	20005	
I	description	round filters ø 28mm H 60mm			
	For models:	CB1265-CubeA, CB CB249, CB316, CB3	31565, CB1565-Cub 316-CubeA, CB416, 340, CB955, CB955-	A, C80, C80-CubeA, CB1265, eA, CB246, CB246-CubeA, CB425, CB425-CubeA, CB640, CubeA, DSS42, DSS42-CubeD, A, IceWater45	

drive technology

gear wheels




No.	694546	Ref. No.	20494
description	coupling piece ø 70mm ID ø 30mm H 15mm G1000, G1000-Split, G250, G500, G500-Split		
For models:			

gaskets

miscellaneous



•					
No.	695534	Ref. No.	13143		
description	gasket silicone ED	ø 36mm ID ø 23.5r	nm thickness 3mm Qty 1 pcs		
For models:	C150, C300, C80, CB1265, CB1565, CB246, CB249, CB316, CB416, CB425, CB640, CB840, CB955, DSS42, IceWater45				



housing and bezels

ventilation grilles



No.	694877	Ref. No.	C10205		
description	bezel for aspiration with filter L 260mm W 22mm H 252mm mounting pos. front				
For models:	CB1265, CB1265-CubeA, CB246, CB246-CubeA, CB249, CB316, CB316-CubeA, CB416, CB425, CB425-CubeA, CB640, CB640-CubeA, CB840, CB955, CB955-CubeA, FB802, GB1540, GB1555, GB902, GB903 IceWater45, IF26, IF29, IF30, IF55, IF75, IMF28, IMF35, IMF38, IMF80, TB1405, TB852, VB250				

flaps



· ·					
No.	696350	Ref. No.	C26544		
description	flap W 79mm	flap W 79mm H 86mm thickness 26mm			
For models:	DSS42, DSS42-CubeD, FreshMaker, IceWater45				

mechanics for evaporators

screw conveyors



No.	698194	Ref. No.	20439	
description	auger			
For models:	GB1540, GB15	GB1540, GB1555, GB902		

miscellaneou




No.	750218	Ref. No.	18170
description	insulation ED ø 95mm for evaporator		
For models:	G150, GB1540, GB1555, GB902, GB903		



No. 696550 Ref. No. 20633				
description	mechanical shaft seal for evaporator ID ø 26mm			
For models: G250, G500, GB1540, GB1555, GB902, GB903				







10				
No.	560514	Ref. No.	20631	
description	plain washer ID ø 24mm ED ø 42mm thickness 1.5mm SS Qty 1 pcs for evaporator with hole			
For models:	G150, GB1540, GB1555, GB902, GB903			

	hoses				
formed hoses					
straight					
with collar					
1					
No. 530748 Ref. No.	13064				
description formed hose straight with collar for ice-cube in 19mm L 105mm	formed hose straight with collar for ice-cube maker ID ø 13mm ED ø 19mm L 105mm				
For models: IF26					

1			•
No.	530756	Ref. No.	13057
description	formed hose straig 19mm L 270mm	ght with collar for i	ce-cube maker ID ø 13mm ED ø
For models:	IF55, IF75		

1						
No.	530751	Ref. No.	13063			
description	formed hose straight with collar for ice-cube maker ID ø 13mm ED ø 20mm L 185mm					
For models:	IF29					

silicone ho	silicone hoses					
1	1					
No.	530754	Ref. No.	13107			
description	silicone hose ID ø 13mm ED ø 19mm L 0.13m t.max. 200°C for ice-cube maker					
For models:	CB1265, CB1565, CB316, CB316-CubeA, CB416, IC30, IF30, IMF58, IMF80					

1				
No.	530752	Ref. No.	13106	
description	silicone hose ID ø 13mm ED ø 19mm L 0.15m t.max. 200°C for ice-cube maker			
For models:	CB249, IF29, IMF80, VB250			

1					
No.	530757	Ref. No.	13108		
description	silicone hose ID ø 13mm ED ø 19mm L 0.24m t.max. 200°C for ice-cube maker				
For models:	CB425, CB425-CubeA, DSS42, DSS42-CubeD, IceWater45, IF55, IF75, VB250				

1				
No.	530758	Ref. No.	13109	
description	silicone hose ID ø 13mm ED ø 19mm L 0.26m t.max. 200°C for ice-cube maker			
For models:	CB1265-CubeA, CB1565-CubeA, CB640, CB640-CubeA, CB840			

1					
No.	530759	Ref. No.	13110		
description	silicone hose ID o ice-cube maker	silicone hose ID ø 13mm ED ø 19mm L 0.35m t.max. 200°C for ice-cube maker			
For models:	CB955, CB955-Cu	beA			

1			
No.	530749	Ref. No.	13105
description	silicone hose ID ø be maker	13mm ED ø 19mm	L 0.7m t.max. 200°C for ice-cu-
For models:	CB246, CB246-CubeA, IC24, IF26		


1			
No.	530731	Ref. No.	13056
description	silicone hose ID ø ice-cube maker	16mm ED ø 23mm	L 0.03m t.max. 200°C for
For models:	CB134, CB184, Fres	shMaker, IC18	

1					
	No.	530737	Ref. No.	13137	
	description	silicone hose ID ø 16mm ED ø 23mm L 0.29m t.max. 200°C for ice-cube maker			
	For models:	C150, CB249, CB316, CB416			

1				
No.	530738	Ref. No.	13139	
description	silicone hose ID be maker	silicone hose ID ø 16mm ED ø 23mm L 0.4m t.max. 200°C for ice-cube maker		
For models:	CB425, IceWater	45		







1	/ (
No.	530764	Ref. No.	13138
description	silicone hose ID ø 18mm ED ø 27mm L 0.3m t.max. 200°C for ice-cube maker		
For models:	CB316, CB416, CB425		

1	//			
	No.	530734	Ref. No.	13113
desc	ription	silicone hose straight for ice-cube maker ID ø 16mm ED ø 23mm L 320mm		
For	models:	VB250, VM350, VM500, VM900		

1					
No.	530733	Ref. No.	13111		
description	silicone hose 500mm	silicone hose straight for ice-cube maker ID ø 16mm ED ø 23mm L 500mm			
For models:	VB250, VM170	VB250, VM1700, VM350, VM500, VM900			

1			
No.	530741	Ref. No.	13142
description	silicone hose s 645mm	straight for ice-cube m	aker ID ø 16mm ED ø 23mm L
For models:	CB1265, CB156	65	


1					
No.	530735	Ref. No.	13134		
description	silicone hose 700mm	silicone hose straight for ice-cube maker ID ø 16mm ED ø 23mm L 700mm			
For models:	VM1700, VM3	VM1700, VM350, VM500, VM900			


1	-		
No.	530736	Ref. No.	13136
description	silicone hose strai 213mm	ight for ice-cube ma	aker ID ø 18mm ED ø 25mm L
For models:	C80, CB246		

form L			
1			
No.	530750	Ref. No.	13061
description	formed hose L-sha 18/22mm L 240mr		ker ID ø 14/19mm ED ø
For models:	CB249		

1				
No.	530755	Ref. No.	13030	
description	formed hose L-shape for ice-cube maker ID ø 15/19mm ED ø 20/23mm L 330mm W 70mm			
For models:	CB425, CB425-CubeA, DSS42, DSS42-CubeD, IceWater45			








form S			
1			
No.	530761	Ref. No.	13150
description	formed hose 95mm W 55m		aker ID ø 18mm ED ø 28mm L
For models:	C300		

1	-			
No.	530760	Ref. No.	13067	
description	formed hose S-shape for ice-cube maker ID ø 22mm ED ø 28mm L 315mm W 80mm			
For models:	C300, IC30, IC30A-CubeA			


















1		>	
No.	695100	Ref. No.	13015
description	formed hose U-shape for ice-cube maker ID ø 18/26mm ED ø 25/32mm L 560mm W 90mm		
For models:	CB640, CB640-	CubeA, CB840, DSS42,	DSS42-CubeD


















hose coni	nectors			
with threa	d			
1				
No.	695059 Ref. No. 10007			
description	hose connector f	or ice-cube make	r	
For models:	C150, C150-CubeA, C300, C300-CubeA, C80, C80-CubeA, CB1265, CB1265-CubeA, CB1565, CB1565-CubeA, CB184, CB246, CB246-CubeA, CB249, CB316, CB316-CubeA, CB416, CB425, CB425-CubeA, CB640, CB640-CubeA, CB840, CB955, CB955-CubeA, DS542, DS542-CubeD, FB802, FreshMaker, GB1540, GB1555, GB902, IC18, IC24, IC24A-CubeA, IC30, IC30A-CubeA, IceWater45, IF26, IF29, IF30, IF55, IF75, WB250			
accessories for	695059			
	No.	695537	Ref. No.	13006
0	gasket silicone El	D ø 40mm ID ø 30	mm thickness 2m	m Qty 1 pcs


without t	without thread					
1	1					
No.	695540	Ref. No.	C10415			
description	hose connecto	or 1-way for hose for ic	e-cube maker			
For models:	C300					




7				
No.	695521	Ref. No.	10431	
description	hose connector 2-way for ice-cube maker			
For models:	VM1700, VM350, VM500, VM900			





















No.	695523	Ref. No.	C10053	
description	description hose connector 3-way for ice-cube maker			
For models:	F230, G150, G250,	G500, M350, M800	, VM500, VM900	

No.	695524	Ref. No.	C10384	
description	hose connector 3-way for ice-cube maker			
For models:		G1000, G1000-Split, M1500, M1500-Split, M350, M350-Split, M600, M600-Split, M800, M800-Split		


miscellaneous						
1						
No.	530763	Ref. No.	13133			
description	formed hose	formed hose for ice-cube maker				
For models:	C300	C300				

float co	ntainers		
1			
1	II		
No.	695072	Ref. No.	C10164 C10201
<u> </u>		Ref. No. for ice maker with mic	C10201

















No. 695533 Ref. No. 10404 description butt splice connector thread M23x1.5 for hose ID 18mm For models: C150, C80, CB1265, CB1565, CB246, CB249, CB316, CB416, CB425, CB640, CB840, CB955, DSS42, IceWater45

No.	695536	Ref. No.	10096
description	nut for drain asser	mbly	
For models:	CB316, CB416, CB4 GB1540, GB1555, C ID70-Plus, IF26, IF2	25, CB640, CB840, GB902, GB903, IC18,	565, CB184, CB246, CB249, CB955, DS542, FreshMaker, IC24, IC30, IceWater45, ID70, MF28, IMF35, IMF58, IMF80, IO, VM500, VM900



_ 				
No.	No. 695430 Ref. No. 20281			
description	screw conveyo	screw conveyor for ice-cube maker L 340mm ø 78mm thread L 8mm		
For models:	DSS42, DSS42-	-CubeD		

valves						
intake val	intake valves					
No.	No. 695539 Ref. No. 10188					
description	intake valve with float					
For models:	M1500, M1500-Split, M2000, M2000-Split, M350, M350-Split, M600, M600-Split, M800, M800-Split, VM500, VM900					

equipment feet and end caps

equipment feet

with screw mounting



No.	700761	Ref. No.	20613	
description	equipment foot tube ø 50mm thread M10 thread L 12mm 180mm SS size 2" Qty 1 pcs			
For models:	5, CB640, CB840, CB955, DSS42, /ater45, IF30, IF55, IF75, IMF35,			

screw-in feet



No.	695353	Ref. No.	10017
description	equipment foot thread L 17mm ø 18mm H 40mm WS 24 Qty 1 pc		
For models:	CB134, CB184, CB246, CB246-CubeA, CE IC24A-CubeA, IC30, IC30A-CubeA, IF26,		


gaskets

O-rings

EPDM





No.	528339	Ref. No.	20429
description	O-ring EPDM thickness 2.62mm ID ø 40.95mm Qty 1 pcs		
For models:	G150, GB1540, GB1	1555, GB902, GB903	, TB1405, TB852






















shaft gaskets shaft gaskets No. 696721 Ref. No. 20937 description shaft sealing ID ø 26mm ED ø 39.2mm thickness 9.4mm H 38.5mm For models: G150, GB1540, GB1555, GB902, GB903, TB1405, TB852



14005

refrigeration cycle components

cooling water regulators

JOHNSON CONTROLS



No.	541190	Ref. No.	20149	
description	cooling water regulator 3/8" type V46AA-9606 connu description (1/4" SAE) pressure range 5-23bar water pressure ma temperature max. 90°C capillary pipe 750mm L 160m			
For models:	C300, C300-CubeA	, G1000, M350, M8	00, VM900	

No.	541186	Ref. No.	20210	
description	cooling water regulator 3/8" type V46SA-9951 connection 6mm soldering connection pressure range 5-23bar water pressure max. 18bar water temperature max. 90°C capillary pipe 750mm L 101mm			
For models: C150, C150-CubeA, CB1565, CB1565-CubeA, F230, G250, G500				

valves

Schrader valves



	No.	750097	Ref. No.	14007	
	description	valve body for Schrader valve thread 1/4" SAE connection 6mm soldering connection			
C150, C150-CubeA, C300, C80 beA, CB134, CB1565, CB1565-CB249, CB316, CB316-CubeA, C8640-CubeA, CB840, CB955, F230, FB802, FreshMaker, G10		55, CB1565-CubeA, 16-CubeA, CB416, 140, CB955, CB955- Maker, G1000, G15 8, IC24, IC24A-Cube 30, IF55, IF75, IMF2	CB184, CB246, CB246-CubeA, CB425, CB425-CubeA, CB640, CubeA, DSS42, DSS42-CubeD, 0, G250, G500, GB1540, GB1555, eA, IC30, IC30A-CubeA, IceWa-		

No.



750098

description	Schrader valve CASTEL 8394/B R22			
For models:	beA, CB134, CB156 CB249, CB316, CB3 CB640-CubeA, CB8 F230, FB802, Fresh! GB902, GB903, IC18	5, CB1565-CubeA, (16-CubeA, CB416, (40, CB955, CB955-C Maker, G1000, G150 8, IC24, IC24A-Cube 80, IF55, IF75, IMF28	ibeA, CB1265, CB1265 CB184, CB246, CB246- CB425, CB425-CubeA, CubeA, DSS42, DSS42- O, G250, G500, GB1544- A, IC30, IC30A-Cube <i>P</i> B, IMF35(Other mod	·CubeA, CB640, ·CubeD, O, GB1555, I, IceWa-

Ref. No.

filter driers

CASTEL

STANDARD series

suitable for refrigerants R12, R22, R134a, R404A, R407C, R410A, R502, R507



1				
	No.	750038	Ref. No.	14089
description		dryer type 4303/2S connection ODS 1/4"-ODM 3/8" 50cm³ p max 45bar -40 up to +80°C		
For models:		C80, C80-CubeA, CB1265, CB1265-CubeA, CB640, CB640-CubeA, CB840, CB955, CB955-CubeA, F230, G250, G500, IF75, IMF80, VB250		



G500, M350, M600, VM350, VM500, VM900



For models:



















for flake ice maker No. 694562 Ref. No. KITNEVG250 description evaporator for flake ice maker G250 For models: G250, G500

accessories miscellaneous No. 696550 Ref. No. 20633 description mechanical shaft seal for evaporator ID Ø 26mm For models: G250, G500, GB1540, GB1555, GB902, GB903



condensors

condensors



No.	750661	Ref. No.	20019
description	condenser W 215mm D 270mm H 117mm Qty 1 pcs		
For models:	CB416, CB425, CB425-CubeA, DSS42, DSS42-CubeD, GB1540, GB1555, IceWater45, IF55, IMF58		



No.	750409	Ref. No.	20558
description	condenser W 260mm D 60mm H 250mm mounting distance 275mm connection ø 8mm		
For models:	CB640, CB640-Cub	eA, G150, GB1540,	GB1555, IF75, IMF80, TB1405







condensors water-cooled



evaporation and condensing trays

evaporation trays



unheated condensing trays



transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS



No.	523075	Ref. No.	20782
description	ball bearing shaft ø 25mm ED ø 42mm W 9mm type 6905-2RS DIN 625-1		
For models: G150, GB1540, GB1555, GB902, GB903		3	











thrust ball bearings No. 523052 Ref. No. 20685 description thrust ball bearing shaft Ø 30mm ED Ø 62mm W 42mm type 500-4251 DIN 711 For models: G1000, G1000-Split, G250, G500, G500-Split




springs

torsion springs



compression springs



tension springs













hoses

industrial hoses silicone hoses without fabric No. 530754 Ref. No. 13107 description silicone hose ID Ø 13mm ED Ø 19mm L 0.13m t.max. 200°C for ice-cube maker For models: CB1265, CB1565, CB316, CB316-CubeA, CB416, IC30, IF30, IMF58,
























BREMA HOSES/FITTINGS, HOSE AND PIPE CONNECTORS/WATER CYCLE COMPONENTS























fittings, hose and pipe connectors



water cycle components

supply 1	supply filters		
1	Bo		
No.	695531	Ref. No.	10139
description	supply filter thread 1" total length 100mm plastic with metal filter ø 18mm		
For models:	CB134, CB184, FreshMaker, IC18, VB250, VM350, VM500, VM900		





fastening material

washers

washers

miscellaneou[,]



No.	560513	Ref. No.	22826
description	plain washer ID ø 24mm ED ø 41.6mm thickness 2mm SS Qty G150, GB1540, GB1555, GB902, GB903		n thickness 2mm SS Qty 1 pcs
For models:			3

No.	560514	Ref. No.	20631
description	plain washer ID ø 24mm ED ø 42mm thickness 1.5mm SS Qty 1 pcs for evaporator with hole G150, GB1540, GB1555, GB902, GB903		
For models:			

fasteners slot nuts No. 560288 Ref. No. 20431 description slot nut W 8mm H 7mm L 25mm For models: G1000, G250, G500, GB1540, GB1555, GB902

retaining rings DIN 472 No. 698004 Ref. No. 20434 description retaining ring bore Ø 40mm thickness 1.9mm steel DIN 472 For models: GB1540, GB1555, GB902

