

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

CAB

thermostats

refrigeration thermostats

ATEA



1

No.	390522	Ref. No.	1025 F025
description	thermostat ATEA type A01 0716 probe ø 2mm probe Lmm capillary pipe 1200mm		

switches and momentary switches

rocker/momentary rocker switches

30x11mm



1

No.	301013	Ref. No.	F132
description	rocker switch mounting measurements 30x11mm black 1CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		




1

No.	345575	Ref. No.	F133
description	rocker switch mounting measurements 30x11mm black 1CO 250V 16A I O II connection male faston 6.3mm ambient temperature max. 90°C protection IP40 with neutral position		

30x22mm




1

No.	301004	Ref. No.	F131	
description	rocker switch mounting measurements 30x22mm black 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40			
accessories for	301004			
	No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			



1

No.	301188	Ref. No.	1350	
description	rocker switch mounting measurements 30x22mm black 2NO/2NO 250V 16A I O II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40			
accessories for	301188			
	No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

microswitches

lever actuated



1

No.	346865	Ref. No.	1061/UL F448
description	microswitch with lever 250V 5A connection male faston 6.3mm ambient temperature max. 125°C type 831540		

lamps

screw-on/push-on fit

halogen lamp

for socket G4 / G6.35 / G9



1

No.	359599	Ref. No.	1236 P236
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

oven lamps

lamps

halogen lamps

for socket G4 / G6.35 / G9



1

No.	359599	Ref. No.	1236 P236
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

sockets

G4 / G5,3 / G6,35



1

No.	359939	Ref. No.	F089
description	lamp socket socket G4 L 20mm with 2 hole fixing cable length 150mm		

timers

programme timers



1

No.	360364	Ref. No.	1016 (old version)
description	timer FIBER P24 engines 1 chambers 1 operation time 4min 230V shaft ømm shaft Lmm manuf. no. P245J01H614 motor type M51B-J0R6400		

spare parts for 360364



No.	360673	Ref. No.	—
description	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



1

No.	360694	Ref. No.	1016 F429
description	timer MECHTEX MTR5/1 engines 1 chambers 1 operation time 4min 220-240V 50/60Hz shaft Lmm motor type DS40NE1RNZ165		

transformers

open transformers

with cable connection



1

No.	401593	Ref. No.	F049/4 (old)
description	transformer primary 230V secondary 11.5V 60VA secondary 5A connection screw 50-60Hz		



1

No.	401594	Ref. No.	F279
description	transformer primary 230V secondary 24/11.5V 75VA		

encapsulated transformers

multiple connections



1

No.	403550	Ref. No.	F049/4
description	transformer primary 230VAC secondary 11VAC 60VA secondary 5.4A H 60mm L 70mm W 95mm connection male faston 6.3mm 50-60Hz type TM001-781 moulded		

solenoid valves

solenoid valves (water)

metal

CEME


accessories



1

No.	371189	Ref. No.	1285
-----	--------	----------	------

description solenoid coil 240V seat ø 13mm



1

No.	371188	Ref. No.	1298
-----	--------	----------	------

description solenoid coil 50Hz 230V H 35mm seat ø 13mm type H 17VA series 688

solenoid valves (refrigeration)

PARKER

spare parts and accessories

solenoid coils



1

No.	370685	Ref. No.	F601
-----	--------	----------	------

description solenoid coil 230V 50/60Hz type RT14

valve bodies



1

No.	370684	Ref. No.	F600
-----	--------	----------	------

description solenoid valve connection 6mm soldering connection PARKER refrigeration straight



1

No.	370392	Ref. No.	1183
description	solenoid valve body connection 6mm soldering connection refrigeration straight		

accessories for 370392



No.	371189	Ref. No.	1285
-----	--------	----------	------

solenoid coil 240V seat ø 13mm

compressors

ACC/ZEL

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605006	Ref. No.	FB018
description	compressor coolant R134a type GD40MB 220-240V 50Hz HMBP fully hermetic 6.7kg 1/8HP power input 200W cylinder capacity 4.1cm³ CSIR H 162.5mm 64W 87W 117W 153W 196W 245W 301W 363W test method ASHRAE		

CUBIGEL

accessories



1

No.	380068	Ref. No.	F061/6
-----	--------	----------	--------

description start relay MTRP0029 120/240V voltage AC 8A 1NO



1

No.	380067	Ref. No.	F081/3
description	start relay MTRP5708 120/240V voltage AC 8A 1NO		



1

No.	380069	Ref. No.	F081/4
description	start relay MTRP5736 120/240V voltage AC 8A 1NO		

EMBRACO / ASPERA

R134A

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605017	Ref. No.	L8113/3
description	compressor coolant R134a type EMT36HLP 220-240V 50Hz LBP fully hermetic 7.52kg 1/10HP power input 108W cylinder capacity 3.97cm³ RSIR 71W 94W 123W 160W 203W 253W test method ASHRAE		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605016	Ref. No.	L8116/2
description	compressor coolant R134a type EM65HHR 220-240V 50Hz HBP fully hermetic 7.62kg 1/6HP cylinder capacity 5.54cm³ CSIRWWW 287W 389W 499W 617W 742W test method ASHRAE 842W		

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605019	Ref. No.	F214
description	compressor coolant R404A type T2168GK 230V 50Hz LBP fully hermetic 17kg cylinder capacity 17.39cm³ CSIR 326W 492W 683W 906W 1167W 1473W test method ASHRAE		



1

No.	605018	Ref. No.	F241
description	compressor coolant R404a/R507 type NE2125GK 220-240V 50Hz LBP fully hermetic 10.45kg 1/3HP cylinder capacity 8.78cm³ CSIR 160W 213W 278W 354W 439W 534W test method ASHRAE		



1

No.	605005	Ref. No.	F213
description	compressor coolant R404a/R507 type T2155GK 230V 50Hz LBP fully hermetic 16.3kg power input 458W cylinder capacity 14.5cm³ CSR H 221mm 368W 524W 717W 948W 1215W test method ASHRAE		

accessories



1

No.	380070	Ref. No.	L51
description	start relay 11F13 220-240V		

L'UNITE HERMETIQUE / TECUMSEH

accessories



1

No.	380072	Ref. No.	FB019
description	start relay		

accessories

overload protector (klixon)



1

No.	390575	Ref. No.	L 39
description	overload protector for engine protective circuit breaker T0221/26 150°C reset automatic suitable for Luke 2		



1

No.	390576	Ref. No.	F082/3
description	overload protector for engine protective circuit breaker T0573/17 with cable t.max. 150°C reset automatic suitable for Faby 2		



1

No.	390574	Ref. No.	F082/4
description	overload protector for engine protective circuit breaker T0573/17 with cable t.max. 150°C reset automatic suitable for Faby 3		



1

No.	390572	Ref. No.	FB020
description	overload protector for engine protective circuit breaker 232NFBYY 120°C/61°C reset automatic suitable for Fast Cold 1		



1

No.	390573	Ref. No.	L52
description	overload protector for engine protective circuit breaker 734LFBYY 110°C/61°C reset automatic suitable for Luke 3-4/Fast Cold 2		



1

No.	390571	Ref. No.	F061/5
description	overload protector for engine protective circuit breaker 757NFBYY with cable 120°C/61°C reset automatic suitable for Faby 1/Fast Cold 3		


fans

axial fans

import



1




No.	601388 ¹	Ref. No.	F067/4
description	axial fan L 172mm W 150mm H 38mm 230VAC 50/60Hz 38/35W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 145mm mounting distance 162mm		

¹with ball bearings



1



No.	601133 ¹	Ref. No.	F067
description	axial fan L 172mm W 150mm H 51mm 230VAC 50/60Hz 42/37W bearing ball bearing connection male faston 2.8mm metal COMMON-WEALTH fan wheel ø 155mm temp.-resist. 70°C mounting distance 162mm		

¹with ball bearings

refrigeration fans





refrigeration motors universal

ELCO

N series - multi fit







1

No.	601427	Ref. No.	5010	
description	fan motor ELCO 10W 230V 50/60Hz bearing slide bearing L1 49mm L2 59mm L3 86.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT10-20/028			
spare parts for	601427			
	No.	560140	Ref. No.	—
hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking				
	No.	560332	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs				
	No.	560340	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs				
	No.	601413	Ref. No.	—
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm				



1

No.	601430	Ref. No.	5045	
description	fan motor ELCO 5W 230V 50/60Hz bearing slide bearing L1 48mm L2 52mm L3 79.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT5-13/027			
spare parts for	601430			
	No.	560140	Ref. No.	—
	hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking			
	No.	560332	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs			
	No.	560340	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			
	No.	601413	Ref. No.	—
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

accessories


fan wheels

aluminium




1

No.	601385	Ref. No.	L8022
description	fan wheel sucking ø 172mm fan wheel mounting 25.4mm blade angle 34° W 42mm aluminium		




1

No.	601070	Ref. No.	L8055
description	fan wheel sucking ø 200mm fan wheel mounting 25.4mm blade angle 28° W 38mm aluminium		




1

No.	601071	Ref. No.	1244
description	fan wheel sucking ø 230mm fan wheel mounting 25.4mm blade angle 25° W 37mm aluminium		



1


No.	601284	Ref. No.	1100
description	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 28° W 42mm aluminium		



1

No.	601387	Ref. No.	1112
description	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		

aluminium




1

No.	601571	Ref. No.	L8092
description	fan wheel blowing ø 230mm fan wheel mounting 25.4mm blade angle 28° W 43mm aluminium		


cooling motors (various)

refrigeration motors with foot



1

No.	601433	Ref. No.	1099
description	fan motor 16W 230V 50Hz L1 42mm L3 95mm W 83mm feet depth 84mm cable length 500mm connection with plug		



1

No.	601380	Ref. No.	1113
description	fan motor 25W 230V 50Hz L1 53mm L3 111.5mm W 83mm feet depth 84mm cable length 500mm connection with plug		



motors

gear motors

for drink dispensers



1

No.	501505	Ref. No.	P201+L6102
description	gear motor 230V 50/60Hz 40rpm shaft ø 6mm L 66mm W 51mm H 34mm for drink dispenser for 6 litres with drive shaft kit shaft length 16mm		



1

No.	501506	Ref. No.	P201+L6124
description	gear motor 230V 50/60Hz 40rpm shaft ø 6mm L 66mm W 51mm H 34mm for drink dispenser for 9 litres with drive shaft kit shaft length 16mm		




1

No.	500907	Ref. No.	P201 (old version)
description	gear motor FIBER type G025J0BAFHA 230V 50/60Hz 40rpm shaft ø 6mm L 66mm W 51mm H 34mm for drink dispenser motor type M51BJ0R0000 shaft length 16mm		



1

No.	500911	Ref. No.	L8102	
description	gear motor FIBER type G025J0BAFSR 230V 50/60Hz 40rpm shaft ø 4mm L 66mm W 50mm H 34mm for drink dispenser motor type M51BJ0R0000 shaft length 19mm			
spare parts for	500911			
	No.	360673	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			



1

No.	500908	Ref. No.	F023/3
description	gear motor FIBER type G03520AASC3 24V 50Hz 20rpm shaft ø 6mm L 66mm W 51mm H 48mm for drink dispenser motor type M52B20B6500		



1

No.	501539	Ref. No.	FB209
description	gear motor MECHTEX 12V 50Hz shaft ø 6mm L 66mm W 53mm H 37mm for drink dispenser		



1

No.	501508	Ref. No.	P201
description	gear motor MECHTEX 230V 50/60Hz shaft ø 6mm L 66mm W 48mm H 36mm for drink dispenser		



1

No.	500909	Ref. No.	F033 F033/1
description	gear motor KENTA type CD79F 60/68W 115/230V 50/60Hz 33/40rpm shaft ø 6x12mm L 220mm W 70mm H 105mm for drink dispenser		

condensators & interference suppression filters

starting capacitors

starting capacitors



1

No.	365057	Ref. No.	F083/3
description	starting capacitor 330V capacity 53-64µF		



1

No.	365055	Ref. No.	F061/7
description	starting capacitor 330V duty cycle 1.7% capacity 59µF		



1

No.	365056	Ref. No.	F083/4
description	starting capacitor 330V duty cycle 1.7% capacity 59µF		

fuses

fine fuses



1

No.	358027	Ref. No.	1027
description	fine fuse size ø10x38mm 16A rated 500V type Gg fast-acting Qty 1 pcs		



1

No.	358032	Ref. No.	1237
description	fine fuse size ø10x38mm 25A rated 500V type Gg fast-acting Qty 1 pcs		



1

No.	358022	Ref. No.	F147
description	fine fuse size ø10x38mm 4A rated 500V type Gg fast-acting Qty 1 pcs		

fine fuse holders



1

No.	358535	Ref. No.	1240
description	fuse holder suitable fuse ø5x20mm ø 25.2mm 30A rated 600V connection F6.3 hole distance 34mm		

equipment-specific units

for drink dispensers

drain taps

control parts



1

No.	650042	Ref. No.	F 012/GMB
description	lever		



1

No.	650090	Ref. No.	F012/N
description	lever		



1

No.	650041	Ref. No.	F012 F012BM
description	lever for drink dispenser		



1

No.	650088	Ref. No.	F012/NL
description	lever for drink dispenser black		



1

No.	650059	Ref. No.	L8017BLU
description	lever for drink dispenser blue		



1

No.	650087	Ref. No.	F012/BB
description	lever for drink dispenser white		



1

No.	650086	Ref. No.	F012/GB
description	lever for drink dispenser yellow		



1

No.	650089	Ref. No.	F012/Y
description	lever for drink dispenser yellow		

h2>pistons



1

No.	650036	Ref. No.	FB213
description	piston D1 ø 22.4mm L 73mm for outlet tap		



1

No.	650035	Ref. No.	F015
description	piston D1 ø 22.4mm L 76mm for outlet tap		

h2>miscellaneous



1

No.	650046	Ref. No.	7510
description	bush for lever		



1

No.	650049	Ref. No.	L8011
description	drain pipe L 102.5mm ø 14.5mm		



1

No.	650040	Ref. No.	F013
description	pin for lever		

h2>transmission technology and ball bearings

h3>drive shafts



1

No.	650033	Ref. No.	L6102
description	drive shaft		



1

No.	650034	Ref. No.	303/1 F303 F303/1
description	drive shaft for drink dispenser ø 12mm L 330mm		



1

No.	650029	Ref. No.	L6124
description	drive shaft for paddle L 335mm suitable for 9 litres		



1

No.	696695	Ref. No.	L6102
description	drive shaft for paddle ø 10mm L 245mm suitable for 6 litres		

h2>gear wheels



1

No.	697829	Ref. No.	F033.6T.N.
description	gear wheel ø 42.4mm teeth 80 tooth width 6.6mm shaft L 29mm		



containers

group 1



1

No.	650097	Ref. No.	F410
description	container		










1

No.	650101	Ref. No.	F009
description	container for drink dispenser		



1

No.	650098	Ref. No.	F302 F302/N
description	container with lever blue		
spare parts for	650098		
	No.	532513	Ref. No. F016
	O-ring silicone thickness 2.62mm ID ø 15.88mm Qty 1 pcs food-safe white		
	No.	650035	Ref. No. F015
	piston D1 ø 22.4mm L 76mm for outlet tap		
	No.	650040	Ref. No. F013
	pin for lever		
	No.	650041	Ref. No. F012 F012BM
	lever for drink dispenser		
	No.	650051	Ref. No. F017
	gasket for outlet tap mounting pos. lower		
	No.	650097	Ref. No. F410
	container		

spare parts for	650098		
	No.	691113	Ref. No. F014
	compression spring ø 21.5mm L 80mm wire gauge ø 1.5mm		





1

No.	650099	Ref. No.	F302/N/GM F302/N/N F302/N/W
description	container with lever silver		
spare parts for	650099		
	No.	532513	Ref. No. F016
	O-ring silicone thickness 2.62mm ID ø 15.88mm Qty 1 pcs food-safe white		
	No.	650035	Ref. No. F015
	piston D1 ø 22.4mm L 76mm for outlet tap		
	No.	650040	Ref. No. F013
	pin for lever		
	No.	650042	Ref. No. F 012/GMB
	lever		
	No.	650051	Ref. No. F017
	gasket for outlet tap mounting pos. lower		
	No.	650097	Ref. No. F410
	container		
	No.	691113	Ref. No. F014
	compression spring ø 21.5mm L 80mm wire gauge ø 1.5mm		

group 2



1

No.	650018	Ref. No.	L8007
description	container 6l		
accessories for	650018		
	No.	532515	Ref. No. L8008
	O-ring silicone thickness 5.34mm ID ø 109.5mm Qty 1 pcs		
	No.	650049	Ref. No. L8011
	drain pipe L 102.5mm ø 14.5mm		



1

No.	650017	Ref. No.	L8098
description	container 9l		

bushes



1

No.	650044	Ref. No.	F315/3
description	bush for container ø 35mm L 16mm		



1

No.	650043	Ref. No.	F317
description	bush for drive shaft ø 16mm L 30mm		



1

No.	650045	Ref. No.	F226
description	bush for evaporator ø 19mm L 11mm		



1

No.	650032	Ref. No.	1041
description	bush for paddle		



1

No.	650047	Ref. No.	FB011
description	bush ø 36mm L 16mm		

lids



1

No.	650053	Ref. No.	L8006B
description	container lid grey		



1

No.	650073	Ref. No.	F001/NL
description	lid black mounting pos. front		




1


No.	650077	Ref. No.	F001,1/NL
description	lid black mounting pos. rear		




1


No.	650062	Ref. No.	F001/N
description	lid black suitable for drink dispenser mounting pos. front		


			
1			
No.	650065	Ref. No.	F001/N/CF
description	lid black suitable for drink dispenser mounting pos. rear		


			
1			
No.	650060	Ref. No.	F001/BM/SF F001BM
description	lid blue mounting pos. front		


			
1			
No.	650094	Ref. No.	F301 F301BM
description	lid blue suitable for drink dispenser complete		


			
1			
No.	650063	Ref. No.	F001/BM/CF F001BMCONFORO
description	lid blue suitable for drink dispenser mounting pos. rear		

			
1			
No.	650095	Ref. No.	F300/C
description	lid blue suitable for drink dispenser with lamp complete		

			
1			
No.	650096	Ref. No.	F300
description	lid blue suitable for drink dispenser with lamp complete with gear motor		

			
1			
No.	650066	Ref. No.	F005
description	lid bottom part mounting pos. front		

			
1			
No.	650067	Ref. No.	F095
description	lid bottom part mounting pos. rear		

			
1			
No.	650080	Ref. No.	F095,1
description	lid bottom part mounting pos. rear		

			
1			
No.	650084	Ref. No.	F030/N
description	lid for evaporator black		



1

No.	650082	Ref. No.	F030BM
description	lid for evaporator blue		



1

No.	650083	Ref. No.	F030GM
description	lid for evaporator grey		



1

No.	650085	Ref. No.	F030/Y
description	lid for evaporator thread yellow		



1

No.	650074	Ref. No.	F001/GMB
description	lid grey mounting pos. front		



1

No.	650078	Ref. No.	F001,1/GMB
description	lid grey mounting pos. rear		



1

No.	650079	Ref. No.	F005,1
description	lid suitable for drink dispenser bottom part mounting pos. front		



1

No.	650091	Ref. No.	F301/N/W
description	lid white complete		



1

No.	650075	Ref. No.	F001,1/BB
description	lid white mounting pos. front		



1

No.	650071	Ref. No.	F001/BB
description	lid white suitable for drink dispenser mounting pos. front		




1


No.	650093	Ref. No.	F300/N/DA/W
description	lid white suitable for drink dispenser with lamp complete with gear motor		




1

No.	650092	Ref. No.	F300/N/SA/W
description	lid white with lamp complete		


			
1			
No.	650072	Ref. No.	F001/GB
description	lid yellow mounting pos. front		

			
1			
No.	650076	Ref. No.	F001,1/GB
description	lid yellow mounting pos. rear		


			
1			
No.	650061	Ref. No.	F001/Y/SF
description	lid yellow suitable for drink dispenser mounting pos. front		


			
1			
No.	650064	Ref. No.	F001/Y/CF
description	lid yellow suitable for drink dispenser mounting pos. rear		


accessories


			
1			
No.	650081	Ref. No.	F238
description	hinge pin for lid ø 4mm L 50mm		

gaskets


			
1			
No.	650039	Ref. No.	F026/2
description	bottom gasket for auger D1 ø 31mm D2 ø 24mm ID ø 12mm H 21mm rubber		

			
1			
No.	650026	Ref. No.	F019
description	gasket for evaporator H 14mm silicone		

			
1			
No.	650051	Ref. No.	F017
description	gasket for outlet tap mounting pos. lower		


			
1			
No.	650052	Ref. No.	F022/1
description	shaft sealing for drink dispenser D1 ø 12mm D2 ø 19mm		


adjusting screws

			
1			
No.	650050	Ref. No.	F034
description	adjusting screw thread M6		

holders


			
1			
No.	650070	Ref. No.	F002/N
description	bracket for drink dispenser black		

			
1			
No.	650069	Ref. No.	F002/BM
description	bracket for drink dispenser blue		

			
1			
No.	650068	Ref. No.	F002
description	bracket for drink dispenser white		

paddles

			
1			
No.	650019	Ref. No.	FB016
description	paddle for drink dispenser		

			
1			
No.	650022	Ref. No.	F003
description	paddle for drink dispenser		


			
1			
No.	650024	Ref. No.	L8099
description	paddle for drink dispenser		

			
1			
No.	650025	Ref. No.	L8001
description	paddle for drink dispenser		


accessories

			
1			
No.	650037	Ref. No.	F007
description	connecting fitting for paddle ø 19mm L 37mm		


augers


			
1			
No.	650054	Ref. No.	F304/1
description	auger for drink dispenser		

drip grids

			
1			
No.	650028	Ref. No.	L8034BLU
description	drip grid for drink dispenser		

			
1			
No.	650031	Ref. No.	F060BM
description	drip grid for drink dispenser		

			
1			
No.	650056	Ref. No.	F060/N/B
description	drip grid for drink dispenser		

			
1			
No.	650021	Ref. No.	F060GM04
description	drip grid for drink dispenser grey		

			
1			
No.	650108	Ref. No.	F060 F060B04
description	drip grid for drink dispenser L 165mm W 78mm H 15mm		

drip water trays



1

No.	650027	Ref. No.	L8033BLU
description	drip tray blue		



1

No.	650109	Ref. No.	L6126
description	drip tray complete L 148mm W 74mm H 60mm blue		



1

No.	650020	Ref. No.	F059GM04 GV2MODG
description	drip tray grey		



1

No.	650106	Ref. No.	F059/60/N F059/N+F060/N F059GM+F060GM GV1N
description	drip tray L 167mm W 115mm H 72mm black		



1

No.	650030	Ref. No.	F059+F060BM F059BM GV1B
description	drip tray with drip grid blue		



1

No.	650157	Ref. No.	GV2MODG
description	drip tray with drip grid grey		

miscellaneous



1

No.	650102	Ref. No.	F010
description	cross rail for drink dispenser		



1

No.	650048	Ref. No.	F035
description	guide for spring		

gaskets


O-rings

silicone



1

No.	532513	Ref. No.	F016
description	O-ring silicone thickness 2.62mm ID ø 15.88mm Qty 1 pcs food-safe white		



1

No.	532514	Ref. No.	5034
description	O-ring silicone thickness 3mm ID ø 13mm Qty 1 pcs		



shaft gaskets

shaft gaskets



1

No.	650052	Ref. No.	F022/1
-----	--------	----------	--------

description shaft sealing for drink dispenser D1 ø 12mm D2 ø 19mm

special gaskets

miscellaneous



1

No.	650039	Ref. No.	F026/2
-----	--------	----------	--------

description bottom gasket for auger D1 ø 31mm D2 ø 24mm ID ø 12mm H 21mm rubber



1

No.	650026	Ref. No.	F019
-----	--------	----------	------

description gasket for evaporator H 14mm silicone



1

No.	650051	Ref. No.	F017
-----	--------	----------	------

description gasket for outlet tap mounting pos. lower

refrigeration cycle components

filter driers

miscellaneous



1

No.	750229	Ref. No.	1184 F1184
-----	--------	----------	---------------

description dryer size 20g ø 19mm L 138mm connection 6,2/6,2mm



1

No.	750228	Ref. No.	F062
-----	--------	----------	------

description dryer size 20g ø 24mm L 109mm connection 2,6/6,2mm

evaporators

for drink dispensers



1

No.	750187	Ref. No.	FB208
-----	--------	----------	-------

description evaporator for drink dispenser Fast Cold 1-3 L 200mm W 178mm H 330mm



1

No.	750185	Ref. No.	LEV6LT
-----	--------	----------	--------

description evaporator for drink dispenser Luke 1-4 L 134mm W 134mm H 214mm for 6 litre devices



1

No.	750186	Ref. No.	LEV9LT
-----	--------	----------	--------

description evaporator for drink dispenser Luke 1-4 L 134mm W 134mm H 308mm for 9 litre devices



1

No.	750184	Ref. No.	FEV3WT FEV4W FEV4WT L6118
-----	--------	----------	------------------------------------

description evaporator for drink dispenser NEW Faby 1-3 L 200mm W 180mm H 330mm

accessories

miscellaneous




1


No.	750252	Ref. No.	L8009BLU
-----	--------	----------	----------


description bracket for evaporator

springs

compression springs

1 			
No.	691111	Ref. No.	F036
description	compression spring ø 10mm L 70mm wire gauge ø 1mm		

1 			
No.	691113	Ref. No.	F014
description	compression spring ø 21.5mm L 80mm wire gauge ø 1.5mm		


1 			
No.	691112	Ref. No.	L8014
description	compression spring ø 22.5mm L 50mm wire gauge ø 1.4mm		

fastening material

fasteners

retaining rings


DIN 471

1 			
No.	516222	Ref. No.	F021
description	retaining ring shaft ø 12mm thickness 1mm SS DIN 471		

consumables

lubricants


silicone fats


1 			
No.	890101	Ref. No.	F139
description	silicone grease FERMIT GLISSA tube 60g -40 to +200°C approval		
description	<p>Fermit GLISSA - tube 60g</p> <p>Non-drip lubricating grease for drinking water valves and fittings. Glissa silicone grease is suitable as a lubricant and sealant for drinking water valves and fittings (e.g. cartridges of single-lever mixers, switching valves and swivel spouts). Water-repellent, physiologically safe, sealing and has a high temperature resistance up to 200°C. Complies with the guidelines of the UBA for sanitary lubricants, tested by TZW for suitability for drinking water and approved in accordance with DIN ISO 21469.</p> <p>Temperature range: -40°C to +200°C</p>		


fuses

fine fuses

ø10x38mm 500V

1 			
No.	358027	Ref. No.	1027
description	fine fuse size ø10x38mm 16A rated 500V type Gg fast-acting Qty 1 pcs		

1 			
No.	358032	Ref. No.	1237
description	fine fuse size ø10x38mm 25A rated 500V type Gg fast-acting Qty 1 pcs		

1 			
No.	358022	Ref. No.	F147
description	fine fuse size ø10x38mm 4A rated 500V type Gg fast-acting Qty 1 pcs		