Professionall

Solutii profesionale pentru echipamente profesionale

GAS COMPONENTS

ELECTRIC COMPONENTS

WATER TECHNOLOGY

MECHANICAL COMPONENTS

TOOLS

Spare parts suitable for

CARIMALI

heating elements

heating elements for coffee machine

1

No.	417452	**Ref. No.**	N/A
description	heating element 1600W 230V heating circuits 1 thread 1¼" L 160mm W 32mm H 23mm tube ø 8mm thermostat sleeves ø 6.6mm length thermostat sleeves 140mm connection M4 immersion heater flange with thread		
accessories for	417452		
	No. 510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
	No. 528021	Ref. No.	—
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

1

No.	417045	**Ref. No.**	N/A
description	heating element 1800W 230V heating circuits 1 thread 1¼" L 135mm W 36mm H 39mm tube ø 8.5mm connection male faston 6.3mm immersion heater flange with thread		
accessories for	417045		
	No. 510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
	No. 528021	Ref. No.	—
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

1

No.	417046	**Ref. No.**	95.00985
description	heating element 2000W 230V heating circuits 1 thread 1¼" L 200mm W 32mm H 26mm tube ø 8.5mm thermostat sleeves ø 6.5mm length thermostat sleeves 152mm connection M4 immersion heater connection length 25mm flange with thread		
accessories for	417046		
	No. 510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
	No. 528021	Ref. No.	—
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

1

No.	417048	**Ref. No.**	N/A
description	heating element 2400W 230V heating circuits 2 thread 1¼" L 235mm W 34mm H 24mm tube ø 8.4mm connection male faston 6.3mm immersion heater connection length 31mm flange with thread WS 37		
accessories for	417048		
	No. 510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
accessories for	417048		
	No. 528021	Ref. No.	—
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

1

No.	417616	**Ref. No.**	96.00559
description	heating element 2800W 230V heating circuits 3 mounting ø 35mm hole distance 58mm L 153mm W 30mm H 30mm hole ø 10mm thermostat sleeves ø 4mm length thermostat sleeves 140mm number of thermostat sleeves 1 thermostat sleeve centred, adjacent tube ø 6mm connection M3 immersion heater 3 hole flange		
accessories for	417616		
	No. 521077	Ref. No.	87.05003.00.19
	O-ring Viton thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
	No. 527169	Ref. No.	92.00005
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	No. 528529	Ref. No.	93.00007
	plain washer ID ø 3.5mm ED ø 6.6mm thickness 0.5mm brass Qty 1 pcs		
	No. 560036	Ref. No.	—
	tooth lock washer ID ø 3.1mm ED ø 5.7mm SS Qty 10 pcs		
	No. 560572	Ref. No.	95.01606
	contact bridge		

1

No.	417250	**Ref. No.**	96.00482
description	heating element 2800W 230V heating circuits 3 mounting ø 39mm hole distance 58mm L 191mm W 33mm H 32mm hole ø 10mm length thermostat sleeves 153mm thermostat sleeves ø 5mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging tube ø 8mm connection 3 immersion heater 3 hole flange		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	417036	**Ref. No.**	N/A
description	heating element 2800W 230V heating circuits 3 mounting ø 51mm hole distance 63mm L 350mm W 36mm H 70mm hole ø 9mm thermostat sleeves ø 7mm length thermostat sleeves 150mm number of thermostat sleeves 1 thermostat sleeve eccentric, non clinging tube ø 8mm connection male faston 6.3mm immersion heater 3 hole flange		

MAG-PRO

1

No.	417047	**Ref. No.**	95.01348.10
description	heating element 3000W 230V heating circuits 3 thread 1¼" L 405mm W 29mm H 29mm tube ø 8.5mm thermostat sleeves ø 6.5mm length thermostat sleeves 195mm connection M3 immersion heater flange with thread		
spare parts for	417047		
	No. 510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
accessories for	417047		
	No. 527169	Ref. No.	92.00005
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	No. 528021	Ref. No.	—
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		
	No. 560110	Ref. No.	—
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	No. 560130	Ref. No.	—
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

1

No.	417251	**Ref. No.**	96.00496
description	heating element 3500W 230V heating circuits 3 mounting ø 39mm hole distance 58mm L 380mm W 33mm H 33mm hole ø 10mm length thermostat sleeves 188mm thermostat sleeves ø 5mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging tube ø 8mm connection M3 immersion heater 3 hole flange		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	417617	**Ref. No.**	96.00561
description	heating element 4500W 230V heating circuits 3 mounting ø 35mm hole distance 58mm L 265mm W 30mm H 30mm hole ø 10mm thermostat sleeves ø 4mm length thermostat sleeves 140mm number of thermostat sleeves 1 thermostat sleeve centred, adjacent tube ø 6mm connection M3 immersion heater 3 hole flange		
accessories for	417617		
	No. 521077	Ref. No.	87.05003.00.19
	O-ring Viton thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
	No. 527169	Ref. No.	92.00005
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	No. 528529	Ref. No.	93.00007
	plain washer ID ø 3.5mm ED ø 6.6mm thickness 0.5mm brass Qty 1 pcs		
	No. 560036	Ref. No.	—
	tooth lock washer ID ø 3.1mm ED ø 5.7mm SS Qty 10 pcs		
	No. 560572	Ref. No.	95.01606
	contact bridge		

1

No.	417252	**Ref. No.**	96.00505
description	heating element 4500W 230V heating circuits 3 mounting ø 39mm hole distance 58mm L 380mm W 33mm H 33mm hole ø 10mm length thermostat sleeves 190mm thermostat sleeves ø 5mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging tube ø 8mm connection M3 immersion heater 3 hole flange		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	417253	**Ref. No.**	96.00495
description	heating element 4500W 230V heating circuits 3 mounting ø 39mm hole distance 58mm L 630mm W 33mm H 33mm hole ø 10mm length thermostat sleeves 200mm thermostat sleeves ø 5mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging tube ø 8mm connection M3 immersion heater 3 hole flange		

1

No.	417345	**Ref. No.**	95.01202
description	heating element 5000W 230V heating circuits 3 thread 1¼" L 605mm W 34mm H 30mm tube ø 8mm thermostat sleeves ø 6.5mm length thermostat sleeves 200mm number of thermostat sleeves 1 thermostat sleeve not clinging connection M4 immersion heater connection length 28mm flange with thread		
accessories for	417345		
	No. 510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
	No. 528021	Ref. No.	—
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

accessories

hexagonal nuts

1

No.	527169	**Ref. No.**	92.00005
description	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		

tooth lock washers

1

No.	560571	**Ref. No.**	93.00013
description	tooth lock washer ID ø 3.3mm ED ø 6.2mm zinc-coated steel DIN/ISO Qty 1 pcs for thread M3		

MAG-PRO

sealing washers

fibre gaskets



1

No.	528017	**Ref. No.**	N/A
description	flat gasket fibre ED ø 53mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		

PTFE gaskets



1

No.	528022	**Ref. No.**	N/A
description	flat gasket PTFE ED ø 52mm ID ø 41mm thickness 2mm size 1¼" Qty 1 pcs suitable for CARIMALI, FAEMA, MARZOCCO, PAVONI		

1

No.	560572	**Ref. No.**	95.01606
description	contact bridge		

thermostats

control and safety thermostats

EGO

safety thermostats

55.32_ series

1

No.	390324	**Ref. No.**	95.01594
description	safety thermostat switch-off temp. 169°C 3-pole 3NC 20A probe ø 4mm probe L 128mm capillary pipe 890mm capillary pipe isolated 210/210mm gland nut probe SS		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

switches and momentary switches

push/momentary push switches

30x22mm

1

No.	301082	**Ref. No.**	95.01783
description	push switch mounting measurements 30x22mm green 2NO 250V 12A connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar		
For models:	E9-COF, E9-Espresso, E9-LM, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

system switches (ROLD)

1

No.	347181	**Ref. No.**	95.01735
description	push button size 13x17mmmm chrome-plated		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		
accessories for	347181		

No.	347182	Ref. No.	—
element holder mounting measurements 20.6x16.4mm chrome-plated arched for push buttons 13x17mm			

1

No.	345720	**Ref. No.**	96.00786
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	TemaStyle		

MAG-PRO

system switches

CARIMALI

push buttons

1

No.	347181	**Ref. No.**	95.01735
description	push button size 13x17mmmm chrome-plated		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		
accessories for	347181		
	No.	347182	Ref. No. —
	element holder mounting measurements 20.6x16.4mm chrome-plated arched for push buttons 13x17mm		

element holders

1

No.	526339	**Ref. No.**	37.00726
description	frame for switch black plastic		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

switches

1

No.	345720	**Ref. No.**	96.00786
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	TemaStyle		

contactors

MOELLER/EATON

power contactors

1

No.	380497	**Ref. No.**	96.00807
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection screw connection type DILEM 4		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF-Display, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

relays

power relays

with bracket mounting

1

No.	380808	**Ref. No.**	96.00032
description	power relays FINDER 230VAC 16A 3CO connection male faston 6.3mm bracket mounting manuf. no. 62.83.8.230.0000		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF-Display, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	380900	**Ref. No.**	96.00590
description	power relays FINDER 230VAC 20A 1NO/1NC connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. 65.31.8.230.0000 2-pole		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF-Display, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

MAG-PRO

level relays

GICAR

1

No.	402327	**Ref. No.**	96.00470
description	level controller 230V voltage AC type RL30/3ES/F/G		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF-Display, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		
accessories for	402327		
	No. 526322	Ref. No.	03.00999
	cable L 100mm plug type Faston 6.3mm		

probes

producer-specific probes

probes

1

No.	526337	**Ref. No.**	87.00087+96.05151 96.00600
description	probe NTC 47kOhm cable PTFE probe -40 up to +125°C cable -40 up to +250°C connection plug thread 1/4" probe ø6.5x25mm cable length 0.24m		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

electronics

PCBs

1

No.	526302	**Ref. No.**	96.00718.CA
description	display coffee machine TEMA STYLE L 80mm W 36mm		
For models:	TemaStyle		

1

No.	526316	**Ref. No.**	96.00753
description	display espresso machine Espresso9 L 135mm W 44mm		
For models:	E9-Espresso		

1

No.	526315	**Ref. No.**	96.00724
description	display espresso machine KICCO COF-LM L 122mm W 44mm		
For models:	EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM		

1

No.	403514	**Ref. No.**	96.00841
description	PCB coffee machine Armonia V2 L 270mm W 134mm		

central units

1

No.	402325	**Ref. No.**	96.00771
description	central unit 3 relays 230V voltage AC		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

MAG-PRO

1

No.	402326	**Ref. No.**	96.00750
description	central unit 6 relays 230V voltage AC		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	526321	**Ref. No.**	96.00821
description	control box 3-group for coffee machine 230V type 3d5 MAESTRO DELUXE SLAVE 64KB		
For models:	E9-COF, E9-Espresso, E9-LM, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

keypads

front foils

1

No.	526303	**Ref. No.**	33.00287
description	front foil L 132mm W 41mm		
For models:	E9-LM		

1

No.	526306	**Ref. No.**	33.00288
description	front foil L 132mm W 41mm		
For models:	E9-COF, E9-Espresso, E9-LM		

1

No.	526312	**Ref. No.**	33.00286
description	front foil L 132mm W 41mm		
For models:	E9-COF		

1

No.	526313	**Ref. No.**	33.00289
description	front foil L 132mm W 41mm		
For models:	E9-COF, E9-Espresso		

1

No.	526304	**Ref. No.**	33.00300
description	front foil L 178mm W 51mm		
For models:	EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM		

1

No.	526305	**Ref. No.**	33.00303
description	front foil L 178mm W 51mm		
For models:	EtaBeta-V2-COF, EtaBeta-V2-LM, Kicco-COF, Kicco-Espresso, Kicco-LM		

1

No.	526307	**Ref. No.**	33.00301
description	front foil L 178mm W 51mm		
For models:	EtaBeta-V2-COF, EtaBeta-V2-LM, Kicco-COF, Kicco-Espresso, Kicco-LM		

1

No.	526308	**Ref. No.**	33.00306
description	front foil L 178mm W 51mm		
For models:	EtaBeta-V2-COF, EtaBeta-V2-COF-Display		

1

No.	526309	**Ref. No.**	33.00308
description	front foil L 178mm W 51mm		
For models:	EtaBeta-V2-LM, EtaBeta-V2-LM-Display		

1

No.	526310	**Ref. No.**	33.00305
description	front foil L 178mm W 51mm		
For models:	EtaBeta-V2-COF, EtaBeta-V2-COF-Display		

MAG-PRO

1

No.	526311	**Ref. No.**	33.00302
description	front foil L 178mm W 51mm		
For models:	EtaBeta-V2-COF, EtaBeta-V2-LM, Kicco-COF, Kicco-Espresso, Kicco-LM		

1

No.	526317	**Ref. No.**	33.00307
description	front foil L 178mm W 51mm		
For models:	E9-LM, EtaBeta-V2-LM, EtaBeta-V2-LM-Display		

membrane keypads

1

No.	401417	**Ref. No.**	96.00369
description	membrane keypad buttons 3		

1

No.	526314	**Ref. No.**	02.02337
description	membrane keypad L 152mm W 32mm		
For models:	TemaStyle		

1

No.	526320	**Ref. No.**	02.02338
description	membrane keypad L 152mm W 32mm		
For models:	TemaStyle		

keypad units

1

No.	526300	**Ref. No.**	96.00751
description	keypad unit buttons 6 L 135mm W 44mm		
For models:	E9-COF, E9-Espresso, E9-LM		

1

No.	526301	**Ref. No.**	96.00725
description	keypad unit buttons 7 L 162mm W 38mm		
For models:	EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM		

solenoid valves

solenoid valves (water)

metal

PARKER

2-way

N74.BV series

1

No.	374061	**Ref. No.**	96.00621
description	solenoid valve brass 2-ways 230VAC connection 1/8" L 30mm DN 2mm -10 up to 140°C PARKER coil type WB4.5 membranes FKM (water/steam) p max 15bar p min 0bar 50/60Hz		

VE-125 series

1

No.	370202		**Ref. No.**	95.01175
description	solenoid valve 2-ways 230VAC connection DN 2.5mm slide-on receptacle DIN -20° up to 130°C PARKER type series VE-125 coil type ZB09 membranes FKM (water) p max 10bar flange 32x32mm			
spare parts for	370202			
	No.	371029	Ref. No.	—
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm			
accessories for	370202			
	No.	371090	Ref. No.	—
	power socket plug type DIN 43650A screw			
	No.	532553	Ref. No.	—
	O-ring silicone thickness 1.5mm ID ø 13.15mm Qty 1 pcs			
	No.	532554	Ref. No.	—
	O-ring silicone thickness 1.5mm ID ø 4.1mm Qty 1 pcs			

MAG-PRO

E-146 series

1

No.	370206	**Ref. No.**	95.01176
description	solenoid valve 2-ways 230VAC connection 1/8" L 40mm DN 2.5mm slide-on receptacle DIN -20° up to 130°C PARKER type series VE-146 coil type ZB09 membranes FKM (water) p max 15bar p min 0bar		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		
spare parts for	370206		
	No. 371029	Ref. No.	—
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm		
accessories for	370206		
	No. 371090	Ref. No.	—
	power socket plug type DIN 43650A screw		

3-way

N79.6QV series

1

No.	374062	**Ref. No.**	96.00620
description	solenoid valve brass 3-ways 230VAC connection 1/8" L 30mm DN 1mm -10 up to 140°C PARKER coil type WB4.5 membranes FKM (water/steam) p max 15bar p min 0bar 50/60Hz		

VE-141 series

1

No.	370550	**Ref. No.**	96.00203
description	solenoid valve 3-ways 230VAC connection 1/4" L 40mm DN 3mm slide-on receptacle DIN -20° up to 130°C coil type ZB09 membranes FKM (water) p max 3bar		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

VE-141R series

1

No.	370689	**Ref. No.**	96.00275
description	solenoid valve 3-ways 230VAC connection 1/8" L 40mm DN 1.3mm -40 up to +180°C coil type ZH14 membranes ruby p max 20bar p min 0bar		
accessories for	370689		
	No. 371090	Ref. No.	—
	power socket plug type DIN 43650A screw		

solenoid valves (various)

1

No.	526331	**Ref. No.**	96.00474
description	solenoid valve 2-ways 230VAC connection 1/8" L 68mm DN 2.5mm -10 up to +70°C coil type WB4.5 membranes FKM (air/water/oil) p max 12bar p min 0bar 50-60Hz brass		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

pressure switches

for coffee machines

ø 38mm

1

No.	542179	**Ref. No.**	96.00210
description	pressure control ø 38mm pressure range 0.5-1.5bar 16A 250V connection 1/4" 1CO		
For models:	Carimalina, E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

MAG-PRO

electrodes

1

No.	402328	**Ref. No.**	96.00685
description	level electrode 1/8" total length 110mm probe L 95mm insulated probe length 65mm connection male faston 6.3mm ø 2.5mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	402329	**Ref. No.**	96.00686
description	level electrode 1/8" total length 125mm probe L 110mm insulated probe length 88mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

flow meters and flow sensors

flow meters

GICAR

1

No.	526324	**Ref. No.**	95.01205
description	flow meter thread 1/4" stainless steel plug connection approval NSF flow rate 1.15l/min		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

motors

gear motors

for automatic coffee machines

1

No.	501489	**Ref. No.**	01.01418.CL
description	gear motor 6-24V voltage DC shaft ø 6mm L 200mm W 60mm H 38mm		

1

No.	601987	**Ref. No.**	96.00702.CA
description	gear motor type EL RD-1 24V voltage DC 80rpm shaft ø 7mm L 82.4mm W 36.8mm H 36.8mm		

electric accessories

cables

connection cables

1

No.	526322	**Ref. No.**	03.00999
description	cable L 100mm plug type Faston 6.3mm		

equipment-specific units

for ice-cube maker

miscellaneous

1

No.	695832	**Ref. No.**	97.00102
description	olive for ice maker L 6.5mm ID ø 6.2mm ED ø 8.5mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

for espresso machines

filter holders

filter holders standard

filter holder without spout

1

No.	525989	**Ref. No.**	N/A
description	filter holder suitable for CARIMALI without outlet mounting ø 79.5mm outlet 3/8" ID ø 60mm wedge hight 13.5mm number of wedges 3 lever straight		

MAG-PRO

filter holders short

1

No.	529069	**Ref. No.**	22.00804.CR
description	filter holder mounting ø 79.5mm outlet 3/8" ID ø 60mm handle M10x1.5 wedge hight 13.5mm number of wedges 3 lever straight chrome-plated brass		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		
accessories for	529069		

	No.	525956	Ref. No.	14.00767
	filter holder spring L 70mm W 60mm wire gauge ø 1.2mm for espresso filter holder			
	No.	526341	Ref. No.	14.02017
	coffee filter ø 68mm mounting ø 60mm H 20mm cups 1 amount of coffee 6g			
	No.	526342	Ref. No.	14.00819
	coffee filter ø 68mm mounting ø 60mm H 21mm cups 2 amount of coffee 12g			
	No.	529065	Ref. No.	—
	filter holder spring L 70mm W 60mm wire gauge ø 1.1mm for espresso filter holder			
	No.	529079	Ref. No.	—
	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder			
	No.	529210	Ref. No.	14.00768
	coffee filter ø 68mm mounting ø 59.5mm H 22mm cups 1 amount of coffee 7g			
	No.	529211	Ref. No.	14.00769
	coffee filter ø 68mm mounting ø 60mm H 23.5mm cups 2 amount of coffeeg			

handles

with external thread

1

No.	111053	**Ref. No.**	N/A
description	handle ø 36mm thread M10x1.5 thread L 15mm L 126mm black		

filters

for 1 cup

1

No.	529210	**Ref. No.**	14.00768
description	coffee filter ø 68mm mounting ø 59.5mm H 22mm cups 1 amount of coffee 7g		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	526341	**Ref. No.**	14.02017
description	coffee filter ø 68mm mounting ø 60mm H 20mm cups 1 amount of coffee 6g		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

for 2 cups

1

No.	526342	**Ref. No.**	14.00819
description	coffee filter ø 68mm mounting ø 60mm H 21mm cups 2 amount of coffee 12g		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-LM, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	529211	**Ref. No.**	14.00769
description	coffee filter ø 68mm mounting ø 60mm H 23.5mm cups 2 amount of coffeeg		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

filter holder springs

1

No.	525956	**Ref. No.**	14.00767
description	filter holder spring L 70mm W 60mm wire gauge ø 1.2mm for espresso filter holder		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

MAG-PRO

brewing units

filter holder gaskets

flat

standard

1

No.	528044	**Ref. No.**	87.00122.00.19
description	filter holder gasket D1 ø 69.5mm D2 ø 57mm H 7.5mm Qty 1 pcs		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

shim gaskets

1

No.	528068	**Ref. No.**	74.00009
description	shim gasket D1 ø 69mm D2 ø 57mm thickness 0.8mm paper Qty 1 pcs		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

brewing units manual

components

miscellaneous

1

No.	528529	**Ref. No.**	93.00007
description	plain washer ID ø 3.5mm ED ø 6.6mm thickness 0.5mm brass Qty 1 pcs		

components

nozzles

with thread

1

No.	526338	**Ref. No.**	22.00772
description	nozzle bore ø 0.8mm thread 1/8" L 23mm		
For models:	EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM		

1

No.	529490	**Ref. No.**	22.00806
description	nozzle bore ø 1.2mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

screws

1

No.	560373	**Ref. No.**	91.00095
description	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

miscellaneous

1

No.	530477	**Ref. No.**	37.00533
description	tap aerator		

water dispersions

water dispersions

group 3

1

No.	529495	**Ref. No.**	22.00896.NP
description	water distributor ø 57.6mm H 14mm 8 holes hole ø 1.5mm thread M5 mounting ø 5.5mm bore ø 13mm stainless steel		
accessories for	529495		

No.	529084	Ref. No.	—
shower screen ø 52mm hole ø 6.4mm			

MAG-PRO

1

No.	526328	**Ref. No.**	22.01225.NP
description	water distributor ø 57.7mm H 14mm 8 holes hole ø 1.5mm mounting ø 5.2mm stainless steel		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

accessories

1

No.	529494	**Ref. No.**	87.00111 87.00111.00.19
description	gasket water dispersion		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

safety valves

safety valves

3/8"

1

No.	526330	**Ref. No.**	95.00980 97.00148
description	safety valve connection 3/8" triggering pressure 1.9bar		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

metric thread

1

No.	529308	**Ref. No.**	N/A
description	safety valve connection M19x1 triggering pressure 1.8bar		

expansion valves

with hose connection

1

No.	530481	**Ref. No.**	97.00125
description	expansion valve 2-way T1: 1/4" ET hose ø 8mm triggering pressure 13bar BL 45mm total length 70mm		

with non-return valve

1

No.	526340	**Ref. No.**	01.00473
description	expansion valve with non-return valve		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

drain pans

drain pans

1

No.	526323	**Ref. No.**	37.00659
description	drain pan L 177mm W 98mm H 55 PT100 probemm hose ø 1/2"mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

hose couplings

1

No.	526329	**Ref. No.**	22.00805
description	hose connector connection 18mm thread 1/2" brass		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

MAG-PRO

aerators and air bleeders

1

No.	529863	**Ref. No.**	01.00440
description	aerator and air bleeder		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	529303	**Ref. No.**	01.00504
description	aerator and air bleeder connection 1/4" only steam		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		
spare parts for	529303		

No.	528687	Ref. No.	—

O-ring Viton thickness 1.78mm ID ø 3.69mm Qty 1 pcs

steam/water taps

steam/water taps

steam taps

steam taps (complete)

1

No.	529640	**Ref. No.**	01.00489
description	steam tap with breathers inlet 3/8" outlet 3/8"		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

knobs

1

No.	526335	**Ref. No.**	01.01894
description	knob black		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

components

bushes

1

No.	525566	**Ref. No.**	22.00929
description	bush D1 ø 15mm D2 ø 12mm ID ø 7mm H 10mm brass		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

gaskets

1

No.	529474	**Ref. No.**	N/A
description	gasket D1 ø 14mm D2 ø 4mm thickness 5mm coffee machine		

water taps

knobs

1

No.	526335	**Ref. No.**	01.01894
description	knob black		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

water taps

1

No.	529641	**Ref. No.**	01.00490
description	water tap inlet 3/8" outlet 3/8"		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF-Display, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

steam/water pipes

steam pipes

1

No.	526327	**Ref. No.**	02.00302.CR
description	steam pipe H 205mm tube ø 8mm		
For models:	E9-Espresso, Kicco-Espresso		

MAG-PRO

1

No.	526326	**Ref. No.**	02.01459.CR
description	steam pipe H 230mm tube ø 8mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-LM		

nozzles for steam pipes

1

No.	529673	**Ref. No.**	22.00189
description	steam nozzle thread M10x1 ø 12mm L 16mm 4 holes bore ø 1.25mm chrome-plated brass		
For models:	E9-Espresso, Kicco-Espresso, TemaStyle		

nozzles for water pipes

tap aerators

1

No.	529608	**Ref. No.**	95.00746
description	tap aerator D1 ø 23mm H 15mm thread M22x1		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

accessories

springs

1

No.	529704	**Ref. No.**	13.00059
description	compression spring ø 11.8mm L 16mm wire gauge ø 1.6mm steel		

tube handles

1

No.	529627	**Ref. No.**	37.00225
description	tube handle ø 8mm L 30mm plastic		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

union nuts

1

No.	526334	**Ref. No.**	22.01186.CR
description	nut thread 3/8" L 21mm hole ø 13mm chrome-plated		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

non-return valves

complete

1

No.	527978	**Ref. No.**	95.01280
description	non-return valve inlet 3/8" outlet 3/8" L 38mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

miscellaneous

1

No.	111106	**Ref. No.**	22.00751
description	mixer coupling		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	530483	**Ref. No.**	01.01412
description	pressure reduction valve thread M5 ø 10mm L 42mm hose ø 5mm stainless steel		

screw connections

hose connectors

1

No.	530484	**Ref. No.**	97.00070.00.19
description	hose connector thread M5 L 19mm hose ø 4mm stainless steel		

for coffee grinders

grinding burrs

grinding burrs straight

standard

1

No.	525533	**Ref. No.**	95.00404
description	grinding burrs pair turn direction left D1 ø 64mm ID ø 37mm H 9mm tooth spacing 3mm hole ø 5.6mm bore ø 8.5mm mounting ø 50		

MAG-PRO

for cup coffee machines

instant mixer units

1

No.	530487	**Ref. No.**	95.01760
description	flange for mixing hopper ø 63mm plastic		

coffee spouts

coffee spouts

1

No.	530488	**Ref. No.**	37.00286
description	coffee spout 2-way		

pistons

components

1

No.	530486	**Ref. No.**	37.00779
description	piston ø 45mm H 23mm hole ø 8mm plastic		

grinding units

grinding units

1

No.	531211	**Ref. No.**	01.05007 0105608+0305031+3305033+9505035+96
description	grinding unit complete for CARIMALI		

mechanical components

1

No.	698548	**Ref. No.**	86.05000
description	adapter ext. ø 53 ID ø 51mm H 10.5mm		

1

No.	698660	**Ref. No.**	37.00531
description	duct plastic ext. ø 18mm hose ø 7mm L 44mm		

1

No.	698547	**Ref. No.**	01.01704
description	ejector H 32mm W 50mm L 108mm		

miscellaneous

1

No.	696661	**Ref. No.**	97.00097
description	bush L 15mm brass ID ø 3mm D1 ø 5mm D2 ø 4mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	530485	**Ref. No.**	37.00803
description	cap L 47mm plastic W 37.5mm		

1

No.	650226	**Ref. No.**	37.00852
description	drip tray plastic H 60mm W 335mm D 310mm		

MAG-PRO

1

No.	695832	**Ref. No.**	97.00102
description	olive for ice maker L 6.5mm ID ø 6.2mm ED ø 8.5mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

knobs

steam/water taps

steam/water taps

1

No.	526335	**Ref. No.**	01.01894
description	knob black		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

knob dial plates

1

No.	526318	**Ref. No.**	33.00266
description	knob dial plate steam		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	526319	**Ref. No.**	33.00296
description	knob dial plate water		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF-Display, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

handles and hand wheels

lever handles

1

No.	526325	**Ref. No.**	37.00694
description	lever handle ø 48mm shaft ø 6mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

gaskets

refrigeration gaskets

screw-in gaskets

profile 9140

We offer custom-made gaskets for this profile



1

No.	901873	**Ref. No.**	95.01797
description	refrigeration gasket profile 9140 W 180mm L 295mm external size		

O-rings

EPDM

1

No.	510302	**Ref. No.**	87.00032
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		



1

No.	540682	**Ref. No.**	87.00141
description	O-ring EPDM thickness 1.78mm ID ø 18.77mm Qty 1 pcs		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		



1

No.	528223	**Ref. No.**	87.00006.00.19
description	O-ring EPDM thickness 2.62mm ID ø 11.91mm Qty 1 pcs		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

MAG-PRO



1

No.	507313	**Ref. No.**	87.00019
description	O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs		

silicone



1

No.	532602	**Ref. No.**	87.00142
description	O-ring silicone thickness 3.53mm ID ø 36.1mm Qty 1 pcs		

Viton



1

No.	521077	**Ref. No.**	87.05003.00.19
description	O-ring Viton thickness 5.34mm ID ø 37.47mm Qty 1 pcs		

sealing washers

fibre gaskets

1

No.	528017	**Ref. No.**	N/A
description	flat gasket fibre ED ø 53mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		

copper gaskets

DIN-7603-A

1

No.	529480	**Ref. No.**	95.01166
description	flat gasket copper ED ø 18mm ID ø 14mm thickness 1.5mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

PTFE gaskets

1

No.	528052	**Ref. No.**	88.00045
description	flat gasket PTFE ED ø 50mm ID ø 40mm thickness 3mm Qty 1 pcs		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	528022	**Ref. No.**	N/A
description	flat gasket PTFE ED ø 52mm ID ø 41mm thickness 2mm size 1¼" Qty 1 pcs suitable for CARIMALI, FAEMA, MARZOCCO, PAVONI		

1

No.	526332	**Ref. No.**	88.00015.00.19
description	gasket PTFE ED ø 25mm ID ø 17.5mm thickness 1.5mm Qty 1 pcs suitable for CARIMALI		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

springs

compression springs

1

No.	529722	**Ref. No.**	13.00059
description	compression spring ø 11.6mm L 31mm wire gauge ø 1.4mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	529704	**Ref. No.**	13.00059
description	compression spring ø 11.8mm L 16mm wire gauge ø 1.6mm steel		

1

No.	696748	**Ref. No.**	C0008CPS056
description	spring ø 19mm L 43mm wire gauge ø 2mm windings 10 steel		

MAG-PRO

coffee accessories

milk foamers

milk foamers

1

No.	802100	**Ref. No.**	01.01207
description	milk foamer connection 6mm angle 60° plastic		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	525933	**Ref. No.**	04.00405
description	milk foamer connection 6mm angle 90° plastic		
accessories for	525933		
	No. 531255	Ref. No.	—
	adapter thread 3/8" L 40mm		

manometers

1

No.	541226	**Ref. No.**	95.01545
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

1

No.	541228	**Ref. No.**	N/A
description	manometer ø 41mm pressure range 0 up to 15bar thread 1/8" marking 7-8 connection on the backside		

1

No.	541206	**Ref. No.**	N/A
description	manometer ø 42mm pressure range 0 up to 16bar thread 1/8" marking 12 connection on the backside		

1

No.	541229	**Ref. No.**	N/A
description	manometer ø 44mm pressure range 0 up to 3bar thread 1/8" marking 2 connection on the backside		

1

No.	541230	**Ref. No.**	N/A
description	manometer ø 53mm pressure range 0 up to 2bar connection on the backside marking 1.4-2.0 thread 1/8"		

hoses

industrial hoses

silicone hoses

without fabric

1

No.	570156	**Ref. No.**	84.00028
description	silicone hose ID ø 3mm ED ø 7mm thickness 2mm t.max. 200°C brown		

MAG-PRO

fittings, hose and pipe connectors

hose connectors

without screw connection

1

No.	501488	**Ref. No.**	97.00111 97.05036
description	Y-piece plastic hose ø 5-5-5mm 3-way		

fastening material

screws

countersunk screws

1

No.	560216	**Ref. No.**	91.00207
description	countersunk screw thread M5 L 20mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 9.2mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

cylinder head bolts

DIN 912/ISO 4762

1

No.	560373	**Ref. No.**	91.00095
description	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

grub screws

DIN 914/ISO 4027

1

No.	697417	**Ref. No.**	91.00056
description	grub screw thread M5 L 10mm stainless steel DIN 914/ISO 4027 WS 2.5 with spike Qty 1 pcs		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673

1

No.	560129	**Ref. No.**	92.00008
description	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

hexagonal nuts metric (without norm)

1

No.	527169	**Ref. No.**	92.00005
description	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		

washers

spring washers

1

No.	531147	**Ref. No.**	13.00058
description	spring washer ID ø 6.3mm ED ø 18mm thickness 0.8mm Qty 1 pcs		

washers

miscellaneous

1

No.	528529	**Ref. No.**	93.00007
description	plain washer ID ø 3.5mm ED ø 6.6mm thickness 0.5mm brass Qty 1 pcs		

MAG-PRO

fasteners

retaining rings

DIN 6799

1

No.	529724	**Ref. No.**	94.00040
description	retaining ring E D1 ø 4mm D2 ø 9mm SS DIN 6799 thickness 0.7mm for shaft ø 4-5mm		
For models:	E9-COF, E9-Espresso, E9-LM, EtaBeta-V2-COF, EtaBeta-V2-COF-Display, EtaBeta-V2-LM, EtaBeta-V2-LM-Display, Kicco-COF, Kicco-Espresso, Kicco-LM, TemaStyle		

MAG-PRO