Professionale pentru echipamente profesionale




heating elements


heating elements for griddles



heating elements for convection



accessories



thermostats

control and safety thermostats














Safety thermostats 55.13_ series Ref. No. COM50061 safety thermostat switch-off temp. 365°C 1-pole 1NC 16A probe ø 3mm probe L 160mm capillary pipe 1730mm capillary pipe isolated 1710mm gland nut probe



switches and momentary switches

cam switches



lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

neon light bulbs



1	Co.				
No.	359600	Ref. No.	_	1730 И51730	
description	neon light bulb	socket E10 220V 0	.35W clear ø 10m	m L 28mm	
accessories for	359600				
	No.	359060	Ref. No.	_	
	lamp socket me tion screw	ounting measurem	ents ø16.2mm soo	cket E10 connec-	
	No.	359063	Ref. No.	_	
0	lamp socket mounting measurements ø19.2mm socket E14 con tion screw				
	No.	359064	Ref. No.	_	
0	lamp socket mounting measurements ø22.3mm socket E14 connection screw 250/380V ambient temperature at 1W 100°C ambient temperature at 2W 85°C				
-	No.	359685	Ref. No.	_	
0	lamp socket mounting measurements ø16.2mm socket E10				
	No.	359832	Ref. No.	_	
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm			cket Ba9s connec-	
	No.	359853	Ref. No.	_	
0		lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm			
-	No.	359988	Ref. No.	_	
6	lamp socket mounting measurements ø30.5mm 250V connect			0V connection	

F6.3 temp.-resist. 55°C E14



screw-on/push-on fit

neon light bulbs



 No.
 359600
 Ref. No.
 51730 COM51730

 description
 neon light bulb socket E10 220V 0.35W clear ø 10mm L 28mm

accessories for 359600

No. 359060 Ref. No. —

lamp socket mounting measurements ø16.2mm socket E10 connection screw

No. 359063 Ref. No. —

lamp socket mounting measurements ø19.2mm socket E14 connection screw

359064

359832

lamp socket mounting measurements ø22.3mm socket E14 connection screw 250/380V ambient temperature at 1W 100°C ambient temperature at 2W 85°C

Ref. No.

Ref. No.

Ref. No.

Jamp socket, mounting measurements #16.2mm socket E10

lamp socket mounting measurements ø16.2mm socket E10

lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm

No. 359853 Ref. No. —
lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm

No. 359988 Ref. No. —
lamp socket mounting measurements ø30.5mm 250V connection F6.3 temp.-resist. 55°C E14

timers

mechanical timers



No. 350094 Ref. No. 50501
COM50501

timer C53 4-pole operation time 60min impulse mechanical
2NO/2NC at 250V 16A permanent position no shaft ømm shaftmm
shaft L 24mm mounting distance 28mm connection lateral front
measurements 72x72mm

gas taps

PEL

22S/O ser	22S/O series				
1					
No.	106681	Ref. No.	N	N/A	
description	zle ø 0.35mm ga	e 22S/O gas inlet M s outlet M20x1.5 (t 1 shaft ø 10x8mm ection	ube ø 12/10mm)	thermocouple	
spare parts for	106681				
	No.	100259	Ref. No.	_	
the second second	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
D2	No.	101058	Ref. No.	COM29449	
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm EGA24197 standard				itable for PEL22/	
	No.	101231	Ref. No.	_	
The state of the s	thermocouple nut T1: M9x1 T2: M18x1				
accessories for	106681				
	No.	101248	Ref. No.	_	
S. Contraction of the second	olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	_	
	olive for pipe ø	10mm Qty 1 pcs			
0	No.	101250	Ref. No.	_	
	union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	_	
6	union nut threa	d M20x1.5 for pipe	ø 12mm		

23S/O series

1					
No.	106682	Ref. No.	1	N/A	
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16/12mm) thermocou- ple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 35/19mm shaft flat upper with screw connection				
spare parts for	106682				
	No.	100455	Ref. No.	_	
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5				
6	No.	101045	Ref. No.	_	
1	magnet unit T1: I PEL23S M9x1	M9x1 T2: M22x1 L	46mm ø 18mm s	uitable for	

Table continues overleaf





spare parts for	106682					
	No.	101244	Ref. No.	_		
all.	gas connection gas taps	thread M24x1.5 t	tube ø 12/16mm ho	orizontal for PEL		
1	No.	101336	Ref. No.	_		
0	gas tap front par lower suitable fo		m shaft L 35/17mm	shaft flat upper/		
	No.	101463	Ref. No.	_		
1111	screw suitable f	or PEL23S Qty 4 p	ocs			
	No.	528455	Ref. No.	_		
\circ	O-ring Viton thi	ckness 2.62mm II	D ø 18.72mm Qty 1	pcs		
accessories for	106682					
	No.	100908	Ref. No.	_		
3	union screw thr	ead M10x1 for pi	pe ø 4mm Qty 1 pc	S		
	No.	101246	Ref. No.	_		
	olive for pipe ø 4mm Qty 1 pcs					
	No.	101252	Ref. No.	_		
0	union nut thread M24x1.5 for pipe ø 12mm					
	No.	101253	Ref. No.	_		
0	union nut thread M24x1.5 PEL for pipe ø 16mm					
	No.	101254	Ref. No.	_		
0	union nut thread M28x1.5 tube ø 20mm					
	No.	101255	Ref. No.	_		
olive for pipe ø 12mm Qty 1 pcs						
	No.	101256	Ref. No.	_		
	olive for pipe ø 16mm Qty 1 pcs					
	No.	101257	Ref. No.	_		
	olive for pipe ø	20mm Qty 1 pcs				
	No.	110080	Ref. No.	_		
	knob ø 70mm s	haft ø 10x8mm s	haft flat universal			
	No.	112206	Ref. No.	_		
U	knob dial plate 45.5mm	silver gas tap PEL	.21/22/23 t.max.°C E	ED ø 63mm ID ø		

1					
No.	101092	Ref. No.	COM	140722	
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper				
spare parts for	101092				
	No.	100455	Ref. No.	_	
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.				

spare parts for	101092				
6.	No.	101059	Ref. No.	_	
1	magnet unit T1: PEL23S M10x1	M10x1 T2: M22x1	L 46mm ø 18mm	suitable for	
0	No.	101204	Ref. No.	_	
6	gas tap front par lower suitable fo		n shaft L 25/17mm	shaft flat upper/	
	No.	101244	Ref. No.	_	
A. C.	gas connection gas taps	thread M24x1.5 to	ube ø 12/16mm ho	orizontal for PEL	
****	No.	101463	Ref. No.	_	
1111	screw suitable fo	or PEL23S Qty 4 p	cs		
	No.	528455	Ref. No.	_	
\circ	O-ring Viton this	ckness 2.62mm ID	ø 18.72mm Qty 1	pcs	
accessories for	101092				
	No.	100908	Ref. No.	_	
130	union screw thr	ead M10x1 for pip	oe ø 4mm Qty 1 pc	S	
	No.	100909	Ref. No.	_	
1	union screw thr	ead M10x1 for pip	pe ø 6mm Qty 1 pc	s	
	No.	101246	Ref. No.	_	
	olive for pipe ø	4mm Qty 1 pcs			
	No.	101252	Ref. No.	_	
0	union nut thread M24x1.5 for pipe ø 12mm				
	No.	101253	Ref. No.	_	
0	union nut thread M24x1.5 PEL for pipe ø 16mm				
	No.	101254	Ref. No.	_	
0	union nut threa	d M28x1.5 tube ø	20mm		
	No.	101255	Ref. No.	_	
	olive for pipe ø	12mm Qty 1 pcs			
	No.	101256	Ref. No.	_	
	olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	_	
	olive for pipe ø	20mm Qty 1 pcs			
	No.	101286	Ref. No.	_	
	olive IDø6mm	Qty 1 pcs			
	No.	110080	Ref. No.	_	
U	knob ø 70mm sl	haft ø 10x8mm sh	aft flat universal		
	No.	112206	Ref. No.	_	
U	knob dial plate s 45.5mm	silver gas tap PEL2	21/22/23 t.max.°C E	ED ø 63mm ID ø	





STN3R 1 No. 103108 gas tap STN3R type 300 gas inlet 1/2" IT bypass nozzle ø 0mm gas outlet 1/2" IT thermocouple connection M9x1 pilot connection description M10x1 shaft ø 10x8mm shaft L 36/19mm shaft flat lower with acces-

sories incl. adapt. M28x1.5 (tube ø20mm)

gas thermostats

C	Г	ī
2	П	ı

710 Minisit series



description	1/2" gas outlet 3/8 M10x1 probe ø 5m	" thermocouple coi im probe L 125mm	t.max. 110°C 40-110°C gas inlet nnection M9x1 pilot connection capillary pipe 1050mm probe ressure regulatormbar gland

101053

102100

pare	parts for	101689

6	1		
1	6	0	

magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit

Ref. No.

No.

Ref. No.

COM40818

MINISIT 710

No.

No.

No.

probe 30-100°C probe ø 5mm probe L 122mm capillary pipe 1050mm t.max. 100°C bain marie probe type type A1 suitable for

accessories for 101689



100809 Ref. No.

Ref. No.

Ref. No.

Ref. No.

O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs

100820

100904

100905



gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22

locking screw M10x1 for pipe ø 4mm Qty 1 pcs

locking screw M10x1 for pipe ø 6mm Qty 1 pcs

No. 101054 Ref. No. magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for

Minisit

101136 Ref. No.

piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8





No.	106931	Ref. No.	COM	140815	
description	gas thermostat SIT type MINISIT 710 t.max. 310°C 70-310°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1300mm pressure controller no pressure regulatormbar gland nut 0710647 ignition gas 6mm probe material stainless steel				
accessories for	106931				
	No.	101137	Ref. No.	_	
79 19	cover cap without piezoelectric igniter				
	No.	110068	Ref. No.	_	
	knob suitable for	Minisit ø 37mm			



ignition parts


pilot burners

SIT

100 series


accessories

ignition electrodes



No.	100706	Ref. No.	COM40830
description	ignition electrode	connection M4 Qty	y 1 pcs

electrodes



gas burners

hob burners


producer-specific hob burners

COMETTO

854 series



1						
No.	108004	Ref. No.)502 /\d0502		
description	burner cap ø 78mm 5kW mounting ø 72mm					
accessories for	108004					
	No.	108003	Ref. No.	_		
0	burner head for burner cap ø 78mm seat ø 35mm ID ø 30mm ED ø 83mm					




gas nozzles

main nozzles

gas nozzles 3/8"



	No.	106527	Ref. No.	COM40558		
•	description	gas injector thread 3/8" WS 17 bore ø 0.7mm				



springs

torsion springs







valves and tank inlets

shut-off valves universal 61220 61221 540694 Ref. No. No. COM61220 COM61221 shut-off valve connection 1/2" 1/2" without handle total length 124.5mm mounting pos. any shaft L 15mm rosette thread G2 1" shaft description ø 7.8mm accessories for 540694 Ref. No. 514090 No. star handle cold/warm Ref. No. 520666 No. union nut thread 1/2" H 12mm 541818 Ref. No. rosette chrome-plated thread 28x19G ø 58mm H 25mm WS

