Professionall

Solutii profesionale pentru echipamente profesionale

GAS COMPONENTS

ELECTRIC COMPONENTS

WATER TECHNOLOGY

MECHANICAL COMPONENTS

TOOLS

Spare parts suitable for

COOKMAX

heating elements

heating elements for ovens



1

No.	418696	**Ref. No.**	CR0410150
description	heating element 1300W 230V heating circuits 1 L 350mm W 380mm L1 35mm L2 315mm W1 160mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm bridge length 400mm hole ø 3.2mm tube ø 6mm connection male faston 6.3mm connection length 10mm windings 2		



1

No.	418025	**Ref. No.**	41826620041 BN826620041
description	heating element 1500W 230V L 525mm W 240mm lug length 70mm lug width 22mm hole distance 56mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm heating circuits 1 dry heating element rectangular flange oven		
For models:	131003, 131004, 131005, 131006, 131007, 131008, 131009, 131201, 131202, 131203, 131204, 131205, 131206, 131207, 131208, 131209, 131210, 132003, 132004, 132201, 132202, 132203, 132204, 133024, 133203, 133209, 133210, 133211, 133212, 133213, 133214, 133215, 141005, 141007, 141013, 141016, 141021		



1

No.	418695	**Ref. No.**	CR0410140
description	heating element 900W 230V heating circuits 1 L 350mm W 390mm L1 40mm L2 310mm W1 165mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm bridge length 300mm hole ø 3.2mm tube ø 6mm connection male faston 6.3mm connection length 10mm windings 4 oven		

heating elements for bain maries

1

No.	415091	**Ref. No.**	1037039513 MA1037039513
description	heating element 1000W 230V heating circuits 1 L 295mm W 85mm connection length 20mm connection M3 tube ø 6.5mm 2 hole fixing thread M14x1 immersion heater/dry heating element bain marie/ chip scuttle L1 145mm L2 150mm H 18mm mounting distance 79mm		
For models:	124105, 144001		
spare parts for	415091		

	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

accessories for	415091			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521133	Ref. No.	1325313
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	527169	Ref. No.	WY23050
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	No.	550261	Ref. No.	—
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560110	Ref. No.	—
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	No.	560130	Ref. No.	—
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



1

No.	416195	**Ref. No.**	401023000
description	heating element 1500W 230V heating circuits 1 L 368mm L1 23mm W 268mm connection male faston 6.3mm connection distance 263mm tube ø 6.3mm dry heating element bain marie L2 345mm H 19mm		
For models:	115001, 115002, 245001, 245002, 245004, 245005, 245007, 245008		

MAG-PRO

1

No.	418036	**Ref. No.**	41826620101
description	heating element 2200W 230V L 458mm W 186mm tube ø 8.5mm lug length 23mm lug width 13mm hole ø 5mm dry heating element 2 hole fixing bain marie mounting distance 177mm		
For models:	135001, 135002, 135003, 135004, 135201, 135202, 135203, 135204		



1

No.	418668	**Ref. No.**	401021700 40121700
description	heating element 700W 230V heating circuits 1 L 370mm L1 35mm W 230mm connection 6.3 connection distance 224mm tube ø 6.3mm bain marie L2 335mm H 15mm		
For models:	245003, 955001, 955002, 955003, 955004		

1

No.	418694	**Ref. No.**	CR0502320
description	heating element 750W 230V heating circuits 1 L 410mm W 63mm flange length 100mm flange width 22mm hole distance 86mm connection length 27mm connection male faston 6.3mm tube ø 8.5mm rectangular flange hole ø 5.5mm dry heating element		

heating elements for frying pans

1

No.	416698	**Ref. No.**	MA1037317700
description	heating element 1350W 230V L 460mm W 95mm connection M4 tube ø 6.3mm dry heating element multi purpose roasting pan H 40mm connection distance 89mm		
For models:	127102, 127103		

heating elements for crepes makers



1

No.	418646	**Ref. No.**	IGS703103
description	heating element 2000W 230V L 270mm W 235mm H 45mm tube ø 6.3mm W2 20mm connection male faston 6.3mm connection distance 229mm crepes maker		

heating elements for chip scuttles

1

No.	418037	**Ref. No.**	41826620031
description	heating element 700W 230V heating circuits 1 L 425mm W 220mm flange length 70mm flange width 22mm hole distance 56mm connection length 41mm connection male faston 6.3mm tube ø 6.5mm rectangular flange hole ø 5mm dry heating element W2 30mm		
For models:	131004, 131006, 131007, 131008, 131009, 131201, 131202, 131203, 131204, 131205, 131206, 131207, 131208, 131209, 131210, 132003, 132004, 132201, 132202, 132203, 132204, 134207		

1

No.	415091	**Ref. No.**	1037039513 MA1037039513
description	heating element 1000W 230V heating circuits 1 L 295mm W 85mm connection length 20mm connection M3 tube ø 6.5mm 2 hole fixing thread M14x1 immersion heater/dry heating element bain marie/ chip scuttle L1 145mm L2 150mm H 18mm mounting distance 79mm		
For models:	124105, 144001		
spare parts for	415091		

No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

accessories for	415091

No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			

No.	521133	Ref. No.	1325313
nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			

No.	527169	Ref. No.	WY23050
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			

No.	550261	Ref. No.	—
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			

No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

No.	560110	Ref. No.	—
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			

No.	560130	Ref. No.	—
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

MAG-PRO

1

No.	418659	**Ref. No.**	401021000
description	heating element 350W 230V heating circuits 1 L 175mm W 180mm connection 6.3 tube ø 6.5mm dry heating element hot dog machine L1 30mm L2 145mm H 17mm connection distance 174mm		
For models:	114003, 244010		

heating elements for fryers



1

No.	418643	**Ref. No.**	172-5016
description	heating element 3200W 230V heating circuits 1 L 290mm W 185mm H 165mm L1 35mm L2 255mm W1 78mm W2 29mm flange length 50mm flange width 22mm hole distance 40mm windings 3 tube ø 8.5mm connection length 35mm connection F 6.3 hole ø 4mm rectangular flange immersion heater		
For models:	244012		



1

No.	420063	**Ref. No.**	9000481
description	heating element 13000W 230/400V heating circuits 3 L 385mm W 200mm H 245mm L1 40mm L2 30mm L3 315mm W1 53mm W2 94mm H1 40mm H2 170mm H3 35mm rectangular flange hole distance 122mm hole ø 6mm flange length 132mm immersion heater flange width 38mm tube ø 8.5mm		
accessories for	420063		
	No. 551114	Ref. No.	—
	gasket L 131mm W 42mm silicone thickness 1mm for heating element		



1

No.	418710	**Ref. No.**	9000483 BN9000483
description	heating element 13000W 230/400V heating circuits 3 L 385mm W 200mm H 270mm L1 40mm L2 30mm L3 315mm W1 54mm W2 92mm H1 30mm H2 200mm H3 35mm hole distance 122mm hole ø 6mm flange length 132mm flange width 38mm tube ø 8.5mm		
For models:	134001, 134005, 134201, 134205, 144008, 144009		



1

No.	418713	**Ref. No.**	9000482 BN9000482
description	heating element 9000W 230/400V heating circuits 3 L 395mm W 135mm H 267mm L1 35mm L2 40mm L3 320mm W1 22mm W2 90mm H1 40mm H2 195mm H3 32mm hole distance 121mm hole ø 6mm flange length 132mm flange width 38mm tube ø 8.5mm connection length 18mm		
For models:	134003, 134203, 144010		

2 hole fixing





1

No.	418665	**Ref. No.**	401003000
description	heating element 5000W 230V heating circuits 1 L 473mm W 250mm H 190mm connection M6 L1 23mm L2 450mm W1 53mm W2 145mm tube ø 8.5mm thread 1/4" windings 4 fryer		
For models:	244009, 244021		
accessories for	418665		
	No. 361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No. 510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No. 520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No. 550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	No. 560113	Ref. No.	260504 AMA238 RG04064
	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 20 pcs DIN 125A for thread M6		

MAG-PRO

accessories for	418665			
	No.	560133	Ref. No.	260404
	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



1

No.	418654	**Ref. No.**	401001000
description	heating element 2100W 230V heating circuits 1 L 270mm W 120mm H 200mm L1 15mm L2 255mm H1 155mm H2 45mm thread 1/4" tube ø 8.5mm connection M4 fryer windings 4		
For models:	244001, 244004, 244007		
accessories for	418654		
	No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		



1

No.	418669	**Ref. No.**	401002000
description	heating element 3000W 230V heating circuits 1 L 270mm W 110mm H 200mm L1 15mm L2 255mm H1 160mm H2 40mm thread 1/4" tube ø 8.5mm connection M4 fryer windings 4		
For models:	244002, 244003, 244004, 244006, 244007, 244008		
accessories for	418669		
	No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		



1

No.	418671	**Ref. No.**	401002520
description	heating element 3000W 230V heating circuits 1 L 300mm W 120mm H 215mm L1 50mm L2 250mm H1 180mm H2 35mm thread 1/4" tube ø 8.5mm connection M4 immersion heater fryer windings 4		
For models:	114001, 114002		
spare parts for	418671		
	No. 510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
accessories for	418671		
	No. 361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No. 520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No. 550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		



1

No.	418655	**Ref. No.**	401002500
description	heating element 3000W 230V heating circuits 1 L 275mm W 175mm H 200mm L1 15mm L2 260mm H1 160mm H2 40mm thread 1/4" tube ø 8.5mm connection M4 windings 5 W1 50mm W2 75mm		
For models:	244002, 244005		
spare parts for	418655		
	No. 510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		

Table continues overleaf

MAG-PRO

accessories for	418655			
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



1

No.	418670	**Ref. No.**	401002510
description	heating element 3000W 230V heating circuits 1 L 310mm W 175mm H 220mm L1 50mm L2 260mm H1 180mm H2 40mm thread 1/4" tube ø 8.5mm connection M4 windings 5 W1 50mm W2 75mm		

6 hole fixing



1

No.	416810	**Ref. No.**	1037317100 MA1037317100
description	heating element 6000W 230/400V heating circuits 3 L 320mm W 175mm H 205mm W1 5mm H1 165mm H2 40mm thread M12x1 tube ø 8.5mm connection male faston 6.3mm immersion heater 6 hole fixing		
For models:	124102		



1

No.	416811	**Ref. No.**	1037317200 MA1037317200	
description	heating element 9000W 230V heating circuits 3 L 320mm W 175mm H 205mm W1 5mm H1 165mm H2 40mm thread M12x1 tube ø 8.5mm connection male faston 6.3mm immersion heater 6 hole fixing			
For models:	124101			
spare parts for	416811			
	No.	521110	Ref. No.	460527
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			
accessories for	416811			
	No.	520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			
	No.	521131	Ref. No.	—
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			
	No.	528110	Ref. No.	095624
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs			

heating elements for griddles

1

No.	418498	**Ref. No.**	PD411K
description	heating element 1000W 230V heating circuits 1 L 472mm W 76mm H 38mm tube ø 8.5mm connection M4 connection length 27mm dry heating element		
For models:	234001, 234002, 234005		

1

No.	418027	**Ref. No.**	41826620070
description	heating element 1250W 230V heating circuits 1 L 407mm W 88mm H 20mm tube ø 8.5mm bracket mounting connection male faston 6.3mm hole distance 60mm hole ø 5mm griddle dry heating element lug length 25mm lug width 15mm		
For models:	133004, 133005, 133006, 133016, 133017, 133018, 133019, 133020, 133021, 133106, 133119, 133204, 133205, 133206, 133216, 133217, 133218, 133219, 133220, 133221, 133227, 133228		

MAG-PRO

1

No.	415076	**Ref. No.**	1037300713 MA1037300713
description	heating element 1300W 230V heating circuits 1 L 490mm W 78mm H 70mm tube ø 6.3mm W1 17mm W2 44mm connection M4 connection length 20mm dry heating element		
For models:	123110, 123111, 123112, 123113, 123114, 123115, 123120		
accessories for	415076		

No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			

No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			

No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			

No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

1

No.	420109	**Ref. No.**	CR0582840
description	heating element 2500W 230V heating circuits 1 L 635mm W 90mm H 80mm L1 30mm connection M5 connection distance 81.5mm tube ø 8.5mm connection length 18mm dry heating element for griddle		
For models:	143017, 143018, 143019, 143020, 143027, 143028, 143029, 143030, 143031, 143032		

1

No.	419009	**Ref. No.**	401025000
description	heating element 3000W 230V heating circuits 1 L 430mm W 270mm H 35mm tube ø 8.5mm W1 20mm W2 230mm connection male faston 6.3mm griddle connection distance 200mm dry heating element		
For models:	113003, 113004, 113005, 113006, 113011, 113012, 113013, 113014, 243001, 243002, 243005		

1

No.	420110	**Ref. No.**	CR0685730
description	heating element 3500W 230V heating circuits 1 L 635mm W 140mm H 80mm tube ø 8.5mm L1 35mm connection M5 connection length 18mm for griddle connection distance 131.5mm dry heating element		
For models:	143021, 143022, 143023, 143024, 143025, 143026		



1

No.	418644	**Ref. No.**	IV5253500
description	heating element 450W 230V heating circuits 1 L 440mm W 350mm H 45mm tube ø 6.3mm warming plate connection distance 344mm		
For models:	541004		

heating elements for gyros grills

1

No.	415562	**Ref. No.**	PT0094
description	heating element 1300W 230V L 270mm W 92mm H 80mm connection M4 thread M14x1.5 tube ø 8.5mm connection length 13mm 2 hole fixing dry heating element mounting distance 85mm		
spare parts for	415562		

No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

accessories for 415562

No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			

No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			

No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			

No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

1

No.	415563	**Ref. No.**	PT0095
description	heating element 1500W 230V L 265mm W 93mm H 80mm connection M4 thread M14x1.5 tube ø 8.5mm 2 hole fixing dry heating element mounting distance 84mm		
spare parts for	415563		

No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

accessories for 415563

No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			

Table continues overleaf

MAG-PRO

accessories for	415563			
	No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

heating elements for hot counters

1

No.	418720	Ref. No.	X02.05.619.00
description	heating element 350W 220V heating circuits 1 L 133mm W 116mm H 113mm W1 41mm W2 34mm tube ø 8mm connection male faston 6.3mm L1 17mm L2 116mm rectangular flange hole distance 56mm flange length 70mm flange width 16mm hole ø 3mm		
For models:	541003		



1

No.	415699	Ref. No.	401021200
description	heating element 400W 230V heating circuits 1 L 298mm W 138mm tube ø 6.3mm connection male faston 6.3mm dry heating element for vitrine 2 hole fixing thread M12x1.25 mounting distance 132mm		
For models:	272001, 272002		

1

No.	418666		Ref. No.	401021701
description	heating element 700W 230V heating circuits 1 L 630mm W 160mm tube ø 6.3mm connection male faston 6.3mm for vitrine thread M12 mounting distance 154mm			
spare parts for	418666			
	No.	521110	Ref. No.	460527
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			
accessories for	418666			
	No.	520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			
	No.	521131	Ref. No.	—
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			
	No.	528110	Ref. No.	095624
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs			

heating elements for hot dog machines

1

No.	418661	Ref. No.	401022500
description	heating element 1000W 230V L 180mm W 187mm H 18mm tube ø 6.2mm L1 30mm L2 150mm connection 6.3 connection distance 181mm heating circuits 1 hot dog machine		
For models:	261001, 261002, 262002, 262003, HD3NK		

1

No.	418656	Ref. No.	401020500
description	heating element 110W 230V L 131mm W 140mm H 6mm tube ø 6.5mm connection cable with thermal fuse cable length 160/300mm dry heating element heating circuits 1		
For models:	261001, HD3NK		

heating elements for coffee machine

1

No.	417453		Ref. No.	098645
description	heating element 1000W 220V heating circuits 1 ø 55mm H 62mm W1 44mm H1 32mm H2 30mm mounting distance 40mm thread M10x1 stainless steel windings 4 tube ø 6mm coffee machine screw			
For models:	743001			
accessories for	417453			
	No.	510416	Ref. No.	—
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			
	No.	510893	Ref. No.	200810 456015
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
	No.	520231	Ref. No.	—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	No.	521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			

MAG-PRO

1

No.	417459	**Ref. No.**	WY17202
description	heating element 1300W 230V heating circuits 1 thread 1¼" L 107mm W 26mm H 26mm connection male faston 6.3mm immersion heater flange with thread coffee machine		
For models:	742005		
accessories for	417459		
	No. 510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
	No. 528021	Ref. No.	—
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

1

No.	417006	**Ref. No.**	WY17201
description	heating element 1300W 230V heating circuits 1 thread 1¼" L 110mm W 27mm H 30mm tube ø 6.4mm connection male faston 6.3mm immersion heater connection length 30mm flange with thread WS 37 with thread for safety thermostat		
For models:	742005		
accessories for	417006		
	No. 510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
	No. 528021	Ref. No.	—
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

1

No.	417454	**Ref. No.**	15633
description	heating element 2000W 230V heating circuits 1 ø 93mm flange 50x26mm H 63mm H1 29mm H2 34mm connection male faston 6.3mm compression flange tube ø 8.5mm immersion heater		
For models:	741003		

1

No.	417458	**Ref. No.**	WY17022
description	heating element 200W 230V L 500mm W 160mm tube ø 6.4mm cable length 600mm H 15mm		
For models:	742001, 742002, 742003, 742004, 742018, 742020		

1

No.	417107	**Ref. No.**	WY17051
description	heating element 2600W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 295mm W 36mm H 41mm L1 22mm L2 38mm L3 235mm H1 30mm H2 11mm hole ø 10mm tube ø 8.5mm thermostat sleeves ø 6mm length thermostat sleeves 186mm thermostat sleeve not clinging number of thermostat sleeves 1 connection M6x1 immersion heater 2 hole flange		
For models:	742001, 742002, 742003, 742004, 742018, 742020		

1

No.	417294	**Ref. No.**	WY17012
description	heating element 2700/2950W 230/240V heating circuits 3 mounting ø 42mm hole distance 74mm L 180mm W 34mm H 47mm L1 35mm L2 50mm L3 85mm H1 31mm H2 16mm hole ø 10mm tube ø 8mm thermostat sleeves ø 6mm length thermostat sleeves 158mm thermostat sleeve centre not clinging number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	742017, 742019		

1

No.	417000	**Ref. No.**	WY17059
description	heating element 3400W 230V heating circuits 3 mounting ø 43mm hole distance 74mm L 315mm W 35mm H 38mm L1 35mm L2 65mm L3 205mm H1 31mm H2 7mm hole ø 9.2mm tube ø 8.3mm thermostat sleeves ø 6mm length thermostat sleeves 155mm thermostat sleeve centre number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	742001, 742002, 742003, 742004, 742018, 742020		
accessories for	417000		
	No. 527156	Ref. No.	WY12001
	flat gasket PTFE ED ø 57.8mm ID ø 43.3mm thickness 2mm Qty 1 pcs		
	No. 527169	Ref. No.	WY23050
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	No. 560110	Ref. No.	—
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	No. 560130	Ref. No.	—
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

1

No.	417456	**Ref. No.**	11624
description	hot plate 70W 230V coffee machine connection male faston 6.3mm heating circuits 1 cable length 350mm H 2mm L 128mm W 38mm		
For models:	741001		

MAG-PRO

1

No.	417501	Ref. No.	308397
description	hot plate 90W 230V heating circuits 1 ø 120mm connection Faston 6.3mm cable length 450mm H 2mm suitable for MELITTA		
For models:	741001		

1

No.	417455	Ref. No.	11533
description	hot plate 90W 240V ø 99mm H 12mm hole ø 11mm connection male faston 6.3mm		
For models:	741001, 741003		

heating elements for refrigeration

heating elements for defrosting

1

No.	418752	Ref. No.	1666355
description	heating element 350W 230V L 395mm W 450mm L1 45mm L2 360mm W1 360mm W2 95mm cable length 1000mm tube ø 6mm defrosting connection with cable		
For models:	201780, 621007, 622005		

1

No.	420150	Ref. No.	GN650BT.01
description	heating element 400W 230V L 290mm W 75mm H 90mm L1 60mm L2 230mm W1 16mm W2 43mm connection spate terminal M4 cable length 1200mm tube ø 10mm refrigeration for evaporator		
For models:	621019		

heating elements for condensate evaporation

1

No.	418732	Ref. No.	877107800
description	heating element 650W 230V L 280mm W 95mm H 87mm L1 65mm L2 215mm cable length 1500mm connection distance 86mm tube ø 8.5mm heating circuits 1 immersion heater		
For models:	644008, 644009, 644010		

1

No.	418733	Ref. No.	877107900
description	heating element 750W 230V L 430mm W 95mm H 98mm L1 85mm L2 345mm cable length 1500mm connection cable connection distance 86mm tube ø 8.5mm heating circuits 1 immersion heater		
For models:	644006, 644011, 644012		

condensing trays heated

1

No.	750005	Ref. No.	222312100
description	condensing tray heated L 240mm W 240mm H 250mm		
For models:	644010		
spare parts for	750005		

No.	418732	Ref. No.	877107800
heating element 650W 230V L 280mm W 95mm H 87mm L1 65mm L2 215mm cable length 1500mm connection distance 86mm tube ø 8.5mm heating circuits 1 immersion heater			

1

No.	750003	Ref. No.	226303600
description	condensing tray heated L 240mm W 240mm H 75mm 230V 650W connect with power contactor		
For models:	644008, 644009		
spare parts for	750003		

No.	348139	Ref. No.	—
float switch 250V 1A 1NO or 1NC thread M16x1.5 ø 17.4mm L 100.5mm mounting ø 28mm cable cable length 1500mm temp.-resist. -20 up to +90°C			

Table continues overleaf

MAG-PRO

spare parts for	750003			
	No.	418732	Ref. No.	877107800
	heating element 650W 230V L 280mm W 95mm H 87mm L1 65mm L2 215mm cable length 1500mm connection distance 86mm tube ø 8.5mm heating circuits 1 immersion heater			
accessories for	750003			
	No.	380185	Ref. No.	229029 880302100
	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A1O-230AC-FA			

1

No.	750006	**Ref. No.**	222312200
description	condensing tray heated L 380mm W 240mm H 250mm		
For models:	644011, 644012		

1

No.	750004	**Ref. No.**	227206000
description	condensing tray heated L 380mm W 240mm H 75mm 230V 750W with float switch		
For models:	644006		
spare parts for	750004		
	No. 348139	Ref. No.	—
	float switch 250V 1A 1NO or 1NC thread M16x1.5 ø 17.4mm L 100.5mm mounting ø 28mm cable cable length 1500mm temp.-resist. -20 up to +90°C		
	No. 418733	Ref. No.	877107900
	heating element 750W 230V L 430mm W 95mm H 98mm L1 85mm L2 345mm cable length 1500mm connection cable connection distance 86mm tube ø 8.5mm heating circuits 1 immersion heater		
accessories for	750004		
	No. 380185	Ref. No.	229029 880302100
	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A1O-230AC-FA		

heating elements for tilting bratt pan

1

No.	415076	**Ref. No.**	1037300713 MA1037300713
description	heating element 1300W 230V heating circuits 1 L 490mm W 78mm H 70mm tube ø 6.3mm W1 17mm W2 44mm connection M4 connection length 20mm dry heating element		
For models:	123110, 123111, 123112, 123113, 123114, 123115, 123120		
accessories for	415076		
	No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

1

No.	418039	**Ref. No.**	826620090
description	heating element for tilting bratt pan 1200W 230V L 292mm W 86mm H 20mm connection male faston 6.3mm dry heating element tube ø 8.5mm 2 hole fixing thread 1/4" mounting distance 78mm connection length 90mm		
For models:	137001, 137003, 137004, 137201		
accessories for	418039		
	No. 361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No. 510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No. 520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No. 550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

MAG-PRO

1

No.	416805	**Ref. No.**	6A050210
description	heating element for tilting bratt pan 2350W 230V L 400mm W 160mm H 55mm connection M5 dry heating element tube ø 8.5mm L1 210mm L2 190mm 2 hole fixing thread 1/4" mounting distance 152mm		
For models:	137001, 137201		
accessories for	416805		

No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			

No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			

1

No.	415077	**Ref. No.**	1037301713
description	heating element stock pot 1300W 230V L 280mm W 150mm H 40mm connection male faston 6.3mm tilting bratt pan heating circuits 1 tube ø 8.5mm bracket mounting hole distance 142mm hole ø 5mm lug length 25mm lug width 15mm		

heating elements for contact grills

1

No.	420254	**Ref. No.**	KOB108
description	heating element 1000W 220V heating circuits 1 L 194mm W 274mm H 37mm connection distance 40mm tube ø 8.5mm windings 4 connection M4 mounting pos. upper dry heating element for contact grill		
For models:	255009		

1

No.	420266	**Ref. No.**	KO-B113 WFB108
description	heating element 1000W 220V heating circuits 1 L 200mm W 220mm H 34mm connection distance 34mm tube ø 8.5mm windings 1 connection M4 mounting pos. lower dry heating element for contact grill/waffle iron		
For models:	225009, 255013		

1

No.	418660	**Ref. No.**	401031200
description	heating element 1200W 230V L 177mm W 215mm H 20mm W1 35mm W2 145mm tube ø 6.3mm windings 4 connection M4		
For models:	255001, 255002, 255003, 255004, 255006, 255007		

1

No.	420252	**Ref. No.**	KO-B109
description	heating element 1250W 220V heating circuits 1 L 185mm W 395mm H 28mm connection distance 37mm tube ø 8.3mm windings 4 connection M4 mounting pos. upper dry heating element for contact grill		
For models:	255012, 255014		

MAG-PRO

1

No.	420253	**Ref. No.**	KG2735DEG-09 KOB111
description	heating element 1500W 220V heating circuits 1 L 225mm W 278mm H 37mm connection distance 32mm tube ø 8.5mm windings 4 connection M4 mounting pos. lower dry heating element for contact grill		
For models:	255009, 255017		

1

No.	418664	**Ref. No.**	401031800
description	heating element 1800W 230V L 185mm W 205mm H 20mm W1 40mm W2 125mm tube ø 6.3mm windings 4 connection M4		
For models:	255001, 255002, 255003, 255004, 255006, 255007		

1

No.	420248	**Ref. No.**	KO-B112
description	heating element 2000W 220V heating circuits 2 L 240mm W 383mm H 33mm connection distance 32mm tube ø 8.5mm windings 6 connection M4 mounting pos. lower dry heating element for contact grill		
For models:	255012, 255014		

1

No.	420265	**Ref. No.**	KO-B110 WFB106
description	heating element 650W 220V heating circuits 1 L 160mm W 210mm H 28mm connection distance 38mm tube ø 8.5mm windings 1 connection M4 mounting pos. upper dry heating element for contact grill/waffle iron		
For models:	225009, 255013		

heating elements for pasta cookers

1

No.	418663	**Ref. No.**	401002600
description	heating element 3000W 230V L 245mm W 225mm H 27mm connection 6.3 thread M10x1 tube ø 6.3mm L1 120mm L2 125mm mounting distance 220mm		
For models:	116001, 116002		
spare parts for	418663		
	No. 510893	Ref. No.	200810 456015
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
accessories for	418663		
	No. 510416	Ref. No.	—
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	No. 520231	Ref. No.	—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	No. 521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		

MAG-PRO

1

No.	415977	**Ref. No.**	MA1870000
description	heating element 5670W 230V heating circuits 3 L 292mm W 225mm H 26mm rotation flange tube ø 6.3mm thermostat sleeves ø 9mm length thermostat sleeves 185mm L1 42mm L2 250mm W1 197mm W2 28mm cable length 460mm number of thermostat sleeves 1 connection length 50mm flange length 1 9mm flange length 2 15.5mm flange length 24.5mm flange ø1 43.8mm flange ø2 39.7mm thermostat sleeve centred, adjacent pasta cooker sensor screw connection M10x1		
For models:	126103		
accessories for	415977		

	No.	514016	Ref. No.	1814500 MA1814500
	flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable for MARENO			
	No.	514017	Ref. No.	1814400 MA1814400
	O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	514018	Ref. No.	1814600 MA1814600
	bush			
	No.	514020	Ref. No.	1815014 MA1815014
	bush			
	No.	514021	Ref. No.	1814700 MA1814700
	O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	514022	Ref. No.	14044599 MA14044599
	nut thread 1½" H 12mm SS WS 59 Qty 1 pcs			
	No.	540435	Ref. No.	MA1869600
	threaded rod thread M10 hollow			
	No.	540436	Ref. No.	1033514900 MA1033514900
	hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs			
	No.	540438	Ref. No.	1868700 MA1868700
	long nut thread M10 L 25mm WS 13 brass Qty 1 pcs			
	No.	540439	Ref. No.	1869500 MA1869500
	distance washer			

1

No.	416795	**Ref. No.**	8218100
description	heating element 7500W 230V heating circuits 3 L 300mm W 237mm Hmm 6 hole fixing connection M5 thread M14x1 tube ø 8.9mm complete auxiliary equipment		
For models:	136003, 136004, 136203, 136204		
spare parts for	416795		

	No.	507309	Ref. No.	41824710280 824710280
	O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs			
	No.	550261	Ref. No.	—
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			
accessories for	416795			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521133	Ref. No.	1325313
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

1

No.	415971	**Ref. No.**	MA1870100
description	heating element 9000W 230/415V heating circuits 3 L 245mm W 320mm H 25mm rotation flange tube ø 6.3mm thermostat sleeves ø 7mm length thermostat sleeves 210mm L1 55mm L2 190mm W1 28mm W2 292mm cable length 600mm number of thermostat sleeves 1 connection length 35mm flange length 1 9mm flange length 2 15.5mm flange length 24.5mm flange ø1 43.8mm flange ø2 39.7mm mounting pos. left suitable for 600 series thermostat sleeve centred, adjacent pasta cooker sensor screw connection M10x1		
For models:	126101		
accessories for	415971		

	No.	514016	Ref. No.	1814500 MA1814500
	flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable for MARENO			
	No.	514017	Ref. No.	1814400 MA1814400
	O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs			

MAG-PRO

accessories for	415971			
	No.	514018	Ref. No.	1814600 MA1814600
	bush			
	No.	514019	Ref. No.	—
	threaded rod thread M8 L 45mm brass			
	No.	514020	Ref. No.	1815014 MA1815014
	bush			
	No.	514021	Ref. No.	1814700 MA1814700
	O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	514022	Ref. No.	14044599 MA14044599
	nut thread 1½" H 12mm SS WS 59 Qty 1 pcs			
	No.	540435	Ref. No.	MA1869600
	threaded rod thread M10 hollow			
	No.	540436	Ref. No.	1033514900 MA1033514900
	hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs			
	No.	540438	Ref. No.	1868700 MA1868700
	long nut thread M10 L 25mm WS 13 brass Qty 1 pcs			
	No.	540439	Ref. No.	1869500 MA1869500
	distance washer			

heating elements for pizza ovens



1

No.	418672	**Ref. No.**	401031000
description	heating element 1000W 230V heating circuits 1 L 330mm W 300mm L1 30mm L2 60mm L3 240mm W1 35mm W2 230mm lug length 27mm lug width 22mm connection length 55mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing hole ø 3mm dry heating element pizza oven		
For models:	535001, 535002, 535004		



1

No.	418667	**Ref. No.**	401021750
description	heating element 750W 230V heating circuits 1 L 310mm W 250mm lug length 30mm lug width 20.4mm connection male faston 6.3mm pizza oven		
For models:	535004		



1

No.	420250	**Ref. No.**	PI-B114
description	heating element 1250W 220V L 613mm W 218mm flange length 245mm flange width 25mm hole distance 120mm connection M4 tube ø 8.3mm heating circuits 1 flange connection hole ø 4.5mm dry heating element for pizza oven		
For models:	531039		



1

No.	420251	**Ref. No.**	PI-B115 PIB117
description	heating element 1500W 220V heating circuits 1 L 610mm W 350mm flange length 355mm flange width 25mm hole distance 173mm tube ø 8.5mm connection M4 flange connection hole ø 5mm dry heating element for pizza oven		
For models:	531034, 531040		



1

No.	416488	**Ref. No.**	IB5256400
description	heating element 1000W 230V L 320mm W 240mm thread M12x1.5 mounting distance 233mm connection length 33mm connection male faston 6.3mm tube ø 6.3mm heating circuits 1 dry heating element 2 hole fixing		
For models:	541001, 541002		
accessories for	416488		
	No. 560502	Ref. No.	—
	hexagonal nut thread M12x1.5 H 6mm WS 19 SS Qty 1 pcs zinc-plated		

1

No.	420435	**Ref. No.**	EE24700
description	heating element 1300W 230V L 568mm W 158mm mounting distance 148mm connection F6.3 tube ø 8.5mm heating circuits 1		
For models:	531014, 531015		

1

No.	418726	**Ref. No.**	74400260
description	heating element 1456W 230V heating circuits 1 dry heating element		
For models:	531007, 531008		

MAG-PRO

1

No.	416837	**Ref. No.**	RESIS009
description	heating element 1500W 230V L 700mm W 270mm L1 30mm L2 70mm L3 600mm W1 174mm W2 148mm thread 1/4" mounting distance 40mm connection length 108mm connection M5 windings 2 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	530010, 530012, 531022, 531023		
spare parts for	416837		
	No. 510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
accessories for	416837		
	No. 361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No. 520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No. 550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

1

No.	419122	**Ref. No.**	101013
description	heating element 1500W 230V L 890mm W 280mm thread M12x1.5 mounting distance 270mm connection length 110mm connection M4 tube ø 8mm heating circuits 1 dry heating element pizza oven		
For models:	531028, 531029, 531030, 531031		

1

No.	418728	**Ref. No.**	74400180
description	heating element 1650W 230V L 1070mm W 130mm thread 1/4" mounting distance 121mm connection length 100mm heating circuits 1 dry heating element		
For models:	531003, 531004		



1

No.	418729	**Ref. No.**	74400250
description	heating element 1750W 230V L 680mm W 260mm thread 1/4" mounting distance 251mm connection length 101mm tube ø 8.5mm heating circuits 1 dry heating element		
For models:	531005, 531006		

1

No.	416464	**Ref. No.**	EE28200
description	heating element 2000W 230V L 600mm W 572mm thread 1/4" mounting distance 563mm connection length 45mm tube ø 8.6mm cable length 643mm heating circuits 1 dry heating element 2 hole fixing		
For models:	531010, 531011		
accessories for	416464		
	No. 361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No. 510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No. 520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No. 550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

1

No.	418889	**Ref. No.**	EE24800
description	heating element 2000W 230V L 880mm W 160mm thread 3/8" mounting distance 150mm connection length 105mm connection male faston 6.3mm tube ø 10mm heating circuits 1 dry heating element pizza oven		
For models:	531016, 531017		



1

No.	418157	**Ref. No.**	74400150
description	heating element 2100W 230V L 675mm W 550mm L1 35mm L2 640mm W1 415mm W2 135mm thread 1/4" mounting distance 127mm connection length 90mm connection male faston 6.3mm tube ø 8.5mm cable length 140mm heating circuits 1 dry heating element 2 hole fixing pizza oven		
For models:	531001, 531002		



1

No.	418730	**Ref. No.**	74400280
description	heating element 2400W 230V L 1200mm W 290mm heating circuits 1 dry heating element pizza oven		
For models:	531007, 531008		

MAG-PRO



1

No.	420041	**Ref. No.**	RESIS013
description	heating element 3000W 230V L 690mm W 460mm thread 1/4" mounting distance 452mm connection M5 tube ø 8.5mm heating circuits 1 for pizza oven mounting pos. upper/lower		
For models:	530009, 530011, 531020, 531021		

1

No.	418727	**Ref. No.**	74400160
description	heating element 920W 230V L 1040mm W 120mm thread 1/4" mounting distance 111mm connection length 100mm tube ø 9mm heating circuits 1 dry heating element		
For models:	531003, 531004		



1

No.	418725	**Ref. No.**	74400210
description	heating element 972W 230V L 645mm W 195mm thread 1/4" mounting distance 186mm connection length 102mm tube ø 8.5mm heating circuits 1 dry heating element		
For models:	531005, 531006		

heating elements for pizza presses

1

No.	416309	**Ref. No.**	5590710
description	heating element 2000W 230V L 260mm W 260mm heating circuits 1 cable length 290mm connection length 10mm tube ø 6.2mm windings 8 connection distance 59mm		



1

No.	416316	**Ref. No.**	5590760
description	heating element 2500W 230V L 360mm W 360mm heating circuits 1 cable length 250mm connection length 10mm tube ø 6.3mm windings 12 connection distance 49mm		

heating elements for rolling grills

1

No.	416189	**Ref. No.**	637108200
description	heating element 220W 240V heating circuits 1 L 359mm connection distance 359mm tube ø 8.5mm dry heating element roller grill		
For models:	262001		

heating elements for salamanders/toast-

1

No.	418723	**Ref. No.**	X02.09.260.00
description	heating element 1000W 220V L 290mm W 90mm H 40mm tube ø 7mm connection male faston 6.3mm with strap hole ø 5mm hole distance 66mm mounting distance 83mm heating circuits 1 lug length 25mm lug width 12.5mm dry heating element connection length 17mm mounting pos. upper		
For models:	222004, 222005		

1

No.	418722	**Ref. No.**	02.05.682.00 HAT02.05.682.00 X02.09.259.00
description	heating element 600W 220V L 210mm W 90mm H 40mm tube ø 7mm connection male faston 6.3mm with strap hole ø 5mm hole distance 66mm mounting distance 83mm heating circuits 1 lug length 25mm lug width 12.5mm dry heating element connection length 17mm mounting pos. lower		
For models:	222004, 222005		

1

No.	418721	**Ref. No.**	02.05.679.00 X02.09.258.00
description	heating element 700W 220V L 210mm W 85mm H 40mm tube ø 7mm connection male faston 6.3mm bracket mounting hole ø 5mm hole distance 66mm mounting distance 78mm heating circuits 1 lug length 25mm lug width 12.5mm dry heating element connection length 17mm mounting pos. upper		
For models:	222004, 222005		

1

No.	418724	**Ref. No.**	X02.09.261.00
description	heating element 900W 220V L 290mm W 110mm H 40mm tube ø 7mm connection male faston 6.3mm with strap hole ø 5mm mounting thread 103 hole distance 66mm heating circuits 1 lug length 25mm lug width 12.5mm dry heating element connection length 17mm mounting pos. lower		
For models:	222004, 222005		

MAG-PRO



1

No.	418740	**Ref. No.**	0AT93607 A0AT93607
description	heating element 2000W 230V heating circuits 1 L 400mm W 200mm L1 27mm L2 373mm W1 85mm W2 30mm flange length 70mm flange width 22mm hole distance 56mm tube ø 6.5mm rectangular flange hole ø 5mm H 6.5mm		
For models:	221007		



1

No.	418645	**Ref. No.**	IB52565010
description	heating element 1700W 230V L 235mm W 211mm thread M12x1 mounting distance 205mm connection M4 tube ø 6.3mm heating circuits 1 dry heating element 2 hole fixing salamander grill H 6.3mm		
For models:	221006		



1

No.	418653	**Ref. No.**	401024000
description	heating element 2200W 230V L 350mm W 260mm thread M12 mounting distance 245mm connection 6.3 air tube ø 8.5mm heating circuits 1 H 8.5mm		
For models:	221001, 221002, 221003, 221004		
spare parts for	418653		

No.	521110	Ref. No.	460527

flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs

accessories for 418653

No.	520229	Ref. No.	—

nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs

No.	521131	Ref. No.	—

nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs

No.	528110	Ref. No.	095624

O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs

1

No.	420301	**Ref. No.**	2010000
description	heating element 500W 240V L 250mm W 55mm thread 3/8" mounting distance 45mm tube ø 10mm heating circuits 1 M4 Hmm		
For models:	221019, 221020		



1

No.	416579	**Ref. No.**	417522300
description	heating element 1900W 220V heating circuits 1 L 245mm W 240mm L1 63mm L2 182mm W1 98mm W2 45mm connection distance 16mm connection M4 dry heating element tube ø 6.3mm H 6.3mm		
For models:	221017		



1

No.	420288	**Ref. No.**	417522400
description	heating element 1900W 400V heating circuits 1 L 245mm W 230mm L1 60mm L2 185mm W1 100mm W2 30mm connection distance 25mm windings 4 connection M4 dry heating element tube ø 6.25mm H 6.25mm		
For models:	221017		



1

No.	416580	**Ref. No.**	417522200
description	heating element 2000W 220V heating circuits 1 L 240mm W 333mm L1 60mm L2 180mm W1 149mm W2 35mm connection distance 29mm connection M4 dry heating element tube ø 6.3mm H 6.3mm		
For models:	221018		

MAG-PRO

heating elements for heating bridges

1

No.	418207	Ref. No.	R02.08.142E.00 R020811200
description	heating element 1100W 220V heating circuits 1 L 1095mm Wmm lug length 40mm lug width 18mm connection length 27mm connection M5 tube ø 6.3mm bracket mounting hole ø 5mm dry heating element		

1

No.	418208	Ref. No.	R02.08.143E.00 R020813100
description	heating element 1250W 220V heating circuits 1 L 1245mm Wmm lug length 39mm lug width 25mm connection length 27mm connection M5 tube ø 6.5mm bracket mounting hole ø M4mm dry heating element		

1

No.	418209	Ref. No.	R02.08.144E.00 R020811500
description	heating element 1400W 220V heating circuits 1 L 1400mm Wmm lug length 39mm lug width 25mm connection length 28mm connection M5 tube ø 6.5mm bracket mounting hole ø M4mm dry heating element		

1

No.	418210	Ref. No.	R02.08.145E.00 R020813400
description	heating element 1560W 220V heating circuits 1 L 1565mm Wmm lug length 39mm lug width 25mm connection length 26mm connection M5 tube ø 6.5mm bracket mounting hole ø M4mm dry heating element		

1

No.	418211	Ref. No.	R02.08.148E.00 R020811800
description	heating element 1725W 220V heating circuits 1 L 1715mm Wmm lug length 39mm lug width 25mm connection length 27mm connection M5 tube ø 6.8mm bracket mounting hole ø M4mm dry heating element		

1

No.	418203	Ref. No.	R02.08.138E.00 R020813500
description	heating element 350W 220V heating circuits 1 L 335mm Wmm lug length 40mm lug width 18mm connection M5 tube ø 6.3mm rectangular flange mounting pos. dry heating element hole ø 5mm		

1

No.	418202	Ref. No.	R02.08.103.00 R02.08.136E.00
description	heating element 500W 220V heating circuits 1 L 485mm Wmm lug length 40mm lug width 18mm connection M5 tube ø 6.3mm rectangular flange hole ø M4mm dry heating element		

1

No.	418657	Ref. No.	401021500
description	heating element 500W 230V heating circuits 1 L 165mm W 125mm connection 6.3 tube ø 8.5mm dry heating element heated bridge L1 30mm L2 135mm H 16mm		
For models:	114003, 276001, 279001		

1

No.	418204	Ref. No.	R02.08.139E.00 R020812900
description	heating element 660W 220V heating circuits 1 L 634mm Wmm lug length 40mm lug width 18mm connection male faston tube ø 6.5mm rectangular flange hole ø 4mm dry heating element		

1

No.	418205	Ref. No.	R02.08.140E.00 R020810600
description	heating element 800W 220V heating circuits 1 L 790mm Wmm lug length 40mm lug width 18mm connection length 26mm connection M5 tube ø 6.3mm rectangular flange hole ø 5mm dry heating element flange length 40mm flange width 18mm		

1

No.	418206	Ref. No.	R02.08.141E.00 R020810900
description	heating element 950W 220V L 940mm Wmm lug length 40mm lug width 18mm tube ø 6.3mm dry heating element flange length 40mm flange width 18mm		

heating elements for heated cabinets



1

No.	418743	Ref. No.	040576
description	heating element 1200W 230V L 220mm W 680mm H 700mm heated cabinet		
For models:	271003		

1

No.	418741	Ref. No.	040827
description	heating element 400W 230V L 220mm W 350mm H 440mm heated cabinet		
For models:	271001		

MAG-PRO

1

No.	418742	Ref. No.	040577
description	heating element 750W 230V L 220mm W 360mm H 690mm heated cabinet		
For models:	271002		

heating cables

drain heating cables

1

No.	418570	Ref. No.	BN1666009
description	drain heating cable 12W 230V ø 4mm L 3190mm L1 (unheated) 1650mm L2 (heated) 1540mm defrost drain metal connection male faston		
For models:	622020		

1

No.	418735	Ref. No.	224820200
description	drain heating cable 37W 230V L 1980mm L1 (unheated) 190mm L2 (heated) 1790mm silicone 25W/m connection cable		
For models:	641015		

1

No.	418734	Ref. No.	224820100
description	drain heating cable 37W 230V ø 6mm L 1670mm L1 (unheated) 130mm L2 (heated) 1650mm cable length 110mm silicone 25W/m connection cable		
For models:	641014		

1

No.	418736	Ref. No.	224820300
description	drain heating cable 50W 230V ø 6mm L 2120mm L1 (unheated) 130mm L2 (heated) 2010mm cable length 110mm silicone 25W/m connection cable		
For models:	641016		

1

No.	418737	Ref. No.	224820400
description	drain heating cable 62W 230V ø 6mm L 2680mm L1 (unheated) 130mm L2 (heated) 2550mm silicone 25W/m connection cable		
For models:	641017		

connection on both sides (metal braided)

1

No.	417602	Ref. No.	73632024
description	heating cable 52W 230V L1 (unheated) 200mm L2 (heated) 6500mm door frame heating L 6700mm connection cable		
For models:	622031		

miscellaneous

1

No.	418499	Ref. No.	R35-0002
description	heating cable L 7000mm door frame heating 205Ohm/m		
For models:	622004		

heating plates

1

No.	417569	Ref. No.	S160P022
description	hot plate 58W 230V L 62mm W 43mm		
For models:	236004		

1

No.	417456	Ref. No.	11624
description	hot plate 70W 230V coffee machine connection male faston 6.3mm heating circuits 1 cable length 350mm H 2mm L 128mm W 38mm		
For models:	741001		

MAG-PRO

ceramic heaters

245x60mm

1

No.	415104	**Ref. No.**	MA1037317601 PT0212
description	ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm		
For models:	124105, 144001		
spare parts for	415104		
	No. 415109	Ref. No.	—
	spring clip		
accessories for	415104		
	No. 415110	Ref. No.	—
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm		

quartz heating elements

1

No.	359630	**Ref. No.**	0661301000
description	infrared lamp 230V 500W L 490mm connection M4 ø 12mm		
For models:	910005, 910006, 910007		

1

No.	693058	**Ref. No.**	637000200
description	insulator female L 7mm hole ø 5.5mm ø 13mm		
For models:	262001		

1

No.	416187	**Ref. No.**	401023400
description	quartz heating element 400W 115V L 260mm ø 12mm connection male faston 6.3mm mounting distance 24.8mm		

1

No.	418625	**Ref. No.**	401023500
description	quartz heating element 500W 115V L 365mm ø 10mm connection male faston 6.3mm		
For models:	222002, 222003		

coil heating elements

1

No.	418719	**Ref. No.**	X02.05.620.00
description	heating element 1000W 230V L 180mm W 80mm H 84mm tube ø 22mm connection male faston 6.3mm connection length 36mm dry heating element heating circuits 1 bracket mounting		
For models:	541003		

immersion heating elements

3 hole flange ø38.5mm



1

No.	418642	**Ref. No.**	230113
description	heating element 2600W 230V mounting ø 38.5mm heating circuits 1 L 260mm W 33mm H 24mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 175mm thermostat sleeve eccentric, non clinging tube ø 6.5mm hole distance 57mm 3 hole flange connection male faston 6.3mm immersion heater		
For models:	811001, 811002, 811003		
accessories for	418642		
	No. 532577	Ref. No.	—
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs		

3 hole flange ø47.5mm



1

No.	415001	**Ref. No.**	230081
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 316mm W 35mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 180mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
spare parts for	415001		
	No. 510408	Ref. No.	200820 456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415001		
	No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		

MAG-PRO

accessories for	415001			
	No.	521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



1

No.	417440	**Ref. No.**	230111
description	heating element 4900W 230V mounting ø 47.5mm heating circuits 3 L 330mm W 32mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 177mm thermostat sleeve not clinging tube ø 6.5mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	812003, 812004, 812006, 812008, 812010, 915236, 915237, 915461, 915462, 915463, 915464, 915465		
accessories for	417440		
	No. 510408	Ref. No.	200820 456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

No.	420302	**Ref. No.**	01-240761-001 01-240761-002
description	heating element 6000W 240V mounting ø 47.5mm heating circuits 3 L 325mm W 33mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 140mm thermostat sleeve centre not clinging tube ø 8.3mm hole distance 62mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	811011, 811012, 811013, 811014, 811015, 812011, 812012, 812013, 812014, 812015, 813002, 813004		
accessories for	420302		
	No. 521030	Ref. No.	01-240135-011
	O-ring Viton thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

No.	419005	**Ref. No.**	01-240135-002
description	heating element 7260W 250V mounting ø 47.5mm heating circuits 3 L 375mm W 31mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 220mm thermostat sleeve centre not clinging tube ø 8.5mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	813003, 813004		
accessories for	419005		
	No. 510408	Ref. No.	200820 456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

No.	416241	**Ref. No.**	230020 230020C
description	heating element 8000W 230V mounting ø 47.5mm heating circuits 3 L 355mm W 35mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 185mm thermostat sleeve not clinging tube ø 6.3mm hole distance 64mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	813001		
spare parts for	416241		
	No. 510408	Ref. No.	200820 456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	416241		
	No. 510093	Ref. No.	467002 69870
	protection cap		
	No. 510408	Ref. No.	200820 456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

MAG-PRO

1

No.	415013	**Ref. No.**	110396
description	heating element 2400W 230V mounting ø 47.5mm heating circuits 1 L 215mm W 40mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 6.5mm length thermostat sleeves 190mm thermostat sleeve eccentric, non clinging tube ø 6.5mm hole distance 64mm hole ø 8x10mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	SP1		
accessories for	415013		

No.	510408	Ref. No.	200820 456002
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

3 hole flange ø57.5mm

1

No.	418714	**Ref. No.**	6A037190
description	heating element 6000W 230V heating circuits 3 L 385mm W 37mm H 60mm tube ø 8.5mm thermostat sleeves ø 7.5mm length thermostat sleeves 210mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging connection male faston 6.3mm immersion heater 3 hole flange hole distance 75mm mounting ø 57.5mm hole ø 8x10mm		
spare parts for	418714		

No.	510409	Ref. No.	200815
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

1

No.	418895	**Ref. No.**	110332
description	heating element 5000W 230V mounting ø 57.5mm heating circuits 3 L 350mm W 35mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 290mm thermostat sleeve eccentric, non clinging tube ø 8.5mm connection male faston 6.3mm		
For models:	SP2-12, SP2-S12		
accessories for	418895		

No.	510409	Ref. No.	200815
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

No.	510490	Ref. No.	161102
protection cap for heating element ø 62mm H 54mm mounting distance 70mm			

1

No.	415670	**Ref. No.**	110343
description	heating element 8000W 230V mounting ø 57.5mm heating circuits 3 L 480mm W 40mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 295mm thermostat sleeve not clinging tube ø 10mm hole distance 72mm hole ø 8mm connection M5 3 hole flange immersion heater		
For models:	SP3		
spare parts for	415670		

No.	510409	Ref. No.	200815
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

with compression flange 50 x 26mm

group 1

1

No.	420071	**Ref. No.**	01-240766-001
description	heating element 2000W 240V heating circuits 1 flange 50x26mm L 320mm W 36mm Hmm compression flange connection male faston 6.3mm tube ø 8.6mm immersion heater		
For models:	811011, 811012, 811013, 811014, 811015, 812011, 812012, 812013, 812014, 812015		
accessories for	420071		

No.	510387	Ref. No.	437086
gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			

1

No.	417517	**Ref. No.**	00-883423-001
description	heating element 3000W 254V heating circuits 1 flange 50x26mm L 420mm W 70mm L1 58mm L2 70mm L3 320mm compression flange connection male faston 6.3mm horizontal tube ø 8.5mm immersion heater		
For models:	813002, 813003, 813004		

MAG-PRO

1

No.	416234	**Ref. No.**	230098
description	heating element 600W 230V heating circuits 1 flange 50x26mm L 160mm W 45mm H 27mm tube ø 8.8mm connection male faston 6.3mm connection length 40mm immersion heater compression flange		
For models:	811001, 811002, 811003		
accessories for	416234		
	No. 510387	Ref. No.	437086
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
	No. 510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm		

with compression flange 70 x 26mm

1

No.	415000	**Ref. No.**	230088
description	heating element 2900W 230V heating circuits 1 flange 70x26mm L 272mm W 51mm Hmm tube ø 6.3mm connection M4 immersion heater compression flange		
For models:	915234, 915235, 915236, 915237		
spare parts for	415000		
	No. 521128	Ref. No.	437048
	gasket L 66mm W 21mm ømm for heating element suitable for ELETTROBAR, WOLK		
accessories for	415000		
	No. 521128	Ref. No.	437048
	gasket L 66mm W 21mm ømm for heating element suitable for ELETTROBAR, WOLK		

with round flange ø47.5mm

1

No.	420057	**Ref. No.**	230116
description	heating element 3000W 230V heating circuits 1 mounting ø 47.5mm L 330mm W 33mm H 19mm tube ø 8.4mm thermostat sleeves ø 7.4mm number of thermostat sleeves 1 length thermostat sleeves 170mm		
For models:	812001, 812002, 812005, 812007, 812009, 915234, 915235, 915460		
spare parts for	420057		
	No. 510408	Ref. No.	200820 456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

with round flange ø57.5mm

1

No.	415019	**Ref. No.**	110226
description	heating element 3000W 230V heating circuits 3 mounting ø 57.5mm L 338mm W 37mm H 41mm round flange connection male faston 6.3mm immersion heater tube ø 8.5mm connection length 27mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 300mm thermostat sleeve not clinging with 3 hole flange & O-ring		
For models:	SP3		
accessories for	415019		
	No. 520357	Ref. No.	161123
	protection cap for flange ø 57.5mm ø 62mm H 42mm		
	No. 550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

1

No.	418040	**Ref. No.**	853310062
description	heating element 6000W 230V heating circuits 3 L 385mm W 32mm H 42mm tube ø 6.3mm thermostat sleeves ø 7mm length thermostat sleeves 275mm number of thermostat sleeves 1 thermostat sleeve clinging connection male faston 6.3mm connection length 27mm immersion heater round flange mounting ø 57.5mm		
For models:	136002, 136202		
accessories for	418040		
	No. 550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

1″

1

No.	420074	**Ref. No.**	CR0682160
description	heating element 260W 230V heating circuits 1 L 242mm W 18mm H 6.25mm tube ø 6.25mm thermostat sleeves ø 5mm length thermostat sleeves 230mm number of thermostat sleeves 1 thermostat sleeve centred, adjacent connection male faston 6.3mm connection length 35mm immersion heater flange with thread WS 32 thread 1″		
For models:	146002, 146007		
spare parts for	420074		
	No. 503158	Ref. No.	—
	flat gasket FIBER ED ø 44mm ID ø 33mm thickness 2mm Qty 1 pcs		
accessories for	420074		
	No. 507532	Ref. No.	—
	nut thread 1″ H 10mm WS 40 brass Qty 1 pcs		

MAG-PRO

1

No.	418902	**Ref. No.**	110269
description	heating element 2000W 230V heating circuits 1 L 300mm W 140mm H 28mm thread M12x1 mounting distance 70mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing connection length 35mm immersion heater		
For models:	SP1		

1

No.	415198	**Ref. No.**	110273
description	heating element 2000W 230V heating circuits 1 L 318mm W 85mm H 26mm thread M12x1 mounting distance 77mm tube ø 8.3mm connection male faston 6.3mm 2 hole fixing immersion heater		
For models:	SP2-12, SP2-S12		
accessories for	415198		
	No. 520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	No. 521110	Ref. No.	460527
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		

1

No.	415665	**Ref. No.**	230086
description	heating element 2750/3250W 220/240V heating circuits 1 L 380mm W 110mm H 30mm thread M10x1 mounting distance 75mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		
spare parts for	415665		
	No. 510893	Ref. No.	200810 456015
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
accessories for	415665		
	No. 510416	Ref. No.	—
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	No. 520231	Ref. No.	—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	No. 520876	Ref. No.	463007
	protection cap for heating element ø 11.5mm H 32mm W 25mm plastic		
	No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No. 521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		

accessories for	415665		
	No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

1

No.	416235	**Ref. No.**	80360
description	heating element 3000W 230V heating circuits 1 L 320mm W 50mm H 40mm thread M10x1 mounting distance 44mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing L1 32mm L2 288mm		
For models:	813001		
spare parts for	416235		
	No. 510893	Ref. No.	200810 456015
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
accessories for	416235		
	No. 510416	Ref. No.	—
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	No. 510893	Ref. No.	200810 456015
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	No. 521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		
	No. 560192	Ref. No.	—
	tooth lock washer ID ø 10.4mm ED ø 18mm SS DIN/ISO DIN 6798A Qty 1 pcs for thread M10		

heating elements for convection

1

No.	415828	**Ref. No.**	R65011310
description	heating element 15000W 230V heating circuits 3 ID ø 388mm ED ø 408mm L 428mm H 132mm L1 20mm W1 105mm H1 114mm H2 18mm flange length 140mm flange width 25mm hole distance 126mm connection M4 connection length 65mm tube ø 8.5mm convection heating element hole ø 6.3mm rectangular flange		
For models:	212003		

MAG-PRO

1

No.	418887	**Ref. No.**	0617301601
description	heating element 2400W 240V heating circuits 1 ID ø 180mm ED ø 192mm L 208mm H 33mm L1 10mm W1 30mm H1 5mm H2 27mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 36mm tube ø 6.3mm convection heating element mounting thread M4 rectangular flange heated cabinet		
For models:	913013, 913014, 913015, 913016, 913017, 913018, 913019, 913020, 913021, 913022, 913023, 913024, 914003, 914004, 914005, 914006, 914009, 914010, 914011, 914012, 914015, 914016, 914017, 914018, 914021, 914022, 914023, 914024		

1

No.	416852	**Ref. No.**	195TL100
description	heating element 2500W 220V heating circuits 1 ID ø 183mm ED ø 195mm L 240mm H 26mm L1 45mm W1 31mm H1 6mm H2 20mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
For models:	913114, 913115, 913116, 913117, 913246, 913247, 913248, 913249, 913250, 913251, 913252, 913253, 913254, 913255, 913256, 913257, 913258, 913259, 913260, 913261, 913262, 913263, 913264, 913265, 913266, 914103, 914105, 914107, 914109, 914114, 914116, 914118, 914120, 914121, 914122, 914123, 914124, 914201, 914202, 914203, 914204, 914205, 914206, 914207, 914208, 914209, 914210, 914211, 914212, 914213...(Other models you can see in the webshop)		
spare parts for	416852		
	No. 510368	Ref. No.	—
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

No.	418267	**Ref. No.**	RES30003 RES30019
description	heating element 2500W 230V heating circuits 1 ID ø 181mm ED ø 193mm L 208mm H 30mm L1 10mm W1 30mm H1 6mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	211004, 211017, 211018, 211028		
spare parts for	418267		
	No. 510368	Ref. No.	—
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

No.	420507	**Ref. No.**	01203220
description	heating element 2700W 230V heating circuits 1 ID ø 180mm ED ø 192mm L 240mm H 250mm L1 54mm W1 30mm H1 30mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection F6.3 tube ø 6.5mm hole ø 4.5mm mounting pos. rear		
For models:	211038, 211039		

1

No.	418746	**Ref. No.**	KRS020 KRS1130A RS1130A0
description	heating element 2900W 230V heating circuits 1 ID ø 220mm ED ø 235mm L 268mm H 40mm L1 35mm W1 30mm H1 11mm H2 32mm flange length 99mm flange width 21mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	211001, 211002		

1

No.	418745	**Ref. No.**	KRS016 KRS1090A RS1090A1
description	heating element 2900W 230V heating circuits 1 ID ø 220mm ED ø 235mm L 268mm H 75mm L1 35mm W1 30mm H1 11mm H2 32mm flange length 99mm flange width 21mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	211003		
accessories for	418745		
	No. 550986	Ref. No.	GN224
	gasket L 100mm W 22mm 7 holes graphite thickness 1mm for heating element		

MAG-PRO

1

No.	417224	**Ref. No.**	RES30005
description	heating element 3000W 230V heating circuits 1 ID ø 180mm ED ø 194mm L 205mm H 32mm L1 11mm W1 30mm H1 10mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.1mm convection heating element hole ø 5mm rectangular flange		
For models:	211005, 211006, 211010, 211011, 211012, 211014, 211015, 211016, 211023, 211027		
accessories for	417224		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

No.	418662	**Ref. No.**	401033000
description	heating element 3000W 230V heating circuits 1 ID ø 186mm ED ø 200mm L 217mm H 31mm L1 17mm W1 31mm H1 6mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 30mm tube ø 6.3mm convection heating element hole ø 5.5mm rectangular flange		
For models:	111001, 111002, 111003		
spare parts for	418662		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

No.	420508	**Ref. No.**	01202671
description	heating element 3000W 230V heating circuits 1 ID ø 215mm ED ø 226mm L 261mm H 40mm L1 15mm H1 10mm H2 27mm flange length 70mm flange width 22mm hole distance 57mm connection F6.3 tube ø 6.5mm		
For models:	211042, 211043, 211046, 212034, 212035, 212036, 212037		

1

No.	420506	**Ref. No.**	01201300
description	heating element 3500W 230V heating circuits 1 ID ø 218mm ED ø 232mm H 46mm L1 264mm W1 32mm H1 8mm H2 38mm hole distance 57mm connection F6.3 tube ø 8.5mm hole ø 5mm mounting pos. rear		
For models:	211044, 211045		

1

No.	419024	**Ref. No.**	RES30006
description	heating element 4000W 230V heating circuits 1 ID ø 217mm ED ø 233mm L 265mm H 50mm L1 25mm W1 33mm H1 5mm H2 45mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 29mm tube ø 8.5mm convection heating element hole ø 5mm rectangular flange oven		
For models:	212014, 212015, 212016		
accessories for	419024		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

No.	419215	**Ref. No.**	01203130
description	heating element 4000W 230V heating circuits 2 ID ø 220mm ED ø 230mm L 262mm H 60mm L1 20mm W1 92mm H1 10mm H2 50mm flange length 100mm flange width 22mm hole distance 86mm connection F6.3 tube ø 6.5mm hole ø 5mm threaded		
For models:	212038, 212039		

MAG-PRO

1

No.	420509	**Ref. No.**	01202660
description	heating element 5000W 230V heating circuits 2 ID ø 225mm ED ø 235mm L 248mm H 60mm L1 18mm W1 90mm H1 18mm H2 50mm flange length 100mm flange width 22mm hole distance 85mm connection F6.3 tube ø 6.5mm hole ø 4mm		
For models:	212040, 212041		

1

No.	418196	**Ref. No.**	R65011530
description	heating element 6000W 230V heating circuits 3 ID ø 215mm ED ø 228mm L 266mm H 78mm L1 38mm W1 102mm H1 10mm H2 68mm flange length 142mm flange width 25mm hole distance 57mm connection M4 connection length 66mm tube ø 6.3mm convection heating element hole ø 6mm rectangular flange		
For models:	212004, 212005, 212006, 212007, 212008, 212009, 212017, 212018		

1

No.	415871	**Ref. No.**	R65011520
description	heating element 6000W 230V heating circuits 3 ID ø 217mm ED ø 230mm L 267mm H 75mm L1 38mm W1 103mm H1 65mm H2 10mm flange length 140mm flange width 23mm hole distance 67mm connection M4 connection length 25mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
For models:	212001		

1

No.	420525	**Ref. No.**	R65011730
description	heating element 7000W 230V heating circuits 3 ID ø 248mm ED ø 260mm L 298mm H 87mm L1 10mm W1 102mm H1 15mm H2 66mm flange length 142mm flange width 25mm hole distance 127mm connection M4 tube ø 6.5mm		
For models:	212019, 212020		

1

No.	415829	**Ref. No.**	R65011540
description	heating element 7500W 230V heating circuits 3 ID ø 248mm ED ø 260mm L 287mm H 88mm L1 20mm W1 105mm H1 23mm H2 65mm flange length 142mm flange width 25mm hole distance 64mm connection M4 connection length 78mm convection heating element hole ø 5mm rectangular flange		
For models:	212002		
accessories for	415829		

No.	531270	Ref. No.	—
gasket L 141mm W 22mm D1 ø 10mm D2 ø 9mm 9 holes graphite thickness 1mm suitable for UNOX			

1

No.	419110	**Ref. No.**	R65011900
description	heating element 9000W 230V heating circuits 3 ID ø 250mm ED ø 266mm L 290mm H 93mm L1 24mm W1 105mm H1 11mm H2 82mm flange length 142mm flange width 25mm hole distance 63mm connection M4 tube ø 8.5mm hole ø 6.1mm		
For models:	212002, 212010, 212011, 212012, 212013		

radiation heaters

1

No.	490153	**Ref. No.**	853400030
description	radiation heater octagonal 3400W 230V L 300mm W 300mm heating circuits 2 H 30mm with heating coil energy regulation with temperature signalization connections 4+2 connection type cable cable length 900mm AD		
For models:	131012, 132005, 132006, 132206		

MAG-PRO

1

No.	416656	**Ref. No.**	PD2454
description	radiation heater rectangular 4000W 230V L 490mm W 245mm heating circuits 2 connections 2+2 IRCA		
For models:	221005		
spare parts for	416656		
	No. 417727	Ref. No.	—
	terminal L 20m W 8.2mm		

1

No.	490172	**Ref. No.**	826620241
description	radiation heater rectangular 4500W 400V L 280mm W 400mm heating circuits 2 connections 2x 2 connection type cable cable length 800mm IRCA		
For models:	137003, 137004, 137203, 137204		

1-circuit

GEV Image not available

1

No.	490138	**Ref. No.**	853400060
description	heating element 1200W 230V heating circuits 1		
For models:	131012, 132005, 132006, 132206		

1

No.	490113	**Ref. No.**	853400050
description	radiation heater ø 200mm 1800W 230V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		
For models:	131011, 131012, 132005, 132006, 132205, 132206		

1

No.	490150	**Ref. No.**	CR0791310
description	radiation heater ø 250mm 2500W 230V heating circuits 1 energy regulation with temperature signalization with heating coil connections 2+2 connection type male faston 6.3mm EGO		
For models:	122105, 122106, 122110		

2-circuit

1

No.	490139	**Ref. No.**	6A001401 853400040
description	radiation heater ø 250mm 2500W 230V heating circuits 2 energy regulation with temperature signalization partial power 1000W with ribbon heater connections 3+2 connection type male faston 6.3mm EGO		
For models:	131011, 131012, 132005, 132006, 132205, 132206		

flow heaters

1

No.	417214	**Ref. No.**	0V2506
description	flow heater 1000W 220V ø 88mm L 110mm Wmm complete coffee machine suitable for KORO ES/Tank C252X02		
For models:	743001		
spare parts for	417214		
	No. 370477	Ref. No.	098761
	solenoid valve brass 230VAC outlet 1/8" 5-way body outer cone slide-on receptacle DIN ODE coil type BDA/LBA p max 15bar coffee machine		
	No. 390624	Ref. No.	0V1318
	bi-metal safety thermostat hole distance 40mm switch-off temp. 125°C 2NC 2-pole 16A connection F6.3 2 hole fixing		
	No. 402078	Ref. No.	094872
	temperature probe NTC 10kOhm cable probe -40 up to +110°C cable°C connection male faston 6.3mm thread 1/4" probe ø10x25mm cable lengthm		
	No. 417453	Ref. No.	098645
	heating element 1000W 220V heating circuits 1 ø 55mm H 62mm W1 44mm H1 32mm H2 30mm mounting distance 40mm thread M10x1 stainless steel windings 4 tube ø 6mm coffee machine screw		
	No. 528110	Ref. No.	095624
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		
	No. 528500	Ref. No.	098701
	O-ring EPDM thickness 3.53mm ID ø 72.62mm Qty 1 pcs		

MAG-PRO

1

No.	417457	**Ref. No.**	10820
description	flow heater 1300W 230V ø 56mm L 155mm Wmm connection male faston 6.3mm suitable for 190/193W		
For models:	741003		
spare parts for	417457		

No.	358854	Ref. No.	10915
thermal fuse switch-off temp. 167°C nominalA cable length 830mm			

No.	390627	Ref. No.	17779
bi-metal thermostat hole distancemm switch-off temp. 110°C 1NCA connection F6.3 M4			

foil heating elements

1

No.	416371	**Ref. No.**	70259058
description	foil heating element L 400mm W 290mm 1000W 230V t.max. 140°C with temperature limiter silicone cable length 2000mm thickness 1mm		
For models:	651010		

accessories

hexagonal nuts

1

No.	540436	**Ref. No.**	1033514900 MA1033514900
description	hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs		
For models:	126101, 126103		

1

No.	527169	**Ref. No.**	WY23050
description	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
For models:	742001, 742002, 742003, 742004, 742005		

1

No.	560132	**Ref. No.**	886003500
description	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
For models:	631001, 631002, 631003, 631004, 631005, 631006, 641001, 641002, 641003, 641004, 641005, 641006, 641007, 641008, 641010, 641011, 641012, 641013, 641014, 641015, 641016, 641017		

1

No.	514022	**Ref. No.**	14044599 MA14044599
description	nut thread 1½" H 12mm SS WS 59 Qty 1 pcs		
For models:	126101, 126103		

1

No.	521133	**Ref. No.**	1325313
description	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		

washers

1

No.	560112	**Ref. No.**	260503
description	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
For models:	SP1, SP2-12, SP2-S12		

1

No.	560113	**Ref. No.**	260504 AMA238 RG04064
description	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 20 pcs DIN 125A for thread M6		
For models:	411001, 451001, SP1, SP3		

MAG-PRO

sealing washers

fibre gaskets



1

No.	521110	**Ref. No.**	460527
description	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
For models:	SP1		



1

No.	510404	**Ref. No.**	6A022280
description	flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs		

PTFE gaskets



1

No.	514016	**Ref. No.**	1814500 MA1814500
description	flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable for MARENO		
For models:	126101, 126103		



1

No.	527156	**Ref. No.**	WY12001
description	flat gasket PTFE ED ø 57.8mm ID ø 43.3mm thickness 2mm Qty 1 pcs		
For models:	742001, 742002, 742003, 742004, 742005, 742017, 742018, 742019, 742020		

O-rings



1

No.	510893	**Ref. No.**	200810 456015
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465, SP2-12, S		



1

No.	510901	**Ref. No.**	200843
description	O-ring EPDM thickness 2mm ID ø 13mm Qty 1 pcs		
For models:	SP1, SP2-12, SP2-S12		



1

No.	510072	**Ref. No.**	456016
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	813001		



1

No.	521120	**Ref. No.**	456075
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	811001, 811002, 811003		



1

No.	510408	**Ref. No.**	200820 456002
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 813001, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465, SP1, SP2-12, SP2-S12		



1

No.	510409	**Ref. No.**	200815
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	SP2-12, SP2-S12, SP3		

MAG-PRO



1

No.	514017	Ref. No.	1814400 MA1814400
description	O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	126101, 126103		



1

No.	514021	Ref. No.	1814700 MA1814700
description	O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs		
For models:	126101, 126103		

flange gaskets

1

No.	550937	Ref. No.	01000140 01960368000
description	gasket L 71mm W 21mm hole ø 5mm hole distance 57mm fibre thickness 1mm for heating element		
For models:	211038		

1

No.	550986	Ref. No.	GN224
description	gasket L 100mm W 22mm 7 holes graphite thickness 1mm for heating element		
For models:	211001, 211002		

1

No.	510387	Ref. No.	437086
description	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
For models:	811001, 811002, 811003		
accessories for	510387		

No.	510388	Ref. No.	—
counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm			

1

No.	521128	Ref. No.	437048
description	gasket L 66mm W 21mm ømm for heating element suitable for ELETTROBAR, WOLK		
For models:	915234, 915235, 915236, 915237		

capillary tube clips

1

No.	550970	Ref. No.	1033709500 MA1033709500
description	capillary tube clip for pipe ø 8.5mm		
For models:	124101, 124102		

1

No.	550980	Ref. No.	8208270
description	capillary tube clip for pipe ø 8.5mm Qty 1 pcs		

1

No.	551046	Ref. No.	770125
description	capillary tube clip for pipe ø 8mm for thermostat		
For models:	741003		

spring clips

1

No.	550041	Ref. No.	8208250
description	probe clip for pipe ø 7mm for probe ø 6mm		

1

No.	550417	Ref. No.	1033515200 MA1033515200
description	probe clip for pipe ø 2x8.5mm for probe ø 6mm for heating elements spacing 15-19mm Qty 1 pcs		
For models:	124101, 124102		

MAG-PRO

1

No.	550795	**Ref. No.**	PIA30014
description	probe clip for pipe ø 6mm for probe ø 3.5mm Qty 1 pcs for oven		
For models:	211004, 211005, 211006, 211010, 211011, 211012, 211013, 211014, 211015, 211016, 211017, 211018, 211023, 211024, 211028, 211029, 212014, 212015, 212016, 212024, 212025		

2

No.	550981	**Ref. No.**	8208260
description	probe clip for pipe ø 8.5mm for probe ø 6mm for heating elements spacing 0.4mm Qty 1 pcs		

protection caps

1

No.	510093	**Ref. No.**	467002 69870
description	protection cap		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

1

No.	520357	**Ref. No.**	161123
description	protection cap for flange ø 57.5mm ø 62mm H 42mm		
For models:	SP3		

1

No.	520876	**Ref. No.**	463007
description	protection cap for heating element ø 11.5mm H 32mm W 25mm plastic		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

1

No.	510490	**Ref. No.**	161102
description	protection cap for heating element ø 62mm H 54mm mounting distance 70mm		
For models:	SP2-12, SP2-S12, SP3		

1

No.	850030	**Ref. No.**	PT0106
description	ceramic plate curved		

1

No.	514018	**Ref. No.**	1814600 MA1814600
description	bush		
For models:	126101, 126103		

1

No.	514020	**Ref. No.**	1815014 MA1815014
description	bush		
For models:	126101, 126103		

1

No.	693058	**Ref. No.**	637000200
description	insulator female L 7mm hole ø 5.5mm ø 13mm		
For models:	262001		

1

No.	693057	**Ref. No.**	637000100
description	insulator male L 10mm hole ø 8.4mm ø 13mm		
For models:	262001		

1

No.	691335	**Ref. No.**	1033715314 MA1033715314
description	lever for tilting element		
For models:	124101, 124102		

1

No.	691354	**Ref. No.**	1041304334 MA1041304334
description	lever for tilting element		
For models:	124101, 124102		

MAG-PRO

hot plates

square & rectangular

with radiused edge

1

No.	490066[1]	**Ref. No.**	6A036720
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		

[1]incl. protector

1

No.	490074[1]	**Ref. No.**	MA1937400
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		
For models:	141011, 141012, 141013		

[1]incl. protector

round

with radiused edge

for domestic kitchens

1

No.	490006	**Ref. No.**	401051820
description	hot plate ø 180mm 2000W 230V with protector connection 4 screw clamps with 4mm spill ring		
For models:	111001, 112001, 112002		

for domestic and commercial kitchens

1

No.	490129	**Ref. No.**	1839813
description	hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring		

1

No.	490130	**Ref. No.**	1647013
description	hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring		

1

No.	490020	**Ref. No.**	1832313 MA1832313
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring		
For models:	121104, 122103, 122104		
accessories for	490020		
	No. 550796	Ref. No.	—
	fixing plate for hot plate ø220mm		

1

No.	490021	**Ref. No.**	41826620010
description	hot plate ø 220mm 2600W 400V connection 4 screw clamps with 8mm spill ring		
For models:	131007, 131008, 131009, 131207, 131208, 131209, 132003, 132004, 132203, 132204		

energy regulators

EGO

1-circuit

1

No.	380666	**Ref. No.**	R02.19.019.00
description	energy regulator		
For models:	276003, 276004, 276005, 276006, 276007, 276008, 276009, 276010		
accessories for	380666		
	No. 111825	Ref. No.	05.30.043.00
	knob switch zero mark ø 30mm shaft ø 6x4.6mm shaft flat right silver		
	No. 112946	Ref. No.	07.01.034.00
	bezel 0-7 dimensions 51x60mm		

MAG-PRO

1

No.	380015	Ref. No.	01201450 05057021010 402520000 637060100 699801001 6A049320 800400 A0AT93616 LA65080250
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	122105, 122106, 122110, 123118, 123119, 126101, 126103, 132207, 132208, 132209, 132210, 211045, 211046, 212034, 212036, 212038, 212040, 221001, 221002, 221003, 221004, 221017, 221018, 248001, 248002, 248003, 262001		

1

No.	380013	Ref. No.	699800500
description	energy regulator 400V 7A single-circuit turn direction right shaft ø 6x4.6mm mounting thread M4 no. 50.57031.010		
For models:	221017		

2-circuit

1

No.	380024	Ref. No.	853400010
description	energy regulator 240V 13A turn direction right shaft ø 6x4.6mm shaft L 36mm mounting thread M4 no. 50.67079.601 with operation switch 1-pole		
For models:	131011, 131012, 132005, 132006, 132205, 132206		

1

No.	380027	Ref. No.	6A001402 853400020 CM293900 MACM293900
description	energy regulator EGO 230V 13A dual circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-70% no. 50.55021.100		
For models:	131011, 131012, 132005, 132006, 132205, 132206, 146006, 146007		

DIAMOND

1

No.	380032	Ref. No.	IB5256500
description	energy regulator 230V 13.5A turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 equiv. no. 45ER104C1		
For models:	221006		

ROBERTSHAW

MSA series

1

No.	380858	Ref. No.	TER30004
description	energy regulator ROBERTSHAW 240V 15A turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread 8"-32UNC		
For models:	212014, 212015, 212016		

accessories

knobs

1

No.	110235	Ref. No.	548810000
description	knob energy regulator 1-3 t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	221017, 221018		

thermostats

bi-metal thermostats

safety bi-metal thermostats

1

No.	390222	Ref. No.	90.16.26 95.16.25
description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 112°C 1NCA connection F6.3 2 hole fixing		
For models:	745001, 745002		

MAG-PRO

1

No.	390233	**Ref. No.**	236039 926189
description	bi-metal safety thermostat hole distance 24mm switch-off temp. 110°C 1NC 1-pole 16A connection F6.3 2 hole fixing without holder		
For models:	811001, 811002, 811003, 812003, 812004, 812006, 812008, 812010, 813001, 915234, 915235, 915236, 915237, 915461, 915462, 915463, 915464, 915465		
accessories for	390233		

No.	504736	Ref. No.	—
bracket for contact thermostat			

No.	550388	Ref. No.	—
bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8			

1

No.	390590	**Ref. No.**	C23114
description	bi-metal safety thermostat hole distance 24mm switch-off temp.°C 1NC 1-poleAV connection plug 2 hole fixing		
For models:	711002, 711003, 711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		

1

No.	390624	**Ref. No.**	0V1318
description	bi-metal safety thermostat hole distance 40mm switch-off temp. 125°C 2NC 2-pole 16A connection F6.3 2 hole fixing		
For models:	743001		

1

No.	390370	**Ref. No.**	WY20304
description	bi-metal safety thermostat hole distancemm switch-off temp. 145°C 1NC 1-pole 16A connection F6.3 M4		
For models:	742005		

1

No.	390432	**Ref. No.**	WY20300008
description	bi-metal safety thermostat switch-off temp. 120°C 3NC 3-pole 25A connection M5		

1

No.	390318	**Ref. No.**	236047
description	bi-metal safety thermostat switch-off temp. 95°C 1-pole 2 hole fixing		
For models:	811001, 811002, 811003, 812001, 812002, 812005, 812007, 812009, 915234, 915235, 915460		

bi-metal thermostats

1

No.	390632	**Ref. No.**	RTHM-A122WRZZ
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 125°C 1NC 1-poleAV connection F6.3 2 hole fixing		

1

No.	390447	**Ref. No.**	X02.16.138.00
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 130°C NC 1-pole 10A 250V connection F6.3		
For models:	541003		

1

No.	390634	**Ref. No.**	RTHM-A120WRE0 TER30002
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 145°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing		
For models:	211004, 211005, 211006, 211010, 211011, 211012, 211013, 211014, 211015, 211016, 211017, 211027, 211028, 213001		

1

No.	390613	**Ref. No.**	6A035210
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 150°C 1NCA connection F6.3		

1

No.	390301	**Ref. No.**	236035
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 60°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	811001, 811002, 811003		

MAG-PRO

1

No.	390319	**Ref. No.**	236048
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 80°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	811001, 811002, 811003		

1

No.	390612	**Ref. No.**	6A035200
description	bi-metal thermostat hole distance 24mm switch-off temp. 110°C		

1

No.	390635	**Ref. No.**	QFS-TA014WRE0
description	bi-metal thermostat hole distance 24mm switch-off temp. 150°C NC 1-pole 15A connection F6.3 2 hole fixing		
For models:	213002, 213003		

1

No.	390025	**Ref. No.**	120524
description	bi-metal thermostat hole distance 40mm switch-off temp. 55/42°C NC/NO 2-pole 16A 250V connection F6.3 2 hole fixing		
For models:	SP1		
accessories for	390025		
	No. 512154	Ref. No.	200494
	gasket for thermostat ID ø 20mm equiv. no. 200494/H200494 hole distance 41mm suitable for COMENDA, HOONVED		

1

No.	390627	**Ref. No.**	17779
description	bi-metal thermostat hole distancemm switch-off temp. 110°C 1NCA connection F6.3 M4		
For models:	741001, 741002		

1

No.	375905	**Ref. No.**	11074
description	bi-metal thermostat switch-off temp. 140°C 1NC 1-pole connection F6.3 M4		
For models:	741001		

control and safety thermostats

EGO

control thermostats

55.10/19_ series

1

No.	375548	**Ref. No.**	CR0682740
description	thermostat t.max. 142°C temperature range fixed 142°C 1-pole 1CO 16A probe ø 4mm probe L 157mm capillary pipe 870mm capillary pipe isolated 870mm gland nut shaft ø ø6x4.6mm shaft Lmm shaft position		
For models:	146002, 146006, 146007		

1

No.	375777	**Ref. No.**	122-2002
description	thermostat t.max. 180°C temperature range 70-180°C 1-pole 1NO 16A probe ø 6mm probe L 87mm capillary pipe 600mm capillary pipe isolated 350mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	244012		

MAG-PRO

No.	375463	**Ref. No.**	01201310 09953137000
description	thermostat t.max. 277°C 1-pole 1NO 16A probe ø 3.03mm probe L 139mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm		
For models:	212036, 212038, 212040		



No.	375894	**Ref. No.**	KTR009 KTR012 TR006
description	thermostat t.max. 293°C temperature range 55-293°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 350mm gland nut shaft ø 4.0-6.0mm shaft L 23mm rotation 270°		
For models:	211001, 211002, 211003		

No.	375382	**Ref. No.**	A049200
description	thermostat t.max. 295°C temperature range 45-295°C 1-pole 1NO 16A probe ø 3mm probe L 219mm capillary pipe 1300mm capillary pipe isolated 350mm gland nut shaft ø ø6x4.6mm shaft L 23mm rotation 270°		



No.	375184	**Ref. No.**	1037102300
description	thermostat t.max. 298°C temperature range 55-294°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 350mm gland nut shaft L 23mm shaft position upper probe material SS		



No.	375667	**Ref. No.**	R65070360
description	thermostat t.max. 300°C temperature range 68-300°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	212002, 212003		



No.	375595	**Ref. No.**	01201550
description	thermostat t.max. 303°C temperature range 71-303°C 1-pole 1NO 16A probe ø 3mm probe L 114mm capillary pipe 1230mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° with 2 probes		
For models:	211046, 212034		

MAG-PRO

No.	375594	Ref. No.	01200370
description	thermostat t.max. 318°C temperature range 60-318°C 1-pole 1NO 16A probe ø 3.03mm probe L 139mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	211038, 211039, 211045		

No.	375604	Ref. No.	41826630191
description	thermostat t.max. 320°C temperature range 64-320°C 1-pole 1NO 0.5A probe ø 4mm probe L 124mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	137001, 137002, 137003, 137004, 137201, 137202, 137204		

No.	375313	Ref. No.	ED00700
description	thermostat t.max. 358°C temperature range 60-358°C 1-pole 1NO 16A probe ø 3.03mm probe L 178mm capillary pipe 870mm capillary pipe isolated 870mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

No.	375253	Ref. No.	74300110 PF5050DE4-21 PI-B148 PIB148
description	thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	531001, 531002, 531003, 531004, 531005, 531006, 531007, 531008, 531034, 531039, 531040, 531047		

No.	375945	Ref. No.	CR0734520
description	thermostat t.max. 470°C temperature range 90-470°C 1-pole 1NO 16A probe ø 3.9mm probe L 163mm capillary pipe 870mm capillary pipe isolated 600mm shaft ø 4.5x6mm shaft L 23mm shaft position upper rotation 270°		
For models:	141020		

No.	375247	Ref. No.	101001 TERMO001
description	thermostat t.max. 500°C temperature range 75-500°C 1-pole 1NO 16A probe ø 4mm probe L 228mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	530009, 530011, 531020, 531021, 531028, 531029, 531030, 531031		

MAG-PRO

1

No.	375215	**Ref. No.**	R65070165
description	thermostat t.max. 65°C temperature range fixed 65°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm shaft position		
For models:	212002, 212003, 212004, 212006, 212008, 212017, 212019		

1

No.	375217	**Ref. No.**	R65070240
description	thermostat t.max. 70°C temperature range fixed 70°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm shaft position probe material SS		
For models:	212002, 212003		

55.13_ series

1

No.	376065	**Ref. No.**	R65070400
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 15A probe ø 3mm probe L 155mm capillary pipe 1030mm capillary pipe isolated 100mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270° 250V		
For models:	212004, 212006, 212008, 212017, 212019		

1

No.	375006	**Ref. No.**	040575
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1CO 16A probe ø 6mm probe L 92mm capillary pipe 3150mm capillary pipe isolated 300mm gland nut shaft L 23mm shaft position upper rotati-on 270° probe material SS		
For models:	271001, 271002, 271003		

55.14_ series

1

No.	375874	**Ref. No.**	1037117700 MA1037117700
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolated 800mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position 180° shaft position rotation 270°		
For models:	124105, 125101, 125102, 125103, 144001		

55.17_ series

1

No.	390821	**Ref. No.**	CR-B118 KG2735DEG-24 KO-B118 KOB118 WFB112
description	thermostat t.max. 310°C temperature range 50-310°C 1-pole 1NO 16A probe ø 4mm probe L 111mm capillary pipe 1000mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 16mm shaft position° shaft position rotation 270°		
For models:	223007, 223008, 225009, 255009, 255012, 255013, 255014, 255017		

MAG-PRO

55.34_ series

1

No.	375887	**Ref. No.**	6A044650 BN6A044650
description	thermostat t.max. 125°C temperature range 65-125°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 880mm capillary pipe isolated 880mm gland nut shaft L 23mm shaft position upper°		
For models:	136003, 136004, 136203, 136204, 146010		

1

No.	375385	**Ref. No.**	8219601 BN8219601
description	thermostat t.max. 180°C temperature range 100-180°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 2000mm capillary pipe isolated 1800mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	134001, 134003, 134005, 134201, 134203, 134205, 144008, 144009, 144010, 144012		

1

No.	375603	**Ref. No.**	41826630123 BN826630123
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	131004, 131006, 131007, 131008, 131009, 131201, 131202, 131203, 131204, 131205, 131206, 131207, 131208, 131209, 131210, 132003, 132004, 132201, 132202, 132203, 132204, 133004, 133005, 133006, 133016, 133017, 133018, 133019, 133020, 133021, 133106, 133119, 133204, 133205, 133206, 133216, 133217, 133218, 133219, 133220, 133221, 133227, 133228, 137003, 137203, 141005, 141007, 141013, 141016, 141021		

1

No.	375192	**Ref. No.**	1309115 MA1309115
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	121101, 121104, 121106, 122110, 123110, 123111, 123112, 123113, 123114, 123115, 123120, 127102, 127103		

1

No.	375944	**Ref. No.**	CR0582770
description	thermostat t.max. 350°C temperature range 100-350°C 3-pole 3NOA probe ø 3mm probe L 147mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 26mm shaft position upper rotation 270° probe material SS		
For models:	143017, 143018, 143019, 143020, 143021, 143022, 143023, 143024, 143025, 143026, 143027, 143028, 143029, 143030, 143031, 143032		

1

No.	375498	**Ref. No.**	TERMO002
description	thermostat t.max. 512°C temperature range 60-512°C 3-pole 3NO 16A probe ø 3.8mm probe L 225mm capillary pipe 1150mm capillary pipe isolated 1110mm gland nut shaft ø 6x4.6mm shaft L 32mm shaft position upper rotation 270°		
For models:	530010, 530012, 531022, 531023		

MAG-PRO

safety thermostats

55.10/19_ series

1

No.	375886	**Ref. No.**	826630240
description	safety thermostat switch-off temp. 140°C 1-pole 1NC 0.5A probe ø 3mm probe L 226mm capillary pipe 900mm capillary pipe isolated 840mm gland nut probe probe material SS		
For models:	135001, 135002, 135003, 135004, 135201, 135202, 135203, 135204		

1

No.	390061	**Ref. No.**	6A049401
description	safety thermostat switch-off temp. 220°C 1-pole 0.5A probe ø 6mm probe L 140mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe M9x1		

1

No.	375191	**Ref. No.**	ED02300
description	safety thermostat switch-off temp. 500°C 1-pole 16A probe ø 3.9mm probe L 230mm capillary pipe 870mm capillary pipe isolated 660mm gland nut probe		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

55.11_ series

1

No.	375109	**Ref. No.**	34-1370
description	safety thermostat switch-off temp. 240°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 530mm capillary pipe isolated 350mm gland nut probe SS		
For models:	244012		

1

No.	390878	**Ref. No.**	700107
description	safety thermostat switch-off temp. 80°C 1-pole 1NC 16A probe ø 4mm probe L 89mm capillary pipe 195mm capillary pipe isolatedmm gland nut probe		
For models:	122009		

55.32_ series

1

No.	375199	**Ref. No.**	1878900 MA1878900
description	safety thermostat switch-off temp. 132°C 3-pole 2x20/1x0.5A probe ø 6mm probe L 77mm capillary pipe 890mm capillary pipe isolated-mm gland nut M10x1 probe SS		
For models:	126101, 126103		

MAG-PRO

No.	375888	**Ref. No.**	6A049407
description	safety thermostat switch-off temp. 132°C 3-pole 3NC 20A probe ø 6mm probe L 87mm capillary pipe 890mm capillary pipe isolated 850mm gland nut starting temperature 118°C probe SS probe material SS		
For models:	136003, 136004, 136203, 136204		

No.	375622	**Ref. No.**	853310064
description	safety thermostat switch-off temp. 147°C 1-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 800mm gland nut probe		
For models:	136002, 136202		

No.	375380	**Ref. No.**	6A049405
description	safety thermostat switch-off temp. 160°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

No.	375445	**Ref. No.**	MACM097701
description	safety thermostat switch-off temp. 230°C 3-pole 2x20/1x0.5A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 700mm gland nut probe		
For models:	124103		

No.	375359	**Ref. No.**	CMN097700
description	safety thermostat switch-off temp. 230°C 3-pole 2x20/1x0.5A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe kettle		

No.	375873	**Ref. No.**	1878600 MA1878600
description	safety thermostat switch-off temp. 236°C 3-pole 20A probe ø 6mm probe L 77mm capillary pipe 1190mm capillary pipe isolated 990mm gland nut starting temperature 218°C probe		
For models:	124101, 124102		
accessories for	375873		
	No. 550148	Ref. No.	—
	gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone		

MAG-PRO

1

No.	375312	Ref. No.	8219602 BN8219602
description	safety thermostat switch-off temp. 245°C 3-pole 3NC 20A probe ø 4mm probe L 120mm capillary pipe 1800mm capillary pipe isolated 1800mm gland nut probe SS		
For models:	134001, 134003, 134005, 134201, 134203, 134205, 144008, 144009, 144010, 144012		
accessories for	375312		

No.	550981	Ref. No.	8208260
probe clip for pipe ø 8.5mm for probe ø 6mm for heating elements spacing 0.4mm Qty 1 pcs			

1

No.	375357	Ref. No.	MA1942900
description	safety thermostat switch-off temp. 325°C 1-pole 0.5A probe ø 3mm probe L 188mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe		
For models:	123104, 123107, 123109		

1

No.	390999	Ref. No.	01202690 TER30008 TER30011
description	safety thermostat switch-off temp. 350°C temperature range°C 2-pole NC 20A probe ø 3mm probe L 187mm capillary pipe 690mm capillary pipe isolated 680mm gland nut shaft ømm probe SS		
For models:	211029, 211039, 211042, 212015, 212016, 212024, 212025, 212036, 212037		

1

No.	375599	Ref. No.	41826630010
description	safety thermostat switch-off temp. 360°C 1-pole 0.5A probe ø 6mm probe L 79mm capillary pipe 890mm capillary pipe isolatedmm gland nut probe SS		
For models:	133001, 133002, 133003, 133009, 133010, 133011, 133012, 133013, 133014, 133015, 133024, 133201, 133202, 133203, 133209, 133210, 133211, 133212, 133213, 133214, 133215, 133224, 137002, 137202		

1

No.	375684	Ref. No.	R65070350
description	safety thermostat switch-off temp. 360°C 1-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		
For models:	212001, 212002, 212003, 212010, 212011, 212012, 212013		

1

No.	375562	Ref. No.	41826630130 BN826630130
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	131004, 131006, 131007, 131008, 131009, 131201, 131202, 131203, 131204, 131205, 131206, 131207, 131208, 131209, 131210, 132003, 132004, 132201, 132202, 132203, 132204, 133004, 133005, 133006, 133016, 133017, 133018, 133019, 133020, 133021, 133106, 133119, 133204, 133205, 133206, 133216, 133217, 133218, 133219, 133220, 133221, 133227, 133228, 137001, 137003, 137004, 137201, 137203, 137204, 141005...(Other models you can see in the webshop)		

MAG-PRO

No.	375187	**Ref. No.**	1878500 MA1878500
description	safety thermostat switch-off temp. 360°C 3-pole 3NC 2x20/1x0.5A probe ø 6mm probe L 79mm capillary pipe 890mm capillary pipe isolatedmm gland nut probe SS		
For models:	121101, 121104, 121106, 122110, 123110, 123111, 123112, 123113, 123114, 123115, 123120, 127102, 127103, 143001, 143002, 143003, 143004, 143005, 143006, 143007, 143008, 143009, 143010, 143011, 143012, 143013, 143014, 143015, 143016, 143017, 143018, 143019, 143020, 143021, 143022, 143023, 143024, 143025, 143026, 143027, 143028, 143029, 143030, 143031, 143032, 147003, 147005, 147006, 147007		

55.33_ series

No.	390883	**Ref. No.**	WY20300019
description	safety thermostat switch-off temp. 160°C 3-pole 20A probe ø 4mm probe L 155mm capillary pipe 880mm capillary pipe isolated 350mm gland nut probe SS		

56._ series

No.	375895	**Ref. No.**	17764
description	safety thermostat switch-off temp. 132°C 1-pole 16A probe ø 3.1mm probe L 200mm capillary pipe 860mm capillary pipe isolated 400mm gland nut M9x1 probe with gland nut adapter front fixing M10		
For models:	741003		
accessories for	375895		

No.	695621	Ref. No.	16529
duct ET M8x1 IT M10x1 probe ø max. 5mm WS 13			

No.	390610	**Ref. No.**	402511000
description	safety thermostat switch-off temp. 235°C 1-pole 16A probe ø 3mm probe L 190mm capillary pipe 1000mm capillary pipe isolated 640mm gland nut probe SS		
For models:	114001, 114002, 244001, 244002, 244003, 244004, 244005, 244006, 244007, 244008, 244009, 244021		

control thermostats with operation switch

55.10/19_ series

No.	375875	**Ref. No.**	1037317300 MA1037317300
description	thermostat t.max. 180°C temperature range 53-180°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 1170mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270° outer switch 2NO		
For models:	124101, 124102		

No.	390039	**Ref. No.**	41826630230
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 173mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	131004, 131006, 131007, 131008, 131009, 131201, 131202, 131203, 131204, 131205, 131206, 131207, 131208, 131209, 131210, 132003, 132004, 132201, 132202, 132203, 132204, 134207, 135001, 135002, 135003, 135004, 135201, 135202, 135203, 135204		
accessories for	390039		

No.	111934	Ref. No.	—
knob thermostat t.max. 90°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°			

MAG-PRO

55.13_ series



1

No.	375408	**Ref. No.**	PD412C
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3.03mm probe L 160mm capillary pipe 1150mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	234001, 234002, 234005		

55.34_ series

1

No.	375140	**Ref. No.**	CR0688650
description	thermostat t.max. 650°C temperature range 50°C/50-600°C/70-650°C 3-pole 3NO 16A probe ø 4mm probe L 228mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position left rotation 318° outer switch 2NO		
For models:	141014, 141015, 141016		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats

1

No.	375891	**Ref. No.**	X02.16.136.00
description	thermostat t.max. 85°C temperature range 0-85°C 1-pole 1CO 15A probe ø 6mm probe L 78mm capillary pipe 1000mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 15mm probe material SS		
For models:	541003		

1

No.	390014	**Ref. No.**	120525
description	thermostat t.max. 85°C temperature range 40-78 / 47-85°C 2-pole 2CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolated 1450mm gland nut shaft ø ø6x4.6mm shaft L 15mm shaft position right rotation 270°		
For models:	SP1, SP2-12, SP2-S12, SP3		

1

No.	390812	**Ref. No.**	120530
description	thermostat t.max. 87°C temperature range fixes 87°C 1-pole 1CO 16A probe ø 6.5mm probe L 97mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft Lmm rotation 270° 250V contacts male faston 6.3mm		
For models:	SP3		

1

No.	375847	**Ref. No.**	IV5863500
description	thermostat t.max. 90°C temperature range 0-90°C 1-pole 1CO 15A probe ø 6.5mm probe L 100mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 18mm shaft position +135°° rotation 270° 250V		
For models:	541004		



1

No.	390022	**Ref. No.**	120522
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 9.5mm probe L 50mm capillary pipe 1000mm capillary pipe isolated 1000mm gland nut shaft L 19mm rotation 270°		
For models:	SP2-12, SP2-S12		

MAG-PRO

safety thermostats

1

No.	390773	**Ref. No.**	120519
description	safety thermostat switch-off temp. 135°C temperature range 95-135°C 1-pole 1CO 16A probe ø 5mm probe L 130mm capillary pipe 1000mm capillary pipe isolated 900mm gland nut probe		
For models:	SP3		

CAEM

control thermostats

1

No.	390082	**Ref. No.**	40250110
description	thermostat t.max. 100°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 94mm capillary pipe 1600mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 22mm shaft position upper rotation 270° probe material copper		

1

No.	390604	**Ref. No.**	402501500
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 5mm probe L 90mm capillary pipe 970mm capillary pipe isolated 28mm gland nut shaft ø 6x4.6mm shaft L 17mm rotation 270°		
For models:	116001, 116002		

1

No.	390882	**Ref. No.**	402501501
description	thermostat t.max. 120°C temperature range 30-120°C 1-pole 1NO 16A probe ø 5mm probe L 80mm capillary pipe 980mm capillary pipe isolated 28mm gland nut shaft ø 6x4.6mm shaft L 17mm rotation 270° 250V		

1

No.	390611	**Ref. No.**	402502000
description	thermostat t.max. 190°C temperature range 50-190°C 1-pole 1NO 16A probe ø 3mm probe L 185mm capillary pipe 980mm capillary pipe isolated 640mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	114002, 244001, 244002, 244003, 244004, 244005, 244006, 244007, 244008, 244009, 244021, 261001, 261002, HD3NK		

1

No.	390606	**Ref. No.**	402503150
description	thermostat t.max. 300°C temperature range 50-300°C 1-pole 1NO 16A probe ø 3mm probe L 175mm capillary pipe 1500mm capillary pipe isolated 650mm gland nut shaft ø 6x4.6mm shaft L 18mm rotation 270°		
For models:	111001, 111002, 111003		

1

No.	390602	**Ref. No.**	402503000 402503500
description	thermostat t.max. 300°C temperature range 50-300°C 1-pole 1NO 16A probe ø 5mm probe L 70mm capillary pipe 900mm capillary pipe isolated 700mm gland nut shaft L 18mm rotation 270°		
For models:	113003, 113004, 113005, 113006, 113011, 113012, 113013, 113014, 243001, 243002, 243005, 255001, 255002, 255003, 255004, 255006, 255007, 535001, 535002, 535004		

1

No.	390672	**Ref. No.**	236042
description	thermostat t.max. 53°C temperature range fixed 53°C 1-pole 1CO 16A probe ø 9.5mm probe L 30mm capillary pipe 600mm capillary pipe isolated 540mm gland nut shaft Lmm screw-in probe probe thread M14x1		
For models:	812001, 812002, 812005, 812007, 812009, 915234, 915235, 915236, 915237, 915460		
spare parts for	390672		

No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

No.	550261	Ref. No.	—
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			

MAG-PRO

1

No.	390686	**Ref. No.**	236043
description	thermostat t.max. 83°C temperature range°C 1-pole 1CO 20A probe ø 6mm probe L 90mm capillary pipe 630mm capillary pipe isolated 550mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	812001, 812002, 812005, 812007, 812009, 915234, 915235, 915236, 915237, 915460		

safety thermostats

1

No.	390603	**Ref. No.**	402511130
description	safety thermostat switch-off temp. 130°C 1-pole 16A probe ø 5mm probe L 120mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe SS		
For models:	116001, 116002		

1

No.	375456	**Ref. No.**	01200400 TR254
description	safety thermostat switch-off temp. 335°C 2-pole 20A probe ø 3mm probe L 200mm capillary pipe 1050mm capillary pipe isolated 650mm gland nut probe SS at 250V 20A at 400V 10A		
For models:	211001, 211002, 211038		

1

No.	391038	**Ref. No.**	R65070460
description	thermostat switch-off temp. 360°C temperature range°C 1-pole 1NC 10A probe ø 3mm probe L 150mm capillary pipe 1050mm capillary pipe isolatedmm gland nut shaft ømm SS		
For models:	212004, 212005, 212006, 212007, 212008, 212009, 212017, 212018, 212019, 212020		

TECASA

control thermostats

1

No.	375986	**Ref. No.**	IGS704203
description	thermostat t.max. 310°C temperature range 50-310°C 1-pole 1NO 16A probe ø 3.5mm probe L 195mm capillary pipe 900mm capillary pipe isolated 20mm gland nut shaft ø 6x4.6mm shaft L 18mm shaft position upper rotation 270° 230V suitable for IMIT		

CAMPINI

safety thermostats

1

No.	376080	**Ref. No.**	TR255B
description	safety thermostat kit switch-off temp. 318°C 1-pole 16A probe ø 3mm probe L 137mm capillary pipe 1260mm capillary pipe isolated 710mm gland nut probe SS type Ty 95-H		
For models:	211003		

MAG-PRO

1

No.	375892	Ref. No.	01202780
description	safety thermostat switch-off temp. 318°C 1-pole 16A probe ø 3mm probe L 137mm capillary pipe 1260mm capillary pipe isolated 710mm gland nut probe SS type Ty 95-H		
For models:	211043, 211044, 211045, 211046, 212034, 212035, 212038, 212039, 212040, 212041		

PRODIGY / FIRT

control thermostats

1

No.	390822	Ref. No.	MC2869300
description	thermostat temperature range 30-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 67mm capillary pipe 1450mm capillary pipe isolated 70mm shaft ø 6x4.6mm shaft L 16mm shaft position lower rotation 270°		
For models:	913114, 913115, 913116, 913117, 913246, 913247, 913248, 913249, 913250, 913251, 913252, 913253, 913254, 913255, 913256, 913257, 913258, 913259, 913260, 913261, 913262, 913263, 913264, 913265, 913266, 914103, 914105, 914107, 914109, 914114, 914116, 914118, 914120, 914121, 914122, 914123, 914124, 914201, 914202, 914203, 914204, 914205, 914206, 914207, 914208, 914209, 914210, 914211, 914212, 914213...(Other models you can see in the webshop)		

safety thermostats

1

No.	390823	Ref. No.	MC2869400
description	safety thermostat switch-off temp. 235°C 1-pole 1CO 20A probe ø 6mm probe L 62mm capillary pipe 1600mm capillary pipe isolated 85mm gland nut probe copper connection male faston 6.3mm		
For models:	913114, 913115, 913116, 913117, 913246, 913247, 913248, 913249, 913250, 913251, 913252, 913253, 913254, 913255, 913256, 913257, 913258, 913259, 913260, 913261, 913262, 913263, 913264, 913265, 913266, 914103, 914105, 914107, 914109, 914114, 914116, 914118, 914120, 914121, 914122, 914123, 914124, 914201, 914202, 914203, 914204, 914205, 914206, 914207, 914208, 914209, 914210, 914211, 914212, 914213...(Other models you can see in the webshop)		

RANCO

safety thermostats



1

No.	390469	Ref. No.	120526
description	safety thermostat t.max. 110°C temperature range°C 2-pole 2NC 16A probe ø 6mm probe L 50mm capillary pipe 1540mm capillary pipe isolated 160mm gland nut shaft ømm shaft Lmm shaft position rotation° probe material copper screw connection M10x0.75 switch-off temp. 110°C		
For models:	SP1, SP2-12, SP2-S12		

various

control thermostats



1

No.	390623	Ref. No.	A02011002
description	thermostat for pizza oven		

1

No.	375914	Ref. No.	TER30003
description	thermostat t.max. 290°C temperature range 50-290°C 1-pole 1NOA probe ø 3mm probe L 165mm capillary pipe 1040mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	211004, 211005, 211006, 211010, 211011, 211012, 211013, 211014, 211015, 211016, 211017, 211018, 211023, 211024, 211028, 212014, 212015, 212016		

MAG-PRO



1

No.	375904	Ref. No.	IB5866000
description	thermostat t.max. 90°C temperature range 0-90°C 1-pole 1NO 16A probe ø 6.5mm probe L 85mm capillary pipe 970mm capillary pipe isolatedmm gland nut shaft L 15mm shaft position upper° rotation 270° probe material copper ambient temperature max. 150°C		
For models:	541001, 541002		

1

No.	390622	Ref. No.	01143566
description	thermostat t.max.°C temperature range°C 1-pole 1NC 10A probe ømm probe Lmm capillary pipemm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 30mm shaft position upper rotation 315° for heated cabinet		
For models:	273001		

safety thermostats

1

No.	390607	Ref. No.	402511200
description	safety thermostat switch-off temp. 360°C 1-pole 20A probe ø 3mm probe L 150mm capillary pipe 920mm capillary pipe isolated 240mm gland nut probe SS		
For models:	111001, 111002, 111003		

rod thermostats

safety rod thermostats

1

No.	390433	Ref. No.	WY20302
description	safety rod thermostat switch-off temp. 145°C temperature range 0-145°C 2-pole 2NC 20A probe ø 8mm probe L 187mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm thermostat sleeves ø 16mm length thermostat sleeves 200mm		

refrigeration thermostats

RANCO

K22 series

1

No.	390524	Ref. No.	23591 R23591
description	thermostat RANCO type K22L1082 probe ømm probe Lmm capillary pipe 2000mm temperature range -22 up to -3°C		
For models:	711001, 711002, 711003, 711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		

K50 series

1

No.	390286	Ref. No.	23005 R23005
description	thermostat RANCO type K50L3383 probe ømm probe Lmm capillary pipe 1500mm temperature range +1 up to +3°C		
For models:	711001, 711002, 711003, 711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		

MAG-PRO

1

No.	390619	**Ref. No.**	6151995
description	thermostat RANCO type K50P6073/001 probe ømm probe Lmm capillary pipe 2000mm		
For models:	625010		
accessories for	390619		
	No. 112945	Ref. No.	7422505
	knob ø 22mm shaft ø 6x4.6mm shaft flat vertical white		

K57 series

1

No.	390618	**Ref. No.**	6151761
description	thermostat RANCO type K57L2865 capillary pipe 1950mm temperature range -40 up to +40°C probe ø9.5x107mm		
For models:	621015, 622019		
accessories for	390618		
	No. 112945	Ref. No.	7422505
	knob ø 22mm shaft ø 6x4.6mm shaft flat vertical white		

1

No.	390617	**Ref. No.**	6151753
description	thermostat RANCO type K57-L2866 probe ø 2mm probe Lmm capillary pipe 2000mm temperature range -40 up to +40°C		
For models:	629001		

accessories

fitting parts

1

No.	699163	**Ref. No.**	30307040
description	mounting flange L 50mm W 30mm bore ø 5/12mm		
For models:	211039, 211045, 211046, 212036, 212038, 212040		

probe clips

spring clips

for thermostat

1

No.	550041	**Ref. No.**	8208250
description	probe clip for pipe ø 7mm for probe ø 6mm		

for safety thermostat

1

No.	550417	**Ref. No.**	1033515200 MA1033515200
description	probe clip for pipe ø 2x8.5mm for probe ø 6mm for heating elements spacing 15-19mm Qty 1 pcs		
For models:	124101, 124102		

1

No.	550795	**Ref. No.**	PIA30014
description	probe clip for pipe ø 6mm for probe ø 3.5mm Qty 1 pcs for oven		
For models:	211004, 211005, 211006, 211010, 211011, 211012, 211013, 211014, 211015, 211016, 211017, 211018, 211023, 211024, 211028, 211029, 212014, 212015, 212016, 212024, 212025		

1

No.	550981	**Ref. No.**	8208260
description	probe clip for pipe ø 8.5mm for probe ø 6mm for heating elements spacing 0.4mm Qty 1 pcs		

capillary tube clips

1

No.	550970	**Ref. No.**	1033709500 MA1033709500
description	capillary tube clip for pipe ø 8.5mm		
For models:	124101, 124102		

1

No.	550980	**Ref. No.**	8208270
description	capillary tube clip for pipe ø 8.5mm Qty 1 pcs		

MAG-PRO

1

No.	551046	**Ref. No.**	770125
description	capillary tube clip for pipe ø 8mm for thermostat		
For models:	741003		

gland nut accessories

ducts

1

No.	695621	**Ref. No.**	16529
description	duct ET M8x1 IT M10x1 probe ø max. 5mm WS 13		
For models:	741003		

1

No.	550271	**Ref. No.**	741415
description	gland duct ET M12x0.75 IT M9x1 with gasket and nut		
For models:	741003		

washers with slot

1

No.	510241	**Ref. No.**	6A038803
description	washer with slot ED ø 7.8mm slit width 1.3mm Qty 10		

gaskets

1

No.	550982	**Ref. No.**	6A038804
description	gasket graphite ø 7.5mm L 7mm Qty 1 pcs for gland nut		
For models:	134002, 134004, 134006, 134202, 134204, 134206		

bolts with slot

1

No.	520243	**Ref. No.**	6A038801
description	bolt with slot thread M9x1 Qty 10 pcs nickel-plated brass		
accessories for	520243		

No.	510591	Ref. No.	—
washer with slot ED ø 8.8mm slit width 1.2mm Qty 10			

No.	510592	Ref. No.	—
gasket ø 8x8.7mm Qty 10 pcs slotted silicone			

locking screws

1

No.	106605	**Ref. No.**	CM012401 MACM012401
description	union screw thread M10x1 probe ø max. 4.5mm		
For models:	124103		

plunger sockets

1

No.	510986	**Ref. No.**	450516
description	thermowell thread 1/2" L 120mm SS double ø 6.5mm		
For models:	SP3		
accessories for	510986		

No.	361184	Ref. No.	—
nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs			

No.	521122	Ref. No.	—
flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs			

1

No.	510987	**Ref. No.**	450519
description	thermowell thread 1/2" L 44mm SS single ø 10mm		
For models:	SP2-12, SP2-S12		
accessories for	510987		

No.	361184	Ref. No.	—
nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs			

No.	521122	Ref. No.	—
flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs			

connecting bows

1

No.	550060	**Ref. No.**	402503201 6A045900 821550060 MA1988500 MA921200
description	connecting bow long for thermostat Qty 1 pcs		
For models:	111001, 111002, 111003, 123110, 123111, 123112, 123113, 123114, 123115, 123120, 124105, 125101, 125102, 125103, 127102, 127103, 134005, 134205, 137001, 137002, 137003, 137004, 137201, 137202, 141020, 144001, 144007		

MAG-PRO

1

No.	550059	**Ref. No.**	6A045000
description	connecting bow short for switch Qty 1 pcs		

switches and momentary switches

rocker/momentary rocker switches

27.8x25mm

1

No.	347715	**Ref. No.**	130498
description	momentary rocker switch mounting measurements 27.8x25mm white 2NO 250V 16A START connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	SP3		

1

No.	347263	**Ref. No.**	130499
description	rocker switch mounting measurements 25x25mm white 2CO 250V 16A cycle connection male faston 6.3mm protection IP40		
For models:	SP3		

1

No.	348221	**Ref. No.**	1635110 BN1635110
description	rocker switch mounting measurements 27.8x25mm black/green 1NO/indicator light 250V 16A ON-OFF connection F6.3x0.8 ambient temperature max. 100/55°C protection IP40		
For models:	551010, 551011, 551012, 551013, 554016, 554017, 554018, 554019, 611017		

1

No.	510281	**Ref. No.**	160733
description	blank black mounting measurements 27.8x25mm		
For models:	SP1, SP2-12, SP2-S12, SP3		

28x13.5mm

1

No.	346957	**Ref. No.**	KODK005
description	rocker switch mounting measurements 28x13.5mm green 1NO 250V 6A illuminated ON-OFF connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

30x11mm

1

No.	347350	**Ref. No.**	PI-B100 PIB100
description	rocker switch mounting measurements 30x11mm black 1CO 250V 16A I O connection male faston 6.3mm ambient temperature max. 90°C protection IP40		
For models:	531034, 531039, 531040		

1

No.	345575	**Ref. No.**	PT0176
description	rocker switch mounting measurements 30x11mm black 1CO 250V 16A I O II connection male faston 6.3mm ambient temperature max. 90°C protection IP40 with neutral position		
For models:	254001, 254002, 254003, 254004, 254005, 254006, 254007, 254008, 254009, 254010, 254011, 254012		

1

No.	345382	**Ref. No.**	INTER001
description	rocker switch mounting measurements 30x11mm green 1NO/ indicator light 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	530009, 530010, 530011, 530012, 531020, 531021, 531022, 531023		

1

No.	301010	**Ref. No.**	X02.19.180.00
description	rocker switch mounting measurements 30x11mm red 1NO/indicator light 250V 16A 0-I connection male faston 6.3mm ambient tempera-ture max. 85/125°C protection IP40		
For models:	541003		
accessories for	301010		

No.	301035	Ref. No.	—
protective cover mounting measurements 30x11mm			

1

No.	301053	**Ref. No.**	16986
description	rocker switch mounting measurements 30x11mm white 1NO/indica-tor light 250V 16A 0-I connection male faston 6.3mm		
For models:	741001, 741002		

MAG-PRO

1

No.	301038	Ref. No.	01143568
description	rocker switch mounting measurements 30x11mm green 1NO/indicator light 250V 16A connection male faston 6.3mm		
For models:	273001		

1

No.	301039	Ref. No.	101004
description	rocker switch mounting measurements 30x11mm red 1NO/indicator light 250V 16A connection male faston 6.3mm		
For models:	531028, 531029, 531030, 531031		

30x22mm

1

No.	346896[1]	Ref. No.	637086000
description	rocker switch mounting measurements 30x22mm black 2NO 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	262001		

[1]non-illuminated

1

No.	347791	Ref. No.	CO1038 S900.01 SL0621
description	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		
For models:	272006, 272007, 273002, 273003, 273004, 279004, 421005, 611007, 611008, 611009, 611010, 611011, 611013, 611014, 611023, 613016, 613017, 621018, 621019, 625002, 625003, 625017, 625018, 633001, 633002		

1

No.	301020	Ref. No.	WY18268
description	momentary rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65		
For models:	742005, 742017, 742018, 742019, 742020		

1

No.	301003	Ref. No.	0641303900 401500550 74500120 877124300
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	113003, 113004, 113005, 113006, 113011, 113012, 113013, 113014, 114003, 115001, 115002, 116001, 116002, 245003, 271004, 271005, 271006, 531003, 531004, 531005, 531006, 531007, 531008, 535005, 535006, 644006, 644007, 644008, 644009, 644010, 644011, 644012, 913013, 913014, 913015, 913016, 913017, 913018, 914003, 914004, 914005, 914006, 914015, 914016, 914017, 914018, 955001, 955002, 955003, 955004		
accessories for	301003		

No.	301036	Ref. No.	401509000 WY19049
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

1

No.	301002	Ref. No.	IB5806000
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP65		
For models:	541001, 541002		
accessories for	301002		

No.	301036	Ref. No.	401509000 WY19049
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

1

No.	345512	Ref. No.	EF00400
description	rocker switch mounting measurements 30x22mm orange 2NO 400V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

1

No.	301017	Ref. No.	74500130
description	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	531001, 531002		
accessories for	301017		

No.	301036	Ref. No.	401509000 WY19049
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

MAG-PRO

1

No.	301060	**Ref. No.**	WY18263
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		

1

No.	301036	**Ref. No.**	401509000 WY19049
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		
For models:	113003, 113004, 113005, 113006, 113011, 113012, 113013, 113014, 115001, 115002, 116001, 116002, 243001, 243002, 243005, 244001, 244002, 244006, 245001, 245002, 245003, 245004, 245005, 245007, 245008, 255001, 255002, 255003, 255004, 255006, 255007, 742001, 742002, 742003, 742004, 742005, 742017, 742018, 742019, 742020, 955001, 955002, 955003, 955004		

1

No.	346474	**Ref. No.**	WY15486002
description	dummy element external size 30x22mm suitable for rocker switch		
For models:	742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		

1

No.	301718	**Ref. No.**	18316
description	momentary rocker switch mounting measurements 30x22mm white 1NO/indicator light 250V 16A connection male faston 6.3mm ambient temperature max. male faston 6.3mm°C protection IP40		
For models:	741003		

1

No.	301717	**Ref. No.**	16988
description	momentary rocker switch mounting measurements 30x22mm white 1NO 250V 16A START connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	741003		

1

No.	346377	**Ref. No.**	251858 401500500
description	rocker switch mounting measurements 30x22mm black 2CO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	243001, 243002, 243005, 244001, 244002, 244006, 244010, 245001, 245002, 245004, 245005, 245007, 245008, 255001, 255002, 255003, 255004, 255006, 255007, 261001, 261002, 262002, 262003, 272001, 272002, 276001, 279001, 743001, HD3NK		
accessories for	346377		

No.	301036	Ref. No.	401509000 WY19049
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

1

No.	301249	**Ref. No.**	WY18135
description	rocker switch mounting measurements 30x22mm red 2CO 250V 16A I O connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	742005		

1

No.	348090	**Ref. No.**	29410101
description	rocker switch mounting measurements 30x22mm white 2CO 250V 16A for mincer arrow connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		
For models:	421002		

1

No.	301716	**Ref. No.**	16987
description	rocker switch mounting measurements 30x22mm white 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	741003		

1

No.	346378	**Ref. No.**	74500220 74500400
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated lighting connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		
For models:	531001, 531002, 531003, 531004, 531005, 531006, 531007, 531008		

MAG-PRO

1

No.	347112	**Ref. No.**	74742008
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated ON-OFF connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	621038, 621039, 622031, 651015, 651016, 651017, 651018, 651019, 651020, 651021, 651022, 651023, 651024, 651025, 651026, 651027, 651028, 651032, 651033, 651034, 651035, 651036, 651037, 651038, 651039, 651040, 651041, 651042, 651043, 651044, 651045, 651046, 651047, 651048, 651049, 651050, 651058, 651060, 651061, 651062, 651063, 651072, 651073, 651074, 651075, 651076, 651077, 651078, 651079, 651080...(Other models you can see in the webshop)		
accessories for	347112		

No.	301036	Ref. No.	401509000 WY19049
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

1

No.	347019	**Ref. No.**	877124200
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated lamp connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		
For models:	641010, 641011, 641012, 641013, 641014, 641015, 641016, 641017, 644006, 644010, 644011, 644012		

1

No.	345056	**Ref. No.**	WY28165003
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 8A illuminated cup connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	744001, 744002		

labelled

1

No.	300125	**Ref. No.**	0660800901 23327 MC2869600 R25-0010
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	621004, 621005, 622004, 711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019, 910005, 910006, 910007, 913114, 913115, 913116, 913117, 913246, 913247, 913248, 913249, 913250, 913251, 913252, 913253, 913254, 913255, 913256, 913257, 913258, 913259, 913260, 913261, 913262, 913263, 913264, 913265, 913266, 914103, 914105, 914107...(Other models you can see in the webshop)		
accessories for	300125		

No.	301036	Ref. No.	401509000 WY19049
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

1

No.	346868	**Ref. No.**	19410101 19410102
description	rocker switch mounting measurements 30x22mm white 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	411001, 541004		
accessories for	346868		

No.	301036	Ref. No.	401509000 WY19049
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

1

No.	346985	**Ref. No.**	401500600
description	rocker switch mounting measurements 30x22mm black 1NO/1CO 250V 16A 0-I/I-II connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	261001, HD3NK		

push/momentary push switches

19x13mm

1

No.	347627	**Ref. No.**	00010300
description	momentary push switch mounting measurements 19x13mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		
For models:	211039		

27.2x22.2mm

1

No.	345033[1]	**Ref. No.**	10.16.00
description	push switch mounting measurements 27.2x22.2mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	745001, 745002		

[1]illuminated

MAG-PRO

30x22mm

1

No.	301086	**Ref. No.**	401500530
description	push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar		
For models:	114001, 114002, 244001, 244002, 244003, 244004, 244005, 244007, 244008, 244009, 244021		

1

No.	345712	**Ref. No.**	I3735
description	push switch mounting measurements 30x22mm red/green 2CO 250V 16A Stop / I connection male faston 6.3mm ambient temperature max. 85°C protection IP40 with indicator		
For models:	411011, 411012		
accessories for	345712		

No.	301127	Ref. No.	—
protective cover internal size 30x55mm transparent			

1

No.	301036	**Ref. No.**	401509000 WY19049
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		
For models:	113003, 113004, 113005, 113006, 113011, 113012, 113013, 113014, 115001, 115002, 116001, 116002, 243001, 243002, 243005, 244001, 244002, 244006, 245001, 245002, 245003, 245004, 245005, 245007, 245008, 255001, 255002, 255003, 255004, 255006, 255007, 742001, 742002, 742003, 742004, 742005, 742017, 742018, 742019, 742020, 955001, 955002, 955003, 955004		

ø 9mm

1

No.	346053	**Ref. No.**	90.40.00
description	momentary push switch mounting ø 9mm red 1NC connection cable 280mm with plug protection IP40		
For models:	745002		

ø11mm

1

No.	347060	**Ref. No.**	IV5820010
description	push button mounting ø M11x1mm black 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 125°C with plunger actuating force: 200g type CM thread L 14mm		
For models:	481001		

ø16mm

1

No.	301172	**Ref. No.**	R65260610
description	momentary push switch mounting ø 16mm black 1NO 250V 16A connection male faston 6.3mm protection IP40 ambient temperature max. 150°C		
For models:	212002, 212003		

1

No.	301227	**Ref. No.**	R65260600
description	push switch mounting ø 16mm black 1NO 250V 16A connection male faston 6.3mm protection IP40 ambient temperature max. 150°C		
For models:	212002, 212003		

1

No.	301310	**Ref. No.**	CO4687
description	push switch mounting ø 16mm chrome 1NO 250V 16A connection male faston 6.3mm protection IP40 ambient temperature max. 150°C		
For models:	721008		
spare parts for	301310		

No.	347676	Ref. No.	—
switch 1NO 250V 16A connection male faston 6.3mm			

ø22mm

1

No.	401357	**Ref. No.**	MF2138
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-I connection screw ambient temperature max. 125/55°C protection IP40		
For models:	422001, 433001, 433002		
spare parts for	401357		

No.	346181	Ref. No.	—
push button mounting ø 21mm external size 30x55mm oval			

Table continues overleaf

MAG-PRO

accessories for	401357			
	No.	401709	Ref. No.	—
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm			

1

No.	699002	Ref. No.	SL0891
description	momentary push switch mounting ø 22mm black/white 1NO/1NC/ indicator light 230V 6A 0-1 connection screw ambient temperature max. 70°C protection IP40		
For models:	421006, 421007, 421008, 422005, 422006, 431002, 433003, 433004, 433005, 513004, 513005, 513006, 513008, 513009, 513010, 516001, 516002		

ø25mm

1

No.	347355	Ref. No.	PUL30003
description	momentary push switch mounting ø 25mm red 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	211005, 211006, 211010, 211012, 211013, 211014, 211015, 211016, 211018		

1

No.	345162[1]	Ref. No.	41826630200
description	push switch mounting ø 25mm yellow 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	134207, 135001, 135002, 135003, 135004, 135201, 135202, 135203, 135204		

[1]illuminated

1

No.	346318	Ref. No.	41826630050 BN826630050
description	momentary push switch mounting ø 25mm red 1NO 250V 16A with cover cap ignition connection male faston 6.3mm ambient temperature max. 85°C protection IP65		
For models:	131001, 131002, 131003, 131004, 131005, 131006, 131010, 131201, 131202, 131203, 131204, 131205, 131206, 131210, 132001, 132002, 132201, 132202		
accessories for	346318		
	No. 345039	Ref. No.	41826630420 41826630460 826630060 826630420 826630460 BN826630420 CR0410310
	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		

1

No.	345039	Ref. No.	41826630420 41826630460 826630060 BN826630420 CR0410310
description	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		
For models:	131001, 131002, 131003, 131004, 131005, 131006, 131010, 131201, 131202, 131203, 131204, 131205, 131206, 131210, 132001, 132002, 132201, 132202, 133001, 133002, 133003, 133007, 133008, 133009, 133010, 133011, 133012, 133013, 133014, 133015, 133022, 133023, 133024, 133201, 133202, 133203, 133207, 133208, 133209, 133210, 133211, 133212, 133213, 133214, 133215, 133222, 133223, 133224, 134002, 134004...(Other models you can see in the webshop)		
accessories for	345039		
	No. 345001	Ref. No.	—
	momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65		

overload switches

1

No.	348137	Ref. No.	8308560
description	momentary push switch KLD-28A mounting measurements 45x22mm green/red 2NO/A1 250V 16A I O connection male faston 2.8mm/6.3mm ambient temperature max. 85°C protection IP55 with cover cap		
For models:	421002, 512001, 715001		

1

No.	347067	Ref. No.	19410152 SL2919
description	push switch KJD17 mounting measurements 45x22mm black/white 2NO/A1 250V 10A I O connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP54 with cover cap		
For models:	421005, 511001		

MAG-PRO

2 hole fixing

1

No.	346879	**Ref. No.**	23078
description	push switch green 2NO/indicator light 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	711001, 711002, 711003		

1

No.	348122	**Ref. No.**	P9501
description	push switch green/red 230V connection cable 1800mm		
For models:	411013, 411014, 411015, 411016, 411017, 411019		

miscellaneous

1

No.	346955	**Ref. No.**	IB5804402
description	momentary push switch mounting measurements 29x29mm black 1NO 250V 6A connection screw VORTEX		
accessories for	346955		
	No. 346960	Ref. No.	IB4104002
	protection cap for push-button L 45mm W 21mm		

1

No.	697414	**Ref. No.**	SL0757
description	momentary push switch mounting measurements 29x29mm black 2NO 250V 16A connection screw ambient temperature max. 85°C protection IP40 FM3		
For models:	473006, 473007, 473008		

1

No.	346959	**Ref. No.**	IB5804403
description	momentary push switch mounting measurements 29x29mm red 1NO 250V 6A connection screw CICLONE		
For models:	473001, 473002		
accessories for	346959		
	No. 346958	Ref. No.	IB4104102
	protection cap L 45mm W 21mm		

accessories

push buttons

1

No.	527289	**Ref. No.**	251787
description	button grey		
For models:	743001		
accessories for	527289		
	No. 402089	Ref. No.	251865
	keypad PCB for coffee machine		
	No. 402110	Ref. No.	251785
	push button set 8-piece transparent		

frame

1

No.	346252	**Ref. No.**	19563171
description	frame external size 36x65mm internal size 30x22mm black plastic mounting distance 54mm		
For models:	411001		

protective covers

1

No.	346960	**Ref. No.**	IB4104002
description	protection cap for push-button L 45mm W 21mm		
accessories for	346960		
	No. 346955	Ref. No.	IB5804402
	momentary push switch mounting measurements 29x29mm black 1NO 250V 6A connection screw VORTEX		

1

No.	346958	**Ref. No.**	IB4104102
description	protection cap L 45mm W 21mm		
For models:	473001, 473002		
accessories for	346958		
	No. 346959	Ref. No.	IB5804403
	momentary push switch mounting measurements 29x29mm red 1NO 250V 6A connection screw CICLONE		

MAG-PRO

toggle switches

M12x0.75

1

No.	301230	**Ref. No.**	R02.19.008A.00
description	toggle switch thread M12x0.75 2NO 250V 15A ON-OFF screw		
For models:	276003, 276004, 276005, 276006, 276007, 276008, 276009, 276010		
accessories for	301230		

No.	112947	Ref. No.	07.01.035.00
bezel L 60mm W 51mm			

No.	691506	Ref. No.	07.01.214.00
plate for toggle switch			

No.	691507	Ref. No.	04.08.240.00
cover for toggle switch			

accessories

1

No.	112947	**Ref. No.**	07.01.035.00
description	bezel L 60mm W 51mm		
For models:	276003, 276004, 276005, 276006, 276007, 276008, 276009, 276010		

1

No.	691507	**Ref. No.**	04.08.240.00
description	cover for toggle switch		
For models:	276003, 276004, 276005, 276006, 276007, 276008, 276009, 276010		

1

No.	691506	**Ref. No.**	07.01.214.00
description	plate for toggle switch		
For models:	276003, 276004, 276005, 276006, 276007, 276008, 276009, 276010		

microswitches

universal

CROUZET

1

No.	345042	**Ref. No.**	IB5820800
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black		
For models:	721003		
accessories for	345042		

No.	345043	Ref. No.	—
lever set 5-piece			

1

No.	348043	**Ref. No.**	MSC04N262
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm Lmm L1 27.8mm ambient temperature max. 125°C mounting distance 22mm with lever set type MS1-16 actuating force: 100g white		
For models:	471001		

lever actuated

1

No.	347033	**Ref. No.**	0900461
description	microswitch with lever 250V 10A 1CO connection with cable L 38mm ambient temperature max. 85°C mounting distance 16mm actuating force: 60g lever length 40mm		

1

No.	347032	**Ref. No.**	0900460
description	microswitch with lever 250V 10A 1NO connection with cable L 40mm ambient temperature max. 85°C actuating force: 10g		
For models:	442006, 442008		

MAG-PRO

1

No.	347021	**Ref. No.**	X02.19.186.00
description	microswitch with lever 250V 5A 1CO connection soldering connection L 15mm ambient temperature max. 85°C mounting distance 10mm actuating force: 13g lever length 17mm		
For models:	541003		

1

No.	347035	**Ref. No.**	0900466
description	microswitch with lever 30V 1A 1CO connection with cable L 25mm ambient temperature max. 85°C type D2FW-G 271M actuating force: 80g lever length 21mm		

1

No.	347034	**Ref. No.**	0900465
description	microswitch with lever 30V 1A 1NO connection with cable L 18mm ambient temperature max. 85°C type D2FW-G 271M actuating force: 100g lever length 25mm		
For models:	442003, 442004, 442005, 442007, 442008		

1

No.	347010	**Ref. No.**	IB5820700
description	microswitch with lever 250V 16A 1CO connection male faston 4.8mm L 36mm ambient temperature max. 105°C mounting distance 22mm type D3V-16G443-1C25-K actuating force: 50g lever length 28mm		
For models:	723001		

1

No.	345255	**Ref. No.**	826630310
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 35mm L1 28mm ambient temperature max. 125°C mounting distance 22mm actuating force: 136g lever length 27mm		
For models:	137001, 137003, 137004, 137201		

roller-lever actuated

microswitches

1

No.	347028	**Ref. No.**	251861
description	microswitch with handle with a switch 250V 10A 1NO connection male faston 6.3mm L 28mm ambient temperature max. 125°C black/green lever length 26mm		
For models:	743001		

1

No.	346893	**Ref. No.**	MSC04N292
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 125°C mounting distance 22mm white		
For models:	471001		



1

No.	345041	**Ref. No.**	SL0885
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C black lever length 20.5mm		
For models:	431002, 433003, 433004, 433005, 481004, 512010, 512011, 512012, 512013, 512014, 512015, 512016, 512017, 512018, 512019, 512020, 512021, 512022, 513008, 513009, 513010, 516004		

heavy duty version

1

No.	345485	**Ref. No.**	8300990
description	microswitch with handle with a switch 250V 20A 1CO connection screw L 50mm L1 49mm ambient temperature max. 85°C mounting distance 22mm type Z15G1703 actuating force: 75g lever length 47mm		
For models:	512001, 512002, 512003, 512004		

non-standard

1

No.	347026	**Ref. No.**	096355
description	microswitch with handle with a switch 250V 5A 1CO connection soldering connection L 12.5mm L1 20mm ambient temperature max. 85°C mounting distance 10mm actuating force: 55g lever length 16.6mm		
For models:	743001		

MAG-PRO

pin-plunger actuated

1

No.	345326	**Ref. No.**	1037312900 MA1037312900
description	microswitch with plunger 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type XP52Z11 actuating force: 350g red stroke 15mm		
For models:	124101, 124102		

1

No.	300092	**Ref. No.**	097796
description	microswitch with plunger 400V 16A 2NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type XTD22A21 actuating force: 150g fryer black		
For models:	743001		

1

No.	345759	**Ref. No.**	WY28165001
description	microswitch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 125°C mounting distance 22mm type B actuating force: 280g black		
For models:	744001, 744002		

CROUZET

1

No.	345042	**Ref. No.**	IB5820800
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black		
For models:	721003		
accessories for	345042		

No.	345043	Ref. No.	—

lever set 5-piece

1

No.	347043	**Ref. No.**	QSW-MA086WRE0 QSW-MA111WRE0
description	microswitch with plunger 250V 16A 1NC connection male faston 4.8mm ambient temperature max. 105°C mounting distance 22mm type V-16G-2C25 actuating force: 140g black		
For models:	213001, 213002, 213003		

M10

1

No.	347603	**Ref. No.**	01200890
description	microswitch with plunger thread M10x0.75 thread L 10mm 250V 16A 1CO connection male faston 6.3mm stroke 5mm mounting distance 22mm L 29mm ambient temperature max. 125°C type VRSR01DZ2 actuating force: 170g		
For models:	211039, 211042, 211043, 211044, 211045, 211046		

1

No.	347945[1]	**Ref. No.**	VE086B
description	microswitch with plunger thread M10x0.75 thread L 13mm 250V 5A 1CO connection male faston 6.3mm stroke 6mm mounting distance 25mm L 49mm L1 13mm ambient temperature max. 85°C IP65 type MKH12D09 actuating force: 340g		
For models:	211003		

[1]protection class IP65

1

No.	345678	**Ref. No.**	19410201
description	microswitch with plunger thread M10x0.75 thread L 16mm 250V 16A 1NO connection male faston 6.3mm stroke 2.5mm mounting distance 22mm ambient temperature max. 125°C actuating force: 290g		
For models:	411001		
accessories for	345678		

No.	100779	Ref. No.	—

nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs

1

No.	345032	**Ref. No.**	401520000 6A039800 BN6A039800 MSC04N276 R65260540
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	114001, 114002, 134001, 134003, 134005, 134201, 134203, 134205, 137001, 137002, 137201, 137202, 144008, 144009, 144010, 144012, 212001, 212002, 212003, 212004, 212005, 212006, 212007, 212008, 212009, 212010, 212011, 212012, 212013, 212017, 212018, 212019, 212020, 244001, 244002, 244003, 244004, 244005, 244006, 244007, 244008, 244009, 244021, 471001		

MAG-PRO

1

No.	345156	**Ref. No.**	VE1295A0
description	microswitch with plunger thread M10x1 thread L 13mm 250V 16A 1CO connection male faston 6.3mm stroke 6mm mounting distance 25mm L 46mm L1 13mm ambient temperature max. 85°C type C4A-ZN3 actuating force: 340g		

M12

1

No.	345138	**Ref. No.**	SL1401
description	microswitch with plunger mounting distance 25mm thread M12x1 thread L 12mm 250V 20A 1CO connection screw stroke 7mm L1 13mm ambient temperature max. 85°C type Z15G1307 actuating force: 250g		
For models:	512014, 512015, 512016, 512017, 512018, 512019, 512020, 512021, 512022		

with push button

switches with snap-fit

1

No.	347027	**Ref. No.**	0V2378
description	microswitch with push button 250V 1A 1CO connection male faston 2.8mm L 26x12mm ambient temperature max. 85°C type XKA-304B1AAJ11 actuating force: 50g		
For models:	743001		

1

No.	347018	**Ref. No.**	6060995
description	microswitch with push button 250V 1A 1CO connection male faston 2.8mm L 28x12mm ambient temperature max. 85°C actuating force: 60g		
For models:	621015, 622019		

1

No.	347057	**Ref. No.**	164608 BN164608
description	microswitch with push button 250V 2.5A 1CO connection male faston 4.8mm L 27x21mm ambient temperature max. 85°C type built-in version actuating force: 300g		
For models:	201780, 621007, 621020, 621021, 622005, 622020, 622021		

1

No.	348008	**Ref. No.**	78010438
description	microswitch with push button 250V 2.5A 1NO/1NC connection male faston 2.8mm/6.3mm L 27mm L1 22mm ambient temperature max. 104°C actuating force: 180g		
For models:	621038, 621039, 622031		

1

No.	346772	**Ref. No.**	GN650TN.48 R25-0086
description	microswitch with push button 250V 5A 1CO connection male faston 4.8mm L 24x27mm ambient temperature max. 85°C actuating force: 160g		
For models:	621004, 621005, 621018, 621019, 622004		

roller actuated

roller 0°

1

No.	345639	**Ref. No.**	5400100
description	microswitch with roller plunger 230V 16A 1CO connection solder/ screw connection L1 49mm ambient temperature max. 125°C thread L 14mm thread M10 mounting distance 25mm actuating force: 300g type MS15-1		

accessories

1

No.	698204	**Ref. No.**	MSC04N264
description	bracket for microswitch C4-C6		
For models:	471001		

1

No.	347031	**Ref. No.**	090681
description	insulating mat for microswitch L 42mm W 28mm		
For models:	743001		

MAG-PRO

1

No.	347061	Ref. No.	MSC04N274
description	spacer ring for microswitch ID ø 10mm ED ø 14mm thickness 4mm		
For models:	471001		

system switches (ROLD)

1

No.	345577	Ref. No.	226122
description	element holder mounting measurements 19.3x12.9mm black arched for push buttons 11x15.8		
For models:	811001, 811002, 811003, 812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 813001, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		
accessories for	345577		
	No. 345578	Ref. No.	227078
	push button mounting measurements 11x15.8mm orange		

1

No.	345627	Ref. No.	VE1170A0
description	element holder mounting measurements 20.6x16.4mm black arched for push buttons 13x17mm		
For models:	211002, 211003		

1

No.	345131	Ref. No.	190140
description	element holder mounting measurements 28.5x28.5mm grey single element holder		
For models:	SP1, SP2-12, SP2-S12		

1

No.	345601	Ref. No.	VE162
description	indicator lamp holder V ø 11mm		
For models:	211002, 211003		

1

No.	357012	Ref. No.	KVE007
description	indicator lamps set mounting measurements 20.6x16.4mm green 230V connection male faston 6.3mm ø 20.6x16.4mm socket male faston 6.3mm		

1

No.	360598	Ref. No.	VE177
description	indicator light LED white connection male faston 6.3mm 250V ø 11mm voltage AC		
For models:	211002, 211003		
accessories for	360598		
	No. 345601	Ref. No.	VE162
	indicator lamp holder V ø 11mm		

1

No.	347746	Ref. No.	VE164
description	indicator light lens size 17x13mm green thermometer gold		
For models:	211002, 211003		

1

No.	347193	Ref. No.	130449
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	SP1, SP2-12, SP2-S12		

1

No.	345606	Ref. No.	226071
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	811001, 811002, 811003, 812002, 812004, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

MAG-PRO

1

No.	345578	**Ref. No.**	227078
description	push button mounting measurements 11x15.8mm orange		
For models:	811001, 811002, 811003, 812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 813001, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		
accessories for	345578		

No.	345577	Ref. No.	226122
element holder mounting measurements 19.3x12.9mm black arched for push buttons 11x15.8			

1

No.	347475	**Ref. No.**	450357
description	push button ø 23mm white main switch		
For models:	SP1, SP2-12, SP2-S12		

1

No.	347929	**Ref. No.**	450358
description	push button ø 23mm white programme		
For models:	SP2-12, SP2-S12		

1

No.	346035	**Ref. No.**	227062
description	push button size 17x13mm silver		
For models:	811001, 811002		

1

No.	345605	**Ref. No.**	208010
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	811001, 811002, 811003, 812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

1

No.	346851	**Ref. No.**	80804
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	813001		

1

No.	347098	**Ref. No.**	130487
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	SP1, SP2-12, SP2-S12		

float switches

1

No.	348087	**Ref. No.**	0220114
description	float switch length external size 110mm thread 1/8" 1NC/Temp ø 30mm L 110mm mounting ø 10mm 300V 0.5A cable, 4-wire cable length 1600mm with temperature probe		

1

No.	401986	**Ref. No.**	6A021950
description	float switch thread 1/8" 1NO ø 28mm L 116mm mounting ø 10mm 220V 0.5A cable cable length 330mm		

1

No.	402061	**Ref. No.**	X02.01.249.00
description	float switch thread 9.7 1NO ø 26mm L 130mm mounting ø 10mm 230V 0.5A cable cable length 500mm		
For models:	541003		

MAG-PRO



1

No.	347020	Ref. No.	877121600
description	float switch thread M16x2 1NO or 1NC ø 16mm L 88.5mm mounting ø 16mm 250V 1A cable cable length 800mm		
For models:	644006, 644008, 644009		

floats

1

No.	527288	Ref. No.	251851
description	float for drip pan		
For models:	743001		

1

No.	527287	Ref. No.	251876
description	float with magnet ømm L 23.5mm W 16mm H 17mm plastic		
For models:	743001		

key lock switches

1

No.	346029	Ref. No.	Anfrage l?uft
description	key lock switch 2NO 240V 3A mounting ø 22.5mm connection screw		

1

No.	346062	Ref. No.	WY22715820
description	key lock switch set		

cam switches

on/off

1

No.	300021	Ref. No.	1230100 6A046700 826630290 MA1230100
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	124105, 137001, 137003, 137004, 137201, 144001, 145002		

4-position

1

No.	300022	Ref. No.	X02.19.174.00
description	cam switch 4 operating positions 2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	222004, 222005		

7-position

1

No.	300004	Ref. No.	PT0178
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic		

MAG-PRO

1

No.	300025	Ref. No.	1616100 6A045500 826630070 MA1616100 PT0177
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
For models:	121004, 121104, 122103, 122104, 131007, 131008, 131009, 132003, 132004		
accessories for	300025		

No.	112172	Ref. No.	—
knob universal ø 70mm black without adaptor/dial plate			

No.	112213	Ref. No.	—
knob dial plate silver switch 7-position t.max.°C°C ED ø 63mm ID ø 45.5mm			

No.	112311	Ref. No.	—
knob adapter shaft ø 6x4.6mm L 0mm with spring			

2 operating positions

1

No.	300112	Ref. No.	CR-B105 KO-B102 KOB102 WFB103
description	cam switch 1NO sequence 0-1 10A shaft ø 6x4.6mm shaft L 23mm connection screw ON-OFF		
For models:	223007, 223008, 225009, 255009, 255012, 255013, 255014		



1

No.	301715	Ref. No.	401505000
description	cam switch 2 operating positions sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	222002, 222003		

4 operating positions

1

No.	300081	Ref. No.	MA1309000
description	cam switch 4 operating positions 3NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	121101, 121104, 121106, 122110, 141005, 141007, 141013, 141016, 141021		

1

No.	300229	Ref. No.	COM30001
description	cam switch 4 operating positions 4NO sequence 0-1-0-2 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	211005, 211006, 211014, 211015, 211016, 212015, 212016		



1

No.	300184	Ref. No.	6A046750
description	cam switch 4 operating positions sequence 0-3-2-1 shaft ø 6x4.6mm connection male faston 4-pole		
For models:	131004, 131006, 131007, 131008, 131009, 131201, 131202, 131203, 131204, 131205, 131206, 131207, 131208, 131209, 131210, 132003, 132004, 132201, 132202, 132203, 132204		

1

No.	300239	Ref. No.	CR0581810
description	operation switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	146002, 146006		

MAG-PRO



1

No.	347778	**Ref. No.**	3000001
description	rotary switch 4 operating positions sequence 0-1-2-3 13A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 250V plastic open A+1, B+3 A+1, B+4 A+2, B+4 shaft round ambient temperature max. 150°C		
For models:	221011, 221012, 221019, 221020		

5 operating positions



1

No.	347191	**Ref. No.**	R65080020
description	cam switch 5 operating positions 9NO sequence 1-0-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	212002, 212003, 212004, 212006, 212008, 212017, 212019		

6 operating positions

1

No.	301714	**Ref. No.**	401505100
description	cam switch 6 operating positions 3-pole		
For models:	111001, 112001, 112002		

with potentiometer



1

No.	300249	**Ref. No.**	100133
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw 10K/J cable lengthmm 10kOhm ceramic		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	300199	**Ref. No.**	100108
description	operation switch 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 10K/J 2-pole with potentiometer		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	300252	**Ref. No.**	CR0737320
description	potentiometer 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection coded plug cable length 1420mm 10kOhm 12V with cable and indicator light		
For models:	141017, 141018, 141019		

operation switches

1

No.	300002	**Ref. No.**	6A046001 826630150 BN6A046001
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	133004, 133005, 133006, 133016, 133017, 133018, 133019, 133020, 133021, 141005, 141007, 141013, 141016, 141021, 144010		

1

No.	300080	**Ref. No.**	710300 MA710300
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
For models:	123110, 123111, 123112, 123113, 123114, 123115, 123118, 123119, 123120, 127102, 127103		
accessories for	300080		

No.	551456	Ref. No.	—
gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white			

MAG-PRO



1

No.	300180	**Ref. No.**	CR0686110
description	cam switch 2 operating positions operation switch 32A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	143017, 143018, 143019, 143020, 143027, 143028, 143029, 143030, 143031, 143032		

1

No.	301095	**Ref. No.**	PD2455
description	cam switch 4 operating positions operation switch sequence 0-1-2-3 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 270°C		
For models:	221005		

1

No.	300200	**Ref. No.**	6A046000 MA1037313200
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		
For models:	124105, 125101, 125102, 125103, 141020, 144001, 144008, 144009, 144012		

1

No.	300091	**Ref. No.**	401506000
description	operation switch EGO 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	111001, 111002, 111003		

rotary switches

BREMAS

A1600 series

1

No.	347097	**Ref. No.**	120751
description	rotary switch 5 0-1-2-3-4 sets of contacts 4 type CS0169615V 400V 16A shaft ø 5x5mm shaft L 25mm shaft square connection screw		
For models:	SP3		

A1700 series

1

No.	346100	**Ref. No.**	WY18104
description	rotary switch 3 1-0-2 sets of contacts 8 type CS0177412 400V 20A shaft ø 5x5mm shaft L 21mm shaft square connection screw		
For models:	742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		

A2500 series

1

No.	346101	**Ref. No.**	WY18103
description	rotary switch 3 1-0-2 sets of contacts 8 type CS0257412 600V 32A shaft ø 5x5mm shaft L 21mm shaft square connection screw		
For models:	742001, 742002, 742003, 742004		

CA040V series

1

No.	348052[1]	**Ref. No.**	WY18105
description	rotary switch sets of contacts 8 3 1-0-2 type CA0407412V 600V 40A shaft ø 5x5mm shaft L 21mm shaft square incl. rubber protection and knob connection screw		
For models:	742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		

[1]incl. rubber protection and knob

MAG-PRO

accessories

1

No.	527259	**Ref. No.**	WY15271
description	knob push-in ø 34/60mm shaft ø 5x5mm black H 21.4mm L 49mm		
For models:	742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		

GIOVENZANA

rotary switches

1

No.	347634	**Ref. No.**	5320080
description	rotary switch 2 0-1 sets of contacts 4 type A87AZ69004 690V 20A shaft ø 8x8mm shaft L 15mm shaft star-shaped connection screw		
spare parts for	347634		
	No.	347651	Ref. No. —
	knob with bezel dimensions 48x48mm display 0-I ømm shaftmm shaft diametermm for rotary switch		

KRAUS & NAIMER

rotary switches

1

No.	345431	**Ref. No.**	8301310
description	rotary switch 2 0-1 sets of contacts 4 type 9A003PL-2V 400V 2A shaft ø 6mm shaft L 17mm shaft star-shaped connection screw		
For models:	512002, 512003, 512004		

LEGRAND

1

No.	347597	**Ref. No.**	101005
description			
For models:	531028, 531029, 531030, 531031		

MOELLER/EATON

1

No.	346588	**Ref. No.**	SL2743
description	rotary switch 2 1-2 sets of contacts 8 type T0-4-969I/E 400V 16A shaft ø 5.8x6.9mm shaft L 26.8mm shaft star-shaped connection screw		
For models:	512010, 512011, 512012, 512013, 512014, 512015, 512016, 512017, 512018, 512019, 512020, 512021, 512022		

TECNOMATIC

1

No.	348152	**Ref. No.**	MF2365
description	rotary switch 1-0-2 momentary 3 type HD1237R922 600V 12A shaft ø 5x5mm shaft L 22mm		
For models:	421001		

1

No.	346239	**Ref. No.**	MF2365 (old version)
description	rotary switch 3 1-0-2 momentary sets of contacts 5 type HD1237R921-L5 600V 12A shaft ø 6mm shaft L 22mm shaft round connection male faston 6.3mm		

1

No.	346238	**Ref. No.**	MF2364
description	rotary switch 3 1-0-2 momentary sets of contacts 6 type HD1249R922 600V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw		
For models:	421001		

producer-specific rotary switches

DIHR / KROMO



1

No.	345896	**Ref. No.**	0065736 0065788
description	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs		

MAG-PRO

miscellaneous

1

No.	347734	**Ref. No.**	PF7070E-21A PI-B101 PIB101
description	rotary switch sets of contacts 2 2 0-1 type CA20A201 690V 25A shaft ø 5.8mm shaft L 27mm shaft star-shaped complete connection screw		
For models:	531034, 531039, 531040, 531046		

1

No.	347040	**Ref. No.**	0220060
description	rotary switch sets of contacts 3 2 0-1 momentary type 400V 32A shaft ø 5x5mm shaft Lmm connection screw		
For models:	442006, 442008		

accessories

levers

1

No.	347041	**Ref. No.**	0220065
description	knob 2 0-1 typeVA shaft ømm shaft Lmm connection for rotary switch		
For models:	442006, 442008		

symbol labels

1

No.	345793	**Ref. No.**	WY29068
description	symbol label 0 up to 1 L 58.5mm W 58.5mm bore ø 10mm mounting distance 20mm		
For models:	742001, 742002, 742003, 742004		

1

No.	345794	**Ref. No.**	WY29067
description	symbol label 1-0-2 L 58.5mm W 58.5mm bore ø 10mm mounting distance 20mm		
For models:	742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		

foot switches

1

No.	347735	**Ref. No.**	510002
description	foot switch		

1

No.	346841	**Ref. No.**	510001
description	foot switch 1CO		

touch sensitive light switches

1

No.	346388	**Ref. No.**	R65260750
description	touch sensitive light switch 1NOVA for combi-steamer L 47mm W 20mm H 30mm		
For models:	212002, 212003, 212010, 212011, 212012, 212013		

magnetic switches

23x14mm



1

No.	346106	**Ref. No.**	WY18255000
description	magnetic switch L 23mm W 13.9mm 1NO 90V 0.5A P max. 10W cable length 500mm mounting distance 14mm		
For models:	742005		

MAG-PRO

29x19mm

1



No.	347030[1]	**Ref. No.**	251860
description	magnetic switch L 29mm W 19mm 1NO 250V cable length 360mm		
For models:	743001		

[1]with coded connector

36x13mm

1



No.	345335	**Ref. No.**	995405 IV5820000 MF2362
description	magnetic switch L 36mm W 13mm 1NO 250V 0.04A P max. 10W connection cable cable length 960mm		
For models:	433001, 433002, 481001, 671004, 671005, 671007, 671008		
accessories for	345335		
	No. 519049	Ref. No.	—
	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		

1



No.	345118[1]	**Ref. No.**	211002
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection cable cable length 980mm		
For models:	811001, 811002, 811003, 812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 813001, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		
accessories for	345118		
	No. 345399	Ref. No.	927088
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

[1]with coded connector

40x13mm

1



No.	345358	**Ref. No.**	120356
description	magnetic switch L 40mm W 13mm 1NO 250V 0.04A P max. 10W connection cable cable length 900mm		
For models:	SP1, SP2-12, SP2-S12		

1

No.	300273	**Ref. No.**	LF1010005
description	magnetic switch L 40mm W 13mm 1NO 250V 1A P max. 50W connection cable cable length 1180mm		
For models:	431001		

65x20mm

1



No.	345116	**Ref. No.**	120348
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
For models:	SP3		
accessories for	345116		
	No. 345399	Ref. No.	927088
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

ø 4mm

1

No.	347049	**Ref. No.**	I3647
description	magnetic switch 24V 0.5A P max. 12W probe L 20mm 1NO		
For models:	411018		

ø 6mm

1

No.	347044[1]	**Ref. No.**	95.16.26
description	magnetic switch 200V 0.1A P max. 10W probe L 26mm 1NO connection coded plug cable length 490mm		
For models:	745002		

[1]with coded connector

1

No.	345967	**Ref. No.**	RG04094
description	magnetic switch 250V 1A P max. 50W probe L 29mm 1NO connection cable cable length 3000mm		
For models:	451001		

1

No.	347461	**Ref. No.**	01-240288-001
description	magnetic switch 28V 0.5A P max. 15W probe L 26mm 1NO connection coded plug cable length 280mm		
For models:	811011, 811012, 811013, 811014, 811015, 812011, 812012, 812013, 812014, 812015, 813002, 813003, 813004		
accessories for	347461		
	No. 524661	Ref. No.	00-883838-001
	bracket for magnetic switch L 34.5mm W 26mm H 9mm		

M8x0.75



1

No.	345631	**Ref. No.**	RG04224
description	magnetic switch thread M8x0.75 1NO 250V 1A P max. 50W connection cable cable length 2000mm		
For models:	451001		

M10x0.75

1

No.	348182	**Ref. No.**	00005771 00010510
description	magnetic switch thread M10x0.75 1NO 250V 0.04A cable length 570mm L 40mm		
For models:	212034, 212035, 212036, 212037, 212038, 212039, 212040, 212041		

MAG-PRO



1

No.	345632	Ref. No.	32W3240 IV5820510
description	magnetic switch thread M10x0.75 1NO 250V 0.5A P max. 50W connection cable cable length 2000mm type 102		
For models:	421003, 451003, 451004, 471003, 471004, 481004		
accessories for	345632		

No.	100779	Ref. No.	—
nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs			

miscellaneous

1

No.	401961	Ref. No.	R66110300
description	magnetic switch door contact		
For models:	212002, 212003		

accessories

magnets

1

No.	691503	Ref. No.	X05.30.099.00
description	magnet for door		
For models:	541003		

1

No.	510257	Ref. No.	411002
description	magnet L 24mm with hole W 12mm		
For models:	SP3		
accessories for	510257		

No.	346075	Ref. No.	190806
magnet holder			

1

No.	691178	Ref. No.	IB5823050
description	magnet ø 22mm Lmm H 7mm Wmm ED ø 22mm M5		
For models:	451001		



1

No.	345399	Ref. No.	927088
description	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		
For models:	813001		



1

No.	345336	Ref. No.	IV5820050
description	magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		
For models:	431001, 481001		

1

No.	346953	Ref. No.	999108
description	magnet ømm L 23mm H 17mm W 18mm M6 hole ø 6.5mm		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915461, 915462, 915464, 915465		

1

No.	691490	Ref. No.	7424266
description	magnet ømm L 29.5mm H 7mm W 28.5mm hole distance 13mm		
For models:	621014, 622009, 622012, 622014		

MAG-PRO

1

No.	347881	**Ref. No.**	411004
description	magnet ømm L 35mm H 6mm W 11mm		
For models:	SP2-12, SP2-S12		



1

No.	345398	**Ref. No.**	RG04146
description	magnet ømm L 36mm H 8mm W 13mm hole distance 20mm M3 hole ø 3mm		
For models:	451001		

magnetic holders

1

No.	346075	**Ref. No.**	190806
description	magnet holder		
For models:	SP3		
accessories for	346075		

No.	510257	Ref. No.	411002
magnet L 24mm with hole W 12mm			

miscellaneous

1

No.	524661	**Ref. No.**	00-883838-001
description	bracket for magnetic switch L 34.5mm W 26mm H 9mm		
For models:	811011, 811012, 811013, 811014, 811015, 812011, 812012, 812013, 812014, 812015, 813002, 813003, 813004		

control equipment

MOELLER/EATON

switch blocks

1

No.	346292	**Ref. No.**	50MAA78015
description	contact block screw 1NO		
For models:	481003		

1

No.	346293	**Ref. No.**	50MAA78014
description	contact block holder triple		
For models:	481003		

switches (complete)

push/momentary push switches

1

No.	346587	**Ref. No.**	SL0807
description	momentary push switch mounting measurements ø22mm black 1NC OFF momentary		
For models:	512010, 512011, 512012, 512013, 512014, 512015, 512016, 512017, 512018, 512019, 512020, 512021, 512022		

1

No.	347643	**Ref. No.**	SA1088
description	momentary push switch mounting measurements ø22mm black 1NO/1CO tipping momentary		
For models:	451003, 451004		

1

No.	346585	**Ref. No.**	SL1049
description	momentary push switch mounting measurements ø22mm white 1NO I momentary		
For models:	512010, 512011, 512012, 512013, 512014, 512015, 512016, 512017, 512018, 512019, 512020, 512021, 512022		

MAG-PRO

ABB

ø22mm

switches (complete)

1

No.	347153	**Ref. No.**	0220006
description	push switch mounting measurements ø22mm black 2NO 300V 5A connection screw ambient temperature max. 85°C protection IP40		
For models:	442010		

special

ø22mm

switches (complete)

1

No.	347036	**Ref. No.**	0220017
description	push switch mounting measurements ø22mm 2NO 230V main switch clear connection screw 6A protection IP40 ambient temperature max. 55°C		
accessories for	347036		

No.	347038	Ref. No.	0220042
protection cap for pressure switch			

button plates

1

No.	347038	**Ref. No.**	0220042
description	protection cap for pressure switch		

GIOVENZANA

switches (complete)

1

No.	346490	**Ref. No.**	RG04300 RG04300+RG04328
description	emergency stop switch mounting measurements ø22mm red 1NC complete		
For models:	451001		

1

No.	401357	**Ref. No.**	MF2138
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-I connection screw ambient temperature max. 125/55°C protection IP40		
For models:	422001, 433001, 433002		
spare parts for	401357		

No.	346181	Ref. No.	—
push button mounting ø 21mm external size 30x55mm oval			
accessories for	401357		

No.	401709	Ref. No.	—
protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm			

1

No.	346545	**Ref. No.**	RG04356
description	push button mounting measurements ø22mm green 1NO complete with protecting cover		
For models:	451001		

1

No.	346513	**Ref. No.**	LF1010705 RG04354
description	push button mounting measurements ø22mm red 1NC complete with protecting cover		
For models:	451001		

TELEMECANIQUE (EFA)

XA2 series

switches (complete)

1

No.	345435	**Ref. No.**	8301060
description	momentary push switch mounting measurements ø22mm 1NO		
For models:	512002, 512003, 512004		

MAG-PRO

1

No.	345461	**Ref. No.**	8301050
description	mushroom switch mounting measurements ø22mm 1NC EMERGENCY SHUT-DOWN		
For models:	512002, 512003, 512004		
spare parts for	345461		
	No. 345221	Ref. No.	—
	contact block EFA ZB2BE102 1NC max 230V 10(6)A black		
	No. 346660	Ref. No.	—
	contact block holder		
accessories for	345461		
	No. 345220	Ref. No.	—
	contact block EFA ZB2BE101 1NO max 230V 10(6)A black		

miscellaneous

1

No.	347037	**Ref. No.**	0220005
description	push switch mounting measurements ø22mm black 2NO 10A		
For models:	442003, 442004, 442005, 442006, 442008		

encoders and potentiometers



1

No.	300249	**Ref. No.**	100133
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw 10K/J cable lengthmm 10kOhm ceramic		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	401338	**Ref. No.**	R65301450
description	encoder		
For models:	212001, 212002, 212003		

1

No.	403843	**Ref. No.**	SCH30006
description	encoder complete auxiliary equipment		
For models:	212024, 212025		

1

No.	401677	**Ref. No.**	DPWBFC373WRKZ
description	encoder for microwaves		
For models:	213002, 213003		

1

No.	401678	**Ref. No.**	RVR-BA018WRE0
description	encoder for microwaves		
For models:	213003		

1

No.	403084	**Ref. No.**	R65301940
description	encoder shaft L 18mm cable length 200mm shaft 6x4.6mm		
For models:	212005, 212007, 212009, 212010, 212011, 212012, 212013, 212018, 212020		

1

No.	300199	**Ref. No.**	100108
description	operation switch 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 10K/J 2-pole with potentiometer		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	401953	**Ref. No.**	IB5944010
description	PCB hand blenders VORTEX with potentiometer 230V		

MAG-PRO

1

No.	300362	Ref. No.	19414060N IB5940920
description	potentiometer 0.1KOhm rotation 270° shaft ø 6mm confectioned shaft L 42mm thread M10 cable length 28mm Orione		
For models:	471001, 721004		

1

No.	300227	Ref. No.	IB5940011
description	potentiometer 0.1KOhm rotation 270° shaft ø 6mm shaft L 42mm thread M10 cable length 600mm		

1

No.	402057	Ref. No.	02.13.338.00 02.13.340.00 X02.13.330.00
description	potentiometer 0.5KOhm rotation 320° shaft ø 6mm shaft L 12.8mm 25W 230V type FVR25W cable length 150mm		
For models:	222004, 222005		
accessories for	402057		

No.	112939	Ref. No.	X05.30.093.00 X05.30.098.00
knob switch zero mark ø 45mm shaft ø 6mm			

1

No.	300225	Ref. No.	FT08060
description	potentiometer 10KOhm		

1

No.	300252	Ref. No.	CR0737320
description	potentiometer 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection coded plug cable length 1420mm 10kOhm 12V with cable and indicator light		
For models:	141017, 141018, 141019		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø 6mm (type SQ-20)

1

No.	359806	Ref. No.	130707
description	indicator light lens clear Qty 1 pcs ø 6mm		
For models:	SP1, SP2-12, SP2-S12, SP3		

1

No.	359803	Ref. No.	660801201
description	indicator light lens green Qty 1 pcs ø 6mm		
For models:	221017, 221018		

ø 8mm (type RL-2)

1

No.	359819	Ref. No.	00002360
description	indicator light lens green Qty 1 pcs ø 8mm		
For models:	211038, 211039, 211045, 211046, 212034, 212036, 212038, 212040		

1

No.	359820	Ref. No.	00002350
description	indicator light lens yellow Qty 1 pcs ø 8mm		
For models:	211038, 211039, 211045, 211046, 212034, 212036, 212038, 212040		

ø10mm (type SRZ-2)

1

No.	359358	Ref. No.	EL00200
description	indicator light housings mounting measurements ø10mm orange square		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

MAG-PRO

ø10mm (type SRZ-3)

1

No.	359228	**Ref. No.**	6A039207 bis 2009
description	indicator light housings mounting measurements ø10mm clear round Qty 1 pcs		

1

No.	359123	**Ref. No.**	6A038507 bis 2009
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
accessories for	359123		
	No. 359132	Ref. No.	EL00300
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

1

No.	359125	**Ref. No.**	6A038907 bis 2009
description	indicator light housings mounting measurements ø10mm red round Qty 1 pcs		

indicator lamps for socket type SQ

1

No.	359801	**Ref. No.**	130182
description	indicator lamp 12V white connection male faston 6.3mm no lens ø 6mm		
For models:	SP1, SP2-12, SP2-S12		

1

No.	359109	**Ref. No.**	130188 660801101
description	indicator lamp 230V green connection male faston 6.3mm no lens ø 6mm		
For models:	221017, 221018, SP1, SP2-12, SP2-S12		
accessories for	359109		
	No. 359806	Ref. No.	130707
	indicator light lens clear Qty 1 pcs ø 6mm		

1

No.	347476	**Ref. No.**	130196
description	indicator light 5V green connection cable 170mm		
For models:	SP3		
accessories for	347476		
	No. 359806	Ref. No.	130707
	indicator light lens clear Qty 1 pcs ø 6mm		

indicator lamps for socket type RL

1

No.	359818	**Ref. No.**	01200330
description	indicator light 230V clear connection male faston 6.3mm		
For models:	211038, 211039, 211045, 211046, 212034, 212036, 212038, 212040		
accessories for	359818		
	No. 359820	Ref. No.	00002350
	indicator light lens yellow Qty 1 pcs ø 8mm		
	No. 359833	Ref. No.	—
	indicator light lens red Qty 1 pcs ø 8mm		
	No. 359948	Ref. No.	—
	indicator light lens clear Qty 1 pcs ø 8mm		

1

No.	359817	**Ref. No.**	01200340
description	indicator light 230V green connection male faston 6.3mm		
For models:	211038, 211039, 211045, 211046, 212034, 212036, 212038, 212040		
accessories for	359817		
	No. 359819	Ref. No.	00002360
	indicator light lens green Qty 1 pcs ø 8mm		

indicator lamps for socket type SA / SC / SD / SF / SR

1

No.	359520	**Ref. No.**	LAMPA002
description	indicator lamp 400V green connection cable 400mm cable material silicone Qty 1 pcs		
For models:	530009, 530010, 530011, 530012, 531020, 531021, 531022, 531023		

1

No.	359522	**Ref. No.**	41826650050
description	indicator lamp 400V green connection male faston 6.3mm Qty 1 pcs		
For models:	131001, 131002, 131003, 131004, 131005, 131006, 131007, 131008, 131009, 131010, 131201, 131202, 131203, 131204, 131205, 131206, 131207, 131208, 131209, 131210, 132001, 132002, 132003, 132004, 132201, 132202, 132203, 132204, 132205, 132206, 133004, 133005, 133006, 133016, 133017, 133018, 133019, 133020, 133021, 133024, 133106, 133119, 133203, 133204, 133205, 133206, 133209, 133210, 133211, 133212...(Other models you can see in the webshop)		

MAG-PRO

indicator lamps for socket type SRZ / SDK / SDY / SFK

1

No.	359430	**Ref. No.**	PT0118
description	indicator lamp 230V clear connection cable 400mm		
accessories for	359430		

No.	359260	Ref. No.	—
indicator light housings mounting measurements ø12mm yellow round Qty 1 pcs			

1

No.	359131	**Ref. No.**	6A038506
description	indicator lamp 400V clear connection male faston 6.3mm		
For models:	131003, 131004, 131005, 131006, 131007, 131008, 131009, 131201, 131202, 131203, 131204, 131205, 131206, 131207, 131208, 131209, 131210, 132003, 132004, 132201, 132202, 132203, 132204, 132205, 132206, 133004, 133005, 133006, 133016, 133017, 133018, 133019, 133020, 133021, 133024, 133106, 133119, 133203, 133204, 133205, 133206, 133209, 133210, 133211, 133212, 133213, 133214, 133215, 133216, 133217...(Other models you can see in the webshop)		

1

No.	359132	**Ref. No.**	EL00300
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

indicator lights (complete)

ø 6mm

1

No.	359005	**Ref. No.**	216003 216025
description	indicator light ø 6mm 230V yellow cable length 400mm		
For models:	811001, 811002, 811003, 812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 813001, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

1

No.	359031	**Ref. No.**	130157 IND30001
description	indicator light ø 6mm 230V green		
For models:	211005, 211006, 211010, 211014, 211015, 211016, 211018, 212015, 212016, SP3		

1

No.	359032	**Ref. No.**	IND30002
description	indicator light ø 6mm 230V yellow		
For models:	211004, 211005, 211006, 211010, 211011, 211012, 211013, 211014, 211015, 211016, 211017, 211018, 211023, 211024, 211028, 212014, 212015, 212016, 215001, 215002, 215003, 215004, 215005, 215006		

ø 8mm

1

No.	359906	**Ref. No.**	100128
description	indicator light ø 8mm 230V clear cable length 600mm		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

ø10mm

with screw socket

1

No.	359872	**Ref. No.**	01143569
description	indicator light ø 10mm 230V red connection male faston 4.8mm socket screw base		

1

No.	359380	**Ref. No.**	CR0682520
description	indicator light ø 10mm 230V red connection male faston 6.3mm socket screw base		
For models:	141014, 141015, 141016, 146006, 146007		

1

No.	359379	**Ref. No.**	CR0587500
description	indicator light ø 10mm 230V yellow connection male faston 6.3mm socket screw base		
For models:	121101, 121104, 121106, 122103, 122104, 122105, 122106, 122110, 123110, 123111, 123112, 123113, 123114, 123115, 123118, 123119, 123120, 124101, 124102, 124105, 125101, 125102, 125103, 126101, 126103, 127102, 127103, 141005, 141007, 141013, 141014, 141015, 141016, 141021, 143017, 143018, 143019, 143020, 143021, 143022, 143023, 143024, 143025, 143026, 143027, 143028, 143029, 143030, 143031, 143032...(Other models you can see in the webshop)		

1

No.	357001	**Ref. No.**	IGS716033
description	indicator light ø 10mm 230V yellow/red temp.-resist. 120°C with protecting cover		

MAG-PRO

1

No.	359986	**Ref. No.**	IGS716023
description	indicator light ø 10mm 250V yellow connection male faston 6.3mm		

1

No.	359400	**Ref. No.**	CR-B117 KO-B119 KOB119 PI-B118 PIB118 WFB113 WY21011 WY83210010R
description	indicator light ø 10mm 230V green		
For models:	223007, 223008, 225009, 255009, 255012, 255013, 255014, 531034, 531039, 531040, 742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		

1

No.	359401	**Ref. No.**	CR-B101 CR-B104 KO-B101 KOB101 WFB101
description	indicator light ø 10mm 230V red		
For models:	223007, 223008, 225009, 255009, 255012, 255013, 255014		

1

No.	360481	**Ref. No.**	101003
description	indicator light ø 10mm 250V green cable length 300mm socket screw base		
For models:	531028, 531029, 531030, 531031		

with plug-in socket

1

No.	359036	**Ref. No.**	1037300810
description	indicator light ø 10mm clear 230V connection male faston 6.3mm Qty 1 pcs		

1

No.	359422	**Ref. No.**	671002
description	indicator light ø 10mm green 12V connection male faston 2.8mm Qty 1 pcs		
For models:	741003		

1

No.	359139	**Ref. No.**	401515100 401515150
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	111001, 111002, 111003, 112001, 112002, 222002, 222003, 261001, 261002, 276001, 279001, 535001, 535002, 535004, HD3NK		

1

No.	359138	**Ref. No.**	MF2192
description	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs		
For models:	421001, 422001, 433001, 433002		

1

No.	359140	**Ref. No.**	1037300910 401515200 401515250 671026 IB5846400 MC2854000
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	111001, 111002, 111003, 113003, 113004, 113005, 113006, 113011, 113012, 113013, 113014, 114003, 115001, 115002, 116001, 116002, 221006, 222002, 222003, 245003, 535001, 535002, 535004, 541001, 541002, 741001, 741002, 741003, 913114, 913115, 913116, 913117, 914103, 914105, 914107, 914109, 914114, 914116, 914118, 914120, 914121, 914122, 914123, 914124, 955001, 955002, 955003, 955004		

ø12mm

with screw socket

1

No.	359994	**Ref. No.**	6A039207
description	indicator light ø 12mm 400V clear connection male faston 6.3mm		
For models:	131001, 131002, 131003, 131004, 131005, 131006, 131007, 131008, 131009, 131010, 131201, 131202, 131203, 131204, 131205, 131206, 131207, 131208, 131209, 131210, 132001, 132002, 132003, 132004, 132201, 132202, 132203, 132204, 133004, 133005, 133006, 133016, 133017, 133018, 133019, 133020, 133021, 133024, 133106, 133119, 133203, 133204, 133205, 133206, 133209, 133210, 133211, 133212, 133213, 133214...(Other models you can see in the webshop)		

with plug-in socket

1

No.	359041	**Ref. No.**	X02.19.175.00 X02.19.182.00
description	indicator light ø 12mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	222004, 222005, 541003		

MAG-PRO

1

No.	359043	Ref. No.	X02.19.176.00 X02.19.181.00
description	indicator light ø 12mm red 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	222004, 222005, 541003		

ø12.5mm

1

No.	357009	Ref. No.	02.19.150.00
description	indicator light ø 12.5mm 230V green connection male faston 4.8mm		
For models:	276003, 276004, 276005, 276006, 276007, 276008, 276009, 276010		

ø13mm

with screw socket

1

No.	359145	Ref. No.	826650020
description	indicator light ø 13mm 230V green t.max. 120°C		
For models:	131007, 131008, 131009, 131011, 131012, 132003, 132004, 132005, 132006, 132205, 132206, 133004, 133005, 133006, 133016, 133017, 133018, 133019, 133020, 133021, 135001, 135002, 135003, 135004, 136002, 136202, 137001, 137003, 137004, 137201		
accessories for	359145		

No.	510302	Ref. No.	0P.P077.00.00

O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs

No.	511505	Ref. No.	—

O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs

1

No.	359146	Ref. No.	826650030
description	indicator light ø 13mm 230V yellow		
For models:	133004, 133005, 133006, 133016, 133017, 133018, 133019, 133020, 133021, 135001, 135002, 135003, 135004, 137001, 137003, 137004, 137201		
accessories for	359146		

No.	510302	Ref. No.	0P.P077.00.00

O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs

No.	511505	Ref. No.	—

O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs

with plug-in socket

1

No.	359143	Ref. No.	122-2004 74420520
description	indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	244012, 531001, 531002, 531003, 531004, 531005, 531006, 531007, 531008		

1

No.	357010	Ref. No.	0AT93615 A0AT93615
description	indicator light ø 13mm green clock		
For models:	221007		

ø16mm

with screw socket

1

No.	359835	Ref. No.	PD414K
description	indicator light ø 16mm 230V green connection male faston 6.3mm		
For models:	221005, 234001, 234002, 234005		
accessories for	359835		

No.	550559	Ref. No.	—

nut thread M16x1 H 5.5mm WS 19

1

No.	359834	Ref. No.	PD414J
description	indicator light ø 16mm 230V yellow connection male faston 6.3mm temp.-resist. 120°C		
For models:	221005, 234001, 234002, 234005		
accessories for	359834		

No.	550559	Ref. No.	—

nut thread M16x1 H 5.5mm WS 19

with plug-in socket

1

No.	359788	Ref. No.	R65270160
description	indicator light ø 16mm 230V green connection male faston 6.3mm		
For models:	212002, 212003		

MAG-PRO

1

No.	359789	**Ref. No.**	R65270150
description	indicator light ø 16mm 230V yellow connection male faston 6.3mm		
For models:	212002, 212003		

30x11mm

1

No.	359160	**Ref. No.**	1029727
description	indicator light mounting measurements 30x11mm 230V green connection male faston 6.3mm rectangular temp.-resist. 125°C		
For models:	741001		

30x22mm

1

No.	359164	**Ref. No.**	637082100
description	indicator light mounting measurements 30x22mm 230V green/white connection male faston 6.3mm temp.-resist. 125°C		
For models:	223002, 262001		

1

No.	301138	**Ref. No.**	401510000
description	indicator light mounting measurements 30x22mm 230V red/green connection male faston 6.3mm temp.-resist. 125/55°C type RL2		
For models:	114001, 114002, 221001, 221002, 221003, 221004, 243001, 243002, 243005, 244001, 244002, 244003, 244004, 244005, 244006, 244007, 244008, 244009, 244010, 244021, 245001, 245002, 245004, 245005, 245007, 245008, 255001, 255002, 255003, 255004, 255006, 255007, 262002, 262003, 272001, 272002		

miscellaneous

1

No.	357012	**Ref. No.**	KVE007
description	indicator lamps set mounting measurements 20.6x16.4mm green 230V connection male faston 6.3mm ø 20.6x16.4mm socket male faston 6.3mm		

1

No.	359851	**Ref. No.**	KODK006
description	indicator light mounting measurements 32.5x8.5mm white 230V		

LED

indicator lamps

mounting diameter 6mm

1

No.	359404	**Ref. No.**	216028
description	indicator light LED mounting ø 6mm 5VDC green connection cable 200mm 2mA		
For models:	813001		

1

No.	358098	**Ref. No.**	216029
description	indicator light LED mounting ø 6mm 5VDC yellow connection cable 200mm 2mA		
For models:	813001		

miscellaneous

1

No.	400538	**Ref. No.**	WY21024 WY22625
description	indicator light LED red mounting thread M8x0.75 ø 5mm		
For models:	742001, 742002, 742003, 742004		

screw-on/push-on fit

light bulbs

for ovens

1

No.	359610	**Ref. No.**	IB5946010
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	541001, 541002		

MAG-PRO

1

No.	359612	**Ref. No.**	101010 74420260 PF7070E-15 PI-B102 PIB102
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	531001, 531002, 531003, 531004, 531005, 531006, 531007, 531008, 531028, 531029, 531030, 531031, 531034, 531039, 531040, 531046		

halogen lamp

for socket E14 / E27

1

No.	359728	**Ref. No.**	EL06600
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

for socket G4 / G6.35 / G9

1

No.	359599	**Ref. No.**	R65270020
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	212002, 212003, 212010, 212011, 212012, 212013		

1

No.	359074	**Ref. No.**	01201470
description	halogen lamp socket G6.35 12V 35W temp.-resist. 500°C		
For models:	212038, 212039, 212040, 212041		

1

No.	359946	**Ref. No.**	VE1005A1
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C		
For models:	211003		

linear lamps

infrared lamps

with base type R7s

1

No.	357019	**Ref. No.**	74751020
description	infrared lamp socket R7s L 254mm 235V 500W IMPORT		
For models:	651010		

1

No.	360507[1]	**Ref. No.**	2001000
description	infrared lamp socket R7s L 255mm 240V 1300W ø 10mm gold-plated IMPORT		
For models:	221011, 221012, 221014		

[1]with gold-plating

sockets for linear lamps

R7s

1

No.	359735	**Ref. No.**	74741636
description	lamp socket socket R7s 250V ømm L 16mm W 25mm H 40mm connection cable 230mm mounting distancemm		
For models:	651027, 651028, 651039, 651040, 651041, 651042, 651043, 651044, 651045, 651058, 651060, 651061, 651062, 651063, 651070, 651071, 651082, 651083, 651084, 651085, 651092, 651093, 651094, 651095, 651096, 651130, 651131		

1

No.	357234	**Ref. No.**	74741632
description	lamp socket socket R7s ø 18mm H 27mm connection cable 2000mm mounting distancemm mounting thread M14x1 cable material PTFE Qty 1 pcs		
For models:	651020, 651021, 651022, 651023, 651024		

hard-glass infrared lamps

1

No.	358097	**Ref. No.**	71.40.06
description	infrared lamp socket E27 240V 250W ø 125mm L 173mm type BR125 clear hard glas		
For models:	274003, 274004, 274005, 274006, 274007		

MAG-PRO

1

No.	359463	Ref. No.	71.40.05 SL0681
description	infrared lamp socket E27 240V 250W ø 125mm L 173mm type BR125 red hard glas		
For models:	274003, 274004, 274006, 274007, 279003, 279004		

fluorescent lamps

fluorescent lamps

G13

1

No.	357008	Ref. No.	877016000
description	fluorescent lamp socket G13 L 1198mm 36W 230V Qty 1 pcs		
For models:	644011, 644012		

1

No.	359386	Ref. No.	877010700
description	fluorescent lamp socket G13 L 1198mm 36W 230V Qty 1 pcs		
For models:	641003, 641005, 641007, 641011, 641015, 644010, 644011, 644012		

1

No.	359390	Ref. No.	877016600
description	fluorescent lamp socket G13 L 1500mm 58W 230V Qty 1 pcs		
For models:	641006, 641008, 641012, 641016		

1

No.	359383	Ref. No.	877010200
description	fluorescent lamp socket G13 L 438mm 15W 230V Qty 1 pcs light colour 640		

1

No.	359371	Ref. No.	877010400
description	fluorescent lamp socket G13 L 590mm 18W 230V Qty 1 pcs		
For models:	641001		

1

No.	359372	Ref. No.	877010500
description	fluorescent lamp socket G13 L 895mm 30W 230V Qty 1 pcs		
For models:	644006		

1

No.	357007	Ref. No.	877016300
description	fluorescent lamp socket G13 L 895mm 30W ø 27mm 230V Qty 1 pcs		
For models:	644010		
accessories for	357007		
	No.	380464	Ref. No. 877003100
	starter 4-65W		

accessories for	357007		
	No.	401505	Ref. No. 877000500
	electrical ballast 36W 230V Qty 1 pcs		
	No.	402065	Ref. No. 877000400
	electrical ballast 30W 230V for fluorescent lamps Qty 1 pcs		

1

No.	359738	Ref. No.	877016700
description	fluorescent lamp socket G13 L 970mm 23W 230V Qty 1 pcs		
For models:	641002, 641004, 641009, 641010, 641013, 641014, 641017		

accessories

starter

1

No.	380464	Ref. No.	877003100
description	starter 4-65W		
For models:	641001, 641002, 641003, 641004, 641005, 641006, 641007, 641008, 641009, 641010, 641011, 641012, 641013, 641014, 641015, 641016, 641017, 644010, 644011, 644012		

ballasts

1

No.	402063	Ref. No.	877000100
description	electrical ballast 15W 230V for fluorescent lamps Qty 1 pcs		

1

No.	401504	Ref. No.	877000200
description	electrical ballast 18W 230V Qty 1 pcs		
For models:	641001		

1

No.	402064	Ref. No.	877000300
description	electrical ballast 25W 230V Qty 1 pcs		
For models:	641002, 641004, 641009, 641010, 641013, 641014, 641017		

MAG-PRO

1

No.	402065	Ref. No.	877000400
description	electrical ballast 30W 230V for fluorescent lamps Qty 1 pcs		
For models:	644006, 644010		

1

No.	401505	Ref. No.	877000500
description	electrical ballast 36W 230V Qty 1 pcs		
For models:	641003, 641005, 641007, 641011, 641015, 644011, 644012		

1

No.	402066	Ref. No.	877000800
description	electrical ballast 58W 230V for fluorescent lamps Qty 1 pcs		
For models:	641006, 641008, 641012, 641016		

covers

1

No.	551020	Ref. No.	877030500
description	protection cap for fluorescent lamps ø 30mm		
For models:	644010, 644011, 644012		

protective tube

1

No.	550614	Ref. No.	127113400
description	protection pipe for fluorescent lamps L 1195mm ømm		
For models:	644010, 644011, 644012		

1

No.	550613	Ref. No.	870736300
description	protection pipe for fluorescent lamps ø 28.7mm L 1180mm Qty 1 pcs		
For models:	641003, 641005, 641007, 641011, 641015, 644011, 644012		

1

No.	550612	Ref. No.	870736100
description	protection pipe for fluorescent lamps ø 28.7mm L 875mm Qty 1 pcs		
For models:	644010		

fridge lamps

1

No.	359595	Ref. No.	1640403 BN1640403
description	light bulb socket E14 15W 230-240V ø 25mm L 56mm lens L 30mm Qty 1 pcs		
For models:	201780, 621007, 621020, 621021, 622005, 622020, 622021		

producer-specific fridge lamps

POLARIS

1

No.	550070	Ref. No.	165705
description	lamp socket socket E14		
For models:	201780, 621007, 622005		

microwave lamps

light bulbs

1

No.	359549	Ref. No.	RLMPTA028WRE0 RLMPTA078WRE0
description	light bulb socket E14 220-240V 25W ø 25mm L 60mm Qty 1 pcs for microwave		
For models:	213001, 213002, 213003		

MAG-PRO

oven lamps

universal oven lamps

mounting diameter 35.5mm

1

No.	359718	**Ref. No.**	00002330 1037317000 IB5846000
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	211038, 541001, 541002		
spare parts for	359718		
	No. 359701	Ref. No.	—
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	No. 359740	Ref. No.	—
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT		

1

No.	359660	**Ref. No.**	LAMPA010
description	oven lamp mounting ø 35.5mm 230V 25W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	530009, 530010, 530011, 530012, 531020, 531021, 531022, 531023		

1

No.	359934	**Ref. No.**	PF5050DE3-15A PI-B102B PIB102B
description	oven lamp mounting ø 35.5mm 230V 25W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	531034, 531039, 531040, 531043		

1

No.	359259	**Ref. No.**	00002720 00002730
description	oven lamp mounting ø 35.5mm 230V 25W socket G9 temp.-resist. 300°C connection cable 380mm hard glas		
For models:	211039, 211042, 211043, 211044, 211045, 211046, 212034, 212035, 212036, 212037		
spare parts for	359259		
	No. 357161	Ref. No.	—
	lamp socket socket G9 220-230V mounting ø 35.5mm connection cable 380mm		

spare parts for	359259		
	No. 358128	Ref. No.	—
	gasket for oven lamp silicone ID ø 30mm ED ø 38mm thickness 2mm		
	No. 359942	Ref. No.	PF9262DE-15C PI-B102A PIB102A
	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		
	No. 359946	Ref. No.	VE1005A1
	halogen lamp socket G9 230V 40W temp.-resist. 300°C		

1

No.	357158	**Ref. No.**	LAM30003-A
description	oven lamp mounting ø 35.5mm 230V 40W socket G9 cable length 100mm connection male faston 6.3mm with gasket		
For models:	211029, 212014, 212015, 212016, 212024, 212025		
spare parts for	357158		
	No. 357160	Ref. No.	VE1015A0
	lamp socket socket G9 220-230V mounting ø 35.5mm connection cable 100mm		
	No. 358135	Ref. No.	—
	gasket for oven lamp PTFE ID ø 44mm ED ø 53mm thickness 3mm with silicone O-ring		
	No. 359705	Ref. No.	—
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
	No. 359946	Ref. No.	VE1005A1
	halogen lamp socket G9 230V 40W temp.-resist. 300°C		

1

No.	357176	**Ref. No.**	LAM30006
description	oven lamp mounting ø 35.5mm 230V 40W socket G9 temp.-resist. 300°C connection cable 100mm hard glas		
For models:	211028		

1

No.	357160	**Ref. No.**	VE1015A0
description	lamp socket socket G9 220-230V mounting ø 35.5mm connection cable 100mm		
For models:	211003		

MAG-PRO

1

No.	359942	Ref. No.	PF9262DE-15C PI-B102A PIB102A
description	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		
For models:	531034, 531039, 531040, 531044		

1

No.	359709	Ref. No.	VE036
description	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		
For models:	211003		

1

No.	359661	Ref. No.	AL20100 VETRO002
description	oven lamp glass thread 32.1 ø 58mm hard glas temp.-resist. 350°C		
For models:	530009, 530010, 530011, 530012, 531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017, 531020, 531021, 531022, 531023		
accessories for	359661		
	No. 359700	Ref. No.	AL26600
	gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm		

1

No.	359700	Ref. No.	AL26600
description	gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

mounting diameter 47.8mm

1

No.	359499	Ref. No.	74700070
description	lamp socket socket E14 mounting ø 47.8mm connection male faston 6.3mm		
For models:	531001, 531002, 531003, 531004, 531005, 531006, 531007, 531008		
accessories for	359499		
	No. 359725	Ref. No.	—
	oven lamp glass thread ø 44mm H 43mm ø 54mm hard glas temp.-resist. 350°C		

mounting diameter 65.5mm

1

No.	359724	Ref. No.	73700690
description	oven lamp glass thread ø 62mm H 46mm ø 74mm hard glas temp.-resist. 350°C		
For models:	531001, 531002, 531003, 531004, 531005, 531006, 531007, 531008		

55x70mm



1

No.	359659	Ref. No.	6111400005 LAM30002
description	oven lamp complete 230V 25W socket E14 L 70mm W 55mm mounting measurements 55x70mm temp.-resist. 300°C connection male faston 6.3mm		
For models:	211004, 211005, 211006, 211010, 211011, 211012, 211013, 211014, 211015, 211016, 211027		

producer-specific oven lamps

COOKMAX

1

No.	359672	Ref. No.	R11401450
description	frame		
For models:	212002, 212003, 212010, 212011, 212012, 212013		

1

No.	359671	Ref. No.	R70044200
description	gasket		
For models:	212002, 212003, 212010, 212011, 212012, 212013		

1

No.	359670	Ref. No.	R71500150
description	lamp glass L 105mm W 40mm thickness 4mm		
For models:	212002, 212003, 212010, 212011, 212012, 212013		

MAG-PRO

1

No.	359674	**Ref. No.**	R65270450
description	lamp socket 24V socket G4 connection cable 100mm ømm H 16mm with 2 hole fixing mounting distance 20mm holder length 26mm Qty 1 pcs		
For models:	212002, 212003, 212010, 212011, 212012, 212013		

1

No.	359500	**Ref. No.**	X02.30.102.00
description	lamp socket 250V socket E27 connection cable 250mm ø 35mm H 38mm mounting distancemm Qty 1 pcs		
For models:	541003		

1

No.	359375	**Ref. No.**	R65270510
description	lamp socket complete without lamp socket E14 mounting measurements 55x70mm		
For models:	212001, 212004, 212005, 212006, 212007, 212008, 212009, 212017, 212018, 212019, 212020		

1

No.	357098	**Ref. No.**	101011
description	lamp socket L 150mm socket E14 H 45mm mounting distance 124mm		
For models:	531028, 531029, 531030, 531031		

1

No.	359639	**Ref. No.**	EL06900
description	lamp socket socket E14 with grip fixing		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

1

No.	359848	**Ref. No.**	02.30.045.00
description	lamp socket socket E27 double for HATCO heated bridge GR		
For models:	276003, 276004, 276005, 276006, 276007, 276008, 276009, 276010		

1

No.	359847	**Ref. No.**	02.30.044.00
description	lamp socket socket E27 for HATCO heated bridge GR		
For models:	276003, 276004, 276005, 276006, 276007, 276008, 276009, 276010		

1

No.	359673	**Ref. No.**	R11401440
description	lamp socket socket G4 mounting measurements 37x103mm		
For models:	212002, 212003, 212010, 212011, 212012, 212013		
spare parts for	359673		
	No. 359674	Ref. No.	R65270450
	lamp socket 24V socket G4 connection cable 100mm ømm H 16mm with 2 hole fixing mounting distance 20mm holder length 26mm Qty 1 pcs		

1

No.	359453	**Ref. No.**	LAM00001
description	oven lamp complete 230V 25W socket G9 L 70mm W 55mm Qty 2 pcs		
For models:	211007		
spare parts for	359453		
	No. 357105	Ref. No.	—
	lamp socket socket G9 250V mounting measurements 55x70mm connection male faston 6.3mm H 32mm		
accessories for	359453		
	No. 560062	Ref. No.	252917 60000000
	flat-headed bolt thread M4 thread L 10mm SS DIN 7985/ISO 7045 Qty 20 pcs intake Phillips head ø 8mm head thickness 2mm		

MAG-PRO

lamps

light bulbs

1

No.	359610	Ref. No.	IB5946010
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	541001, 541002		

1

No.	359612	Ref. No.	101010 74420260 PF7070E-15 PI-B102 PIB102
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	531001, 531002, 531003, 531004, 531005, 531006, 531007, 531008, 531028, 531029, 531030, 531031, 531034, 531039, 531040, 531046		

halogen lamps

for socket E14 / E27

1

No.	359728	Ref. No.	EL06600
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

for socket G4 / G6.35 / G9

1

No.	359599	Ref. No.	R65270020
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	212002, 212003, 212010, 212011, 212012, 212013		

1

No.	359074	Ref. No.	01201470
description	halogen lamp socket G6.35 12V 35W temp.-resist. 500°C		
For models:	212038, 212039, 212040, 212041		

1

No.	359946	Ref. No.	VE1005A1
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C		
For models:	211003		

residual heat indicators

1

No.	359326	Ref. No.	853400070
description	residual heat indicator 4-fold		
For models:	131012, 132005, 132006, 132206		

1

No.	359328	Ref. No.	853400080
description	residual heat indicator double		
For models:	131011, 132005, 132006, 132205		

1

No.	357003	Ref. No.	6A001404
description	residual heat indicator single 250V connection male faston 6.3mm mounting ø 14mm temp.-resist. 180°C		

timers

programme timers

1

No.	403577	Ref. No.	R65095000
description	gear motor CDC 4901F1 engines 1 chambers 1 operation time 20s 230V 50Hz shaft ø 6x4.6mm shaft L 24mm		
For models:	212002, 212003, 212010, 212011, 212012, 212013		

MAG-PRO

1

No.	400115	**Ref. No.**	R65095000 (old version)
description	gear motor FIBER P25 engines 1 chambers 1 operation time 20s 230V 50Hz shaft ø 6x4.6mm shaft L 24mm type M51BJ0R0000		

1

No.	360005	**Ref. No.**	238052
description	timer BIGATTI D94 engines 1 chambers 1 operation time 20min 230V shaft ømm shaft Lmm manuf. no. WE006 motor type 82354021L		
For models:	811001, 811002, 811003		

1

No.	360349	**Ref. No.**	238053
description	timer CDC 11803 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. 11803F1BEE000.0010 motor type M48R ATS type 11803F1 / 238046		
For models:	811001, 811002, 811003		
spare parts for	360349		
	No. 360673	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

1

No.	360743	**Ref. No.**	PRG30002 PRG30005
description	timer CDC 11902F1 engines 1 chambers 2 operation time 240s 230V 50/60Hz manuf. no. 11902F1AGE000.0070 motor type M48R 230V		
For models:	211006, 211014, 211016, 211020, 211024, 211026, 212014, 212015, 212016		

1

No.	360329	**Ref. No.**	01201040
description	timer CDC 11902F3 engines 1 chambers 2 operation time 240s 230V manuf. no. PWE5J02H620 motor type M51B10R0000		
For models:	211039, 211045, 211046, 212034, 212036, 212038, 212040		
spare parts for	360329		
	No. 360118	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		

1

No.	360525	**Ref. No.**	23247
description	timer CDC 11904 engines 1 chambers 4 operation time 10min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BCR000.0000 motor type M48R ATS		
For models:	711002, 711003, 711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		
spare parts for	360525		
	No. 360118	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		

MAG-PRO

1

No.	360524	**Ref. No.**	23222
description	timer CDC 11904 engines 1 chambers 4 operation time 12min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BDR000.0000 motor type M48R ATS		
For models:	711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		
spare parts for	360524		
	No. 360118	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		

1

No.	360566	**Ref. No.**	23259
description	timer CDC 11904 engines 1 chambers 4 operation time 15min 115V 60Hz shaft ømm shaft Lmm manuf. no. 11904F1BEI000.0010 motor type M48R ATS voltage AC		
For models:	711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		

1

No.	360550	**Ref. No.**	23248
description	timer CDC 11904 engines 1 chambers 4 operation time 15min 230V 50/60Hz shaft ømm shaft Lmm manuf. no. 11904F1 / BER000.0000		
For models:	711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		
spare parts for	360550		
	No. 360118	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		

1

No.	360565	**Ref. No.**	23780
description	timer CDC 11904 engines 1 chambers 4 operation time 18min 230V 50/60Hz shaft ømm shaft Lmm manuf. no. 11904F1BFE000.0030 motor type M48R ATS voltage AC		
For models:	711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		

1

No.	360752	**Ref. No.**	R65090190
description	timer CDC 4902F1 engines 1 chambers 2 operation time 8min 230V shaft ømm shaft Lmm		
For models:	212002, 212003, 212004, 212006, 212008, 212017, 212019		

1

No.	360133	**Ref. No.**	238066
description	timer CDC 7804DV engines 2 chambers 4 operation time 60s / 20min 230V shaft ømm shaft Lmm manuf. no. 7804DV / 360133 motor type M37RN/M37LN		
For models:	915234, 915235, 915236, 915237		
spare parts for	360133		
	No. 360119	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		
	No. 360131	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer		

MAG-PRO

1

No.	360413	**Ref. No.**	VN032
description	timer FIBER P19 engines 1 chambers 2 operation time 4min 230V 50Hz shaft ømm shaft Lmm		
For models:	211003		

1

No.	360165	**Ref. No.**	23247 (old version)
description	timer FIBER P20 engines 1 chambers 4 operation time 10min 230V shaft ømm shaft Lmm manuf. no. P205J04J414 motor type M51B-J0R6400		
spare parts for	360165		
	No. 360673	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

electric timers

1

No.	350135	**Ref. No.**	R65090090
description	timer MS65 operation time 120min time spreadmin 1CO/2NO at 250V 16A permanent position yes time range 0-120min impulse electric shaft ø 6x4.6mm shaft L 21mm mounting distance 28mm connection male faston 6.3mm screw mounting 250V voltage AC 50Hz		
For models:	212004, 212006, 212008, 212017, 212019		

mechanical timers

1

No.	350134[1]	**Ref. No.**	KTM001
description	time switch kit M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 22mm mounting distance 28mm ambient temperature max. 125°C with knob		

[1]incl. knob and symbol

1

No.	350128[1]	**Ref. No.**	RG04342
description	timer C20 2-pole operation time 5min 2NO at 250V 16A shaft ø 6x4.6mm shaft L 20mm mounting distance 28mm		
For models:	451001		

[1]incl. knob

1

No.	350181	**Ref. No.**	401550010
description	timer C20 with bell 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 20mm mounting distance 28mm		
For models:	535001, 535002, 535004		

1

No.	350202[1]	**Ref. No.**	SA1115
description	timer G 2-pole operation time 30min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 17mm mounting distance 28mm connection male faston 6.3mm TEMPOMATIC		
For models:	512018		

[1]incl. knob and symbol

1

No.	350130	**Ref. No.**	6111300001 PRG30001
description	timer M11 with bell 1-pole operation time 120min impulse mechanical 1NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm 4 hole fixing shaft flat upper		
For models:	211004, 211005, 211006, 211007, 211010, 211011, 211012, 211013, 211014, 211015, 211016, 211017, 211018, 211023, 211024, 211028, 212014		

MAG-PRO

1

No.	350182	**Ref. No.**	0AT93623 A0AT93623
description	timer M11 with bell 1-pole operation time 15min impulse mechanical 1NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 15mm mounting distance 28mm		
For models:	221007		

1

No.	350124	**Ref. No.**	8301080
description	timer M12 1-pole operation time 30min impulse mechanical 1NO at 250V 10A permanent position no shaft ø 6mm shaft 6mm shaft L 15mm mounting distance 28mm		
For models:	512002, 512003, 512004		
accessories for	350124		
	No. 110372	Ref. No.	—
	dial plate graduation 30min permanent position no rotation 30-330° ø 60mm timers knob ø 45mm		

1

No.	350159	**Ref. No.**	21004130
description	timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 22mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm ambient temperature max. 125°C with buzzer		
spare parts for	350159		
	No. 350186	Ref. No.	TM023
	timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm		
	No. 401062	Ref. No.	—
	buzzer board 230VAC L 48mm W 45mm connection Faston 6.3mm		

1

No.	350184	**Ref. No.**	KTM003
description	timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm		

1

No.	350186	**Ref. No.**	TM023
description	timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm		
For models:	211002, 211003		
accessories for	350186		
	No. 112627	Ref. No.	—
	knob time 120min ø 58mm shaft ø 6x4.6mm shaft flat lower		

1

No.	350195	**Ref. No.**	3000000
description	timer M2 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 22mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm		
For models:	221011, 221012		

1

No.	350185[1]	**Ref. No.**	KTM005
description	timer M2 2-pole operation time 60min impulse mechanical 2CO at 250V 16A permanent position yes shaft 6x4.6mm shaft L 23mm mounting distance 28mm		

[1] incl. knob

MAG-PRO

1

No.	350187	**Ref. No.**	TM1005A0
description	timer M2 2-pole operation time 60min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm		
For models:	211001		

1

No.	350161[1]	**Ref. No.**	SA1092
description	timer M2 3-pole operation time 5min impulse mechanical 3NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 22.5mm mounting distance 28mm connection male faston 6.3mm		
For models:	451003, 451004		

[1]incl. knob and symbol

1

No.	360409	**Ref. No.**	401550000
description	timer MT49 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position no shaft 6x4.6mm shaft L 17mm mounting distance 28mm		
For models:	222002, 222003		

1

No.	360447	**Ref. No.**	SA1087
description	timer T203 1-pole operation time 5min impulse mechanical 1NO at 250V 16(3)A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 16mm mounting distance 30mm connection rear ambient temperature max. 55°C		
For models:	451003, 451004		

audible timers

1

No.	350180	**Ref. No.**	401550025
description	audible timer operation time 120min ø 56mm shaft ø 6x4.6mm shaft L 24mm mounting distance 28mm		
For models:	111003		

1

No.	350036	**Ref. No.**	1031006400
description	audible timer operation time 60min ø 55mm shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm		

alarm devices

alarm units

1

No.	350114	**Ref. No.**	6A021955
description	buzzer 110-240VAC ø 22.5mm H 68mm built-in version mounting ø 22.5 80dB		

buzzers



1

No.	350086	**Ref. No.**	R65301440
description	buzzer 12VDC connection cable 200mm PCB buzzer 20dB		
For models:	212001, 212002, 212003		

MAG-PRO

contactors

GENERAL ELECTRIC (AEG)

power contactors

1

No.	380239	**Ref. No.**	6A047031 BN6A047031
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		
For models:	134003, 134203, 141005, 141007, 141013, 141016, 141021, 144010		

1

No.	380837	**Ref. No.**	8301090
description	power contactor resistive load 20A 400VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS0510A type GE MC1A 310A		
For models:	512002, 512003, 512004		

1

No.	381095	**Ref. No.**	KVE019 VE1095A0
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL01A400T6		
For models:	211003		

1

No.	380245	**Ref. No.**	6A047034 BN6A047034
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS4K 01A type GE CL00A 301 H 85mm		
For models:	144008		

1

No.	380262	**Ref. No.**	BN6A047036
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm		
For models:	144009, 144012		

1

No.	380261	**Ref. No.**	853310065
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310		
For models:	136002, 136202		

MAG-PRO

ISKRA (FANAL)

power contactors

1

No.	380212	**Ref. No.**	120461
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type Fanal K07M 01 type ISKRA DSL7 01		
For models:	SP2-12, SP2-S12		

LOVATO

power contactors

1

No.	381102	**Ref. No.**	0221005
description	power contactor resistive load 20A 24VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection screw connection type 11BG09T4A24		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

1

No.	380855	**Ref. No.**	41826630300
description	power contactor resistive load 25A 230VAC (AC3/400V) 4.2kW main contacts 3NO auxiliary contacts 1NO		
For models:	124001, 124002		
accessories for	380855		
	No. 380055	Ref. No.	—
	RC circuit voltage AC/DC suitable for BF09-32 rated 240V		
	No. 380118	Ref. No.	—
	auxiliary contact contacts 1NO/1NC AC1 10A for contactors BF series connection screw type G480/11		

1

No.	380083	**Ref. No.**	120444 120481
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF0901A230		
For models:	SP3		

1

No.	380714	**Ref. No.**	EN17000
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type BF0910A230		
For models:	531010, 531011, 531012, 531013, 531014, 531015, 531016, 531017		

1

No.	380525	**Ref. No.**	0221108
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 4NO auxiliary contacts connection screw connection type BF09T4A230		

1

No.	381103	**Ref. No.**	0221106
description	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4.2kW main contacts 4NO auxiliary contacts connection screw connection type BF09T4A024		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

MAG-PRO



1

No.	380722	**Ref. No.**	0221013
description	power contactor resistive load 56A 230VAC (AC3/400V) 32A/16kW main contacts 3NO auxiliary contacts connection screw connection type BF3200A230		



1

No.	381104	**Ref. No.**	0221112
description	power contactor resistive load 56A 24VAC (AC3/400V) 32A/16kW main contacts 3NO auxiliary contacts connection screw connection type BF3200A024		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

overload switches

1

No.	381099	**Ref. No.**	0221133
description	overload switch setting range 13-18A for contactors BF (09-38) series connection screw		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

1

No.	381100	**Ref. No.**	0221134
description	overload switch setting range 17-23A for contactors BF (09-38) series connection screw		

1

No.	380753	**Ref. No.**	0221123
description	overload switch setting range 2.5-4A for contactors BF (09-38) series connection screw		

1

No.	381112	**Ref. No.**	120869
description	overload switch setting range 2-3.3A type RF38 0330		
For models:	SP3		

1

No.	381101	**Ref. No.**	0221136
description	overload switch setting range 24-32A for contactors BF (09-38) series connection screw		

1

No.	380754	**Ref. No.**	0221124
description	overload switch setting range 4-6.5A for contactors BF (09-38) series connection screw		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

1

No.	381097	**Ref. No.**	0221129
description	overload switch setting range 6.3-10A for contactors BF (09-38) series connection screw		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

MAG-PRO

1

No.	381098	**Ref. No.**	0221130
description	overload switch setting range 9-14A for contactors BF (09-38) series connection screw		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

MOELLER/EATON

power contactors

1

No.	380172	**Ref. No.**	877121000
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type DILEM 01		
For models:	644006, 644007, 644008, 644009, 644010, 644011, 644012		

1

No.	380550	**Ref. No.**	R65140550 R65140700
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type DILM9 01		
For models:	212001, 212002, 212003, 212010, 212011, 212012, 212013		
accessories for	380550		

No.	380555	Ref. No.	—

auxiliary contact contacts 2NO/2NC AC15 16A for contactors DILEM connection screw type DILA-XHI22

No.	380556	Ref. No.	—

auxiliary contact contacts 4NO AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI40

No.	380557	Ref. No.	—

auxiliary contact contacts 4NC AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI04

No.	380558	Ref. No.	—

auxiliary contact contacts 3NO/1NC AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI31

No.	380559	Ref. No.	—

auxiliary contact contacts 1NO/3NC AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI13

accessories for	380550		

No.	380568	Ref. No.	—

RC circuit suitable for DILM 9-12 rated 110-240V

1

No.	381005	**Ref. No.**	R65140710
description	power contactor resistive load 35A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type DILM 17-01		
For models:	212003, 212012, 212013		

overload switches

1

No.	381006	**Ref. No.**	R65160420 R65160760
description	overload switch connection screw setting range 1-1.6A type ZB12		
For models:	212003, 212012, 212013		

auxiliary contacts

1

No.	381007	**Ref. No.**	R65140730
description	auxiliary contact contacts 1NO/1NC AC15 10A for contactors connection screw type DILA-XHI11		
For models:	212002, 212010, 212011		

1

No.	380565	**Ref. No.**	R65140740
description	auxiliary contact contacts 1NO/1NC AC15 10A for contactors DIL 17-32 connection screw type DILM 32-CHI11-S		
For models:	212003, 212012, 212013		

MAG-PRO

SIEMENS

power contactors

1

No.	380526	**Ref. No.**	01201680
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type 3TG10-10-0A2L2		
For models:	211039, 211042, 211043, 211044, 211045, 211046, 212034, 212035, 212036, 212037, 212038, 212039, 212040, 212041		

1

No.	380652	**Ref. No.**	R65140380
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 3RT10-16-1AP02		
For models:	212004, 212005, 212006, 212007, 212008, 212009, 212017, 212018		

1

No.	380389	**Ref. No.**	229037 74550230 MACM187300
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		
For models:	123118, 123119, 124101, 124102, 126101, 126103, 146006, 146007, 531003, 531004, 531005, 531006, 531007, 531008, 813001		

1

No.	380390	**Ref. No.**	74550500
description	power contactor resistive load 40A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-24-1AL20 50/60Hz		
For models:	531007, 531008		

1

No.	380646	**Ref. No.**	R65140400
description	power contactor resistive load 40A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-25-1AL20		
For models:	212019, 212020		

auxiliary contacts

1

No.	380647	**Ref. No.**	R65140430
description	auxiliary contact contacts 1NO/1NC AC15 3A for contactors 3RT102 3 RT103 connection screw connection type 3RH1921-1EA11 resistive load 10A AC-12 10A		
For models:	212018, 212020		

overload switches

1

No.	380656	**Ref. No.**	R65160110
description	overload switch setting range 0.63-1A		

MAG-PRO

TELEMECANIQUE (Schneider Electric)

power contactors

1

No.	380962	**Ref. No.**	00-695521-062
description	contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 4NO connection screw connection type LC1K09004U7		
For models:	811011, 811012, 811013, 811014, 811015, 812011, 812012, 812013, 812014, 812015		

1

No.	380479	**Ref. No.**	401531090
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09P7		

1

No.	380976	**Ref. No.**	401531000
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection		
For models:	114001, 114002, 244003, 244004, 244007, 244008		

1

No.	380979	**Ref. No.**	401531050
description	power contactor resistive load 40A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D25P7		
For models:	244009, 244021		

miscellaneous

accessories

1

No.	381096	**Ref. No.**	KVM1075A VM1075A0 VM1075A1
description	clip for contactor		
For models:	211003		

relays

power relays

with DIN rail mounting

lateral

1

No.	380336	**Ref. No.**	R65170100
description	power relays FINDER 230VAC 16A 2NO connection male faston 6.3mm DIN rail manuf. no. 62.82.8.230.0308		
For models:	212001, 212005, 212007, 212009		
accessories for	380336		

No.	380703	Ref. No.	—
adapter for flange mounting suitable for Finder relay 62 series.			

No.	380811	Ref. No.	—
adapter with bracket mounting suitable for Finder relay 62 series.			

No.	380954	Ref. No.	—
adapter hole distance 54mm bracket mounting suitable for Finder relay 62 series. L 41mm W 39mm H 49mm			

Table continues overleaf

MAG-PRO

accessories for	380336			
	No.	381003	Ref. No.	—
	adapter for DIN rail mounting suitable for Finder relay 62 series.			
	No.	381039	Ref. No.	—
	adapter for DIN rail mounting suitable for Finder relay 62 series.			

with bracket mounting

1

No.	380312	Ref. No.	229023 229024
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		
For models:	811001, 811002, 811003, 915234, 915235, 915236, 915237		

1

No.	380139	Ref. No.	0648301900 826630250 929115 WY28286002
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	135001, 135002, 135003, 135004, 744001, 744002, 813001, 913013, 913014, 913015, 913016, 913017, 913018, 913019, 913020, 913021, 913022, 913023, 913024, 914003, 914004, 914005, 914006, 914009, 914010, 914011, 914012, 914021, 914022, 914023, 914024		

1

No.	380702	Ref. No.	229039 229040
description	power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

1

No.	380900	Ref. No.	01200020
description	power relays FINDER 230VAC 20A 1NO/1NC connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. 65.31.8.230.0000 2-pole		
For models:	212034, 212036, 212038, 212040		

1

No.	380185	Ref. No.	229029 880302100
description	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A1O-230AC-FA		
For models:	644006, 813001		

1

No.	380368	Ref. No.	WY18460001
description	power relays ZETTLER ELECTRONICS 230VAC 30A 1NO/1NC connection male faston 6.3mm bracket mounting manuf. no. AZ 2280-1A-240AF AZ2280-1C-240AF		

with male contacts

bullet connectors, 8 contacts



1

No.	380951	Ref. No.	CR0683840
description	power relays FINDER 230VAC 10A 2CO connection plug-in connection round 8-pole manuf. no. 60.12.4.101.0040 90.26/ZVE8 250V		
For models:	146002, 146007		

MAG-PRO

female contact 2.0mm

1

No.	380048	**Ref. No.**	8301370
description	power relays 24VDC 5A 2CO plug-in connection with socket 250V 2-pole		
For models:	512002, 512003, 512004		



1

No.	380377	**Ref. No.**	6A047070
description	power relays FINDER 220-240VAC 10A 2CO connection F2 plug-in connection manuf. no. 55.32.8.230.0000 94.92.3 250V		
accessories for	380377		

No.	380341	Ref. No.	—

relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4

No.	380378	Ref. No.	—

relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72

No.	380384	Ref. No.	6A047074

relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for

No.	380399	Ref. No.	—

relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3

1

No.	380494	**Ref. No.**	WY18460003
description	power relays FINDER 230VAC 7A 4CO connection F2 plug-in connection manuf. no. 55.34.8.230.0054 94.74/ZMD4 250V connection 2mm		
accessories for	380494		

No.	380341	Ref. No.	—

relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4

No.	380399	Ref. No.	—

relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3

plug-in/print relays



1

No.	380333	**Ref. No.**	R65170050
description	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75		
For models:	212002, 212003		
accessories for	380333		

No.	380340	Ref. No.	—

relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5

No.	380505	Ref. No.	—

relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3

No.	381181	Ref. No.	—

relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75

relay sockets

1

No.	380384	**Ref. No.**	6A047074
description	relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for		
accessories for	380384		

No.	380804	Ref. No.	—

support bracket



1

No.	380802	**Ref. No.**	WY18454101
description	relay socket 4-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.74		
accessories for	380802		

No.	380804	Ref. No.	—

support bracket

MAG-PRO

1

No.	380638	Ref. No.	MA2609500
description	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		
For models:	146002, 146007		

level relays

GIEMME

1

No.	400537	Ref. No.	WY18080001
description	level relay 230V voltage AC 50/60Hz 8A connection F6.3 type RL1E/2C/F		
For models:	742001, 742002, 742003, 742004		

1

No.	400786	Ref. No.	WY18045
description	level relay 230V voltage AC 5A connection F6.3 type MFC 2S		
For models:	742005		

miscellaneous

1

No.	402067	Ref. No.	877121500
description	level relay 230V voltage AC type RNP20-023		
For models:	644007, 644010, 644011, 644012		

time relays

time relays

1

No.	381421	Ref. No.	R65090450
description	time relay CROUZET EMAR7 88 829 117 time range 0.1s-20h 240VAC 5A NO connection grip connection		
For models:	212002, 212003		

1

No.	380489	Ref. No.	R65090480
description	time relay CROUZET MUR1-88826105 time range 0.1s-100h 24-240VAC/24VDC 8A mounting measurements DIN railmm 1CO connection grip connection		
For models:	212001		

magnetrons

1

No.	402121	Ref. No.	RV-MZA299WRE0
description	Magnetron type 2M240H(L2)		
For models:	213001		

MAG-PRO

1

No.	402119	**Ref. No.**	RV-MZA335WRZZ
description	Magnetron type 2M281H(L)		
For models:	213002		



1

No.	402120	**Ref. No.**	RV-MZA322WREZ
description	Magnetron type 2M282H(L)		
For models:	213003		

transformers

open transformers

with cable connection

1

No.	403094	**Ref. No.**	8301350 8301350 old
description	transformer primary 230/400VAC secondary 24VDC 18VA secondary 0.75A L 57mm W 26mm connection cable 50/60Hz with rectifier		
For models:	512002, 512003, 512004		

1

No.	400058	**Ref. No.**	098792
description	transformer primary 230V secondary 15V 15VA connection cable 250mm 50/60Hz		
For models:	743001		

1

No.	402131	**Ref. No.**	RTRNPA005WRZZ
description	transformer primary 230VAC secondary 12VAC 60VA secondaryA H 50mm L 45mm W 74mm connection cable 50/60Hz type RTRNPA-005WRZZ		
For models:	213002, 213003		

1

No.	403323	**Ref. No.**	8301360 con schedina 8301360 old
description	transformer primary 230VAC secondary 24VDC 12VA secondary 0.5A connection cable 50/60Hz with rectifier		

with clamp terminal

1

No.	402080	**Ref. No.**	0223026
description	transformer primary 220/380VAC secondary 0-20VAC 600VA connection screw connection 50/60Hz		

1

No.	402081	**Ref. No.**	0223032
description	transformer primary 220/380VAC secondary 0-21.4VAC 900VA connection screw connection 50/60Hz		
For models:	442006		



1

No.	402086	Ref. No.	0223011
description	transformer primary 230/400VAC secondary 0-9/0-24VAC 64.5VA connection screw 50/60Hz		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

1

No.	402084	Ref. No.	0223049
description	transformer primary 380/400VAC secondary 0-24VAC 1150VA connection screw connection 50/60Hz		

1

No.	402082	Ref. No.	0223035
description	transformer primary 380/400VAC secondary 0-33,1VAC 1150VA connection screw connection 50/60Hz		

1

No.	402083	Ref. No.	0223042
description	transformer primary 380/400VAC secondary 0-46VAC 1150VA connection screw connection 50/60Hz		

encapsulated transformers

multiple connections

1

No.	402085	Ref. No.	0223004
description	transformer primary 230VAC secondary 24VAC 30VA secondary 1.25A connection male faston 6.3mm 50/60Hz type 65.16.230.323.224.05		
For models:	442010		

PMA

1

No.	400126	Ref. No.	R65180420
description	transformer primary 230VAC secondary 12VAC 20VA secondary 2.1A connection screw 50Hz		
For models:	212001, 212002, 212003, 212005, 212007, 212009, 212010, 212011, 212012, 212013, 212018, 212020		

for lighting

1

No.	403698	Ref. No.	00012590
description	transformer primary 230VAC secondary 12VAC 105VA secondaryA L 128mm W 38mm H 28mm 50/60Hz		
For models:	212038, 212039, 212040, 212041		

HV transformers

1

No.	402130	Ref. No.	RTRN-A717WRZZ
description	HV transformer primary 230/240V 50Hz type RTRN-A717WRZZ for microwaves		
For models:	213001		

MAG-PRO

1

No.	402129	**Ref. No.**	RTRN-A741WRZZ
description	HV transformer primary 235V 50Hz type RTRN-A741WRZZ for microwaves		
For models:	213002		

1

No.	402128	**Ref. No.**	RTRN-A742WRZZ
description	HV transformer primary 235V 50Hz type RTRN-A742WRZZ for microwaves		
For models:	213002		

electronic controllers

CAREL

refrigeration controllers

built-in version

1

No.	378301	**Ref. No.**	74700742
description	electronic controller CAREL mounting measurements 71x29mm built-in depth 65mm 250V voltage AC NTC relay outputs 12A/10A with screw clamps protection IP65 -50 up to +90°C display 2½ digits + algebraic sign resolution 1°C RoomTempIN 1 TempIN3 1 type PJAO-S0A01K front measurements 81x36mm		
For models:	651010, 651011, 651012, 652004		

1

No.	378329	**Ref. No.**	74700881
description	electronic controller CAREL PYAO1C0522 mounting measurements 71x29mm built-in depth 59mm 230V voltage AC NTC relay outputs 1 CO-12A(2) NTC yes protection IP65 -50 up to +90°C display 3½ digits		
For models:	651015, 651016, 651017, 651018, 651019, 651025, 651026, 651032, 651033, 651034, 651035, 651036, 651037, 651038, 651046, 651047, 651048, 651049, 651050, 651072, 651073, 651074, 651075, 651076, 651077, 651078, 651079, 651080, 651081, 651089, 651090, 651091, 651097, 651098, 651099, 651100, 651101, 651102, 651103, 651104, 651105, 651106, 651107, 651108, 651109, 651110, 651111, 651112, 651113, 651114...(Other models you can see in the webshop)		

1

No.	378370	**Ref. No.**	74700883
description	electronic controller CAREL PYAO1R0523 mounting measurements 71x29mm built-in depth 74mm 230V voltage AC NTC relay outputs 3 NO-10A(10) CO-8A(4) NO-8A(4) NTC NTC DI yes protection IP54 -50 up to +90°C display 3½ digits		
For models:	651118		

DIXELL

refrigeration controllers

built-in version

1

No.	402143	**Ref. No.**	R35-0375
description	electronic controller DIXELL R35-0375 mounting measurements 71x29mm		
For models:	621004, 621005, 622004		

1

No.	378256	**Ref. No.**	AK15038-014 R00084 S900.02	
description	electronic controller DIXELL XR02CX-5N0C0 mounting measurements 71x29mm built-in depth 56mm 230V voltage AC NTC relay outputs 1 CO-8A(4) NTC protection IP54 defrosting function/time control -40 up to +110°C display 2½ digit			
For models:	554013, 611007, 611008, 611009, 611010, 611011, 611015, 621018			
spare parts for	378256			
—	No.	379161	Ref. No.	167211 74700916 BN167211 Q32-0578 R00213 RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
accessories for	378256			
—	No.	378194	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire			

Table continues overleaf

MAG-PRO

accessories for	378256			
	No.	379057	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire			
	No.	379160	Ref. No.	0646305800 167212 BN167212
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			
	No.	379161	Ref. No.	167211 74700916 BN167211 Q32-0578 R00213 RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	No.	379343	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire			
	No.	379458	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			

1

No.	378273	**Ref. No.**	GN650BT.16
description	electronic controller DIXELL XR06CX-5N0C1 mounting measurements 71x29mm 230V voltage AC NTC -40 up to +110°C display 2½ digit DEF Relay 8A fan relay 8A compressor relay 20A		
For models:	611013, 611014, 613016, 613017, 621019		

1

No.	378363	**Ref. No.**	R35-XR06CX
description	electronic controller DIXELL XR06CX-5R0C1 mounting measurements 71x29mm 230V voltage AC NTC relay outputs 3 NO-20A(8) CO-8A(3) NO-5A(2) NTC NTC DI protection IP54 -40 up to +110°C display 3½ digits		
For models:	628004		
accessories for	378363		
	No.	381249	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x14mm cable length 3m			

1

No.	378000	**Ref. No.**	A08EB22
description	electronic controller DIXELL XR20CX-5N0C1 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 NO-20A(8) NTC/PTC NTC/PTC/DI protection IP54 -50 up to +150°C display 3½ digits		
accessories for	378000		
	No.	378194	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire			
	No.	378551	Ref. No.	—
	adapter for reducer mounting measurements 71x29mm			
	No.	379052	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			
	No.	379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			
	No.	379057	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire			
	No.	379064	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
	No.	379142	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire			
	No.	379160	Ref. No.	0646305800 167212 BN167212
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			
	No.	379161	Ref. No.	167211 74700916 BN167211 Q32-0578 R00213 RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	No.	379343	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire			
	No.	379458	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			
	No.	379781	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			

MAG-PRO

accessories for	378000			
	No.	379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			
	No.	402818	Ref. No.	—
	programming key 4K for electronic controller DIXELL			
	No.	699260	Ref. No.	—
	connection cable L 2m connection coded plug			

1

No.	402144	Ref. No.	R35-XR60C R35-XR60CX
description	electronic controller DIXELL XR60CX -5N0C1 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 3 NO-20A(8) CO-8A(3) NO-5A(2) NTC/PTC NTC/PTC DI -50 up to +150°C display 3½ digits		
For models:	621004, 621005, 622004		
accessories for	402144		
	No.	378194	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire		
	No.	378551	Ref. No.	—
	adapter for reducer mounting measurements 71x29mm		
	No.	379052	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	No.	379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379057	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	No.	379064	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379160	Ref. No.	0646305800 167212 BN167212
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379161	Ref. No.	167211 74700916 BN167211 Q32-0578 R00213 RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		

accessories for	402144			
	No.	379343	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire			
	No.	379458	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			
	No.	379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			
	No.	402818	Ref. No.	—
	programming key 4K for electronic controller DIXELL			

1

No.	378228	Ref. No.	16815108
description	electronic controller DIXELL XW20L-5N0C1 mounting measurements 150x30mm built-in depth 65.5mm 230V voltage AC NTC/PTC relay outputs 2 NO-20A(8) CO-8A(3) NTC/PTC DI -50 up to +150°C display 3½ digits		
For models:	621007, 622005		
accessories for	378228		
	No.	378194	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire		
	No.	379052	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	No.	379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379057	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	No.	379064	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379160	Ref. No.	0646305800 167212 BN167212
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		

Table continues overleaf

MAG-PRO

accessories for	378228			
	No.	379161	Ref. No.	167211 74700916 BN167211 Q32-0578 R00213 RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	No.	379162	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 6m 2-wire			
	No.	379343	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire			
	No.	379458	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			
	No.	402818	Ref. No.	—
	programming key 4K for electronic controller DIXELL			

1

No.	402011	**Ref. No.**	16815100 16815107
description	electronic controller DIXELL XW60L-5N0C1 mounting measurements 150x30mm built-in depth 50mm 230V voltage AC NTC relay outputs 4 NO-20A(8) CO-8A(3) NO-8A(3) NTC/PTC NTC/PTC DI protection IP65 -50 up to +150°C display 3½ digits		
For models:	201780, 614015, 614016, 614017, 614018, 621007, 622005		
accessories for	402011		
	No.	378194	Ref. No. —
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire		
	No.	379057	Ref. No. —
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	No.	379160	Ref. No. 0646305800 167212 BN167212
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379161	Ref. No. 167211 74700916 BN167211 Q32-0578 R00213 RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		

accessories for	402011			
	No.	379162	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 6m 2-wire			
	No.	379343	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire			
	No.	379458	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			

built-in version 2-piece

1

No.	402068	**Ref. No.**	880312100
description	power PCB DIXELL XM470K-500C1 mounting measurements 132x152mm built-in depth 40mm 230V voltage AC NTC relay outputs 4 NO-8A(3) NO-20A(8) NO-8A(3) NO-16A(3) NO-8A(3) NTC NTC NTC -40 up to +110°C display		
For models:	644008, 644009		
accessories for	402068		
	No.	378278	Ref. No. —
	keypad unit DIXELL T640 mounting measurements 150x30mm built-in depth 23mmV voltage relay outputs°C display 3½ digits		

MAG-PRO

EKTRON

refrigeration controllers

built-in version

1

No.	378034	**Ref. No.**	SL0531
description	electronic controller EKTRON type REK31ED-0021 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 CO-8A(4) NTC/PTC NTC/PTC built-in depth 71mm defr. funct. yes -50 up to +95°C display 3 digits		
For models:	272008, 611023, 625017, 625018, 633001, 633002, 634001, 634002, 634003		
accessories for	378034		
	No. 379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No. 379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

ELIWELL

refrigeration controllers

built-in version

1

No.	379570	**Ref. No.**	16811201
description	electronic controller ELIWELL type ID961 mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC relay outputs 1 relay -50 up to +150°C display 3½ digits RoomTempIN yes compressor relay 8A		
For models:	551010, 551011, 554016, 554017, 554018, 554019, 611016		
accessories for	379570		
	No. 379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No. 379064	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No. 379161	Ref. No.	167211 74700916 BN167211 Q32-0578 R00213 RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		

accessories for	379570		
	No. 379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

1

No.	379025	**Ref. No.**	16814001
description	electronic controller ELIWELL type ID961LX mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 front measurements 76.2x35mm protection IP65 -55 up to +150°C display 3½ digits		
For models:	551010, 551011, 611016		



1

No.	378022	**Ref. No.**	R35-0156
description	electronic controller ELIWELL type ID974 mounting measurements 71x29mm 230V voltage AC NTC/PTC front measurements 33x75mm protection IP65 -50 up to +150°C display 3½ digits		

1

No.	378294	**Ref. No.**	1681405
description	electronic controller ELIWELL type IWC720 mounting measurements 150x30mm 230V voltage AC NTC relay outputs 2 relays -50 up to +110°C display 3½ digits RoomTempIN yes DigiIN1 yes DEF Relay 8A compressor relay 24A		

MAG-PRO

EVCO - EVERY CONTROL

universal controllers

built-in version

1

No.	378293	**Ref. No.**	0646305702 MC2869305
description	electronic controller EVCO mounting measurements 71x29mm 230V voltage AC NTC relay outputs 1 -99 up to +150°C display 4 digits 16A default setting +50 up to +70°C type EVK401N7VHXXX01		
For models:	913013, 913014, 913015, 913016, 913017, 913018, 913019, 913020, 913021, 913022, 913023, 913024, 913114, 913115, 913116, 913117, 913246, 913247, 913248, 913249, 913250, 913251, 913252, 913253, 913254, 913255, 913256, 913257, 913258, 913259, 913260, 913261, 913262, 913263, 913264, 913265, 913266, 914003, 914004, 914005, 914006, 914009, 914010, 914011, 914012, 914021, 914022, 914023, 914024, 914103...(Other models you can see in the webshop)		
accessories for	378293		
	No. 378261	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire		
	No. 379057	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	No. 379160	Ref. No.	0646305800 167212 BN167212
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No. 379161	Ref. No.	167211 74700916 BN167211 Q32-0578 R00213 RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No. 379342	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 1.5m 2-wire protection IP67		
	No. 379343	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
	No. 379458	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	No. 379784	Ref. No.	—
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	No. 379860	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		

1

No.	379590	**Ref. No.**	5310060
description	electronic controller EVERY CONTROL mounting measurements 71x29mm 12V voltage AC TC/J protection IP65 0-500°C type FK400A front measurements 33x75mm		
accessories for	379590		
	No. 379051	Ref. No.	—
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire		

refrigeration controllers

built-in version



1

No.	379820	**Ref. No.**	BN1681114
description	electronic controller EVERY CONTROL type EVC20S35N7ALX30 mounting measurements 165x45mm 230V voltage AC NTC relay outputs 3 NO-16A(5) NO-8A(4) CO-8A(4) NTC NTC DI for fridge front measurementsmm built-in depth 56mm protection IP00 yes yes yes -40° up to 105°C display 4 digits		
For models:	621020, 621021, 622020, 622021		

miscellaneous

refrigeration controllers

1

No.	378411	**Ref. No.**	996380
description	power PCB EVCO type EVC80P16P7FRL01 mounting measurements 170x120mm		
For models:	671004, 671005, 671007, 671008		

speed controllers

1

No.	401679	**Ref. No.**	5423300
description	speed controller voltage input 230V/50Hz 1PhV votage output 0-208/230V 0-240Hz 3PhV 1500W max. 18.4A load current 8.1A length external size 145mm width external size 115mm D 125mm wall-mounted version		

MAG-PRO

probes

universal probes

temperature probes

1

No.	379160	**Ref. No.**	0646305800 167212 BN167212
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
For models:	201780, 551010, 551011, 551012, 551013, 554016, 554017, 554018, 554019, 611017, 621007, 622005, 622020, 622021, 913013, 913014, 913015, 913016, 913017, 913018, 914003, 914004, 914005, 914006, 914015, 914016, 914017, 914018		

1

No.	379161	**Ref. No.**	167211 74700916 BN167211 Q32-0578 R00213 RC0321 S900.32
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
For models:	201780, 272008, 611007, 611008, 611009, 611010, 611011, 611015, 611023, 621004, 621005, 621007, 621020, 621021, 621023, 621024, 621025, 621026, 621027, 621028, 621029, 621030, 621031, 621032, 621033, 621034, 621035, 621036, 621045, 621046, 621047, 621048, 621049, 621050, 622004, 622005, 622020, 622021, 622022, 622023, 622024, 622025, 622026, 622027, 622028, 622029, 622034, 622035, 622036, 622037...(Other models you can see in the webshop)		

1

No.	379130[1]	**Ref. No.**	R65325000
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 3-wire resistance at 0ºC 100Ohm		
For models:	212001, 212002, 212003		

[1]3-wire

1

No.	381363	**Ref. No.**	R65320220
description	temperature probe thermocouple K (NiCr-Ni) probe -50 up to 1150°C cable -50 up to +180°C cable length 1.5m thread M10x1 adapter length 93mm adapter ø 6mm cable colours silver/yellow probe L 90/14mm probe ø 6/3mm		
For models:	212005, 212007, 212009, 212010, 212011, 212012, 212013, 212018, 212020		

producer-specific probes

probes

1

No.	379753	**Ref. No.**	6942216 6942236 9590088
description	probe NTC cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread M15x1.75 probe ø8x29mm cable length 3.1m		
For models:	621014, 622009, 622014, 622018		

1

No.	401344	**Ref. No.**	95.16.23
description	temperature probe 2x NTC 10K cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread probe ø3mm cable length 0.6/0.8m		
For models:	745002		

1

No.	401478	**Ref. No.**	99.16.23
description	temperature probe 3x NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread probe ø3mm cable length 0.86m		
For models:	745002		

1

No.	402078	**Ref. No.**	094872
description	temperature probe NTC 10kOhm cable probe -40 up to +110°C cable°C connection male faston 6.3mm thread 1/4" probe ø10x25mm cable lengthm		
For models:	743001		
spare parts for	402078		
	No. 528110	Ref. No.	095624
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		

MAG-PRO

1

No.	402905	**Ref. No.**	00-775612-001
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection coded plug thread probe ø5x35mm cable length 0.2m		
For models:	813002, 813003, 813004		
accessories for	402905		

No.	692218	Ref. No.	00-775489-001
probe clip for temperature probe L 35mm W 24mm H 5mm			

1

No.	379002	**Ref. No.**	92.16.23
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection 2-wire thread probe ø3x20mm cable length 0.3m		
For models:	745001		

1

No.	400910	**Ref. No.**	231014
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø4.5x30mm cable length 0.35m		
For models:	813001		

1

No.	401626	**Ref. No.**	95.60.00
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread probe ø22x-50mm cable length 0.1m		
For models:	745002		

1

No.	401627	**Ref. No.**	99.60.00
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread probe ø22x-50mm cable length 0.24m		
For models:	745002		

1

No.	378003	**Ref. No.**	100127
description	temperature probe NTC cable PVC probe -40 up to +125°C cable -10 up to 100°C connection coded plug thread cable length 0.24m		
For models:	246009, 246012		

1

No.	379521	**Ref. No.**	FH-HZA070WRE0
description	temperature probe Pt100 cable glass fibre probe -100 up to 450°C cable -50 up to +350°C connection coded plug thread probe ø3.5x-10mm cable length 0.2m		
For models:	213002, 213003		

1

No.	378552	**Ref. No.**	00002660
description	temperature probe Pt100 cable Vetrotex probe -100 up to 450°C cable°C connection coded plug thread M10 probe ø4x100mm cable length 1m		
For models:	211042, 211043, 211044, 212035, 212037, 212039, 212041		

1

No.	378001	**Ref. No.**	100114
description	temperature probe Pt1000 probe -70 up to +500°C cable length 0.5m		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

MAG-PRO

1

No.	378002	**Ref. No.**	100126
description	temperature probe PTC 1kOhm cable probe -50 up to +150°C cable°C connection 2-wire thread probe ø2x2mm cable lengthm		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	402105	**Ref. No.**	1011296
description	temperature probe PTC 2kOhm cable probe -50 up to +150°C cable°C connection male faston 2.8mm thread probe ø10x30mm cable lengthm		
For models:	741003		

core probes

1

No.	379134	**Ref. No.**	R65320900
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø4x100mm thread cable length 1m handle ø 15mm handle length 83mm		
For models:	212002, 212003		

1

No.	378679	**Ref. No.**	965295
description	core temperature probe Pt1000 connection 8-wire probe ø4x100mm cable length 5m handle ø 16mm handle length 110mm		
For models:	671004, 671005, 671007, 671008		

1

No.	379773[1]	**Ref. No.**	R65321120
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x90mm thread cable length 1.1m handle ømm handle length 90mm		
For models:	212001, 212002, 212003, 212005, 212007, 212009, 212010, 212011, 212012, 212013		

[1]multipoint probe

accessories

fasteners

1

No.	692218	**Ref. No.**	00-775489-001
description	probe clip for temperature probe L 35mm W 24mm H 5mm		
For models:	813002, 813003		

plugs/bushes

1

No.	378016	**Ref. No.**	LAR65320920
description	female connector 4-pole		
For models:	212001, 212002, 212003, 212005, 212007, 212009, 212010, 212011, 212012, 212013		

1

No.	378017	**Ref. No.**	LAR65321020
description	lid for plug contact		
For models:	212001, 212002, 212003, 212005, 212007, 212009, 212010, 212011, 212012, 212013, 212018, 212020		

miscellaneous



1

No.	379856	**Ref. No.**	R86020420
description	bag for core temperature probe		
For models:	212002, 212003, 212005, 212007, 212009, 212010, 212011, 212012, 212013		

MAG-PRO

electronics

electronics accessories

1

No.	401044	**Ref. No.**	GMADIA067WRF0
description	disc H 36mm W 82mm plastic		
For models:	213002, 213003		

1

No.	697352	**Ref. No.**	5320750
description	spacer piece for PCB H 6mm thread M4		

EPROMS

1

No.	401559	**Ref. No.**	81021
description	EPROM CODE 81000-1		
For models:	813001		

rectifiers



1

No.	401501	**Ref. No.**	100116
description	rectifier		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	401888	**Ref. No.**	FW-QZA117WRK0
description	rectifier for microwave		
For models:	213002, 213003		

PCBs

1

No.	401496	**Ref. No.**	500232
description	control PCB		
For models:	246009, 246012		

1

No.	401499	**Ref. No.**	100119
description	control PCB		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	402298	**Ref. No.**	100118
description	control PCB		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	402107	**Ref. No.**	11231
description	control PCB coffee machine 16889		
For models:	741003		
accessories for	402107		

No.	112948	Ref. No.	11543
knob switch zero mark ø 30mm shaft ø 6x4.6mm shaft flat right grey			

MAG-PRO

1

No.	402108	**Ref. No.**	15710
description	control PCB coffee machine 16889		
For models:	741003		

1

No.	402109	**Ref. No.**	1011319
description	control PCB coffee machine 16889		
For models:	741003		

1

No.	402088	**Ref. No.**	0V2143
description	control PCB coffee machine KORO		
For models:	743001		

1

No.	403701	**Ref. No.**	01900081
description	control PCB combi-steamer EKF series L 432mm W 80mm		
For models:	212037, 212039, 212041		



1

No.	403225	**Ref. No.**	SCH30011
description	control PCB convection oven G544		
For models:	211029		

1

No.	403204	**Ref. No.**	00-897545-005
description	control PCB dishwasher C502/C602 L 148mm W 126mm without EPROM only for Ecomax		
For models:	812011, 812012, 812013, 812014, 812015, 813004		
accessories for	403204		

No.	403030	Ref. No.	—
EPROM type REV. L2.3/6101 CODE 897547-6			

No.	403031	Ref. No.	—
EPROM			



1

No.	403208	**Ref. No.**	8301960
description	control PCB dough mixers TF17/22/30 TR17/22/30 L 124mm W 102mm 230/400V		
For models:	512002, 512003, 512004		

1

No.	401731	**Ref. No.**	IB5940915
description	control PCB drink mixer Orione 230V		
For models:	721004		

MAG-PRO

1

No.	402090	**Ref. No.**	251653
description	display coffee machine KORO		
For models:	743001		

1

No.	400787	**Ref. No.**	WY26020
description	display espresso machine Pegaso		
For models:	742001, 742002, 742003, 742004		

1

No.	401500	**Ref. No.**	100129
description	display PCB		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	402813	**Ref. No.**	HR600.07 RC0419
description	display PCB for fridge L 150mm W 37mm suitable for ER400/600 with potentiometer with thermostat type LTC-20HT		
For models:	621023, 621024, 621025, 621026, 621029, 621030, 621031, 621032, 621033, 621034, 622022, 622023, 622026, 622027		

1

No.	401024	**Ref. No.**	DPWBFC157WRKZ
description	display PCB microwave R15 type DPWBFC157WRKZ		
For models:	213001		



1

No.	401014	**Ref. No.**	DPWBFC482WRKZ DPWBFC482WRKZ1
description	display PCB microwave R23		
For models:	213002		

1

No.	401043	**Ref. No.**	DPWBFC484WRKZ
description	display PCB microwave R23		
For models:	213002		

1

No.	401045	**Ref. No.**	DPWBFC366WRKZ DPWBFC366WRKZ1
description	display PCB microwave R25		
For models:	213003		

1

No.	403726	**Ref. No.**	01202500
description	display PCB pizza oven EKF L 364mm W 54mm		
For models:	211042, 211043, 211044, 212035		

MAG-PRO

1

No.	402812	**Ref. No.**	RC0429
description	display PCB refrigerator EF400/600 L 150mm W 38mm with potentiometer with thermostat type LTC-24HT		
For models:	622024, 622028		

1

No.	401332	**Ref. No.**	R65300540
description	keypad PCB		
For models:	212002, 212003		

1

No.	401957	**Ref. No.**	R65302180
description	keypad PCB		
For models:	212002, 212003		

1

No.	401661	**Ref. No.**	R65301800 R65301810 R65301820
description	keypad PCB combi-steamer MVE04 kit		
For models:	212001		

1

No.	401958	**Ref. No.**	R65302150	
description	keypad PCB combi-steamer without steam generator suitable for LAINOX 2 type K probes			
For models:	212002, 212003			
spare parts for	401958			
	No.	379130	Ref. No.	R65325000
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 3-wire resistance at 0°C 100Ohm			
	No.	381363	Ref. No.	R65320220
	temperature probe thermocouple K (NiCr-Ni) probe -50 up to 1150°C cable -50 up to +180°C cable length 1.5m thread M10x1 adapter length 93mm adapter ø 6mm cable colours silver/yellow probe L 90/14mm probe ø 6/3mm			
accessories for	401958			
	No.	381363	Ref. No.	R65320220
	temperature probe thermocouple K (NiCr-Ni) probe -50 up to 1150°C cable -50 up to +180°C cable length 1.5m thread M10x1 adapter length 93mm adapter ø 6mm cable colours silver/yellow probe L 90/14mm probe ø 6/3mm			

1

No.	403206	**Ref. No.**	SCH30008
description	keypad PCB convection oven 500/800 L 200mm 12V with display H 40mm mounting pos. horizontal buttons 7		
For models:	211020, 211026		

1

No.	403032	**Ref. No.**	00-897560-001 00-897560-002
description	keypad PCB dishwasher C402(S)-/C502(S)-/C602(S)-xx L 185mm W 35mm suitable for COOKMAX with display buttons 4		
For models:	811011, 811012, 811013, 811014, 811015, 812011, 812012, 812013, 812014, 812015, 813002, 813003, 813004		

MAG-PRO

1

No.	402089	**Ref. No.**	251865
description	keypad PCB for coffee machine		
For models:	743001		
accessories for	402089		

No.	402110	Ref. No.	251785
push button set 8-piece transparent			

No.	527289	Ref. No.	251787
button grey			



1

No.	403829	**Ref. No.**	R65302100
description	keypad PCB for combi-steamer L 437mm W 103mm		
For models:	212010, 212011, 212012, 212013		



1

No.	403823	**Ref. No.**	R65302240
description	keypad PCB for combi-steamer L 443mm W 83mm		
For models:	212010, 212011, 212012, 212013		

1

No.	401687	**Ref. No.**	95.23.00
description	keypad PCB milk foamer F5/F10		
For models:	745002		

1

No.	401686	**Ref. No.**	94.24.00
description	keypad PCB milk foamer Foamino		
For models:	745001		



1

No.	402069	**Ref. No.**	6113321
description	keypad PCB refrigerator GKV5710		
For models:	621014, 622009		



1

No.	403725	**Ref. No.**	01900090
description	main PCB combi-steamer L 262mm W 108mm		
For models:	212037, 212039, 212041		

1

No.	403209	**Ref. No.**	R65302280
description	main PCB combi-steamer REV051/077/1015 L 250mm W 105mm LAINOX		
For models:	212005, 212007, 212009, 212018, 212020		

MAG-PRO



1

No.	403824	**Ref. No.**	R65302250
description	main PCB for combi-steamer L 250mm W 103mm		
For models:	212010, 212011, 212012, 212013		

1

No.	401333	**Ref. No.**	R65300490
description	PCB		
For models:	212002, 212003		

1

No.	402077	**Ref. No.**	PE1510B0
description	PCB		

1

No.	401495	**Ref. No.**	500736
description	PCB 2.5kW		
For models:	246009, 246012		

1

No.	697124	**Ref. No.**	MF2141
description	PCB 230/400V		
For models:	422001, 433001, 433002		

1

No.	401733	**Ref. No.**	KOKD020
description	PCB 230V		



1

No.	401734	**Ref. No.**	IB5940700
description	PCB 230V		

1

No.	402091	**Ref. No.**	252604
description	PCB coffee machine KORO 16Bit		
For models:	743001		

1

No.	403699	**Ref. No.**	01900100
description	PCB combi-steamer EKF 523 L 102mm W 54mm		
For models:	212037		

MAG-PRO

1

No.	403700	**Ref. No.**	01900480
description	PCB combi-steamer EKF series L 105mm W 98mm suitable for TECNOEKA		
For models:	212039, 212041		



1

No.	403697	**Ref. No.**	01900430
description	PCB combi-steamer EKF664/EKF1064 L 128mm W 67mm		
For models:	212039, 212041		

1

No.	401962	**Ref. No.**	R65301910
description	PCB combi-steamer HME 611/1011		
For models:	212002, 212003		

1

No.	403033	**Ref. No.**	00-897545-003
description	PCB control L 147mm W 125mm without EPROM 230V		
For models:	811011, 811012, 811013, 811014, 811015, 812011, 812012, 812013, 812014, 812015, 813002, 813003		
accessories for	403033		

No.	403030	Ref. No.	—
EPROM type REV. L2.3/6101 CODE 897547-6			

No.	403031	Ref. No.	—
EPROM			

No.	403702	Ref. No.	—
EPROM Rev. 1.6 (04.06.2013)			

1

No.	403239	**Ref. No.**	SCH30010
description	PCB convection oven 824/524 L 180mm W 70mm 230V 12V voltage AC		
For models:	211029		

1

No.	401727	**Ref. No.**	19413007
description	PCB cutter C4-C6 230V		
For models:	471001		

1

No.	401846	**Ref. No.**	121287
description	PCB dishwasher COMENDA, HOONVED		
For models:	SP1, SP2-12, SP2-S12, SP3		

1

No.	402221	**Ref. No.**	SL2990
description	PCB dough rolling machine FI32-FI42 L 95mm W 80mm 230V 50/60Hz		
For models:	513004, 513005, 513006, 513008, 513009, 513010		

MAG-PRO

1

No.	692027	**Ref. No.**	5310000
description	PCB dough rolling machine STP30/40 new edition 230V		



1

No.	401730	**Ref. No.**	IB5940800
description	PCB drink mixer Dragone 50/60Hz 230V		
For models:	721003		

1

No.	401732	**Ref. No.**	IB5940910
description	PCB drink mixer Orione 50Hz 230V		
For models:	721004		

1

No.	401729	**Ref. No.**	IB5940005
description	PCB drink mixer Sirio 50/60Hz 110-250V 1.5A		
For models:	721002, 721005		

1

No.	401728	**Ref. No.**	IB5940000
description	PCB drink mixer Sirio 50/60Hz 120/240V 1.6A		
For models:	721002, 721005		

1

No.	401494	**Ref. No.**	500235
description	PCB flow control valve 3kW		
For models:	246009, 246012		

1

No.	401834	**Ref. No.**	7121000001
description	PCB for oven L 110mm W 80mm 230V		
For models:	211006, 211007		

1

No.	360664	**Ref. No.**	R00303
description	PCB for planetary mixer AP7 L 90mm W 90mm		
For models:	511010		

1

No.	400797	**Ref. No.**	S3319
description	PCB for slicer 230V		
For models:	411011		
accessories for	400797		

No.	346052	Ref. No.	—

push switch mounting measurements 30x22mm black/green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65

MAG-PRO

1

No.	403596	**Ref. No.**	S3285
description	PCB for slicer 50Hz 230V		
For models:	411013, 411014, 411015, 411016, 411017, 411019		
spare parts for	403596		

No.	348122	Ref. No.	P9501
push switch green/red 230V connection cable 1800mm			

1

No.	403570	**Ref. No.**	S3321
description	PCB for slicer OG30E suitable for OMAS		
For models:	411012		

1

No.	403515	**Ref. No.**	IB5940702
description	PCB fruit squeezer APOLLO L 111mm W 56mm 230V		
For models:	723001		

1

No.	300367	**Ref. No.**	IB5944014
description	PCB hand blenders CICLONE with potentiometer 230V		
For models:	473001		
accessories for	300367		

No.	111235	Ref. No.	IB4200705
knob switch zero mark t.max.°C temperature range°C ø 23mm shaft ø 5.5mm black			

No.	401954	Ref. No.	—
control PCB			

1

No.	401953	**Ref. No.**	IB5944010
description	PCB hand blenders VORTEX with potentiometer 230V		

1

No.	697908	**Ref. No.**	SL0883
description	PCB L 102mm W 95mm 50/60Hz 230/400V		
For models:	421006, 421007, 421008, 422005, 422006, 433003, 433004, 433005		

1

No.	401900	**Ref. No.**	215029
description	PCB L 120mm W 80mm		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

1

No.	403708	**Ref. No.**	411024
description	PCB L 68mm W 30mm for switch		

1

No.	403476	**Ref. No.**	SCH30028
description	PCB L 90mm W 48mm H 40mm		
For models:	211029		

MAG-PRO

1

No.	401738	**Ref. No.**	IV5940505T
description	PCB meat mincer Mod.12 230/400V type TGM7-L		
For models:	421003		

1

No.	403890	**Ref. No.**	29411002+19702005
description	PCB meat mincer TGM7 230/400V		

1

No.	403504	**Ref. No.**	SL0556
description	PCB meat mincer/cheese grater GR 12S suitable for FIMAR 230V		
For models:	431002		

1

No.	403556	**Ref. No.**	SL3436
description	PCB meat mincer/cheese grater GR 12S suitable for FIMAR 400V		
For models:	431002		

1

No.	401561	**Ref. No.**	MF2140
description	PCB meat mincer/cheese grater Mod.12-22 230V		
For models:	422001, 433001, 433002		

1

No.	401048	**Ref. No.**	FPWBFA367WRKZ
description	PCB microwave R15 type FPWBFA367		
For models:	213001		

1

No.	401046	**Ref. No.**	FPWBFA335WRE0
description	PCB microwave R23 type 06XA335A		
For models:	213002, 213003		



1

No.	401047	**Ref. No.**	DPWBFC372WRKZ
description	PCB microwave R25 type AA18J6FC372		
For models:	213002, 213003		

1

No.	401685	**Ref. No.**	95.26.10
description	PCB milk foamer		
For models:	745002		

MAG-PRO

1

No.	401688	Ref. No.	99.26.10
description	PCB milk foamer F5/F10		
For models:	745002		

1

No.	401689	Ref. No.	90.38.00
description	PCB milk foamer F5/F10		
For models:	745002		

1

No.	401385	Ref. No.	LF1033020
description	PCB Mod.12 230/400V type TGM7		
For models:	421003, 431001		

1

No.	400955	Ref. No.	19411008
description	PCB slicer 230/400V		
For models:	470001, 471001, 481001		
accessories for	400955		

No.	401357	Ref. No.	MF2138

momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-I connection screw ambient temperature max. 125/55°C protection IP40

No.	401709	Ref. No.	—

protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm

1

No.	400954	Ref. No.	19411007
description	PCB slicer/cutter 50/60Hz 230V		
For models:	470001, 471001, 481001		

1

No.	402093	Ref. No.	0230040
description	PCB vacuum packing machine B35 / B-M 42/42XL H_HD4		
For models:	442006, 442008		
spare parts for	402093		

No.	358596	Ref. No.	—

fine fuse size ø5x20mm 0.25A slow-acting rated 250V Qty 10 pcs

1

No.	402095	Ref. No.	0230042
description	PCB vacuum packing machine B35 / B-M 42/42XL H_HD4 with sensor		
For models:	442006, 442008		



1

No.	402092	Ref. No.	0230036
description	PCB vacuum packing machine JUMBO		
For models:	442003, 442004, 442005, 442007		

MAG-PRO



1

No.	403844	**Ref. No.**	SCH30003 SCH30004
description	PCB kit combi-steamer L 340mm W 80mm suitable for PIRON with ribbon cable display digital		
For models:	212024, 212025		

1

No.	401497	**Ref. No.**	100620
description	power PCB		
For models:	246009, 246012		

1

No.	401498	**Ref. No.**	100120
description	power PCB		
For models:	131216, 131217, 131218, 246010, 246011, 246013, 246014		

1

No.	400899	**Ref. No.**	215023
description	power PCB dishwasher LP10/20/30 without EPROM		
For models:	813001		
accessories for	400899		
	No. 400761	Ref. No.	—
	plug connector 5-pole		
	No. 400900	Ref. No.	—
	EPROM CODE 225029-3		
	No. 401558	Ref. No.	—
	EPROM CODE 81000-1		

accessories for	400899		
	No. 403241	Ref. No.	—
	EPROM type U61E for dishwasher CODE 81001-3		
	No. 550048	Ref. No.	—
	female bullet		



1

No.	402826	**Ref. No.**	SL2921
description	power PCB for potato peeler device L 150mm W 100mm		
For models:	451003, 451004		

1

No.	401613	**Ref. No.**	RG04232
description	power PCB PP4-PP8-PP15 Expo 230/400V type TASF99		
For models:	451001		

central units

1

No.	400539	**Ref. No.**	18090016
description	control box 1-3-group for coffee machine 230V type 3GR+LIV+TEA DE		

1

No.	347913	**Ref. No.**	SA1220
description	control box 230/240V		
For models:	512010, 512011, 512012, 512013, 512014, 512015, 512016, 512017, 512018, 512019, 512020, 512021, 512022		

MAG-PRO

1

No.	402213	Ref. No.	WY18090030
description	control box 3-group coffee machine 115V type 3GR+LIV+TEA		
For models:	742001, 742002, 742003, 742004, 742019, 742020		

1

No.	400796	Ref. No.	WY18090031
description	control box 3-group for coffee machine 230V type 3GR+LIV+TEA		
For models:	742001, 742002, 742003, 742004, 742019, 742020		

1

No.	348170	Ref. No.	SA1210
description	control box 400V		
For models:	512010, 512011, 512012, 512013, 512014, 512015, 512016, 512017, 512018, 512019, 512020, 512021, 512022		

1

No.	401092	Ref. No.	50PAA78246
description	control box 400V		
For models:	481003		

1

No.	401684	Ref. No.	8301030
description	control box 400V		

keypads

front foils

1

No.	401959	Ref. No.	R67450510
description	front foil combi-steamer MVE042P		
For models:	212001		



1

No.	696452	Ref. No.	MSC04V238
description	front foil cutter C9VV CE blue L 60mm W 60mm		
For models:	471001		

1

No.	401949	Ref. No.	025981
description	front foil dishwasher GL35		
For models:	811001, 811002		

MAG-PRO

1

No.	401948	Ref. No.	025982
description	front foil dishwasher GS40		
For models:	811003		

1

No.	401947	Ref. No.	025983
description	front foil dishwasher GS50/GS51		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

1

No.	401963	Ref. No.	80856
description	front foil dishwasher HM		
For models:	813001		

1

No.	402352	Ref. No.	73500510
description	front foil pizza oven PIZZY DUO model DUO L 550mm W 111mm		
For models:	531002, 531004, 531006, 531008		

1

No.	401741	Ref. No.	RG04348
description	front foil potato peeler PP4-PP8-PP15 Expo black L 139mm W 99mm		
For models:	451001		

1

No.	402059	Ref. No.	X07.03.465.00
description	front foil toaster TOASTMAX L 185mm W 85mm		
For models:	222004, 222005		

1

No.	402060	Ref. No.	X07.03.466.00
description	front foil toaster TOASTMAX L 265mm W 85mm		
For models:	222004, 222005		

GEV
Image not available

1

No.	401376	Ref. No.	19420168
description	keypad foil		
For models:	431001		

1

No.	401587	Ref. No.	5800370
description	keypad foil dough rolling machine STP 30/40 P30/40/45/35 Start/ Stop L 100mm W 80mm		

1

No.	511927	Ref. No.	SL1504
description	keypad foil for potato peeler device silver L 175mm W 61mm buttons 3		
For models:	451004		

1

No.	401690	Ref. No.	92.11.00
description	keypad foil milk foamer Foamino for milk foamer L 93mm W 26mm buttons 2		
For models:	745001		

MAG-PRO

1

No.	401691	Ref. No.	95.12.00
description	keypad foil milk foamer MilkFoamer for milk foamer buttons 6		
For models:	745002		

1

No.	401739	Ref. No.	IB4100930
description	keypad foil Orione for mixer grey L 160mm W 34mm buttons 3		
For models:	721004		

membrane keypads

1

No.	402098	Ref. No.	0900102
description	membrane keypad vacuum packing machine B35-16 with frame		
For models:	442006, 442008		

1

No.	402094	Ref. No.	0810050
description	membrane keypad vacuum packing machine H100		

1

No.	402097	Ref. No.	0900101
description	membrane keypad vacuum packing machine JUMBO complete		
spare parts for	402097		

No.	347153	Ref. No.	0220006

push switch mounting measurements ø22mm black 2NO 300V 5A connection screw ambient temperature max. 85°C protection IP40

No.	402092	Ref. No.	0230036

PCB vacuum packing machine JUMBO

spare parts for	402097		

No.	541528	Ref. No.	0810101

manometer ø 40mm pressure range 0 up to 1bar connection angled connection ø 5mm

1

No.	402099	Ref. No.	0900104
description	membrane keypad vacuum packing machine with frame		

1

No.	402100	Ref. No.	0900105
description	membrane keypad vacuum packing machine with frame		

1

No.	402096	Ref. No.	0900100
description	membrane keypad with frame		
For models:	442003, 442004, 442005, 442007		

keypad units

1

No.	401737	Ref. No.	19702021
description	keypad unit buttons 2 blue L 130mm W 41mm		
For models:	470001, 471001, 481001		

1

No.	401736	Ref. No.	19702022
description	keypad unit buttons 2 white L 130mm W 41mm		
For models:	470001, 471001, 481001		

MAG-PRO

1

No.	400795	**Ref. No.**	WY18371049
description	keypad unit coffee machine Atlas/OrionEco/EPU1PG buttons 5 L 89mm W 42mm		
For models:	742001, 742002, 742003, 742004		

1

No.	400789	**Ref. No.**	WY18371027
description	keypad unit coffee machine/esresso maker MININOVA/EPUMINIV buttons 5 L 66mm W 43mm		
For models:	742005		

1

No.	401735	**Ref. No.**	LF1033021
description	keypad unit meat mincer TC12 buttons 3 cable length 90mm L 130mm W 41mm cable colours brown/yellow/grey/green/pink/white		
For models:	421003, 431001		
accessories for	401735		
	No. 401373	Ref. No.	19563034
	gasket for keypad housing L 135mm W 50mm		

1

No.	401378	**Ref. No.**	IV5940515T
description	keypad unit meat mincer TC12 edition since year of construction 2005 L 130mm W 41mm complete		
For models:	421003		

1

No.	401694	**Ref. No.**	19702004
description	keypad unit slicer BAYONNE/CICLONE/SAN-DANIELE buttons 2 L 130mm W 41mm		
For models:	470001, 471001, 481001		
accessories for	401694		
	No. 401373	Ref. No.	19563034
	gasket for keypad housing L 135mm W 50mm		

1

No.	403002	**Ref. No.**	19702000
description	keypad unit slicer buttons 2 MIRRA/SAN-DANIELE/YORK L 120mm W 48mm		
accessories for	403002		
	No. 403004	Ref. No.	19563030
	gasket for keypad housing L 122mm W 52mm		

control panel

1

No.	504870	**Ref. No.**	8001900
description	control panel vacuum packing machine H100 L 355mm grey H 155mm D 50mm		



1

No.	697351	**Ref. No.**	8301040
description	switch panel dough mixers TF17/22/30 TR17/22/30 L 200mm W 160mm		
For models:	512002, 512003, 512004		

1

No.	692068	**Ref. No.**	0600020
description	switch panel vacuum packing machine JUMBO Combivac L 258mm W 55mm thickness 2.3mm		

1

No.	692069	**Ref. No.**	0600011
description	switch panel vacuum packing machine JUMBO L 288mm W 88mm thickness 20mm digital		

MAG-PRO

accessories

1

No.	403004	**Ref. No.**	19563030
description	gasket for keypad housing L 122mm W 52mm		

1

No.	401373	**Ref. No.**	19563034
description	gasket for keypad housing L 135mm W 50mm		
For models:	421003, 431001, 470001, 471001, 481001		

1

No.	401375	**Ref. No.**	19563118
description	keypad housing		
For models:	431001		

1

No.	402111	**Ref. No.**	251786
description	push button L 60mm W 11mm H 9mm grey		
For models:	743001		

1

No.	402110	**Ref. No.**	251785
description	push button set 8-piece transparent		
For models:	743001		
accessories for	402110		
	No. 402089	Ref. No.	251865
	keypad PCB for coffee machine		
	No. 527289	Ref. No.	251787
	button grey		

solenoid valves

solenoid valves (water)

ELBI

straight

1

No.	373017	**Ref. No.**	120173 240016
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
For models:	812008, 812010, 813001, 915462, 915465, SP1		
spare parts for	373017		
	No. 370467	Ref. No.	—
	solenoid valve filter suitable for ELBI		

angled

1

No.	370833	**Ref. No.**	CR0682320
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 18.5-20l/min DN10 ELBI		
For models:	146002, 146006, 147003, 147005, 147006, 147007		

1

No.	370246	**Ref. No.**	240010
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C ELBI plastic output B 0.5l/min flow regulating valve outlet B red		
For models:	811003, 915234, 915235, 915236, 915237		

MAG-PRO

spare parts and accessories

solenoid coils

1

No.	371016	**Ref. No.**	630969
description	solenoid coil ELBI 230VAC 50/60Hz pressure range 0 up to 10bar coil type EATON (INVENSYS) tolerance ±15%		
For models:	SP1, SP2-12, SP2-S12, SP3		

reducers

outlet side

1

No.	371060	**Ref. No.**	R65110520
description	reducer ELBI flow rate 0.25l/min pressure range 0 up to 10bar tolerance ±15/25% green		
For models:	212010, 212011, 212012, 212013		

INTERELEKTRIK

medium temperature: 90°C 90°C 60°C
ambient temperature: 60°C 25°C 60°C
duty cycle: 40% 100% 100%

with reducers

1

No.	370675	**Ref. No.**	00-883658-001
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10.5mm input 5l/min t.max. 90°C		
For models:	811014, 811015, 812014, 812015, 813002, 813003, 813004		
accessories for	370675		

No.	520015	Ref. No.	00-775559-007 00-775559-008 00-775559-013 00-775559-016 143004

supply hose ID ø 10mm ED ø 17mm L 5m operating p. 20bar burst p. 60bar t.max. 95°C grey Qty 5m

MÜLLER

medium temperature: 90°C
duty cycle: 100%

solenoid valves with reducers

2-fold

1

No.	370522	**Ref. No.**	679459
description	solenoid valve double 230VAC inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER plastic output A 3l/min output B 3l/min		
For models:	741003		
spare parts for	370522		

No.	371017	Ref. No.	—

solenoid coil MÜLLER 230VAC connection male faston 6.3mm

No.	371285	Ref. No.	—

reducer MÜLLER type MR07 flow rate 3l/min mounting measurements 10mm nominal flow at 4bar pressure range 1-10bar approval KTW tolerance ±20% violet

RPE

1

No.	370857	**Ref. No.**	00-883658-002
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10.5mm input 15l/min t.max. 90°C RPE plastic		
For models:	811011, 811012, 811013, 812011, 812012, 812013, 813002, 813004		

JOHN GUEST

1

No.	370772	**Ref. No.**	ELE30005
description	solenoid valve double straight 230VAC inlet 3/4" outlet JG 8 DN10 t.max. 60°C duty cycle 100% RPE		
For models:	212015, 212016, 212024, 212025		
accessories for	370772		

No.	371265	Ref. No.	—

reducer flow rate 3l/min black

No.	371269	Ref. No.	R65110500

reducer flow rate 0.07-0.14l/min brown

MAG-PRO

1

No.	374090	Ref. No.	01201800
description	solenoid valve triple straight 220-240VAC inlet 3/4" outlet JG 8 DN8 t.max. 25/60/90°C duty cycle 100% RPE output A 0.2l/min output B 0.2l/min output C 0.2l/min flow regulating valve outlet A red flow regulating valve outlet B red flow regulating valve outlet C red		
For models:	212040, 212041		

1

No.	374032[1]	Ref. No.	R65110230
description	solenoid valve double straight 230VAC inlet 3/4" outlet 10mm DN10 plastic output A w/t membrane (constantly open)		
For models:	212001, 212002, 212003, 212010, 212011, 212012, 212013		

[1]cylindrical outlet

1

No.	370768[1]	Ref. No.	R65110200
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm inputl/min outputl/min DN10 t.max. 90°C duty cycle 100% RPE		
For models:	212001, 212002, 212003, 212004, 212005, 212010, 212011, 212012, 212013, 212018, 212020		

[1]cylindrical outlet

reducers

outlet side

1

No.	371269	Ref. No.	R65110500
description	reducer flow rate 0.07-0.14l/min brown		
For models:	212001, 212002		

solenoid valves with reducers

single

1

No.	374009	Ref. No.	ELE30004
description	solenoid valve single straight 220-240VAC inlet 3/4" outlet JG 8 input 10-12l/min output 0.07-0.14l/min t.max. 60°C duty cycle 100% RPE plastic flow regulating valve outlet brown flow regulating valve inlet white 1-ways medium temp max. 25°C		
For models:	211005, 211006, 211010, 211012, 211013, 211014, 211015, 211016, 211018, 211020, 211023, 211024, 211026, 211027, 211029, 212014		

1

No.	374012	Ref. No.	01201860
description	solenoid valve single straight 220-240VAC inlet 3/4" outlet JG 8 input 10-12l/min t.max. 60°C duty cycle 100% RPE plastic flow regulating valve outlet brown flow regulating valve inlet white output A 0.07-0.14l/min 2-ways medium temp max. 25°C male faston 6.3mm		
For models:	211039, 211042, 211043, 211044, 211045, 211046, 212034, 212035, 212036, 212037		

2-fold

1

No.	374037	Ref. No.	01203180
description	solenoid valve double straight 220-240VAC inlet 3/4" outlet JG 8 input 10-12l/min t.max. 60°C duty cycle 100% RPE plastic flow regulating valve inlet white output A 0.2-0.33l/min output B 0.2-0.33l/min flow regulating valve outlet A red flow regulating valve outlet B red output A John Guest 8mm output B John Guest 8mm		
For models:	212038, 212039		

1

No.	374103	Ref. No.	ELE001
description	solenoid valve double straight 220-240VAC inlet 3/4" outlet JG 8 input 4-4.5l/min output 0.07-0.14l/min flow regulating valve inlet yellow output A brownl/min output B brownl/min		

1

No.	374031	Ref. No.	R65110210
description	solenoid valve double straight 230VAC inlet 3/4 outlet JG 10 input 10-12l/min t.max. 90°C RPE plastic flow regulating valve inlet white + outlet reducer red		
For models:	212006, 212008, 212010, 212011, 212012, 212013, 212017, 212019		

3-fold

1

No.	374033	Ref. No.	R65110240
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 10mm input 10-12l/min t.max. 90°C RPE plastic flow regulating valve inlet white output B w/t membrane (constantly open)		
For models:	212007, 212009, 212018, 212020		

MAG-PRO

TP

1

No.	370017	**Ref. No.**	240011
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
For models:	811003, 812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915463, 915464		
spare parts for	370017		
	No. 371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370017		
	No. 371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%		
	No. 371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	No. 371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%		
	No. 371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%		
	No. 371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	No. 371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	No. 371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%		
	No. 371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	No. 371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	No. 371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	No. 371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	No. 371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	No. 371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	No. 371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
accessories for	370017		
	No. 371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
	No. 371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
	No. 371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%		
	No. 371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%		

1

No.	370015	**Ref. No.**	120145
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP		
For models:	SP3		
accessories for	370015		
	No. 371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%		
	No. 371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	No. 371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%		
	No. 371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%		
	No. 371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	No. 371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	No. 371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%		
	No. 371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	No. 371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	No. 371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	No. 371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%		

Table continues overleaf

MAG-PRO

accessories for	370015			
	No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

solenoid valves with reducers

1

No.	370437	Ref. No.	23010
description	solenoid valve double angled 230VAC inlet 3/4" input 10l/min output 1.2/1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve inlet white outlet 11.5mm output A 1.2l/min output B 1.2l/min flow regulating valve outlet A dark brown flow regulating valve outlet B dark brown		
For models:	711010, 711011, 711014, 711015, 711016, 711017, 711018, 711019		

1

No.	370436	Ref. No.	23498
description	solenoid valve double angled 230VAC inlet 3/4" inputl/min output 0.6/0.6l/min DN10 t.max. 90°C TP plastic outlet 11.5mm output A 0.6l/min output B 0.6l/min flow regulating valve outlet A orange flow regulating valve outlet B orange		
For models:	711002, 711003		

1

No.	370395	Ref. No.	23116
description	solenoid valve double angled 230VAC inlet 3/4" inputl/min output 0.8/0.8l/min DN10 t.max. 90°C TP plastic outlet 11.5mm output A 0.8l/min output B 0.8l/min flow regulating valve outlet A white flow regulating valve outlet B white		
For models:	711008, 711009		

GEV
Image not available

1

No.	370011	Ref. No.	120144
description	solenoid valve double angled 230VAC inlet 3/4" outlet 11.5mm		
For models:	SP2-12, SP2-S12		

1

No.	370435	Ref. No.	23542
description	solenoid valve double angled 230VAC inlet 3/4" t.max. 90°C TP plastic outlet 11.5mm output A 0.5l/min output B 0.8l/min flow regulating valve outlet A orange flow regulating valve outlet B white		
For models:	711004, 711005, 711006, 711007		

1

No.	370438	Ref. No.	23502
description	solenoid valve double angled 230VAC inlet 3/4" t.max. 90°C TP plastic outlet 11.5mm output A 1.2l/min output B 0.8l/min flow regulating valve outlet A dark brown flow regulating valve outlet B white		
For models:	711012, 711013		

MAG-PRO

1

No.	370682	**Ref. No.**	120188
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 16l/min TP plastic flow regulating valve inlet pink 8VA		
For models:	SP2-12, SP2-S12		

1

No.	370449	**Ref. No.**	23220
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 2.5l/min outputl/min DN10 t.max. 90°C TP plastic flow regulating valve inlet yellow		
For models:	711014, 711015, 711016, 711017, 711018, 711019		

1

No.	370426	**Ref. No.**	23497
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm inputl/min output 0.6l/min DN10 t.max. 90°C TP plastic flow regulating valve outlet orange		
For models:	711001, 711002, 711003, 711004, 711005, 711006, 711007		

1

No.	370399	**Ref. No.**	23115
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm inputl/min output 0.8l/min DN10 t.max. 90°C TP plastic		
For models:	711008, 711009		

1

No.	370427	**Ref. No.**	23001
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm inputl/min output 1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve outlet dark brown		
For models:	711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		

1

No.	370354	**Ref. No.**	41826630220
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm output 5l/min t.max. 90°C TP plastic flow regulating valve outlet black flow regulating valve inlet white		
For models:	135001, 135002, 135003, 135004, 135201, 135202, 135203, 135204		

various

1

No.	370641	**Ref. No.**	00-775897-001
description	solenoid valve 220-240VAC outlet 10mm plastic inlet 10mm		
For models:	811014, 811015, 812014, 812015, 813003, 813004		

1

No.	370636	**Ref. No.**	240020
description	solenoid valve single CO 230VAC outlet 10.5mm MILANO 00168401 plastic 3-ways inlet 10.5mm 50/60Hz male faston 6.3mm		
For models:	812008, 812010, 915462, 915465		
accessories for	370636		

No.	371142	Ref. No.	133009
reducer for solenoid valve ø 8.2mm			

1

No.	372216	Ref. No.	251895 253818
description	solenoid valve with pressure switch single, angled 230VAC outlet 11mm inlet 3/4"mm		
For models:	743001		

metal

ASCO

2-way

1

No.	370509	Ref. No.	0280042
description	solenoid valve 2-ways 24VAC inlet 1/2" outlet 1/2" connection 1/2" L 52mm DN 12.5mm slide-on receptacle DIN -20° up to 85°C membranes NBR (water) p max 7bar 1/2" brass		
For models:	442006		

3-way

1

No.	370510	Ref. No.	0280052
description	solenoid valve brass 3-ways 24VAC connection 1/4" L 43mm DN 4.4mm -20 up to +90°C membranes NBR (water) p max 3bar p min 0bar 1/4"		

spare parts and accessories

O-rings

1

No.	371095	Ref. No.	WY12305
description	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	742001, 742002, 742003, 742004, 742005, 742017, 742018, 742019, 742020		

BÜRKERT

solenoid valves (various)

1

No.	370143	Ref. No.	90.19.10
description	solenoid valve 2-way 196V voltage DC BÜRKERT		
For models:	745002		

M&M

spare parts and accessories

solenoid coils

1

No.	370524	Ref. No.	15385
description	membrane silicone ø 12mm L 16mm		
For models:	741003		

MAG-PRO

ODE

5-way

1

No.	370477	**Ref. No.**	098761
description	solenoid valve brass 230VAC outlet 1/8" 5-way body outer cone slide-on receptacle DIN ODE coil type BDA/LBA p max 15bar coffee machine		
For models:	743001		
spare parts for	370477		

	No.	371150	Ref. No.	099057
	solenoid coil ODE 230VAC 16VA coil type BDV seat ø 13.5mm 750Ohm			
	No.	371191	Ref. No.	099056
	solenoid coil ODE 230VAC 10VA 50Hz coil type LBA seat ø 10mm			
	No.	371192	Ref. No.	099105
	solenoid valve body ø 13mm			
	No.	371193	Ref. No.	097472
	valve insert L 30mm ø 12mm Viton			
	No.	371194	Ref. No.	0V1953
	solenoid valve body ø 10mm			
	No.	371195	Ref. No.	099058
	valve insert L 24mm ø 9mm Viton			
	No.	510177	Ref. No.	094594
	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs			
	No.	520333	Ref. No.	095529
	hose connector brass straight thread 1/8" hose ø 7mm Qty 1 pcs			
	No.	520334	Ref. No.	0V2509
	angle piece thread 1/8" with coupling angled hose ø 5mm			

spare parts and accessories

gaskets

1

No.	371196	**Ref. No.**	099059
description	O-ring ø 12mm for valve body		
For models:	743001		

solenoid coils

1

No.	371191	**Ref. No.**	099056
description	solenoid coil ODE 230VAC 10VA 50Hz coil type LBA seat ø 10mm		
For models:	743001		

1

No.	371150	**Ref. No.**	099057
description	solenoid coil ODE 230VAC 16VA coil type BDV seat ø 13.5mm 750Ohm		
For models:	743001		

valve inserts

1

No.	371195	**Ref. No.**	099058
description	valve insert L 24mm ø 9mm Viton		
For models:	743001		

1

No.	371193	**Ref. No.**	097472
description	valve insert L 30mm ø 12mm Viton		
For models:	743001		

valve bodies

1

No.	371194	**Ref. No.**	0V1953
description	solenoid valve body ø 10mm		
For models:	743001		

1

No.	371192	**Ref. No.**	099105
description	solenoid valve body ø 13mm		
For models:	743001		

MAG-PRO

PARKER

2-way

VE-140 series

1

No.	370141[1]	**Ref. No.**	WY18161990
description	solenoid valve 2-ways 208-240 inlet 1/4" outlet 1/4" connection 1/4" L 40mm DN 3mm slide-on receptacle DIN -10 up to 140°C type series VE-140 coil type ZB09 membranes ruby p max 8bar SS		
For models:	742005		

[1]SS housing

1

No.	370140	**Ref. No.**	WY18162002 WY18162004 WY4618162005
description	solenoid valve 2-way-ways 230VAC connection 1/8" L 30mm DN 2.5mm slide-on receptacle DIN -10 up to 140°C coil type DZ06S6 membranes ruby p max 14bar brass		
For models:	742001, 742002, 742003, 742004, 742005		

3-way

VE-128 series

1

No.	370057	**Ref. No.**	WY18151
description	solenoid valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type ZB09 membranes ruby p max 10bar brass flange 32x32mm		
For models:	742001, 742002, 742003, 742004, 742005, 742017, 742018, 742019, 742020		
spare parts for	370057		

	No.	370062	Ref. No.	—
	solenoid valve body PARKER 3-ways outer cone			
	No.	371029	Ref. No.	—
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm			
accessories for	370057			
	No.	371090	Ref. No.	—
	power socket plug type DIN 43650A screw			
	No.	371095	Ref. No.	WY12305
	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs			

accessories for	370057			
	No.	371100	Ref. No.	—
	O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs			

solenoid valves (various)

1

No.	370525	**Ref. No.**	WY18150
description	solenoid valve 3-ways 110VAC body outer cone DN 1.5mm slide-on receptacle DIN -20 up to +140°C PARKER type series E131F membranes ruby p max 10bar p min 0bar with flange plate 110V brass voltage AC flange 32x32mm		
For models:	742001, 742002, 742003, 742004, 742005, 742017, 742018, 742019, 742020		

solenoid valves (various)

1

No.	370523	**Ref. No.**	11753
description	solenoid valve 230VAC connection M&M coil type 2700 230V brass		
For models:	741003		
spare parts for	370523		

	No.	370524	Ref. No.	15385
	membrane silicone ø 12mm L 16mm			
	No.	371022	Ref. No.	—
	solenoid coil M&M 230VAC 10VA 50Hz coil type 2700 seat ø 10mm			

MAG-PRO

solenoid valves (refrigeration)

CASTEL

valve bodies

STANDARD series

suitable for refrigerants R22, R134a, R404A, R407C, R410A, R507

1

No.	370151	**Ref. No.**	20410
description	solenoid valve body NC type 1028/2 S p max 45bar connection 1/4" soldering connection DN 2.2mm -35 up to +105°C L 125mm refrigeration straight CASTEL		
For models:	711002, 711003, 711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		
accessories for	370151		
	No. 371084	Ref. No.	—
	solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2		
	No. 371090	Ref. No.	—
	power socket plug type DIN 43650A screw		
	No. 371301	Ref. No.	—
	solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2		
	No. 371314	Ref. No.	—
	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm		
	No. 371321	Ref. No.	—
	solenoid coil CASTEL 12/24VAC 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2		

1

No.	370383	**Ref. No.**	20409
description	solenoid valve body NC type 1068/M10S p max 45bar connection 10mm soldering connection DN 7mm -35 up to +105°C L 111mm refrigeration straight CASTEL		
For models:	711016, 711017, 711018, 711019		
accessories for	370383		
	No. 371084	Ref. No.	—
	solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2		
	No. 371090	Ref. No.	—
	power socket plug type DIN 43650A screw		

accessories for	370383		
	No. 371301	Ref. No.	—
	solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2		
	No. 371314	Ref. No.	—
	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm		
	No. 371321	Ref. No.	—
	solenoid coil CASTEL 12/24VAC 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2		

spare parts and accessories

1

No.	371041	**Ref. No.**	23091
description	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HM2		
For models:	711002, 711003, 711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		
accessories for	371041		
	No. 371090	Ref. No.	—
	power socket plug type DIN 43650A screw		
	No. 371092	Ref. No.	—
	power socket plug type DIN large cable length 1000mm		

CEME

valves

with pipe clamp

1

No.	370380	**Ref. No.**	R30-0031
description	solenoid valve straight CEME type 6806 230V p max 25bar connection 6mm soldering connection -45 up to +125°C refrigeration 50Hz		
For models:	621004, 628004		

MAG-PRO

SANHUA

valves

1

No.	370757	**Ref. No.**	995508
description	solenoid valve type MDF-A03-6H001 230VAC p max 45bar pressure range 2 up to 31bar connection 10mm soldering connection -30 up to +105°C SANHUA refrigeration tube ø 10mm L 111mm		
For models:	671005, 671007		

various

valve bodies

1

No.	370478	**Ref. No.**	20853
description	solenoid valve body connection 6mm soldering connection refrigeration angled 90°		
For models:	711001, 711002, 711003		

Solenoid valve - accessories

1

No.	370516	**Ref. No.**	0280072
description	nut thread M8x0.75 for solenoid coil		

1

No.	371095	**Ref. No.**	WY12305
description	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	742001, 742002, 742003, 742004, 742005, 742017, 742018, 742019, 742020		

1

No.	371142	**Ref. No.**	133009
description	reducer for solenoid valve ø 8.2mm		
For models:	812008, 812010, 915462, 915465		

1

No.	370515	**Ref. No.**	0280071
description	solenoid coil 24V voltage AC seat ø 9mm		
For models:	442010		

1

No.	370508	**Ref. No.**	0280024
description	solenoid coil 3-way 24V 6mm		

1

No.	530903	**Ref. No.**	R65090300
description	solenoid coil plug type F6.3x0.8 230V for combi-steamer		
For models:	212005, 212007, 212009, 212018, 212020		

1

No.	370517	**Ref. No.**	0280075
description	solenoid valve body nominal dimension 2.8mm		
For models:	442003, 442004		

MAG-PRO

1

No.	370519	Ref. No.	0280080
description	solenoid valve body nominal dimension 2.8mm		

1

No.	370518	Ref. No.	0280078
description	solenoid valve body nominal dimension 6mm		
For models:	442005, 442007, 442008, 442010		

solenoid valves for vacuum machines

1

No.	370520	Ref. No.	0900858
description	solenoid valve 2-way 24VACV inlet 1/4"mm outlet ø4 vacuum packing machine		
For models:	442006		

1

No.	370507	Ref. No.	0280021
description	solenoid valve 2-ways 24VAC inlet 1/8" outlet 1/8"mm L 31mm DN 3.3mm 1/8" brass		
For models:	442006, 442008		

1

No.	370506	Ref. No.	0280010
description	solenoid valve 3-ways 24VAC inlet 1/8" outlet 1/8"mm L 35mm body inner cone DN 2.8mm 1/8" 24V brass		
For models:	442006		

1

No.	370514	Ref. No.	0280029
description	solenoid valve assembly 24VAC inlet 1/2" 3 coils coil type VA12 24V thread 1/2" hose ø 21mm H200+SA		

1

No.	370513	Ref. No.	0280027
description	solenoid valve assembly 24VAC inlet 1/2" outlet 10.5mm 2 coils coil type VA12 thread 1/2" JP		

1

No.	370800	Ref. No.	0280035
description	solenoid valve assembly 24VAC inlet 1/2" outlet 10.5mm 2 coils coil type VA12 thread 1/2" JP		
For models:	442010		

1

No.	370816	Ref. No.	0280026
description	solenoid valve assembly 24VAC inlet 1/2" outlet 21mm 2 coils coil type VA12 24V thread 1/2" hose ø 21mm J35/J42/B35		

1

No.	370511	Ref. No.	0280025
description	solenoid valve assembly 24VAC inlet 1/2" outlet 7.5mm 2 coils coil type VA12 thread 1/2" MJ		

MAG-PRO

1

No.	370787	**Ref. No.**	0280039
description	solenoid valve assembly 24VAC inlet 1/2" outlet 7.5mm 2 coils coil type VA12 thread 1/2" MJ		

1

No.	370505	**Ref. No.**	0900836
description	solenoid valve assembly 3 coils 24V thread 1/2" hose ø 21mm coil type VA12 B42(XL)+SA		

1

No.	370501	**Ref. No.**	0900831
description	solenoid valve assembly thread 1/2" hose ø 10mm 24V coil type VA12 JP		
For models:	442004		

1

No.	370504	**Ref. No.**	0900835
description	solenoid valve assembly thread 1/2" hose ø 21mm 24V coil type VA12 B35+SA 3 coils		

1

No.	370502	**Ref. No.**	0900832
description	solenoid valve assembly thread 1/2" hose ø 21mm 24V coil type VA12 J35		
For models:	442005		

1

No.	370503	**Ref. No.**	0900833
description	solenoid valve assembly thread 1/2" hose ø 21mm 24V coil type VA12 J42		
For models:	442007		

1

No.	692064	**Ref. No.**	0280032
description	solenoid valve assembly thread 1/2" hose ø 6mm 24V H200		

1

No.	370500	**Ref. No.**	0900830
description	solenoid valve assembly thread 1/2" hose ø 7.5mm 24V coil type VA12 MJ		
For models:	442003		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal

1

No.	541002	**Ref. No.**	224002
description	pressure control pressure range 110/60mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	813001		

1

No.	541011	**Ref. No.**	224010
description	pressure control pressure range 110/70mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	812002, 812004, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

1

No.	541307	**Ref. No.**	130629
description	pressure control pressure range 30/12mbar connection male faston 6.3mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	SP1, SP2-12, SP2-S12		

1

No.	541001	**Ref. No.**	224004
description	pressure control pressure range 35/17mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	811001, 811002, 811003		

1

No.	541003	**Ref. No.**	224003
description	pressure control pressure range 55/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

1

No.	541631	**Ref. No.**	130632
description	pressure control pressure range 75/45mbar connection 6mm ø 55mm pressure connection ø 5.5mm		
For models:	SP3		

pressure transmitters

1

No.	541786	**Ref. No.**	00-775866-002
description	pressure transmitter pressure range 0-50mbar output voltage 0.5-3.5VDC input voltage 5VDC max 200mbar		
For models:	811011, 811012, 811013, 811014, 811015, 812011, 812012, 812013, 812014, 812015, 813002, 813003, 813004		
accessories for	541786		

No.	520027	Ref. No.	00-324402-005 00-324402-014 143013
PVC hose ID ø 4mm ED ø 7mm L 10m thickness 1.5mm t.max. 60°C transparent			

accessories

1

No.	541109	**Ref. No.**	035031
description	Y-piece plastic hose ø 8-6-8mm for pressure switch		
For models:	812002, 812007, 812009, 915234, 915235, 915236, 915237, 915460		

for coffee machines

ø 38mm

1

No.	541089	**Ref. No.**	WY20155
description	pressure control ø 38mm pressure range 0.5-1.2bar pressure connection vertical 16A 250V coffee machine parts connection 1/8" ambient temperature max. 125°C pressure connection 1/8"		
For models:	742005		

MAG-PRO

ø 45mm

1

No.	541930	Ref. No.	17955
description	pressure control ø 45mm pressure range 0.155/0.125bar 155/125mmWS p max 0.5bar connection 8mm pressure connection 8mm		
For models:	741001, 741002		

miscellaneous

1

No.	541021	Ref. No.	WY20150
description	pressure control pressure range adjustable 0.5-1.4bar connection 1/4" 30A 3-pole type P302 coffee machine parts SIRAI		
For models:	742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		
accessories for	541021		

No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

No.	890100	Ref. No.	—
PTFE tape reel L 12m W 12mm -200 up to +260°C approval DIN-DVGW, KTW temperature-resistant, elastic for fine thread thickness 0.1mm			

for steam control

1

No.	541795	Ref. No.	CR0587800
description	pressure control ø 45mm pressure connection vertical steam control pressure range -1 up to +1bar connection male faston 6.3mm BECK pressure connection 3/8"		
For models:	146002, 146007		

1

No.	541074	Ref. No.	R63070050
description	pressure control ø 45mm triggering pressure 0.5bar reset pressure 0.35bar pressure connection vertical steam control pressure range 0.35/0.51bar connection 1/8" pressure connection 1/8"		
For models:	212001, 212002, 212003, 212005, 212007, 212009, 212010, 212011, 212012, 212013, 212018, 212020		

1

No.	541350	Ref. No.	6A022200
description	pressure control pressure range adjustable 0.3-0.8bar connection 1/4" CO 250V 10A ambient temperature max. 60°C pressure connection 1/4"		

for refrigeration

SAGI NO MIYA

1

No.	541479	Ref. No.	23175
description	pressure control HD reset automatic refrigeration type HTB-X114 connection 2.4mm		
For models:	711002, 711003, 711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		

electrodes

1

No.	402106	Ref. No.	13926
description	electrode push-in total length 50mm probe L 40mm insulated probe length 35mm connection F2.8 ø 5mm		
For models:	741003		



1

No.	402104	Ref. No.	687867
description	electrode bloc flange with thread total length 175mm probe L 155/115/90/60/45/30mm insulated probe length 10mm connection F2.8		
For models:	741003		

1

No.	401872	Ref. No.	WY20261
description	level electrode 1/4" total length 100mm probe L 64mm insulated probe length 17mm connection male faston 6.3mm stainless steel ø 2.5mm		

MAG-PRO

1

No.	400790	**Ref. No.**	WY20251
description	level electrode 1/4" total length 125mm probe L 98mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 3mm rubber		
For models:	742001, 742002, 742003, 742004, 742005, 742017, 742018, 742019, 742020		
accessories for	400790		

No.	527188	Ref. No.	WY25742
screw connection thread 1/8" IT - 1/8" ET 1-way brass for level electrode ømm L 20mm			

accessories

screw connections

1

No.	527188	**Ref. No.**	WY25742
description	screw connection thread 1/8" IT - 1/8" ET 1-way brass for level electrode ømm L 20mm		
For models:	742005		

flow meters and flow sensors

flow meters

GICAR

1

No.	400004	**Ref. No.**	WY18126
description	flow meter thread 1/4" stainless steel with LED plug connection approval NSF		
For models:	742001, 742002, 742003, 742004, 742019, 742020		
accessories for	400004		

No.	400256	Ref. No.	—
plug GICAR for flow meter			

1

No.	400782	**Ref. No.**	098707
description	flow meter hose ø 6mm plastic plug-in connection approval NSF		
For models:	743001		

compressors

ACC/ZEL

R134A

LBP monophase

Lower evaporation temperature below -20°C

1

No.	605126	**Ref. No.**	RC0047 S900.41
description	compressor coolant R134a type OF1350A 220-240V 50Hz LBPkg 1/4HP power input 158W cylinder capacity 7.5cm³ RSIR H 183mmWWWWWWWWW ZEL		
For models:	272008, 611007, 611008, 611009, 611013, 611014, 611023, 613016, 613017, 621018, 621026, 621029, 621030, 621031, 621032, 621033, 621034, 621035, 621036, 622026, 622027, 625003, 625014, 625015, 625016, 625017, 634001, 634002, 634003		

MAG-PRO

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

1

No.	605008	**Ref. No.**	141555100065 141565100030
description	compressor coolant R134a type GL80TB 220-240V 50Hz HMBP fully hermetic 9.5kg 1/5HP power input 554W cylinder capacity 7.6cm³ CSIR H 175.5mm 165W 215W 290W 390W 500W 615W 727W 840W test method ASHRAE ambient temperature max. 43°C		
For models:	201780, 621007, 622005		

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C

1

No.	605073	**Ref. No.**	141565100180
description	compressor coolant R404a/R507 type MP14FB 220-240V 50Hz LBP fully hermetic 13.9kg 1/2HP cylinder capacity 14cm³ CSIR H 203.6mm 439W 584W 746W 926W 1124WWWWW test method ASHRAE		
For models:	613022, 613023, 613026, 613027, 613028, 613029, 613030, 613031, 621007, 622005		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

1

No.	605068	**Ref. No.**	880218000
description	compressor coolant R404a/R507 type ML45TB 220-240V 50Hz HMBP fully hermetic 10kg 1/5HP cylinder capacity 4.5cm³ CSIR H 175.5mmW 192W 246W 309W 382W 465W 557W 659W 771W test method ASHRAE		
For models:	641001		

1

No.	605069	**Ref. No.**	880218400
description	compressor coolant R404a/R507 type ML80TG 220-240V 50Hz HMBP fully hermetic 11.2kg 3/8HP cylinder capacity 7.6cm³ CSIR H 175.5mmWWW 386W 487W 603W 734W 880W 1041W test method ASHRAE ambient temperature max. 43°C		
For models:	641006, 641008		

1

No.	605028	**Ref. No.**	880216900
description	compressor coolant R404a/R507 type ML90TB 220-240V 50Hz HMBP fully hermetic 11.6kg 3/8HP cylinder capacity 8.85cm³ CSIR H 175.5mmW 323W 418W 532W 666W 819W 990W 1181W 1391W test method ASHRAE ambient temperature max. 43°C		
For models:	641009, 641010, 641011, 641014, 641015		

MAG-PRO

1

No.	605071	Ref. No.	880217400
description	compressor coolant R404a/R507 type MS26TB 230V 50Hz HMBP fully hermetic 23kg cylinder capacity 25.9cm³ CSR 1295W 1687W 2132W 2631W 3184W 3791W test method ASHRAE		
For models:	644006, 644011, 644012		

1

No.	605072	Ref. No.	880216500
description	compressor coolant R404a/R507 type MX18TBa 220-240V 50Hz HMBP fully hermetic 17.2kg 7/8HP cylinder capacity 18.4cm³ CSR H 213mmW 640W 839W 1076W 1350W 1663W 2013W 2400W 2826W test method ASHRAE ambient temperature max. 43°C		
For models:	644008, 644009		
spare parts for	605072		
	No. 365006	Ref. No.	—
	operating capacitor capacity 16µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 121mm M8 aluminium connection cable 300mm MKP protection IP65		
	No. 365128	Ref. No.	—
	operating capacitor capacity 16µF 450V tolerance 5% 50-60Hz ambient temperature max. -25 to +85°C ø 40mm L 100mm M8 aluminium connection male faston 6.3mm 16.26.16 protection		

CUBIGEL

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C

1

No.	605176	Ref. No.	141565100021
description	compressor coolant R404a/R507 type ML90FB 220-240V 50Hz LBP 11kg 1/3HP cylinder capacity 8.85cm³ CSIR H 198mm 305W 394W 495W 606W 729WWWWW test method ASHRAE		
For models:	613020, 613021, 613022, 613024, 613025, 613027, 613028, 613030, 613031, 613032, 613033		

1

No.	605180	Ref. No.	Q32-0705
description	compressor coolant R404a/R507 type MX23FB 220-240V 50Hz LBP 17.5kg 1HP power input 7/8W cylinder capacity 23.2cm³ CSR H 221mm 749W 982W 1246W 1541W 1868WWWWW		
For models:	622004		

1

No.	605075	Ref. No.	BN141565100195
description	compressor coolant R404a/R507a type MX21FB_A 220-240V 50Hz LBP 16.5kg 3/4HP cylinder capacity 20.72cm³ CSR H 220mm 575W 655W 742W 836W 938WWWWW test method ASHRAE		
For models:	622021		

MAG-PRO

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

1

No.	605013	**Ref. No.**	880216700
description	compressor coolant R404a/R507 type ML60TB 220-240V 50Hz HMBP fully hermetic 10.1kg 1/4HP power input 647W cylinder capacity 5.68cm³ CSIR H 175.5mmW 244W 319W 407W 511W 628W 760W 906W 1067W test method ASHRAE		
For models:	641002, 641003, 641004, 641005, 641007		

1

No.	605029	**Ref. No.**	880217000
description	compressor coolant R404a/R507 type MP12RB 220-240V 50Hz HMBP fully hermetic 13.5kg 1/2HP cylinder capacity 12cm³ CSR H 203.6mmW 561W 734W 933W 1157W 1407W 1681W 1982WW test method ASHRAE ambient temperature max. 43°C		
For models:	641012, 641016		

1

No.	605067	**Ref. No.**	880217100
description	compressor coolant R404a/R507 type MPT14RA 220-240V 50Hz HMBP fully hermetic 13.5kg 1/2HP cylinder capacity 14.32cm³ CSR H 210mmWWW 665W 720W 775W 829W 882W 934W test method ASHRAE		
For models:	641013, 641017, 644007		

EMBRACO / ASPERA

R134A

HBP monophase

High evaporation temperature above -15°C

1

No.	605086	**Ref. No.**	23857
description	compressor coolant R134a type EMT45HDR 220-240V 50Hz HBP fully hermetic 7.7kg 1/8HP power inputW cylinder capacity 3.97cm³ CSIRWW 162W 207W 256W 314W 383W 467W test method ASHRAE		
For models:	711001		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

1

No.	605244	**Ref. No.**	RC0564
description	compressor coolant R134a type FFI12HBK 220-240V 50Hz HMBP 10.8kg 1/3HP cylinder capacity 11.15cm³ CSIR H 180mm 223W 304W 405W 527W 671W 836W 1024W 1236W 1471W test method EN 12900		
For models:	621047, 622036, 622039, 633002		

MAG-PRO

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C

1

No.	605144	**Ref. No.**	995745
description	compressor coolant R404a/R507 type NEK2168GK 220-240V 50Hz LBP 22.9kg 3/4HP cylinder capacity 14.28cm³ CSR H 200mm 345W 454W 587W 742W 921W 1123WWWWW		
For models:	617005, 617006, 671008		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

1

No.	605004	**Ref. No.**	74865635
description	compressor coolant R404a/R507 type EMT6152GK 220-240V 50Hz HMBP fully hermetic 7.8kg 1/5HP cylinder capacity 4.5cm³ CSIR H 166mmWWW 267W 332W 351W 437W 535W 646W 769W test method ASHRAE		
For models:	651011, 651012, 652004		

1

No.	605149	**Ref. No.**	8802189
description	compressor coolant R404a/R507 type NEK6144GK 220-240V 50Hz HMBP fully hermetic 10kg 1/6HP cylinder capacity 4.51cm³ CSIR H 190mmW 271W 326W 395W 480W 580W 694W 825W test method ASHRAE46		

1

No.	605165	**Ref. No.**	74865634
description	compressor coolant R404a/R507 type NT6226GK 220-240V 50Hz HMBP 18.1kg 1HP cylinder capacity 22.4cm³ CSR H 234mmW 1314W 1650W 2058W 2532W 3068W 3658W 4298W		
For models:	651072, 651073, 651074, 651075, 651086, 651088, 651100, 651101, 651102, 651103, 651104, 651105, 651106, 651107, 651110, 651111, 651112, 651113, 651114, 651115, 651118, 651119, 651120		

R600A

LBP monophase

Lower evaporation temperature below -20°C

1

No.	605085	**Ref. No.**	6119659
description	compressor coolant R600a type EMT45CDP 220-240V 50Hz HBP fully hermetic 7.7kg 1/8HP power input 152W cylinder capacity 6.78cm³ RSIRWW 164W 209W 262W 322W 392W 477W test method ASHRAE		
For models:	621014, 621015, 622009, 622018, 622019, 625011, 625012, 625013		
spare parts for	605085		
	No. 381088	Ref. No.	6940650
	start relay		
	No. 390620	Ref. No.	6940609
	overload protector for engine protective curcuit breaker T0357/07 t.max. 150°C reset automatic		

MAG-PRO

HBP monophase

High evaporation temperature above -15°C

1

No.	605083	**Ref. No.**	6119717
description	compressor coolant R600a type EMT30CDP 220-240V 50Hz HBP fully hermetic 7.2kg 1/8HP cylinder capacity 4.5cm³ RSIR H 158mmWW 112W 142W 180W 222W 268W 320W test method ASHRAE		
For models:	625010, 629001		
spare parts for	605083		
	No. 381088	Ref. No.	6940650
	start relay		
	No. 390621	Ref. No.	6941014
	overload protector for engine protective curcuit breaker T0224/07 t.max. 150°C reset automatic		

L´UNITE HERMETIQUE / TECUMSEH

R404A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

1

No.	605025	**Ref. No.**	23441 Q32-0703
description	compressor coolant R404A type AE4430Z-FZ 220-240V 50Hz HMBP fully hermetic 10.2kg 1/4HP power input 427W cylinder capacity 5.7cm³ CSIR H 186mmWW 258W 346W 441W 550W 682W 794W test method EN 12900 908W		
For models:	621004, 711006, 711007, 711008, 711009		
spare parts for	605025		
	No. 380061	Ref. No.	—
	start relay MTRP0027-31 120/240V voltage AC 8A 1NO		

1

No.	605023	**Ref. No.**	23505
description	compressor coolant R404A type AE4450Z 220-240V 50Hz HMBP fully hermetic 12.5kg 3/8HP cylinder capacity 8.85cm³ CSIR H 207mmWW 434W 567W 734W 927W 1270W 1367W test method EN 12900 1729W		

1

No.	605036	**Ref. No.**	23444
description	compressor coolant R404A type AEZ4425Z 220-240V 50Hz 9.8kg 1/5HP power inputW cylinder capacity 4.5cm³ CSIR H 186mmWW 198W 263W 341W 432WWWW		
For models:	711018, 711019		

1

No.	605021	**Ref. No.**	23436
description	compressor coolant R404A type AEZ4425Z 220-240V 50Hz HMBP fully hermetic 9.8kg 1/5HP cylinder capacity 4.5cm³ CSIR H 186mmWW 198W 263W 341W 432W 537W 629W test method EN 12900 723W		
For models:	711004, 711005		

MAG-PRO

1

No.	605022	**Ref. No.**	23437
description	compressor coolant R404A type AEZ4440Z 230V 50Hz HMBP fully hermetic 21kg cylinder capacity 7.55cm³ CSIR H 292mm 415W 517W 637W 772W 919W 1074W test method EN 12900 1234W		
For models:	711010, 711011		

1

No.	605026	**Ref. No.**	23503
description	compressor coolant R404A type CAJ9480Z 220-240V 50Hz HMBP fully hermetic 22kg 3/4HP cylinder capacity 15.2cm³ CSR H 271mm 393W 571W 774W 1009W 1284W 1607W 1989W 2334W test method EN 12900 2699W		
For models:	711016, 711017		

1

No.	605070	**Ref. No.**	880224900
description	compressor coolant R404A type CAJ9513Z 220-240V 50Hz HMBP fully hermetic 23kg 1.1HP cylinder capacity 24.2cm³ CSR H 282mmW 930W 1269W 1654W 2086W 2568W 3096W 3671W test method EN 12900 4278W		

SECOP DANFOSS

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C

1

No.	605058	**Ref. No.**	141555100055
description	compressor coolant R404a/R507 type SC15CL 220-240V 50Hz LBP fully hermetic 13.8kg 1/2HP cylinder capacity 15.28cm³ CSIR H 219mm 486W 637W 813W 1017W 1251W 1699WWWW test method ASHRAE 175W 358W		
For models:	614016		
spare parts for	605058		
	No. 380058	Ref. No.	—
	start relay DANFOSS 117U6019/F278 HST		

accessories

starting relays

miscellaneous

1

No.	381087	**Ref. No.**	6940863
description	start relay		
For models:	622012, 668006, 668009, 668010		

1

No.	381088	**Ref. No.**	6940650
description	start relay		
For models:	621014, 621015, 622009, 622013, 622018, 622019, 625010, 625011, 625012, 625013, 629001		

MAG-PRO

overload protector (klixon)

1

No.	390621	**Ref. No.**	6941014
description	overload protector for engine protective curcuit breaker T0224/07 t.max. 150°C reset automatic		
For models:	625010, 629001		

1

No.	390620	**Ref. No.**	6940609
description	overload protector for engine protective curcuit breaker T0357/07 t.max. 150°C reset automatic		
For models:	621014, 621015, 622009, 622018, 622019, 625011, 625012, 625013		

evaporation and condensing trays

condensing trays heated

producer-specific

1

No.	750005	**Ref. No.**	222312100
description	condensing tray heated L 240mm W 240mm H 250mm		
For models:	644010		
spare parts for	750005		
	No. 418732	Ref. No.	877107800
	heating element 650W 230V L 280mm W 95mm H 87mm L1 65mm L2 215mm cable length 1500mm connection distance 86mm tube ø 8.5mm heating circuits 1 immersion heater		

1

No.	750003	**Ref. No.**	226303600
description	condensing tray heated L 240mm W 240mm H 75mm 230V 650W connect with power contactor		
For models:	644008, 644009		
spare parts for	750003		
	No. 348139	Ref. No.	—
	float switch 250V 1A 1NO or 1NC thread M16x1.5 ø 17.4mm L 100.5mm mounting ø 28mm cable cable length 1500mm temp.-resist. -20 up to +90°C		
	No. 418732	Ref. No.	877107800
	heating element 650W 230V L 280mm W 95mm H 87mm L1 65mm L2 215mm cable length 1500mm connection distance 86mm tube ø 8.5mm heating circuits 1 immersion heater		
accessories for	750003		
	No. 380185	Ref. No.	229029 880302100
	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A1O-230AC-FA		

1

No.	750006	**Ref. No.**	222312200
description	condensing tray heated L 380mm W 240mm H 250mm		
For models:	644011, 644012		

MAG-PRO

1

No.	750004	**Ref. No.**	227206000
description	condensing tray heated L 380mm W 240mm H 75mm 230V 750W with float switch		
For models:	644006		
spare parts for	750004		
	No. 348139	Ref. No.	—
	float switch 250V 1A 1NO or 1NC thread M16x1.5 ø 17.4mm L 100.5mm mounting ø 28mm cable cable length 1500mm temp.-resist. -20 up to +90°C		
	No. 418733	Ref. No.	877107900
	heating element 750W 230V L 430mm W 95mm H 98mm L1 85mm L2 345mm cable length 1500mm connection cable connection distance 86mm tube ø 8.5mm heating circuits 1 immersion heater		
accessories for	750004		
	No. 380185	Ref. No.	229029 880302100
	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A1O-230AC-FA		

fans

axial fans

ebm-papst

1

No.	601482[1]	**Ref. No.**	880102000
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 13W bearing slide bearing manuf. no. 4580ZW connection cable 310mm ebm-papst temp.-resist. 65°C		
For models:	641010, 641011, 641012, 641013, 641014, 641015, 641016, 641017, 644007, 644008, 644009		

[1]with ball bearings

1

No.	601089[1]	**Ref. No.**	880101400
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 19W bearing slide bearing manuf. no. 4650N metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 55°C		
For models:	644006, 644010		
accessories for	601089		
	No. 550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No. 691104	Ref. No.	—
	guard ø 115mm mounting distance 105mm for axial fan 119mm		

[1]with slide bearings

1

No.	601030[1]	**Ref. No.**	R65060050
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
For models:	212002, 212003, 212005, 212007, 212009, 212010, 212011, 212012, 212013, 212018, 212020		
accessories for	601030		
	No. 550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No. 692497	Ref. No.	—
	guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm		

[1]with ball bearings

MAG-PRO

1

No.	601481[1]	**Ref. No.**	880103500
description	axial fan L 127mm W 127mm H 38mm 230VAC 50/60Hz 18W bearing slide bearing manuf. no. 5950W metal connection male faston 2.8mm ebm-papst fan wheel ø 120mm temp.-resist. 75°C		
For models:	644011, 644012		

[1]with slide bearings

1

No.	601496[1]	**Ref. No.**	251867
description	axial fan L 60mm W 60mm H 25mm 12VDC 0.8W bearing ball bearing manuf. no. 612NME plastic connection cable 310mm ebm-papst fan wheel ø 55mm with plug		
For models:	743001		

[1]with ball bearings

1

No.	601038[1]	**Ref. No.**	880100800 880101300
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 12W bearing ball bearing manuf. no. 8556N metal connection cable 300mm ebm-papst fan wheel ø 75mm temp.-resist. 90°C airflow 50m³/h		
For models:	641001, 641002, 641003, 641004, 641005, 641006, 641007, 641008, 641009		
accessories for	601038		
	No. 691102	Ref. No.	—
	guard ø 75mm mounting distance 71mm for axial fan 80mm		

[1]with ball bearings

import

1

No.	601604[1]	**Ref. No.**	RC0011 RC0654 S900.34
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bearing slide bearing manuf. no. AA1282HS-AT connection cable 300mm fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m³/h 2600rpm		
For models:	272006, 272007, 272008, 611007, 611008, 611009, 611010, 611011, 611023, 621018, 621023, 621024, 621025, 621026, 621027, 621028, 621029, 621030, 621031, 621032, 621033, 621034, 621035, 621036, 621045, 621046, 621047, 621048, 621049, 621050, 622022, 622023, 622024, 622025, 622026, 622027, 622028, 622029, 622034, 622035, 622036, 622037, 622038, 622039, 625002, 625003, 625014, 625015, 625016, 625017...(Other models you can see in the webshop)		

[1]with slide bearings

1

No.	601510[1]	**Ref. No.**	C23856
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22/21W bearing ball bearing connection male faston 6.3mm SUNON temp.-resist. 70°C		

[1]with ball bearings

1

No.	601080[1]	**Ref. No.**	MACM303000 X02.12.082.00
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	141020, 222004, 222005		
accessories for	601080		
	No. 550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		

[1]with ball bearings

MAG-PRO

accessories for	601080			
	No.	692519	Ref. No.	—
	guard L 120mm W 120mm plastic			

1

No.	601679	**Ref. No.**	100302
description	axial fan L 60mm W 60mm H 25mm 24VDC 1.9W bearing magnetic bearing connection cable cable length 300mm SUNON fan wheel ø 55mm temp.-resist. -10 up to +70°C housing plastic		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

1

No.	601335[1]	**Ref. No.**	100301
description	axial fan L 80mm W 80mm H 25mm 24VDC 1.7W bearing slide bearing connection cable plastic SUNON fan wheel ø 75mm temp.-resist. 70°C		
For models:	131216, 131217, 131218, 246009, 246010, 246011, 246012, 246013, 246014		

[1]with slide bearings

1

No.	601081[1]	**Ref. No.**	R65060010
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 14/13.5W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C		
For models:	212001		
accessories for	601081		
	No.	691102	Ref. No. —
	guard ø 75mm mounting distance 71mm for axial fan 80mm		

[1]with ball bearings

1

No.	601055[1]	**Ref. No.**	1648110150 6A036420 BN1648110150 GN2100TN.35 X02.12.093.00
description	axial fan L 92mm W 92mm H 25mm 230VAC 50/60Hz 14.5/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 85mm temp.-resist. 70°C		
For models:	541003, 551010, 551011, 551012, 551013, 611013, 611014, 611016, 611017, 613016, 613017, 613020, 613021, 613022, 613023, 613024, 613025, 613026, 613027, 613028, 613029, 613030, 613031, 613032, 613033		
accessories for	601055		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	691103	Ref. No. —
	guard ø 90mm mounting distance 83mm for axial fan 92mm		

[1]with ball bearings

refrigeration fans

refrigeration motors universal

ebm-papst

miscellaneous

1

No.	601783	**Ref. No.**	GN650TN.34 S900.37
description	fan motor 10W 230V 50/60Hz L3 87mm W 67mm cable length 400mm 1300rpm ebm-papst M4Q045-CA03-51/C18 3 mounting options bearing slide bearing for refrigerated counters		
For models:	611007, 611008, 611009, 611010, 611013, 611014, 613016, 613017, 621018, 621019		
spare parts for	601783		
	No.	601413	Ref. No. 10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		
accessories for	601783		
	No.	601385	Ref. No. 20095
	fan wheel sucking ø 172mm fan wheel mounting 25.4mm blade angle 34° W 42mm aluminium		

MAG-PRO

ELCO

N series - multi fit

1

No.	601427	**Ref. No.**	880100300
description	fan motor ELCO 10W 230V 50/60Hz bearing slide bearing L1 49mm L2 59mm L3 86.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT10-20/028		
For models:	641001, 641002, 641003, 641004, 641005, 641006, 641007, 641008, 641009, 641010, 641011, 641012, 641013, 641014, 641015, 641016, 641017, 644006, 644007, 644008, 644009, 644010, 644011, 644012		
spare parts for	601427		
	No. 560140	Ref. No.	260402 260418
	hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking		
	No. 560332	Ref. No.	260502
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs		
	No. 560340	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
	No. 601413	Ref. No.	10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

1

No.	601430	**Ref. No.**	1648000510
description	fan motor ELCO 5W 230V 50/60Hz bearing slide bearing L1 48mm L2 52mm L3 79.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT5-13/027		
For models:	551010, 551011, 611016		
spare parts for	601430		
	No. 560140	Ref. No.	260402 260418
	hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking		
	No. 560332	Ref. No.	260502
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs		
	No. 560340	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
	No. 601413	Ref. No.	10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

N series - standard

1

No.	601359	**Ref. No.**	Q32-0132
description	fan motor 18W 230V 50/60Hz bearing slide bearing W 83mm connection 3-wire cable length 1000mm 1300/1550rpm 3 mounting options VNT18-30/150		
For models:	621004		
spare parts for	601359		
	No. 601413	Ref. No.	10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

1

No.	601442	**Ref. No.**	1648001017 BN1648001017
description	fan motor ELCO 10W 230V 50-60Hz bearing slide bearing L1 45mm L3 83mm W 83mm cable length 1800mm 1300/1550rpm 3 mounting options VN10-20/507 triple		
For models:	201780, 613020, 613021, 613022, 613024, 613025, 613027, 613028, 613030, 613031, 613032, 613033, 621007, 621021, 622005, 622021		
spare parts for	601442		
	No. 601413	Ref. No.	10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

MAG-PRO

RE series

1

No.	601608	**Ref. No.**	Q32-0590
description	fan motor 18W 230/240V 50/60Hz W 90mm cable length 1000mm 2600rpm ELCO R18-25/010 3 mounting options bearing slide bearing H 110mm L 90mm		
For models:	621005, 622004		
spare parts for	601608		
	No. 601413	Ref. No.	10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

accessories

fan wheels

aluminium



1

No.	601385	**Ref. No.**	20095
description	fan wheel sucking ø 172mm fan wheel mounting 25.4mm blade angle 34° W 42mm aluminium		
For models:	711002, 711003		



1

No.	601282	**Ref. No.**	1495200034
description	fan wheel sucking ø 200mm fan wheel mounting 25.4mm blade angle 34° W 44mm aluminium		
For models:	201780, 621007, 622005		

1

No.	601172	**Ref. No.**	1495230034 BN1495230034
description	fan wheel sucking ø 230mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		
For models:	621007, 622005, 622021		



1

No.	601414	**Ref. No.**	20031
description	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 31° W 46mm aluminium		
For models:	711014, 711015, 711016, 711017, 711018, 711019		

plastic



1

No.	601412	**Ref. No.**	10213
description	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
For models:	711002, 711003, 711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		

MAG-PRO

fan guards

1

No.	601738	**Ref. No.**	S900.38
description	guard for fan wheel ø 170mm ø 216mm H 30mm mounting distance 1 224 up to 254mm mounting distance 2 94.5mm		
For models:	611007, 611008, 611009, 611013, 611014, 613016, 613017, 621018		

cooling motors (complete)

1

No.	601739	**Ref. No.**	GN650BT.11 RC0229
description	fan 230V 10W 50Hz fan wheel ø 230mm shaft L 20mm L 86mm W 67mm blade angle 34° connection spate terminal M4 cable length 1100mm		
For models:	611023, 621019, 625017, 625018, 633001, 633002		
spare parts for	601739		
	No. 601172	Ref. No.	1495230034 BN1495230034
	fan wheel sucking ø 230mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		
	No. 601757	Ref. No.	—
	fan motor 10W 230V 50/60Hz L1 43.5mm L3 82mm W 67mm cable length 1500mm 1300/1550rpm ebm-papst M4Q045-CA03-75 5 mounting options bearing slide bearing		
	No. 601783	Ref. No.	GN650TN.34 S900.37
	fan motor 10W 230V 50/60Hz L3 87mm W 67mm cable length 400mm 1300rpm ebm-papst M4Q045-CA03-51/C18 3 mounting options bearing slide bearing for refrigerated counters		

cooling motors (various)

refrigeration motors with foot

1

No.	601418	**Ref. No.**	23029
description	fan motor 10W 230V 50Hz L1 48mm L2 70mm L3 85mm W 83mm feet depth 72mm cable length 500mm connection with plug		
For models:	711002, 711003, 711014, 711015, 711016, 711017, 711018, 711019		

1

No.	601419	**Ref. No.**	23067
description	fan motor 20W 230V 50/60Hz L1 42mm L3 91.5mm W 83mm feet depth 88mm cable length 500mm connection with plug		
For models:	711014, 711015, 711016, 711017, 711018, 711019		

cold air circulating fans (complete)

HIDRIA



1

No.	601811	**Ref. No.**	995870
description	fan type R09R-3030HP-4M-2543 fan wheel ø 300mm 230V 50/60Hz 65/90W suitable capacitor 2.5µF HIDRIA suitable for blast chiller suitable for FRIULINOX 1400/1500rpm blowing H 138mm cable lengthmm mounting distance 265mm		
For models:	671005, 671007		

MAG-PRO

cold air circulating fans

cold air circulating fans

1

No.	601477	**Ref. No.**	6118791
description	fan motor 230V 50-60Hz shaft L 22mm shaft ø 3mm type F61-10		
For models:	629001		
accessories for	601477		
	No. 601480	Ref. No.	6299905
	fan wheel blowing ø 164mm W 27mm shaft intake ø 3mm plastic blades 3		

1

No.	601479	**Ref. No.**	6118787 6118795
description	fan motor 230V 50-60Hz shaft L 22mm shaft ø 3mm type F61-10G		
For models:	621015, 622019		
accessories for	601479		
	No. 601480	Ref. No.	6299905
	fan wheel blowing ø 164mm W 27mm shaft intake ø 3mm plastic blades 3		

1

No.	601478	**Ref. No.**	6118751
description	fan motor 230V 50-60Hz shaft L 22mm shaft ø 3mm type F61-10G with plug		
For models:	621014, 622009, 622018		
accessories for	601478		
	No. 601480	Ref. No.	6299905
	fan wheel blowing ø 164mm W 27mm shaft intake ø 3mm plastic blades 3		

accessories

fan wheels for cold air circulating fans

1

No.	601480	**Ref. No.**	6299905
description	fan wheel blowing ø 164mm W 27mm shaft intake ø 3mm plastic blades 3		
For models:	621014, 621015, 622009, 622018, 622019, 625011, 625012, 625013, 629001		

brackets for cold air circulating fans

GEV
Image not available

1

No.	691504	**Ref. No.**	7427581
description	bracket		
For models:	621014, 622009, 622018, 625011, 625012, 625013		

1

No.	691478	**Ref. No.**	7422558
description	bracket for fan		
For models:	621015, 622019, 629001		

1

No.	691479	**Ref. No.**	7427579 7430145
description	bracket for fan		
For models:	621014, 622009, 622018, 625011, 625012, 625013		

MAG-PRO

cold air circulating fans

1

No.	750398	**Ref. No.**	R35-0177
description	fan motor 230/240V 50/60Hz 35W shaft ø 6mm shaft L 14mm W 62mm H 73mm		
For models:	628004		
accessories for	750398		
	No. 601413	Ref. No.	10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		
	No. 602184	Ref. No.	—
	fixing plate suitable for fanwheel ED ø 33mm shaft ø 6 mounting distance 17mm		

cross flow fans

EMMEVI - FERGAS

with standard coil

1

No.	601018	**Ref. No.**	01202330
description	cross flow fan TG 180 roller ø 60mm roller length 180mm motor position right 230V/50Hz 25W universal bearing silicone connection male faston 6.3mm -10 up to +60°C 230V connections 1-2 1950U/min connections 1-4 1500U/min		
For models:	211039, 211042, 211043, 211044, 211045, 211046, 212034, 212035, 212036, 212037, 212038, 212039, 212040, 212041		

with moulded coils

1

No.	601852	**Ref. No.**	74845036
description	cross flow fan roller ø 60mm roller length 420mm laminated core thickness 40mm motor position right 230V/50Hz 65W refrigeration bearing rubber connection cable -10 up to +60°C 230V cable length 2000mm with moulded coil		
For models:	651074, 651075, 651086, 651088, 651102, 651103, 651106, 651107, 651108, 651109, 651112, 651113, 651115, 651116, 651118, 651120, 651121		

accessories for cross flow fans

air ducts

1

No.	701630	**Ref. No.**	00012330
description	air duct for cross flow fan for combi-steamer plastic grey		
For models:	211039, 211042, 211043, 211044, 211045, 211046, 212034, 212035, 212036, 212037, 212038, 212039, 212040, 212041		

hot air motors

1

No.	550857	**Ref. No.**	R58003870
description	counterflange for fan motor ED ø 50mm int. ø 1 25mm int. ø 2 16mm thickness 6mm brass		
For models:	212002, 212010, 212011		

1

No.	550859	**Ref. No.**	R58003850
description	counterflange for fan motor ED ø 60mm int. ø 1 34mm int. ø 2 25mm thickness 6mm brass		
For models:	212003, 212012, 212013		



1

No.	601491	**Ref. No.**	KVN010 VN1035A0
description	fan motor		
For models:	211002		

MAG-PRO



1

No.	500656	**Ref. No.**	R65040520
description	fan motor 200-240/415V 3 phase 50/60Hz 0.15/0.55kW 900/1400rpm speeds 2 L1 150mm L2 50mm L3 48mm D1 ø 24mm D2 ø 20mm M12L IT 2.3/1.3-1.2/0.7A at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 900/1400rpm at 60Hz 1100/1700rpm type 3042D4050		
For models:	212012, 212013		
spare parts for	500656		
	No. 511172	Ref. No.	R70020050
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		

1

No.	602099	**Ref. No.**	01202600 01202600+01203600
description	fan motor 220/240V 1 phase 50/60Hz 0.12kW 2800/3400rpm suitable capacitor 6.3 type 1004.2459		



1

No.	500662	**Ref. No.**	403000200 MOT30002 R65041000
description	fan motor 220-240V 1 phase 50/60Hz 0.12kW 2800/3200rpm speeds 1 L1 85mm L2 7mm L3 47mm L4 12mm D1 ø 8/6mm D2 ø 12mm M5R ET 1.6A power input 0.25W suitable capacitor 5µF/400V		
For models:	111001, 111002, 111003, 212001, 212004, 212005, 212006, 212007, 212008, 212009, 212015, 212016		



1

No.	500661	**Ref. No.**	R65040431
description	fan motor 220-240V 1 phase 50Hz 0.03/0.2kW 0.05/0.25HP 1400/2700rpm speeds 2 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1.6/0.6A suitable capacitor 10µF/450 V at 50Hz 1400/2700rpm type 1057D1901		
For models:	212010, 212011		



1

No.	500658	**Ref. No.**	R65040530
description	fan motor 230/400V 3 phase 50/60Hz 0.55kW 1400/1700rpm speeds 1 L1 145mm L2 47mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 2.6-2.3/1.5-1.3A (at 50-60Hz)A Cos(fi) 0.73 at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 1400rpm at 60Hz 1700rpm		
For models:	212003, 212012, 212013		
spare parts for	500658		
	No. 511172	Ref. No.	R70020050
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		
accessories for	500658		
	No. 560449	Ref. No.	R58004000
	hexagonal screw thread M12x1.5 L thread L 22mm bore ø 6.3mm WS 19 total length 30mm		
	No. 601244	Ref. No.	R75400440
	fan wheel D1 ø 350mm H1 114mm blades 12 D2 ø 19.5mm D3 ø 23mm H2 45mm		

MAG-PRO



1

No.	601856	**Ref. No.**	R65041010
description	fan motor 230V 1 phase 50Hz 0.075kW 2650rpm speeds 1 L1 85mm L2 30mm L3 23mm L4 12mm D1 ø 8x6mm D2 ø 8mm 0.6A suitable capacitor 5µF/400V		
For models:	212017, 212018, 212019, 212020		
accessories for	601856		

No.	365017	Ref. No.	00-226568-009 206010 631208 VE1145A0

operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection



1

No.	500663	**Ref. No.**	R65040421
description	fan motor 230V 1 phase 50Hz 0.18kW 0.25HP 2800rpm speeds 1 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1.6A suitable capacitor 10µF/400V Cos(fi) 0.95 at 50Hz 2800rpm type 1057C2401		
For models:	212002, 212010, 212011		



1

No.	500964	**Ref. No.**	MOT30004 MOT30006
description	fan motor 230V 3 phase 50Hz 0.08kW 2700rpm speeds 1 L1 78mm L2 7mm L3 47mm L4 12mm D1 ø 8/6mm D2 ø 12mm M5R ET at 50Hz 2700rpm suitable capacitor 6.3µF/450V with capacitor 6,3µF/450V		
For models:	211006, 211014, 211016, 211020, 211024, 211026, 211029, 212014		



1

No.	601493	**Ref. No.**	KVN003 VN1000B0 VN1000B1
description	fan motor 230V 3 phase 50HzkW speeds 1 L1 85mm L2 32mm L3 28mm L4 29mm D1 ø 8mm D2 ø 12mm		
For models:	211003		



1

No.	601492	**Ref. No.**	KVN017 VN1035B0
description	fan motor L1 130mm L2 18mm L3 23mm D1 ø 8mm D2 ø 7mm mounting thread M6R ET		
For models:	211001		

1

No.	602148	**Ref. No.**	R75400470
description	fan wheel blades 12 D1 ø 350mm D2 ø 19.5mm D3 ø 23mm H1 118mm H2 50mm		
For models:	212003, 212012, 212013		

1

No.	602096	**Ref. No.**	00002570
description	fan wheel blades 30 D1 ø 160mm D2 ø 6.8mm D3 ø 6.9mm H1 38mm H2 24mm H3 4mm		
For models:	211039		

MAG-PRO

1

No.	602097	**Ref. No.**	00005870 11951439400
description	fan wheel blades 38 D1 ø 200mm D2 ø 6.5x8mm D3 ø 7mm H1 38mm H2 22mm H3 3mm		
For models:	211042, 211043, 211044, 211045, 211046, 212034, 212035, 212036, 212037		

1

No.	602098	**Ref. No.**	00007180 00007181
description	fan wheel blades 45 D1 ø 196mm D2 ø 6.5x8mm D3 ø 8mm H1 60mm H2 23mm H3 3mm		
For models:	212038, 212039, 212040, 212041		

1

No.	602146	**Ref. No.**	R75400490
description	fan wheel blades 8 D1 ø 220mm D2 ø 11mm D3 ø 16mm H1 83mm H2 25mm		
For models:	212002, 212010, 212011		

1

No.	601353	**Ref. No.**	R75400510
description	fan wheel D1 ø 150mm H1 50mm blades 36 D2 ø 8mm D3 ø 6/8mm H2 26mm		
For models:	212001		

1

No.	601450	**Ref. No.**	403000250 VEN30002
description	fan wheel D1 ø 160mm H1 45mm blades 36 D2 ø 8mm D3 ø 8mm H2 24mm		
For models:	111001, 111002, 111003, 211006, 211014, 211016		

1

No.	601246	**Ref. No.**	R75400410
description	fan wheel D1 ø 180mm H1 77mm blades 12 D2 ø 8mm D3 ø 6mm H2 25.5mm		
For models:	212004, 212005, 212006, 212007, 212008, 212009, 212017, 212018, 212019, 212020		

1

No.	601487	**Ref. No.**	KVN008 KVN1025A VN1025A0
description	fan wheel D1 ø 196mm H1 61mm blades 39 D2 ø 10/8mm D3 ø 10mm H2 32mm		
For models:	211003		

1

No.	601489	**Ref. No.**	KVN011 VN1050A0
description	fan wheel D1 ø 197mm H1 32mm blades 39 D2 ø 8mm D3 ø 8mm H2 12mm		
For models:	211002		

MAG-PRO

1

No.	601776	**Ref. No.**	KVN1020A VN041
description	fan wheel D1 ø 197mm H1 43mm blades 39 D2 ø 8mm D3 ø 8x6.5mm H2 28mm		

1

No.	601778	**Ref. No.**	VEN30004
description	fan wheel D1 ø 197mm H1 43mm blades 45 D2 ø 8mm D3 ø 8x6.8mm H2 14mm H3 1.5mm		
For models:	211029, 212015, 212016		

1

No.	601560	**Ref. No.**	VEN30003
description	fan wheel D1 ø 200mm H1 45mm blades 44 D2 ø 8mm D3 ø 8mm H2 24mm		
For models:	211020, 211024, 211026, 212014		

1

No.	601243	**Ref. No.**	R75400400
description	fan wheel D1 ø 220mm H1 78mm blades 12 D2 ø 11mm D3 ø 16mm H2 29mm		
For models:	212002		

1

No.	601244	**Ref. No.**	R75400440
description	fan wheel D1 ø 350mm H1 114mm blades 12 D2 ø 19.5mm D3 ø 23mm H2 45mm		
For models:	212003, 212012, 212013		

1

No.	601497	**Ref. No.**	0939130
description	fan wheel for motor cooling ø 206mm		

1

No.	550856	**Ref. No.**	LA58003860 R58003860
description	flange for fan motor ED ø 50mm int. ø 1 19.5mm int. ø 2 16mm thickness 3mm brass		
For models:	212002, 212010, 212011		

1

No.	550858	**Ref. No.**	R58003840
description	flange for fan motor ED ø 60mm int. ø 1 28.5mm int. ø 2 25mm thickness 4mm brass		
For models:	212003, 212012, 212013		

1

No.	550860	**Ref. No.**	R58005500
description	flange for gasket ED ø 35mm int. ø 1 22mm int. ø 2 9mm thickness 8mm brass		
For models:	212001		

MAG-PRO

1

No.	560449	**Ref. No.**	R58004000
description	hexagonal screw thread M12x1.5 L thread L 22mm bore ø 6.3mm WS 19 total length 30mm		
For models:	212003, 212012, 212013		

1

No.	550861	**Ref. No.**	R70020020
description	shaft seal for fan motor ID ø 7.5mm ED ø 22mm thickness 7mm		
For models:	212001		

1

No.	511171	**Ref. No.**	R70020040
description	shaft seal ID ø 14.5mm ED ø 20mm thickness 3mm		
For models:	212002, 212010, 212011		

1

No.	511172	**Ref. No.**	R70020050
description	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		
For models:	212003, 212012, 212013		

hot air fans

miscellaneous

1



No.	601054	**Ref. No.**	1037117200	
description	hot air fan 220-240V 32W 50/60Hz L1 60mm L2 10mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C20X0E01/46			
spare parts for	601054			
	No.	601441	Ref. No.	—
	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7			
accessories for	601054			
	No.	550879	Ref. No.	—
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan			

MAG-PRO

1



No.	601694	Ref. No.	MOT30005
description	hot air fan 220-240V 33W 50/60Hz L1 57mm L2 13mm L3 21mm L4 87mm fan wheel ø 150mm IMS type VRB150H2022		
For models:	211004, 211005, 211010, 211011, 211012, 211013, 211015, 211017, 211018, 211023, 211027, 211028, 215001, 215002, 215003, 215004		

2



No.	601011	Ref. No.	0682300800
description	hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH		
For models:	913013, 913014, 913015, 913016, 913017, 913018, 914003, 914004, 914005, 914006, 914015, 914016, 914017, 914018		
accessories for	601011		
	No. 550879	Ref. No.	—
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		
	No. 601260	Ref. No.	—
	nut thread M6L IT for hot air fan		

1



No.	601531	Ref. No.	195TL110
description	hot air fan 220V 30W 50Hz L1 70mm L2 12mm L3 30mm L4 87mm fan wheel ø 155mm FIME type C30R0407		
For models:	913114, 913115, 913116, 913117, 913246, 913247, 913248, 913249, 913250, 913251, 913252, 913253, 913254, 913255, 913256, 913257, 913258, 913259, 913260, 913261, 913262, 913263, 913264, 913265, 913266, 914103, 914105, 914107, 914109, 914114, 914116, 914118, 914120, 914121, 914122, 914123, 914124, 914201, 914202, 914203, 914204, 914205, 914206, 914207, 914208, 914209, 914210, 914211, 914212, 914213...(Other models you can see in the webshop)		

1



No.	601696	Ref. No.	MA4330800
description	hot air fan 230V 40W 50/60Hz L1 70mm L2 11mm L3 29mm L4 87mm fan wheel ø 155mm with ball bearing		
For models:	121101, 121104, 122110		
spare parts for	601696		
	No. 550879	Ref. No.	—
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		

Table continues overleaf

MAG-PRO

spare parts for	601696			
	No.	601261	Ref. No.	—
	fan wheel ø 154mm W 25mm shaft intake ø 6x5mm chrome-plated blades 7			

1



No.	602100	**Ref. No.**	01203230 01203231
description	hot air fan 240V 59W 50/60Hz L1 80mm L2 16mm fan wheel ø 150mm IMS type 138251		
For models:	211038		

accessories

fan wheels for hot air fans

1

No.	601630	**Ref. No.**	1034400200
description	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm chrome-plated blades 7		

miscellaneous

1

No.	701623	**Ref. No.**	R75300150
description	guard ø 170mm hole ø 7mm for hot air fan combi-steamer		
For models:	212004, 212005, 212006, 212007, 212008, 212009, 212017, 212018, 212019, 212020		

1

No.	551434	**Ref. No.**	R58004010
description	plain washer ø 30mm thickness 3mm hole ø 12.5mm for fan wheel combi-steamer		
For models:	212003, 212012, 212013		

radial fans

miscellaneous

1

No.	601167	**Ref. No.**	FMOTEA482WRKZ
description	radial fan 230V voltage AC 50Hz H1 129mm L1 131mm D1 ø 75mm W1 103mm W2 44mm H2 57mm W3 61mm H3 61mm for microwaves		
For models:	213002, 213003		

extractor fans

speed controllers

1

No.	403436	**Ref. No.**	381001
description	speed controller EHN 3/1 voltage input 230V votage output 100/125/145/180/230V max. 3A relay 2A length external size 240mm width external size 190mm D 90mm		

MAG-PRO

1

No.	403437	**Ref. No.**	381002
description	speed controller EHN 5 voltage input 230V votage output 100/125/145/180/230V max. 5A relay 2A length external size 240mm width external size 190mm D 160mm		

1

No.	403438	**Ref. No.**	381003
description	speed controller EHN 7 voltage input 230V votage output 100/125/145/180/230V max. 7A relay 2A length external size 240mm width external size 190mm D 160mm		

speed controllers

1

No.	401679	**Ref. No.**	5423300
description	speed controller voltage input 230V/50Hz 1PhV votage output 0-208/230V 0-240Hz 3PhV 1500W max. 18.4A load current 8.1A length external size 145mm width external size 115mm D 125mm wall-mounted version		

motors

gear motors

for grills

1

No.	499209	**Ref. No.**	637075100
description	gear motor KENTA type K9113069 23W 230V 50Hz 2.5rpm shaft ø 6x8mm L 108mm W 58mm H 66mm		
For models:	262001		

for gyros grills



1

No.	500503	**Ref. No.**	PT0162
description	gear motor 12V 1rpm		
For models:	254001, 254002, 254003, 254004, 254005, 254006, 254007, 254008, 254009, 254010, 254011, 254012		

1

No.	500070	**Ref. No.**	PT0153
description	gear motor POTIS 230V 50Hz 1rpm shaft ø 8mm L 64mm W 64mm H 80mm		
For models:	254001, 254002, 254003, 254004, 254005, 254006, 254007, 254008, 254009, 254010, 254011, 254012		

1

No.	500502	**Ref. No.**	PT0156
description	gear motor POTIS type 427 220-240V 50Hz 2rpm shaft ø 8mm L 64mm W 64mm H 56mm capacitor 0.12µF		
For models:	254001, 254002, 254003, 254004, 254005, 254006, 254007, 254008, 254009, 254010, 254011, 254012		

MAG-PRO

1

No.	500797	**Ref. No.**	PT0152
description	gear motor POTIS type PT0152 3.5W 230V voltage AC 50Hz 1rpm shaft ø 18mm L 160mm W 115mm H 95mm with housing		
spare parts for	500797		

No.	345575	Ref. No.	PT0176
rocker switch mounting measurements 30x11mm black 1CO 250V 16A I O II connection male faston 6.3mm ambient temperature max. 90°C protection IP40 with neutral position			

for automatic coffee machines

1

No.	601486	**Ref. No.**	252030
description	gear motor 90W 230V 50Hz 48rpm shaft ø 15mm L 95mm W 61mm H 90mm for coffee machine		
For models:	743001		

1

No.	601488	**Ref. No.**	251866
description	gear motor 90W 230V 50Hz 70rpm shaft ø 15mm L 96mm W 55mm H 90mm for coffee machine		
For models:	743001		

1

No.	601490	**Ref. No.**	098708
description	gear motor LIP type 111 48W 230V 50Hz 8rpm shaft ø 6x8.5mm L 110mm W 71mm H 80mm		
For models:	743001		

for combi-steamers

1

No.	502288	**Ref. No.**	R65090250
description	gear kit 8W 230V voltage AC 30rpm shaft ø 6mm L 75mm W 87mm H 84mm conversion kit		
For models:	212010, 212011, 212012, 212013, 212018, 212020		
spare parts for	502288		

No.	502291	Ref. No.	—
gear motor METEOR type 58U59DB4A1/00 8W 230V voltage AC 50Hz 30rpm shaft ø 6x5mm L 69mm W 49mm H 65mm			

for microwaves

1

No.	601969	**Ref. No.**	RMOTDA310WRZZ
description	gear motor ELENSYS type SM16 HK36M0HZ 3.5W 220-240V voltage AC 50-60Hz 10-12rpm shaft ø 6.5x4.5mm for microwaves ø 49mm		

miscellaneous

1

No.	500730	**Ref. No.**	IB9865132
description	gear motor CIARAMELLA 150W 230V voltage DC 50/60Hz shaft ø 14mm L 205mm W 115mm H 80mm for citrus juicers		
For models:	723001		

1

No.	500932	**Ref. No.**	IB5036000
description	gear motor CROUZET 3.5W 230V 50Hz shaft ø 8mm L 80mm W 60mm H 40mm for pizza display		
For models:	541001, 541002		

MAG-PRO

1

No.	601483	**Ref. No.**	02.12.079.00
description	gear motor MERKLE type 4515UI-063 230V 50Hz 11rpm shaft ø 7x8mm L 125mm W 76mm H 69mm for toaster		
For models:	222004, 222005		



1

No.	601484	**Ref. No.**	02.12.026.00
description	gear motor MK type S4355L 230V 50Hz shaft ø 7x8mm L 76mm W 70mm H 92mm for hot display		
For models:	541003		

motors

for slicers



1

No.	500717	**Ref. No.**	SM400108
description	motor 230V 1 phase 147W 50Hz 1400rpm shaft ø 15mm shaft length 21mm ø 135mm H 120mm mounting distance 63mm hole distance 155mm hole ø 8mm type C71/40 275-300 CASTELLOTTI		



1

No.	500718	**Ref. No.**	SM402215
description	motor 400V 3 phase 210W 50Hz 1400rpm shaft ø 15mm shaft length 22mm ø 135mm H 120mm mounting distance 63mm hole distance 155mm hole ø 8mm 275-300 CASTELLOTTI		



1

No.	500720	**Ref. No.**	19400408
description	motor 230/400V 3 phase 50/60Hz 890rpm shaft ø 16.5mm shaft length 32mm ø 130mm H 120mm mounting distance 87mm hole ø 8mm GEMMA 350		



1

No.	500721	**Ref. No.**	19400108
description	motor 230V 1 phase 50/60Hz 890rpm shaft ø 16.5mm shaft length 32mm ø 130mm H 140mm mounting distance 108mm hole ø 8mm GEMMA 350		



1

No.	500715	**Ref. No.**	AMC648
description	motor 230V 1 phase 50Hz 1400rpm shaft ø 15mm shaft length 23mm ø 110mm H 98mm mounting distance 69mm hole ø 6mm 220		
For models:	411001		
spare parts for	500715		

No.	365013	Ref. No.	19410301 19410303 206001

operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection

MAG-PRO

1

No.	501376	**Ref. No.**	M8240
description	motor 230V 1 phase 50Hz shaft ø 19.5mm shaft length 56mm ø 145mm hole ø 8mm hole distance 115mm L 222mm		
For models:	411016, 411017		

group 4

1

No.	499325	**Ref. No.**	M8375
description	motor 230V 50Hz OG30E		
For models:	411012		

1

No.	499081	**Ref. No.**	M8342
description	motor 230V 50Hz shaft ø 15mm shaft length 34mm L 130mm		
For models:	411013, 411019		

1

No.	499064	**Ref. No.**	M8349
description	motor 230V 50Hz shaft ø 15mm shaft length 34mm L 95mm		
For models:	411011		

for bar blender

1

No.	500728	**Ref. No.**	IB5000800
description	motor for bar blender 220V 450W 50Hz 18000rpm thread M6L shaft ø 8mm mounting distance 36mm H 60mm L 165mm W 80mm mounting thread M4 Dragone CIARAMELLA		
For models:	721003		

1

No.	500729	**Ref. No.**	IB5000900
description	motor for bar blender 230V 750W 50Hz 14000/24000rpm thread M8L mounting distance 90mm Orione		
For models:	721004		

1

No.	500731	**Ref. No.**	IB9865200
description	motor for bar blender 230V 100W 50/60Hz 14000rpm shaft ø 10mm shaft length 143mm H 83mm L 260mm W 83mm Sirio CIARAMELLA		
For models:	721002, 721005		

1

No.	500732	**Ref. No.**	IB9865201
description	motor for bar blender 230V 100W 50/60Hz 14000rpm shaft ø 18mm shaft length 143mm H 83mm L 260mm W 83mm Sirio CIARAMELLA		
For models:	721002, 721005		

1

No.	499202	**Ref. No.**	CO1665
description	motor for mixer 230V 50Hz 1 phase shaft ø 10mm shaft length 125mm H 117mm L 70mm W 62mm		
For models:	721006, 721007		

MAG-PRO

for cutters

1

No.	500887	**Ref. No.**	SL0939
description	motor 2 speeds 600/800W 400V 50Hz 3 phase shaft ø 14mm flange ø 160mm 1400/2800rpm type DN80B2/4 ø 150mm H 200mm L 230mm MOTORI ELETTRICI 0.6/0.8kW		
For models:	471004		

GEV Image not available

1

No.	500886	**Ref. No.**	SL0040
description	motor 230/400V 50Hz 1400rpm type 80 3 phase shaft ø 14mm ø 150mm H 200mm L 230mm flange ø 160mm 750W 0.75kW		
For models:	451004, 471003, 471004		

1

No.	500897	**Ref. No.**	MSC04N136
description	motor 230V 50Hz 1 phase shaft ø 20mm shaft length 25mm mounting distance 64mm ø 100mm H 140mm C4-C6-C9		
For models:	471001		

1

No.	500885	**Ref. No.**	SL0041
description	motor 750W 230V 50Hz 1 phase shaft ø 14mm flange ø 160mm 1400rpm type MN80C/4 ø 150mm H 200mm L 230mm ICME 0.75kW		
For models:	451004, 471003, 471004		

for ice-cube maker

complete

1

No.	500727	**Ref. No.**	IB5000801
description	motor 350W 230V 50Hz 1 phase 12000rpm CIARAMELLA 0.35kW		
For models:	715001		

for meat mincers

motors

1

No.	501536	**Ref. No.**	29401502
description	motor 250W 230V 50Hz 1 phase shaft ø 11mm flange ø 90mm 2800rpm type 1-MP63 A2 ø 120mm H 130mm L 195mm fixing dimensions 80x100mm 0.25kW		
For models:	421002		

GEV Image not available

1

No.	500860	**Ref. No.**	LF2037050
description	motor meat mincer/cheese grater 230V		
For models:	431001		

GEV Image not available

1

No.	500858	**Ref. No.**	IV5050802
description	motor meat mincer/cheese grater 230V 1 phase		
For models:	421003		

MAG-PRO

Image not available

1

No.	500859	Ref. No.	IV5050803
description	motor meat mincer/cheese grater 400V		
For models:	421003		

rotors

1

No.	500726	Ref. No.	MF2095A
description	rotor 230V ø 89.2mm shaft ø 25mm shaft length 357mm Mod.12 meat mincer/cheese grater		
For models:	421001, 433001		

1

No.	500725	Ref. No.	MF2202
description	rotor 400V ø 89.2mm shaft ø 25mm shaft length 357mm Mod.22 meat mincer/cheese grater		
For models:	422001, 433002		

stators

1

No.	500828	Ref. No.	MF2096
description	stator 230V 50Hz 4-pole 1400rpm 1 phase ø 150mm ID ø 90mm H 70mm with temperature protection Mod.12		
For models:	421001, 433001		

1

No.	500830	Ref. No.	MF2203
description	stator 230V 50Hz 6-pole 900rpm 1 phase ø 150mm ID ø 103mm H 90mm with temperature protection Mod.22		
For models:	422001, 433002		



1

No.	500829	Ref. No.	MF2097
description	stator 400V 50Hz 4-pole 1400rpm 3 phase ø 150mm ID ø 83.6mm H 50mm with temperature protection Mod.12		
For models:	421001, 433001		

1

No.	500831	Ref. No.	MF2204
description	stator 400V 50Hz 6-pole 900rpm 3 phase ø 150mm ID ø 90mm H 70mm with temperature protection Mod.22		
For models:	422001, 433002		

for vegetable slicers

1

No.	500719	Ref. No.	IV5050002
description	motor 230V 515W 50Hz 1 phase shaft ø 14mm shaft length 37mm mounting distance 154mm TM		
For models:	481001		

1

No.	499254	Ref. No.	SL1470
description	motor 450W 230V 50Hz 1 phase shaft ø 14mm flange ø 160mm 1320rpm type MYT 712-4 ø 140mm H 180mm L 220mm 0.45kW		
For models:	451003, 481004, 513004, 513005, 513006, 513008, 513009, 513010		

MAG-PRO

for automatic coffee machines

1

No.	601494	Ref. No.	251777
description	motor for coffee grinder 230V 48W 50/60Hz 1 phase shaft ø 7.5mm shaft length 24mm H 70mm L 120mm W 70mm KORO- ESPRESSO FISE		
For models:	743001		

1

No.	601495	Ref. No.	098808
description	motor for mixer 230V 50/60Hz 1 phase shaft ø 4mm shaft length 27mm KORO- ESPRESSO		
For models:	743001		
accessories for	601495		
	No. 527278	Ref. No.	097916
	impellor ø 32mm		

for coffee grinders

complete

1

No.	500949	Ref. No.	WY28247001
description	motor 250W 230V 50Hz 1 phase 1.9A shaft ø 15mm shaft length 54mm thread M10L 1300rpm type 11004007 RPM 0.25kW		
For models:	744001, 744002		

for potato peelers

1

No.	500711	Ref. No.	RG04260A
description	motor 230V 50Hz 1 phase shaft ø 10mm shaft length 21mm 1400rpm ø 120mm H 170mm mounting distance 136mm PP4 Expo		
For models:	451001		

1

No.	500713	Ref. No.	RG08260A
description	motor 230V 50Hz 1 phase shaft ø 12mm shaft length 23mm 1400rpm type RG08260A mounting distance 188mm PP8 Expo		

1

No.	500712	Ref. No.	RG04260B
description	motor 400V 50Hz 3 phase shaft ø 10mm shaft length 21mm 1400rpm ø 120mm H 170mm mounting distance 136mm PP4 Expo		
For models:	451001		

1

No.	500714	Ref. No.	RG08260B
description	motor 400V 50Hz 3 phase shaft ø 12mm shaft length 23mm 1400rpm mounting distance 188mm PP8 Expo		

for mozzarella slicers



1

No.	500723	Ref. No.	IB5053003
description	motor 230/400V 260W 50/60Hz 3 phase 1400rpm shaft ø 15mm shaft length 31mm ø 115mm H 155mm mounting distance 110mm hole ø 10mm type C71/70 Athos CASTELLOTTI		

MAG-PRO



1

No.	500722	**Ref. No.**	IB5053002
description	motor 230V 260W 50Hz 1 phase 1400rpm shaft ø 15mm shaft length 31mm ø 115mm H 155mm mounting distance 110mm hole ø 10mm type C71/70 Athos CASTELLOTTI		



1

No.	500716	**Ref. No.**	IB5053004
description	motor 240V 260W 50Hz 1 phase 1400rpm shaft ø 15mm shaft length 31mm ø 115mm H 155mm mounting distance 110mm hole ø 10mm Athos		

for hand blenders

motors

1

No.	698373	**Ref. No.**	SL2899
description	motor for hand blender 230V 50Hz shaft ø 8mm mounting distance 55mm H 150mm		
For models:	473007, 473008		

universal

1

No.	500471	**Ref. No.**	8300530
description	motor 1100W 400V 50/60Hz 3 phase shaft ø 19mm flange ø 120mm 1370/1700rpm type AT80C4 ø 160mm H 200mm L 250mm Lafert		
For models:	512002, 512003, 512004		

1

No.	499205	**Ref. No.**	SL3311
description	motor 1500/1800W 230/400-277/480V 50/60Hz 3 phase shaft ø 24/27mm flange ø 139mm 1400/1680rpm type TN90L/4 ø 160mm H 222mm L 280mm DRdrives 1.5/1.8kW		
For models:	512013, 512014, 512017, 512018, 512021, 512022		

1

No.	500887	**Ref. No.**	SL0939
description	motor 2 speeds 600/800W 400V 50Hz 3 phase shaft ø 14mm flange ø 160mm 1400/2800rpm type DN80B2/4 ø 150mm H 200mm L 230mm MOTORI ELETTRICI 0.6/0.8kW		
For models:	471004		

1

No.	500472	**Ref. No.**	8300540
description	motor 2000W 400V 50Hz 3 phase shaft ø 24mm flange ø 140mm 1400rpm type YS9034 ø 170mm H 210mm L 290mm TIANYANG 2kW		
For models:	512004		

GEV
Image not available

1

No.	500886	**Ref. No.**	SL0040
description	motor 230/400V 50Hz 1400rpm type 80 3 phase shaft ø 14mm ø 150mm H 200mm L 230mm flange ø 160mm 750W 0.75kW		
For models:	451004, 471003, 471004		

MAG-PRO

1

No.	501536	Ref. No.	29401502
description	motor 250W 230V 50Hz 1 phase shaft ø 11mm flange ø 90mm 2800rpm type 1-MP63 A2 ø 120mm H 130mm L 195mm fixing dimensions 80x100mm 0.25kW		
For models:	421002		

1

No.	500903	Ref. No.	5420200
description	motor 250W 230V 50Hz 1 phase shaft ø 14mm flange ø 160mm 1400rpm type M71B4 ø 140mm H 180mm L 220mm ICME 0.25kW		

1

No.	501373	Ref. No.	5420200alt
description	motor 250W 230V 50Hz 1 phase shaft ø 14mm flange ø 160mm 1420rpm type 62 ø 140mm L 260mm 0.25kW shaft length 32mm		

1

No.	501404	Ref. No.	2420200
description	motor 370W 230V 50Hz 1 phase shaft ø 14mm flange ø 160mm 1370rpm type S71B4 L 260mm 0.37kW shaft length 32mm		

1

No.	500821	Ref. No.	5420300
description	motor 370W 230V 50Hz 1 phase shaft ø 14mm flange ø 160mm 1400rpm ø 140mm H 180mm L 220mm ICME 0.37kW		

1

No.	499254	Ref. No.	SL1470
description	motor 450W 230V 50Hz 1 phase shaft ø 14mm flange ø 160mm 1320rpm type MYT 712-4 ø 140mm H 180mm L 220mm 0.45kW		
For models:	451003, 481004, 513004, 513005, 513006, 513008, 513009, 513010		

1

No.	500473	Ref. No.	PF08300 SL3309
description	motor 750W 230/400V 50Hz 3 phase shaft ø 19mm flange ø 120mm 1400rpm type FS80B4 ø 150mm H 200mm L 240mm ICME 0.75kW		
For models:	512011, 512012, 512015, 512016, 512019, 512020		

1

No.	500885	Ref. No.	SL0041
description	motor 750W 230V 50Hz 1 phase shaft ø 14mm flange ø 160mm 1400rpm type MN80C/4 ø 150mm H 200mm L 230mm ICME 0.75kW		
For models:	451004, 471003, 471004		

MAG-PRO

1

No.	601463	Ref. No.	2510631
description	motor 90W 230V 50Hz 1 phase shaft ø 9mm flange ø 80mm 1300rpm type AMM56ZAA4 ø 110mm H 150mm L 170mm Lafert 0.09kW		

Image not available

1

No.	500886	Ref. No.	SL0040
description	motor 230/400V 50Hz 1400rpm type 80 3 phase shaft ø 14mm ø 150mm H 200mm L 230mm flange ø 160mm 750W 0.75kW		
For models:	451004, 471003, 471004		

Image not available

1

No.	500860	Ref. No.	LF2037050
description	motor meat mincer/cheese grater 230V		
For models:	431001		

Image not available

1

No.	500858	Ref. No.	IV5050802
description	motor meat mincer/cheese grater 230V 1 phase		
For models:	421003		

Image not available

1

No.	500859	Ref. No.	IV5050803
description	motor meat mincer/cheese grater 400V		
For models:	421003		

accessories

vibration absorber

1

No.	527256	Ref. No.	WY15105
description	vibration damper H 15mm ø 15mm thread M4 thread L 2x 10mm		
For models:	742001, 742002, 742003, 742004, 742005, 742017, 742018, 742019, 742020		

miscellaneous

1

No.	601498	Ref. No.	0939131
description	guard ø 220mm W 92mm		

MAG-PRO

pumps

wash and rinse pumps

FIR

pumps

1

No.	499151	**Ref. No.**	01-240783-001
description	pump inlet ø 45mm outlet ø 40mm type 3910.1421 230V 50Hz 1 phase 0.37kW 0.5HP L 190mm rotation direction right capacitor 10µF FIR		
For models:	812011, 812012, 812013, 812014, 812015		
spare parts for	499151		

No.	365015	Ref. No.	19410307 R65190180 WY19050

operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection

No.	510508	Ref. No.	—

pump cover FIR inlet ø 45mm outlet ø 40mm pump type PU 0.5/3911 turn direction right ø 160mm ID ø 125mm inner hight 25mm

No.	510607	Ref. No.	—

impellor ø 85mm H 29mm shaft intake ø 9x8mm rotation direction right blades 6

No.	510692	Ref. No.	—

mechanical shaft seal for shaft ø 11mm slide ringext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm

No.	521702	Ref. No.	—

pump cover gasket thickness 3.5x4.5mm Qty 1 pcs

1

No.	499109	**Ref. No.**	100797
description	pump inlet ø 63mm outlet ø 53mm type 5233.4051 220-240/380-415V 50Hz 3 phase 1.1kW 1.5HP L 345mm rotation direction left FIR		
For models:	SP3		
spare parts for	499109		

No.	502274	Ref. No.	630138

pump cover FIR inlet ø 63mm outlet ø 53mm

No.	510523	Ref. No.	630306

fan wheel ø 142mm shaft intake ø 15mm blades 12

No.	510612	Ref. No.	631653

impellor ø 110mm H 34mm M8R

No.	510693	Ref. No.	141002 630501

mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm

No.	524416	Ref. No.	630411

pump cover gasket thickness 4x4mm Qty 1 pcs

MAG-PRO

HANNING

pumps

1

No.	499147	**Ref. No.**	00-775854-001
description	pump inlet ø 28mm outlet ø 26mm type UP30-324RU 220-240V 50Hz 1 phase 0.14kW L 170mm rotation direction left capacitor 4µF HANNING		
For models:	811014, 811015, 812014, 812015, 813003, 813004		
spare parts for	499147		
	No. 365031	Ref. No.	—
	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection		
	No. 507558	Ref. No.	—
	mechanical shaft seal for shaft ø 7mm height counter ring 5mm ID ø 6.75mm ED ø 20mm mounting ø counter ring18.5/slide ring 20mm		
	No. 532644	Ref. No.	—
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		
accessories for	499147		
	No. 507498	Ref. No.	00-883837-001
	protective plate for wash pump suitable for HOBART L 300mm W 200mm		

1

No.	500534	**Ref. No.**	00-324093-021
description	pump inlet ø 28mm outlet ø 26mm type UP60-184 230V 50Hz 1 phase 0.27kW 0.37HP L 190mm rotation direction left capacitor 5µF HANNING p max 0.77bar Qmax. 160l/min		
For models:	811011, 811012, 811013, 811014, 811015		
spare parts for	500534		
	No. 365017	Ref. No.	00-226568-009 206010 631208 VE1145A0
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No. 507558	Ref. No.	—
	mechanical shaft seal for shaft ø 7mm height counter ring 5mm ID ø 6.75mm ED ø 20mm mounting ø counter ring18.5/slide ring 20mm		
	No. 532644	Ref. No.	—
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		

LGB

1

No.	500511	**Ref. No.**	100785
description	pump inlet ø 30mm outlet ø 29mm type ZF140SX 230V 50Hz 1 phase 0.36kW 0.5HP L 190mm rotation direction right LGB		
For models:	SP1		
spare parts for	500511		

No.	365017	Ref. No.	00-226568-009 206010 631208 VE1145A0

operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection

No.	510703	Ref. No.	141007 630530

mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm

No.	521230	Ref. No.	631695

impellor ø 86mm H 16mm M7L

No.	521526	Ref. No.	630135

pump cover LGB inlet ø 30mm outlet ø 30mm auxiliary pressure connection 12mm supporting pressure open turn direction right ø 117mm ID ø 95mm inner hight 19mm

No.	521706	Ref. No.	630424

pump cover gasket

1

No.	499150	**Ref. No.**	00-883833-001
description	pump inlet ø 45mm outlet ø 40mm type ZF220SX 230V 50Hz 1 phase 0.4kW L 190mm rotation direction right capacitor 12.5µF LGB		
For models:	813002, 813003, 813004		
spare parts for	499150		

No.	521036	Ref. No.	00-883833-010

service kit for pump type ZF220SX HOBART 50Hz impellor, pump cover gasket, mechanical shaft seal

accessories for	499150

No.	365014	Ref. No.	RG04290

operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection

1

No.	499011	**Ref. No.**	100820
description	pump inlet ø 50mm outlet ø 40mm type ZF350SX 230V 50Hz 1 phase 0.63kW L 201mm rotation direction right LGB 2800rpm suitable capacitor 12.5µF		
For models:	SP2-12, SP2-S12		
spare parts for	499011		

No.	365014	Ref. No.	RG04290

operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection

No.	510702	Ref. No.	630536

mechanical shaft seal height counter ring 5.5mm ID ø 12mm

No.	521086	Ref. No.	—

pump cover LGB inlet ø 50mm outlet ø 40mm

No.	521278	Ref. No.	631703

impellor ø 93mm H 32mm pump type ZF350SX thread M8L

Table continues overleaf

MAG-PRO

spare parts for	499011			
	No.	521714	Ref. No.	630431
	pump cover gasket thickness 4x4mm Qty 1 pcs			

1

No.	500156	**Ref. No.**	130109
description	pump inlet ø 50mm outlet ø 50mm type ZF400SX 230V 50Hz 1 phase 0.6kW 0.8HP L 210mm rotation direction right capacitor 16µF LGB		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		
spare parts for	500156		

	No.	509020	Ref. No.	124031
	impellor ø 104mm H 25mm M8L			
	No.	510703	Ref. No.	141007 630530
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	513713	Ref. No.	315017
	pump cover bottom part			
	No.	521548	Ref. No.	116019
	pump cover LGB inlet ø 50mm outlet ø 50mm			
	No.	521562	Ref. No.	116021
	pump cover			
	No.	521734	Ref. No.	315022
	pump cover bottom part			
	No.	523509	Ref. No.	314001
	deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1			
	No.	532623	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs			

accessories for	500156			
	No.	365021	Ref. No.	00-226568-013 10.27.00 206004 631202 MF2144 SL0177
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			

1

No.	500543	**Ref. No.**	130126
description	pump inlet ø 50mm outlet ø 50mm type ZF400VSX 230V 50Hz 1 phase 0.85kW 1.2HP L 245mm rotation direction right capacitor 16µF LGB		
spare parts for	500543		

	No.	365021	Ref. No.	00-226568-013 10.27.00 206004 631202 MF2144 SL0177
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	No.	509020	Ref. No.	124031
	impellor ø 104mm H 25mm M8L			
	No.	510703	Ref. No.	141007 630530
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	521548	Ref. No.	116019
	pump cover LGB inlet ø 50mm outlet ø 50mm			
	No.	521734	Ref. No.	315022
	pump cover bottom part			
	No.	532623	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs			

MAG-PRO

1

No.	500361	Ref. No.	80112
description	pump inlet ø 60mm outlet ø 49mm type ZF400SX 230V 50Hz 1 phase 0.8kW 1HP L 210mm rotation direction right capacitor 16µF LGB		
For models:	813001		
spare parts for	500361		

No.	365021	Ref. No.	00-226568-013 10.27.00 206004 631202 MF2144 SL0177

operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection

No.	509020	Ref. No.	124031

impellor ø 104mm H 25mm M8L

No.	510703	Ref. No.	141007 630530

mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm

No.	521547	Ref. No.	116013

pump cover LGB inlet ø 60mm outlet ø 50mm supporting pressure M8 turn direction right ø 160mm ID ø 127mm inner hight 36mm

No.	521736	Ref. No.	315011

pump cover bottom part bottom part

No.	532623	Ref. No.	—

O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs

accessories for	500361

No.	513264	Ref. No.	80545

fastening angle for wash pump

1

No.	500153	Ref. No.	999134
description	pump inlet ø outlet ø type W180SX 230V 50Hz 1 phase 0.19kW 0.26HP L 220mm rotation direction right capacitor 5µF LGB		
spare parts for	500153		

No.	365017	Ref. No.	00-226568-009 206010 631208 VE1145A0

operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection

No.	510703	Ref. No.	141007 630530

mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm

No.	513267	Ref. No.	480054

end cap for wash pump suitable for pump casing

No.	513283	Ref. No.	437082

gasket

No.	518177	Ref. No.	111023

drain unit thread 3/4" ID ø 35mm hose ø 24mm

No.	518204	Ref. No.	429065

screw connection for filter ø 67mm

No.	518205	Ref. No.	437079 80182

flat gasket rubber ED ø 61mm ID ø 47mm thickness 2mm Qty 1 pcs

No.	521147	Ref. No.	315024

flange

No.	521221	Ref. No.	124048

impellor ø 67mm H 16mm rotation direction right thread M7L shaft ø 13mm shaft length 12mm blades 8

No.	528800	Ref. No.	—

O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs

MAG-PRO

1

No.	500150	**Ref. No.**	999135	
description	pump inlet ø outlet ø type W210SX 230V 50Hz 1 phase 0.24kW 0.33HP L 230mm rotation direction right capacitor 6.3µF LGB			
For models:	811003			
spare parts for	500150			
	No.	365012	Ref. No.	01201030 19410308 206009
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			
	No.	509004	Ref. No.	124049
	impellor ø 71mm H 16mm M7L rotation direction right shaft ø 13mm shaft length 13mm blades 8			
	No.	510703	Ref. No.	141007 630530
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	513267	Ref. No.	480054
	end cap for wash pump suitable for pump casing			
	No.	513275	Ref. No.	456074
	O-ring EPDM thickness 1.78mm ID ø 82.27mm Qty 1 pcs			
	No.	518177	Ref. No.	111023
	drain unit thread 3/4" ID ø 35mm hose ø 24mm			
	No.	518204	Ref. No.	429065
	screw connection for filter ø 67mm			
	No.	518205	Ref. No.	437079 80182
	flat gasket rubber ED ø 61mm ID ø 47mm thickness 2mm Qty 1 pcs			
	No.	521147	Ref. No.	315024
	flange			

booster pumps I

1

No.	500359	**Ref. No.**	130143	
description	pump inlet ø 12 outlet ø 12 type PPL46DX 230V 50Hz 0.33kW capacitor 10µF LGB			
For models:	813001			
spare parts for	500359			
	No.	698663	Ref. No.	—
	impellor ø 60mm H 12mm with flute shaft intake ø 12mm W 60mm suitable for LGB			
accessories for	500359			
	No.	365015	Ref. No.	19410307 R65190180 WY19050
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			

drain pumps

ASKOLL

1

No.	500210	**Ref. No.**	130123
description	drain pump 230V 40W		
For models:	811001, 811002, 811003		

MAG-PRO

1

No.	499102	**Ref. No.**	999161
description	drain pump inlet ø 24mm outlet ø 22mm 230-240V 25W 50Hz ASKOLL type R113 retrofit kit		
For models:	812002, 812004, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

2

No.	500214	**Ref. No.**	130105
description	drain pump inlet ø 30mm outlet ø 22mm 230/240V 30W 50Hz ASKOLL type R113		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915462, 915463, 915464, 915465		

GRE

1

No.	500967	**Ref. No.**	100803
description	drain pump inlet ø 30mm outlet ø 22mm 100W 230V 50Hz GRE		
For models:	SP2-12, SP2-S12		
spare parts for	500967		
	No. 500307	Ref. No.	—
	filter		
	No. 500899	Ref. No.	630139
	pump cover inlet ø 30mm outlet ø 22mm pump type 500.213		

HANNING

1

No.	500363	**Ref. No.**	80117
description	drain pump 40W 230V		
For models:	813001		

1

No.	499148	**Ref. No.**	00-883993-001
description	drain pump 80W 220-240V inlet ø 24mm outlet ø 24mm 50Hz type BE22B3-197 HANNING rotation direction right		
For models:	813003, 813004		

1

No.	499146	**Ref. No.**	00-883993-012
description	drain pump 80W 230V inlet ø 24mm outlet ø 24mm 50Hz type BE22B3-204 HANNING		
For models:	811012, 811013, 811015, 812012, 812013, 812015		

MAG-PRO

accessories

holders

1

No.	513717	**Ref. No.**	035064
description	fastening angle for drain pump		
For models:	812001, 812002, 812003, 812004, 812005, 812006, 812007, 812008, 812009, 812010, 915234, 915235, 915236, 915237, 915460, 915461, 915463, 915464		
accessories for	513717		

No.	518171	Ref. No.	111030 111999
opposite support mounting pos. lower for wash arm support			

booster pumps II

pump motors

flange connection

1

No.	500689	**Ref. No.**	91.39.10
description	motor RPM type C021002 60W 230V 50/60Hz connection flange L 170mm W 105mm H 130mm capacitor 4µF		
For models:	745002		

clip connection

1

No.	500950	**Ref. No.**	WY18303
description	pump motor RPM type C013728 120W 230V 50Hz connection clip ø 100mm L 145mm capacitor 8µF		
For models:	742001, 742002, 742003, 742004, 742005		
accessories for	500950		

No.	527146	Ref. No.	WY26310002 WY83260016R
coupling set with clip			

pump heads

FLUID-O-TECH

1

No.	500174	**Ref. No.**	WY26303001
description	pump head PA104 FLUID-O-TECH L 82mm 100l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm NSF		
For models:	742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		
accessories for	500174		

No.	520126	Ref. No.	—
clamp for pump/motor			

accessories

1

No.	527146	**Ref. No.**	WY26310002 WY83260016R
description	coupling set with clip		
For models:	742001, 742002, 742003, 742004, 742017, 742018, 742019, 742020		

1

No.	527190	**Ref. No.**	WY56116
description	filter with integrated fine filter brass T1: 3/8" T2: 3/8" pump inlet		
For models:	742001, 742002, 742003, 742004, 742005		

1

No.	365015	**Ref. No.**	19410307 R65190180 WY19050
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	212001, 431001, 744001, 744002		

MAG-PRO

1

No.	365017	Ref. No.	00-226568-009 206010 631208 VE1145A0
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	211001, 211002, 811001, 811002, 811011, 811012, 811013, 811014, 811015, SP1		

1

No.	365012	Ref. No.	01201030 19410308 206009
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
For models:	211039, 211042, 211043, 211044, 211045, 211046, 212034, 212035, 212036, 212037, 212038, 212039, 212040, 212041, 811003		

vibration pumps

1

No.	520330	Ref. No.	0V4275
description	bracket rubber dimensions 69x44x4mm		
For models:	743001		

1

No.	520152	Ref. No.	252021
description	hose connector Santoprene grommet ø 7mm grommet length 14mm		
For models:	743001		

1

No.	390625	Ref. No.	0V1301
description	thermal fuse switch-off temp. 110°C suitable for ULKA pump Klixon		
For models:	743001		

1

No.	500568	Ref. No.	R65110600
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32		
For models:	212010, 212011, 212012, 212013, 212018, 212020		
spare parts for	500568		
	No. 390698	Ref. No.	—
	thermal fuse switch-off temp. 110°C suitable for ULKA pump		
	No. 520153	Ref. No.	—
	bracket rubber dimensions 53x34x28mm		

1

No.	500694	Ref. No.	94.21.00
description	vibration pump 230V 40W 50Hz inlet ø 6 outlet ø 7 THERMOPLAN type ETXM17-P/DLC L 100mm		
For models:	745001		

MAG-PRO

1

No.	500438	**Ref. No.**	WY26304
description	vibration pump type 1106PAILM1N 208/240V 50/60Hz 50W inlet ø 1/8" IT outlet ø 1/8" IT outlet conical L 128mm FLUID-O-TECH		
For models:	742005		

1

No.	500124	**Ref. No.**	098760
description	vibration pump type EX 5 230V 48W 50/60Hz inlet ø 6 outlet ø 1/8" IT flat seal ULKA brass L 123mm		
For models:	743001		
accessories for	500124		
	No. 520152	Ref. No.	252021
	hose connector Santoprene grommet ø 7mm grommet length 14mm		
	No. 520330	Ref. No.	0V4275
	bracket rubber dimensions 69x44x4mm		

pumps for milk foamers

pumps

1

No.	500691	**Ref. No.**	95.39.00
description	pump 230V 180W 50/60 L 230mm LEROY SOMER type D18P/T for milk foamer		
For models:	745002		
spare parts for	500691		
	No. 500692	Ref. No.	90.39.10
	pump motor 180W 230V 50/60Hz LEROY SOMER L 140mm for milk foamer 1340/1560rpm		
	No. 500693	Ref. No.	92.21.20
	pump head L 85mm for milk foamer		

pump motors

1

No.	500692	**Ref. No.**	90.39.10
description	pump motor 180W 230V 50/60Hz LEROY SOMER L 140mm for milk foamer 1340/1560rpm		
For models:	745002		
accessories for	500692		
	No. 500693	Ref. No.	92.21.20
	pump head L 85mm for milk foamer		

pump heads

1

No.	500693	**Ref. No.**	92.21.20
description	pump head L 85mm for milk foamer		
For models:	745002		
accessories for	500693		
	No. 500692	Ref. No.	90.39.10
	pump motor 180W 230V 50/60Hz LEROY SOMER L 140mm for milk foamer 1340/1560rpm		

pumps for ice machines

1

No.	601413	**Ref. No.**	10014
description	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		
For models:	711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		

MAG-PRO

1

No.	530639	**Ref. No.**	10066
description	impellor suitable for REBO ø 42mm ID ø 6x7mm H 17mm		
For models:	711001, 711002, 711003		

1

No.	500590	**Ref. No.**	23377 C23377
description	pump FIR type 4240.2300 120W 230V 50/60Hz inlet ø 22mm outlet ø 22mm L 240mm rotation direction right for ice-cube maker capacitor 5µF		
For models:	711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		
spare parts for	500590		
	No. 601412	Ref. No.	10213
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	No. 601413	Ref. No.	10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		



1

No.	500165	**Ref. No.**	23002
description	pump REBO type 63/35 120W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 180mm rotation direction right for ice-cube maker capacitor 5µF		
For models:	711004, 711005, 711006, 711007, 711008, 711009, 711010, 711011, 711012, 711013, 711014, 711015, 711016, 711017, 711018, 711019		
spare parts for	500165		
	No. 365017	Ref. No.	00-226568-009 206010 631208 VE1145A0
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No. 601412	Ref. No.	10213
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		

spare parts for	500165		
	No. 601413	Ref. No.	10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

1

No.	500161	**Ref. No.**	23076 C23076
description	pump REBO type NR40 55W 230V 50Hz outlet ø 17mm L 110mm rotation direction left for ice-cube maker		
For models:	711001, 711002, 711003		
spare parts for	500161		
	No. 500970	Ref. No.	23073
	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker		

1

No.	500970	**Ref. No.**	23073
description	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker		
For models:	711001, 711002, 711003		

vacuum pumps

vacuum pumps

1

No.	500987	**Ref. No.**	0430130
description	vacuum pump 4m³/h 230V 0.1kW 50Hz type PB 0004 B 000		
spare parts for	500987		
	No. 500988	Ref. No.	—
	level glass thread 1/2" plastic		

MAG-PRO

1

No.	499006	**Ref. No.**	0431300
description	vacuum pump 8m³/h 220/240V 0.35kW 50/60Hz type PB0008		

rotor vanes

1

No.	691992	**Ref. No.**	0939056
description	rotor vane for vacuum pumps L 20mm W 14mm H 3mm		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

1

No.	691585	**Ref. No.**	0939065
description	rotor vane L 100mm W 40mm H 4mm		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

1

No.	692070	**Ref. No.**	0939054
description	rotor vane L 28mm W 14mm H 3mm		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

1

No.	691584	**Ref. No.**	0939060
description	rotor vane L 70mm W 18mm H 4mm		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

level glasses

1

No.	691563	**Ref. No.**	0438015
description	level glass thread 1"		
For models:	442003, 442004, 442005, 442006, 442007, 442008		

1

No.	691561	**Ref. No.**	0438000
description	level glass thread 1/2"		

1

No.	691562	**Ref. No.**	0438005
description	level glass thread 3/4"		
For models:	442003, 442004, 442005, 442006, 442007, 442008, 442010		

magnetic-drive pumps

1

No.	500690	**Ref. No.**	91.39.20
description	magnetic-drive pump		
For models:	745002		

accessories

pump covers

1

No.	500899	**Ref. No.**	630139
description	pump cover inlet ø 30mm outlet ø 22mm pump type 500.213		
For models:	SP2-12, SP2-S12		
spare parts for	500899		
	No. 500307	Ref. No.	—
	filter		

MAG-PRO