

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS

Spare parts suitable for


DEXION

heating elements

heating elements for ovens




No.	416541	Ref. No.	RIC0002548
description	heating element 1500W 230V heating circuits 1 L 350mm W 510mm L1 40mm L2 305mm W1 233mm W2 30mm flange length 100mm flange width 22mm hole distance 86mm hole ø 5mm tube ø 6.6mm connection male faston 6.3mm windings 3 rectangular flange dry heating element oven grill settin		
For models:	ME103-03-013XL, ME106-03-010XL, MG106-03-010, MG106-03-010XL		




No.	418495	Ref. No.	9303350400 RIC0001836
description	heating element 1800W 230V heating circuits 1 L 320mm W 287mm L1 78mm L2 242mm W1 127mm W2 30mm flange length 100mm flange width 22mm hole distance 86mm bridge length 480mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm connection length 35mm windings 3 rectangular flange dry heating element oven grill settin		
For models:	ME066-03-010, ME066-03-013, ME106-03-013, MG066-03-010		

heating elements for bain maries




No.	418344	Ref. No.	3710003
description	heating element 1200W 220V heating circuits 1 L 395mm W 220mm H 24mm connection M4 tube ø 8mm dry heating element L1 50mm L2 345mm connection distance 212mm		



No.	416554	Ref. No.	RTCU700280
description	heating element 1500W 230V heating circuits 1 L 355mm W 203mm flange length 70mm flange width 22mm hole distance 56mm connection M4 tube ø 8.5mm rectangular flange hole ø 5mm dry heating element L1 40mm L2 315mm W1 85mm W2 33mm		
For models:	ME046-03-003, ME066-03-006		

No.	416032	Ref. No.	013448-00 013448-00R
description	heating element 850W 230V heating circuits 1 L 430mm L1 30mm W 145mm connection M4 connection distance 140mm tube ø 6.5mm dry heating element bain marie L2 400mm H 16mm		

heating elements for frying pans




No.	416550	Ref. No.	RTCU600125
description	heating element 1500W 230V heating circuits 1 L 350mm W 155mm hole distance 141mm connection length 23mm connection M4 tube ø 8.6mm bracket mounting hole ø M5mm dry heating element L1 148mm L2 158mm H 30mm lug length 40mm lug width 18mm		
For models:	ME066-03-015		

heating elements for fryers

off-center connection

with retaining rings




No.	416557	Ref. No.	RTCU600122
description	heating element 9000W 230V heating circuits 3 mounting pos. right L 290mm W 202mm H 35mm thermostat sleeves ø M10mm number of thermostat sleeves 2 windings 5 L1 18mm L2 272mm W1 32mm W2 35mm tube ø 8.5mm cable length 375mm rotation flange immersion heater connection length 65mm		
For models:	ME046-03-004, ME066-03-007		

accessories for 416557

No.	510243	Ref. No.	RTCU700565
description	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
No.	510244	Ref. No.	RTMIN00283
description	retaining ring shaft ø 60mm thickness 2mm steel DIN 471		
No.	551117	Ref. No.	—
description	plug conical ø 6.2/8mm L 37.5mm for probe rubber		

2 hole fixing



No.	416889	Ref. No.	180588	
description	heating element 2000W 230V heating circuits 1 L 310mm W 73mm H 225mm L1 40mm L2 270mm H1 190mm H2 36mm thread 1/4" mounting distance 65mm tube ø 8.5mm 2 hole fixing connection M5 fryer heaters windings 3			
accessories for	416889			
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560112	Ref. No.	—
	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	No.	560132	Ref. No.	—
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


heating elements for griddles




No.	416544	Ref. No.	RTCU600183
description	heating element 1250W 240V heating circuits 1 L 416mm W 70mm H 65mm tube ø 8.5mm connection M4 connection distance 53mm dry heating element		
For models:	ME046-03-001, ME046-03-002, ME046-13-001, ME046-13-002, ME066-03-003, ME066-03-004, ME066-13-003, ME106-13-003		

heating elements for refrigeration

heating elements for defrosting



No.	416313	Ref. No.	01152700R
description	heating element 1100W 230V L 277mm W 630mm L1 54mm L2 223mm W1 40mm W2 590mm cable length 1500mm tube ø 6.3mm dry heating element defrosting		



No.	416312	Ref. No.	011526-00 011526-00R 011526-01 011526-01R
description	heating element 550W 230V L 420mm W 210mm L1 26mm L2 394mm W1 45mm W2 165mm cable length 1500mm tube ø 6.3mm immersion heater defrosting connection cable suitable for DEXION		



No.	416418	Ref. No.	01447401R 022258-01R
description	heating element 550W 230V L 440mm W 160mm H 60mm W1 85mm W2 42mm cable length 1500mm tube ø 6.3mm connection length 40mm immersion heater defrosting		



No.	420338	Ref. No.	022258-02R
description	heating element 550W 230V L 440mm W 180mm H 80mm W1 60mm W2 60mm connection Faston 6.3mm cable length 1500mm tube ø 6.25mm immersion heater with thermal fuse switch-off temp. 72°C		

heating elements for condensate evaporation



No.	416374	Ref. No.	019430-02R
description	heating element 135W 230V L 480mm W 115mm Hmm cable length 2200mm tube ø 6.25mm		



immersion heating elements

3 hole flange ø47.5mm



No.	417440	Ref. No.	230111
description	heating element 4900W 230V mounting ø 47.5mm heating circuits 3 L 330mm W 32mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 177mm thermostat sleeve not clinging tube ø 6.5mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	D501LS		
accessories for	417440		
	No.	510408	Ref. No. 456002 REB456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

with round flange ø47.5mm



No.	420057	Ref. No.	230116
description	heating element 3000W 230V heating circuits 1 mounting ø 47.5mm L 330mm W 33mm H 19mm tube ø 8.4mm thermostat sleeves ø 7.4mm number of thermostat sleeves 1 length thermostat sleeves 170mm		
For models:	D500LS, D501LS		
spare parts for	420057		
	No.	510408	Ref. No. 456002 REB456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		



No.	415665	Ref. No.	230086
description	heating element 2750/3250W 220/240V heating circuits 1 L 380mm W 110mm H 30mm thread M10x1 mounting distance 75mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing		
For models:	D500LS, D501LS		
spare parts for	415665		
	No.	510893	Ref. No. 456015
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
accessories for	415665		
	No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		

accessories for	415665		
	No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		
	No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

heating elements for convection



No.	418345	Ref. No.	3710004
description	heating element 1600W 230V heating circuits 1 ID ø 178mm ED ø 191mm L 250mm H 40mm L1 50mm W1 32mm H1 16mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
accessories for	418345		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		



No.	416030	Ref. No.	011482-01 011482-01R 019522-00 019522-00R
description	heating element 1900W 230V heating circuits 1 ID ø 175mm ED ø 192mm L 255mm H 42mm L1 47mm W1 30mm H1 16mm H2 26mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm convection heating element mounting thread M4 rectangular flange with thread bolt		
spare parts for	416030		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

			
1			
No.	415966	Ref. No.	RIC0001835
description	heating element 2500W 230V heating circuits 1 ID ø 176mm ED ø 188mm L 210mm H 28mm L1 22mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	ME066-03-010, ME066-03-013, ME103-03-013XL, ME106-03-010XL, ME106-03-013		
spare parts for	415966		
	No.	510368	Ref. No.
	—		
			
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		
accessories for	415966		
	No.	510368	Ref. No.
	—		
			
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

			
1			
No.	419014	Ref. No.	011482-00-R
description	heating element 2700W 230V heating circuits 1 ID ø 179mm ED ø 192mm L 247mm H 34mm L1 50mm W1 30mm H1 8mm H2 25mm flange length 70mm flange width 23mm hole distance 56mm tube ø 6.3mm mounting thread M4 mounting distance 56mm		

radiation heaters


1-circuit

			
1			
No.	490113	Ref. No.	RIC0001295
description	radiation heater ø 200mm 1800W 230V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		
For models:	ME046-03-000V, ME066-03-000V		


2-circuit

			
1			
No.	490139	Ref. No.	RIC0001294
description	radiation heater ø 250mm 2500W 230V heating circuits 2 energy regulation with temperature signalization partial power 1000W with ribbon heater connections 3+2 connection type male faston 6.3mm EGO		
For models:	ME046-03-000V, ME066-03-000V		

foil heating elements

			
1			
No.	416416	Ref. No.	01233602R
description	foil heating element L 240mm W 130mm 80W 230V with temperature limiter 80°C t.max.°C plastic cable length 1270mm thickness 0.5mm connection cable		

			
1			
No.	416315	Ref. No.	01233501R 0123500R
description	heater mat L 470mm W 65mm 87W 230V with temperature limiter t.max. 80°C plastic cable length 3500mm		

			
1			
No.	416314	Ref. No.	01943001R
description	heating element 110W 230V cable length 2500mm		

accessories


retaining rings

			
1			
No.	510244	Ref. No.	RTMIN00283
description	retaining ring shaft ø 60mm thickness 2mm steel DIN 471		
For models:	ME046-03-004, ME066-03-007		




sealing washers

O-rings




1

No.	510893	Ref. No.	456015
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	D500LS, D501LS		



1

No.	510408	Ref. No.	456002 REB456002
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	D500LS, D501LS, LB03100000, LB03300000, LP05500010		



1

No.	510243	Ref. No.	RTCU700565
description	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
For models:	ME046-03-004, ME066-03-007		

protection caps



1

No.	510093	Ref. No.	69870
description	protection cap		
For models:	D500LS, D501LS		



1

No.	520876	Ref. No.	463007
description	protection cap for heating element ø 11.5mm H 32mm W 25mm plastic		
For models:	D500LS, D501LS		

HEATING ELEMENTS/HOT PLATES DEXION

hot plates

round

with radiused edge

for domestic and commercial kitchens



1

No.	490012	Ref. No.	RTCU700087
description	hot plate ø 145mm 1500W 230V connection 4 screw clamps with 8mm spill ring		
For models:	ME046-03-000, ME066-03-000, ME066-03-013, ME103-03-013XL, ME106-03-000, ME106-03-013		



1

No.	490020	Ref. No.	RTCU700086
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring		
For models:	ME046-03-000, ME066-03-000, ME066-03-013, ME103-03-013XL, ME106-03-000, ME106-03-013		
accessories for	490020		
	No.	550796	Ref. No.
	fixing plate for hot plate ø220mm		

accessories

miscellaneous



1

No.	490111	Ref. No.	RTCU700083
description	cover for hot plate ø 237mm		
For models:	ME046-03-000, ME066-03-000, ME066-03-013, ME103-03-013XL, ME106-03-000, ME106-03-013		

energy regulators

EGO

1-circuit



No.	380015	Ref. No.	RTCU800066
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	ME046-03-005		



No.	380019	Ref. No.	RIC0001299
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		
For models:	ME046-03-000V, ME066-03-000V		

2-circuit



No.	380024	Ref. No.	RIC0001010
description	energy regulator 240V 13A turn direction right shaft ø 6x4.6mm shaft L 36mm mounting thread M4 no. 50.67079.601 with operation switch 1-pole		
For models:	ME046-03-000V, ME066-03-000V		

thermostats

bi-metal thermostats

safety bi-metal thermostats



No.	390233	Ref. No.	236039
description	bi-metal safety thermostat hole distance 24mm switch-off temp. 110°C 1NC 1-pole 16A connection F6.3 2 hole fixing without holder		
For models:	D501LS		
accessories for	390233		



No.	504736	Ref. No.	—
bracket for contact thermostat			

accessories for		390233	
	No.	550388	Ref. No.
	—		
	bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8		



1

No.	390526	Ref. No.	012728-00 01272800R
description	bi-metal safety thermostat hole distance 24mm switch-off temp. 25°C 1NO 1-pole AV connection F6.3		



1

No.	390959	Ref. No.	2LT135
description	bi-metal safety thermostat switch-off temp. 60°C 1-pole connection F6.3		
For models:	KL030-10-000W		



1

No.	390318	Ref. No.	236047
description	bi-metal safety thermostat switch-off temp. 95°C 1-pole 2 hole fixing		
For models:	D500LS, D501LS		

control and safety thermostats

EGO

control thermostats

51_ series



1

No.	375347	Ref. No.	RTCU700609
description	thermostat t.max. 175°C temperature range 95-175°C 1-pole capillary pipe isolated mm gland nut shaft ø 6x4.6mm		
For models:	ME046-03-004, ME066-03-007		

E-G-O




1

No.	375334	Ref. No.	RTBF800152
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	ME046-03-003		

55.10/19_series


E-G-O



1

No.	375354	Ref. No.	RTCU600186
description	thermostat t.max. 270°C temperature range 50-270°C 1-pole 1NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	ME066-03-010, ME066-03-013, ME103-03-013XL, ME106-03-010XL, ME106-03-013		

E-G-O



1

No.	375232	Ref. No.	RTCU700085
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole capillary pipe isolatedmm gland nut		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

55.34_series


E-G-O



1

No.	375385	Ref. No.	53401031820
description	thermostat t.max. 180°C temperature range 100-180°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 2000mm capillary pipe isolated 1800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E-G-O



1

No.	375355	Ref. No.	RTCU600067
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	ME046-03-001, ME046-03-002, ME046-13-001, ME046-13-002, ME066-03-003, ME066-03-004, ME066-03-015, ME066-13-003, ME106-13-003		

safety thermostats

55.10/19_series

E-G-O



1

No.	375339	Ref. No.	RTBF900094	
description	safety thermostat switch-off temp. 225°C 1-pole 0.5A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolatedmm gland nut M10x1 probe			
For models:	MG046-03-004, MG066-03-007			
accessories for	375339			
	No.	551083	Ref. No.	—
	cap for safety thermostat thread M8x1			



No.	375656	Ref. No.	RTBF800076
description	safety thermostat switch-off temp. 360°C 1-pole 0.5A probe ø 3.1mm probe L 201mm capillary pipe 900mm capillary pipe isolated 870mm gland nut probe SS		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		




No.	375228	Ref. No.	RTCU800152
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 3mm probe L 188mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	ME066-03-006		

55.32_series




No.	375333	Ref. No.	RTCP900074
description	safety thermostat switch-off temp. 135°C 3-pole 20A probe ø 3.1mm probe L 225mm capillary pipe 890mm capillary pipe isolated 890mm gland nut probe SS		
For models:	LX7EC4, ME066-03-008		



No.	375258	Ref. No.	RTBF800164
description	safety thermostat switch-off temp. 232°C 3-pole 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		
For models:	ME046-03-004, ME066-03-007		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats



No.	390008	Ref. No.	019310-00 01931000R	
description	thermostat t.max. 210°C temperature range 64-210°C 1-pole 1CO 16A probe ø 5mm probe L 100mm capillary pipe 1000mm capillary pipe isolatedmm gland nut shaft L 19mm rotation 270° probe material copper			
accessories for	390008			
	No.	110102	Ref. No.	—
	knob thermostat t.max. 210°C 40-210°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black			



No.	390006	Ref. No.	014688-00 01468800R	
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°			
accessories for	390006			
	No.	110100	Ref. No.	—
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black			
	No.	110105	Ref. No.	—
	rosette knob ø 42mm ø 56mm zero mark			

CAEM

control thermostats



1

No.	390672	Ref. No.	236042
description	thermostat t.max. 53°C temperature range fixed 53°C 1-pole 1CO 16A probe ø 9.5mm probe L 30mm capillary pipe 600mm capillary pipe isolated 540mm gland nut shaft Lmm screw-in probe probe thread M14x1		
For models:	D500LS, D501LS		
spare parts for	390672		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	550261	Ref. No. —
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			



1

No.	390686	Ref. No.	236043
description	thermostat t.max. 83°C temperature range°C 1-pole 1CO 20A probe ø 6mm probe L 90mm capillary pipe 630mm capillary pipe isolated 550mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	D500LS, D501LS		

PRODIGY / FIRT

control thermostats



1

No.	390723	Ref. No.	012727-00
description	thermostat PRODIGY temperature range -35 up to +35°C probe ø 6mm probe L 110mm capillary pipe 1500mm type TR/711-N		
accessories for	390723		
	No.	110305	Ref. No. —
knob thermostat t.max. 35°C temperature range -35 up to +35°C ø 45mm shaft ø 6x4.6mm shaft flat inclined rotation 270° white			

refrigeration thermostats

universal without housing



1

No.	390534	Ref. No.	012727-00 01272700R
description	thermostat temperature range -35 up to +35°C probe ø6x110mm capillary pipe 1800mm PRODIGY		
accessories for	390534		
	No.	110305	Ref. No. —
knob thermostat t.max. 35°C temperature range -35 up to +35°C ø 45mm shaft ø 6x4.6mm shaft flat inclined rotation 270° white			

RANCO

K22 series



1

No.	390207	Ref. No.	1LT020
description	thermostat RANCO type K22L2030 probe ø 2mm probe Lmm capillary pipe 2000mm temperature range -13 up to -4°C		
For models:	KL030-10-000A		

K50 series



1

No.	390271	Ref. No.	013475-00 01347500R
description	thermostat RANCO type K50L3078 probe ømm probe Lmm capillary pipe 2000mm temperature range -7 up to -3°C		

			
1			
No.	390272	Ref. No.	013477-00 013477-00R
description	thermostat RANCO type K50P1117 probe ømm probe Lmm capillary pipe 2000mm temperature range -32 up to -12°C		

			
1			
No.	390273	Ref. No.	013471-00 01347100R
description	thermostat RANCO type K50L3194 capillary pipe 1870mm temperature range +1 up to +3°C probe ø10x40mm		

accessories

connecting bows

			
1			
No.	550060	Ref. No.	RTBF900037
description	connecting bow long for thermostat Qty 1 pcs		
For models:	ME066-03-015		

switches and momentary switches

rocker/momentary rocker switches

			
1			
No.	345381	Ref. No.	017462-00 01746200R
description	rocker switch mounting measurements 30x11mm green 1NO/indicator light 24V 16A connection male faston 6.3mm		

			
1			
No.	345382	Ref. No.	013473-00 01347300R
description	rocker switch mounting measurements 30x11mm green 1NO/indicator light 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

			
1			
No.	345386	Ref. No.	018153-00 01815300R
description	rocker switch mounting measurements 30x11mm yellow 1NO 250V 16A time/main switch connection male faston 6.3mm ambient temperature max. 90°C protection IP40		

			
1			
No.	345384	Ref. No.	013519-00 01351900R
description	rocker switch mounting measurements 30x11mm yellow 1NO/indicator light 250V 16A 0-lighting connection male faston 6.3mm ambient temperature max. 90°C protection IP40		

			
1			
No.	345383	Ref. No.	013474-00 01347400R
description	rocker switch mounting measurements 30x11mm yellow 1NO/indicator light 250V 16A fan connection male faston 6.3mm ambient temperature max. 90°C protection IP40		

30x22mm



1

No.	301003	Ref. No.	01273100R	
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient tempera ture max. 125/55°C protection IP65			
accessories for	301003			
	No.	301036	Ref. No.	—
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			



push/momentary push switches

20.6x16.4mm

			
1			
No.	346595	Ref. No.	RTCU600189
description	momentary push switch mounting ø 20.6x16.4mm black 1NO 250V 16A ignition connection male faston 6.3mm ambient temperature max. 150/75°C protection IP40		
For models:	ME066-03-010, ME106-03-010XL, MG066-03-010, MG106-03-010, MG106-03-010XL		

			
1			
No.	345663	Ref. No.	RTCU600187
description	push switch mounting measurements 20.6x16.4mm black 1NO 250V 16A lamp connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	ME106-03-010XL, MG066-03-010, MG106-03-010, MG106-03-010XL		

			
1			
No.	345667	Ref. No.	RTCU600188
description	push switch mounting ø 20.6x16.4mm black 1NO 250V 16A heating connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	ME106-03-010XL, MG066-03-010, MG106-03-010, MG106-03-010XL		

microswitches

lever actuated

			
1			
No.	345376	Ref. No.	01273000R
description	microswitch		

			
1			
No.	346182	Ref. No.	9353445500
description	microswitch with lever 250V 10A 1CO connection male faston ambient temperature max. 85°C		
For models:	MG066-03-010, MG106-03-010, MG106-03-010XL		

			
1			
No.	345742	Ref. No.	RTBF900277
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 55mm ambient temperature max. 120°C mounting distance 22mm actuating force: 75g lever length 46mm		
For models:	ME046-03-004, ME066-03-007		

roller-lever actuated

microswitches

			
1			
No.	348144	Ref. No.	25001301 25001311
description	microswitch 250V 8A 1CO connection F6.3 actuating force: 300g		

roller actuated

roller 0°

			
1			
No.	346370	Ref. No.	RTBF800113
description	microswitch with roller plunger 230V 16A 1CO connection screw L1 49mm ambient temperature max. 125°C thread L 14mm thread M10 mounting distance 25mm actuating force: 300g type MV15-2		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

system switches (ROLD)


			
1			
No.	345606	Ref. No.	226071
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	D500LS, D501LS		

			
1			
No.	347517	Ref. No.	227060
description	push button ø 21mm silver edition		
For models:	D500LS, D501LS		

			
1			
No.	345605	Ref. No.	208010
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	D500LS, D501LS		

cam switches

on/off



1

No.	300151	Ref. No.	RTCU700212
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	ME046-03-003, ME066-03-006, MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

4-position



1

No.	300104	Ref. No.	RTCP900036
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	LX7EC4, ME066-03-008		

7-position



1

No.	300025	Ref. No.	RTCU700078
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
For models:	ME046-03-000, ME066-03-000, ME066-03-013, ME103-03-013XL, ME106-03-000, ME106-03-013		
accessories for	300025		
	No.	112172	Ref. No. —
knob universal ø 70mm black without adaptor/dial plate			
	No.	112213	Ref. No. —
knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm			
	No.	112311	Ref. No. —
knob adapter shaft ø 6x4.6mm L 0mm with spring			



1

No.	300106	Ref. No.	RTCU800051
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

operation switches



1

No.	300080	Ref. No.	RTBF900007
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
For models:	ME046-03-001, ME046-03-002, ME046-13-001, ME046-13-002, ME066-03-003, ME066-03-004, ME066-03-015, ME066-13-003, ME106-13-003		

accessories for	300080		
	No.	551456	Ref. No. —
gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white			



1

No.	300157	Ref. No.	RTCU600185
description	cam switch 4 operating positions operation switch sequence 0-1-2-3 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 300°C		
For models:	ME066-03-010, ME066-03-013, ME103-03-013XL, ME106-03-010XL, ME106-03-013		



1


No.	300091	Ref. No.	RTC900110
description	operation switch EGO 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	ME046-03-004		

magnetic switches

36x13mm



1



No.	345118 ¹	Ref. No.	80871	
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection cable length 980mm			
For models:	D500LS, D501LS			
accessories for	345118			
	No.	345399	Ref. No.	—
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			

¹with coded connector

accessories

magnets



1

No.	346953	Ref. No.	999108
description	magnet ømm L 23mm H 17mm W 18mm M6 hole ø 6.5mm		
For models:	D500LS, D501LS		

control equipment

TELEMECANIQUE (EFA)

XB2 series



1

No.	345412	Ref. No.	RTBF800125	
description	contact block with holder 1NO			
For models:	MG099-03-012, MG099-13-012I			
spare parts for	345412			
	No.	345220	Ref. No.	—
	contact block EFA ZB2BE101 1NO max 230V 10(6)A black			
	No.	345221	Ref. No.	—
	contact block EFA ZB2BE102 1NC max 230V 10(6)A black			
	No.	347526	Ref. No.	—
	contact block holder for XB2			

lamps

indicator lights

indicator lights (complete)

ø 6mm



1

No.	359005	Ref. No.	216025
description	indicator light ø 6mm 230V yellow cable length 400mm		
For models:	D500LS, D501LS		

ø 10mm

with plug-in socket



1

No.	359140	Ref. No.	216018
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

ø12mm

with screw socket



1

No.	359291	Ref. No.	011486-00 01148600R
description	indicator light ø 12mm 400V green connection male faston 6.3mm		

ø13mm

with screw socket



1

No.	359145	Ref. No.	166465
description	indicator light ø 13mm 230V green t.max. 120°C		
For models:	LX7EC4		
accessories for	359145		
	No.	510302	Ref. No. —
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	No.	511505	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		

with plug-in socket



1

No.	359142	Ref. No.	RTC900290
description	indicator light ø 13mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	ME046-03-000, ME046-03-000V, ME046-03-001, ME046-03-002, ME046-03-003, ME046-03-004, ME046-03-005, ME046-13-001, ME046-13-002, ME066-03-000, ME066-03-000V, ME066-03-003, ME066-03-004, ME066-03-006, ME066-03-007, ME066-03-008, ME066-03-010, ME066-03-013, ME066-03-015, ME066-13-003, ME103-03-013XL, ME106-03-000, ME106-03-010XL, ME106-03-013, ME106-13-003, MG066-03-010, MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM, MG106-03-010, MG106-03-010XL		



1

No.	359143	Ref. No.	RTC900072
description	indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	ME046-03-001, ME046-03-002, ME046-03-003, ME046-03-004, ME046-13-001, ME046-13-002, ME066-03-003, ME066-03-004, ME066-03-006, ME066-03-007, ME066-03-010, ME066-03-013, ME066-03-015, ME066-13-003, ME103-03-013XL, ME106-03-010XL, ME106-03-013, ME106-13-003, MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

30x11mm



1

No.	359058	Ref. No.	013472-00 01347200R RIC0002907
description	indicator light mounting measurements 30x11mm 230V green		

30x22mm



1

No.	359157	Ref. No.	012732-00 01273200R
description	indicator light mounting measurements 30x22mm 230V green connection male faston 6.3mm temp.-resist. 125/55°C type RL2		
accessories for	359157		
	No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

screw-on/push-on fit

light bulbs

for ovens



1

No.	359610	Ref. No.	9303310100 RIC0002592
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	ME066-03-010, ME066-03-013, ME103-03-013XL, ME106-03-010XL, ME106-03-013, MG066-03-010, MG106-03-010, MG106-03-010XL		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

No.	359718	Ref. No.	9303310000 RIC0002549
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	ME066-03-010, ME066-03-013, ME103-03-013XL, ME106-03-010XL, ME106-03-013, MG066-03-010, MG106-03-010, MG106-03-010XL		
spare parts for	359718		
	No.	359701	Ref. No.
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	No.	359740	Ref. No.
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT		

lamps

light bulbs




1

No.	359610	Ref. No.	9303310100 RIC0002592
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	ME066-03-010, ME066-03-013, ME103-03-013XL, ME106-03-010XL, ME106-03-013, MG066-03-010, MG106-03-010, MG106-03-010XL		

timers

programme timers



1

No.	360051	Ref. No.	1LT017
description	timer FIBER P36 engines 1 chambers 2 operation time 15min 230V shaft ømm shaft Lmm manuf. no. P365JR2J717 motor type M51B-J0R6400		
spare parts for	360051		
	No.	360673	Ref. No.
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

defrost timers

BIGATTI



1

No.	360053	Ref. No.	013467-00 01346700R
description	defrost timer BIGATTI type D94.44 defrosting interval 4x per 24h defrosting time 10min fan delaymin 230V defr. funct. every 12h for 20 min.		



1

No.	360058	Ref. No.	012720-01 01272001R
description	defrost timer type SB3.82 defrosting interval 1-12x in 24h defrosting time 2-54min fan delay 0-15min 230V defr. funct. 1-12x per 24h		

CDC



1

No.	360521	Ref. No.	013467-00
description	defrost timer CDC type 11901F defrosting interval 4x per 24h defrosting time 12min fan delaymin 230V 50-60Hz defr. funct. every 6h		

contactors

ISKRA (FANAL)

power contactors



1

No.	380213	Ref. No.	019033-00 01903300R
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		

LOVATO

power contactors



1

No.	380888	Ref. No.	RTFOC00465
description	power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.7kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 11BG1201A230		
For models:	ME046-03-004, ME066-03-007		

relays

power relays

with bracket mounting



1

No.	380312	Ref. No.	019032-00 01903200R
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		
For models:	LB03100000, LB03300000, LP05500010		



1

No.	380702	Ref. No.	229039 229040
description	power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V		
For models:	D500LS, D501LS		

relay sockets



1

No.	380667	Ref. No.	022031-00	
description	relay socket 11-pole dimensions 56x43x31mm 250V voltage AC 10A FINDER manuf. no. 90.27			
accessories for	380667			
	No.	380805	Ref. No.	—
	support bracket			

time relays

time relays



1

No.	360172	Ref. No.	019028-00 01902800R	
description	time relay 2CO connection plug-in connection 100-240V 11-pole voltage AC 0.1s - 100h at 250V 5A			
accessories for	360172			
	No.	360345	Ref. No.	—
	mounting frame for time relay for PM4H/LT4H			
	No.	380136	Ref. No.	—
	relay socket 11-pole connection plug-in connection round 11-pole dimensions 65x28x40mm 250V voltage AC 10A Italiana Relè manuf. no. ZVE11			
	No.	380667	Ref. No.	022031-00
	relay socket 11-pole dimensions 56x43x31mm 250V voltage AC 10A FINDER manuf. no. 90.27			



transformers

encapsulated transformers

with screw connection



1

No.	402016	Ref. No.	014687-00 01468700R
description	transformer 65VA		

PMA



1

No.	379054	Ref. No.	014675-00 01467500R
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

electronic controllers

EKTRON

refrigeration controllers

built-in version



1

No.	402020	Ref. No.	014673-00 01467300R 014673-01 01467301R
description	electronic controller EKTRON type REK33-0020 mounting measurements 71x29mm 12V voltage AC/DC PTC relay outputs 3 NO-8A(4) NO-8A(4) NO-8A(4) PTC PTC built-in depth 71mm -50 up to +95°C display 3 digits		

ELIWELL

refrigeration controllers

built-in version



1

No.	402017	Ref. No.	019045-00 01904500R 019046-00 01904600R 019047-00 01904700R
description	electronic controller ELIWELL type EWPC974 mounting measurements 71x29mm		



1

No.	379645	Ref. No.	019497-00 024169-00
description	electronic controller ELIWELL type ID961 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 relay -55 up to +150°C display 3½ digits compressor relay 15A		
For models:	SA100-00-000E		
accessories for	379645		
	No.	379053	Ref. No. —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379064	Ref. No. 014674-00 01467400R 014674-01 01467401R
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379161	Ref. No. —
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379782	Ref. No. —
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

LAE

refrigeration controllers

built-in version



1

No.	378300	Ref. No.	025057-00R
description	electronic controller LAE mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 3 -50 to +120°C display 3 digits fan relay 7A 7A compressor relay 16A		



1

No.	378420	Ref. No.	020518-01
description	electronic controller LAE type AT1-5AS2E-G mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 NO-16A(4) NO-7A(2) NTC/PTC front measurements 77x35mm built-in depth 70mm protection IP55 yes -50 to +120°C display 3 digits		
accessories for	378420		
	No.	379805	Ref. No. 025461-00
	temperature probe NTC 10kOhm cable TPE probe -40 up to +110°C cable -40 up to +110°C probe ø6x28mm cable length 2m cable colours grey 2-wire		



1

No.	378184	Ref. No.	021226-00
description	electronic controller LAE type LCD32Q4E-C mounting measurements 149x30mm 230V voltage AC NTC relay outputs 4 NO-20A(6) NO-12A(4) NO-8A(3) CO-8A(3) NTC NTC DI DI front measurements 169x38mm built-in depth 78mm protection IP55 yes yes -30 up to +30°C display 3 digits		
accessories for	378184		
	No.	379784	Ref. No. 02128300 021283-00R
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		



1

No.	378260	Ref. No.	023382-00
description	electronic controller LAE type LD2-15B4E mounting measurements 71x29mm 230V voltage AC NTC relay outputs 3 relays yes yes -50 up to +80°C display 3 digits RoomTempIN yes DEF Relay 7A fan relay 7A compressor relay 16A		
accessories for	378260		
	No.	378261	Ref. No. 020519-00 020519-00R
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire		
	No.	379784	Ref. No. 02128300 021283-00R
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		

built-in version 2-piece



1

No.	403413	Ref. No.	00-556225
description	power PCB LAE type LF28B253E-1FS mounting measurements 104x91mm 230V voltage AC NTC relay outputs 3 NO-20A(6) NO-12A(4) NO-7A(2) NTC NTC DI DI front measurements 105x63mm built-in depth 45mm protection IP2x -50 up to +80°C display		
accessories for	403413		
	No.	379771	Ref. No. —
	keypad unit LAE type LCD5-S mounting measurements 71x29mmV voltage relay outputs front measurements 77x35x20mm built-in depth 20mm protection IP55°C display 3 digits		
	No.	379784	Ref. No. 02128300 021283-00R
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	No.	403459	Ref. No. —
	connection cable LAE type FC06-20M01		



SHANGFANG

accessories



1

No.	379054	Ref. No.	014675-00 01467500R
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

miscellaneous

electronic thermometers



1

No.	379022	Ref. No.	527601R
description	thermometer mounting measurements 28.5x70.5mm -55 up to +99°C type EWTM 101		

probes

universal probes

temperature probes



1

No.	379784	Ref. No.	02128300 021283-00R
description	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		



1

No.	378261	Ref. No.	020519-00 020519-00R
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire		



1

No.	379805	Ref. No.	025461-00
description	temperature probe NTC 10kOhm cable TPE probe -40 up to +110°C cable -40 up to +110°C probe ø6x28mm cable length 2m cable colours grey 2-wire		



1

No.	379064	Ref. No.	014674-00 01467400R 014674-01 01467401R
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		

core probes



1

No.	379640	Ref. No.	N/A
description	core temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x110mm cable length 2.4m handle ø 9mm handle length 80mm 2-wire		

producer-specific probes

core probes



1

No.	378408	Ref. No.	019064-00 019064-00R
description	core temperature probe PTC cable silicone probe -40 up to +120°C cable -50 up to +180°C connection 2-wire probe ø4-6x105mm cable length 3.5m handle ø 13mm handle length 120mm		

electronics

PCBs




1

No.	401936	Ref. No.	24000001
description	keypad PCB with control		



1

No.	401900	Ref. No.	215029
description	PCB L 120mm W 80mm		
For models:	D500LS, D501LS		



1

No.	402015	Ref. No.	016369-00R
description	PCB refrigerated counter Skin		

keypads

front foils



1

No.	402030	Ref. No.	01271301R
description	front foil		



1


No.	402031	Ref. No.	01345001R
description	front foil		



1


No.	402032	Ref. No.	01654900R
description	front foil		

membrane keypads



1

No.	402023	Ref. No.	01086805R
description	membrane keypad		



1

No.	402024	Ref. No.	01087005R
description	membrane keypad		

solenoïd valves

solenoïd valves (water)

ELBI

straight



1

No.	373017	Ref. No.	240016
description	solenoïd valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
For models:	D500LS, D501LS		
spare parts for	373017		



No.	370467	Ref. No.	—
description	solenoïd valve filter suitable for ELBI		

ELTEK



1

No.	370779	Ref. No.	2DR025
description	solenoïd valve single straight 230VAC inlet 3/4 outlet 11.5mm input 7l/min output 1.2l/min DN10 ELTEK		
For models:	KL030-10-000A		

RPE

solenoid valves with reducers

2-fold



1

No.	370835	Ref. No.	2DR026
description	solenoid valve double straight 230VAC inlet 3/4 outlet 10.5mm input 7l/min output 2x1.2l/min DN10 t.max. 90°C RPE		
For models:	KL030-10-000W		

TP



1

No.	370017	Ref. No.	240011
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
For models:	D500LS, D501LS		

spare parts for 370017



No.	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz			

accessories for 370017

	No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolera				

accessories for 370017

	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				



1

No.	370015	Ref. No.	015552-00 01555200R
-----	--------	----------	------------------------

description solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP

accessories for 370015

	No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				

Table continues overleaf

accessories for 370015				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				

various

1

No.	370726	Ref. No.	999288
description	solenoid valve double straight 220-240VAC inlet 11mm outlet 11mm MILANO plastic output B red		
For models:	D500LS, D501LS		

solenoid valves (refrigeration)

DANFOSS

valve bodies



No.	370160	Ref. No.	012719-00 01271900R
description solenoid valve body NC type EVR 3 p max 45.2bar DN 3.2mm connection 6mm soldering connection -40° up to 105°C refrigeration straight DANFOSS			
accessories for 370160			
	No.	371046	Ref. No. —
console for solenoid valve for EVR2,3,6,10			

PARKER

valves



No.	370782	Ref. No.	1RF123
description solenoid valve 230V connection 16mm soldering connection PARKER refrigeration straight			
For models: KL030-10-000A, KL030-10-000W			
spare parts for 370782			
	No.	371033	Ref. No. —
solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm			

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



No.	541011	Ref. No.	224010
description pressure control pressure range 110/70mbar connection 6mm ø 58mm pressure connection horizontal warewashing			
For models: D500LS, D501LS			



SECOP DANFOSS

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605091	Ref. No.	014614-00
description	compressor coolant R134a type FR8.5G 220-240V 50Hz HMBP 10.6kg 1/4HP power input 261W cylinder capacity 7.95cm ³ RSIR/CSIR H 196mm 85W 123W 171W 228W 298W 381W 478W 592W 722WW		
spare parts for	605091		
	No.	380484	Ref. No. —
start relay DANFOSS 117U6015/F394 HST			

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605057	Ref. No.	015132-00
description	compressor coolant R404a/R507 type SC12CL 220-240V 50Hz LBP fully hermetic 12.5kg 3/8HP cylinder capacity 12.87cm ³ CSIR H 209mm 410W 568W 754W 971W 1220W 1505WWWW test method ASHRAE		
spare parts for	605057		
	No.	380078	Ref. No. —
start relay DANFOSS 117U6005 HST			



1

No.	541003	Ref. No.	224003
description	pressure control pressure range 55/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	D500LS, D501LS		

accessories



1

No.	541109	Ref. No.	035031
description	Y-piece plastic hose ø 8-6-8mm for pressure switch		
For models:	D500LS, D501LS		

compressors

ACC/ZEL

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605009	Ref. No.	022260-00
description	compressor coolant R134a type GL90TB 220-240V 50Hz HMBP fully hermetic 10.8kg 1/4HP power input 293W cylinder capacity 8.8cm ³ CSIR H 175.5mmW 143W 194W 259W 339W 432W 539W 661W 796W test method ASHRAE		

fans

axial fans

ebm-papst



1

No.	601089 ¹	Ref. No.	01348001R
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 19W bearing slide bearing manuf. no. 4650N metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 55°C		
accessories for	601089		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	691104	Ref. No. —
	guard ø 115mm mounting distance 105mm for axial fan 119mm		

¹with slide bearings

ebm-papst



1

No.	601082 ¹	Ref. No.	01468000R 01979700R
description	axial fan L 92mm W 92mm H 25mm 230VAC 50/60Hz 9/11W bearing ball bearing manuf. no. 3956 metal connection male faston 2.8mm ebm-papst fan wheel ø 85mm temp.-resist. 80°C		
accessories for	601082		
	No.	691103	Ref. No. —
	guard ø 90mm mounting distance 83mm for axial fan 92mm		

¹with ball bearings

1

No.	601074 ¹	Ref. No.	01904100R
description	axial fan L 92mm W 92mm H 25mm 24VDC 2.3W bearing ball bearing manuf. no. 3414N connection cable 300mm ebm-papst fan wheel ø 85mm temp.-resist. 70°C		
accessories for	601074		
	No.	691103	Ref. No. —
	guard ø 90mm mounting distance 83mm for axial fan 92mm		

¹with ball bearings

1


No.	601632 ¹	Ref. No.	01904100
description	axial fan L 92mm W 92mm H 25mm 24VDC 2.3W bearing slide bearing manuf. no. 3414NG connection cable 310mm ebm-papst		
accessories for	601632		
	No.	691103	Ref. No. —
	guard ø 90mm mounting distance 83mm for axial fan 92mm		

¹with slide bearings

ebm-papst



1



No.	601088 ¹	Ref. No.	01468500R
description	axial fan L 172mm W 150mm H 55mm 230VAC 50/60Hz 39/45W bearing ball bearing connection cable 350mm manuf. no. 7855ES metal ebm-papst fan wheel ø 140mm temp.-resist. 50°C		

¹with ball bearings

import



1

No.	601055 ¹	Ref. No.	01468000
description	axial fan L 92mm W 92mm H 25mm 230VAC 50/60Hz 14.5/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 85mm temp.-resist. 70°C		
accessories for	601055		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	691103	Ref. No. —
	guard ø 90mm mounting distance 83mm for axial fan 92mm		

¹with ball bearings

refrigeration fans

refrigeration motors universal

IMPORT

multi fit fan motors



1

No.	601022	Ref. No.	01272500R
description	fan motor 10W 230V 50-60Hz L1 44mm L2 54mm L3 85mm W 84mm cable length 500mm 1300rpm YZF10-20-18/26 5 mounting options bearing slide bearing		

accessories

fan wheels

aluminium



1

No.	601071	Ref. No.	013479-00
description	fan wheel sucking ø 230mm fan wheel mounting 25.4mm blade angle 25° W 37mm aluminium		

cold air circulating fans (complete)



ebm-papst

A2E series





1

No.	601962	Ref. No.	019055-00
description	fan A2E250AM06-01 fan wheel ø 250mm blades 9 230V 50Hz 120/160W 2450rpm cable length 400mm ebm-papst blowing suitable capacitor 3µF		
spare parts for	601962		
	No.	365137	Ref. No. —
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection		

  			
No.	601663 ¹	Ref. No.	019027-00
description	fan A2E200-AI38-10 fan wheel ø 200mm blades 9 230V 50/60Hz 64W 2600rpm cable length 450mm ebm-papst sucking suitable capacitor 1.5µF with protective grid		
spare parts for	601663		
	No.	365171	Ref. No. 019051-00
	capacitor capacity 1.5µF 400V tolerance 5% 50/60Hz ambient temperature max. -40 up to +85°C ø 25mm L 50mm M8 plastic connection cable 250mm MLR25PRL		
	No.	601958	Ref. No. —
	guard ø 210mm for fan hole distance 258mm		

¹incl. capacitor and guard

  			
No.	601964	Ref. No.	GF650/2 GF651
description	fan A2E250AM06-12 fan wheel ø 250mm blades 9 230V 50/60Hz 115/150W ø 250mm 2450rpm cable length 1400mm sucking suitable capacitor 3µF		
spare parts for	601964		
	No.	365137	Ref. No. —
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection		

cross flow fans

COPREL


with moulded coils


			
No.	601456	Ref. No.	01272600R
description	cross flow fan roller ø 45mm roller length 180mm laminated core thickness 15mm motor position right 230V/50Hz 26W universal bearing silicone connection male faston 6.3mm -30 up to +100°C 230V 50/60Hz		

hot air fans

miscellaneous

			
No.	601094	Ref. No.	01154900R+01155000R
description	fan motor 240V 36W 50Hz L1 85mm L2 15mm L3 20mm L4 87mm fan wheel ø 150mm Emmevi type 260305X		






1

No.	601124	Ref. No.	9343420000 RIC0002339
description	hot air fan 220-240V 30W L1 60mm L2 12mm L3 25mm L4 84mm fan wheel ø 150mm IMS type VRB150H2028		
For models:	ME066-03-010, ME066-03-013, ME103-03-013XL, ME106-03-010XL, ME106-03-013		



1



No.	601531	Ref. No.	3740035
description	hot air fan 220V 30W 50Hz L1 70mm L2 12mm L3 30mm L4 87mm fan wheel ø 155mm FIME type C30R0407		

motors

motors

for tilting bratt pans



1

No.	500813	Ref. No.	RTBF900122
description	motor 120W 230V 50Hz 1 phase shaft ø 9mm shaft length 20mm 2750rpm type M TUBO 56 ø 100mm H 155mm capacitor 6.3µF AMI 0.12kW		
For models:	MG099-03-012, MG099-13-012I		

pumps

wash and rinse pumps

LGB



1

No.	500156	Ref. No.	130109
description	pump inlet ø 50mm outlet ø 50mm type ZF400SX 230V 50Hz 1 phase 0.6kW 0.8HP L 210mm rotation direction right capacitor 16µF LGB		
For models:	D500LS, D501LS		
spare parts for	500156		
	No.	509020	Ref. No. 124031
impellor ø 104mm H 25mm M8L			
	No.	510703	Ref. No. 141007
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	521548	Ref. No. 116019
pump cover LGB inlet ø 50mm outlet ø 50mm			
	No.	521734	Ref. No. 315022
pump cover bottom part			
	No.	523509	Ref. No. 314001
deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1			
	No.	532623	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs			
accessories for	500156		
	No.	365021	Ref. No. 206004
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			

drain pumps

ASKOLL



1

No.	500214	Ref. No.	130105
description	drain pump inlet ø 30mm outlet ø 22mm 230/240V 30W 50Hz ASKOLL type R113		
For models:	D500LS, D501LS		

pumps for ice machines



1

No.	499341	Ref. No.	2DR100
description	pump MIGEL 100W 230V 50Hz inlet ø 23mm outlet ø 25mm L 170mm rotation direction right ice maker		
For models:	KL030-10-000A, KL030-10-000W		



1

No.	499003	Ref. No.	1DR037 2DR093
description	pump MIGEL type 100W 230V 50Hz inlet ø 25mm outlet ø 23mm L 170mm rotation direction right for ice maker		

condensators & interference suppression filters

starting capacitors

starting capacitors



1

No.	365061	Ref. No.	020551-00
description	starting capacitor 220/300V 50Hz DANFOSS duty cycle 1.7/0.10% capacity 80µF for FR/NL		

operating capacitors

plastic



1

No.	365171	Ref. No.	019051-00
description	capacitor capacity 1.5µF 400V tolerance 5% 50/60Hz ambient temperature max. -40 up to +85°C ø 25mm L 50mm M8 plastic connection cable 250mm MLR25PRL		



1

No.	365021	Ref. No.	206004
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
For models:	D500LS, D501LS		

fuses

fine fuses



1

No.	358677	Ref. No.	228010
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		
For models:	D500LS, D501LS		

fine fuse holders



No.	551234	Ref. No.	210010
description	fuse holder suitable fuse $\varnothing 5 \times 20 \text{mm}$ 1-pole 6.3A rated 600V L 52mm W 8mm H 51mm connection screw clamp cross section 4mm^2		
For models:	D500LS, D501LS		

electric accessories

terminals

terminal blocks



No.	550239	Ref. No.	RTBF900045
description	lustre terminal 12-pole cross section 16mm^2 max. 75A max 500V temp.-resist. 150°C		
For models:	ME046-03-000, ME046-03-000V, ME046-03-001, ME046-03-002, ME046-03-003, ME046-03-004, ME046-03-005, ME046-13-001, ME046-13-002, ME066-03-000, ME066-03-000V, ME066-03-003, ME066-03-004, ME066-03-006, ME066-03-007, ME066-03-008, ME066-03-010, ME066-03-013, ME066-03-015, ME066-13-003, ME103-03-013XL, ME106-03-000, ME106-03-010XL, ME106-03-013, ME106-13-003, MG066-03-010, MG099-03-012, MG099-03-012M, MG099-13-012L, MG099-13-012IM, MG106-03-010, MG106-03-010XL		

connection terminals with screw/faston connections



No.	550411	Ref. No.	220011
description	power terminal block 6-pole max. 40A max 450V connection $\varnothing 6 \text{mm}^2$ / F6.3 temp.-resist. 150°C cross section 6mm^2		
For models:	D500LS, D501LS		

rail-mounted terminals

miscellaneous



No.	551234	Ref. No.	210010
description	fuse holder suitable fuse $\varnothing 5 \times 20 \text{mm}$ 1-pole 6.3A rated 600V L 52mm W 8mm H 51mm connection screw clamp cross section 4mm^2		
For models:	D500LS, D501LS		

gas taps

PEL

21S series



No.	101397	Ref. No.	RTCU700259
description	gas tap PEL type 21S gas inlet M16x1.5 (tube $\varnothing 10 \text{mm}$) bypass nozzle $\varnothing 0.35 \text{mm}$ gas outlet M16x1.5 (tube $\varnothing 10/8 \text{mm}$) thermocouple connection M9x1 pilot connection M10x1 shaft $\varnothing 8 \times 6.5 \text{mm}$ shaft L 22/15mm shaft flat lower		
For models:	MG066-03-008, MG086-13-014P		
spare parts for	101397		
	No.	100408	Ref. No. —
	bypass nozzle type PEL20/21 bore $\varnothing 0.35 \text{mm}$ thread M5x0.5		
	No.	101060	Ref. No. —
	magnet unit standard L 39mm D1 $\varnothing 15.4 \text{mm}$ D2 $\varnothing 11 \text{mm}$ suitable for PEL20-21/JUNKERS/EGA		
	No.	101206	Ref. No. —
	gas tap front part shaft $\varnothing 8 \times 6.5 \text{mm}$ shaft L 22/15mm shaft flat upper/lower suitable for PEL21		
	No.	101231	Ref. No. —
	thermocouple nut T1: M9x1 T2: M18x1		
accessories for	101397		
	No.	100908	Ref. No. RTCU900133
	union screw thread M10x1 for pipe $\varnothing 4 \text{mm}$ Qty 1 pcs		
	No.	100909	Ref. No. RTCP800038 RTCU900019
	union screw thread M10x1 for pipe $\varnothing 6 \text{mm}$ Qty 1 pcs		
	No.	101246	Ref. No. —
	olive for pipe $\varnothing 4 \text{mm}$ Qty 1 pcs		
	No.	101278	Ref. No. RTCU900012
	olive for pipe $\varnothing 10 \text{mm}$ Qty 1 pcs		
	No.	101286	Ref. No. RTCU900018
	olive ID $\varnothing 6 \text{mm}$ Qty 1 pcs		
	No.	101300	Ref. No. RTCU700297
	union nut thread M16x1.5 tube $\varnothing 10 \text{mm}$		
	No.	101450	Ref. No. —
	olive for pipe $\varnothing 8 \text{mm}$ L 12.7mm Qty 1 pcs ED $\varnothing 10 \text{mm}$		
	No.	101451	Ref. No. —
	union nut thread M16x1.5 tube $\varnothing 8 \text{mm}$		
	No.	110081	Ref. No. —
	knob $\varnothing 70 \text{mm}$ shaft $\varnothing 8 \times 6.5 \text{mm}$ shaft flat universal		
	No.	112206	Ref. No. —
	knob dial plate silver gas tap PEL21/22/23 t.max. $^\circ\text{C}$ ED $\varnothing 63 \text{mm}$ ID $\varnothing 45.5 \text{mm}$		



SABAF

			
1			
No.	101890	Ref. No.	RTCU600016
description	gas tap SABAF type 10 gas inlet pipe flange ø16mm bypass nozzle ø 0mm gas outlet 1/4" (tube ø 8mm) front fixing thermocouple connection plug-in connection shaft ø 8x6.5mm shaft L 26/12mm shaft flat upper		
For models:	ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL		
spare parts for	101890		
		No. 101376	Ref. No. —
	gasket ID ø 8mm ED ø 12mm H 3/5mm		
		No. 106723	Ref. No. —
	magnet unit L 29mm D1 ø 12.5mm D2 ø 8.5mm suitable for SABAF		
accessories for	101890		
		No. 101277	Ref. No. —
	olive ID ø 8mm Qty 1 pcs		
		No. 101751	Ref. No. RTCU600054
	bracket		
		No. 520656	Ref. No. —
	union nut thread 1/4" tube ø 6/8mm		
		No. 560082	Ref. No. —
	hexagonal screw thread M4 thread L 16mm SS WS 7 Qty 20 pcs DIN 933 / ISO 4017		

gas thermostats

SIT

710 Minisit series

			
1			
No.	101135	Ref. No.	RTCU700574
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type A3 pressure controller no pressure regulator mbar gland nut		
For models:	MG046-03-004, MG066-03-007		
spare parts for	101135		
		No. 101053	Ref. No. —
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		

spare parts for	101135		
		No. 102118	Ref. No. —
	probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710		
accessories for	101135		
		No. 100809	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
		No. 100820	Ref. No. —
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		
		No. 100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
		No. 100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
		No. 101054	Ref. No. —
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
		No. 101136	Ref. No. —
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
		No. 101137	Ref. No. —
	cover cap without piezoelectric igniter		
		No. 101267	Ref. No. —
	reducer IT 3/8" ET 1/2" L 21mm		
		No. 101268	Ref. No. —
	gas connection thread 3/8" angled with O-ring MINISIT 710		
		No. 101269	Ref. No. —
	gas connection thread 1/2" angled with O-ring MINISIT 710		
		No. 101270	Ref. No. —
	screw connection IT 3/8" ET 3/8" L 28mm		
		No. 101272	Ref. No. —
	screw connection IT 1/2" ET 3/8" L 57mm		
		No. 101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
		No. 101274	Ref. No. —
	olive for pipe ø 16mm Qty 1 pcs		
		No. 101275	Ref. No. —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
		No. 101276	Ref. No. —
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
		No. 110068	Ref. No. RTCU900222
	knob suitable for Minisit ø 37mm		



PEL

25ST series



1

No.	101172	Ref. No.	RTCU700289
description	gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
For models:	MG046-03-001, MG046-03-002, MG046-13-001, MG046-13-002, MG066-03-003, MG066-03-004, MG066-03-005, MG066-03-015, MG066-13-003, MG066-13-004, MG066-13-005, MG106-03-003, MG106-03-004, MG106-13-003, MG106-13-004		
spare parts for	101172		
	No.	100259	Ref. No. —
bypass nozzle	type PEL22 bore ø 0.35mm thread M6x0.5		
	No.	101060	Ref. No. —
magnet unit	standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	106200	Ref. No. —
nut	thread M9x1 suitable for PEL 24/255		
accessories for	101172		
	No.	100908	Ref. No. RTCU900133
union screw	thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. RTCP800038 RTCU900019
union screw	thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101246	Ref. No. —
olive	for pipe ø 4mm Qty 1 pcs		
	No.	101278	Ref. No. RTCU900012
olive	for pipe ø 10mm Qty 1 pcs		
	No.	101286	Ref. No. RTCU900018
olive	ID ø 6mm Qty 1 pcs		
	No.	101300	Ref. No. RTCU700297
union nut	thread M16x1.5 tube ø 10mm		
	No.	101450	Ref. No. —
olive	for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	No.	101451	Ref. No. —
union nut	thread M16x1.5 tube ø 8mm		
	No.	110079	Ref. No. —
knob dial plate	gas thermostat 1-8 silver		
	No.	110081	Ref. No. —
knob	ø 70mm shaft ø 8x6.5mm shaft flat universal		

1



No.	101441	Ref. No.	RTCU700363
description	gas thermostat PEL type 25ST 30-90°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 160mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
For models:	MG046-03-003, MG066-03-006		
spare parts for	101441		
	No.	100259	Ref. No. —
bypass nozzle	type PEL22 bore ø 0.35mm thread M6x0.5		
	No.	101060	Ref. No. —
magnet unit	standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	106200	Ref. No. —
nut	thread M9x1 suitable for PEL 24/255		
accessories for	101441		
	No.	100908	Ref. No. RTCU900133
union screw	thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. RTCP800038 RTCU900019
union screw	thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101246	Ref. No. —
olive	for pipe ø 4mm Qty 1 pcs		
	No.	101278	Ref. No. RTCU900012
olive	for pipe ø 10mm Qty 1 pcs		
	No.	101286	Ref. No. RTCU900018
olive	ID ø 6mm Qty 1 pcs		
	No.	101300	Ref. No. RTCU700297
union nut	thread M16x1.5 tube ø 10mm		
	No.	101450	Ref. No. —
olive	for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	No.	101451	Ref. No. —
union nut	thread M16x1.5 tube ø 8mm		



SABAF

			
No.	101886	Ref. No.	RTCU600179 RTCU600180
description	gas thermostat SABAF t.max. 300°C gas inlet pipe flange ø16mm bypass nozzle ø 0.37mm gas outlet M13x1 IT (tube ø 8mm) gas outlet 2 thermocouple connection M8x1 pilot connection capillary pipe 850mm probe ø 4mm probe L 140mm shaft ø 8x6.5mm shaft L 17/12mm shaft flat upper		
For models:	MG066-03-010, MG106-03-010, MG106-03-010XL		
spare parts for	101886		
	No.	101060	Ref. No. —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
accessories for	101886		
	No.	101277	Ref. No. —
olive ID ø 8mm Qty 1 pcs			
	No.	101477	Ref. No. —
union screw thread M13x1 tube ø 8mm Qty 1 pcs			
	No.	101751	Ref. No. RTCU600054
bracket			

gas valves and ignition boxes

gas control valves

SIT

ELETTROSIT

			
No.	101126	Ref. No.	RTBF800077
description	gas valve SIT type ELETTROSIT 230V gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.136		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		
spare parts for	101126		
	No.	101312	Ref. No. —
microswitch			
	No.	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETTROSIT			

accessories for	101126		
	No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101301	Ref. No. —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	No.	101303	Ref. No. —
gas connection straight thread 3/4" ELETTROSIT			
	No.	101309	Ref. No. —
extension			

ignition parts

pilot burners

SIT

100 series

			
No.	107141	Ref. No.	RTCU700372
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.35mm gas connection 6mm		
For models:	MG117-03-110XL		
spare parts for	107141		
	No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	107160	Ref. No. —
pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs			
	No.	107166	Ref. No. —
pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs			
accessories for	107141		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	106733	Ref. No. 172882
pilot burner bracket suitable for MBM			
	No.	107167	Ref. No. —
pilot burner nozzle SIT LPG code 21 bore ø 0.21mm Qty 1 pcs			



accessories for	107141			
	No.	107168	Ref. No.	—
	pilot burner nozzle SIT natural gas bore ø 0.35mm Qty 1 pcs thread M4x0.75 WS 5			

accessories

pilot burner nozzles



No.	100245	Ref. No.	4370001
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

ignition electrodes



No.	100707	Ref. No.	RTCP800033
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø 2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		
For models:	MG046-03-001, MG046-03-002, MG046-03-003, MG046-13-001, MG046-13-002, MG066-03-003, MG066-03-004, MG066-03-005, MG066-03-006, MG066-03-015, MG066-13-003, MG066-13-004, MG066-13-005, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG086-13-014P, MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM, MG106-03-003, MG106-03-004, MG106-13-003, MG106-13-004, MG117-03-110XL		

140 - 145 - 150 series



No.	107133	Ref. No.	RTCP800034
description	pilot burner SIT type 140 series 1 flame nozzle ømm gas connectionmm		
For models:	MG046-03-001, MG046-03-002, MG046-03-003, MG046-13-001, MG046-13-002, MG066-03-003, MG066-03-004, MG066-03-005, MG066-03-006, MG066-03-015, MG066-13-003, MG066-13-004, MG066-13-005, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG086-13-014P, MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM, MG106-03-003, MG106-03-004, MG106-13-003, MG106-13-004, MG117-03-110XL		
accessories for	107133		
	No.	100204	Ref. No. —
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No. RTCP800041
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			

accessories for	107133		
	No.	100206	Ref. No. RTCP800040
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No. RTCP800059
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No. —
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No. RTCU900010
ignition electrode connection M4 Qty 1 pcs			
	No.	100897	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	No.	100898	Ref. No. RTCU800183
olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	No.	100908	Ref. No. RTCU900133
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. RTCP800038 RTCU900019
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

160 series



No.	100056	Ref. No.	RTCU700464
description	pilot burner SIT type 160 series 3 flames nozzle ømm gas connectionmm		
For models:	MG046-03-004, MG066-03-007, MG066-03-008		
spare parts for	100056		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	100056		
	No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
	No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			

Table continues overleaf

accessories for 100056		No.	100701	Ref. No.	RTCU900010
					ignition electrode connection M4 Qty 1 pcs
		No.	100801	Ref. No.	—
					gasket for pilot burner Qty 1 pcs
		No.	100869	Ref. No.	—
					pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle $\varnothing$ 0.51 mm
		No.	100870	Ref. No.	RTCU900134
					olive for pipe $\varnothing$ 4mm Qty 1 pcs suitable for 160 series for pilot burner
		No.	100906	Ref. No.	—
					screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10
		No.	100908	Ref. No.	RTCU900133
					union screw thread M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs
		No.	100909	Ref. No.	RTCP800038 RTCU900019
					union screw thread M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs
		No.	101287	Ref. No.	—
					olive for pipe $\varnothing$ 6mm Qty 1 pcs
		No.	102110	Ref. No.	—
					pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm
		No.	102111	Ref. No.	—
					pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm
		No.	107650	Ref. No.	—
					pilot burner nozzle SIT LPG code 30 Qty 1 pcs


accessories universal


pilot burner brackets

					
		No.	690798	Ref. No.	PACU701022
description		pilot burner bracket			
For models:		MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM			

electrodes

					
		No.	100701	Ref. No.	RTCU900010
description		ignition electrode connection M4 Qty 1 pcs			
For models:		MG046-03-004, MG066-03-007, MG066-03-008			
accessories for 100701		No.	100906	Ref. No.	—
					screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10

					
		No.	100808	Ref. No.	RTCU600045
description		ignition electrode D1 $\varnothing$ 5.5mm cable length 550mm connection F 2.8x0.8mm D2 $\varnothing$ 8mm L1 2mm BL1 16mm BL2 4mm BL3 13mm			
For models:		ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL			

					
		No.	100826	Ref. No.	RTCU600046
description		ignition electrode D1 $\varnothing$ 5mm cable length 730mm connection F 2.8x0.8mm D2 $\varnothing$ 8mm L1 2.5mm BL1 20mm BL2 4mm BL3 13mm			
For models:		ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL			



No.	100707	Ref. No.	RTCP800033
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		
For models:	MG046-03-001, MG046-03-002, MG046-03-003, MG046-13-001, MG046-13-002, MG066-03-003, MG066-03-004, MG066-03-005, MG066-03-006, MG066-03-015, MG066-13-003, MG066-13-004, MG066-13-005, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG086-13-014P, MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM, MG106-03-003, MG106-03-004, MG106-13-003, MG106-13-004, MG117-03-110XL		



No.	100818	Ref. No.	9353457100 RIC0002551
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 18mm BL1 12mm BL2 41mm connection F 2.8x0.8mm fixing dimensions ø5x4mm with flange		
For models:	MG066-03-010, MG106-03-010, MG106-03-010XL		



No.	106068	Ref. No.	RTCU600047
description	spring clip for igniter		
For models:	ME066-03-010, ME106-03-010XL, MG066-03-010, MG106-03-010, MG106-03-010XL		



No.	106797	Ref. No.	RTCU900215
description	union screw thread M10x1 WS 10 bore ø 7.3mm		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM, MG117-03-110XL		

ignition cables

pre-assembled cables



No.	100026	Ref. No.	RTCU900384
description	ignition cable cable length 1000mm connection ø4mm / F6.3mm		
For models:	MG046-03-003, MG066-03-006		



No.	100174	Ref. No.	9363490000 RIC0002554
description	ignition cable cable length 1500mm connection F2.8mm / F2.8mm		
For models:	MG066-03-010, MG106-03-010, MG106-03-010XL		



No.	102163	Ref. No.	RTCU700005
description	ignition cable cable length 1500mm connection F2.8mm / ø2.4mm		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		



No.	100014	Ref. No.	RTCU700361
description	ignition cable cable length 300mm connection ø2.4mm / ø2.4mm		
For models:	MG046-03-001, MG046-03-002, MG046-13-001, MG046-13-002, MG066-03-003, MG066-03-004, MG066-03-005, MG066-03-015, MG066-13-003, MG066-13-004, MG066-13-005, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG086-13-014P, MG106-03-003, MG106-03-004, MG106-13-003, MG106-13-004		



No.	100178	Ref. No.	RTBF700023
description	ignition cable cable length 900mm connection F2.8mm / ø2.4mm		
For models:	MG046-03-004, MG066-03-007, MG066-03-008		

piezoelectric igniters

mounting diameter 22mm



No.	100005	Ref. No.	RTCU700020
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm SIT		
For models:	MG046-03-000, MG046-03-001, MG046-03-002, MG046-03-003, MG046-03-004, MG046-13-001, MG046-13-002, MG066-03-000, MG066-03-003, MG066-03-004, MG066-03-005, MG066-03-006, MG066-03-007, MG066-03-008, MG066-03-015, MG066-13-003, MG066-13-004, MG066-13-005, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG086-13-014P, MG106-03-000, MG106-03-003, MG106-03-004, MG106-13-003, MG106-13-004, MG117-03-110XL		

ignition units



1

No.	102485	Ref. No.	RTBF800129
description	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz		
For models:	ME106-03-010XL, MG066-03-010, MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM, MG106-03-010, MG106-03-010XL		



1

No.	102922	Ref. No.	RTCU600190
description	ignition unit outputs 4		
For models:	ME066-03-010, MG066-03-010		



1

No.	101024	Ref. No.	RTCU600191
description	ignition unit outputs 6 230VAC dimensions 112x22x34mm mounting distance 98mm inlet F6.3x0.8 outlet F2.8x0.8 type ZAG6 0.3VA 50/60Hz t.max. -20 up to +125°C		
For models:	ME106-03-010XL, MG106-03-010, MG106-03-010XL		


thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6mm

SIT




1

No.	102923	Ref. No.	RTCU700296
description	thermocouple M9x1 L 750mm plug connection ø6.0mm		
For models:	MG046-03-001, MG046-03-002, MG046-03-003, MG046-13-001, MG046-13-002, MG066-03-003, MG066-03-004, MG066-03-005, MG066-03-006, MG066-03-015, MG066-13-003, MG066-13-004, MG066-13-005, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG106-03-003, MG106-03-004, MG106-13-003, MG106-13-004		


with barrel socket ø6(6.5)mm

thermocouples SIT



1


No.	107613	Ref. No.	RTCU900061
description	thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm		
For models:	MG117-03-110XL		



1

No.	107608	Ref. No.	RTCU700148 RTCU900477
description	thermocouple SIT M9x1 L 500mm plug connection ø6.0(6.5)mm		
For models:	MG066-03-008, MG086-13-014P		

plug-in thermocouples with interruption



1

No.	107863	Ref. No.	RTCU700651
description	thermocouple SIT with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm cable 820mm		
For models:	MG046-03-004, MG066-03-007		




threaded thermocouples

threaded thermocouples standard

with socket with thread M8x1

SIT




No.	107633	Ref. No.	9606014100 RIC0002552
description	thermocouple SIT M8x1 L 1200mm M8x1		
For models:	MG066-03-010, MG106-03-010, MG106-03-010XL		
accessories for	107633		
	No.	102067	Ref. No. 9404701700
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

threaded thermocouples (miscellaneous)




No.	102138	Ref. No.	RTCU700373
description	thermocouple M9x1 L 300mm M6x0.75		
For models:	MG117-03-110XL		
accessories for	102138		
	No.	102143	Ref. No. RTCU700391
	thermocouple nut thread M6x0.75 H 12mm WS 8 brass Qty 1 pcs		
	No.	102680	Ref. No. RTCU600052
	nut thread M6x0.75 H 2.6mm WS 8 brass Qty 1 pcs type SEF 2		



No.	102139	Ref. No.	RTCU700374
description	thermocouple M9x1 L 500mm M6x0.75		
For models:	MG117-03-110XL		
accessories for	102139		
	No.	102143	Ref. No. RTCU700391
	thermocouple nut thread M6x0.75 H 12mm WS 8 brass Qty 1 pcs		

threaded thermocouples with cable link



No.	102243	Ref. No.	RTCU600021
description	thermocouple L 600mm		
For models:	ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL		



No.	102924	Ref. No.	RTCU600039
description	thermocouple with two-conductors L 750mm M6x0.75 F 7.7mm M4		
For models:	ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL		

accessories

nuts



No.	102067	Ref. No.	9404701700
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	MG066-03-010, MG106-03-010, MG106-03-010XL		



No.	102143	Ref. No.	RTCU700391
description	thermocouple nut thread M6x0.75 H 12mm WS 8 brass Qty 1 pcs		
For models:	MG117-03-110XL		



gas burners

hob burners

universal hob burners

SABAF

2 series - standard



No.	105054	Ref. No.	RTCU600044
description	burner cap 3kW ø 100mm H 3.5mm bright finish		
For models:	ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL		
accessories for	105054		
	No.	105058	Ref. No. RTCU600043
burner head 3kW for igniter ø 6mm for burner cap ø 100mm			
	No.	105059	Ref. No. RTCU600017
burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm			



No.	105058	Ref. No.	RTCU600043
description	burner head 3kW for igniter ø 6mm for burner cap ø 100mm		
For models:	ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL		
accessories for	105058		
	No.	105054	Ref. No. RTCU600044
burner cap 3kW for igniter ø 100mm H 3.5mm bright finish			
	No.	105059	Ref. No. RTCU600017
burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm			
	No.	107374	Ref. No. —
burner cap 3kW for igniter ø 100mm H 3.5mm matt finish			



No.	105059	Ref. No.	RTCU600017
description	burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm		
For models:	ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL		
accessories for	105059		
	No.	105054	Ref. No. RTCU600044
burner cap 3kW for igniter ø 100mm H 3.5mm bright finish			
	No.	105058	Ref. No. RTCU600043
burner head 3kW for igniter ø 6mm for burner cap ø 100mm			

accessories for	105059		
	No.	107374	Ref. No. —
burner cap 3kW for igniter ø 100mm H 3.5mm matt finish			

2 series - flat skirt version



No.	105054	Ref. No.	RTCU600044
description	burner cap 3kW ø 100mm H 3.5mm bright finish		
For models:	ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL		
accessories for	105054		
	No.	105058	Ref. No. RTCU600043
burner head 3kW for igniter ø 6mm for burner cap ø 100mm			
	No.	105059	Ref. No. RTCU600017
burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm			



No.	105059	Ref. No.	RTCU600017
description	burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm		
For models:	ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL		
accessories for	105059		
	No.	105054	Ref. No. RTCU600044
burner cap 3kW for igniter ø 100mm H 3.5mm bright finish			
	No.	105058	Ref. No. RTCU600043
burner head 3kW for igniter ø 6mm for burner cap ø 100mm			
	No.	107374	Ref. No. —
burner cap 3kW for igniter ø 100mm H 3.5mm matt finish			

triple ring burner series - standard version



No.	105063	Ref. No.	RTCU600040
description	burner cap 3.6kW ø 131mm H 4mm mounting pos. outer		
For models:	ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL		
accessories for	105063		
	No.	105064	Ref. No. RTCU600041
burner cap 3.6kW for igniter ø 61mm H 6.5mm mounting pos. inner bright finish			
	No.	105065	Ref. No. RTCU600042
burner head 3.6kW for burner cap ø 61/131mm			



accessories for 105063				
	No.	105717	Ref. No.	—
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm				
	No.	105922	Ref. No.	—
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm				

	No.	105064	Ref. No.	RTCU600041
description burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish				
For models: ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL				
accessories for 105064				
	No.	105063	Ref. No.	RTCU600040
burner cap 3.6kW ø 131mm H 4mm mounting pos. outer				
	No.	105065	Ref. No.	RTCU600042
burner head 3.6kW for burner cap ø 61/131mm				
	No.	105717	Ref. No.	—
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm				
	No.	105922	Ref. No.	—
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm				

	No.	105065	Ref. No.	RTCU600042
description burner head 3.6kW for burner cap ø 61/131mm				
For models: ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL				
accessories for 105065				
	No.	105063	Ref. No.	RTCU600040
burner cap 3.6kW ø 131mm H 4mm mounting pos. outer				
	No.	105064	Ref. No.	RTCU600041
burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish				
	No.	105717	Ref. No.	—
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm				

	No.	105123	Ref. No.	RTCU600018
description burner lower part 3.6kW for igniter ø 7mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm				
For models: ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL				
accessories for 105123				
	No.	105124	Ref. No.	—
burner head 3.6kW for burner cap ø 61/131mm				
	No.	105125	Ref. No.	—
burner cap 3.6kW ø 131mm H 7mm mounting pos. outer				
	No.	105126	Ref. No.	—
burner cap 3.6kW ø 61mm H 9mm mounting pos. inner matt finish				

triple ring burner series - flat skirt version

	No.	105063	Ref. No.	RTCU600040
description burner cap 3.6kW ø 131mm H 4mm mounting pos. outer				
For models: ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL				
accessories for 105063				
	No.	105064	Ref. No.	RTCU600041
burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish				
	No.	105065	Ref. No.	RTCU600042
burner head 3.6kW for burner cap ø 61/131mm				
	No.	105717	Ref. No.	—
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm				
	No.	105922	Ref. No.	—
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm				

	No.	105064	Ref. No.	RTCU600041
description burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish				
For models: ME066-03-010, ME106-03-010XL, MG046-03-000, MG066-03-000, MG066-03-010, MG106-03-000, MG106-03-010, MG106-03-010XL				
accessories for 105064				
	No.	105063	Ref. No.	RTCU600040
burner cap 3.6kW ø 131mm H 4mm mounting pos. outer				
	No.	105065	Ref. No.	RTCU600042
burner head 3.6kW for burner cap ø 61/131mm				

Table continues overleaf



1

No.	105219	Ref. No.	RTCU700320
description	bar burner ø 40mm Wmm Hmm L 192mm flange ø 61mm bain marie		
For models:	MG046-03-003		



1

No.	105220	Ref. No.	RTCU700321
description	bar burner ø 40mm Wmm Hmm L 310mm flange ø 61mm bain marie		
For models:	MG066-03-006		




1

No.	105213	Ref. No.	RTCU600150
description	bar burner ø 40mm Wmm Hmm L 310mm flange ø 61mm frying pan		
For models:	MG066-03-015		



1

No.	105207	Ref. No.	RTCU600003
description	bar burner ø 40mm Wmm Hmm L 405mm flange ø 61mm griddle		
For models:	MG046-03-001, MG046-03-002, MG046-13-001, MG046-13-002, MG066-03-003, MG066-03-004, MG066-03-005, MG066-13-003, MG066-13-004, MG066-13-005, MG106-03-003, MG106-03-004, MG106-13-003, MG106-13-004		



1

No.	210243	Ref. No.	RTCU600466
description	chargrill grid L 440mm W 355mm fish		
For models:	MG086-13-014P		



1

No.	210239	Ref. No.	A660000330
description	chargrill grid L 460mm W 350mm meat		
For models:	MG086-13-014P		

chargrill grids



1

No.	210243	Ref. No.	RTCU600466
description	chargrill grid L 440mm W 355mm fish		
For models:	MG086-13-014P		



1

No.	210239	Ref. No.	A660000330
description	chargrill grid L 460mm W 350mm meat		
For models:	MG086-13-014P		

tube burners



1

No.	105214	Ref. No.	RTCU700465
description	tubular burner ø 74mm L 185mm H 60mm round for pasta cooker		
For models:	MG046-03-004, MG066-03-007, MG066-03-008		

accessories

nozzle holders



1

No.	105184	Ref. No.	173320
description	nozzle holder		
For models:	MG117-03-110XL		

			
1			
No.	106065	Ref. No.	RTCU900337
description	nozzle holder		
For models:	MG046-03-003, MG066-03-006, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG086-13-014P		

gas nozzles

main nozzles

gas nozzles M6x0.75

			
1			
No.	106731	Ref. No.	RTCU600093
description	gas injector thread M6x0.75 WS 7 bore ø 0.73mm		
For models:	ME066-03-010, ME106-03-010XL, MG066-03-010, MG106-03-010, MG106-03-010XL		

			
1			
No.	106732	Ref. No.	RTCU600102
description	gas injector thread M6x0.75 WS 7 bore ø 0.74mm		
For models:	ME066-03-010, ME106-03-010XL, MG066-03-010, MG106-03-010, MG106-03-010XL		

gas nozzles M10x1

			
1			
No.	100661	Ref. No.	290201850-R
description	gas injector thread M10x1 WS 12 bore ø 1.65mm		

gas nozzles M12x1

			
1			
No.	100290	Ref. No.	RTCU900243
description	gas injector thread M12x1 WS 14 bore ø 1.90mm		
For models:	MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005		

pilot burner nozzles

pilot burner nozzles SIT

100 series

			
1			
No.	100245	Ref. No.	4370001
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

140/150 series

			
1			
No.	100205	Ref. No.	RTCP800041
description	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

			
1			
No.	100207	Ref. No.	RTCP800059
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
For models:	MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005		

			
1			
No.	100206	Ref. No.	RTCP800040
description	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

bypass nozzles

bypass nozzles PEL20/21

			
1			
No.	100394	Ref. No.	4399247-R
description	bypass nozzle type PEL20/21 bore ø 1.25mm thread M5x0.5		

			
1			
No.	100534	Ref. No.	4399238-R
description	bypass nozzle type PEL20/21 bore ø 1.4mm thread M5x0.5		

			
1			
No.	100529	Ref. No.	RTCU700338
description	bypass nozzle type PEL20/21 bore ø 1mm thread M5x0.5		



bypass nozzles PEL22



1

No.	100428	Ref. No.	RTCU800175
description	bypass nozzle type PEL22 bore ø 0.65mm thread M6x0.5		
For models:	MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005		

auxiliary gas parts

screw connections

olives



1

No.	101278	Ref. No.	RTCU900012
description	olive for pipe ø 10mm Qty 1 pcs		
For models:	MG046-03-003, MG046-03-004, MG066-03-006, MG066-03-007, MG066-03-008, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM, MG117-03-110XL		

accessories for	101278		
	No.	100943	Ref. No.
union nut thread M17x1 tube ø 10mm			—
	No.	101300	Ref. No.
union nut thread M16x1.5 tube ø 10mm			RTCU700297
	No.	101478	Ref. No.
union nut thread 3/8" for pipe ø 10mm			RTCU900013



1

No.	106798	Ref. No.	RTCP900088
description	olive for pipe ø 14mm L 7mm brass Qty 1 pcs ED ø 16mm		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		



1

No.	100870	Ref. No.	RTCU900134
description	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		



1

No.	100898	Ref. No.	RTCU800183
description	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
For models:	MG086-13-014P, MG117-03-110XL		
accessories for	100898		
	No.	100909	Ref. No.
union screw thread M10x1 for pipe ø 6mm			RTCP800038 RTCU900019

GAS NOZZLES/AUXILIARY GAS PARTS DEXION



1

No.	101286	Ref. No.	RTCU900018
description	olive ID ø 6mm Qty 1 pcs		
For models:	MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG117-03-110XL		

accessories for	101286		
	No.	100909	Ref. No.
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			RTCP800038 RTCU900019
	No.	101464	Ref. No.
union nut thread M12x1 for pipe ø 6mm			—



1


No.	106799	Ref. No.	RTBF800137
description	olive L 6.5mm brass Qty 1 pcs ID ø 14.3mm ED ø 16.5mm		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

union nuts



1

No.	102960	Ref. No.	RTBF800015
description	union nut thread 1/2" WS 24 brass for pipe ø 14mm		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		



1

No.	101478	Ref. No.	RTCU900013
description	union nut thread 3/8" for pipe ø 10mm		
For models:	MG046-03-003, MG046-03-004, MG066-03-007, MG066-03-008, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005		



1

No.	101300	Ref. No.	RTCU700297
description	union nut thread M16x1.5 tube ø 10mm		
For models:	MG066-03-008, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG117-03-110XL		
accessories for	101300		
	No.	101278	Ref. No.
olive for pipe ø 10mm Qty 1 pcs			RTCU900012

union screws



1

No.	100908	Ref. No.	RTCU900133
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		
accessories for	100908		
	No.	100897	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101280	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101282	Ref. No. —
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			



1

No.	100909	Ref. No.	RTCP800038 RTCU900019
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
For models:	MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM, MG117-03-110XL		
accessories for	100909		
	No.	100898	Ref. No. RTCU800183
olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	No.	101286	Ref. No. RTCU900018
olive ID ø 6mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	No.	101288	Ref. No. —
olive for pipe ø 6mm L 6mm aluminium Qty 1 pcs ED ø 8.5mm			

consumables

lava rocks / ceramic briquettes



1

No.	211001	Ref. No.	A800001170
description	lava rocks Qty package content 9kg		
For models:	MG086-13-014P		

equipment-specific units
for ice-cube maker

spray systems

miscellaneous

spray arms



1

No.	694669	Ref. No.	2LV017
description	spray arm L 330mm nozzles 8		
For models:	KL030-10-000A, KL030-10-000W		

for espresso machines

steam/water taps

steam/water pipes

accessories

gaskets




1

No.	510893	Ref. No.	456015
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	D500LS, D501LS		

pipes

union nuts



1

No.	101478	Ref. No.	RTCU900013
description	union nut thread 3/8" for pipe ø 10mm		
For models:	MG046-03-003, MG046-03-004, MG066-03-007, MG066-03-008, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005		

for coffee grinders



1

No.	345742	Ref. No.	RTBF900277
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 55mm ambient temperature max. 120°C mounting distance 22mm actuating force: 75g lever length 46mm		
For models:	ME046-03-004, ME066-03-007		

for tilting bratt pans

gearboxes



1

No.	693642	Ref. No.	RTBF900109
description	gearbox motor shaft $\varnothing$ 19mm flange $\varnothing$ 118mm transmission I=1/60 drive shaft $\varnothing$ 30mm flange $\varnothing$ 180mm fixing dimensions 105mm type VU-70		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

for sliding doors

stand-offs



1

No.	690468	Ref. No.	011359-00-R
description	distance washer		

for dishwashers

containers

salt tanks



1

No.	524177	Ref. No.	480005	
description	lid ø 69mm H 20mm for salt tank ID ø 50mm			
For models:	D500LS, D501LS			
accessories for	524177			
	No.	524148	Ref. No.	—
	O-ring EPDM thickness 3.53mm ID ø 40.86mm Qty 1 pcs			



1

No.	510018	Ref. No.	429011
description	nut $\varnothing$ 92mm H 10.5mm for salt tank ID $\varnothing$ 64mm		
For models:	D500LS, D501LS		



1

No.	510032	Ref. No.	406998	
description	salt tank without gasket new model			
For models:	D500LS, D501LS			
spare parts for	510032			
	No.	506015	Ref. No.	456052
	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs			
	No.	510018	Ref. No.	429011
	nut ø 92mm H 10.5mm for salt tank ID ø 64mm			
	No.	510071	Ref. No.	437034
	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs			

Table continues overleaf

spare parts for 510032			
	No.	524177	Ref. No. 480005
lid ø 69mm H 20mm for salt tank ID ø 50mm			

accessories

			
1	No.	510071	Ref. No. 437034
description flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs			
For models: D500LS, D501LS			

boilers

boilers for dishwashers

			
1	No.	518235	Ref. No. 104060
description boiler ø 145mm L 405mm flange 3 hole flange			
For models: D500LS, D501LS			

softener cartridges

softening columns

			
1	No.	530395	Ref. No. 117007
description softener 4-fold L 380mm W 180mm			
For models: D500LS, D501LS			

spare parts and accessories

			
1	No.	692041	Ref. No. 023415-00
description mounting clip			

housing and bezels

miscellaneous

			
1	No.	513000	Ref. No. 480057
description lid rubber ED ø 27mm			
For models: D500LS, D501LS			
			
1	No.	513708	Ref. No. 480058
description lid rubber ø 17mm mounting ø 17mm			
For models: D500LS, D501LS			

air traps

air traps

			
1	No.	518488	Ref. No. 107005
description air trap			
For models: D500LS, D501LS			
accessories for 518488			
	No.	504618	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs			
	No.	510075	Ref. No. 437019
flat gasket rubber ED ø 22mm ID ø 13mm thickness 1.5mm Qty 1 pcs			
	No.	510106	Ref. No. 468029
hose connector for air trap			

			
1	No.	518200	Ref. No. 984005
description air trap ø 34mm H 78mm hose ø 6mm plastic			
For models: D500LS, D501LS			
spare parts for 518200			
	No.	504618	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs			
	No.	510075	Ref. No. 437019
flat gasket rubber ED ø 22mm ID ø 13mm thickness 1.5mm Qty 1 pcs			
	No.	510106	Ref. No. 468029
hose connector for air trap			

air trap accessories



No.	510075	Ref. No.	437019
description	flat gasket rubber ED Ø 22mm ID Ø 13mm thickness 1.5mm Qty 1 pcs		
For models:	D500LS, D501LS		



No.	510106	Ref. No.	468029
description	hose connector for air trap		
For models:	D500LS, D501LS		

pulleys



No.	693828	Ref. No.	RTBF900124
description	round belt pulley disc Ø 212mm single shaft intake Ø 19mm groove depth 11mm disc width 16mm groove width 10mm overall width 26mm shaft Ø 48mm		
For models:	MG099-03-012, MG099-13-012I		

backflow preventers

backflow preventers



No.	518297	Ref. No.	144011
description	backflow preventer		
For models:	D500LS, D501LS		

door mechanics

linkage



No.	518355	Ref. No.	304021
description	door pin stop rod		
For models:	D500LS, D501LS		

sliding plates



No.	518356	Ref. No.	307003
description	sliding plate sliding plate		
For models:	D500LS, D501LS		

hinges



No.	518301	Ref. No.	311019
description	door hinge mounting pos. left/right		
For models:	D500LS, D501LS		

hinge pins



No.	518267	Ref. No.	325036
description	hinge pin hinge pin		
For models:	D500LS, D501LS		

door bumpers



No.	518066	Ref. No.	417041
description	door bumper end stop		
For models:	D500LS, D501LS		

locks



1

No.	513138	Ref. No.	994012
description	door catch with nut door locking catch		
For models:	D500LS, D501LS		



1

No.	518298	Ref. No.	325066
description	spigot door catch		
For models:	D500LS, D501LS		

washing and rinsing systems



1

No.	518461	Ref. No.	303029
description	flange for wash arm support		
For models:	D500LS, D501LS		



1

No.	517444	Ref. No.	80697
description	knurled nut thread M10x1 ø 25mm H 4mm SS		
For models:	D500LS, D501LS		



1

No.	517454	Ref. No.	308031
description	nut for wash arm ED ø 35mm thickness 11mm plastic		
For models:	D500LS, D501LS		



1

No.	518125	Ref. No.	143240
description	rinse hose ø 17.5mm		
For models:	D500LS, D501LS		



1

No.	518003	Ref. No.	447128
description	screw cap		
For models:	D500LS, D501LS		



1

No.	517443	Ref. No.	80623
description	slide ring for rinse arm mounting pos. upper/lower PTFE ED ø 22mm ID ø 9.5mm thickness 1mm		
For models:	D500LS, D501LS		



1

No.	510112	Ref. No.	454002
description	Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS		
For models:	D500LS, D501LS		

knobs

universal knobs



1

No.	110253	Ref. No.	8335612010-R
description	knob switch zero mark t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

producer-specific knobs

DEXION



1

No.	110861	Ref. No.	020778-00 020778-00R 8335602010-R
description	knob thermostat t.max. 110°C 30-110°C ø 49mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C		

miscellaneous



1

No.	112068	Ref. No.	168846
description	knob hot water ø 70mm shaft ø 10x8mm shaft flat upper		
For models:	LX7EC4		



1

No.	698790	Ref. No.	25007038
description	knob ø 44mm shaft ø 5x7mm shaft flat right and left black Qty 1 pcs		

accessories

gaskets



1

No.	112078	Ref. No.	RTCU800185
description	gasket knob		
For models:	ME066-03-010, ME066-03-013, ME103-03-013XL, ME106-03-010XL, ME106-03-013		

handles and hand wheels

hand wheels

hand wheels



1

No.	690555	Ref. No.	RTBF800093
description	hand wheel ø 200mm D1 ø 50mm bore ø 20mm thread M6 hole distance 7mm groove width 6mm L1 40mm L2 43mm handle length 85mm with folding handle		
For models:	MG099-03-012M, MG099-13-012IM		

cone handles



1

No.	110704	Ref. No.	RTCU700413
description	cone handle thread M6 ø 16mm L 25mm plastic black		
For models:	ME046-03-003, ME046-03-004, ME066-03-006, ME066-03-007, ME066-03-008, MG046-03-003, MG046-03-004, MG066-03-006, MG066-03-007, MG066-03-008		

bracket handles



1

No.	693810	Ref. No.	9636273200 RIC0002479
description	pull handle		
For models:	ME066-03-010, ME066-03-013, ME103-03-013XL, ME106-03-010XL, ME106-03-013, MG066-03-010, MG106-03-010, MG106-03-010XL		

lever handles



1

No.	540871	Ref. No.	RTCU900492
description	lever handle cold water suitable for intake tap		
For models:	ME066-03-008, MG066-03-008		

locks

locking devices

producer-specific

DEXION



1

No.	690462	Ref. No.	01349400R
description	key cylinder ø 23mm thread M19x1 mounting measurements 16.5x19mm hub 38-45mm shaft ø 11mm thread L 12mm		
spare parts for	690462		
No.	691589	Ref. No.	—
description	spare keys for key cylinder 690462 key number 9233		

			
1			
No.	690461	Ref. No.	01348600R
description	key cylinder straight thread M19x1 rotation 90° cam length 54mm cam width 16mm		

edgemoat latches

handle latches

CAFF/FERMOD


1

No.	690413	Ref. No.	795CRR	
description	handle latch L 150mm mounting distance 133mm lockable refrigeration units G 795			
accessories for	690413			
	No.	690418	Ref. No.	—
	door catch L 36mm W 19mm H 29mm mounting distance 12mm zinc-coated steel for refrigeration units			
	No.	690419	Ref. No.	—
	door catch L 52mm W 20mm H 30mm mounting distance 26-37mm zamak for refrigeration units			
	No.	700435	Ref. No.	—
	door catch L 58mm W 20mm H 35mm mounting distance 42mm zamak for refrigeration units			

walk-in fridge catches

INTERKLIMAT


1800 series


			
1			
No.	690457	Ref. No.	1825R
description	handle latch mounting distance 158mm L 181mm refrigeration units external lock type 1825 suitable for 1850		

hinges


edgemoat hinges

CAFF/FERMOD

				
1				
No.	690436	Ref. No.	430CRR	
description	edgemoat hinge L 130mm W 27mm mounting distance 48mm hinging left/right with gradient chrome-plated refrigeration units series G 430 centre of rotation 19mm			
accessories for	690436			
	No.	690395	Ref. No.	—
	base plate for type 300/303 thickness 5mm L 100mm			



1



No.	690458	Ref. No.	910R
description	edgeline hinge L 188mm mounting distance 38mm hinging left/right with gradient series G 915		
accessories for	690458		
	No.	691642	Ref. No. —
base plate thickness 5mm plastic L 98mm W 49mm			

spring assisted hinges


universal

INTERKLIMAT

hinges




1




No.	690714	Ref. No.	022104-00
description	spring assisted hinge series 28XC mounting pos. left/right L 75mm W 25mm H 103mm A 8mm B 11mm intake 7.5x7.5 refrigeration units mounting distance 25mm		

oven hinges



1

No.	700003	Ref. No.	9626105200 RIC0002448
description	opposite support L 110mm W 12mm mounting distance 94mm		
For models:	ME066-03-010, ME066-03-013, ME106-03-013, MG066-03-010		

			
No.	700001	Ref. No.	RTCU900004
description	opposite support L 118mm W 17mm mounting distance 94mm		
For models:	MG117-03-110XL		

			
No.	700396	Ref. No.	9626107200
description	opposite support oven hinge		
For models:	ME103-03-013XL, ME106-03-010XL, MG106-03-010, MG106-03-010XL		




1


											
No.	690498	Ref. No.	9626107000								
description	oven hinge mounting distance 118mm lug mounting 13mm lever length 119mm groove distance 12mm spring thickness 4mm mounting ear position right spring length 59mm L 155mm W 21mm										
For models:	ME103-03-013XL, ME106-03-010XL, MG106-03-010, MG106-03-010XL										
accessories for	690498										
 <table> <tr> <td>No.</td> <td>700003</td> <td>Ref. No.</td> <td>9626105200 RIC0002448</td> </tr> <tr> <td colspan="4">opposite support L 110mm W 12mm mounting distance 94mm</td> </tr> </table>				No.	700003	Ref. No.	9626105200 RIC0002448	opposite support L 110mm W 12mm mounting distance 94mm			
No.	700003	Ref. No.	9626105200 RIC0002448								
opposite support L 110mm W 12mm mounting distance 94mm											

1

No.	700013	Ref. No.	9626105100 RIC0002134
description	oven hinge mounting distance 118mm lug mounting 13mm lever length 119mm groove distance 13mm spring thickness 3.5mm mounting ear position left spring length 60mm L 154mm		
For models:	ME066-03-010, ME066-03-013, ME106-03-013, MG066-03-010		
accessories for	700013		
	No.	700003	Ref. No.
			9626105200 RIC0002448
opposite support L 110mm W 12mm mounting distance 94mm			

1 											
No.	700014	Ref. No.	9626105000 RIC0002133								
description	oven hinge mounting distance 118mm mounting distance 2mm lug mounting 13mm lever length 119mm groove distance 13mm spring thickness 3.5mm mounting ear position right spring length 60mm L 154mm										
For models:	ME066-03-010, ME066-03-013, ME106-03-013, MG066-03-010										
accessories for	700014										
 <table><tr><td>No.</td><td>700003</td><td>Ref. No.</td><td>9626105200 RIC0002448</td></tr><tr><td colspan="4">opposite support L 110mm W 12mm mounting distance 94mm</td></tr></table>				No.	700003	Ref. No.	9626105200 RIC0002448	opposite support L 110mm W 12mm mounting distance 94mm			
No.	700003	Ref. No.	9626105200 RIC0002448								
opposite support L 110mm W 12mm mounting distance 94mm											

			
No.	694505	Ref. No.	9626107100
description	oven hinge mounting distance 118mm mounting distance 2mm lug mounting 13mm lever length 125mm groove distance 12mm spring thickness 4mm mounting ear position left spring length 59mm L 155mm W 21mm with hook		
For models:	ME103-03-013XL, ME106-03-010XL, MG106-03-010, MG106-03-010XL		



No.	700007	Ref. No.	RTCU900396
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm		
For models:	MG117-03-110XL		
accessories for	700007		
	No.	700001	Ref. No. RTCU900004
	opposite support L 118mm W 17mm mounting distance 94mm		

door bearing



No.	690464	Ref. No.	01156100R
description	hinge bearing mounting pos. bottom left/upper right with bolt		



No.	690984	Ref. No.	RTCP800028
description	hinge bearing mounting pos. left without bolt		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		



No.	690983	Ref. No.	RTCP800030
description	hinge bearing mounting pos. right without bolt		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		



No.	690986	Ref. No.	162198
description	hinge bearing mounting pos. upper left with bolt		
For models:	LX7EC4		



No.	690463	Ref. No.	01156300R
description	hinge bearing mounting pos. upper left/bottom right with bolt		



No.	690985	Ref. No.	162199
description	hinge bearing mounting pos. upper right		
For models:	LX7EC4		



No.	690465	Ref. No.	01157600R
description	hinge bearing with bolt		

accessories

miscellaneous



No.	693826	Ref. No.	RTCP800027
description	spring guide for hinge		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

pullouts

drawer slides

producer-specific



No.	690721	Ref. No.	01513600R
description	drawer slide L 490mm pull-out length 410mm Qty 1 pair W 20mm H 33mm mounting pos. right/left for refrigerated counters 600mm		


1

			
No.	690722	Ref. No.	01468200R
description	drawer slide L 590mm pull-out length 570mm Qty 1 pair W 17mm H 62mm mounting pos. right/left for refrigerated counter 700mm		
spare parts for	690722		
	No.	690750	Ref. No. —
stop for telescopic rail L 20mm plastic H 12mm D 9mm			

rollers

rollers

			
No.	690466	Ref. No.	01000600R
description	roller rollerø 25mm B1 6mm overall width 10mm A 25mm B 6mm C 10mm D 6mm E 10mm plastic bearing ball bearing		

 			
No.	690467	Ref. No.	01000801R 010412-00
description	roller rollerø 28mm B1 6mm overall width 14mm A 28mm B 6mm C 9.5mm D 5.8mm E 12mm plastic bearing ball bearing		

roller with holder

			
No.	690955	Ref. No.	2330706
description	roller rollerø 28mm B1 6mm with holder SS/Nylon mounting pos. upper bearing slide bearing Qty 1 pcs H 5mm L 62mm mounting distance 25/45mm		

fittings for catering equipment

outlet taps

producer-specific

miscellaneous

			
No.	540862	Ref. No.	RTCU600422
description	lever for outlet tap thread M6 ET - M6 ET		
For models:	ME046-03-003, ME046-03-004, ME066-03-006, ME066-03-007, MG046-03-003, MG046-03-004, MG066-03-006, MG066-03-007		

			
No.	540864	Ref. No.	RTCU700412
description	lever for outlet tap thread M6 ET - M6 ET		
For models:	ME066-03-008, MG066-03-008		

lid hinges

ELECTROLUX

			
No.	700395	Ref. No.	RTBF800080
description	lid hinge		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012L, MG099-13-012IM		


inlet taps

1

No.	514048	Ref. No.	RTCU600075
description	ball valve connection 1/2" complete total length 55mm mounting pos. any brass H 30mm L 55mm rosette ø 70mm rosette thread G2 M22x1		
For models:	ME066-03-008, MG066-03-008		
spare parts for	514048		
	No.	540871	Ref. No.
	RTCU900492		
lever handle cold water suitable for intake tap			

filters

device filters



No.	970666	Ref. No.	013524-00-R
description	air filter L 265mm W 252mm H 12mm metal for condenser		

equipment feet and end caps

screw-in feet



No.	513284	Ref. No.	461019
description	equipment foot thread M8 thread L 20mm ø 30mm H 12mm Qty 1 pcs		
For models:	D500LS, D501LS		

shelves and shelf rails

grates

universal

without upstand



1

No.	970125	Ref. No.	OA000-00-023	
description	grate W 325mm D 530mm GN 1/1 plastic-coated steel crossing wires 1 white suitable for refrigerator			
accessories for	970125			
	No.	690330	Ref. No.	—
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel			
	No.	694700	Ref. No.	—
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs			
	No.	694701	Ref. No.	—
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs			

with upstand



No.	970557	Ref. No.	OA000-00-021	
description	grate W 555mm D 670mm plastic-coated steel with hinge camp crossing wires 2 suitable for refrigerator			
accessories for	970557			
	No.	690330	Ref. No.	—
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel			
	No.	694700	Ref. No.	—
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs			
	No.	694701	Ref. No.	—
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs			

shelf rails and supports

producer-specific



No.	692243	Ref. No.	010912-02
description	guide L 580mm W 16mm inner height 19mm mounting measurements 552mm mounting pos. left		



No.	692244	Ref. No.	010911-02
description	guide L 580mm W 16mm inner height 19mm mounting measurements 552mm mounting pos. right		



No.	690734	Ref. No.	OA00000800
description	pair of setting bar L-shape L 780mm W 40mm H 24mm		

			
No.	695088	Ref. No.	OA000-SK-033
description	pair of setting bar U-shape L 570mm W 19mm inner height 20mm suitable for new Skin-Series		

gaskets

refrigeration gaskets

miscellaneous


			
No.	900613	Ref. No.	01783000R
description	bottom gasket L 780mm		


			
No.	900365	Ref. No.	01746900R
description	bottom gasket L 810mm		


plug-in gaskets


profile 9773

We offer custom-made gaskets for this profile

			
No.	900603	Ref. No.	011536-00Gu
description	refrigeration gasket profile 9773 W 675mm L 740mm plug size		


			
No.	900335	Ref. No.	011535-00 01153500R RIC0002903
description	refrigeration gasket profile 9773 W 690mm L 1550mm external size W1 677mm L1 1537mm plug size		

			
No.	900334	Ref. No.	01153700R RIC0002904
description	refrigeration gasket profile 9773 W 690mm L 745mm external size W1 677mm L1 732mm plug size		

			
No.	902305	Ref. No.	N/A
description	refrigeration gasket profile 9773 Wmm L 2500mm		


profile 9704

We offer custom-made gaskets for this profile


			
No.	902299	Ref. No.	N/A
description	refrigeration gasket profile 9704 Wmm L 2500mm		

profile 9333

We offer custom-made gaskets for this profile

			
No.	900343	Ref. No.	01746400R
description	refrigeration gasket profile 9333 W 687mm L 1554mm plug size glass door refrigeration		

profile 9990




1

No.	900364	Ref. No.	01746800R
description	refrigeration gasket profile 9990 W 695mm L 1825mm external size short side open		

screw-in gaskets


profile 9663

We offer custom-made gaskets for this profile




1

No.	901981	Ref. No.	01710300R
description	refrigeration gasket profile 9663 W 182mm L 424mm external size		




1

No.	902177	Ref. No.	01710900R
description	refrigeration gasket profile 9663 W 182mm L 629mm external size		




1

No.	902169	Ref. No.	01236500R 012365-01R
description	refrigeration gasket profile 9663 W 185mm L 390mm external size		




1

No.	902178	Ref. No.	01711000R
description	refrigeration gasket profile 9663 W 198mm L 629mm external size		




1

No.	902171	Ref. No.	012361-00 01236100R
description	refrigeration gasket profile 9663 W 205mm L 390mm external size		




1

No.	902180	Ref. No.	01346400R
description	refrigeration gasket profile 9663 W 250mm L 420mm external size		




1


No.	901980	Ref. No.	017102-00 01710200R 025698-00R
description	refrigeration gasket profile 9663 W 302mm L 424mm external size		





1


No.	902176	Ref. No.	01710800R 107108-01
description	refrigeration gasket profile 9663 W 302mm L 629mm external size		


			
No.	902170	Ref. No.	01236300R 025696-00 025696-00R
description	refrigeration gasket profile 9663 W 310mm L 390mm external size white		


			
No.	902172	Ref. No.	012362-00 01236200R
description	refrigeration gasket profile 9663 W 390mm L 435mm external size		


			
No.	902173	Ref. No.	012364-00 01236400R 025695-00R
description	refrigeration gasket profile 9663 W 390mm L 645mm external size white		


			
No.	902174	Ref. No.	017105-00 01710500R
description	refrigeration gasket profile 9663 W 420mm L 420mm external size		


			
No.	901893	Ref. No.	01288900R
description	refrigeration gasket profile 9663 W 422mm L 538mm external size		

			
No.	901879	Ref. No.	017104-00 01710400R
description	refrigeration gasket profile 9663 W 424mm L 198mm external size		

			
No.	901979	Ref. No.	017101-00 017101-00R
description	refrigeration gasket profile 9663 W 424mm L 630mm external size		

			
No.	902179	Ref. No.	01710600R
description	refrigeration gasket profile 9663 W 499mm L 630mm external size		


			
No.	902168	Ref. No.	01288801R
description	refrigeration gasket profile 9663 W 535mm L 675mm external size size 2/1		




No.	902175	Ref. No.	01710700R
description	refrigeration gasket profile 9663 W 629mm L 630mm external size		

profile 9030


We offer custom-made gaskets for this profile



No.	901273	Ref. No.	025699-00R
description	refrigeration gasket profile 9030 W 422mm L 540mm external size		




No.	901948	Ref. No.	02569700R
description	refrigeration gasket profile 9030 W 424mm L 630mm external size		



No.	901010	Ref. No.	014052
description	refrigeration gasket profile 9030 W 598mm L 635mm external size		


gaskets for heated units

door seals



No.	900251	Ref. No.	9686373100 RIC0002340
description	door seal profile 2920 L 1410mm Qty 1		
For models:	ME066-03-010, ME066-03-013, ME106-03-013, MG066-03-010		

door seals with fixing hook



No.	900231 ¹	Ref. No.	9686375000
description	door seal L 590mm W 300mm 3-sided long side open with mounting clip		
For models:	ME103-03-013XL, ME106-03-010XL, MG106-03-010, MG106-03-010XL		

¹3-sided, long side open

door gaskets (wire reinforced)




No.	900300	Ref. No.	9686374100 RIC0002678
description	oven gasket wire reinforced L 430mm W 265mm		
For models:	ME066-03-010, ME066-03-013, ME106-03-013, MG066-03-010		



No.	900280	Ref. No.	9686374200
description	oven gasket wire reinforced L 575mm W 265mm		
For models:	ME103-03-013XL, ME106-03-010XL, MG106-03-010, MG106-03-010XL		

O-rings


EPDM





No.	528485	Ref. No.	456060
description	O-ring EPDM thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	D500LS, D501LS		





No.	510303	Ref. No.	456030
description	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
For models:	D500LS, D501LS		


 			
1			
No.	504574	Ref. No.	456019
description	O-ring EPDM thickness 1.78mm ID ø 9.25mm Qty 1 pcs		
For models:	D500LS, D501LS		

 			
1			
No.	518227	Ref. No.	456020
description	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		
For models:	D500LS, D501LS		

 			
1			
No.	510893	Ref. No.	456015
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	D500LS, D501LS		

 			
1			
No.	506015	Ref. No.	456052
description	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
For models:	D500LS, D501LS		

 			
1			
No.	510408	Ref. No.	456002 REB456002
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	D500LS, D501LS, LB03100000, LB03300000, LP05500010		

Viton			
 			
1			
No.	510243	Ref. No.	RTC700565
description	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
For models:	ME046-03-004, ME066-03-007		

sealing washers

fibre gaskets

			
1			
No.	518541	Ref. No.	REB437021
description	flat gasket FIBER ED ø 12mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
For models:	LP05500010		

			
1			
No.	529349	Ref. No.	437030
description	flat gasket FIBER ED ø 22mm ID ø 16.5mm thickness 2mm for thread 3/8" Qty 1 pcs		
For models:	D500LS, D501LS		

rubber gaskets

			
1			
No.	519547	Ref. No.	437041
description	flat gasket rubber ED ø 14.4mm ID ø 15.5mm thickness 2mm Qty 1 pcs size 3/4"		
For models:	D500LS, D501LS		

			
1			
No.	510075	Ref. No.	437019
description	flat gasket rubber ED ø 22mm ID ø 13mm thickness 1.5mm Qty 1 pcs		
For models:	D500LS, D501LS		

			
1			
No.	513059	Ref. No.	437063
description	flat gasket rubber ED ø 52mm ID ø 40mm thickness 3mm Qty 1 pcs		
For models:	D500LS, D501LS		

			
1			
No.	510071	Ref. No.	437034
description	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs		
For models:	D500LS, D501LS		

PTFE gaskets




1

No.	513725	Ref. No.	437100
description	flat gasket PTFE ED ø 21.2mm ID ø 19mm thickness 0.5mm Qty 1 pcs		
For models:	D500LS, D501LS		

special gaskets

door seals for dishwashers



1

No.	518536	Ref. No.	437081
description	door seal L 590mm W 32mm dishwasher suitable for ELETTRORBAR, WOLK equiv. no. 437052		
For models:	D500LS, D501LS		

gaskets for wash arm support



1

No.	518025	Ref. No.	437014
description	gasket D1 ø 50mm D2 ø 82mm thickness 2mm with 6 holes wash arm support equiv. no. 437014 suitable for COLGED		
For models:	D500LS, D501LS		



1

No.	518339	Ref. No.	437064
description	gasket D2 ø 50mm thickness 2mm with 3 screw holes wash arm support equiv. no. 437064 suitable for COLGED hole ø 50mm hole distance 67mm		
For models:	D500LS, D501LS		

refrigeration cycle components

valves

expansion valves

DANFOSS

valves

type TN2/TEN2



1

No.	750012	Ref. No.	01460700R	
description	expansion valve DANFOSS type TN2 coolant R134a angled 90° thermostatically controlled inlet 3/8" SAE outlet 1/2" SAE p max 34bar -40 up to +10°C capillary pipe 1500mm			
accessories for	750012			
	No.	750020	Ref. No.	—
	nozzle insert size 0X type 068-2002 T/TE 2 DANFOSS			
	No.	750021	Ref. No.	01348500R
	nozzle insert size 00 type 068-2003 T/TE 2 DANFOSS			
	No.	750022	Ref. No.	—
	nozzle insert size 01 type 068-2010 T/TE 2 DANFOSS			
	No.	750023	Ref. No.	—
	nozzle insert size 02 type 068-2015 T/TE 2 DANFOSS			
	No.	750024	Ref. No.	—
	nozzle insert size 03 type 068-2006 T/TE 2 DANFOSS			
	No.	750483	Ref. No.	—
	nozzle insert size 04 type 068-2007 T2/TE2 DANFOSS			
	No.	750484	Ref. No.	—
	nozzle insert size 05 type 068-2008 T2/TE2 DANFOSS			
	No.	750485	Ref. No.	—
	nozzle insert size 06 type 068-2009 T2/TE2 DANFOSS			

type TS2/TES2



1

No.	750014	Ref. No.	01859700R
description	expansion valve DANFOSS type TS2 coolant R404a/R507 angled 90° thermostatically controlled inlet 3/8" SAE outlet 1/2" SAE p max 34bar -40 up to +10°C capillary pipe 1500mm		
accessories for	750014		
	No.	750020	Ref. No. —
nozzle insert size 0X type 068-2002 T/TE 2 DANFOSS			
	No.	750021	Ref. No. 01348500R
nozzle insert size 00 type 068-2003 T/TE 2 DANFOSS			
	No.	750022	Ref. No. —
nozzle insert size 01 type 068-2010 T/TE 2 DANFOSS			
	No.	750023	Ref. No. —
nozzle insert size 02 type 068-2015 T/TE 2 DANFOSS			
	No.	750024	Ref. No. —
nozzle insert size 03 type 068-2006 T/TE 2 DANFOSS			
	No.	750483	Ref. No. —
nozzle insert size 04 type 068-2007 T2/TE2 DANFOSS			
	No.	750484	Ref. No. —
nozzle insert size 05 type 068-2008 T2/TE2 DANFOSS			
	No.	750485	Ref. No. —
nozzle insert size 06 type 068-2009 T2/TE2 DANFOSS			

type TX2/TEX2



1

No.	750010	Ref. No.	01352700R
description	expansion valve DANFOSS type TX2 coolant R22/R407c angled 90° thermostatically controlled inlet 3/8" SAE outlet 1/2" SAE p max 34bar -40 up to +10°C capillary pipe 1500mm		

nozzle inserts



1

No.	750021	Ref. No.	01348500R
description	nozzle insert size 00 type 068-2003 T/TE 2 DANFOSS		

evaporators

for fridges

producer-specific



1

No.	750123	Ref. No.	01264502R 01564501R 01564602R 02316700
description	evaporator L 380mm W 110mm H 150mm total length 400mm aluminium		

1

No.	750283	Ref. No.	FEQ321201Y Q32-1201Y
description	evaporator L 390mm W 315mm H 315mm H2 210mm		

1

No.	750124	Ref. No.	01152800R 02054001 020540-01R
description	evaporator L 420mm W 390mm H 35mm total length 470mm overall width 450mm overall height 40mm		



1

No.	750120	Ref. No.	01152900R 01152901R 01152902R
description	evaporator L 455mm W 100mm H 150mm total length 490mm overall height 230mm mounting distance 1 435mm mounting distance 2 80mm		



2

No.	750126	Ref. No.	01314500R
description	evaporator L 465mm W 360mm H 25mm		



1

No.	750121	Ref. No.	01153000R
description	evaporator L 610mm W 100mm H 150mm		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS



1

No.	523509	Ref. No.	314001
description	deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1		
For models:	D500LS, D501LS		

flange bearings



1

No.	693637	Ref. No.	RTCU700504
description	flange bearing type UCF204 shaft ø 20mm W 60mm 2 hole flange hole distance 90mm H 34mm L 114mm		


drive belts

V-belts

profile Z/10



1



No.	693400	Ref. No.	RTBF900125
description	V-belt belt width 10mm L 915mm H 6mm CODE Z36 profile Z/10		
For models:	MG099-03-012, MG099-13-012I		

springs

torsion springs



1

No.	690371	Ref. No.	01157200R
description	torsion spring ø 16.5mm wire gauge ø 2.6mm L1 32mm L2 101mm L3 13mm mounting pos. left		



1

No.	690370	Ref. No.	01157300R
description	torsion spring ø 16.5mm wire gauge ø 2.6mm L1 35mm L2 101mm L3 16mm mounting pos. right		



1

No.	693627	Ref. No.	RTBF800103
description	torsion spring ø 38.8mm wire gauge ø 7.2mm L1 33mm L2 280mm L3 20mm		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

compression springs



1

No.	690372	Ref. No.	01157400R
description	compression spring ø 20.6mm L 135mm wire gauge ø 2.9mm		

dosing pumps

peristaltic dosing pumps

SEKO

built-in version

with frequency control



1

No.	361767 ¹	Ref. No.	209021
description	dosing pump SEKO 3l/h 230VAC detergent hose ø 4x6mm hose type K hose Santoprene suction level 1.5m type NBR 3 8W built-in version peristaltic pump		
For models:	D500LS, D501LS		
spare parts for	361767		
	No.	361815	Ref. No.
			—
	pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO		

¹incl. inlet and conveyor hose

spare parts



1

No.	698712	Ref. No.	143219
description	dosing hose SEKO detergent hose ø 4x8.6mm hose ø 4x6mm hose type H hose Santoprene		
For models:	D500LS, D501LS		

membrane dosing pumps

self-priming

LANG

accessories



1

No.	101286	Ref. No.	RTCU900018
description	olive ID ø 6mm Qty 1 pcs		
For models:	MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005, MG117-03-110XL		
accessories for	101286		
	No.	100909	Ref. No.
			RTCP800038 RTCU900019
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101464	Ref. No.
			—
	union nut thread M12x1 for pipe ø 6mm		

SEKO



1

No.	361364 ¹	Ref. No.	209025
description	dosing pump type DIB5E self-sucking rinse aid pump rate 0-5cm ³ per stroke pressure connection ø 4x6mm suction connection ø 4x6mm SEKO supporting pressure closed		
For models:	D500LS, D501LS		
spare parts for	361364		
	No.	361301	Ref. No.
			—
	hose connector for type DIB3E/DIB5E		
	No.	361302	Ref. No.
			—
	valve bush for type DIB3E/DIB5E		
	No.	361304	Ref. No.
			—
	O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		
	No.	361305	Ref. No.
			—
	valve disc for type DIB3E/DIB5E DIB3P/DIB5P		
	No.	361306	Ref. No.
			—
	membrane for type DIB3E/DIB5E ø 49mm hole ø 5mm		
	No.	361307	Ref. No.
			—
	membrane dosing pump ø 68mm hole ø 6mm for type DIB3P/DIB5P		
	No.	361459	Ref. No.
			—
	hose connector ø 6mm for dosing pump		
	No.	361481	Ref. No.
			—
	lip valve for type DIB3P/DIB5P DIB3E/DIB5E		
accessories for	361364		
	No.	361240	Ref. No.
			—
	hose connector 1-way hose ø 6mm plastic connection M10x1		
	No.	361241	Ref. No.
			—
	hose connector 1-way hose ø 9mm plastic connection M10x1		

¹auxiliary pressure connection closed

accessories

container filters



1

No.	513043	Ref. No.	121017
description	container filter hose ø 4mm		
For models:	D500LS, D501LS		



1

No.	361141	Ref. No.	121075
description	container filter with weight ceramic hose ø 4mm		
For models:	D500LS, D501LS		



1

No.	361462	Ref. No.	121993
description	container filter with weight SS hose ø 4x6mm		
For models:	D500LS, D501LS		

hoses

PVC hoses



1

No.	520090	Ref. No.	143194
description	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
For models:	D500LS, D501LS		

accessories for 520090



No.	361058	Ref. No.	—
description	container filter with non-return valve SS hose ø 4x6mm L 56mm		



No.	361066	Ref. No.	—
description	container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve		



No.	361106	Ref. No.	—
description	container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve		



No.	361141	Ref. No.	121075
description	container filter with weight ceramic hose ø 4mm		



No.	361230	Ref. No.	—
description	container filter with weight stainless steel hose ø 4x6mm		



No.	361462	Ref. No.	121993
description	container filter with weight SS hose ø 4x6mm		

accessories for	520090		
No.	361728	Ref. No.	—
description	container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm		

tank inlets



1

No.	361270	Ref. No.	468151
description	tank inlet SS M12 hose ø 4mm		
For models:	D500LS, D501LS		

hoses

supply hoses

PVC supply hoses



1

No.	520011	Ref. No.	929169
description	supply hose PVC straight-curved DN13 connections 3/4" L 2000mm operating p. 10bar burst p. 32bar t.max. 90°C approval VDE flat seal		
For models:	D500LS, D501LS		



1

No.	520015	Ref. No.	143004
description	supply hose ID ø 10mm ED ø 17mm L 5m operating p. 20bar burst p. 60bar t.max. 95°C grey Qty 5m		
For models:	D500LS, D501LS		

accessories for 520015



No.	504377	Ref. No.	—
description	hose connector grommet ø 23mm grommet length 25mm total length 55mm for water filling		

drain hoses



1

No.	513258	Ref. No.	127044
description	drain hose DN19 L 270mm A int. ø 22mm A ext. ø 28mm B int. ø 24mm B ext. ø 28mm outer hose ø 22mm		
For models:	D500LS, D501LS		

			
1			
No.	518219	Ref. No.	127037
description	drain hose DN19 L 630mm A int. ø 20mm A ext. ø 27mm B int. ø 21mm B ext. ø 28mm outer hose ø 24mm		
For models:	D500LS, D501LS		

industrial hoses

pressure control hoses

			
1			
No.	530560	Ref. No.	143005
description	pressure control hose ID ø 5mm ED ø 9mm L 5m operating p. 30bar burst p. 90bar temp.-resist. 60°C		
For models:	D500LS, D501LS		

PVC hoses

PVC hoses without fabric

1

No.	520383	Ref. No.	H.775601	
description	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C blue			
For models:	D500LS, D501LS			
accessories for	520383			
	No.	361058	Ref. No.	—
	container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm			
	No.	361066	Ref. No.	—
	container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve			
	No.	361106	Ref. No.	—
	container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve			
	No.	361141	Ref. No.	121075
	container filter with weight ceramic hose ø 4mm			
	No.	361230	Ref. No.	—
	container filter with weight stainless steel hose ø 4x6mm			
	No.	361462	Ref. No.	121993
	container filter with weight SS hose ø 4x6mm			
	No.	361728	Ref. No.	—
	container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm			

1



No.	520090	Ref. No.	143194	
description	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent			
For models:	D500LS, D501LS			
accessories for	520090			
	No.	361058	Ref. No.	—
	container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm			
	No.	361066	Ref. No.	—
	container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve			
	No.	361106	Ref. No.	—
	container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve			
	No.	361141	Ref. No.	121075
	container filter with weight ceramic hose ø 4mm			
	No.	361230	Ref. No.	—
	container filter with weight stainless steel hose ø 4x6mm			
	No.	361462	Ref. No.	121993
	container filter with weight SS hose ø 4x6mm			
	No.	361728	Ref. No.	—
	container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm			

			
1			
No.	520027	Ref. No.	143013
description	PVC hose ID ø 4mm ED ø 7mm L 10m thickness 1.5mm t.max. 60°C transparent		
For models:	D500LS, D501LS		

formed hoses

straight

			
1			
No.	518070	Ref. No.	127026
description	formed hose dishwasher straight mounting pos. upper equiv. no. 127026		
For models:	D500LS, D501LS		



1

No.	518380	Ref. No.	127036
description	formed hose ext. ø 53 ID ø 43mm L 65mm dishwasher straight mounting pos. upper equiv. no. 127036		
For models:	D500LS, D501LS		

form L



1

No.	518225	Ref. No.	127041
description	formed hose warewashing L-shape equiv. no. 127041		
For models:	D500LS, D501LS		

form U



1

No.	518517	Ref. No.	127050
description	formed hose for drain pump D1 ø 28mm D2 ø 21mm warewashing U-shape		
For models:	D500LS, D501LS		

for dishwashers

ventilation hoses



1

No.	513265	Ref. No.	143189
description	ventilation hose ext. ø 17 ID ø 14mm L 75mm warewashing back-flow restrictor		
For models:	D500LS, D501LS		

fittings, hose and pipe connectors

hose connectors

without screw connection



1

No.	541109	Ref. No.	035031
description	Y-piece plastic hose ø 8-6-8mm for pressure switch		
For models:	D500LS, D501LS		

hose connectors

brass



1

No.	513253	Ref. No.	DZR2915
description	hose connector brass angled thread 1/4" hose ø 12mm Qty 1 pcs		
For models:	LB03100000, LB03300000, LP05500010		

valves and tank inlets

ball valves

universal

ball valves with lever handle



1

No.	514325	Ref. No.	RTBF800073
description	ball valve connection 1" IT - 1" IT DN25 total length 83mm with lever handle		
For models:	LX7EC4		

shut-off valves

accessories



1

No.	540866	Ref. No.	RTCU900491
description	rosette		
For models:	ME066-03-008, MG066-03-008		

inlet taps



1

No.	542006	Ref. No.	RTBF800041
description	inlet spout connection 3/8" ET tube ø 16mm H1 90mm H2 40mm L 80mm pipe connection ø 10mm 1/2" ET		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

ancillary products

clamps

double wire clamps



1

No.	513268	Ref. No.	423011
description	hose clamp ø 8-10mm wire gauge ø 1mm Qty 1 pcs		
For models:	D500LS, D501LS		

pipes

miscellaneous



1

No.	693827	Ref. No.	PABF800292
description	water pipe		
For models:	MG099-03-012, MG099-03-012M, MG099-13-012I, MG099-13-012IM		

measuring equipment

thermometers

built-in thermometers

ø52mm



1

No.	541413	Ref. No.	RIC0003065
description	thermometer mounting ø 52mm t.max. 120°C 0 up to +120°C probe ø 6mm probe L 36mm capillary pipe 1500mm		

fastening material

screws

knurled screws



1

No.	510112	Ref. No.	454002
description	Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS		
For models:	D500LS, D501LS		

nuts

knurled nuts



1

No.	517444	Ref. No.	80697
description	knurled nut thread M10x1 ø 25mm H 4mm SS		
For models:	D500LS, D501LS		

hexagonal nuts

hexagonal nuts metric (without norm)



1

No.	521134	Ref. No.	417017
description	hexagonal nut thread M14x1 SS		
For models:	D500LS, D501LS		



1

No.	105567	Ref. No.	RTCU900005
description	nut thread M16x1 H 4.5mm WS 19 zinc-coated steel Qty 1 pcs		
For models:	MG046-03-004, MG066-03-007, MG066-03-008, MG077-03-003, MG077-03-004, MG077-03-005, MG077-13-003, MG077-13-004, MG077-13-005		



1

No.	102680	Ref. No.	RTCU600052
description	nut thread M6x0.75 H 2.6mm WS 8 brass Qty 1 pcs type SEF 2		
For models:	ME066-03-010, ME106-03-010XL, MG066-03-010, MG106-03-010, MG106-03-010XL		



1

No.	102067	Ref. No.	9404701700
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	MG066-03-010, MG106-03-010, MG106-03-010XL		

fasteners

clamps

double wire clamps



1

No.	513268	Ref. No.	423011
description	hose clamp ø 8-10mm wire gauge ø 1mm Qty 1 pcs		
For models:	D500LS, D501LS		

retaining rings

DIN 471



1

No.	510244	Ref. No.	RTMIN00283
description	retaining ring shaft ø 60mm thickness 2mm steel DIN 471		
For models:	ME046-03-004, ME066-03-007		

FASTENING MATERIAL/CONSUMABLES DEXION

DIN 7993



1

No.	518308	Ref. No.	303019
description	retaining ring DIN 7993 for drain assembly thickness 3mm ED ø 57mm		
For models:	D500LS, D501LS		

consumables

lava rocks / ceramic briquetts



1

No.	211001	Ref. No.	A800001170
description	lava rocks Qty package content 9kg		
For models:	MG086-13-014P		

fuses

fine fuses



1

No.	358677	Ref. No.	228010
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		
For models:	D500LS, D501LS		