

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

DIHR

heating elements

heating elements for crepes makers

			
1			
No.	416636	Ref. No.	006006 DW6006
description	heating element 2000W 230V L 280mm Wmm H 34mm tube ø 9mm connection M4 dry heating element heating circuits 1 ED ø 305mm crepes maker		
For models:	CREPE1, CREPE2, CREPPE-1, CREPPE-2, X1, X1-TK20, X2, X2-TK21		

heating elements for contact grills


			
1			
No.	416176	Ref. No.	009561 DW9561
description	heating element 1000W 230V L 180mm W 180mm H 18mm W1 45mm W2 90mm tube ø 6.3mm windings 5 connection M4 dry heating element		
For models:	GRILL-XAL-2, GRILL-XAR-2, K1L, K1R, Single-grill, XAL-2, XAR-2		

			
1			
No.	416198	Ref. No.	009717 DW9717
description	heating element 1000W 230V L 180mm W 180mm H 20mm W1 45mm W2 90mm tube ø 6.3mm windings 3 connection M4 dry heating element		
For models:	Double-grill, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, K2L, K2M, K2R, XBL, XBM, XBR		

			
1			
No.	416177	Ref. No.	009562 DW9562
description	heating element 1200W 230V L 180mm W 220mm H 20mm W1 55mm W2 110mm connection length 23mm tube ø 6.3mm windings 4 connection M5 dry heating element		
For models:	GRILL-XAL-2, GRILL-XAR-2, K1L, K1R, Single-grill, XAL-2, XAR-2		

			
1			
No.	416197	Ref. No.	009716 DW9716
description	heating element 800W 230V L 180mm W 180mm H 20mm W1 45mm W2 85mm tube ø 6.3mm windings 3 connection M4 dry heating element		
For models:	Double-grill, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, K2L, K2M, K2R, XBL, XBM, XBR		


			
1			
No.	416038	Ref. No.	00906/A DW906/A
description	heating element 800W 230V mounting pos. upper		

			
1			
No.	416039	Ref. No.	00909/A DW909/A
description	heating element 900W 230V mounting pos. lower		

heating elements for salamanders/toast-



No.	416647	Ref. No.	009153 DW9153	
Description	heating element 2000W 230V L 225mm W 208mm 2 hole fixing thread 1/4" mounting distance 198mm connection M4 dry heating element tube ø 8.5mm heating circuits 1 H 8.5mm			
For models:	S2, SALAMANDRA-S2			
Spare parts for	416647			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
Accessories for	416647			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				



No.	416646	Ref. No.	009113 DW9113
description	heating element 2000W 230V L 290mm W 216mm 2 hole fixing thread M12x1 mounting distance 195mm connection male faston 6.3mm dry heating element tube ø 8.5mm heating circuits 1 connection length 35mm H 8.5mm		
For models:	S1, SALAMANDRA-S1		

quartz heating elements



No.	693055	Ref. No.	008026 DW8026
description	insulator complete ø 13mm bore ø 5mm		
For models:	F12, F12, F120, F120-TK120P, F6, F6, F60, F60-TK60P		



No.	416174	Ref. No.	008075 DW8075
description	quartz heating element 450W 75V L 390mm ø 11mm connection eye		
For models:	F12, F12, F6, F6		



No.	417534	Ref. No.	008156 DW8156
description	quartz heating element 500W 115V L 365mm ø 10mm		
For models:	F120, F120-TK120P, F60, F60-TK60P		

coil heating elements




No.	419039	Ref. No.	002000359 DW2000359
description	heating element 2000/2180W 230/240V L 395mm W 93mm thread 3/8" connection M6 connection length 45mm dishwasher dry heating element heating circuits 1 2 hole fixing		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, CX, FX, LC80, LC90, LC90-2, LC90-4, LC90-900, LC97-4, LC97-5		


immersion heating elements

3 hole flange ø38.5mm




No.	415261	Ref. No.	0018206 DW18206	
description	heating element 2400W 230V mounting ø 38.5mm heating circuits 1 L 242mm W 31mm H 22mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 57mm hole ø 10mm cable length 130mm 3 hole flange connection male faston 6.3mm immersion heater			
For models:	C40-CF, C40-LS, DS35, Electron400, Electron400, Electron400CleanWater, G35-RL09-NEW, Gastro400S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Tekno4			
spare parts for	415261			
	No.	521120	Ref. No.	13010
O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs				
accessories for	415261			
	No.	532577	Ref. No.	—
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs				

 			
No.	416277	Ref. No.	0018206/D DW18206/D
description	heating element 2800W 230V mounting ø 38.5mm heating circuits 1 L 302mm W 37mm H 28mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 199mm thermostat sleeve not clinging tube ø 6.4mm hole distance 57mm hole ø 10mm cable length 114mm 3 hole flange connection 26 immersion heater		
For models:	DS35, DS37, DS40, DS40, Electron400, Electron400, Electron400CleanWater, Gastro400S, GS37, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		
accessories for	416277		
		No.	532577 Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			


 			
No.	416398	Ref. No.	0018215 DW18215
description	heating element 4000W 230V mounting ø 38.5mm heating circuits 3 L 287mm W 26mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 255mm thermostat sleeve centred, adjacent tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Gastro400S, GS40, GS40, GS40, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		
accessories for	416398		
		No.	521120 Ref. No. 13010
O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs			

3 hole flange ø47.5mm

 			
No.	420359	Ref. No.	00590121 DW590121
description	heating element 6000W 230V mounting ø 47.5mm heating circuits 3 L 275mm W 32mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 150mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 62mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	TwinStar		
accessories for	420359		
		No.	510408 Ref. No. 0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			


accessories for	420359		
		No.	510562 Ref. No. —
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

3 hole flange ø57.5mm


 			
No.	419191	Ref. No.	0010300011 DW10300011
description	heating element 3000-3270W 230-240V mounting ø 57.5mm heating circuits 3 L 195mm W 35mm H 40mm with O-ring		

with compression flange 62 x 26mm

 			
No.	415267	Ref. No.	0017201 DW17201
description	heating element 1800W 230V heating circuits 1 compression flange flange 62x26mm L 190mm W 41mm Hmm connection male faston 6.3mm tube ø 6.3mm immersion heater		
For models:	Synthesis, TURBO-CF, TURBO-LS		
accessories for	415267		
		No.	510387 Ref. No. —
gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			


 			
No.	415266	Ref. No.	0010714 DW10714
description	heating element 2000W 230V heating circuits 1 compression flange flange 62x26mm L 300mm W 41mm Hmm connection male faston 6.3mm tube ø 6.3mm immersion heater		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, G35		

1



No.	415268	Ref. No.	0016035/A DW16035/A
description	heating element 1850-2020W 230-240V heating circuits 1 expansion flange flange 62x26mm L 245mm W 40mm H 25mm tube ø 6.5mm connection male faston 6.3mm immersion heater		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, Linear, LINEAR-CF, LINEAR-LS		


2



No.	415270	Ref. No.	00150047 DW150047
description	heating element 2700W 230V heating circuits 1 compression flange flange 62x26mm L 335mm W 43mm H 25mm tube ø 6.3mm connection male faston 6.3mm immersion heater		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

with expansion flange 40 x 14mm

1



No.	416276	Ref. No.	00540401 DW540401
description	heating element 1100W 230V flange 40x14mm L 203mm W 40mm H 27mm heating circuits 1 connection male faston 6.3mm immersion heater		
For models:	Electron400, Electron400, Gastro400S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, TEKNO-4-CF, TEKNO-4-LS		

with round flange ø47.5mm

1



No.	415260	Ref. No.	0016036/A DW16036/A	
description	heating element 2180/2370W 230/240V heating circuits 1 mounting ø 47.5mm L 185mm W 40mm H 36mm round flange cable length 130mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 165mm			
For models:	DS50, DS50T, DS50-Touche, Dupla50, Linear, LINEAR-CF, LINEAR-LS, Synthesis, TURBO-CF, TURBO-LS			
accessories for	415260			
	No.	510408	Ref. No.	0013005 13005 DW13005
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	520235	Ref. No.	0030001024 30001024 DW30001024
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	No.	520236	Ref. No.	—
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	No.	521012	Ref. No.	—
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs			
	No.	550002	Ref. No.	0016045 16045 DW16045
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	No.	550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm			

1



No.	415269	Ref. No.	0015047 0015047/A DW15047 DW15047/A	
description	heating element 2700W 230V heating circuits 3 mounting ø 47.5mm L 257mm W 28mm H 45mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm H1 11mm H2 34mm connection length 28mm			
For models:	G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT			
accessories for	415269			
	No.	510408	Ref. No.	0013005 13005 DW13005
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	520235	Ref. No.	0030001024 30001024 DW30001024
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			

accessories for 415269				
	No.	520236	Ref. No.	—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	550002	Ref. No.	0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				
	No.	550362	Ref. No.	—
blind flange ø 64mm mounting ø 47.5mm				

1 				
No.	420056	Ref. No.	0015089/D DW15089/D	
description	heating element 2800W 230V heating circuits 1 L 380mm W 34mm H 33mm tube ø 6mm thermostat sleeves ø 8.5mm number of thermostat sleeves 1 length thermostat sleeves 230mm			
For models:	DS45, DS50T, DS50-Touche, GS45, GS50, GS-50-230Vac, GS50-230VAC			
accessories for	420056			
	No.	510408	Ref. No.	0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				

1

	No.	415262	Ref. No.	0015046 DW15046
description	heating element 3000W 230V heating circuits 3 mounting ø 47.5mm L 260mm W 40mm H 36mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 250mm thermostat sleeve upper centre not clinging			
For models:	DS45, DS50, Electron500, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS85, H600, HT12-Elettronica, Linear LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, STAR, Tekno6, TEKNO-6, TEKNO-6-Break-Tank			
accessories for	415262			
	No.	510408	Ref. No.	0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	520235	Ref. No.	0030001024 30001024 DW30001024
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm				
	No.	520236	Ref. No.	—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	550002	Ref. No.	0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				
	No.	550362	Ref. No.	—
blind flange ø 64mm mounting ø 47.5mm				

1



No.	415263	Ref. No.	0015089 15809 DW15089	
description	heating element 4500W 230V heating circuits 3 mounting ø 47.5mm L 375mm W 38mm H 46mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 240mm thermostat sleeve not clinging			
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500CleanWater, Electron-500Plus, Electron600, G12D, G12S, G600, G600, G600S, Gastro12S, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS85, H600, HT12-Elettronica, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank			
accessories for	415263			
	No.	510408	Ref. No.	0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	520235	Ref. No.	0030001024 30001024 DW30001024
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm				
	No.	520236	Ref. No.	—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	521012	Ref. No.	—
gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs				
	No.	550002	Ref. No.	0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				
	No.	550362	Ref. No.	—
blind flange ø 64mm mounting ø 47.5mm				

1 			
No.	419040	Ref. No.	0015089/E DW15089/E
description	heating element 6000/6530W 230/240V heating circuits 3 mounting ø 47.5mm L 375mm W 38mm H 39mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 240mm thermostat sleeve eccentric, non clinging		
For models:	DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS85, Optima400, Optima500, Optima500, Optima-Cut- lery, Tekno6, Tekno6.1-Acqua-pulita		



No.	416278	Ref. No.	0015089/A DW15089/A
description	heating element 6000W 230V heating circuits 3 mounting ø 47.5mm L 435mm W 38mm H 38mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 236mm thermostat sleeve eccentric, non clinging		
accessories for	416278		
	No. 510408	Ref. No.	0013005 13005 DW13005
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No. 520235	Ref. No.	0030001024 30001024 DW30001024
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	No. 520236	Ref. No.	—
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	No. 550002	Ref. No.	0016045 16045 DW16045
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	No. 550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm		

with round flange ø57.5mm



No.	416279	Ref. No.	0030001011/A DW30001011/A
description	heating element 12000W 230V heating circuits 3 mounting ø 57.5mm L 470mm W 48mm H 34mm round flange connection M5 immersion heater tube ø 8.5mm connection length 30mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 295mm thermostat sleeve eccentric, non clinging		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gast-ro11S, Gastro1200, Gastro12S, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche, HT12-Electronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, LP1-S8, LP1S-Plus, LP2, LP2S-PLUS... (Other models you can see in the webshop)		
accessories for	416279		
	No.	550002	Ref. No.
			0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			



No.	420055	Ref. No.	0030001011/B DW30001011/B
description	heating element 14000W 230V heating circuits 3 L 480mm W 36mm H 44mm connection M5 tube ø 8.5mm thermostat sleeves ø 7.7mm number of thermostat sleeves 1 length thermostat sleeves 280mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP1-S8, LP1S-Plus, LP4-800, TX1500, UX220		



				001008842 0030001010 DW1008842 DW30001010
No.	415264	Ref. No.		
description	heating element 6000W 230V heating circuits 3 mounting ø 57.5mm L 480mm W 33mm H 42mm round flange connection M5 immersion heater tube ø 8.5mm connection length 19mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 268mm thermostat sleeve not clinging			
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL....(Other models you can see in the webshop)			
spare parts for	415264			
	No.	510409	Ref. No.	0013015 0013020 13015 13020 DW13015 DW13020
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs				
accessories for	415264			
	No.	550002	Ref. No.	0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				

			
No.	415265	Ref. No.	0016303 0030001011 DW16303 DW30001011
description	heating element 9000W 230V heating circuits 3 mounting ø 57.5mm L 470mm W 35mm H 41mm round flange connection M5 immersion heater tube ø 8.5mm connection length upper centre not clinging-mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 295mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, GRANUL1000, GRANUL900, GRANUL900, H600, H600, H600Electronic, HT11, HT11E...(Other models you can see in the webshop)		
spare parts for	415265		
	No.	510409	Ref. No. 0013015 0013020 13015 13020 DW13015 DW13020
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
accessories for	415265		
	No.	550002	Ref. No. 0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

1 1/4"



1

No.	415271	Ref. No.	0010300022 DW10300022	
description	heating element 4500W 230V heating circuits 3 thread 1 1/4" L 88mm W 285mm H 60mm L1 100mm L2 185mm W1 33mm W2 272mm H1 35mm H2 25mm tube ø 6.3mm connection male faston 6.3mm connection length 36mm flange with thread immersion heater			
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated			
accessories for	415271			
	No.	510405	Ref. No.	0010200056 10200056 DW10200056
flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs				
	No.	520232	Ref. No.	0010200080 10200080 DW10200080
nut thread 1 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs				
	No.	528021	Ref. No.	—
flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega				

radiation heaters

1-circuit

			
No.	490116	Ref. No.	Y12208
description	radiation heater ø 165mm 1200W 230V heating circuits 1 H 33mm 7-position control with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		

energy regulators

EGO

1-circuit

			
No.	380015	Ref. No.	009107 DW9107
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	S1, S2, SALAMANDRA-S1, SALAMANDRA-S2		

thermostats

bi-metal thermostats

safety bi-metal thermostats

			
No.	390480	Ref. No.	0015550 DW15550
description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 105°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45...(Other models you can see in the webshop)		



1

No.	390187	Ref. No.	006011 DW6011
description	bi-metal safety thermostat hole distance 40mm switch-off temp. 180°C 2NC 2-pole 16A connection F6.3 2 hole fixing		
For models:	CREPPE-1, CREPPE-2, Double-grill, GRILL-XAL-2, GRILL-XAR-2, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, K1L, K1R, K2L, K2M, K2R, Single-grill, X1, X1-TK20, X2, X2-TK21		

bi-metal thermostats



1

No.	390231	Ref. No.	0015551 DW15551
description	bi-metal thermostat hole distance 40mm switch-off temp. 55°C 1CO 1-pole 16A connection F6.3 2 hole fixing		
For models:	Electron400, Electron400CleanWater, Gastro400S, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		

control and safety thermostats

EGO

control thermostats

55.10/19_ series



1

No.	375002	Ref. No.	009010 DW9010
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	CREPE1, CREPE2, CREPPE-1, CREPPE-2, CX, Double-grill, FX, GRILL-XAL-2, GRILL-XAR-2, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, K1L, K1R, K2L, K2M, K2R, Single-grill, X1, X1-TK20, X2, X2-TK21, XAL, XAL-2, XAR, XAR-2, XBL, XBM, XBR		

safety thermostats

55.32_ series



1

No.	390907	Ref. No.	0015553 DW15553
description	safety thermostat switch-off temp. 110°C 3-pole 3NC 20A probe ø 6mm probe L 95mm capillary pipe 1500mm capillary pipe isolated 1400mm gland nut probe		
For models:	DS50, DS50T, DS50-Touche, Dupla50, Electron500, GS50		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats



1

No.	390421	Ref. No.	0015621 DW15621
description	thermostat t.max. 85°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolated 1450mm gland nut shaft ø 6mm shaft Lmm shaft position rotation 270° probe material copper		




1

No.	390192	Ref. No.	0010707/2 DW10707/2
description	thermostat t.max. 90°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 2000mm gland nut shaft ø 6x4.6mm shaft L 19mm shaft position upper° rotation 270° probe material copper		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BM100, BM100, BM200, BM200, BM300, BM300, BX230, BX300, LC80, LC90, LC90-2, LC90-4, LC90-900, LC97-4, LC97-5		

			
No.	390460	Ref. No.	0010707/1 DW10707/1
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 1950mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, FX, G12D, G12S...(Other models you can see in the webshop)		

CAMPINI			
control thermostats			
			
No.	375934	Ref. No.	0010707/3 DW10707/3
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 185mm capillary pipe 960mm capillary pipe isolated 700mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS 250V		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, LC97-4, LC97-5		

various			
safety thermostats			
			
No.	390194	Ref. No.	002000430 DW2000430
description	safety thermostat switch-off temp. 90-110°C 1-pole 16A probe ø 6.5mm probe L 87mm capillary pipe 1500mm capillary pipe isolated 1497mm connection male faston 6.3mm adjustable		
For models:	5+5M, 5+5M, 5M, 6+6M, 6+6T, 6M, 6T, 8+8T, 8T, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S...(Other models you can see in the webshop)		

accessories

plunger sockets

			
No.	517293	Ref. No.	0010200270 DW10200270
description	thermowell double		
For models:	GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, LP1, LP1-800		

			
No.	517292	Ref. No.	0012510 DW12510
description	thermowell thread M10x1 ID ø 7.7mm L 108mm SS single ø 10mm		
For models:	BM100, BM100, BM200, BM200, BM300, BM300, G600, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, Linear, LINEAR-CF, LINEAR-LS		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

blank



1

No.	345983	Ref. No.	0015049 DW15049	
description	momentary rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap			
For models:	DERBY-CF, G12S, G600, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, LINEAR-CF, LINEAR-LS, STAR, STAR-CF, STAR-LS, TURBO-CF, TURBO-LS			
accessories for	345983			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

				
1				
No.	345982	Ref. No.	0015050 DW15050	
description	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
For models:	G600, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, LINEAR-CF, LINEAR-LS, STAR, STAR-CF, STAR-LS			
accessories for	345982			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				



labelled



1

No.	345981	Ref. No.	0015048 DW15048
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	5+5M, 5+5M, 5M, 6+6M, 6+6T, 6M, 6T, 8+8T, 8T, BM100, BM100, BM200, BM200, BM300, BM300, DERBY-CF, G600, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, LINEAR-CF, LINEAR-LS, SILVER-1500, SILVER-1500-Insulated, STAR, STAR-CF, STAR-LS, TURBO-CF, TURBO-LS		
accessories for	345981		
	No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

push/momentary push switches

28.5x28.5mm



1

No.	345973	Ref. No.	0015860 DW15860
description	momentary push switch mounting measurements 28.5x28.5mm blue 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	C40-CF, C40-LS		



1

No.	345974	Ref. No.	0015859 DW15859
description	momentary push switch mounting measurements 28.5x28.5mm yellow 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	C40-CF, C40-LS, LP1, LP1-800		



1

No.	345979	Ref. No.	0015863 DW15863
description	push switch mounting measurements 28.5x28.5mm blue 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	LP1, LP1-800		

SWITCHES AND MOMENTARY SWITCHES DIHR



1

No.	345977	Ref. No.	0015861/A DW15861/A
description	momentary push switch mounting measurements 28.5x28.5mm green/red 2NO 250V 16A outflow connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	G12S		



1

No.	345976	Ref. No.	0015865 DW15865
description	push switch mounting measurements 28.5x28.5mm green/red 2CO 250V 16A main switch connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator green/red		
For models:	C40-CF, C40-LS, G12D		



1

No.	345975	Ref. No.	0015849 0015861 DW15849 DW15861
description	push switch mounting measurements 28.5x28.5mm green/red 2NO 250V 16A main switch connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator green/red		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CX, F12, F12, F120, F120-TK120P, F6, F6, F60, F60-TK60P, FX, GM, GM, GM2, GM-2, GM-2-BK11, GM-BK10, GM-BK11, LP1, LP1-800...(Other models you can see in the webshop)		

28.5x52.6mm



1

No.	345875	Ref. No.	0015899/C DW15899/C
description	switch combination momentary mounting measurements 28.5x52.6mm green 1NO/indicator light 250V 16A drain/temperature connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-35, GS-37		

			
No.	345874	Ref. No.	0015899/B DW15899/B
description	switch combination momentary mounting measurements 28.5x52.6mm green 1NO/indicator light 250V 16A temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-35, GS-37		

			
No.	345876	Ref. No.	0015899 DW15899
description	switch combination momentary mounting measurements 28.5x52.6mm green 1NO/indicator light 250V 16A temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-35		

28.5x77.5mm			
			
No.	347856	Ref. No.	0027315 DW27315
description	double momentary switch mounting measurements 28.5x77.5mm green/blue 2NO/indicator light/2NO 250V 16A drain pump/rinsing/temperature connection male faston 6.3mm ambient temperature max. 85°C momentary protection IP40		
spare parts for	347856		
	No.	345601	Ref. No. 0015827 15827 DW15827
indicator lamp holder V ø 11mm			
	No.	345603	Ref. No. 0015843 15843 DW15843
element holder triple mounting measurements 28.5x77.5mm black for push buttons 23x23mm			
	No.	345720	Ref. No. 0015812 15812 DW15812
switch 2NO 250V 16A connection male faston 6.3mm			
	No.	346249	Ref. No. 0015876 15876 DW15876
indicator light lens size 23x23mm green temperature			
	No.	359350	Ref. No. —
indicator light 230V blue connection male faston 6.3mm ø 11mm			

			
No.	345867	Ref. No.	0015891 DW15891
description	switch combination latching mounting measurements 28.5x77.5mm green 2CO/indicator light/1NO 250V 16A START/indicator light/on-off connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-35, GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

			
No.	345866	Ref. No.	0015888 DW15888
description	switch combination latching mounting measurements 28.5x77.5mm green 2NO/1NO/indicator light 250V 16A START/indicator light/on-off connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	G600, GS-35, GS-37, GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

			
No.	345871	Ref. No.	0015796 DW15796
description	switch combination momentary mounting measurements 28.5x77.5mm green 1CO/indicator light 250V 16A rinsing/temperature connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	GS-40, GS-45, GS-50, GS-50-230Vac		

			
No.	345869	Ref. No.	0015894 DW15894
description	switch combination momentary mounting measurements 28.5x77.5mm green 1NO/indicator light/indicator light 250V 16A temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

microswitches

lever actuated



No.	345257	Ref. No.	0010704 DW10704
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 29mm L1 33mm ambient temperature max. 120°C mounting distance 22mm actuating force: 130g lever length 31.5mm		
For models:	Derby, Derby400, DERBY-CF, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, F1, F1-KF1, F2, F2-KF2, FRULLATORI-F1S, FRULLATORI-F2S, G600, G600, G600S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GM, GM, GM2, GM-2, GM2-2, GM-2-BK11, GM3, GM3, GM3-BK12, GM4, GM4, GM4-BK13, GM-BK10, GM-BK11, GS100, GS-100...(Other models you can see in the webshop)		

pin-plunger actuated

M10



No.	347945 ¹	Ref. No.	00590021 DW590021
description	microswitch with plunger thread M10x0.75 thread L 13mm 250V 5A 1CO connection male faston 6.3mm stroke 6mm mounting distance 25mm L 49mm L1 13mm ambient temperature max. 85°C IP65 type MKH12D09 actuating force: 340g		
For models:	TwinStar		

¹protection class IP65

roller actuated

roller 90°



No.	347096	Ref. No.	0070305 DW70305
description	microswitch with roller plunger 250V 20A 1CO connection screw L1 49mm ambient temperature max. 125°C thread L 14.5mm thread M12x1 mounting distance 25mm actuating force: 370g type Z15G1318		
For models:	CAN-MASTER, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



No.	345870	Ref. No.	0015892 DW15892
description	switch combination momentary mounting measurements 28.5x77.5mm green 2NO/1NO/indicator light 250V 16A drain/temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		



No.	345872	Ref. No.	0015893/A DW15893/A
description	switch combination momentary mounting measurements 28.5x77.5mm green 2NO/1NO/indicator light 250V 16A drain/temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-40, GS-45, GS-50, GS-50-230Vac		



No.	345868	Ref. No.	0015893 DW15893
description	switch combination momentary mounting measurements 28.5x77.5mm green 2NO/indicator light 250V 16A drain/temperature connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS40, GS-40, GS-45, GS-50, GS-50-230Vac, GS50-230VAC		



No.	347731	Ref. No.	0075090 DW75090
description	switch combination mounting measurements 28.5x77.5mm green/yellow 2NO/2CO/indicator light 250V 16A connection male faston 6.3mm ambient temperature max. 150°C		

accessories

frame



No.	347946	Ref. No.	00590092 DW590092
description	frame for position switch SS mounting distance 32.5mm mounting ø 46mm hole ø 10.5mm H 31mm		
For models:	TwinStar		

position switches

PIZZATO

FR series



No.	345181	Ref. No.	0010600138 DW10600138
description	position switch plastic 1NC/1NO 400V 3A L 92mm W 31mm H 31mm protection IP67 actuating force: 450g screw connection PG13.5 mounting distance 22mm screw		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

system switches (ROLD)



No.	346229	Ref. No.	0015880 DW15880
description	blank size 23x23mm grey		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		



No.	345721	Ref. No.	0015844 DW15844
description	blank cap holder		
For models:	Derby, Derby400, DS40, Dupla50, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, GS37-prima-serie, GS40, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



No.	347592	Ref. No.	0015815 DW15815
description	element holder single mounting measurements 28.5x28.5mm grey for push buttons 23x23mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, G12D, G12S, HT11, LP1-S, TX1500, UX220		




No.	345603	Ref. No.	0015843 DW15843
description	element holder triple mounting measurements 28.5x77.5mm black for push buttons 23x23mm		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		




No.	347620	Ref. No.	0015836 DW15836
description	element holder triple mounting measurements 28.5x77.5mm grey for push buttons 23x23mm		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		



No.	345601	Ref. No.	0015827 DW15827
description	indicator lamp holder V ø 11mm		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		



No.	346245	Ref. No.	0015825 DW15825
description	indicator light lens size 23x23mm green		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		



No.	346249	Ref. No.	0015876 DW15876
description	indicator light lens size 23x23mm green temperature		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		



1

No.	346250	Ref. No.	0015875 DW15875
description	indicator light lens size 23x23mm green washing cycle		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		



1

No.	347193	Ref. No.	0015813 DW15813
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP3...(Other models you can see in the webshop)		



1

No.	345606	Ref. No.	0015811/A DW15811/A
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	DS40, DS40, Dupla50, G35, Gastro11S, Gastro1200, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



1

No.	345980	Ref. No.	0015800 DW15800
description	momentary switch unit 2NO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G12D, G12S, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, Tekno6...(Other models you can see in the webshop)		

SWITCHES AND MOMENTARY SWITCHES DIHR



1

No.	345539	Ref. No.	0084001 DW84001
description	push button size 17x13mm grey		
For models:	Dupla50, HT11		



1

No.	347895	Ref. No.	0015817 DW15817
description	push button size 23x23mm blue		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		



1

No.	347892	Ref. No.	0015990 DW15990
description	push button size 23x23mm blue drain pump		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		



1

No.	347893	Ref. No.	0015988 DW15988
description	push button size 23x23mm blue ON-OFF with lens		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		



1

No.	347701	Ref. No.	0015877 DW15877
description	push button size 23x23mm blue programme		
For models:	HT11, LP1-S		

			
1			
No.	347891	Ref. No.	0015993 DW15993
description	push button size 23x23mm blue regeneration		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, GS50, HT11		

			
1			
No.	346224	Ref. No.	0015871 DW15871
description	push button size 23x23mm green regeneration		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
No.	347894	Ref. No.	0015986 DW15986
description	push button size 23x23mm blue START		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
No.	346222	Ref. No.	0015873 DW15873
description	push button size 23x23mm green START		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11, LP1-S		

			
1			
No.	347896	Ref. No.	0015872 DW15872
description	push button size 23x23mm green cold rinsing		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		

			
1			
No.	346214	Ref. No.	0015819 DW15819
description	push button size 23x23mm yellow		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
No.	347590	Ref. No.	0015854 DW15854
description	push button size 23x23mm green drain pump		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
No.	347889	Ref. No.	0015991 DW15991
description	push button size 23x23mm yellow drain pump		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
No.	346221	Ref. No.	0015857 0015874 DW15857 DW15874
description	push button size 23x23mm green ON-OFF with lens		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS40, Dupla50, FX, GS37-prima-serie, GS40, HT11, LP1-S, TX1500, UX220		

			
1			
No.	347484	Ref. No.	0015818 0015855 0015989 DW15818 DW15855 DW15989
description	push button size 23x23mm yellow ON-OFF with lens		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
No.	347890	Ref. No.	0015858 DW15858
description	push button size 23x23mm yellow regeneration		
For models:	DS40, Dupla50, G12D, GS37-prima-serie, GS40, HT11		

			
No.	347888	Ref. No.	0015987 DW15987
description	push button size 23x23mm yellow START		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
No.	346251	Ref. No.	0015824 0015824/A DW15824 DW15824/A
description	rotary disc orange/green disc ø 20.6mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS40, Dupla50, FX, GS37-prima-serie, GS40, HT11, LP1-S, TX1500, UX220		

			
No.	345605	Ref. No.	0015811 DW15811
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, Dupla50, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
No.	345720	Ref. No.	0015812 DW15812
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, FX, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S...(Other models you can see in the webshop)		

system switches

DIHR / KROMO

oval

element holders

			
No.	345899	Ref. No.	0089303 DW89303
description	blank housing blue-grey		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		

			
No.	345897	Ref. No.	0089302 DW89302
description	element holder blue-grey mounting pos. centre illuminable		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		



1

No.	345895	Ref. No.	0089300 DW89300
description	element holder blue-grey mounting pos. format oval illuminable		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star		
accessories for	345895		
	No.	345887	Ref. No. 0089340 89340 DW89340
push button blue-grey ON-OFF			
	No.	345896	Ref. No. 0089332 89332 DW89332
O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs			
	No.	345980	Ref. No. 0015800 15800 DW15800
momentary switch unit 2NO 250V 16A connection male faston 6.3mm			
	No.	359132	Ref. No. 0015826 15826 DW15826
indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C			

			
No.	345906	Ref. No.	0089301 DW89301
description	element holder blue-grey mounting pos. left temperature / pump illuminable		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		

			
No.	345898	Ref. No.	0089304 DW89304
description	element holder blue-grey mounting pos. right illuminable		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		

push buttons			
			
No.	345894	Ref. No.	0089348 DW89348
description	blank blue-grey		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star		

			
No.	345888	Ref. No.	0089341 DW89341
description	push button black START		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro450, GS100, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star		

			
No.	345891	Ref. No.	0089344 DW89344
description	push button blue-grey cold rinsing		
For models:	Derby, Derby400, DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Linear, Star, Synthesis		

			
No.	345890	Ref. No.	0089343 DW89343
description	push button blue-grey drain pump		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star		

			
No.	345887	Ref. No.	0089340 DW89340
description	push button blue-grey ON-OFF		
For models:	Derby, Derby400, DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star, Synthesis		



1

No.	345893	Ref. No.	0083346 0089346 DW83346 DW89346
description	push button blue-grey ON-OFF		
For models:	LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO		



1

No.	345889	Ref. No.	0089342 DW89342
description	push button blue-grey programme		
For models:	DS45, DS50, G600, Gastro11S, Gastro1200, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS50, GS85, HT11S, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO		



1

No.	345892	Ref. No.	0089345 DW89345
description	push button blue-grey regeneration		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11S, HT12S, Linear, Star		



1

No.	345907	Ref. No.	0089347 DW89347
description	push button blue-grey START		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		

switches



1

No.	345606	Ref. No.	0015811/A DW15811/A
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	DS40, DS40, Dupla50, G35, Gastro11S, Gastro1200, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

SWITCHES AND MOMENTARY SWITCHES DIHR



1

No.	345980	Ref. No.	0015800 DW15800
description	momentary switch unit 2NO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G12D, G12S, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, Tekno6...(Other models you can see in the webshop)		



1

No.	345605	Ref. No.	0015811 DW15811
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, Dupla50, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



1

No.	345720	Ref. No.	0015812 DW15812
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, FX, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S...(Other models you can see in the webshop)		


accessories



1

No.	345721	Ref. No.	0015844 DW15844
description	blank cap holder		
For models:	Derby, Derby400, DS40, Dupla50, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, GS37-prima-serie, GS40, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
No.	359132	Ref. No.	0015826 DW15826
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP3...(Other models you can see in the webshop)		

			
No.	345896	Ref. No.	0089332 DW89332
description	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star		

round

push buttons

			
No.	345885	Ref. No.	00560534/A DW560534/A
description	push button blue-grey cold rinsing		
For models:	Tekno4, TEKNO-4-CF, TEKNO-4-LS		

			
No.	345881	Ref. No.	00560528/A DW560528/A
description	push button blue-grey drain pump		
For models:	Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
No.	345880	Ref. No.	00560512 00560527/A DW560512 DW560527/A
description	push button blue-grey ON-OFF		
For models:	Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
No.	345878	Ref. No.	00560523/A DW560523/A
description	push button blue-grey point		
For models:	Tekno4, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
No.	345879	Ref. No.	00560526/A DW560526/A
description	push button blue-grey point		
For models:	Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
No.	345886	Ref. No.	00560538 DW560538
description	push button blue-grey point		
For models:	Tekno4, Tekno4.1-Acqua-pulita, Tekno6.1-Acqua-pulita		

			
No.	345883	Ref. No.	00560530/A DW560530/A
description	push button blue-grey programme		
For models:	Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
No.	345884	Ref. No.	00560531/A DW560531/A
description	push button blue-grey regeneration		
For models:	Tekno4, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		



1

No.	345882	Ref. No.	00560514 00560529/A DW560514 DW560529/A
description	push button blue-grey START		
For models:	Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

switches



1

No.	345606	Ref. No.	0015811/A DW15811/A
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	DS40, DS40, Dupla50, G35, Gastro11S, Gastro1200, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS50, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



1

No.	345980	Ref. No.	0015800 DW15800
description	momentary switch unit 2NO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G12D, G12S, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS50, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, Tekno6...(Other models you can see in the webshop)		



1

No.	345605	Ref. No.	0015811 DW15811
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, Dupla50, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS50, H600, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

SWITCHES AND MOMENTARY SWITCHES DIHR



1

No.	345720	Ref. No.	0015812 DW15812
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, FX, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S...(Other models you can see in the webshop)		

accessories



1

No.	345721	Ref. No.	0015844 DW15844
description	blank cap holder		
For models:	Derby, Derby400, DS40, Dupla50, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, GS37-prima-serie, GS40, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

rectangular



1

No.	347591	Ref. No.	0015834 DW15834
description	element holder mounting measurements 13x20mm green format rectangular		



1

No.	347193	Ref. No.	0015813 DW15813
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS50, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP3...(Other models you can see in the webshop)		

			
1			
No.	347589	Ref. No.	0015835 DW15835
description	push button size 11x15.5mm green START		

cam switches

on/off

			
1			
No.	300176	Ref. No.	009564 DW9564
description	cam switch 2 operating positions 4NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	CREPE1, CREPE2, CREPE-1, CREPE-2, Double-grill, GRILL-XAL-2, GRILL-XAR-2, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, K1L, K1R, K2L, K2M, K2R, Single-grill, X1, X1-TK20, X2, X2-TK21, XAL-2, XAR-2, XBL, XBM, XBR		

rotary switches

BREMAS

A1200 series

			
1			
No.	345912	Ref. No.	0010300206 DW10300206
description	rotary switch		
For models:	G12D, G12S, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata		

			
1			
No.	345019	Ref. No.	0030009001 DW30009001
description	rotary switch sets of contacts 2 2 0-1 type CA0120002 380V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw		
For models:	LP2, LP3, LP4, LP4-Elettronica		

			
1			
No.	345913	Ref. No.	0010300207 0010300208 DW10300207 DW10300208
description	rotary switch sets of contacts 4 4 1-2-3-4 type CS012M014 400V 12A shaft ø 5x5mm shaft L 23mm shaft square with knob connection screw		
For models:	G12D, G12S, Gastro12S, H600, H600, HT11, HT11S, HT12S, SILVER-1500, SILVER-1500-Insulated		

			
1			
No.	347857	Ref. No.	003002031 DW3002031
description	rotary switch sets of contacts 6 4 0-1-2-3 type CA0127042 600V 12A shaft ø 5x5mm shaft L 25mm shaft square with knob connection screw		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX230Special, BX280, UX220		

A1600 series

			
1			
No.	345910 ¹	Ref. No.	0080411 DW80411
description	rotary switch 5 0-1-2-3-4 sets of contacts 4 type CS0168485 400V 16A shaft ø 5x5mm shaft L 23mm shaft square connection screw		
For models:	LP2, LP3, LP4-800		

¹incl. knob and dial plate

producer-specific rotary switches

DIHR / KROMO

			
1			
No.	345911	Ref. No.	0089349 DW89349
description	element holder blue-grey format round 0-3		
For models:	Gastro12S, H600, H600, HT11S, HT12S		

			
1			
No.	697909	Ref. No.	0089322 DW89322
description	fastening angle for rotary switch plastic L 76mm W 31mm		
For models:	Gastro12S, H600, H600, HT11S, HT12S, LP2, LP3, LP4-800		

1 			
No.	697910	Ref. No.	0089323 DW89323
description	fixing plate for rotary switch L 80mm W 60mm thickness 1mm		
For models:	Gastro12S, H600, H600, HT11S, HT12S, LP2, LP3, LP4-800		

1 			
No.	110731	Ref. No.	0089321 DW89321
description	knob switch zero mark ø 29mm black shaft special		
For models:	Gastro12S, H600, H600, HT11S, HT12S		

1 			
No.	345896	Ref. No.	0089332 DW89332
description	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star		

1 			
No.	345913	Ref. No.	0010300207 0010300208 DW10300207 DW10300208
description	rotary switch sets of contacts 4 4 1-2-3-4 type CS012M014 400V 12A shaft ø 5x5mm shaft L 23mm shaft square with knob connection screw		
For models:	G12D, G12S, Gastro12S, H600, H600, HT11, HT11S, HT12S, SIL-VER-1500, SILVER-1500-Insulated		

magnetic switches

40x13mm			
1 			
No.	345990	Ref. No.	0010778 DW10778
description	magnetic switch L 40mm W 13mm 1NO 250V 0.04A P max. 10W connection male faston 6.3mm cable length 2000mm		
For models:	AX161, AX290, C40-CF, C40-LS, DS45, DS50, DS50T, DS50-Touche, Dupla50, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Syntheric, TIDBO, CE TIDBO, LC		

65x20mm

1

No.	345116	Ref. No.	003003112 DW3003112
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, LC90-4, LC97-2, LC97-3, LC97-4, LC97-5, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS...(Other models you can see in the webshop)		
accessories for	345116		

No.	345399	Ref. No.	00391046 391046 DW391046
-----	--------	----------	--------------------------------


magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3


ø 9mm			
1 			
No.	345991	Ref. No.	002000309 DW2000309
description	magnetic switch 250V 0.04A P max. 10W probe L 30mm 1NO connection cable cable length 2000mm		
For models:	F1, F1-KF1, F2, F2-KF2, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP2, LP3, LP3, LP4, LP4-800, LP4-Eletronica, LP-ZERO		

accessories

magnets

			
1			
No.	347702	Ref. No.	003003113 DW3003113
description	magnet H 10mm ED ø 12mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500		

 			
1			
No.	345399	Ref. No.	00391046 DW391046
description	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		
For models:	AX161, AX290		

 			
1			
No.	345336	Ref. No.	0080232 DW80232
description	magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, GRANUL1000, GRANUL900, GRANUL900, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP3, LP-3PLUS, LP3S-PLUS, LP4, LP4-800...(Other models you can see in the webshop)		

magnetic holders

1

No.	524076	Ref. No.	003003058 003003058+003004184 3003058+3004184 DW3003058 DW3003058+DW3004184	
description	magnet holder internal size 13mm H 60mm for dishwasher			
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, TX1500			
accessories for	524076			
	No.	524655	Ref. No.	003004184 3004184 DW3004184
	screw cap for magnet holder thread M16x1.25 SS WS 19			

			
1			
No.	524655	Ref. No.	003004184 DW3004184
description	screw cap for magnet holder thread M16x1.25 SS WS 19		

control equipment

ERSCE


push buttons

			
1			
No.	346654	Ref. No.	002000284 DW2000284
description	push button mounting measurements ø22mm green illuminated		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, TX1500		



1

No.	346659	Ref. No.	003002052 DW3002052
description	contact block ERSCE C02 2NC max 400V 10(4)A red/red		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC80, LC81, LC90, LC90-2, LC90-4, LC90-900, LC91, LC97-4, LC97-5, TX1500, UX220		



1

No.	346658	Ref. No.	003002051 DW3002051
description	contact block ERSCE C02 2NO max 400V 10(4)A green/green		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, TX1500, UX220		

TELEMECANIQUE (EFA)

XB4 series



1

No.	347497	Ref. No.	003002056 DW3002056
description	contact block 2NC colour coding red		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GS-100, TX1500, UX220		



1

No.	347496	Ref. No.	003002054 DW3002054
description	contact block 2NO colour coding green		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GS-100, LP3, LP4, LP4-Elettronica, TX1500, UX220		

signal element



1

No.	347700	Ref. No.	002000232 DW2000232
description	signal element mounting measurements ø22mm green metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		



1

No.	347730	Ref. No.	002000234 DW2000234
description	signal element mounting measurements ø22mm metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX		



1

No.	347727	Ref. No.	002000231 DW2000231
description	signal element mounting measurements ø22mm red metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		



1

No.	347728	Ref. No.	002000230 DW2000230
description	signal element mounting measurements ø22mm yellow metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		

momentary mushroom switches



1

No.	347485	Ref. No.	003002050 DW3002050
description	emergency switch mounting measurements ø22mm red		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

rotary switches



1

No.	347729	Ref. No.	002000311 DW2000311
description	rotary selector mounting measurements ø22mm black		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, GS-100, GS-100-DEPUR, TX1500		

miscellaneous



1

No.	347698	Ref. No.	003002055 DW3002055
description	push button mounting measurements ø22mm black metal		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		



1

No.	347699	Ref. No.	002000310 DW2000310
description	rotary selector mounting measurements ø22mm black metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, UX220		

lamps



1

No.	359807	Ref. No.	003002068 DW3002068
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, BX300, CX, FX		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator lamps for socket type SRZ / SDK / SDY / SFK



1

No.	359132	Ref. No.	0015826 DW15826
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP3...(Other models you can see in the webshop)		

indicator lights 3-piece (housing, lens and bulb)

lamps

light bulbs



1

No.	359807	Ref. No.	003002068 DW3002068
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, BX300, CX, FX		

indicator lights (complete)

ø 6mm



No.	359004	Ref. No.	0010711 DW10711
description	indicator light ø 6mm 230V green cable length 400mm temp.-resist. 106°C		
For models:	BM100, BM100, BM200, BM200, BM300, BM300, Dupla50, G600, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

ø10mm

with screw socket



No.	360148	Ref. No.	003002066 DW3002066
description	indicator light ø 10mm 24V green cable length 200mm socket screw base		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX230Special, BX280, TX1500, UX220		



No.	360111	Ref. No.	003002065 DW3002065
description	indicator light ø 10mm 24V red cable length 200mm socket screw base		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX230Special, BX280, TX1500, UX220		



No.	360502	Ref. No.	003002067 DW3002067
description	indicator light ø 10mm 24V yellow cable length 200mm socket screw base		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX230Special, BX280, UX220		

with plug-in socket



No.	359139	Ref. No.	0010711/B DW10711/B
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	5+5M, 5+5M, 5M, 6+6M, 6+6T, 6M, 6T, 8+8T, 8T, C40-CF, C40-LS, CREPE1, CREPE2, CREPE-1, CREPE-2, Double-grill, DS40, Dupla50, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro12S, GRILL-XAL-2, GRILL-XAR-2, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, GS-100, GS-100-DEPUR, GS-35, GS37-prima-serie, GS40, GS-40, GS-45, GS-50, GS-50-230Vac, GS50-230VAC, H600, H600, HT11, HT12S, K1L, K1R, K2L, K2M, K2R, LP1-S, S2, Single-grill, X1, X1-TK20...(Other models you can see in the webshop)		

ø12mm

with screw socket



No.	359027	Ref. No.	009108 DW9108
description	indicator light ø 12mm 250V green connection male faston 6.3mm		
For models:	S1, S2, SALAMANDRA-S1, SALAMANDRA-S2		

28.5x28.5mm

lamps (complete)




No.	345978	Ref. No.	0015862 DW15862
description	indicator light mounting measurements 28.5x28.5mm 230V green		
For models:	G12D, G12S, LP1, LP1-800		

28.5x52.6mm



No.	345877	Ref. No.	0015899/A DW15899/A
description	indicator light mounting measurements 28.5x52.6mm 230V green connection male faston 6.3mm protection IP40 ambient temperature max. 85°C		
For models:	GS-35, GS-37		

28.5x77.5mm



No.	345873	Ref. No.	0015889 DW15889
description	indicator light mounting measurements 28.5x77.5mm 230V green connection male faston 6.3mm protection IP40 ambient temperature max. 85°C		
For models:	G600, GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

30x22mm



1

No.	345985	Ref. No.	0015051 DW15051
description	indicator light mounting measurements 30x22mm 230V green		
For models:	G600, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated, TURBO-CF, TURBO-LS		
accessories for	345985		
	No.	301036	Ref. No.
	—		
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

LED

indicator lamps

mounting diameter 25mm



1

No.	360584	Ref. No.	00590066 DW590066
description	indicator light LED mounting ø 25mm 3VDC blue connection cable 1000mm 1W 350mA mounting thread M25x1.25		
For models:	TwinStar		



1

No.	360585	Ref. No.	00590067 DW590067
description	indicator light LED mounting ø 25mm 3VDC green connection cable 1000mm 1W 350mA mounting thread M25x1.25		
For models:	TwinStar		



1

No.	360583	Ref. No.	00590065 DW590065
description	indicator light LED mounting ø 25mm 3VDC red connection cable 1000mm 1W 350mA mounting thread M25x1.25		
For models:	TwinStar		

accessories



1

No.	357178	Ref. No.	00590068 DW590068
description	power supply for LEDs 3W primary 100-240V secondary 0.35A 50/60Hz KPB-3F35I Qty 1 pcs		
For models:	TwinStar		

screw-on/push-on fit

light bulbs

for indicator lights



1

No.	359807	Ref. No.	003002068 DW3002068
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, BX300, CX, FX		

timers

programme timers



1

No.	360291	Ref. No.	0010708/E DW10708/E (old version)	
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 115V shaft ømm shaft Lmm manuf. no. 11803F1 / 10708E motor type M48R ATS /60Hz connection F4.8 supply at 60Hz 115V			
For models:	Derby, DS35, DS40, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, GS50			
spare parts for	360291			
	No.	360118	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			

			
1			
No.	360467	Ref. No.	0010708/L old DW10708/L old
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm manif. no. 11803F1 / 10708L motor type M48R ATS		

1

No.	360411	Ref. No.	0010708 DW10708
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm motor type M48R ATS		
For models:	STAR		
spare parts for	360411		

No.	360118	Ref. No.	—
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			

1

No.	360273	Ref. No.	0016064/A DW16064/A
description	timer CDC 11803 engines 1 chambers 3 operation time 18min 230V shaft ømm shaft Lmm manif. no. 11803F1 / 16064/A motor type M48R ATS		
For models:	C40-CF, C40-LS, DS35, DS40, Electron1000, Electron400, Electron500, G12D, G35, G600, G600, Gastro11S, GASTRO-11-S, GASTRO-11-S- Isolata, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS- 35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS- 40, GS45, GS-45, GS50, GS50, GS-50, GS85, H600, Linear, LINEAR-CF, LINEAR-LS, Star...(Other models you can see in the webshop)		
spare parts for	360273		
	No.	360118	Ref. No. —
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			

			
1			
No.	360666	Ref. No.	DW10708/E
description	timer CDC 11803 engines 1 chambers 4 operation time 120s 115V shaft ømm shaft Lmm manif. no. 11803F1 / 10708E motor type M48R ATS /60Hz connection F4.8 supply at 60Hz 115V		

			
1			
No.	360569	Ref. No.	0010708/B DW10708/B
description	timer CDC 11804F engines 1 chambers 3 operation time 120s 230V 60Hz shaft ømm shaft Lmm manif. no. 11804F1ADY000.0010 motor type M48R ATS voltage AC		
For models:	Derby, DS35, DS37, DS40, DS40, Electron400, G35, G600, G600, Gastro400S, Gastro450, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS50, Linear, Star, Synthesis		


1

No.	360290	Ref. No.	0010708/T DW10708/T
description	timer CDC 11804F engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm manif. no. 11804F1 / 10708T motor type M48R ATS connection F4.8		
For models:	DS35, DS37, DS40, Electron400, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro400S, Gastro450, GS37, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, Linear, TEK-NO-4-CF, TEKNO-4-LS		
spare parts for	360290		
	No.	360118	Ref. No.
	—		
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			

			
1			
No.	360427	Ref. No.	0010708/N DW10708/N
description	timer CDC 11804F engines 1 chambers 4 operation time 90s 230V shaft ømm shaft Lmm motor type M48R ATS		
For models:	DS35, DS40, Electron400, G600, Gastro11S, Gastro1200, Gastro400S, GS85, HT11, HT11S		

1

No.	360389	Ref. No.	0010300122 DW10300122	
description	timer CDC 4904F engines 1 chambers 4 operation time 5min 230V shaft ømm shaft Lmm manuf. no. 4904F3 / 10300122 motor type M48L ATS			
For models:	Gastro11S, Gastro1200, Gastro12S, H600, HT12S			
spare parts for	360389			
	No.	360083	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer			

			
1			
No.	360464	Ref. No.	0010300118 DW10300118
description	timer CDC 4904F engines 1 chambers 4 operation time 6min 230V 60Hz shaft ømm shaft Lmm voltage AC		
For models:	Gastro11S, Gastro1200, Gastro12S, HT11, HT11S		

1

No.	360297	Ref. No.	0010300121 DW10300121	
description	timer CDC 4904F engines 1 chambers 4 operation time 6min 230V manuf. no. 4904F3 / 10300121 motor type M48L ATS run-time 60/120/180s			
For models:	Gastro11S, Gastro1200, Gastro12S, H600, HT11, HT11S			
spare parts for	360297			
	No.	360083	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer			

1

No.	360257	Ref. No.	0010300117 DW10300117
description	timer CDC 4904F engines 1 chambers 4 operation time 6min 230V shaft ømm shaft Lmm manif. no. 4904F3 / 360257 motor type M48L ATS		
For models:	G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, SILVER-1500, SILVER-1500-Insulated		
spare parts for	360257		


No.	360083	Ref. No.	—
motor CDC pinion ø 4.9mm teeth 10 230V turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer			

1

No.	360296	Ref. No.	0010300123 DW10300123	
description	timer CDC 7804DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm manif. no. 7804DV / 10300123 motor type M37RN/M37LN			
For models:	Electron500, Gastro500S, Gastro750Plus, Gastro750S, Tekno6			
spare parts for	360296			
	No.	360119	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			

Table continues overleaf

spare parts for 360296				
	No.	360131	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer				



No.	360293	Ref. No.	0030001027 DW30001027	
description	timer CDC 7804DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. 7804DV / 30001027 motor type M37RN/M37LN			
For models:	DS50, Dupla50, Electron500, Gastro500Plus, Gastro500S, Gastro- 750Plus, Gastro750S, GS50, Tekno6, TEKNO-6, TEKNO-6-Break-Tank			
spare parts for	360293			
	No.	360119	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer				
	No.	360131	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer				



No.	360295	Ref. No.	0022011 DW22011	
description	timer CDC 7805DV engines 2 chambers 5 operation time 6s / 4min 230V shaft ømm shaft Lmm manuf. no. 7805DV / 22011 motor type M37RN/M37LN			
For models:	Electron1000, GS100, GS-100, GS-100-DEPUR, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO			
spare parts for	360295			
	No.	360119	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer				
	No.	360131	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer				



1

No.	360294	Ref. No.	0030001031 DW30001031	
description	timer CDC 7806DV engines 2 chambers 6 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. 7806DV / 30001031 motor type M37RN/M37LN			
For models:	DS50, Dupla50, Electron500, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, Tekno6, TEKNO-6, TEKNO-6-Bre- ak-Tank			
spare parts for	360294			
	No.	360119	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer				
	No.	360131	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer				



1

No.	360346	Ref. No.	0030001032 DW30001032	
description	timer CDC 7806DV engines 2 chambers 6 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. 7806DV / 30001032 motor type M37RN/M37LN			
For models:	Electron500, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Tekno6			
spare parts for	360346			
	No.	360119	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer				
	No.	360131	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer				



1

No.	360289	Ref. No.	0010708/L DW10708/L
description	timer CROUZET engines 1 chambers 2 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 627/5309 motor type 600		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS50, Dupla50, Electron400, G35, Gastro11S, Gastro1200, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		

mechanical timers



1

No.	350032	Ref. No.	008030 DW8030
description	timer M2 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 18mm mounting distance 28mm connection rear		
For models:	F12, F12, F6, F6		
accessories for	350032		
	No.	110366	Ref. No. —
knob switch zero mark t.max. °C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	No.	110371	Ref. No. —
dial plate graduation 15min permanent position no rotation 30-330° ø 60mm timers knob ø 45mm			

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380239	Ref. No.	0010300391 0015086/B DW10300391 DW15086/B
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		
For models:	DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G12S, G600, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100, GS45, GS50, GS-50, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, LP1-800, LP1-800...(Other models you can see in the webshop)		



1

No.	380238	Ref. No.	0010300392 DW10300392
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		
For models:	Gastro11S, Gastro1200, Gastro12S, H600, H600Electronic, HT11, HT11E, HT11S, HT11-T, HT11-Touche, HT12S, HT12SElectronic		



1

No.	380839	Ref. No.	002000370 DW2000370
description	power contactor resistive load 20A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, LC80, LC81, LC90, LC90-2, LC90-4, LC90-900, LC91, LC97-2, LC97-3, LC97-4, LC97-5, TX1500, UX220		



1

No.	380244	Ref. No.	0010300050 DW10300050
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		
For models:	Electron1000, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP2, LP-2PLUS, LP2S-PLUS...(Other models you can see in the webshop)		



1

No.	381136	Ref. No.	002000380 DW2000380
description	power contactor resistive load 25A 24VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL01A310T1		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC80, LC90, TX1500, UX220		



1

No.	380262	Ref. No.	0010300052 DW10300052
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm		
For models:	Electron1000, Electron500, Electron500Plus, Electron600, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GRANUL900, GS100, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-800, LP1-S8, LP1S-Plus, LP2, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

No.	381154	Ref. No.	0010300054 DW10300054
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL02A310R6		
For models:	Gastro11S, Gastro1200, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP2, LP2, LP3, LP4, LP4-800, LP4-Elettronica, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

No.	380671	Ref. No.	002000385 DW2000385
description	power contactor resistive load 45A 24VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts connection screw connection type AEG LS11K 00A type GE CL25A300T1		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC90, LC90-2, LC90-900, LC97-4, LC97-5, TX1500, UX220		

motor protection circuit breakers



1

No.	380940	Ref. No.	002000394 DW2000394
description	motor protection circuit breaker type GPS1BSAH setting range 2.5-4A DIN rail contacts screw clamp		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, LC80, LC90, LC90-2, LC90-900, TX1500, UX220		

			
1			
No.	380939	Ref. No.	002000400 DW2000400
description	motor protection circuit breaker type GP51BSAJ setting range 4-6.3A DIN rail connection screw		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC90-2, LC90-4, LC90-900, LC97-4, LC97-5, TX1500, UX220		

ISKRA (FANAL)

power contactors

			
1			
No.	380213	Ref. No.	0015086 DW15086
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		
For models:	5+5M, 5+5M, 5M, 6+6M, 6+6T, 6M, 6T, 8+8T, 8T, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G12S, G600, G600, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000, GRANUL900...(Other models you can see in the webshop)		

ABL SURSUM

motor protection circuit breakers

			
1			
No.	380300	Ref. No.	002000390 DW2000390
description	motor protection circuit breaker type Mbs25-016 setting range 1-1.6A (AC3/400V) 0.55kW		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC81, LC91, LC97-2, LC97-3, LC97-4, LC97-5, LP2, TX1500, UX220		
accessories for	380300		
	No.	380305	Ref. No. —
auxiliary contact contacts 1NO/1NC HMS11			

relays


power relays

with DIN rail mounting

upper

			
1			
No.	380180	Ref. No.	00560301 DW560301
description	power relays FINDER 230VAC 16A 3CO connection male faston 6.3mm DIN rail manuf. no. 62.83.8.230.4007		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, G12D, G12S, Gastro12S, GRANUL900, H600, H600, H600Electronic, HT11, HT11S, HT12S, HT-12SElectronic, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS		

with bracket mounting



1

No.	380139	Ref. No.	0015620 DW15620
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	CAN-MASTER, DS35, DS37, DS40, DS40, DS50, Electron1000, Electron400, Electron500, Electron500CleanWater, F1, F1-KF1, F2, F2-KF2, G12D, G35, G35-RL09-NEW, G600, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GM3, GM4, GS100, GS-100, GS-100-DEPUR, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50...(Other models you can see in the webshop)		




1

No.	380403	Ref. No.	0016047 DW16047
description	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		
For models:	DS35, DS40, G35-RL09-NEW, Gastro500S, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS-50, GS-50-230Vac, GS85, Linear, Star, TwinStar		

plug-in/print relays



1



No.	381151	Ref. No.	003006078 DW3006078
description	print relay 24VAC 2CO 2-pole at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.024.0000 95.65/95.75		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TwinStar, TX1500, UX220		




1

No.	380941	Ref. No.	003006178 DW3006178
description	print relay 250VAC 2CO at 250V 8A connection pins raster size 5mm		
For models:	TwinStar		

relay sockets



1



No.	381181	Ref. No.	003006079 DW3006079	
description	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75			
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TwinStar, TX1500, UX220			
accessories for	381181			
	No.	381455	Ref. No.	—
	support bracket			

time relays

time relays



1

No.	380878	Ref. No.	003006225 003006226 DW3006225 DW3006226
description	time relay FINDER 80.11.0.240 time range 0.1s-20h 12-240V AC/DC 16A mounting measurements DIN railmm 1CO connection grip connection		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, CX, FX, GASTRO-11-S, GASTRO-11-S-Isolata, LC80, LC81, LC90, LC90-2, LC90-4, LC90-900, LC91, LC97-4, LC97-5, TX1500, UX220		

electronic controllers

DIXELL

refrigeration controllers

built-in version



1

No.	378249	Ref. No.	003006120 DW3006120
description	electronic controller DIXELL XR20C-1P3C0 mounting measurements 71x29mm 24V voltage AC/DC NTC/PTC relay outputs 1 CO-8A(3) NTC/PTC DI protection IP54 -50 up to +150°C display 3½ digits		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		

electronic thermometers

built-in version



1

No.	378046	Ref. No.	002000402 DW2000402
description	thermometer DIXELL XT11S mounting measurements 58x25.5mm 24V voltage AC/DC NTC 0 up to +60°C display 2½ digit 1 Templn1 NTC Digiln1 defr. funct. front measurements 31x64mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX280, UX220		

probes

universal probes

temperature probes



1

No.	379161	Ref. No.	002000401 DW2000401
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX280, UX220		



1

No.	379199	Ref. No.	003006121 DW3006121
description	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 5m without screw connection 2-wire		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		

producer-specific probes

probes



1

No.	378347	Ref. No.	00590104 DW590104
description	temperature probe 2x NTC 10K cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread M10x1 probe ø6x15/32mm cable length 3m		
For models:	TwinStar		



1

No.	378248	Ref. No.	0050562 DW50562
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection coded plug thread probe ø6x14mm cable length 2m		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro500S, GRANUL1000, GRANUL900, GRANUL900, GS50, H600, H600Electronic, HT11E, HT11E, HT11S, HT12-Electronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		



1

No.	378312	Ref. No.	00392047/A DW392047/A
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection coded plug thread probe ø6x14mm cable length 3.5m		
For models:	AX161, AX290		



1

No.	378314	Ref. No.	003006165 DW3006165
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø5x30mm cable length 0.35m		
For models:	AX161, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, TX1500		



1

No.	378313	Ref. No.	00392047 DW392047
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø6x14mm cable length 3m		
For models:	AX161, AX290		



No.	378268	Ref. No.	0050563 DW50563
description	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø6x15mm cable length 1.1m		
For models:	LP2, LP3, LP3, LP4, LP4-800, LP4-Elettronica		

electronics

PCBs



No.	403893	Ref. No.	0050553/F DW50553/F
description	control		
For models:	HT11-T, HT-11-Touche		




No.	403222	Ref. No.	0050570/H DW50570/H
description	control PCB dishwasher AX 161/ AX 290 L 160mm W 115mm cable length 970mm with housing Qty 1 pcs		
For models:	AX161, AX290		



No.	403724	Ref. No.	50602 DW50602
description	control PCB dishwasher L 175mm W 30mm		
For models:	Electron400, Electron500, Electron500Plus		



No.	403288	Ref. No.	00590107 DW590107
description	control PCB dishwasher TWIN STAR L 157mm W 112mm with display buttons 6		
For models:	TwinStar		




No.	403731	Ref. No.	0011600931 DW11600931	
description	control PCB L 135mm W 80mm			
For models:	HT11E, HT11S, HT12E-Lift, HT12E-Plus, LP1-800			
accessories for	403731			
	No.	400706	Ref. No.	0050651 50651 DW50651
	ribbon cable 16-pole L 1100mm plug type FC-16P raster size 2.54mm			

1

No.	403891	Ref. No.	0050552 DW50552
description	keypad PCB		
For models:	DS50T, DS50-Touche, HT11-T, HT-11-Touche		

1

No.	403231	Ref. No.	0050570/D DW50570/D
description	keypad PCB dishwasher 80E/81E L 155mm W 100mm with display H 25mm buttons 6		
For models:	LP-2PLUS, LP-3PLUS, LP-4PLUS		



1

No.	403221	Ref. No.	003006164 DW3006164
description	main PCB dishwasher AX 250/300/310/320/330 L 168mm W 148mm for display PCB Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, TX1500		

			
1			
No.	403770	Ref. No.	0091120 DW91120
description	main PCB dishwasher L 190mm W 103mm		
For models:	LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS		

			
1			
No.	403286	Ref. No.	00590105 DW590105
description	PCB dishwasher 116EK L 250mm W 118mm Qty 1 pcs		

			
1			
No.	403230	Ref. No.	0050603 DW50603
description	PCB dishwasher 125EU L 190mm W 110mm with housing H 70mm		
For models:	Electron400, Electron500		

			
1			
No.	402687	Ref. No.	0050584 DW50584
description	PCB dishwasher DS40/DS50 for flow meter		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50		

			
1			
No.	402677	Ref. No.	0050580 DW50580
description	PCB dishwasher DS40/DS50 L 161mm W 90mm		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50		

			
1			
No.	403285	Ref. No.	0050553/E DW50553/E
description	PCB dishwasher DS50 L 117mm W 96mm with housing H 43mm Qty 1 pcs		
For models:	DS50T, DS50-Touche		

			
1			
No.	403284	Ref. No.	0050604 DW50604
description	PCB dishwasher Elektron500 L 190mm W 110mm with housing programmable H 70mm Qty 1 pcs		
For models:	Electron500Plus		

			
1			
No.	402676	Ref. No.	0050559 DW50559
description	PCB dishwasher HT11/12 L 102mm W 62mm timer		
For models:	DW020H, Electron1000, Electron500, G12D, G12S, Gastro12S, Gastro500S, GRANUL900, H600, H600Electronic, HT11E, HT12-Elettronica, HT12S, HT12SElectronic, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP-3PLUS, LP-4PLUS, Tekno6		



1

No.	402682	Ref. No.	0050557 DW50557
description	PCB dishwasher HT600/HT11/HT12 L 160mm W 102mm timer run-time 60/100/180s		
For models:	G12D, G12S, Gastro11S, Gastro1200, Gastro12S, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic		



1

No.	402675	Ref. No.	0050581 DW50581
description	PCB dishwasher KD60 L 185mm W 30mm buttons 4		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50		

accessories for	402675		
	No.	400066	Ref. No.
			005058 0050589 5058 50589 DW5058 DW50589

ribbon cable 10-pole L 1000mm plug type FC-10P raster size 2.54mm



1

No.	403283	Ref. No.	00540201 DW540201
description	PCB dishwasher Optima 400 L 190mm W 110mm with housing H 70mm Qty 1 pcs		
For models:	Optima400		




1

No.	403282	Ref. No.	00561060 DW561060
description	PCB dishwasher Optima L 190mm W 110mm with housing H 70mm Qty 1 pcs		
For models:	Optima500, Optima-Cutlery		



1

No.	403287	Ref. No.	00590106 DW590106
description	PCB dishwasher TWIN STAR L 215mm W 140mm Qty 1 pcs		



1

No.	403558	Ref. No.	0050650 DW50650
description	PCB for dishwasher GR800/900/1000, LP2S, LP3S, LP4S8		
For models:	GRANUL1000, GRANUL900, LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS		

central units



1

No.	402683	Ref. No.	0050556 DW50556
description	control box timer operation time 3/6/9min		
For models:	LP2, LP2, LP3, LP3, LP4, LP4-800, LP4-Elettronica		



1

No.	402681	Ref. No.	0050553/A DW50553/A
description	control box timer run-time 50/120/180s		
For models:	HT11, HT11S		

			
1			
No.	402684	Ref. No.	0050569 DW50569
description	control box without EPROM		
For models:	DW020H, Electron1000, Electron500, Gastro500S, GRANUL900, H600Electronic, HT11E, HT12S, HT12SElectronic, LP1-800, LP1-800EL, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP-3PLUS, LP-4PLUS, Tekno6		

			
1			
No.	379026	Ref. No.	0050553 DW50553
description	electronic timer for dishwasher		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro500S, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, HT11S		

keypads

front foils

			
1			
No.	403256	Ref. No.	00560039 00560042 DW560039 DW560042
description	keypad foil dishwasher 20/29/83ELK 20S5 blue L 557mm W 36mm buttons 4		
For models:	DW020H, Electron1000, Electron500, Electron500, Electron500Clean-Water, Electron500Plus, Electron600, G600S		

			
1			
No.	402914	Ref. No.	00550256 00550262 DW550256 DW550262
description	keypad foil dishwasher G100/K90 blue L 190mm W 190mm		
For models:	GS-100		

			
1			
No.	402685	Ref. No.	0050571 0050575 0050578 DW50571 DW50575 DW50578
description	keypad foil dishwasher H63/373E/144E L 134mm W 79mm buttons 6		
For models:	H600Electronic, HT11E, HT12S, HT12SElectronic, LP1-800, LP1-800EL, LP1-S8, LP1-S8EL, LP-2PLUS, LP-3PLUS, LP-4PLUS		

			
1			
No.	403289	Ref. No.	0096704 DW96704
description	keypad foil dishwasher LP25/LP35/LP48/GR800/TwinStar blue L 200mm W 135mm buttons 6		
For models:	GRANUL1000, GRANUL900, LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS, TwinStar		

membrane keypads

			
1			
No.	403732	Ref. No.	0011600933 DW11600933
description	keypad foil buttons 5 L 155mm W 95mm		
For models:	HT11E, HT11S, HT12E-Lift, HT12E-Plus, LP1-800		

keypad units

			
1			
No.	402679	Ref. No.	0050570/C DW50570/C
description	keypad unit dishwasher 17U/70U buttons 6 L 158mm W 103mm		
For models:	LP1-800, LP1-800EL, LP1-S8, LP1-S8EL		

			
No.	402913	Ref. No.	0050570/A DW50570/A
description	keypad unit dishwasher 37E/80E/81E/18ER/19E buttons 6 suitable for Dihr L 145mm W 90mm with cable		
For models:	HT12SElectronic, LP-2PLUS, LP-3PLUS		



1

No.	402678	Ref. No.	0050570 DW50570
description	keypad unit dishwasher H63/373E/144E buttons 6 L 158mm W 103mm		
For models:	H600Electronic, HT11E, HT12-Elettronica, HT12S, HT12SElectronic		
accessories for	402678		
	No.	402685	Ref. No.
			0050571 0050575 0050578 50571 50575 50578 DW50571 DW50575 DW50578
keypad foil dishwasher H63/373E/144E L 134mm W 79mm buttons 6			

solenoid valves

solenoid valves (water)

ELBI				
straight				
 1				
No.	373025	Ref. No.	0015099 DW15099	
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI			
For models:	C40-CF, C40-LS, Electron400, Electron400, G600, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS40, GS50, GS-50, Linear, LINEAR-CF, LINEAR-LS, LP1-S8, LP1-S8EL, STAR, Star, STAR-CF, STAR-LS, Tekno4, TEKNO-4-CF, TEKNO-4-LS			
spare parts for	373025			
	No.	370467	Ref. No.	—
solenoid valve filter suitable for ELBI				

RPE			
			
No.	374017	Ref. No.	0010703 DW10703
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		
For models:	Derby, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600, G600S, Gastro400S, Gastro450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW...(Other models you can see in the webshop)		

			
No.	374016	Ref. No.	0030001000 DW30001000
description	solenoid valve single angled 230VAC inlet 3/4" outlet 13mm DN10 duty cycle 100% RPE polyamide		
For models:	Electron1000, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, SILVER-1500, SILVER-1500-Insulated		

			
No.	374060	Ref. No.	002000093 DW2000093
description	solenoid valve single angled 24V inlet 3/4" outlet 13mm DN10 duty cycle 100% RPE polyamide		
For models:	AX151, AX151-highspeed, AX161, AX290, LC81, TX1500		

solenoid valves with reducers
2-fold


1

No.	374010	Ref. No.	002000094 DW2000094
description	solenoid valve double angled 24VAC inlet 3/4" outlet 14.5mm input 10-12l/min t.max. 60°C RPE plastic flow regulating valve inlet white		
For models:	AX161, AX290, CAN-MASTER		



1

No.	370742	Ref. No.	0015214 DW15214
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm input 10-12l/min t.max. 60°C RPE plastic flow regulating valve inlet white 1NO/1NC		
For models:	HT12-Optima-HR-Plus, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, TwinStar		

3-fold


1

No.	371153	Ref. No.	002000095 DW2000095
description	solenoid valve triple angled 24V inlet 3/4" outlet 14mm input 10-12l/min t.max. 60°C RPE plastic flow regulating valve inlet white		
For models:	AX161, AX290		

TP


1

No.	370021	Ref. No.	0015098 DW15098	
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro 11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40...(Other models you can see in the webshop)			
spare parts for	370021			
	No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			
accessories for	370021			
	No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
	No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
	No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
	No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			

accessories for 370018				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	No.	371238	Ref. No.	0015115 15115 DW15115
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				

spare parts and accessories

reducers

outlet side



1

No.	371238	Ref. No.	0015115 DW15115
description	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T (Other models you can see in the webshop)		

various



1

No.	370636	Ref. No.	0015213 DW15213	
description	solenoid valve single CO 230VAC outlet 10.5mm MILANO 00168401 plastic 3-ways inlet 10.5mm 50/60Hz male faston 6.3mm			
For models:	Dupla50, Electron400, Electron500, Electron500Plus, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT12E-Lift, HT12-Optima-HR-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT			
accessories for	370636			
	No.	371142	Ref. No.	—
reducer for solenoid valve ø 8.2mm				

metal

BÜRKERT

solenoid valves (various)



1

No.	370464	Ref. No.	003002030 DW3002030
description	solenoid valve 2-ways 24VAC connection 1/2" DN 13mm t.max. -10 up to +90°C membranes NBR p max 10bar brass water		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC91, TX1500, UX220		



pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



1

No.	541136	Ref. No.	0080225 DW80225
description	pressure control pressure range 100/18mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	Electron500CleanWater, Electron600, G600S, LP2, LP2		



1

No.	541975	Ref. No.	0090023 DW90023
description	pressure control pressure range 190/60mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 5.5mm		
For models:	GRANUL1000, GRANUL900, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus		



1

No.	541619	Ref. No.	0088110 DW88110
description	pressure control pressure range 250/40mbar connection 6mm ø 58mm pressure connection ø 6mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, G12D, G12S, Gastro12S, GRANUL1000, GRANUL900, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP-2PLUS, LP2S-PLUS, LP3, LP3, LP-3PLUS...(Other models you can see in the webshop)		



1

No.	541314	Ref. No.	0010706/A DW10706/A
description	pressure control pressure range 46/26mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	AX161, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G12S, G35, G35-RL09-NEW, G600...(Other models you can see in the webshop)		



1

No.	541133	Ref. No.	00540450 DW540450
description	pressure control pressure range 60/25mbar connection male faston 6.3mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	Electron400, Electron400, Gastro400S		



1

No.	541311	Ref. No.	0010300026 DW10300026
description	pressure control pressure range 76/38mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	DW020H, Electron1000, Electron500CleanWater, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro500S, GS100, GS-100, GS-100-DEPUR, LP1, LP1-800, SILVER-1500, SILVER-1500-Insulated		



1

No.	541312	Ref. No.	0075950 DW75950
description	pressure control pressure range 86/59mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	Electron400, Electron400CleanWater, Gastro11S, Gastro1200, HT11E, HT11E, HT11S, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

pressure transmitters



1

No.	541149	Ref. No.	00540205 DW540205
description	pressure transmitter pressure range 0-30mbar output voltage 0.5-3.5VDC input voltage 5VDC max 200mbar		
For models:	Optima400, Optima500, Optima500, Optima-Cutlery, TwinStar		

miscellaneous



1

No.	541976	Ref. No.	00590100 DW590100
description	pressure control pressure range -10/-20mbar connection M8x1.25 ø 38mm		
For models:	TwinStar		



1

No.	541977	Ref. No.	003060195 DW3060195
description	pressure control pressure range 200-3000mbar connection 1/4" ø 38mm 250V 1CO 16A MA-TER pressure connection 1/4"		
For models:	TwinStar		

flow meters and flow sensors

flow meters

miscellaneous



1

No.	402680	Ref. No.	0050583 DW50583
description	flow meter pressure range 0.2-10bar connection 10mm L 69mm		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50		

fans

axial fans

import



1


No.	601601 ¹	Ref. No.	003000118 DW3000118
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22W bearing slide bearing manuf. no. DP200A2123XST.GN SUNON input current 0.14A		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, CX, FX, TwinStar, TX1500, UX220		

¹with slide bearings



hot air fans

miscellaneous



1

No.	602149	Ref. No.	003000300 DW3000300
description	fan motor 230/400V 0.55W type N552		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, LC80, LC90		

motors

gear motors

for dishwashers



1

No.	501405	Ref. No.	003000120 DW3000120
description	motor without gearbox 180/220W 230/400-280/480V 50/60Hz 3 phase 1.2/0.7-1.15/0.67A shaft ø 11mm shaft length 26mm flange ø 89mm 1340/1608rpm type MS63B-4 ø 119mm H 163mm L 215mm E.M.C. for drying 0.18/0.22kW		
For models:	AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX280, BX300, CX, FX, LC91, TX1500		

motors

for dishwashers



1

No.	501477	Ref. No.	003000110 DW3000110
description	motor 260W 400V 50Hz 0.8A shaft ø 14mm shaft length 40mm flange ø 156mm 900rpm ø 140mm H 215mm OLYMPIA 0.26kW		
For models:	AX151-highspeed, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, LC97-2, LC97-3, LC97-4, LC97-5		



1


No.	501405	Ref. No.	003000120 DW3000120
description	motor without gearbox 180/220W 230/400-280/480V 50/60Hz 3 phase 1.2/0.7-1.15/0.67A shaft ø 11mm shaft length 26mm flange ø 89mm 1340/1608rpm type MS63B-4 ø 119mm H 163mm L 215mm E.M.C. for drying 0.18/0.22kW		
For models:	AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX280, BX300, CX, FX, LC91, TX1500		

pumps

wash and rinse pumps

ALBA (C&A)

pumps



1

No.	500298	Ref. No.	N/A
description	pump inlet ø 28mm outlet ø 28mm type C.902SX 230V 50Hz 1 phase 0.074kW 0.1HP L 200mm rotation direction right capacitor 6.3µF ALBA PUMPS (C&A)		
spare parts for	500298		
	No.	365012	Ref. No. —
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			
	No.	510693	Ref. No.
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	532490	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 72.69mm Qty 1 pcs			




1

No.	499016	Ref. No.	N/A
description	pump inlet ø 62mm outlet ø 52mm type CM12040 230/400V 50Hz 3 phase 1.47kW 2HP L 342mm rotation direction left ALBA PUMPS (C&A)		
spare parts for	499016		
	No.	508395	Ref. No. —
	pump cover ALBA PUMPS (C&A) inlet ø 62mm outlet ø 52mm turn direction left ø 180mm ID ø 150mm inner height 38mm		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521039	Ref. No. —
	fanwheel cover ID ø 156mm ED ø 161mm H 76mm for wash pump		
	No.	521532	Ref. No. —
	pump cover bottom part		

FIR

pumps




1

No.	500531	Ref. No.	001030057 DW1030057
description	pump		



1

No.	500532	Ref. No.	0010300057/A DW10300057/A
description	pump		
For models:	DW020H, G12D, G12S, Gastro12S, HT12-Elettronica, LP-ZERO		



1

No.	499004	Ref. No.	0010501/C old DW10501/C old
description	pump inlet ø 28mm outlet ø 26mm type 1291.1670 230V 50Hz 1 phase 0.07kW 0.1HP L 195mm rotation direction right capacitor 5µF FIR		
spare parts for	499004		
	No.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		



1

No.	501446	Ref. No.	0010508 DW10508
description	pump inlet ø 28mm outlet ø 26mm type 4213E2250 220-240V 50Hz 1 phase 0.19kW 0.26HP L 190mm rotation direction left capacitor 5µF FIR		
For models:	Electron500, HT12S, HT12SElectronic, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, Tekno6		
spare parts for	501446		
	No.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510384	Ref. No. —
	pump cover inlet ø 28mm outlet ø 26mm ø 100mm ID ø 76mm		
	No.	510695	Ref. No. 0010505 10505 DW10505
	mechanical shaft seal height counter ring 5.5mm ID ø 11mm		
	No.	521203	Ref. No. —
	impeller ø 72mm H 18mm thread M7 shaft ø 11mm shaft length 32mm blades 3		
	No.	521703	Ref. No. 0010506 003786579 10506 3786579 DW10506 DW3786579
	pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs		



1

No.	500527	Ref. No.	0015908/A DW15908/A
description	pump inlet ø 60mm outlet ø 50/30mm type 2233.B140 230V 50Hz 1 phase 0.55kW 0.75HP L 210mm rotation direction right capacitor 12.5µF FIR inlet ø 60mm		
For models:	Accessories, Electron500, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS50, Pompa-Lavaggio, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		
spare parts for	500527		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510552	Ref. No. 0015079/D 15079/D DW15079/D
	pump cover gasket pump type 1292-2/3942/3981/3911/3983		
	No.	510608	Ref. No. 0015019/B 0015079/B 15019/B 15079/B DW15019/B DW15079/B
	impeller ø 93mm H 32mm shaft intake ø 9/8mm blades 6 inner height 11mm		
	No.	510692	Ref. No. —
	mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		
	No.	521511	Ref. No. 0015031/E 0015031/ E+0012524 15031/E 15031/E+12524 DW15031/E DW15031/ E+DW12524
	pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm		



1

No.	500528	Ref. No.	0015908/D DW15908/D
description	pump inlet ø 60mm outlet ø 50mm type 4233.1500 230V 50Hz 1 phase 0.74kW 1HP L 220mm rotation direction right capacitor 16µF FIR		
For models:	Electron500, G600, G600, Gastro500S, Gastro750Plus, Gastro750S, GS50, Tekno6		
spare parts for	500528		
	No.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510552	Ref. No. 0015079/D 15079/D DW15079/D
	pump cover gasket pump type 1292-2/3942/3981/3911/3983		
	No.	510693	Ref. No. 001020055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	517319	Ref. No. 0012524 12524 DW12524
	hose connector T1: M12x1.75 hose ø 11mm brass		
	No.	521177	Ref. No. 0015912 15912 DW15912
	impeller ø 93mm H 23mm thread M10L suitable for FIR		
	No.	521511	Ref. No. 0015031/E 0015031/ E+0012524 15031/E 15031/E+12524 DW15031/E DW15031/ E+DW12524
	pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm		




1

No.	499139	Ref. No.	0080912 DW80912
description	pump inlet ø 62mm outlet ø 62mm type 2275.2722 230/400V 50Hz 3 phase 2.6kW L 400mm rotation direction right FIR		
For models:	LP4, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS		
spare parts for	499139		
	No.	510687	Ref. No. 0080912/B 80912/B DW80912/B
	mechanical shaft seal for shaft ø 18mm height counter ring 8mm ID ø 17mm ED ø 39mm H 15mm mounting ø 42mm int. ø 1 21mm		
	No.	521026	Ref. No. 0080912/D 80912/D DW80912/D
	pump cover gasket ID ø 182.5mm thickness 5x4.5mm		
	No.	521028	Ref. No. 0080912/C 80912/C DW80912/C
	pump cover FIR inlet ø 62mm outlet ø 62mm turn direction right ø 215mm ID ø 175mm inner height 40mm		
	No.	521277	Ref. No. 0080912/A 80912/A DW80912/A
	impellor ø 135mm H 39mm pump type Fir 2275 - 3.6HP thread M14L		
	No.	524676	Ref. No. —
	fan wheel ø 160mm shaft intake ø 24mm plastic blades 12 W 30mm		



1

No.	500155	Ref. No.	0010300058 DW10300058
description	pump inlet ø 63mm outlet ø 47mm type 1225 230V 50Hz 1 phase 1.1kW 1.5HP L 335mm rotation direction right capacitor 31.5µF FIR		
spare parts for	500155		
	No.	365016	Ref. No. —
operating capacitor capacity 31.5µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 45mm L 95mm M8 plastic connection male faston 6.3mm protection			
	No.	510602	Ref. No. —
impellor ø 110mm H 34mm rotation direction right thread M8L shaft ø 28mm seat ø 12.2mm blades 6			
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521513	Ref. No. 0010200222 10200222 DW10200222
pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm			
	No.	524416	Ref. No. 0010200290 10200290 DW10200290
pump cover gasket thickness 4x4mm Qty 1 pcs			



1

No.	500023	Ref. No.	0010300057 DW10300057
description	pump inlet ø 63mm outlet ø 47mm type 1225.2725 230/400V 50Hz 3 phase 1.1kW 1.5HP L 335mm rotation direction right FIR		
For models:	Accessories, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Pompa-Lavaggio, SILVER-1500, SILVER-1500-Insulated		
spare parts for	500023		
	No.	510602	Ref. No. —
impellor ø 110mm H 34mm rotation direction right thread M8L shaft ø 28mm seat ø 12.2mm blades 6			
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521513	Ref. No. 0010200222 10200222 DW10200222
pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm			
	No.	524416	Ref. No. 0010200290 10200290 DW10200290
pump cover gasket thickness 4x4mm Qty 1 pcs			



1

No.	499297	Ref. No.	0088106 DW88106
description	pump inlet ø 63mm outlet ø 53mm type 1205.2820 230/400V 50Hz 3 phase 2.7HP L 330mm rotation direction left FIR		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, CX, FX, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP3, LP3, LP-3PLUS, LP3S-PLUS		
spare parts for	499297		
	No.	510357	Ref. No. 0088222 88222 DW88222
impellor ø 124mm H 34/16mm thread M8R blades 6			
	No.	510523	Ref. No. —
fan wheel ø 142mm shaft intake ø 15mm blades 12			
	No.	510531	Ref. No. —
pump cover FIR inlet ø 63mm outlet ø 53mm auxiliary pressure connection M16x1.5mm supporting pressure open turn direction left ø 185mm ID ø 150mm inner height 37mm			
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	524416	Ref. No. 0010200290 10200290 DW10200290
pump cover gasket thickness 4x4mm Qty 1 pcs			

LOWARA

pumps



1

No.	499255	Ref. No.	0015100/L DW15100/L
description	pump inlet ø 1 1/4" IT outlet ø 1" IT type CEAM/70/3/A 220-240V 50Hz 1 phase 0.6kW L 310mm rotation direction left capacitor 14µF LOWARA		
For models:	LP4, LP4-800, LP4-Elettronica		

OLYMPIA

pumps



1

No.	500521	Ref. No.	00135501 DW135501
description	pump inlet ø 1" IT outlet ø 26mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 225mm rotation direction right capacitor 5µF auxiliary pressure connection 11mm supporting pressure closed OLYMPIA		
For models:	Accessories, GS40, GS40, GS40, GS40, GS-40, Pompa-Lavaggio		
spare parts for	500521		
	No.	365017	Ref. No. 0010702 10702 DW10702
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			

spare parts for 500521				
	No.	521256	Ref. No.	00133505 00135505 133505 135505 DW133505 DW135505
	impellor ø 74mm H 14mm thread M10L shaft ø 12mm shaft length 7.5mm blades 8			
	No.	521554	Ref. No.	00135503 135503 DW135503
	pump cover OLYMPIA inlet 1" ø 90mm ID ø 66mm inner height 5mm			
	No.	521724	Ref. No.	00135506 0025029 135506 25029 DW135506 DW25029
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs			
	No.	528800	Ref. No.	00135502 135502 DW135502
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs				

1

No.	499257	Ref. No.	00401402 DW401402
description	pump inlet ø 1" IT outlet ø 30mm type L63.T45F_2V 230V 50Hz 1 phase 0.33kW L 230mm rotation direction left capacitor 8µF OLYMPIA		
For models:	DS40		
spare parts for	499257		
	No.	365013	Ref. No. —
operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection			
	No.	509007	Ref. No. —
impellor ø 85mm H 20mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 12			
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521167	Ref. No. DW401402/B
pump cover OLYMPIA inlet ø 1"mm outlet ø 30/30mm ID ø 94mm			

spare parts for 499257				
	No.	521723	Ref. No.	0018245 18245 DW18245
pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs				


A detailed view of the pump assembly. It features a black motor housing with a white label containing technical specifications and a wiring diagram. The motor is connected to a white plastic pump body with various ports. A white cylindrical capacitor is attached to the side of the motor. Wires of different colors (red, green, blue, yellow) are visible at the bottom.

1

No.	499131	Ref. No.	00351400 DW351400
description	pump inlet ø 1" IT outlet ø 30mm type T.19DX 230V 50Hz 1 phase 0.19kW L 195mm rotation direction left capacitor 5µF OLYMPIA outlet ø 30mm		
For models:	DS35, DS37		
spare parts for	499131		
	No.	365017	Ref. No. 0010702 10702 DW10702
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521168	Ref. No. 371402/A
pump cover OLYMPIA inlet ø 1"mm outlet ø 30mm pump type T.19DX			
	No.	521169	Ref. No. —
impellor ø 64mm H 15mm pump type T.19DX thread M7R shaft ø 12mm shaft length 30mm			
	No.	521723	Ref. No. 0018245 18245 DW18245
pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs			

1

No.	499258	Ref. No.	0015100/QO DW15100/QO
description	pump inlet ø 15mm outlet ø 13mm type R63.T33 PRS 400V 50Hz 3 phase 0.25kW L 185mm rotation direction left OLYMPIA		
For models:	AX161, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, BX300		
spare parts for	499258		
	No.	510693	Ref. No.
	0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E		
mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521165	Ref. No.
	—		
pump cover OLYMPIA inlet ø 15mm outlet ø 13mm pump type R63.T33 PRS			
	No.	521166	Ref. No.
	0015100/U 15100/U DW15100/U		
impellor ø 90mm H 9mm pump type R63.T33 PRS thread M10R shaft ø 12mm shaft length 8mm			
	No.	525022	Ref. No.
	—		
O-ring EPDM thickness 1.78mm ID ø 75.92mm Qty 1 pcs			

						
1						
No.	499095	Ref. No.	0015100/DO DW15100/DO			
description	pump inlet ø 15mm outlet ø 14mm type T.33PRS 230V 50Hz 1 phase 0.25kW L 185mm rotation direction right capacitor 8µF OLYMPIA					
For models:	DW020H, Electron1000, Electron400CleanWater, Electron500, Electron500Plus, Electron600, G600S, Gastro500S, GRANUL1000, GRANUL900, GRANUL900, H600, H600Electronic, HT11E, HT11S, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-800, LP1-800EL, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, Optima400, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT					
spare parts for	499095					
	No.	365013	Ref. No.	—		
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection					
	No.	510693	Ref. No.	0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E		
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm					
	No.	521165	Ref. No.	—		
	pump cover OLYMPIA inlet ø 15mm outlet ø 13mm pump type R63. T33 PRS					
	No.	521166	Ref. No.	0015100/U 15100/U DW15100/U		
	impellor ø 90mm H 9mm pump type R63.T33 PRS thread M10R shaft ø 12mm shaft length 8mm					
	No.	525022	Ref. No.	—		
	O-ring EPDM thickness 1.78mm ID ø 75.92mm Qty 1 pcs					

1

No.	499318	Ref. No.	0010501/A DW10501/A	
description	pump inlet ø 28mm outlet ø 28mm type L63.T19 230V 50Hz 1 phase 0.19kW L 185mm rotation direction right capacitor 5µF OLYMPIA inlet ø 28mm outlet ø 28mm			
For models:	Accessories, Derby, Derby400, DERBY-CF, DW020H, Electron1000, G12S, G35, Gastro11S, Gastro1200, Gastro12S, GS100, GS-100, GS-35, GS37, GS37, GS-37, GS37-prima-serie, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettro-nica, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP-ZERO, Pompa-La-vaggio			
spare parts for	499318			
	No.	365017	Ref. No.	0010702 10702 DW10702
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection				
	No.	510693	Ref. No.	0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm				
	No.	521163	Ref. No.	10502 Olympia
pump cover OLYMPIA inlet ø 28mm outlet ø 26mm pump type L63.T19				
	No.	521164	Ref. No.	10504 Olympia
impellor ø 64mm H 15mm pump type L63.T19 thread M7L shaft ø 12mm shaft length 30mm				
	No.	521724	Ref. No.	00135506 0025029 135506 25029 DW135506 DW25029
O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs				


1

No.	499229	Ref. No.	0025021 DW25021	
description	pump inlet ø 28mm outlet ø 30mm type L63.T19 230V 50Hz 1 phase 0.19kW L 215mm rotation direction right capacitor 5µF OLYMPIA			
For models:	G35-RL09-NEW, GS37-RL09-NEW			
spare parts for	499229			
	No.	365017	Ref. No.	0010702 10702 DW10702
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection				
	No.	510693	Ref. No.	0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm				
	No.	521164	Ref. No.	10504 Olympia
impellor ø 64mm H 15mm pump type L63.T19 thread M7L shaft ø 12mm shaft length 30mm				
	No.	521170	Ref. No.	0025001 25001 DW25001
pump cover OLYMPIA outlet ø 30mm auxiliary pressure connection 11mm pump type L63.T19				
	No.	521724	Ref. No.	00135506 0025029 135506 25029 DW135506 DW25029
O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs				



1

No.	499256	Ref. No.	0025024 DW25024
description	pump inlet ø 28mm outlet ø 30mm type L63.T40 230V 50Hz 1 phase 0.4kW L 235mm rotation direction right capacitor 5µF OLYMPIA		
For models:	GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW		
spare parts for	499256		
	No.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521170	Ref. No. 0025001 25001 DW25001
	pump cover OLYMPIA outlet ø 30mm auxiliary pressure connection 11mm pump type L63.T19		
	No.	521171	Ref. No. 0025024/A 25024/A DW25024/A
	impellor ø 74mm H 16mm pump type L63.T40 thread M10L		
	No.	521724	Ref. No. 00135506 0025029 135506 25029 DW135506 DW25029
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		



1


No.	500522	Ref. No.	0016042 DW16042
description	pump inlet ø 29mm outlet ø 27mm type T41 230V 50Hz 1 phase 0.29kW 0.4HP L 200mm rotation direction left capacitor 8µF OLYMPIA		
For models:	Accessories, Linear, LINEAR-CF, LINEAR-CR, Pompa-Lavaggio		
spare parts for	500522		
	No.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521259	Ref. No. 007135 7135 DW7135
	impellor ø 94mm H 11mm rotation direction left thread M10R blades 6		
	No.	521555	Ref. No. 007133 7133 DW7133
	pump cover OLYMPIA inlet ø 29mm outlet ø 28mm ø 132mm ID ø 123mm inner height 18mm		
	No.	521726	Ref. No. —
	pump cover gasket EPDM thickness 2mm ID ø 120mm Qty 1 pcs		



No.	499296	Ref. No.	00590046 DW590046
description	pump inlet ø 30mm outlet ø 30mm type L71.T730_30 230V 50Hz 1 phase 0.52kW L 230mm rotation direction right capacitor 12.5µF OLYMPIA		
For models:	TwinStar		
spare parts for	499296		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510554	Ref. No. 007130 7130 DW7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521159	Ref. No. —
	pump cover OLYMPIA inlet 30 inlet ø 30mm auxiliary pressure connection 10mm pump type L71.T730_30		
	No.	521160	Ref. No. —
	impellor ø 97mm H 22mm thread M10L		



No.	499295	Ref. No.	00590108 DW590108
description	pump inlet ø 30mm outlet ø 30mm type L71.T730_30 230V 50Hz 1 phase 0.52kW L 230mm rotation direction right capacitor 12.5µF OLYMPIA inlet ø 30mm outlet ø 30mm		
For models:	TwinStar		
spare parts for	499295		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510554	Ref. No. 007130 7130 DW7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521159	Ref. No. —
	pump cover OLYMPIA inlet 30 inlet ø 30mm auxiliary pressure connection 10mm pump type L71.T730_30		
	No.	521160	Ref. No. —
	impellor ø 97mm H 22mm thread M10L		




1

No.	500520	Ref. No.	0018242 0018242B DW18242 DW18242B	
description	pump inlet ø 33mm outlet ø 30/28mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 190mm rotation direction left capacitor 5µF OLYMPIA			
For models:	Accessories, C40-LS, Electron400, Electron400, Electron400CleanWater, Gastro400S, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Optima400, Pompa-Lavaggio, Star, STAR-LS, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-LS, TURBO-LS			
spare parts for	500520			
	No.	365017	Ref. No.	0010702 10702 DW10702
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection				
	No.	510693	Ref. No.	0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm				
	No.	521151	Ref. No.	—
impellor ø 71mm H 19mm pump type OLYMPIA thread M10R shaft ø 12mm shaft length 8mm				
	No.	521551	Ref. No.	0018247 18247 DW18247
pump cover OLYMPIA inlet ø 33mm outlet ø 30mm outlet 2 ø 28 turn direction left ø 103mm ID ø 93mm inner high 30mm				
	No.	521723	Ref. No.	0018245 18245 DW18245
pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs				




1

No.	500958	Ref. No.	0018300 DW18300	
description	pump inlet ø 33mm outlet ø 30/28mm type T45 230V 50Hz 1 phase 0.33kW 0.45HP L 215mm rotation direction left capacitor 8µF OLYMPIA			
For models:	Electron400, GS40, GS40, GS40, Tekno4			
spare parts for	500958			
	No.	365013	Ref. No.	—
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection			
	No.	510693	Ref. No.	0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521257	Ref. No.	0018246 18246 DW18246
	impellor ø 80mm H 12mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 6			
	No.	521551	Ref. No.	0018247 18247 DW18247
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm outlet 2 ø 28 turn direction left ø 103mm ID ø 93mm inner height 30mm			
	No.	521723	Ref. No.	0018245 18245 DW18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs			



1

No.	499320	Ref. No.	0010501/C DW10501/C
description	pump inlet ø 33mm outlet ø 30mm type L63.T20SX 230V 50Hz 1 phase 0.2kW L 200mm rotation direction right capacitor 5µF auxiliary pressure connection 10mm supporting pressure closed OLYMPIA		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, FX, UX220		
spare parts for	499320		
	No.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521173	Ref. No. —
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm auxiliary pressure connection 10mm pump type L63.T20SX		
	No.	521174	Ref. No. —
	impellor ø 60mm H 16mm pump type L63.T20SX shaft ø 12mm shaft length 8mm		
	No.	521723	Ref. No. 0018245 18245 DW18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		




1

No.	500519	Ref. No.	0018243 DW18243
description	pump inlet ø 33mm outlet ø 30mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 195mm rotation direction left capacitor 5µF OLYMPIA		
For models:	Accessories, C40-CF, Electron400, Gastro400S, Pompa-Lavaggio, Star, STAR-CF, Synthesis, Tekno4, TEKNO-4-CF, TURBO-CF		
spare parts for	500519		
	No.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521257	Ref. No. 0018246 18246 DW18246
	impellor ø 80mm H 12mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 6		
	No.	521553	Ref. No. 0018248 18248 DW18248
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm turn direction left ø 103mm ID ø 93mm inner height 25mm		
	No.	521723	Ref. No. 0018245 18245 DW18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		

1

No.	500523	Ref. No.	0016176 DW16176
description	pump inlet ø 50mm outlet ø 30mm type T5 230V 50Hz 1 phase 0.35kW 0.48HP L 205mm rotation direction right capacitor 10µF auxiliary pressure connection 10mm supporting pressure open OLYMPIA		
For models:	Accessories, Linear, LINEAR-LS, Pompa-Lavaggio		
spare parts for	500523		
	No.	365015	Ref. No. 0018043 18043 DW18043
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	No.	510554	Ref. No. 007130 7130 DW7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521260	Ref. No. 0015079 15079 DW15079
	impellor ø 90mm H 12mm M10L type B		
	No.	521556	Ref. No. 0016182 16182 DW16182
	pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner height 20mm		

1						
No.	500524	Ref. No.	0026176 DW26176			
description	pump inlet ø 50mm outlet ø 30mm type T6 230V 50Hz 1 phase 0.48kW 0.65HP L 215mm rotation direction right capacitor 10µF OLYMPIA					
For models:	Accessories, Gastro450, GASTRO-450, Pompa-Lavaggio					
spare parts for	500524					
	No.	365015	Ref. No.	0018043 18043 DW18043		
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection					
	No.	510554	Ref. No.	007130 7130 DW7130		
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs					
	No.	510693	Ref. No.	0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E		
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm					
	No.	521262	Ref. No.	0022009/A 22009/A DW22009/A		
	impellor ø 102mm H 19mm rotation direction right thread M10L blades 6					
	No.	521556	Ref. No.	0016182 16182 DW16182		
	pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner height 20mm					



1

No.	500525	Ref. No.	00150906 00150908 00150914 DW150906 DW150908 DW150914
description	pump inlet ø 50mm outlet ø 30mm type T7 230V 50Hz 1 phase 0.52kW 0.71HP L 230mm rotation direction right capacitor 12.5µF OLYMPIA		
For models:	Accessories, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, Optima500, Optima500, Optima-Cutlery, Pompa-La-vaggio, Tekno6.1-Acqua-pulita		
spare parts for	500525		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510554	Ref. No. 007130 7130 DW7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	517368	Ref. No. 0015079/F 15079/F DW15079/F
	impellor ø 102mm H 21mm rotation direction right thread M10L suitable for Dihr blades 8		
	No.	521556	Ref. No. 0016182 16182 DW16182
	pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner height 20mm		



1

No.	499260	Ref. No.	0022041 DW22041
description	pump inlet ø 60mm outlet ø 48mm type A.4.5/2.6 220-240/380-415V 50Hz 3 phase 1.12kW 1.5HP L 310mm rotation direction right OLYMPIA		
For models:	Gastro11S, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		
spare parts for	499260		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521175	Ref. No. —
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm		
	No.	521262	Ref. No. 0022009/A 22009/A DW22009/A
	impellor ø 102mm H 19mm rotation direction right thread M10L blades 6		
	No.	521727	Ref. No. 0015080/A 15080/A DW15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



1

No.	500529	Ref. No.	0015913 DW15913
description	pump inlet ø 60mm outlet ø 48mm type T12 230V 50Hz 1 phase 0.88kW 1.2HP L 270mm rotation direction right capacitor 16µF auxiliary pressure connection 10mm supporting pressure open OLYMPIA		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Pompa-Lavaggio		
spare parts for	500529		
	No.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521010	Ref. No. 0015079/I 15079/I DW15079/I
	impellor ø 98mm H 12mm M10L blades 8		
	No.	521559	Ref. No. 0015078 15078 DW15078
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 170mm ID ø 150mm inner height 22mm		
	No.	521727	Ref. No. 0015080/A 15080/A DW15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



1

No.	500530	Ref. No.	0022009 DW22009
description	pump inlet ø 60mm outlet ø 48mm type T15 230V 50Hz 1 phase 1.1kW 1.5HP L 305mm rotation direction right OLYMPIA		
For models:	Accessories, DW020H, Electron1000, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Pompa-Lavaggio		
spare parts for	500530		
	No.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521039	Ref. No. —
	fanwheel cover ID ø 156mm ED ø 161mm H 76mm for wash pump		
	No.	521262	Ref. No. 0022009/A 22009/A DW22009/A
	impellor ø 102mm H 19mm rotation direction right thread M10L blades 6		
	No.	521559	Ref. No. 0015078 15078 DW15078
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 170mm ID ø 150mm inner height 22mm		
	No.	521727	Ref. No. 0015080/A 15080/A DW15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



1

No.	500526	Ref. No.	0015908 DW15908
description	pump inlet ø 60mm outlet ø 48mm type T75 230V 50Hz 1 phase 0.55kW 0.75HP L 250mm rotation direction right capacitor 12.5µF auxiliary pressure connection 10mm supporting pressure open OLYMPIA		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900, Pompa-La-vaggio		
spare parts for	500526		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521260	Ref. No. 0015079 15079 DW15079
	impellor ø 90mm H 12mm M10L type B		
	No.	521559	Ref. No. 0015078 15078 DW15078
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 170mm ID ø 150mm inner height 22mm		
	No.	521727	Ref. No. 0015080/A 15080/A DW15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



1

No.	499259	Ref. No.	003000082 DW3000082
description	pump inlet ø 62mm outlet ø 52mm type MEC.T120DX 220-240/380-415V 50Hz 3 phase 0.89kW 1.2HP L 310mm rotation direction left OLYMPIA		
For models:	AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, FX, TX1500		
spare parts for	499259		
	No.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521152	Ref. No. —
	pump cover OLYMPIA inlet 62 ø 190mm		
	No.	521153	Ref. No. —
	pump casing OLYMPIA outlet ø 52mm		
	No.	521154	Ref. No. —
	O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs		
	No.	521172	Ref. No. —
	impellor ø 107mm H 28mm pump type MEC.T120DX thread M8R		



1

No.	499226	Ref. No.	0022037 DW22037
description	pump inlet ø 62mm outlet ø 52mm type MEC80.T200SX 230/400V 50Hz 3 phase 1.5kW 2HP L 340mm rotation direction right OLYMPIA		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, Gastro12S, H600, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1S, LP1-S, LP-2PLUS, LP2S-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
spare parts for	499226		
	No.	510693	Ref. No.
			0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521152	Ref. No.
			—
	pump cover OLYMPIA inlet 62 ø 190mm		
	No.	521153	Ref. No.
			—
	pump casing OLYMPIA outlet ø 52mm		
	No.	521154	Ref. No.
			—
	O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs		
	No.	521155	Ref. No.
			—
	impellor ø 107mm H 34mm pump type OLYMPIA thread M8L blades 6		
accessories for	499226		
	No.	542157	Ref. No.
			—
	bracket for wash pump L 267mm W 132mm H 43mm		

h2>booster pumps l



1

No.	500060	Ref. No.	0015100 DW15100
description	pump inlet ø 1" outlet ø 1" type PQM60 230V 50Hz 1 phase 0.37kW PEDRELLLO		
For models:	Accessories, AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DW020H, Electron1000, FX, G12D, G12S, Gastro11S, Gastro1200, Gastro12S, GS100, GS-100, H600, H600, HT11S, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800...(Other models you can see in the webshop)		
accessories for	500060		
	No.	365015	Ref. No.
			0018043 18043 DW18043
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1

No.	499294	Ref. No.	0015100/D DW15100/D DW15100/D+2xDW10221311
description	pump inlet ø 3/8" outlet ø 3/8" type B299.2351 230V 50Hz 1 phase 0.15kW 2800rpm L 170mm capacitor 6.3µF FIR		
For models:	DS35, DS37, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G12S, G600, G600S, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL900, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica...(Other models you can see in the webshop)		
accessories for	499294		
	No.	365017	Ref. No.
			0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		



drain pumps

ASKOLL



1

No.	500515	Ref. No.	0015101/A 0015101/A+0015101/F 15101/A+15101/F DW15101/A DW15101/A+DW15101/F
description	drain pump inlet ø 30mm outlet ø 22mm 230V 25W 50Hz ASKOLL type M253 with thermal fuse		
For models:	Accessories, Electron400, Electron400, Electron400CleanWater, Electron500, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

PLASET



1

No.	499298	Ref. No.	0015101 DW15101
description	drain pump inlet ø 30mm outlet ø 22mm 220-240V 22W 50Hz PLASET type 59491		
For models:	Accessories, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600, G600S, Gastro400S, Gastro450, GASTRO-450, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, Linear, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR...(Other models you can see in the webshop)		



1

No.	499223	Ref. No.	00999900081 DW999900081
description	drain pump service kit inlet ø 30mm outlet ø 22mm 220-240V 22W 50Hz PLASET type 59491		

booster pumps II

accessories



1

No.	365015	Ref. No.	0018043 DW18043
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	Accessories, Electron400, Electron400, Electron400CleanWater, Gastro400S, Gastro450, GASTRO-450, GM, GM, GM2, GM-2, GM2-2, GM2-2, GM-2-BK11, GM3, GM3, GM4, GM4, GM-BK11, Linear, LINEAR-LS, Optima400, Pompa-Lavaggio, Star, STAR-CF, STAR-LS, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		



1

No.	365017	Ref. No.	0010702 DW10702
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	Accessories, AX250, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900...(Other models you can see in the webshop)		

condensators & interference suppression filters

operating capacitors

plastic



1

No.	365015	Ref. No.	0018043 DW18043
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	Accessories, Electron400, Electron400, Electron400CleanWater, Gastro400S, Gastro450, GASTRO-450, GM, GM, GM2, GM-2, GM2-2, GM2-2, GM2-2-BK11, GM3, GM3, GM4, GM4, GM-BK11, Linear, LINEAR-LS, Optima400, Pompa-Lavaggio, Star, STAR-CF, STAR-LS, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		



2

No.	365017	Ref. No.	0010702 DW10702
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	Accessories, AX250, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS45, DS50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900... (Other models you can see in the webshop)		

metal



1

No.	365140	Ref. No.	0015081 DW15081
description	operating capacitor capacity 12.5µF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection		
For models:	Accessories, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS8S, Optima500, Optima500, Optima-Cutlery, Pompa-Lavaggio, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

fuses

fine fuses



1

No.	358610	Ref. No.	0015160 DW15160
description	fine fuse size ø5x20mm 10A fast-acting rated 250V Qty 10 pcs		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP-2PLUS, LP25-PLUS, LP-3PLUS, LP35-PLUS, LP-4PLUS, LP458-PLUS, TX1500, UX220		



1

No.	358671	Ref. No.	0015163 DW15163
description	fine fuse size ø5x20mm 1A fast-acting rated 250V Qty 10 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Electron500, Electron500, Electron500Plus, Electron600, FX, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, H600, HT11E, HT11S, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, LP1-800...(Other models you can see in the webshop)		



1

No.	358607	Ref. No.	0015212 DW15212
description	fine fuse size ø5x20mm 6.3A slow-acting rated 250V Qty 10 pcs		
For models:	TwinStar		



1

No.	358027	Ref. No.	003006095 DW3006095
description	fine fuse size ø10x38mm 16A rated 500V type Gg fast-acting Qty 1 pcs		
For models:	TwinStar		



electric accessories

cables

ribbon cables

group 1



No.	400066	Ref. No.	005058 0050589 DW5058 DW50589
description	ribbon cable 10-pole L 1000mm plug type FC-10P raster size 2.54mm		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50, HT11-T, HT-11-Touche		



No.	400706	Ref. No.	0050651 DW50651
description	ribbon cable 16-pole L 1100mm plug type FC-16P raster size 2.54mm		

terminals

connection terminals with screw/faston connections



No.	550411	Ref. No.	00500551 DW500551
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	CREPE2, CREPPE-2, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35-RL09-NEW, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS50, GS-50, GS85, HT11, HT11E, HT11S, HT11-T...(Other models you can see in the webshop)		

connection terminals with screw connection



No.	550470	Ref. No.	00500550 DW500550
description	power terminal block 3-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C cross section 6mm ²		
For models:	CAN-MASTER, CREPE1, CREPPE-1, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Gastro400S, Gastro450, GS100, GS-100, GS-35, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS-40, GS45, GS50, GS-50-230Vac, GS50-230VAC, Tekno4, TEKNO-4-CF, TEKNO-4-LS, X1, X1-TK20, X1-TK21		

auxiliary gas parts

consumables

thread sealants



No.	890135	Ref. No.	Loctite 511
description	thread sealing LOCTITE 511 tube 50ml approval DVGW		
description	LOCTITE® 511™ - tube 50ml It is designed for the locking and sealing of metal threaded pipes and fittings. The product cures rapidly when confined in the absence of air between close fitting metal surfaces.		



No.	890128	Ref. No.	Loctite 542
description	thread sealing LOCTITE 542 medium-strength bottle 50ml approval DVGW		
description	LOCTITE® 542™ - bottle 50ml It is designed for the locking and sealing of metal pipes and fittings as well as other cylindrical metal assemblies. The product cures when confined in the absence of air between close-fitting metal surfaces and prevents loosening and leakage due to shock and vibration. The thixotropic nature of LOCTITE 542 reduces the migration of liquid product after application to the part.		



No.	890097	Ref. No.	Loctite 577
description	thread sealing LOCTITE 577 medium-strength bottle 50ml pipe thread sealing t.max. 150°C approval BAM and DVGW		
description	LOCTITE® 577™ - bottle 50ml It is designed for the locking and sealing of metal pipes and fittings as well as other cylindrical metal assemblies. The product provides an instant, low-pressure seal for metal pipes and fittings. It will not creep, shrink or block systems by shredding. Suitable for fast application at low temperatures. It has excellent chemical and thermal resistance and offers less migration of liquid product after application to the part.		

equipment-specific units

for bar blender

blenders

jar components

jars

complete



1

No.	696347	Ref. No.	0060176 0060191 DW60176 DW60191
description	blender jar plastic 1500ml with blade		
For models:	F1, F1-KF1, F1-KF1INOX, F2, F2-KF2, FRULLATORI-F1S, FRULLATORI-F2S, GM2-2, GM3, GM3, GM3-BK12, GM4, GM4, GM4-BK13		



1

No.	696437	Ref. No.	0060178 DW60178
description	blender jar plastic 1500ml with mixer disc		
For models:	F1, F1-KF1, F1-KF1INOX, F2, F2-KF2, FRULLATORI-F1S, FRULLATORI-F2S, GM2-2, GM3, GM3, GM3-BK12, GM4, GM4, GM4-BK13		

gaskets



1

No.	651007	Ref. No.	0060183 DW60183
description	gasket ED ø 75mm ID ø 55mm thickness 3mm Qty 1 pcs		
For models:	F1, F1-KF1, F1-KF1INOX, F2, F2-KF2, FRULLATORI-F1S, FRULLATORI-F2S, GM2-2, GM3, GM3, GM3-BK12, GM4, GM4, GM4-BK13		

actuators

group 1



1

No.	698401	Ref. No.	0060107 DW60107
description	mixer coupling for motor ø 30mm H 16mm IT M6 teeth 4 plastic		
For models:	F1, F1, F1-KF1, F1-KF1INOX, F2, F2-KF2, F3, FRULLATORI-F1S, FRULLATORI-F2S, GM2-2, GM2-2, GM3, GM3, GM3-BK12, GM4, GM4, GM4-BK13		

group 3



1

No.	698377	Ref. No.	0060106 DW60106
description	mixer coupling for jar ø 53mm H 30mm ID ø 30mm plastic		
For models:	F1, F3, GM2-2, GM2-2, GM3, GM4		

for citrus juicers

juicer insert



1

No.	650179	Ref. No.	0060559 DW60559
description	juicer insert ø 74mm H 58mm plastic		
For models:	S40, S40-BK4		

miscellaneous



1

No.	650178	Ref. No.	0061051 DW61051
description	ball for citrus juicers ø 5mm		
For models:	GM-2, GM-2-BK11, GM3, GM3-BK12, GM4, GM4-BK13		
accessories for	650178		
	No.	650176	Ref. No. 0060153 60153 DW60153
	shaft for citrus juicers ø 6mm L 16mm		
	No.	650177	Ref. No. 0061052 61052 DW61052
	spring for citrus juicers ø 6mm L 25mm		



1

No.	650176	Ref. No.	0060153 DW60153
description	shaft for citrus juicers ø 6mm L 16mm		
For models:	GM, GM, GM2, GM-2, GM-2-BK11, GM3, GM3, GM4, GM4, GM-BK11		
accessories for	650176		
	No.	650177	Ref. No. 0061052 61052 DW61052
	spring for citrus juicers ø 6mm L 25mm		
	No.	650178	Ref. No. 0061051 61051 DW61051
	ball for citrus juicers ø 5mm		



1

No.	650177	Ref. No.	0061052 DW61052
description	spring for citrus juicers ø 6mm L 25mm		
For models:	GM-2, GM-2-BK11, GM3, GM3-BK12, GM4, GM4-BK13		
accessories for	650177		
	No.	650176	Ref. No. 0060153 60153 DW60153
	shaft for citrus juicers ø 6mm L 16mm		
	No.	650178	Ref. No. 0061051 61051 DW61051
	ball for citrus juicers ø 5mm		

for espresso machines

brewing units

filter holder gaskets

O-rings



1

No.	510409	Ref. No.	0013015 0013020 DW13015 DW13020
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500Plus, Electron600, FX, G12D, G12S, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200...(Other models you can see in the webshop)		

water dispersions

accessories



1

No.	529494	Ref. No.	0096115 DW96115
description	gasket water dispersion		
For models:	GRANUL1000, GRANUL900, GRANUL900		

steam/water taps

steam/water pipes

accessories

gaskets



1

No.	510893	Ref. No.	0013003 DW13003
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, G12D, G12S, G35, G35-RL09-NEW, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS50-230VAC, H600, H600, H600Electronic, HT11, HT11E, HT11E...(Other models you can see in the webshop)		

for coffee grinders

grinding burrs

screws

			
1			
No.	560365	Ref. No.	0011121 DW11121
description	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, G35, G35-RL09-NEW, G600, G600, GASTRO-500, GASTRO-750, GASTRO-900, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, H600, H600Electronic, HT11E, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS		

for dishwashers


drain and intake components

DIHR

drain /intake bodies

1

No.	517182	Ref. No.	0010701 00130054 DW10701 DW130054
description	drain connection thread 1" ID ø 27mm hose ø 30mm		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, G35, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS50, Linear, LINEAR-CF, LINEAR-LS, LP1-S8, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, STAR, Star, STAR-CF, STAR-LS, Synthesis, TURBO-CF, TURBO-LS		
accessories for	517182		
	No.	517180	Ref. No. 0011701/A 11701/A DW11701/A
nut thread 1" H 5mm WS 36 SS Qty 1 pcs			
	No.	517181	Ref. No. 0013305 13305 DW13305
flat gasket rubber ED ø 44mm ID ø 32mm thickness 3mm Qty 1 pcs			

			
1			
No.	517288	Ref. No.	0015063 DW15063
description	drain fitting thread 1"		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, FX, G600, G600, Gastro11S, Gastro1200, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, Synthesis		

			
1			
No.	524074	Ref. No.	0010701/B DW10701/B
description	drain fitting thread 1" ED ø 29.5mm ID ø 25mm		
For models:	DS35, DS37, DS40, DS40, HT12-Optima-HR-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
No.	524949	Ref. No.	003004099 DW3004099
description	drain fitting thread 1 1/4" - 2" ED ø 50mm ID ø 30mm L 210mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		

			
1			
No.	517254	Ref. No.	0010200113 DW10200113
description	drain fitting thread 2"/1¼" H 64mm ID ø 43mm		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP3, LP4, LP-ZERO, SILVER-1500, SILVER-1500-Insulated		
accessories for	517254		
	No.	517205	Ref. No. 0010200173 0010200173/A 0010600013 10200173 10200173/A 10600013 DW10200173 DW10200173/A DW10600013
flat gasket rubber ED ø 75mm ID ø 58mm thickness 3mm Qty 1 pcs			
	No.	517206	Ref. No. 0010200114 10200114 DW10200114
nut thread 2"			



1

No.	506017	Ref. No.	0010200078 0015613 DW10200078 DW15613
description	drain fitting with gasket thread 1¼" ID ø 24mm hose ø 32mm		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000...(Other models you can see in the webshop)		
spare parts for	506017		
	No.	512073	Ref. No.
			
	flat gasket rubber ED ø 31mm ID ø 22mm thickness 2mm Qty 1 pcs		

			
No.	517181	Ref. No.	0013305 DW13305
description	flat gasket rubber ED ø 44mm ID ø 32mm thickness 3mm Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, FX, G12D, G12S, G35, G600, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40...(Other models you can see in the webshop)		

			
No.	517205	Ref. No.	0010200173 0010200173/A 0010600013 DW10200173 DW10200173/A DW10600013
description	flat gasket rubber ED ø 75mm ID ø 58mm thickness 3mm Qty 1 pcs		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP2, LP3...(Other models you can see in the webshop)		

			
No.	517194	Ref. No.	0080208 DW80208
description	flat gasket rubber ED ø 95mm ID ø 75mm thickness 3mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11...(Other models you can see in the webshop)		

			
No.	517420	Ref. No.	00500605 DW500605
description	intake body thread 2 1/2" H 100mm outlet ø 57 outlet 2 ø 29		
For models:	AX210, AX220, AX230, AX240, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
No.	517195	Ref. No.	00500606 DW500606
description	intake/drain body thread 2 1/2" hose ø 57/28/10mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, Optima400, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
No.	517196	Ref. No.	00500603 DW500603
description	intake/drain body thread 2 1/2"/1 1/4" hose ø 57mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, UX220		

			
No.	517180	Ref. No.	0011701/A DW11701/A
description	nut thread 1" H 5mm WS 36 SS Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400CleanWater, Electron500CleanWater, FX, G12D, G12S, G35, G600, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40...(Other models you can see in the webshop)		

			
No.	517206	Ref. No.	0010200114 DW10200114
description	nut thread 2"		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, FX, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP3, LP4, LP-ZERO, SILVER-1500, SILVER-1500-Insulated...(Other models you can see in the webshop)		

			
No.	517193	Ref. No.	00500601 DW500601
description	nut thread 2 1/2"		
For models:	AX210, AX220, AX230, AX240, AX300, AX300LC, AX310, AX310LC, AX320, AX330, Electron500, Electron500, Electron500Plus, Gastro-500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, UX220		



1

No.	517215	Ref. No.	00540000 00540000/A DW540000 DW540000/A
description	ring for drain ED ø 94mm H 91mm ID ø 24mm		
For models:	G35, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, Star, STAR-CF, STAR-LS		
accessories for	517215		
	No.	517180	Ref. No.
			0011701/A 11701/A DW11701/A
nut thread 1" H 5mm WS 36 SS Qty 1 pcs			
	No.	517181	Ref. No.
			0013305 13305 DW13305
flat gasket rubber ED ø 44mm ID ø 32mm thickness 3mm Qty 1 pcs			


			
No.	517815	Ref. No.	0025002 DW25002
description	sieve support ED 82mm H 75mm ID 35mm		
For models:	G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW		

h3>filters

			
No.	517379	Ref. No.	0080720 DW80720
description	drain filter 144mm H 162mm		
For models:	LP2, LP2		

			
No.	507525	Ref. No.	0088302 DW88302
description	filter H 138mm L 192mm W 192mm		
For models:	AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, LP3, LP3, LP4, LP4-800, LP4-Elettronica		

			
No.	524947	Ref. No.	003019065 DW3019065
description	filter H 140mm L 389mm W 85mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		



1

No.	517192	Ref. No.	00500615 00500615/A DW500615 DW500615/A
description	filter support ø 47mm H 86mm thread 2½"		
For models:	AX161, AX290, DW020H, Electron1000, Electron400, Electron400, Electron500CleanWater, Gastro400S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, Tekno4, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita		



2

No.	517209	Ref. No.	0016051/A DW16051/A
description	filter support ø 50mm H 50mm thread M5		
For models:	C40-CF, C40-LS, GS-35, GS40, Linear, LINEAR-CF, LINEAR-LS		



1

No.	517381	Ref. No.	00500607 DW500607
description	filter support ø 90mm H 86mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron600, G600S, GS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		



1

No.	524957	Ref. No.	0075626 DW75626
description	flat filter for dishwasher H 15mm L 486mm W 192mm		
For models:	DW020H, Electron1000, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

No.	524946	Ref. No.	0075625 DW75625
description	flat filter for dishwasher H 16mm L 485mm W 190mm		
For models:	Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

No.	524958	Ref. No.	003009565 DW3009565
description	flat filter for dishwasher H 24mm L 670mm W 300mm SS		
For models:	AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC		



1

No.	524948	Ref. No.	0011600907 DW11600907
description	flat filter H 16mm L 290mm W 222mm		
For models:	AX161, AX290, G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

No.	507524	Ref. No.	0011600906 DW11600906
description	flat filter H 175mm L 290mm W 222mm		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

No.	510002	Ref. No.	00560925 DW560925
description	flat filter ø 50mm H 95mm L 383mm W 136mm		
For models:	Electron500, Electron500, Electron500Plus, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		



1

No.	517210	Ref. No.	0011713 DW11713
description	knurled nut ø 16mm H 10mm thread M5		
For models:	C40-CF, C40-LS, GS-35, GS40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS		

			
1			
No.	517183	Ref. No.	0011701/B DW11701/B
description	opposite support ø 42mm H 69mm thread 1"		
For models:	DS35, DS37, DS40, DS40, G35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, Star		

			
1			
No.	517217	Ref. No.	003019071 DW3019071
description	rectangular filter suction		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gastro12S, H600, HT12-Elettronica, TX1500, UX220		

			
1			
No.	517214	Ref. No.	00540002 DW540002
description	round filters ø 100mm H 65mm		
For models:	DS35, DS37, DS40, DS40, G35, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS-40, Star, STAR-CF, STAR-LS		

			
1			
No.	517208	Ref. No.	0016050 DW16050
description	round filters ø 105mm H 50mm		
For models:	C40-CF, C40-LS, GS-35, GS40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS		

			
1			
No.	524794	Ref. No.	00500600 DW500600
description	round filters ø 128mm H 61mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron600, G600S, GS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche		

			
1			
No.	517191	Ref. No.	00500620 DW500620
description	round filters ø 135mm H 60mm		
For models:	Electron400, Electron400, Gastro400S, Tekno4, TEKNO-4-CF, TEKNO-4-LS		

			
1			
No.	507526	Ref. No.	00500599 DW500599
description	round filters ø 155mm H 220mm		
For models:	AX161, AX290, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus		

1

No.		Ref. No.		00500616 DW500616
description		round filters ø 155mm H 70mm		
For models:		DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron600, G600S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
accessories for		517190		
		No.	517192	Ref. No.
				00500615 00500615/A 500615 500615/A DW500615 DW500615/A

filter support ø 47mm H 86mm thread 2½"

			
1			
No.	517213	Ref. No.	0015082 DW15082
description	round filters ø 190mm H 50mm		
For models:	GS50, GS50-230VAC, LP1-800, LP1-800, LP1-800EL		

			
No.	517216	Ref. No.	0015911 DW15911
description	round filters ø 195mm H 55mm		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
No.	517211	Ref. No.	0010914 DW10914
description	round filters ø 49mm H 82mm		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, FX, GRANUL1000, GRANUL900, GRANUL900, STAR		

			
No.	517184 ¹	Ref. No.	00440751 DW440751
description	round filters ø 55mm H 90mm		
For models:	DS35, DS37, DS40, DS40, G35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, Star		

¹for drain pump

			
No.	524950	Ref. No.	00561013 DW561013
description	round filters ø 60mm H 53mm		
For models:	Electron500CleanWater, Optima500, Optima500, Optima-Cutlery, Tekno6.1-Acqua-pulita		

			
No.	517218	Ref. No.	0010200025 DW10200025
description	round filters suction		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

			
No.	517212	Ref. No.	0010914/A DW10914/A
description	round filters suction ø 50mm H 160mm		
For models:	Synthesis, TURBO-CF, TURBO-LS		

overflow pipes

			
No.	517366	Ref. No.	0088105 DW88105
description	cap ø 54mm ID ø 45mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP3, LP4, TX1500, UX220		

			
No.	517197	Ref. No.	0011600019 DW11600019
description	cover L 52mm for overflow pipe ø 32mm		
For models:	G12D, G12S, Gastro12S, GRANUL1000, GRANUL900, GRANUL900, H600, HT12-Elettronica, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS		

			
No.	517200	Ref. No.	0011600002 DW11600002
description	flange gasket ø 55mm		
For models:	G12D, G12S, Gastro12S, GRANUL1000, GRANUL900, GRANUL900, H600, HT12-Elettronica, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS		

			
No.	517189	Ref. No.	0013021 DW13021
description	gasket ø 28mm D1 ø 40mm thickness 6mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11...(Other models you can see in the webshop)		

			
1			
No.	517201	Ref. No.	0022018 DW22018
description	overflow pipe		
For models:	GASTRO-11S		

			
1			
No.	517204	Ref. No.	0080250 DW80250
description	overflow pipe		
For models:	LP2		

			
1			
No.	517175	Ref. No.	0016052 DW16052
description	overflow pipe L 107mm ø 28mm		
For models:	C40-CF, C40-LS, DS40, DS40, GS40, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS		

			
1			
No.	517178	Ref. No.	00150320 DW150320
description	overflow pipe L 121mm ø 28mm		
For models:	G600, G600, Gastro450, GS50, GS50-230VAC		

			
1			
No.	517179	Ref. No.	0015125 0015126 DW15125 DW15126
description	overflow pipe L 132mm ø 28mm		
For models:	G600, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, Synthesis, TURBO-CF, TURBO-LS		

			
1			
No.	517176	Ref. No.	0010725 DW10725
description	overflow pipe L 142mm ø 28mm		
For models:	Derby, Derby400, DERBY-CF, GASTRO-500, GASTRO-750, GASTRO-900, Star, STAR-CF, STAR-LS		

			
1			
No.	517202	Ref. No.	0075250 0075752 DW75250 DW75752
description	overflow pipe L 155mm ø 45mm		
For models:	Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200		

			
1			
No.	517203	Ref. No.	0022250 0022251 DW22250 DW22251
description	overflow pipe L 170mm ø 45mm		
For models:	LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL		

			
1			
No.	517470	Ref. No.	0025004 DW25004
description	overflow pipe L 175mm ø 26mm		
For models:	CAN-MASTER, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW		

1

No.	517185	Ref. No.	00500618 DW500618	
description	overflow pipe L 185mm ø 40mm			
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron600, G600S, Gastro11S, Gastro1200, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, HT11S			
accessories for	517185			
	No.	517189	Ref. No.	0013021 13021 DW13021
	gasket ø 28mm D1 ø 40mm thickness 6mm			



1

No.	517187	Ref. No.	00540033 DW540033
description	overflow pipe L 200mm ø 40mm		
For models:	Electron400, Electron400, Gastro400S, Tekno4, TEKNO-4-CF, TEKNO-4-LS		
accessories for	517187		
	No.	517189	Ref. No.
	0013021 13021 DW13021		
gasket ø 28mm D1 ø 40mm thickness 6mm			



1

	No.	517186	Ref. No.	00500619 DW500619
description	overflow pipe L 210mm ø 40mm			
For models:	DW020H, Electron1000, Electron500, Electron500Plus, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, Tekno6, TEKNO-6, TEKNO-6-Break-Tank			
accessories for	517186			
	No.	517189	Ref. No.	0013021 13021 DW13021
	gasket ø 28mm D1 ø 40mm thickness 6mm			



1

No.	517188 ¹	Ref. No.	00560020 DW560020
description	overflow pipe L 215mm ø 40mm		
For models:	Electron500, Electron500, Electron500Plus, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		
accessories for	517188		
	No.	517189	Ref. No.
			0013021 13021 DW13021
gasket ø 28mm D1 ø 40mm thickness 6mm			

¹for drain pump

1

No.	517198	Ref. No.	0011600011 0011600052 DW11600011 DW11600052
description	overflow pipe L 360mm ø 32mm		
For models:	G12D, G12S, Gastro12S, H600, HT12-Elettronica		
accessories for	517198		
	No.	517197	Ref. No.
			0011600019 11600019 DW11600019
cover L 52mm for overflow pipe ø 32mm			

1 			
No.	517357	Ref. No.	0011600102 DW11600102
description	overflow pipe L 420mm ø 44mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, UX220		
accessories for	517357		
	No.	517189	Ref. No. 0013021 13021 DW13021
gasket ø 28mm D1 ø 40mm thickness 6mm			



1

No.	517467	Ref. No.	0091101 DW91101
description	overflow pipe L 430mm ø 32mm		
For models:	LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS		
accessories for	517467		
	No.	517200	Ref. No.
			0011600002 11600002 DW11600002
flange gasket ø 55mm			

1 			
No.	517373	Ref. No.	002000477 DW2000477
description	overflow pipe L 440mm ø 45mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, UX220		

1 			
No.	517468	Ref. No.	003004100 DW3004100
description	overflow pipe L 485mm ø 45mm		
For models:	AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, FX		

1 			
No.	524776	Ref. No.	002000476/A DW2000476/A
description	overflow pipe L 540mm ø 45mm		
For models:	LP3		

1 			
No.	507570	Ref. No.	0089000 DW89000
description	overflow pipe L 580mm ø 45mm		
For models:	LP4		

1 			
No.	517177	Ref. No.	00135251 00135252 DW135251 DW135252
description	overflow pipe L 96mm ø 28mm		
For models:	DS35, DS37, G35, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40		

1 			
No.	517472	Ref. No.	0010600019 DW10600019
description	overflow pipe ø 45mm L 200mm		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

1 			
No.	517473	Ref. No.	003004089 DW3004089
description	standpipe L 210mm ø 31mm		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, FX		

containers

container lids



1

No.	517424	Ref. No.	00540044 DW540044
description	lid for dosing container L 61mm W 50mm H 5mm mounting pos. front		



1

No.	517423	Ref. No.	00540049 DW540049
description	lid for dosing container L 84.5mm W 44mm H 10mm mounting pos. rear		

dosing containers



1

No.	517380	Ref. No.	00540050 DW540050
description	cleaner container L 94mm W 80mm H 130mm suitable for Dihr		

salt tanks



1

No.	517398	Ref. No.	0016067/B DW16067/B
description	flat gasket rubber ED ø 82mm ID ø 66mm thickness 4mm for salt tank Qty 1 pcs		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40...(Other models you can see in the web		



1

No.	517396	Ref. No.	0016067/D DW16067/D
description	lid ø 69mm H 19mm for salt tank ID ø 50.5mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40...(Other models you can see in the webshop)		



1

No.	517397	Ref. No.	0016067/C DW16067/C
description	nut ø 93mm H 13mm for salt tank ID ø 64mm		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40...(Other models you can see in the webshop)		

1

No.	510929	Ref. No.	0016067 DW16067	
description	salt tank ø 120mm H 117mm hose ø 10mm mounting ø 70mm overall height 157mm			
For models:	C40-CF, C40-LS, G12D, G600, GASTRO-11-S, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS-100-DEPUR, GS-35, GS40, GS-40, GS50, LINEAR-CF, LINEAR-LS, STAR, STAR-CF, STAR-LS, TEKNO-6, TEKNO-6-Break-Tank			
spare parts for	510929			
	No.	506015	Ref. No.	0016067/A 16067/A DW16067/A
	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs			
	No.	510018	Ref. No.	—
	nut ø 92mm H 10.5mm for salt tank ID ø 64mm			
	No.	524177	Ref. No.	—
	lid ø 69mm H 20mm for salt tank ID ø 50mm			
accessories for	510929			
	No.	510071	Ref. No.	—
	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs			
	No.	510654	Ref. No.	—
	gasket H 6mm D1 ø 82mm D2 ø 68mm			
	No.	510883	Ref. No.	—
	gasket rubber ED ø 86mm ID ø 66mm thickness 2mm for salt tank Qty 1 pcs			



1

No.	517686	Ref. No.	0016072 DW16072
description	salt tank ø 90mm H 125mm with magnetic switch plastic		
For models:	DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, HT11-T, HT-11-Touche, HT12-Optima-HR-Plus, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, TwinStar		



1

No.	517347	Ref. No.	0016065 0016065+0016067/B+0016067C+0016067/D 16065+16067/A+16067/B+16067C+16067/D 16065+16067/B+16067C+16067/D DW16065 DW16065+DW16067/B+DW16067C+DW16067/D	
description	salt tank ø 90mm H 88mm complete			
For models:	DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron500, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro12S, Gastro400S, Gastro450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS-50, GS85, H600, H600Electronic...(Other models you can see in the webshop)			
spare parts for	517347			
	No.	506015	Ref. No.	0016067/A 16067/A DW16067/A
O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs				
	No.	517396	Ref. No.	0016067/D 16067/D DW16067/D
lid ø 69mm H 19mm for salt tank ID ø 50.5mm				
	No.	517397	Ref. No.	0016067/C 16067/C DW16067/C
nut ø 93mm H 13mm for salt tank ID ø 64mm				
	No.	517398	Ref. No.	0016067/B 16067/B DW16067/B
flat gasket rubber ED ø 82mm ID ø 66mm thickness 4mm for salt tank Qty 1 pcs				

boilers

boilers for dishwashers



No.	517296	Ref. No.	00540006 00540006 + 00540040 540006 + 540040 DW540006 DW540006 + DW540040
description		boiler	
For models:		Electron400, Electron400, Electron400CleanWater, Gastro400S, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS	



No.	517297	Ref. No.	0016904 DW16904
description		boiler	
For models:		Linear, LINEAR-CF, LINEAR-LS	



No.	517402	Ref. No.	003007013 DW3007013
description		boiler	
For models:		AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220	



No.	517294	Ref. No.	00135905 00135905+0015066+0015205 135905+15066+15205 DW135905 DW135905+DW15066+DW15205
description		boiler ø 113mm L 320mm	
For models:		DS35, DS37, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW	



No.	517295	Ref. No.	00140905 DW140905
description		boiler ø 113mm L 370mm	
For models:		DS40, DS40, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW	



No.	517298	Ref. No.	0017905 DW17905
description		boiler ø 138mm L 210mm	
For models:		Synthesis, TURBO-CF, TURBO-LS	



No.	517299	Ref. No.	0026905 DW26905
description		boiler ø 140mm L 335mm	
For models:		Gastro450, GASTRO-450	



No.	517300	Ref. No.	00150905 00150905+0015066+0015205 150905+15066+15205 DW150905 DW150905+DW15066+DW15205
description		boiler ø 140mm L 390mm	
For models:		DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron600, G600, G600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank	



No.	517301	Ref. No.	0015905 0015924 0015924+0015066 0015924+0015066+0015205 15924+15066 15924+15066+15205 DW15905 DW15924 DW15924+DW15066 DW15924+DW15066+DW15205
description		boiler ø 140mm L 390mm	
For models:		G600, GASTRO-500, GASTRO-750, GASTRO-900	

			
1			
No.	517394	Ref. No.	003007012 003007012+0030002030+0075205 3007012+30002030+75205 DW3007012 DW3007012+DW30002030+DW75205
description	boiler ø 160mm L 530mm with insulation		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		
spare parts for	517394		
			
No.	517336	Ref. No.	0030002030 30002030 DW30002030
insulating mat boiler L 500mm W 155mm			
			
No.	517337	Ref. No.	0075205 75205 DW75205
insulating mat boiler ø 160mm			



		0022002	
		0022002+0030002030+0075205	
		22002+30002030+75205	
		DW22002	
		DW22002+DW30002030+DW75205	
No.	517302	Ref. No.	
description		boiler with insulation ø 160mm L 500mm	
For models:		DW020H, Electron1000, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO	
accessories for		517302	
		No.	517337
		Ref. No.	0075205 75205 DW75205
insulating mat boiler ø 160mm			

			
No.	517303	Ref. No.	0010600904 0010600904+0030002030+0075205 10600904+2x 30002030+91115 10600904+30002030+75205 DW10600904
description	boiler with insulation ø 160mm L 530mm flange 4 hole flange inlet ø 12		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

accessories			
			
No.	517125	Ref. No.	0012506 DW12506
description	hose connector		
For models:	Accessories, BM100, BM200, BM300, DS45, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro400S, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS40, GS50, GS50, GS50-230VAC, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic...(Other models you can see in the webshop)		

			
No.	517336	Ref. No.	0030002030 DW30002030
description	insulating mat boiler L 500mm W 155mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, Gastro11S, Gastro1200, Gastro12S, GS100, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S...(Other models you can see in the webshop)		

			
No.	517337	Ref. No.	0075205 DW75205
description	insulating mat boiler ø 160mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, Gastro11S, Gastro1200, Gastro12S, GS100, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S...(Other models you can see in the webshop)		

			
No.	699262	Ref. No.	0015066 DW15066
description	insulation for boiler L 455mm W 395mm thickness 2mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS50, GS85, Tekno6, Tekno6.1-Acqua-pulita		

softener cartridges

softening columns



1

No.	530084	Ref. No.	0016066 DW16066
description	softener 4-fold L 380mm W 180mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron500, Electron500Plus, Electron600, G12D, G35-RL09-NEW, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40... (Other models you can see in the webshop)		

housing and bezels

fascias



1

No.	517422	Ref. No.	0089306 DW89306
description	bezel for thermometer L 90mm H 53.5mm		
For models:	Gastro11S, Gastro1200, Gastro12S, GS100, H600, H600, HT11S, HT12S, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO		



1

No.	996014	Ref. No.	75311 DW75311
description	cover for boiler H 40mm ø 125mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, Gastro11S, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus...(Other models you can see in the webshop)		

EQUIPMENT-SPECIFIC UNITS DIHR



1

No.	517399	Ref. No.	00135600 00135606/A DW135600 DW135606/A
description	switch panel L 185mm W 85mm H 45mm		

miscellaneous



1

No.	517400	Ref. No.	00560007 DW560007
description	bearing for door rubber ID ø 12mm mounting pos. left		
For models:	Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Optima500, Optima500, Optima-Cutlery, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



1

No.	524803	Ref. No.	0011600018 DW11600018
description	bracket for dishwasher rack SS L 25mm ED ø 10mm thread M6		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

No.	698297	Ref. No.	0076081 DW76081
description	duct ID ø 35mm ED ø 51mm thickness 14mm		
For models:	H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
No.	524076	Ref. No.	003003058 003003058+003004184 3003058+3004184 DW3003058 DW3003058+DW3004184
description magnet holder internal size 13mm H 60mm for dishwasher			
For models: AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, TX1500			
accessories for 524076			
			
No.	524655	Ref. No.	003004184 3004184 DW3004184
screw cap for magnet holder thread M16x1.25 SS WS 19			

hood mechanics for dishwashers

bushes

			
1			
No.	512423	Ref. No.	0011600055 DW11600055
description bush for hood handle			
For models: Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT			

			
1			
No.	517284	Ref. No.	0010800130 DW10800130
description bush hood mechanics			
For models: Gastro11S, GASTRO-11S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S-Isolata, SILVER-1500-Insulated			

			
1			
No.	517279	Ref. No.	0075204 DW75204
description bush hood mechanics PTFE			
For models: Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200			

			
1			
No.	517282	Ref. No.	0010800231 DW10800231
description cylinder liner hood mechanics			
For models: Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated			

			
1			
No.	694679	Ref. No.	0011600014 DW11600014
description roller ID ø 10.5mm L 33mm for hood mechanics D1 ø 22mm D2 ø 19.8mm			
For models: G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT			

spring holders

			
1			
No.	517285	Ref. No.	0070306 DW70306
description spring holder			
For models: Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche			

guide bars

			
1			
No.	517358	Ref. No.	0075304 DW75304
description guide bar L 600mm for hood mechanics			
For models: AX161, AX290, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata			

			
1			
No.	517378	Ref. No.	0011600029 DW11600029
description	guide bar L 650mm mounting pos. left for hood mechanics thickness 25mm		
For models:	Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
2			
No.	513019	Ref. No.	0011600028 003189041 DW11600028 DW3189041
description	guide bar L 695mm mounting pos. right thickness 25mm		
For models:	Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
No.	524800	Ref. No.	0076080 DW76080
description	guide bar L 700mm for hood W 26mm H 21mm		
For models:	HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

h2>rollers

			
1			
No.	524805	Ref. No.	0089919 DW89919
description	roller ø 23mm H 9.6mm for hood mechanics plastic white hole ø 8mm		
For models:	G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

h2>miscellaneous

			
1			
No.	517280	Ref. No.	0075203 DW75203
description	bush with thread hood mechanics brass		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200		

			
1			
No.	517281	Ref. No.	0075202 DW75202
description	nut hood mechanics		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200		

			
1			
No.	517283	Ref. No.	0010800244 DW10800244
description	roller for hood handle		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

h2>basket guides

h3>guide bars

			
1			
No.	517813	Ref. No.	0010600923 DW10600923
description	basket guide mounting pos. left/right L 450mm W 3.5mm H 37.5mm		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
No.	692615	Ref. No.	392029
description	guide L 293mm W 25mm H 92mm		
For models:	AX161, AX290		

air traps

air traps

1

No.	517168	Ref. No.	0010911/D 00135911/D DW10911/D DW135911/D
description	air trap H 56mm		
For models:	DS35, DS37, DS40, DS40, Electron500, Electron500, Electron-500Plus, Electron600, G600, G600, G600S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, Tekno6		
accessories for	517168		
	No.	517173	Ref. No. 0013301 13301 DW13301
flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs			
	No.	517174	Ref. No. 0011702 11702 DW11702
nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			

			
1			
No.	517308	Ref. No.	0010911/C 00135911/C DW10911/C DW135911/C
description	air trap H 65mm		
For models:	DW020H, Electron1000, G35, G35-RL09-NEW, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, GS37-RL09-NEW, GS40-RL09-NEW, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

No.	517170	Ref. No.	00135911/B DW135911/B	
description	air trap H 75mm			
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Gastro400S, GS40, GS-40-RL09-NEW, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Linear, LP1-S8, LP1S-Plus, Tekno4, Tekno4.1-Acqua-pulita			
accessories for	517170			
 <table> <tr> <td>No.</td> <td>517173</td> <td>Ref. No.</td> <td>0013301 13301 DW13301</td> </tr> </table> flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs	No.	517173	Ref. No.	0013301 13301 DW13301
No.	517173	Ref. No.	0013301 13301 DW13301	
 <table> <tr> <td>No.</td> <td>517174</td> <td>Ref. No.</td> <td>0011702 11702 DW11702</td> </tr> </table> nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs	No.	517174	Ref. No.	0011702 11702 DW11702
No.	517174	Ref. No.	0011702 11702 DW11702	



1

No.	517172	Ref. No.	0080106 DW80106
description	air trap L 90mm ø 45mm stainless steel		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP3, LP3, LP4, LP4-800, LP4-Elettronica, TX1500, UX220		
accessories for	517172		
	No.	517173	Ref. No. 0013301 13301 DW13301
flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs			
	No.	517174	Ref. No. 0011702 11702 DW11702
nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			

1

No.	517171	Ref. No.	0010402 0010911 00135911 DW10402 DW10911 DW135911
-----	--------	----------	--

description	air trap L 90mm W 55mm H 31mm
For models:	AX161, AX290, CAN-MASTER, Derby, Derby400, DERBY-CF, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS50, GS50-230VAC, GS85, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP2, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, SILVER-1500, SILVER-1500-Insulated, STAR, Star, STAR-CF, STAR-LS, Synthesis, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF...(Other models you can see in the webshop)

accessories for	517171
-----------------	--------

No.	517173	Ref. No.	0013301 13301 DW13301
flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs			

No.	517174	Ref. No.	0011702 11702 DW11702
nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			

			
1			
No.	524797	Ref. No.	00135911/E DW135911/E
description	air trap W 54mm H 45mm thread M8 hose ø 5mm plastic		
For models:	Electron500CleanWater, LP1-800, Tekno6.1-Acqua-pulita		

mechanics for flight type dishwashers

			
1			
No.	517818	Ref. No.	003060014 DW3060014
description	distance washers for tape L 46mm ø 15mm ID ø 9mm		
For models:	CX, FX		

1

 No.	524455	Ref. No.	003003020 003003021 003003116 DW3003020 DW3003021 DW3003116
description	drive shaft for transport system L 225mm ø 120mm suitable for Dihr		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300		
accessories for	524455		
	 No.	524456	Ref. No. 003003012 3003012 DW3003012
roller for drive shaft L 27.3mm ø 30mm hole ø 12.5mm suitable for Dihr			

			
1			
No.	699563	Ref. No.	003060134 DW3060134
description	gear wheel for impulse ø 150mm ID ø 35.5mm suitable for Dihr		
For models:	CAN-MASTER, CX, FX, UX220		

			
1			
No.	699261	Ref. No.	003060022 DW3060022
description	gear wheel plastic W 37.5mm ID ø 25mm ED ø 150mm		
For models:	CAN-MASTER, CX, FX, UX220		

			
1			
No.	698412	Ref. No.	003000261 DW3000261
description	gear wheel teeth 8 shaft intake ø 20mm ø 133mm tooth width 11mm plastic W 40mm for transport system suitable for dishwasher		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, LC97-2, LC97-3, LC97-4, LC97-5		

1 			
No.	517317	Ref. No.	003060001 DW3060001
description	roller		
For models:	CX, FX		

1 			
No.	524456	Ref. No.	003003012 DW3003012
description	roller for drive shaft L 27.3mm ø 30mm hole ø 12.5mm suitable for Dihr		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300		
accessories for	524456		
	No.	Ref. No.	003003020 003003021 003003116 3003020 3003021 3003116 DW3003020 DW3003021 DW3003116
drive shaft for transport system L 225mm ø 120mm suitable for Dihr			

1 			
No.	517371	Ref. No.	003003026 DW3003026
description	roller L 22mm ø 24.5mm hole ø 8mm suitable for Dihr		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC		

1 			
No.	517356	Ref. No.	003003048 DW3003048
description	spacer for spindle ø 32mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, LC97-2, LC97-3, LC97-4, LC97-5, TX1500		

1 			
No.	524971	Ref. No.	003060035 DW3060035
description	tappet for dishwasher L 75mm W 36mm H 90mm hole ø 9mm suitable for Dihr		
For models:	CX, FX		

backflow preventers

backflow preventers

1 			
No.	516101	Ref. No.	00999900006 DW999900006
description	backflow preventer dishwasher hose ø 12mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS35, DS37, DS40, DS40, DS45, DS50, DW020H, Electron1000, Electron400, Electron400Clean-Water, Electron500, Electron500CleanWater, Electron600, FX, G600, G600S, Gastro115, Gastro1200, Gastro125, Gastro400S, Gastro450, Gastro500Plus...(Other models you can see in the webshop)		
spare parts for	516101		
	No.	Ref. No.	506367 —
	flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs		

accessories

1 			
No.	996010	Ref. No.	15284 DW15284
description	ball ø 16mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, G35-RL09-NEW, GS37-RL09-NEW, GS40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		

1 			
No.	996012	Ref. No.	15280 DW15280
description	body for back flow restrictor L 71 mm W 56mm H 32mm hose ø 12mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, Electron500, Electron500Plus, FX, HT11, HT11S, Optima500, PlatinumOptima-HR, PlatinumOptima-HT, TwinStar, TX1500, UX220		



1			
No.	996013	Ref. No.	15282 DW15282
description	lid for back flow restrictor ø 40mm H 14.5mm plastic		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		



1			
No.	996011	Ref. No.	15281 DW15281
description	nut with hole L 32mm W 32mm H 25mm thread M26x1.5 WS 32 plastic		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		

miscellaneous



1			
No.	506160	Ref. No.	0011185 0011611 DW11185 DW11611
description	plain washer ID ø 8.6mm ED ø 16mm thickness 1.5mm SS Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, FX, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, HT11, HT11S, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, PlatinumOptima-HR...(Other models you can see in the webshop)		



1			
No.	517819	Ref. No.	003009387 DW3009387
description	spacer ring for intake tap D1 ø 30mm ID ø 17mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TwinStar, TX1500, UX220		

door mechanics

bolts



1			
No.	517290	Ref. No.	0075201 DW75201
description	door bolt SS		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200		

springs

tension springs



1			
No.	517421	Ref. No.	00570200 DW570200
description	tension spring ø 12mm total length 240mm wire gauge ø 1.8mm for door Qty 1 pcs		
For models:	Electron600, G600S		

linkage



1			
No.	512425	Ref. No.	00250041 DW250041
description	door pin L 190mm mounting pos. left/right		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		



1			
No.	517388	Ref. No.	00150221 DW150221
description	door pin L 193mm mounting pos. left/right		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		



1			
No.	524951	Ref. No.	0015009 DW15009
description	door pin L 580mm ø 8mm		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900		

			
1			
No.	517263	Ref. No.	00135221/A DW135221/A
description	door pin mounting pos. left tie bar		
For models:	GS-35, GS37, GS-37, GS37-prima-serie		

			
1			
No.	517262	Ref. No.	00135221 DW135221
description	door pin mounting pos. right tie bar		
For models:	GS-35, GS37, GS-37, GS37-prima-serie		

			
1			
No.	517274	Ref. No.	00150221/A DW150221/A
description	door pin tie bar		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		

sliding plates			
			
1			
No.	517264	Ref. No.	00150401 DW150401
description	sliding plate sliding plate		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, G35, G35-RL09-NEW, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		

hinges			
			
1			
No.	517268	Ref. No.	0011835/A DW11835/A
description	bush ID ø 8mm H 9mm bush thread M11x1 WS 13		
For models:	GS40, GS40, GS-40, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85		

			
1			
No.	517267	Ref. No.	00150211 DW150211
description	door hinge hinge mounting pos. left		
For models:	GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		
accessories for	517267		
	No.	517266	Ref. No.
			00150200 00150210 150200 150210 DW150200 DW150210
door hinge hinge mounting pos. right			
	No.	517268	Ref. No.
			0011835/A 11835/A DW11835/A
bush ID ø 8mm H 9mm bush thread M11x1 WS 13			

			
1			
No.	517266	Ref. No.	00150200 00150210 DW150200 DW150210
description	door hinge hinge mounting pos. right		
For models:	GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		
accessories for	517266		
	No.	517267	Ref. No.
			00150211 150211 DW150211
door hinge hinge mounting pos. left			
	No.	517268	Ref. No.
			0011835/A 11835/A DW11835/A
bush ID ø 8mm H 9mm bush thread M11x1 WS 13			



1

No.	517271	Ref. No.	00550909 DW550909
description	spring holder spring holder mounting pos. left		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		



1

No.	517270	Ref. No.	00550908 DW550908
description	spring holder spring holder mounting pos. right		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		

door guides



1

No.	508421	Ref. No.	0011600030 0011600036 DW11600030 DW11600036
description	opposite support conversion kit		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

door bumpers



1

No.	517265	Ref. No.	00135222 DW135222
description	door bumper end stop		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS-40, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85		



1

No.	512426	Ref. No.	00250042 DW250042
description	door bumper L 16mm W 12mm		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		



1

No.	694629	Ref. No.	00590014 DW590014
description	door bumper silicone ø 11.5mm L 18mm		
For models:	TwinStar		

door shafts



1

No.	517814	Ref. No.	0016046 DW16046
description	door guides ø 8mm L 490mm		
For models:	Linear, LINEAR-CF, LINEAR-LS		



1

No.	517372	Ref. No.	0018136 DW18136
description	door shaft ø 8mm L 432mm for dishwasher		
For models:	Star, STAR-CF, STAR-LS		

locks



1

No.	517278	Ref. No.	00150402/D DW150402/D
description	counterpart door catch		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		

			
1			
No.	517275	Ref. No.	0010775 DW10775
description	door catch catch		
For models:	C40-CF, C40-LS, DS45, DS50, DS50T, DS50-Touche, GS40, GS40, GS40, GS-40, GS45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, LP-ZERO, Synthesis, TURBO-CF, TURBO-LS		

			
1			
No.	517276	Ref. No.	00150402 DW150402
description	door catch catch		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		
accessories for	517276		
	No.	517277	Ref. No. 00150403 150403 DW150403
	gasket for catch		
	No.	517278	Ref. No. 00150402/D 150402/D DW150402/D
	counterpart door catch		

miscellaneous

			
1			
No.	524955	Ref. No.	00560006 DW560006
description	bearing for door ID ø 12mm H 22mm L 32mm W 9mm mounting pos. right		
For models:	Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Optima500, Optima500, Optima-Cutlery, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
1			
No.	507552	Ref. No.	003009269 DW3009269
description	stop for door SS H 60mm L 72mm W 38mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

screw connections

			
1			
No.	517304	Ref. No.	0010200276 DW10200276
description	nut thread 1/2" for thermowell		
For models:	GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, LP1, LP1-800		


			
1			
No.	517007	Ref. No.	0015042 DW15042
description	screw connection		
For models:	G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

curtains

curtains



No.	533006	Ref. No.	003004050 DW3004050
description	curtain W 545mm H 590mm LANG thickness 1.6mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, TX1500, UX220		



No.	524801	Ref. No.	003004051 DW3004051 DW3071072
description	curtain W 620mm H 500mm plastic thickness 1.4mm for dishwasher		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, TX1500, UX220		



No.	533020	Ref. No.	003060023 DW3060023
description	curtain W 725mm mounting pos. 500 thickness 1.5mm		
For models:	CX, FX		

curtain rods



No.	533017	Ref. No.	003004052 DW3004052
description	curtain rod L 635mm ø 8mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, TX1500, UX220		

washing and rinsing systems



No.	517086	Ref. No.	0088126 DW88126
description	bush for wash arm		
For models:	LP3, LP4		



No.	517682	Ref. No.	0010200121 DW10200121
description	bush for wash arm mounting pos. upper H 52mm thread 1¼" D1 ø 54mm D2 ø 41mm Qty 1 pcs		



No.	517341	Ref. No.	0075320 DW75320
description	bush ID ø 16mm ED ø 48mm		
For models:	CAN-MASTER, CX, FX, G12D, G12S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
No.	517310	Ref. No.	0010260 DW10260
description	connector holder		
For models:	DS45, DS50, Dupla50, Electron500, Electron500CleanWater, G600, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche, Tekno6, Tekno6.1-Acqua-pulita		

			
1			
No.	517103	Ref. No.	0010204 DW10204
description	cover		
For models:	Derby, Derby400, DERBY-CF, Synthesis, TURBO-CF, TURBO-LS		

			
1			
No.	517094	Ref. No.	0019250 DW19250
description	cover for rinse arm shaft H 108mm D1 ø 28mm		
For models:	DS35, DS37, G35, Gastro450, GASTRO-450		

			
1			
No.	517098	Ref. No.	00135250 DW135250
description	cover for rinse arm shaft mounting pos. lower		
For models:	DS35, DS37, GS-35, GS37, GS-37, GS37-prima-serie		

			
1			
No.	504370	Ref. No.	0016250 DW16250
description	cover for rinse arm shaft mounting pos. lower H 102mm D1 ø 27.5mm D2 ø 30mm L1 32mm L2 59mm ID ø 25mm		
For models:	C40-CF, C40-LS, DS40, DS40, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS		

			
1			
No.	517100	Ref. No.	0018250 DW18250
description	cover wash arm support mounting pos. lower		
For models:	STAR-CF, STAR-LS		

			
1			
No.	517129	Ref. No.	00550225 DW550225
description	cover wash arm support mounting pos. lower		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, GS45, GS50, GS85		

			
1			
No.	517130	Ref. No.	00560004 00560024 DW560004 DW560024
description	cover wash arm support mounting pos. lower		
For models:	Electron500, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS50, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
1			
No.	517374	Ref. No.	0013304 DW13304
description	duct D1 ø 20mm D2 ø 14mm L 17mm int. ø 110mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, Derby, Derby400, DERBY-CF, G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E...(Other models you can see in the webshop)		

			
1			
No.	517112	Ref. No.	0015039/A DW15039/A
description	extension for wash arm support		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900		



1

No.	517114	Ref. No.	0015039 DW15039
description	extension for wash arm support		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC		



1

No.	517120	Ref. No.	0022031 0022050 DW22031 DW22050
description	extension for wash arm support		
For models:	LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

No.	517095	Ref. No.	0016038 DW16038
description	flange ø 60mm		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, G35, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-CR, LINEAR-LS		



1

No.	517148	Ref. No.	00540032 DW540032
description	flat gasket rubber ED ø 57mm ID ø 43mm thickness 2mm Qty 1 pcs		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita, TwinStar		



1

No.	511944	Ref. No.	0013306/A DW13306/A
description	gasket for wash pipe ø 41mm thickness 10mm ID ø 27mm		
For models:	C40-LS, Gastro450, GASTRO-450, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, LINEAR-LS, STAR, Star, STAR-LS, Synthesis, TURBO-LS		



1

No.	517138	Ref. No.	0010225 DW10225
description	guide for rinse arm shaft		
For models:	DS40, Electron400, Electron500CleanWater, Tekno4, Tekno6.1-Acqua-pulita		



1

No.	517164	Ref. No.	0015152 DW15152
description	manifold connection 3-way		
For models:	GS-35, GS-37, GS40, GS-40		




1

No.	517165	Ref. No.	0015165 DW15165
description	manifold connection 3-way		
For models:	GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC, LP1-S, LP2, LP3, LP4, TEKNO-6, TEKNO-6-Break-Tank		



1

No.	517163	Ref. No.	0015151 DW15151
description	manifold connection 4-way		
For models:	C40-CF, C40-LS, Derby, Derby400, Electron400, G35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, STAR, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		



1

No.	517134	Ref. No.	00540010 00540069 DW540010 DW540069
description	nut		
For models:	DS40, DS40, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita		

			
1			
No.	517070	Ref. No.	0075317 DW75317
description	nut for wash arm		
For models:	CAN-MASTER, CX, DW020H, Electron1000, FX, G12D, G12S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS...(Other models you can see in the webshop)		

			
1			
No.	517085	Ref. No.	0080222 DW80222
description	nut for wash arm		
For models:	LP2, LP2		

			
1			
No.	524959	Ref. No.	00500702 DW500702
description	nut for wash arm mounting pos. upper/lower ø 35mm H 34mm PTFE		
For models:	DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, Optima500, Optima500, Optima-Cutlery, Tekno6, TwinStar		

			
1			
No.	517154	Ref. No.	00500610 00500623 DW500610 DW500623
description	nut mounting pos. upper for wash arm support		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
1			
No.	524853	Ref. No.	0012518 DW12518
description	reducer for wash arm support ø 30mm ID ø 14mm ED ø 24.5mm H 9mm		
For models:	Electron400, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Synthesis, Tekno4		

			
1			
No.	524973	Ref. No.	0010600503 0016528 DW10600503 DW16528
description	rinse arm boss mounting pos. upper/lower ø 30mm H 25mm		
For models:	GASTRO-1200S, LP2, LP3, LP4		

			
1			
No.	517155	Ref. No.	0075319 DW75319
description	rinse arm support for stationary arms mounting pos. upper		
For models:	G12D, G12S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
No.	517143	Ref. No.	0010909 0010909/A DW10909 DW10909/A
description	rinse arm support mounting pos. upper		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS, Synthesis, TURBO-CF, TURBO-LS		
accessories for	517143		
			
No.	517066	Ref. No.	0011101/A 11101/A DW11101/A
Thumb screw thread M8 thread L 8mm ø 30mm H 3mm SS mounting pos. upper			



1

No.	517161	Ref. No.	0010600202 DW10600202
description	rinse arm support mounting pos. upper		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LP2, LP2, LP3, LP3, LP4, LP4-800, LP4-Elettronica, SILVER-1500, SILVER-1500-Insulated		



1

No.	524952	Ref. No.	003003129 DW3003129
description	rinse arm support mounting pos. upper/lower thread 3/8" hose ø 11.5mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, FX, TwinStar, UX220		



1

No.	517111	Ref. No.	0015303 DW15303
description	rinse pipe		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900		



1

No.	517113	Ref. No.	0015304 DW15304
description	rinse pipe		
For models:	Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS50, GS50-230VAC		



1

No.	517116	Ref. No.	0075315 DW75315
description	rinse pipe		
For models:	DS50, DW020H, Electron1000, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS50, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

No.	517119	Ref. No.	0022026 DW22026
description	rinse pipe		
For models:	GASTRO-11S, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

No.	517126	Ref. No.	00550208 00550226 DW550208 DW550226
description	rinse pipe		
For models:	DS45, DS50, Dupla50, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85		



1

No.	517128	Ref. No.	00550219 DW550219
description	rinse pipe		
For models:	DS50, DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		



1

No.	517132	Ref. No.	00560005 DW560005
description	rinse pipe		
For models:	Electron500, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		



1

No.	517153	Ref. No.	001060023 DW1060023
description	rinse pipe		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		



1

No.	517157	Ref. No.	0075322 DW75322
description	rinse pipe		
For models:	G12D, G12S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

No.	517144	Ref. No.	00350402 DW350402
description	rinse pipe angled mounting pos. upper		
For models:	DS35, DS37, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW		

			
1			
No.	511638	Ref. No.	003003951 DW3003951
description	rinse pipe L 600mm		
For models:	AX300, AX300LC, AX310, AX310LC, AX320, AX330		

			
1			
No.	517140	Ref. No.	0011600021 004374 DW11600021 DW4374
description	rinse pipe mounting pos. lower		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S, LP1-S, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
No.	517149	Ref. No.	00540016 00540070 DW540016 DW540070
description	screw connection ø 10mm with hole		
For models:	Electron400, Tekno4, TEKNO-4-CF		

			
1			
No.	517115	Ref. No.	0075321 DW75321
description	spacer piece		
For models:	DS50T, DS50-Touche, Electron500, Electron500Plus, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
1			
No.	517127	Ref. No.	00550220 DW550220
description	spacer piece		
For models:	DS50, Dupla50, DW020H, Electron1000, Electron500, Electron600, G600S, Gastro500S, GS100, GS-100, GS-100-DEPUR, GS50, GS85, Tekno6		

			
1			
No.	517139	Ref. No.	0010600011/A 0011600033 DW10600011/A DW11600033
description	throttle disc		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP2, LP3, LP4, LP4-800, LP4-Elettronica, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
No.	517158	Ref. No.	0010377 DW10377
description	Thumb screw ø 8mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, Electron400, GS35-RL09-NEW, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Tekno4		

1



No.	524804	Ref. No.	0010652 DW10652	
description	Thumb screw thread M5 thread L 7mm ø 30mm H 5mm SS Qty 1 pcs			
For models:	DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS...(Other models you can see in the webshop)			
accessories for	524804			
	No.	505277	Ref. No.	0010651 10651 DW10651
rinse arm shaft warewashing ø 14mm H 38mm thread 1/4"				

			
1			
No.	517071	Ref. No.	0075316 DW75316
description	wash arm bearing		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS		

			
1			
No.	517084	Ref. No.	0080221 DW80221
description	wash arm bearing		
For models:	LP2, LP2		

			
1			
No.	524798	Ref. No.	00540077 DW540077
description	wash arm bearing mounting pos. lower 3 holes hole ø 3mm seat ø 20mm ø 46mm H 35mm		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita		

			
1			
No.	524799	Ref. No.	00540078 DW540078
description	wash arm bearing mounting pos. upper/lower 3 holes hole ø 3mm seat ø 20mm ø 46mm H 32mm		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita		

			
1			
No.	517369	Ref. No.	00500701 DW500701
description	wash arm bearing ø 16.5mm H 18.5mm		
For models:	DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, Optima500, Optima500, Optima-Cutlery, Tekno6, TwinStar		

			
1			
No.	517471	Ref. No.	003060204 DW3060204
description	wash distributor mounting pos. lower ø 32mm L 177mm SS		
For models:	CX, FX		

			
1			
No.	517469	Ref. No.	003060151 DW3060151
description	wash distributor mounting pos. lower ø 32mm L 355mm SS		
For models:	CX, FX		

			
1			
No.	517382	Ref. No.	0011600103 DW11600103
description	wash pipe L 635mm stainless steel suitable for Dihr		
For models:	H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

washing and rinsing systems (sorted by producer)

DIHR



1

No.	517064	Ref. No.	0018904 DW18904	
description	rinse arm complete			
For models:	STAR, STAR-LS, TURBO-LS			
spare parts for	517064			
	No.	517032	Ref. No.	0012528 12528 DW12528
	rinse jet mounting ø 10mm L 33mm W 13 H 19mm			
	No.	517035	Ref. No.	0013016 13016 DW13016
	O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs			
	No.	517036	Ref. No.	0012527 0012532 12527 12532 DW12527 DW12532
	end cap for rinse arm			
	No.	517037	Ref. No.	0013319 13319 DW13319
	bush for wash arm			
	No.	517066	Ref. No.	0011101/A 11101/A DW11101/A
	Thumb screw thread M8 thread L 8mm ø 30mm H 3mm SS mounting pos. upper			

spare parts for 517064				
	No.	517067	Ref. No.	0013320 13320 DW13320
bush for rinse arm				



No.	517021	Ref. No.	00400909 DW400909
-----	--------	----------	----------------------

description wash and rinse arm 2 wash arms/ 2 rinse arms

For models: C40-LS, GS40, GS40

spare parts for 517021

	No.	510302	Ref. No.	0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs				

	No.	517027	Ref. No.	0010746/A 10746/A DW10746/A
wash jet				

	No.	517028	Ref. No.	0010212 0010266 10212 10266 DW10212 DW10266
wash jet				

	No.	517029	Ref. No.	0010216 0010265 10216 10265 DW10216 DW10265
blank nozzle				

	No.	517031	Ref. No.	0010206 0010256 10206 10256 DW10206 DW10256
end cap				

	No.	517032	Ref. No.	0012528 12528 DW12528
rinse jet mounting ø 10mm L 33mm W 13 H 19mm				

	No.	517033	Ref. No.	0010213 0010263 10213 10263 DW10213 DW10263
rinse jet				

	No.	517034	Ref. No.	0010217 10217 DW10217
blank nozzle				

	No.	517035	Ref. No.	0013016 13016 DW13016
O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs				

spare parts for 517021				
	No.	517036	Ref. No.	0012527 0012532 12527 12532 DW12527 DW12532
end cap for rinse arm				

	No.	517037	Ref. No.	0013319 13319 DW13319
bush for wash arm				

	No.	517038	Ref. No.	0010210 10210 DW10210
connector holder				

	No.	517039	Ref. No.	0011101/I 11101/I DW11101/I
Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower				

	No.	517092	Ref. No.	0010203 10203 DW10203
guide for rinse arm shaft				

	No.	517320	Ref. No.	0010208 0010258 10208 10258 DW10208 DW10258
wash arm boss				



No.	517025	Ref. No.	0026957 DW26957
-----	--------	----------	--------------------

description wash and rinse arm wash arm L 455mm rinse arm L 455mm w. jets 8 r. jets 5 mounting ø 10/32mm mounting pos. lower

For models: Gastro450, GASTRO-450

spare parts for 517025

	No.	510302	Ref. No.	0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs				

	No.	517026	Ref. No.	0010264 0010746 10264 10746 DW10264 DW10746
wash jet large mounting ø 18mm L 39mm W 21 H 32mm				

	No.	517028	Ref. No.	0010212 0010266 10212 10266 DW10212 DW10266
wash jet				

Table continues overleaf				
--------------------------	--	--	--	--

spare parts for 517025				
	No.	517031	Ref. No.	0010206 0010256 10206 DW10206 DW10256
end cap				
	No.	517032	Ref. No.	0012528 12528 DW12528
rinse jet mounting ø 10mm L 33mm W 13 H 19mm				
	No.	517033	Ref. No.	0010213 0010263 10213 10263 DW10213 DW10263
rinse jet				
	No.	517034	Ref. No.	0010217 10217 DW10217
blank nozzle				
	No.	517035	Ref. No.	0013016 13016 DW13016
O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs				
	No.	517036	Ref. No.	0012527 0012532 12527 12532 DW12527 DW12532
end cap for rinse arm				
	No.	517037	Ref. No.	0013319 13319 DW13319
bush for wash arm				
	No.	517038	Ref. No.	0010210 10210 DW10210
connector holder				
	No.	517066	Ref. No.	0011101/A 11101/A DW11101/A
Thumb screw thread M8 thread L 8mm ø 30mm H 3mm SS mounting pos. upper				
	No.	517092	Ref. No.	0010203 10203 DW10203
guide for rinse arm shaft				
	No.	517320	Ref. No.	0010208 0010258 10208 10258 DW10208 DW10258
wash arm boss				

			
1			
No.	517029	Ref. No.	0010216 0010265 DW10216 DW10265
description	blank nozzle		
For models:	C40-LS, Electron500CleanWater, G600, GS40, GS40, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-LS		

			
1			
No.	517034	Ref. No.	0010217 DW10217
description	blank nozzle		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, LP1, LP1-800, STAR-CF, STAR-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		

			
1			
No.	517312	Ref. No.	0010267 DW10267
description	blank nozzle		
For models:	DS50, Dupla50, Electron500, Electron500CleanWater, G600, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6, Tekno6.1-Acqua-pulita		

			
1			
No.	517031	Ref. No.	0010206 0010256 DW10206 DW10256
description	end cap		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500CleanWater, Gastro450, GASTRO-450, GS-35, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-CF, TURBO-LS		

			
1			
No.	517036	Ref. No.	0012527 0012532 DW12527 DW12532
description	end cap for rinse arm		
For models:	C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		

1 				
No.	510302	Ref. No.	0013009 0013017 DW13009 DW13017	
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, Electron400, FX, G35, G35-RL09-NEW, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40...(Other models you can see in the webshop)			

1 			
No.	517035	Ref. No.	0013016 DW13016
description	O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs		
For models:	C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, Electron-500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro-750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		

1 			
No.	517033	Ref. No.	0010213 0010263 DW10213 DW10263
description	rinse jet		
For models:	C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, Electron-500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro-750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, LP1, LP1-800, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		

 1			
No.	517032	Ref. No.	0012528 DW12528
description	rinse jet mounting ø 10mm L 33mm W 13 H 19mm		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		
accessories for	517032		
	No.	517035	Ref. No. 0013016 13016 DW13016
O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs			

1 			
No.	517320	Ref. No.	0010208 0010258 DW10208 DW10258
description	wash arm boss		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500CleanWater, Gastro450, GASTRO-450, GS-35, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-CF, TURBO-LS		

1 			
No.	517027	Ref. No.	0010746/A DW10746/A
description	wash jet		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-LS, CX, FX, GS40, GS40		

1 			
No.	517028	Ref. No.	0010212 0010266 DW10212 DW10266
description	wash jet		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500CleanWater, Gastro450, GASTRO-450, GS-35, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-CF, TURBO-LS		

1 			
No.	517026	Ref. No.	0010264 0010746 DW10264 DW10746
description	wash jet large mounting ø 18mm L 39mm W 21 H 32mm		
For models:	C40-CF, DERBY-CF, Electron500CleanWater, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, STAR, STAR-CF, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-CF, TURBO-LS		

1			
No.	517041	Ref. No.	0075910 DW75910
description	wash and rinse arm		
For models:	GASTRO-11S		

1 			
No.	517001	Ref. No.	0015956 DW15956
description	wash and rinse arm 2 wash arms/ 2 rinse arms		
For models:	Electron500, G600, G600, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
No.	517020	Ref. No.	0016950 0016951 00400906 DW16950 DW16951 DW400906
description wash and rinse arm 2 wash arms/ 2 rinse arms			
For models: C40-CF, C40-LS, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS			
spare parts for 517020			
	No.	510302	Ref. No. 0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	No.	517026	Ref. No. 0010264 0010746 10264 10746 DW10264 DW10746
wash jet large mounting ø 18mm L 39mm W 21 H 32mm			
	No.	517028	Ref. No. 0010212 0010266 10212 10266 DW10212 DW10266
wash jet			
	No.	517031	Ref. No. 0010206 0010256 10206 10256 DW10206 DW10256
end cap			
	No.	517032	Ref. No. 0012528 12528 DW12528
rinse jet mounting ø 10mm L 33mm W 13 H 19mm			
	No.	517033	Ref. No. 0010213 0010263 10213 10263 DW10213 DW10263
rinse jet			
	No.	517034	Ref. No. 0010217 10217 DW10217
blank nozzle			
	No.	517035	Ref. No. 0013016 13016 DW13016
O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs			
	No.	517036	Ref. No. 0012527 0012532 12527 12532 DW12527 DW12532
end cap for rinse arm			

spare parts for 517020			
	No.	517037	Ref. No. 0013319 13319 DW13319
bush for wash arm			
	No.	517038	Ref. No. 0010210 10210 DW10210
connector holder			
	No.	517066	Ref. No. 0011101/A 11101/A DW11101/A
Thumb screw thread M8 thread L 8mm ø 30mm H 3mm SS mounting pos. upper			
	No.	517092	Ref. No. 0010203 10203 DW10203
guide for rinse arm shaft			
	No.	517320	Ref. No. 0010208 0010258 10208 10258 DW10208 DW10258
wash arm boss			

1			
No.	517059	Ref. No.	0075913 DW75913
description wash and rinse arm 2 wash arms/ 2 rinse arms			
For models: LP1, LP1-800			

			
1			
No.	517306	Ref. No.	0015958 0075912 0075914 DW15958 DW75912 DW75914
description wash and rinse arm wash arm L 480mm rinse arm L 480mm w. jets 8 r. jets 6 mounting ø 10/43mm mounting pos. upper/lower			
For models: DS50, Dupla50, Electron500, G600, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6			
spare parts for 517306			
	No.	517032	Ref. No. 0012528 12528 DW12528
rinse jet mounting ø 10mm L 33mm W 13 H 19mm			
	No.	517035	Ref. No. 0013016 13016 DW13016
O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs			

Table continues overleaf

spare parts for 517306				
	No.	517036	Ref. No.	0012527 0012532 12527 12532 DW12527 DW12532
end cap for rinse arm				
	No.	517037	Ref. No.	0013319 13319 DW13319
bush for wash arm				
	No.	517039	Ref. No.	0011101/I 11101/I DW11101/I
Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower				
	No.	517043	Ref. No.	0010218 0010268 10218 10268 DW10218 DW10268
wash jet				
	No.	517045	Ref. No.	0013018 13018 DW13018
O-ring EPDM thickness 1.78mm ID ø 21.95mm Qty 1 pcs				
	No.	517046	Ref. No.	0010207 0010257 10207 10257 DW10207 DW10257
end cap				
	No.	517310	Ref. No.	0010260 10260 DW10260
connector holder				
	No.	517311	Ref. No.	0010261 10261 DW10261
wash jet raised ø 28.5mm				
	No.	517340	Ref. No.	0010209 0010259 10209 10259 DW10209 DW10259
wash arm boss				

			
1			
No.	517034	Ref. No.	0010217 DW10217
description	blank nozzle		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, LP1, LP1-800, STAR-CF, STAR-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		

			
1			
No.	517044	Ref. No.	0010219 DW10219
description	blank nozzle		
For models:	G600, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC, TEKNO-6, TEKNO-6-Break-Tank		

			
1			
No.	517312	Ref. No.	0010267 DW10267
description	blank nozzle		
For models:	DS50, Dupla50, Electron500, Electron500CleanWater, G600, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6, Tekno6.1-Acqua-pulita		

 1			
No.	517046	Ref. No.	0010207 0010257 DW10207 DW10257
description	end cap		
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEK-NO-6-Break-Tank		

 1			
No.	517045	Ref. No.	0013018 DW13018
description	O-ring EPDM thickness 1.78mm ID ø 21.95mm Qty 1 pcs		
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

				
1				
No.		517033	Ref. No.	
			0010213 0010263 DW10213 DW10263	
description		rinse jet		
For models:		C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, Electron-500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro-750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, LP1, LP1-800, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		



1

No.	517032	Ref. No.	0012528 DW12528
description	rinse jet mounting ø 10mm L 33mm W 13 H 19mm		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		
accessories for	517032		
No.	517035	Ref. No.	0013016 13016 DW13016
O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs			





1

No.	517365	Ref. No.	0010262 DW10262
description	rinse jet with flange		
For models:	DS50, Dupla50, Electron500, G600, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6		
spare parts for	517365		



No.	517035	Ref. No.	0013016 13016 DW13016
------------	--------	-----------------	-----------------------------

O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs

			
No.	517340	Ref. No.	0010209 0010259 DW10209 DW10259
description	wash arm boss		
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, LP1, LP1-800, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
No.	517042	Ref. No.	0010211 DW10211
description	wash jet		
For models:	Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
No.	517043	Ref. No.	0010218 0010268 DW10218 DW10268
description	wash jet		
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, LP1, LP1-800, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
No.	517311	Ref. No.	0010261 DW10261
description	wash jet raised ø 28.5mm		
For models:	DS50, Dupla50, Electron500, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6		

			
No.	517061	Ref. No.	0016903 DW16903
description	rinse arm		
For models:	C40-CF, GS40, LINEAR-CF		

			
No.	517063	Ref. No.	0010905 DW10905
description	rinse arm		
For models:	DERBY-CF, GS-35, STAR-CF, TURBO-CF		

			
No.	517065	Ref. No.	0010996 DW10996
description	rinse arm		
For models:	Derby, Derby400, DERBY-CF, Electron400, G35, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TURBO-CF, TURBO-LS		

1

				
No.	517305	Ref. No.	0010910 0010992 0010997 DW10910 DW10992 DW10997	
description		rinse arm L 300mm nozzles 4 mounting ø 10mm mounting pos. upper		
For models:		Derby, Derby400, DS35, DS37, Electron400, G35, G35-RL09-NEW, GS37, GS37-RL09-NEW, GS40, GS40-RL09-NEW, GS40-RL09-NEW, Linear, STAR, Star, Synthesis, Tekno4		
spare parts for		517305		
	No.	517037	Ref. No.	0013319 13319 DW13319
bush for wash arm				
	No.	517054	Ref. No.	0010371 0012537 10371 12537 DW10371 DW12537
rinse jet				
	No.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle				
	No.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				
	No.	517060	Ref. No.	0010365 10365 DW10365
Thumb screw				
	No.	517067	Ref. No.	0013320 13320 DW13320
bush for rinse arm				
	No.	517145	Ref. No.	00350401 350401 DW350401
rinse arm shaft				

1

No.	524073	Ref. No.	0075920 DW75920	
description	rinse arm L 460mm nozzles 6 mounting ø 14mm mounting pos. upper/lower thread 1/4"			
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT			
spare parts for	524073			
	No.	517054	Ref. No.	0010371 0012537 10371 12537 DW10371 DW12537
	rinse jet			
	No.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
	blank nozzle			
	No.	517056	Ref. No.	0013002 13002 DW13002
	O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs			

1

No.	517816	Ref. No.	00500751 DW500751
description	rinse arm rinse arm L 165mm r. jets 2 mounting ø 18mm		
For models:	DS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

 1			
No.	517022	Ref. No.	0010990 DW10990
description	wash and rinse arm 2 wash arms/ 2 rinse arms		
For models:	DERBY-CF, GS-35, STAR-CF, TURBO-CF		

			
No.	517023	Ref. No.	0018995 0018996 DW18995 DW18996
description	wash and rinse arm wash arm L 370mm rinse arm L 370mm w. jets 5 r. jets 5 mounting ø 10/32mm mounting pos. upper/lower		
For models:	Electron400, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40-RL09-NEW, Star, STAR-LS, Synthesis, Tekno4, TEKNO-4-LS, TURBO-LS		
spare parts for	517023		
	No.	510302	Ref. No. 0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	No.	517037	Ref. No. 0013319 13319 DW13319
bush for wash arm			
	No.	517052	Ref. No. 0010366 0010378 10366 10378 DW10366 DW10378
wash jet			
	No.	517053	Ref. No. 0010358 0010370 10358 10370 DW10358 DW10370
blank nozzle			
	No.	517054	Ref. No. 0010371 0012537 10371 12537 DW10371 DW12537
rinse jet			
	No.	517055	Ref. No. 0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle			
	No.	517056	Ref. No. 0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs			
	No.	517057	Ref. No. 0010364 0010376 10364 10376 DW10364 DW10376
wash arm boss			
	No.	517060	Ref. No. 0010365 10365 DW10365
Thumb screw			

spare parts for	517023		
	No.	517134	Ref. No. 00540010 00540069 540010 540069 DW540010 DW540069
nut			
	No.	517138	Ref. No. 0010225 10225 DW10225
guide for rinse arm shaft			
	No.	517148	Ref. No. 00540032 540032 DW540032
flat gasket rubber ED ø 57mm ID ø 43mm thickness 2mm Qty 1 pcs			

			
No.	517047	Ref. No.	0010904 0010998 0010999 DW10904 DW10998 DW10999
description	wash and rinse arm wash arm L 370mm rinse arm L 370mm w. jets 7 r. jets 5 mounting ø 10/32mm mounting pos. lower		
For models:	Derby, DERBY-CF, DS35, DS37, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40-RL09-NEW, STAR, Star, STAR-CF, Synthesis, Tekno4, TEKNO-4-CF, TURBO-CF		
spare parts for	517047		
	No.	517030	Ref. No. —
O-ring			
	No.	517037	Ref. No. 0013319 13319 DW13319
bush for wash arm			
	No.	517051	Ref. No. 0010357 0010369 10357 10369 DW10357 DW10369
wash jet with gasket			
	No.	517053	Ref. No. 0010358 0010370 10358 10370 DW10358 DW10370
blank nozzle			
	No.	517054	Ref. No. 0010371 0012537 10371 12537 DW10371 DW12537
rinse jet			

Table continues overleaf

spare parts for 517047				
	No.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle				
	No.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				
	No.	517057	Ref. No.	0010364 0010376 10364 10376 DW10364 DW10376
wash arm boss				
	No.	517060	Ref. No.	0010365 10365 DW10365
Thumb screw				



No.	517050	Ref. No.	00540995 00540996 DW540995 DW540996	
description wash and rinse arm wash arm L 400mm rinse arm L 400mm w. jets 5 r. jets 5 mounting ø 10/32mm mounting pos. upper/lower				
For models: DS40, DS40, Electron400, GS40, GS40, GS40, GS-40-RL09-NEW, Tekno4, TEKNO-4-LS				
spare parts for 517050				
	No.	510302	Ref. No.	0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs				
	No.	517037	Ref. No.	0013319 13319 DW13319
bush for wash arm				
	No.	517052	Ref. No.	0010366 0010378 10366 10378 DW10366 DW10378
wash jet				
	No.	517053	Ref. No.	0010358 0010370 10358 10370 DW10358 DW10370
blank nozzle				
	No.	517054	Ref. No.	0010371 0012537 10371 12537 DW10371 DW12537
rinse jet				

spare parts for 517050				
	No.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle				
	No.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				
	No.	517058	Ref. No.	00540013 00540043 540013 540043 DW540013 DW540043
wash arm boss				
	No.	517060	Ref. No.	0010365 10365 DW10365
Thumb screw				
	No.	517092	Ref. No.	0010203 10203 DW10203
guide for rinse arm shaft				



1

No.	517049	Ref. No.	00540998 00540999 DW540998 DW540999
description wash and rinse arm wash arm L 400mm rinse arm L 400mm w. jets 7 r. jets 5 mounting ø 10/32mm mounting pos. lower			
For models: Derby400, Electron400, GS40, GS40, GS40, GS-40-RL09-NEW, Tekno4, TEKNO-4-CF			
spare parts for 517049			
	No.	510302	Ref. No. 0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	No.	517037	Ref. No. 0013319 13319 DW13319
bush for wash arm			
	No.	517053	Ref. No. 0010358 0010370 10358 10370 DW10358 DW10370
blank nozzle			
	No.	517054	Ref. No. 0010371 0012537 10371 12537 DW10371 DW12537
rinse jet			

Table continues overleaf

spare parts for 517049				
	No.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle				
	No.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				
	No.	517058	Ref. No.	00540013 00540043 540013 540043 DW540013 DW540043
wash arm boss				
	No.	517060	Ref. No.	0010365 10365 DW10365
Thumb screw				
	No.	517092	Ref. No.	0010203 10203 DW10203
guide for rinse arm shaft				

				
1				
No.	517377	Ref. No.		00500750 DW500750
description wash and rinse arm wash arm L 487mm rinse arm L 480mm w. jets 8 r. jets 5 mounting ø 10/44mm mounting pos. upper/lower				
For models: DS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche				
spare parts for 517377				
	No.	510302	Ref. No.	0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs				
	No.	517037	Ref. No.	0013319 13319 DW13319
bush for wash arm				
	No.	517039	Ref. No.	0011101/I 11101/I DW11101/I
Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower				
	No.	517051	Ref. No.	0010357 0010369 10357 10369 DW10357 DW10369
wash jet with gasket				
	No.	517054	Ref. No.	0010371 0012537 10371 12537 DW10371 DW12537
rinse jet				

spare parts for 517377				
	No.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				
	No.	517310	Ref. No.	0010260 10260 DW10260
connector holder				
	No.	530776	Ref. No.	00500755 0050755 500755 50755 DW500755 DW50755
wash arm boss L 155mm W 100mm H 49.5mm shaft ø 10mm				

1 				
No.	517053	Ref. No.		0010358 0010370 DW10358 DW10370
description blank nozzle				
For models: Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS				

1 				
No.	517055	Ref. No.		0010372 0012538 DW10372 DW12538
description blank nozzle				
For models: Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600S, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, Optima500...(Other models you can see in the webshop)				
accessories for 517055				
	No.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				

			
No.	510302	Ref. No.	0013009 0013017 DW13009 DW13017
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, Electron400, FX, G35, G35-RL09-NEW, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40...(Other models you can see in the webshop)		

			
No.	517056	Ref. No.	0013002 DW13002
description	O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600S, GASTRO-1200S, Gastro400S, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus...(Other models you can see in the webshop)		

			
No.	524851	Ref. No.	0010361 0010375 DW10361 DW10375
description	rinse arm mounting pos. left L 141mm nozzles 3 mounting ø 14mm		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		

			
No.	524855	Ref. No.	0075920/S DW75920/S
description	rinse arm mounting pos. left L 215mm nozzles 3 mounting ø 14mm		
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G35, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
No.	524856	Ref. No.	0075920/D DW75920/D
description	rinse arm mounting pos. right L 215mm nozzles 3 mounting ø 14mm		
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

No.	524796	Ref. No.	0075920/A DW75920/A
description	rinse arm boss mounting pos. upper/lower ø 23mm H 25mm		
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
accessories for	524796		
	No.	524855	Ref. No. 0075920/S 75920/S DW75920/S
rinse arm mounting pos. left L 215mm nozzles 3 mounting ø 14mm			
	No.	524856	Ref. No. 0075920/D 75920/D DW75920/D
rinse arm mounting pos. right L 215mm nozzles 3 mounting ø 14mm			



1

No.	517054	Ref. No.	0010371 0012537 DW10371 DW12537
description	rinse jet		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600S, Gastro400S, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus...(Other models you can see in the webshop)		
accessories for	517054		
	No.	517056	Ref. No. 0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs			

			
1			
No.	524852	Ref. No.	0010355 0010367 DW10355 DW10367
description	wash arm mounting pos. right L 132mm nozzles 3 mounting ø 22mm		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		

			
1			
No.	517475	Ref. No.	00500754 DW500754
description	wash arm mounting pos. upper/lower left L 217mm nozzles 4 mounting ø 28mm		
For models:	DS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche		

			
1			
No.	517474	Ref. No.	00500753 DW500753
description	wash arm mounting pos. upper/lower right L 217mm nozzles 4 mounting ø 28mm		
For models:	DS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche		

			
1			
No.	517057	Ref. No.	0010364 0010376 DW10364 DW10376
description	wash arm boss		
For models:	Derby, DERBY-CF, DS35, DS37, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		

			
1			
No.	517058	Ref. No.	00540013 00540043 DW540013 DW540043
description	wash arm boss		
For models:	Derby400, DS40, DS40, Electron400, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Tekno4, TEKNO-4-CF, TEKNO-4-LS		

			
1			
No.	517052	Ref. No.	0010366 0010378 DW10366 DW10378
description	wash jet		
For models:	DS40, DS40, Electron400, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Linear, Star, STAR-LS, Synthesis, Tekno4, TEKNO-4-LS, TURBO-LS		

			
1			
No.	517051	Ref. No.	0010357 0010369 DW10357 DW10369
description	wash jet with gasket		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS45, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Star, STAR-CF, Synthesis, Tekno4, TEKNO-4-CF, TURBO-CF		
accessories for	517051		
	No.	510302	Ref. No.
			0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			

			
1			
No.	517784	Ref. No.	00540084 DW540084
description	wash arm L 395mm nozzles 6 mounting pos. upper/lower		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita		

			
1			
No.	517068	Ref. No.	0075915 DW75915
description	wash arm L 530mm nozzles 8 mounting ø 43mm mounting pos. upper/lower		
For models:	DW020H, Electron1000, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

1

No.	517069	Ref. No.	0010600900 0011600023 DW10600900 DW11600023
description	wash arm L 530mm nozzles 8 mounting ø 60mm mounting pos. upper/lower		
For models:	G12S, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S, LP1-S, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, SILVER-1500, SILVER-1500-Insulated		
spare parts for	517069		
	No.	517341	Ref. No. 0075320 75320 DW75320
bush ID ø 16mm ED ø 48mm			

			
1			
No.	517466	Ref. No.	00500700 DW500700
description	wash arm mounting pos. upper/lower L 500mm nozzles 10		
For models:	DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, Optima500, Optima500, Optima-Cutlery, Tekno6		

			
1			
No.	517783	Ref. No.	00540083 DW540083
description	rinse arm L 375mm nozzles 5 mounting pos. lower		
For models:	DS40, DS40, Electron400, Electron400CleanWater, Gastro400S, Tekno4, Tekno4.1-Acqua-pulita		

1			
No.		Ref. No.	0010600913 0075061 0075918 DW10600913 DW75061 DW75918
517346			
description		rinse arm L 483mm nozzles 5 mounting ø 14mm mounting pos. upper/lower complete with threaded shaft	
For models:		AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, D550, Dupla50, DW020H, Electron1000, Electron500, Electron500CleanWater, Electron600, G12D, G12S, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro500S, GS100, GS-100, GS-100-DEPUR, GS50, H600, H600, H600Electronic, HT11E, HT11S...(Other models you can see in the webshop)	
spare parts for		517346	
		No.	Ref. No.
		517076	00560018 560018 DW560018
rinse jet			
		No.	Ref. No.
		517077	00560017 560017 DW560017
end cap for rinse arm thread M9x1 L 8mm			
		No.	Ref. No.
		524075	0010650 10650 DW10650
rinse arm boss L 70mm ø 22.7mm H 25mm mounting pos. upper/lower			

			
1			
No.	507527	Ref. No.	0088918 0090003 DW88918 DW90003
description	rinse arm mounting pos. upper/lower L 565mm nozzles 6		
For models:	LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP2, LP2S-PLUS, LP3, LP3, LP3S-PLUS, LP4, LP4-800, LP4-Elettronica		



1



No.	517812	Ref. No.	91103 DW91103
description	rinse arm L 655mm nozzles 6 mounting ø 13mm		
For models:	LP1-S8, LP1-S8EL, LP-2PLUS, LP-3PLUS, LP-4PLUS, LP4S8-PLUS		

1



No.	517476	Ref. No.	0091102 DW91102
description	wash arm mounting pos. upper/lower L 535mm nozzles 12		
For models:	LP1-S8, LP1-S8EL, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS		

1



No.	517088	Ref. No.	0016447 003003029 DW16447 DW3003029
description	end cap		
For models:	LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4, LP4-800, LP4-Electronica, LP-4PLUS, LP4S8-PLUS		
accessories for	517088		
	No.	517087	Ref. No.
			0013023 13023 DW13023
O-ring EPDM thickness 3.53mm ID ø 23.4mm Qty 1 pcs			

1



No.	517090	Ref. No.	002906450 DW2906450
description	end cap for rinse arm		
For models:	GASTRO-1200S, LP2, LP3, LP4		
accessories for	517090		
	No.	510303	Ref. No.
			—
O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			

1



No.	517077	Ref. No.	00560017 DW560017
description	end cap for rinse arm thread M9x1 L 8mm		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G12D, G12S, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro400S, Gastro500S, GS100, GS-100, GS-100-DEPUR, GS37, GS50, H600, H600, H600Electronic, HT11E, HT11S, HT12-Electronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2...(Other models you can see in the webshop)		

1



No.	524075	Ref. No.	0010650 DW10650
description	rinse arm boss L 70mm ø 22.7mm H 25mm mounting pos. upper/lower		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro500S, GS50, H600, H600Electronic, HT11E, HT11S, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4-800, LP4-Electronica, LP-4PLUS, LP4S8-PLUS, LP-ZERO, Tekno6		

1



No.	517076	Ref. No.	00560018 DW560018
description	rinse jet		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G12D, G12S, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro400S, Gastro500S, GS100, GS-100, GS-100-DEPUR, GS37, GS50, H600, H600, H600Electronic, HT11E, HT11S, HT12-Electronica, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2...(Other models you can see in the webshop)		

1



No.	517313	Ref. No.	002902811 DW2902811
description	rinse jet		
For models:	GASTRO-1200S, LP2, LP3, LP4		

1



No.	517820	Ref. No.	0075920/B DW75920/B
description	spacer ring for rinse arm mounting ø 11mm H 1.5mm ø 14.4mm		
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
No.	517465	Ref. No.	003003901 DW3003901
description	rinse arm mounting pos. upper left L 560mm nozzles 2 stationary		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC		

			
1			
No.	507522	Ref. No.	003003902 DW3003902
description	rinse arm mounting pos. upper/lower L 532mm nozzles 3 stationary		
For models:	AX151, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC		

			
1			
No.	517370	Ref. No.	002002054 DW2002054
description	end cap for rinse arm thread M18x1 ø 26mm H 11mm suitable for Dihr		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TX1500, UX220		

			
1			
No.	694332	Ref. No.	002200116 DW2200116
description	nut thread 3/8" H 13mm WS 22 SS Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, GRANUL1000, GRANUL900, GRANUL900, TX1500, UX220		

			
1			
No.	507529	Ref. No.	002200118 DW2200118
description	rinse jet mounting pos. upper/lower ø 15mm H 9.5mm		
For models:	AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, TX1500, UX220		

			
1			
No.	510666	Ref. No.	002200114 DW2200114
description	rinse jet ø 15mm H 9.5mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX		

			
1			
No.	524956	Ref. No.	002002051 DW2002051
description	sealing disc for rinse arm rubber mounting pos. upper/lower ø 18mm thickness 1.6mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TX1500, UX220		


			
1			
No.	517376	Ref. No.	002200117 DW2200117
description	strainer insert for rinse jet ø 15mm H 8mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, GRANUL1000, GRANUL900, GRANUL900, TX1500, UX220		

wash arm bosses

			
1			
No.	530776	Ref. No.	00500755 0050755 DW500755 DW50755
description	wash arm boss L 155mm W 100mm H 49.5mm shaft ø 10mm		
For models:	DS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

miscellaneous

			
1			
No.	517079	Ref. No.	0012503 DW12503
description	end cap		
For models:	C40-LS, GASTRO-500, GASTRO-750, GASTRO-900, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Linear, LINEAR-LS, STAR, Star, STAR-LS, Synthesis, TURBO-LS		



1

No.	517083	Ref. No.	0080304 DW80304
description	end cap		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, CX, FX, LP2, LP3, TX1500, UX220		



1

No.	517386	Ref. No.	002902795 DW2902795
description	nozzle complete for rinse arm ø 19mm H 26mm		
For models:	LP3, LP3		



1

No.	517081	Ref. No.	0080303 DW80303
description	nozzle holder		
For models:	AX151, AX151-highspeed, LP2, LP3		



1

No.	507523	Ref. No.	00391033 DW391033
description	rinse arm mounting pos. upper/lower L 465mm nozzles 3 stationary		
For models:	AX161, AX290		



1

No.	517080	Ref. No.	0080300 DW80300
description	wash jet		
For models:	AX151, AX151-highspeed, LP2, LP3		



1

No.	517078	Ref. No.	0018135 DW18135
description	wash jet complete		
For models:	C40-LS, GS37, GS37-prima-serie, GS40, GS40, Linear, LINEAR-LS, STAR, Star, STAR-LS, Synthesis, TURBO-LS		

wash arm supports



1

No.	517785	Ref. No.	0015909 DW15909
description	wash arm support complete mounting pos. lower for Dihr		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900		

spare parts for 517785			
No.	517123	Ref. No.	0015041 0015041/A 15041 15041/A DW15041 DW15041/A
wash arm support mounting pos. lower ø 48mm			



1

No.	517136	Ref. No.	00540009 00540068 DW540009 DW540068
description	wash arm support mounting pos. lower		
For models:	Electron400, Electron500CleanWater, Tekno4, TEKNO-4-CF, Tekno6.1-Acqua-pulita		

1

No.	517137	Ref. No.	00540046 DW540046
description	wash arm support mounting pos. lower		
For models:	Electron400, Tekno4, TEKNO-4-CF, TEKNO-4-LS		

			
1			
No.	517307	Ref. No.	0010205/B DW10205/B
description wash arm support mounting pos. lower			
For models: DS35, DS37			

			
1			
No.	517106	Ref. No.	0010205 DW10205
description wash arm support mounting pos. lower closed contact for dosing pump			
For models: C40-CF, C40-LS, G35, Gastro450, GASTRO-450, GS-35, GS-37, GS40, GS-40, LINEAR-CF, LINEAR-CR, LINEAR-LS, STAR, STAR-CF, STAR-LS, Synthesis, TURBO-CF, TURBO-LS			

			
1			
No.	524795	Ref. No.	00540074 DW540074
description wash arm support mounting pos. lower H 98mm			
For models: Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita			

			
1			
No.	517318	Ref. No.	00500621 DW500621
description wash arm support mounting pos. lower ø 35mm			
For models: G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT			
accessories for 517318			
			
No.	510409	Ref. No.	0013015 0013020 13015 13020 DW13015 DW13020
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
			
No.	517140	Ref. No.	0011600021 004374 11600021 4374 DW11600021 DW4374
rinse pipe mounting pos. lower			
			
No.	517141	Ref. No.	0011600007 0011600035 11600007 11600035 DW11600007 DW11600035
wash arm bearing mounting pos. lower			

			
1			
No.	517123	Ref. No.	0015041 0015041/A DW15041 DW15041/A
description wash arm support mounting pos. lower ø 48mm			
For models: G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO			
accessories for 517123			
			
No.	505192	Ref. No.	0013006 0013022 13006 13022 DW13006 DW13022
O-ring EPDM thickness 2.62mm ID ø 39.34mm Qty 1 pcs			
			
No.	510893	Ref. No.	0013003 13003 DW13003
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
			
No.	511943	Ref. No.	0013313 13313 DW13313
flat gasket rubber ED ø 24mm ID ø 8mm thickness 2mm Qty 1 pcs			
			
No.	517110	Ref. No.	0015040 0015040/A 0022028 15040 15040/A 22028 DW15040 DW15040/A DW22028
wash arm bearing mounting pos. lower thread M10 ø 39mm H 36mm			
			
No.	517121	Ref. No.	0015038 15038 DW15038
bush ID ø 26mm ø 48mm H 11mm mounting pos. lower for wash arm			
			
No.	517125	Ref. No.	0012506 12506 DW12506
hose connector			

			
1			
No.	517105	Ref. No.	0010205/A 0010205/C DW10205/A DW10205/C
description wash arm support mounting pos. lower open contact for dosing pump			
For models: Derby, Derby400, DERBY-CF, DS40, DS40, G35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS, Synthesis			

			
No.	504371	Ref. No.	0076077 DW76077
description	wash arm support mounting pos. lower thread 1 1/2" ø 41.5mm H 168mm L1 96.5mm L2 71mm ID ø 33mm		
For models:	HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

			
No.	517002	Ref. No.	0015069/A 0015069/B 0015069/C 0015069/D 0015910 DW15069/A DW15069/B DW15069/C DW15069/D DW15910
description	wash arm support mounting pos. upper		
For models:	G600, G600, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, LP1, LP1-800		

			
No.	517146	Ref. No.	00540017 00540048 DW540017 DW540048
description	wash arm support mounting pos. upper		
For models:	Electron400, Tekno4, TEKNO-4-CF		

			
No.	517150	Ref. No.	00540012 00540047 DW540012 DW540047
description	wash arm support mounting pos. upper		
For models:	Electron400, Tekno4, TEKNO-4-LS		

			
No.	517156	Ref. No.	0075067 DW75067
description	wash arm support mounting pos. upper		
For models:	Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

No.	517159	Ref. No.	0078001 DW78001
description	wash arm support mounting pos. upper		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
accessories for	517159		
	No.	517004	Ref. No. 0013004 13004 DW13004
O-ring EPDM thickness 2.62mm ID ø 34.6mm Qty 1 pcs			
	No.	520499	Ref. No. 0015042/A 15042/A DW15042/A
nut thread 1¼" H 6mm WS 50 brass Qty 1 pcs			



1

No.	517309	Ref. No.	00540071 00540072 DW540071 DW540072	
description	wash arm support mounting pos. upper			
For models:	DS40, DS40, Electron400, Electron500CleanWater, Tekno4, Tekno6.1-Acqua-pulita			
accessories for	517309			
	No.	517148	Ref. No.	00540032 540032 DW540032
flat gasket rubber ED ø 57mm ID ø 43mm thickness 2mm Qty 1 pcs				
	No.	517149	Ref. No.	00540016 00540070 540016 540070 DW540016 DW540070
screw connection ø 10mm with hole				

			
No.	524670	Ref. No.	0026911 0026911/A DW26911 DW26911/A
description	wash arm support mounting pos. upper		
For models:	Gastro450, GASTRO-450		

			
1			
No.	517375	Ref. No.	00550914 00550915 DW550914 DW550915
description	wash arm support mounting pos. upper H 53mm GS100 suitable for Dihr		
For models:	GS100, GS-100, GS-100-DEPUR		

				
1				
No.	517133	Ref. No.	00500612 DW500612	
description	wash arm support mounting pos. upper/lower			
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1S, LP1-S, Tekno6, TEKNO-6, TEKNO-6-Break-Tank			
accessories for	517133			
	No.	510408	Ref. No.	0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	517154	Ref. No.	00500610 00500623 500610 500623 DW500610 DW500623
nut mounting pos. upper for wash arm support				

			
1			
No.	517817	Ref. No.	0010600903 DW10600903
description	wash arm bearing ø 48.5mm D2 ø 22.3mm ID ø 26mm H 49mm		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

rinse arm shafts

			
1			
No.	517003	Ref. No.	0015301 DW15301
description	rinse arm shaft		
For models:	GASTRO-11S, LP1-800		

			
1			
No.	517073	Ref. No.	0075323 DW75323
description	rinse arm shaft		
For models:	Electron400, Electron400CleanWater, Gastro11S, Gastro1200, Gastro12S, GS100, GS-100, GS-100-DEPUR, H600, HT12-Elettronica, LP1, LP1-800, LP1-800EL, LP-ZERO, Tekno4, Tekno4.1-Acqua-pulita		

			
1			
No.	517091	Ref. No.	0080350 DW80350
description	rinse arm shaft		
For models:	LP2, LP3, LP4		

1 			
No.	517093	Ref. No.	0016039 DW16039
description	rinse arm shaft		
For models:	C40-CF, C40-LS, DS40, DS40, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS		
accessories for	517093		
	No.	517039	Ref. No. 0011101/I 11101/I DW11101/I
Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower			

			
1			
No.	517096	Ref. No.	0019003 DW19003
description	rinse arm shaft		
For models:	DS35, DS37, G35, Gastro450, GASTRO-450		

			
1			
No.	517097	Ref. No.	00135101 DW135101
description	rinse arm shaft		
For models:	GS-35, GS37, GS37, GS-37, GS37-prima-serie		

			
1			
No.	517099	Ref. No.	0018510 DW18510
description	rinse arm shaft		
For models:	Star, STAR-CF, STAR-LS		

			
1			
No.	517102	Ref. No.	0012501 DW12501
description	rinse arm shaft		
For models:	Derby, Derby400, DERBY-CF, Synthesis, TURBO-CF, TURBO-LS		

			
No.	517109	Ref. No.	0015300 DW15300
description	rinse arm shaft		
For models:	DS45, DS50, Dupla50, Electron500, G600, G600, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
No.	517117	Ref. No.	0022029 DW22029
description	rinse arm shaft		
For models:	GASTRO-11S, LP1, LP1-800		

			
No.	517142	Ref. No.	00540011 DW540011
description	rinse arm shaft		
For models:	TEKNO-4-CF, TEKNO-4-LS		

			
No.	517145	Ref. No.	00350401 DW350401
description	rinse arm shaft		
For models:	DS35, DS37, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW		

			
No.	517147	Ref. No.	00540014 DW540014
description	rinse arm shaft		
For models:	DS50, Electron400, Tekno4, TEKNO-4-CF		

			
No.	517152	Ref. No.	00540015 DW540015
description	rinse arm shaft mounting pos. upper		
For models:	TEKNO-4-LS		

			
No.	524972	Ref. No.	0075069 DW75069
description	rinse arm shaft mounting pos. upper/lower ø 27mm H 37mm thread 1/4" thread L 13.5mm		
For models:	G12D, G12S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

			
No.	524802	Ref. No.	0010600014 DW10600014
description	rinse arm shaft mounting pos. upper/lower shaft ø 10mm ø 26mm H 47mm thread 1/4" thread L 10mm		
For models:	GASTRO-1200S		

			
No.	524854	Ref. No.	0010600018 DW10600018
description	rinse arm shaft ø 25mm H 33mm thread 3/8" thread L 17mm		

1

			
No.	505277	Ref. No.	0010651 DW10651
description	rinse arm shaft warewashing ø 14mm H 38mm thread 1/4"		
For models:	DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS...(Other models you can see in the webshop)		
accessories for	505277		
	No.	524804	Ref. No.
			0010652 10652 DW10652
Thumb screw thread M5 thread L 7mm ø 30mm H 5mm SS Qty 1 pcs			

gear wheels

			
No.	699261	Ref. No.	003060022 DW3060022
description	gear wheel plastic W 37.5mm ID ø 25mm ED ø 150mm		
For models:	CAN-MASTER, CX, FX, UX220		

for toasters

pliers

pliers



1

No.	690010	Ref. No.	008008 DW8008
description	plier for toaster H 180mm total length 100mm		
For models:	F12, F12, F120, F120-TK120P, F6, F6, F60, F60-TK60P		

knobs

producer-specific knobs

DIHR



1

No.	110526	Ref. No.	008029 DW8029
description	knob switch zero mark ø 44mm shaft ø 6x4.6mm shaft flat upper/lower		
For models:	CREPE1, CREPE2, CREPE-1, CREPE-2, CX, Double-grill, F12, F12, F6, F6, FX, GRILL-XAL-2, GRILL-XAR-2, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, K1L, K1R, K2L, K2M, K2R, S1, S2, Single-grill, X1, X1-TK20, X2, X2-TK21, XAL-2, XAR-2, XBL, XBM, XBR		

handles and hand wheels

handle rails

DIHR



1

No.	694612	Ref. No.	00560550 DW560550
description	handle rail for dishwasher L 545mm W 66mm H 30mm grey hole distance 407mm Qty 1 pcs		
For models:	Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

end caps



1

No.	694609	Ref. No.	00135241 DW135241
description	end cap for handle rail mounting pos. left/right		

recessed handles



1

No.	694613	Ref. No.	00135240 DW135240
description	handle rail L 255mm W 30mm H 55mm plastic for dishwasher		

locks

espagnolette locks

producer-specific

DIHR



1

No.	694630	Ref. No.	00590020 DW590020
description	bush H 9mm for espagnolette lock ID ø 10mm ED ø 14mm		
For models:	TwinStar		



1

No.	560540	Ref. No.	00590113 DW590113
description	countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle		
For models:	TwinStar		
accessories for	560540		



No.	694624	Ref. No.	00590017 590017 DW590017
description	door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm		

1

No.	694625	Ref. No.	00590018 DW590018
description	coupling for door handle ø 20mm L 28mm hole ø 11mm		
For models:	TwinStar		
accessories for	694625		
	No.	560540	Ref. No. 00590113 590113 DW590113
	countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle		
	No.	694611	Ref. No. 00590016 590016 DW590016
	tap head for door handle ø 60mm grey L 105mm W 60mm H 65mm		
	No.	694624	Ref. No. 00590017 590017 DW590017
	door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm		
	No.	694626	Ref. No. 00590006 590006 DW590006
	cross bar H 17mm L 107mm W 50mm for espagnolette lock mounting distance 40mm D1 ø 11mm D2 ø 12mm		
	No.	694630	Ref. No. 00590020 590020 DW590020
	bush H 9mm for espagnolette lock ID ø 10mm ED ø 14mm		



1

No.	694626	Ref. No.	00590006 DW590006
description	cross bar H 17mm L 107mm W 50mm for espagnolette lock mounting distance 40mm D1 ø 11mm D2 ø 12mm		
For models:	TwinStar		
accessories for	694626		
	No. 560540	Ref. No.	00590113 590113 DW590113
countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle			
	No. 694611	Ref. No.	00590016 590016 DW590016
tap head for door handle ø 60mm grey L 105mm W 60mm H 65mm			
	No. 694624	Ref. No.	00590017 590017 DW590017
door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm			
	No. 694625	Ref. No.	00590018 590018 DW590018
coupling for door handle ø 20mm L 28mm hole ø 11mm			
	No. 694627	Ref. No.	00590019 590019 DW590019
thread bolt L 13.5mm for espagnolette lock D1 ø 11mm D2 ø 10mm thread M6			

accessories for 694626				
	No. 694630		Ref. No.	00590020 590020 DW590020
	bush H 9mm for espagnolette lock ID ø 10mm ED ø 14mm			

1

				
No.	694624	Ref. No.	00590017 DW590017	
description	door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm			
For models:	TwinStar			
spare parts for	694624			
	No.	560540	Ref. No.	00590113 590113 DW590113
countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle				
accessories for	694624			
	No.	560540	Ref. No.	00590113 590113 DW590113
countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle				
	No.	694611	Ref. No.	00590016 590016 DW590016
tap head for door handle ø 60mm grey L 105mm W 60mm H 65mm				
	No.	694625	Ref. No.	00590018 590018 DW590018
coupling for door handle ø 20mm L 28mm hole ø 11mm				
	No.	694626	Ref. No.	00590006 590006 DW590006
cross bar H 17mm L 107mm W 50mm for espagnolette lock mounting distance 40mm D1 ø 11mm D2 ø 12mm				
	No.	694630	Ref. No.	00590020 590020 DW590020
bush H 9mm for espagnolette lock ID ø 10mm ED ø 14mm				

			
No.	560542	Ref. No.	0011505 DW11505
description	grub screw thread M6 L 16mm in stainless steel DIN 916/ISO 4029 intake internal hexagon WS 3 Qty 1 pcs		
For models:	TwinStar, TX1500		

			
1			
No.	560541	Ref. No.	00590099 DW590099
description	raised countersunk head screw thread M6 thread L 13mm SS DIN 966/ISO 7047 Qty 1 pcs intake slotted head ø 11mm head thickness 5mm		
For models:	TwinStar		

			
1			
No.	560289	Ref. No.	0011168 DW11168
description	side bolts thread M6 L 12mm SS Qty 1 pcs intake Phillips head ø 12.6mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, TEKNO-4-CF, TEKNO-4-LS, TEKNO-6, TwinStar		

1

No.	694611	Ref. No.	00590016 DW590016
description	tap head for door handle ø 60mm grey L 105mm W 60mm H 65mm		
For models:	TwinStar		
accessories for	694611		
	No.	560540	Ref. No. 00590113 590113 DW590113
countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle			
	No.	694624	Ref. No. 00590017 590017 DW590017
door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm			
	No.	694625	Ref. No. 00590018 590018 DW590018
coupling for door handle ø 20mm L 28mm hole ø 11mm			
	No.	694626	Ref. No. 00590006 590006 DW590006
cross bar H 17mm L 107mm W 50mm for espagnolette lock mounting distance 40mm D1 ø 11mm D2 ø 12mm			

			
1			
No.	694627	Ref. No.	00590019 DW590019
description	thread bolt L 13.5mm for espagnolette lock D1 ø 11mm D2 ø 10mm thread M6		
For models:	TwinStar		

hinges

door bearing

			
1			
No.	519397	Ref. No.	00540036 00540636 DW540036 DW540636
description	bush mounting pos. left for hinge		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Opti-ma400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		

			
1			
No.	519396	Ref. No.	00540035 DW540035
description	bush mounting pos. right for hinge		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Opti-ma400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		

			
1			
No.	694628	Ref. No.	00590093 DW590093
description	hinge L 50mm W 15mm H 20mm bolt 14mm bolt ø 10mm with bolt for dishwasher		
For models:	TwinStar		

miscellaneous

			
1			
No.	519399	Ref. No.	00540629 DW540629
description	door hinge mounting pos. left		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Opti-ma400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		
accessories for	519399		
	No.	519397	Ref. No. 00540036 00540636 540036 540636 DW540036 DW540636
bush mounting pos. left for hinge			





1

No.	519398	Ref. No.	00540624 DW540624	
description	door hinge mounting pos. right			
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS			
accessories for	519398			
	No.	519396	Ref. No.	00540035 540035 DW540035
bush mounting pos. right for hinge				

equipment feet and end caps

screw-in feet

			
No.	701292	Ref. No.	0010786 DW10786 DW10786+DW11711
description	equipment foot thread M10 thread L 23mm ø 38mm H 12.5mm WS 17 Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS-37, GS40, GS-40, GS-45, GS-50, GS-50-230Vac, Linear, LINEAR-CF, LINEAR-LS, Optima500, Optima500, Optima-Cutlery, Star, STAR-CF, STAR-LS, Synthesis, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		

			
No.	701293	Ref. No.	0015057 DW15057
description	equipment foot thread M10 thread L 51mm ø 50mm H 14mm WS 17 Qty 1 pcs		
For models:	GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, STAR		

			
No.	695601	Ref. No.	0010850 DW10850
description	equipment foot thread M17 thread L 23mm ø 24mm H 11mm plastic WS 24 Qty 1 pcs		
For models:	DS35, DS37, DS40, DS40, Electron400, Electron400, Electron400CleanWater, G35, G35-RL09-NEW, Gastro400S, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		


			
No.	696536	Ref. No.	0010851 DW10851
description	equipment foot thread M17 thread L 30mm ø 17mm H 20mm plastic WS 24 Qty 1 pcs		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, GS50		

baskets

warewashing baskets

steel wire baskets round

mix baskets

			
No.	970317	Ref. No.	00C21 DWC21
description	mix basket ED ø 350mm H 110mm		
For models:	Accessories		

			
No.	970580	Ref. No.	00C07 DWC07
description	mix basket ED ø 370mm H 120mm		
For models:	Accessories		

			
No.	970318	Ref. No.	00C16 DWC16
description	mix basket ED ø 400mm H 145mm		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900		

steel wire baskets square

glass basket



1

No.	971008	Ref. No.	00C39 00C78 DWC39 DWC78
description glass basket L 370mm W 370mm H 170mm number of rows 3 inclined bottom			
For models: Accessories			



1

No.	971024	Ref. No.	00C25 DWC25	
description	glass basket L 400mm W 400mm H 170mm number of rows 3 rows spacing 120mm			
For models:	Accessories			
spare parts for	971024			
	No.	970001	Ref. No.	0010768 10768 DW10768
	sliding corner wire gauge ø 5mm L 120mm W 120mm H 12mm L-shape			

mix baskets



1

No.	971001 ¹	Ref. No.	0010730 DW10730
description mix basket L 350mm W 350mm H 120mm mesh type wide-meshed			
For models: Accessories			

¹wide-meshed


1

No.	971007 ¹	Ref. No.	00C10 DWC10
description mix basket L 370mm W 370mm H 135mm mesh type wide-meshed			
For models: Accessories			

¹wide-meshed


1

No.	971023 ¹	Ref. No.	00C04 00C121 DWC04 DWC121
description mix basket L 400mm W 400mm H 130mm mesh type close-meshed			
For models: Accessories			

¹fine-meshed


1

No.	971128 ¹	Ref. No.	00C75 DWC75
description mix basket L 450mm W 450mm H 140mm mesh type wide-meshed			
For models: Accessories			

¹wide-meshed


1

No.	970074 ¹	Ref. No.	00C044 00C09 DWC044 DWC09
description mix basket L 500mm W 500mm H 130mm mesh type close-meshed			
For models: Accessories, GASTRO-500, GASTRO-750, GASTRO-900			

¹fine-meshed

plate baskets



1

No.	971009	Ref. No.	00C03 DWC03
description plate basket L 370mm W 370mm H 100mm plates 10 plate ø 250mm			
For models: Accessories			



1

No.	971126	Ref. No.	00C31 DWC31
description plate basket L 400mm W 400mm H 120mm plates 12 plate ø 270mm			
For models: Accessories			



1

No.	971032	Ref. No.	00C76 DWC76
description	plate basket L 450mm W 450mm H 95mm plates 14 plate ø 230mm		
For models:	Accessories		

h2>accessories

h3>cutlery inserts



1

No.	976011	Ref. No.	0015060 DW15060
description	cutlery insert Lmm Wmm ø 110mm H 130mm		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900		

h3>sliding corners



1

No.	970001	Ref. No.	0010768 DW10768
description	sliding corner wire gauge ø 5mm L 120mm W 120mm H 12mm L-shape		


h3>basket holders



1

No.	971000	Ref. No.	00C36 DWC36
description	basket support L 350mm W 350mm for basket ø350mm		
For models:	Accessories		

h3>plate inserts



1

No.	971155	Ref. No.	0010728 DW10728
description	plate insert L 297mm W 100mm H 84mm plates 14		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900		

h2>gaskets


h3>O-rings

h4>EPDM




1

No.	510302	Ref. No.	0013009 0013017 DW13009 DW13017
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, Electron400, FX, G35, G35-RL09-NEW, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40...(Other models you can see in the webshop)		




1

No.	345896	Ref. No.	0089332 DW89332
description	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star		





1


No.	345908	Ref. No.	0089331 DW89331
description	O-ring EPDM thickness 1.5mm ID ø 58.5mm Qty 1 pcs		
For models:	DS35, DS37, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, GS100, GS37, GS37, GS37-RL09-NEW, H600, H600, HT11S, HT12S, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Synthesis		


			
No.	510824	Ref. No.	0013025 DW13025
description	O-ring EPDM thickness 1.78mm ID ø 20.35mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TX1500, UX220		


			
No.	532680	Ref. No.	15285 DW15285
description	O-ring EPDM thickness 2.5mm ID ø 12mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, GS35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		


			
No.	517045	Ref. No.	0013018 DW13018
description	O-ring EPDM thickness 1.78mm ID ø 21.95mm Qty 1 pcs		
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		


			
No.	507309	Ref. No.	0013007 DW13007
description	O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs		
For models:	LINEAR-CR		


			
No.	517035	Ref. No.	0013016 DW13016
description	O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs		
For models:	C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, Electron-500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro-750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		


			
No.	516026	Ref. No.	003003130 DW3003130
description	O-ring EPDM thickness 2.62mm ID ø 17.86mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, FX, TwinStar, UX220		


			
No.	521724	Ref. No.	00135506 0025029 DW135506 DW25029
description	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		
For models:	G35-RL09-NEW, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Pompa-Lavaggio		


			
No.	532062	Ref. No.	0013027 DW13027
description	O-ring EPDM thickness 2.62mm ID ø 29.82mm Qty 10 pcs		


			
No.	517104	Ref. No.	0013000 DW13000
description	O-ring EPDM thickness 2.62mm ID ø 31.42mm Qty 1 pcs		
For models:	BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, FX, G35, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS-40, GS-50, GS-50-230Vac, Linear, LINEAR-CF, LINEAR-CR, LINEAR-LS, STAR, Star, STAR-CF, STAR-LS, Synthesis, TEKNO-4-CF, TEKNO-4-LS, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		


			
No.	510893	Ref. No.	0013003 DW13003
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, G12D, G12S, G35, G35-RL09-NEW, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS50-230VAC, H600, H600Electronic, HT11, HT11E, HT11E...(Other models you can see in the webshop)		


			
No.	517004	Ref. No.	0013004 DW13004
description	O-ring EPDM thickness 2.62mm ID ø 34.6mm Qty 1 pcs		
For models:	G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
No.	510554	Ref. No.	007130 DW7130
description	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
For models:	Accessories, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS45, GS50, Linear, Optima500, Optima500, Optima-Cutlery, Pompa-Lavaggio, Tekno6.1-Acqua-pulita		


			
No.	505192	Ref. No.	0013006 0013022 DW13006 DW13022
description	O-ring EPDM thickness 2.62mm ID ø 39.34mm Qty 1 pcs		
For models:	G600, G600, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, LP1, LP1-800		

			
No.	517056	Ref. No.	0013002 DW13002
description	O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600S, GASTRO-1200S, Gastro400S, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus...(Other models you can see in the webshop)		

			
No.	528800	Ref. No.	00135502 DW135502
description	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		
For models:	Accessories, GS40, GS40, GS40, Pompa-Lavaggio		

			
No.	517087	Ref. No.	0013023 DW13023
description	O-ring EPDM thickness 3.53mm ID ø 23.4mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, GRANUL1000, GRANUL900, GRANUL900, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS		

			
No.	510895	Ref. No.	0013019 DW13019
description	O-ring EPDM thickness 3.53mm ID ø 34.52mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, DS35, DS37, DS40, DS40, GS40, GS40, GS40, GS40, GS-40		

			
No.	510899	Ref. No.	0013022 DW13022
description	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
For models:	Gastro11S, Gastro1200, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
No.	506015	Ref. No.	0016067/A DW16067/A
description	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40...(Other models you can see in the webshop)		

			
No.	508061	Ref. No.	0013008 DW13008
description	O-ring EPDM thickness 3.53mm ID ø 42.86mm Qty 1 pcs		
For models:	CAN-MASTER, CX, FX, G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO, UX220		

			
No.	521120	Ref. No.	13010
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, Electron400, Electron-400CleanWater, Gastro400S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		


			
No.	510408	Ref. No.	0013005 DW13005
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, Linear, LINEAR-CF, LINEAR-LS, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, Synthesis, Tekno6...(Other models you can see in the webshop)		

			
No.	510409	Ref. No.	0013015 0013020 DW13015 DW13020
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, FX, G12D, G12S, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200...(Other models you can see in the webshop)		

			
No.	532653	Ref. No.	0080302 DW80302
description	O-ring EPDM thickness 5mm ID ø 20mm Qty 1 pcs		
For models:	AX151, AX151-highspeed		

Viton


1



No.	528525	Ref. No.	0060377 0060532 DW60377 DW60532
description	O-ring Viton thickness 3.53mm ID ø 18.64mm Qty 1 pcs		
For models:	S40, S40, S40-BK4, S55, S55, S55-BK5		


NBR

1



No.	511941	Ref. No.	0013013 DW13013
description	O-ring NBR thickness 3.53mm ID ø 29.75mm Qty 1 pcs		

1



No.	532654	Ref. No.	0013028 DW13028
description	O-ring NBR thickness 3.6mm ID ø 30.8mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		

sealing washers

fibre gaskets

1



No.	517789	Ref. No.	0013303 DW13303
description	flat gasket ED ø 10mm ID ø 5mm thickness 1.2mm suitable for Dihr Qty 1 pcs		
For models:	C40-CF, C40-LS, Linear, LINEAR-CF, LINEAR-LS, STAR		

1



No.	517173	Ref. No.	0013301 DW13301
description	flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater... (Other models you can see in the webshop)		

1



No.	508017	Ref. No.	0010200171 DW10200171
description	flat gasket FIBER ED ø 24mm ID ø 17mm thickness 2mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC80, LC90, LC90-2, LC90-4, LC90-900, LC97-4, LC97-5, LP1, LP1-800, LP1-800, LP1-800EL, LP2, LP2, LP3, LP3...(Other models you can see in the webshop)		

1



No.	521122	Ref. No.	0010200212 DW10200212
description	flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs		
For models:	GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, LP1, LP1-800		

1



No.	506072	Ref. No.	0013326 DW13326
description	flat gasket fibre ED ø 38mm ID ø 27mm thickness 2mm outflow for thread 1 1/4" Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC91, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TwinStar, TX1500, UX220		

			
No.	510405	Ref. No.	0010200056 DW10200056
description	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

rubber gaskets

			
No.	511943	Ref. No.	0013313 DW13313
description	flat gasket rubber ED ø 24mm ID ø 8mm thickness 2mm Qty 1 pcs		
For models:	G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
No.	508423	Ref. No.	0015283 DW15283
description	flat gasket rubber ED ø 40mm ID ø 25.5mm thickness 1.7mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		

			
No.	519341	Ref. No.	0080305 DW80305
description	flat gasket rubber ED ø 40mm ID ø 5.5mm thickness 2mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP2, LP3, TX1500, UX220		

			
No.	517181	Ref. No.	0013305 DW13305
description	flat gasket rubber ED ø 44mm ID ø 32mm thickness 3mm Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, FX, G12D, G12S, G35, G600, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40...(Other models you can see in the webshop)		

			
No.	517135	Ref. No.	00540034 DW540034
description	flat gasket rubber ED ø 56mm ID ø 44mm thickness 4.5mm Qty 1 pcs equiv. no. 540034 suitable for Dihr		
For models:	Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita		

			
No.	517148	Ref. No.	00540032 DW540032
description	flat gasket rubber ED ø 57mm ID ø 43mm thickness 2mm Qty 1 pcs		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita, TwinStar		

			
No.	511940	Ref. No.	0025009 DW25009
description	flat gasket rubber ED ø 67mm ID ø 51mm thickness 3mm Qty 1 pcs		
For models:	G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW		

			
No.	517205	Ref. No.	0010200173 0010200173/A 0010600013 DW10200173 DW10200173/A DW10600013
description	flat gasket rubber ED ø 75mm ID ø 58mm thickness 3mm Qty 1 pcs		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP3...(Other models you can see in the webshop)		



1

No.	517398	Ref. No.	0016067/B DW16067/B
description	flat gasket rubber ED ø 82mm ID ø 66mm thickness 4mm for salt tank Qty 1 pcs		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro115, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40...(Other models you can see in the webshop)		



2

No.	517194	Ref. No.	0080208 DW80208
description	flat gasket rubber ED ø 95mm ID ø 75mm thickness 3mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro-750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11... (Other models you can see in the webshop)		

PTFE gaskets



1

No.	517101	Ref. No.	0013302 DW13302
description	gasket PTFE ED ø 16mm ID ø 10mm thickness 2.5mm Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, GASTRO-500, GASTRO-750, GASTRO-900, LINEAR-CR, STAR, Synthesis, TURBO-CF, TURBO-LS		

silicone gaskets



1

No.	651007	Ref. No.	0060183 DW60183
description	gasket ED ø 75mm ID ø 55mm thickness 3mm Qty 1 pcs		
For models:	F1, F1-KF1, F1-KF1INOX, F2, F2-KF2, FRULLATORI-F1S, FRULLATO-RI-F2S, GM2-2, GM3, GM3, GM3-BK12, GM4, GM4, GM4-BK13		

shaft gaskets

shaft gaskets




1

No.	512424	Ref. No.	0013024 DW13024
description	shaft seal ID ø 30mm ED ø 42mm thickness 7mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, GRANUL1000, GRANUL900, GRANUL900		


special gaskets

door seals for dishwashers




1

No.	517385	Ref. No.	00135205 DW135205
description	door seal		
For models:	DS40, DS45, DS50, DS50T, DS50-Touche, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85		



1

No.	517383	Ref. No.	00560013 DW560013
description	door seal L 1012mm W 10.5mm H 4mm Qty 1		
For models:	Tekno6, Tekno6.1-Acqua-pulita		

			
No.	517384	Ref. No.	00560021 DW560021
description	door seal L 1050mm W 22mm H 9.5mm Qty 1		
For models:	Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
No.	518616	Ref. No.	00590034 DW590034
description	door seal L 1445mm W 495mm for dishwasher suitable for Dihr		
For models:	TwinStar		

sealing discs

			
No.	511945	Ref. No.	0013316/A DW13316/A
description	gasket ø 38mm thickness 10mm rubber Qty 1 pcs ID ø 24mm		
For models:	DS35, DS37, DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600, H600Electronic, HT11E, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift... (Other models you can see in the webshop)		

miscellaneous

			
No.	517219	Ref. No.	0013306 DW13306
description	boot for suction connection		
For models:	Derby, Derby400, DERBY-CF		

			
No.	517220	Ref. No.	0013350 DW13350
description	boot for suction connection		
For models:	Synthesis, TURBO-CF, TURBO-LS		

			
No.	517277	Ref. No.	00150403 DW150403
description	gasket for catch		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		

			
No.	511944	Ref. No.	0013306/A DW13306/A
description	gasket for wash pipe ø 41mm thickness 10mm ID ø 27mm		
For models:	C40-LS, Gastro450, GASTRO-450, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, LINEAR-LS, STAR, Star, STAR-LS, Synthesis, TURBO-LS		

			
No.	511945	Ref. No.	0013316/A DW13316/A
description	gasket ø 38mm thickness 10mm rubber Qty 1 pcs ID ø 24mm		
For models:	DS35, DS37, DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600, H600Electronic, HT11E, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift... (Other models you can see in the webshop)		

			
No.	524954	Ref. No.	0011600931/B DW11600931/B
description	gasket suitable for Dihr for PCB L 145mm W 90mm		
For models:	HT11E, HT11S, HT12E-Lift, HT12E-Plus, LP1-800		

			
No.	524953	Ref. No.	0050650/B DW50650/B
description	gasket suitable for Dihr for PCB L 170mm W 124mm		
For models:	GRANUL900, LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS, TwinStar		

springs

torsion springs

			
No.	693934	Ref. No.	009563 DW9563
description	torsion spring		
For models:	Double-grill, GRILL-XAL-2, GRILL-XAR-2, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, K1L, K1R, K2L, K2M, K2R, Single-grill, XAL-2, XAR-2, XBL, XBM, XBR		

			
No.	690080	Ref. No.	009019 DW9019
description	torsion spring ø 19.4mm L2 37mm wire gauge ø 3.4mm mounting pos. right L1 42mm L3 37mm Qty 1 pcs		
For models:	XAL, XAR		
accessories for	690080		
	No.	690081	Ref. No. —
	 torsion spring ø 19.4mm L2 36mm wire gauge ø 3.3mm mounting pos. left L1 42mm L3 36mm Qty 1 pcs		

compression springs

			
No.	650177	Ref. No.	0061052 DW61052
description	spring for citrus juicers ø 6mm L 25mm		
For models:	GM-2, GM-2-BK11, GM3, GM3-BK12, GM4, GM4-BK13		
accessories for	650177		
	No.	650176	Ref. No. 0060153 60153 DW60153
	 shaft for citrus juicers ø 6mm L 16mm		
	No.	650178	Ref. No. 0061051 61051 DW61051
	 ball for citrus juicers ø 5mm		

spring compressors

			
No.	517160	Ref. No.	0010800210 0010800210 + 2x0011711 10800210 + 2x11711 DW10800210 DW10800210 + 2xDW11711
description	spring compressor thread M10		
For models:	G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, SILVER-1500, SILVER-1500-Insulated		


roller springs

roller springs



1

No.	517419	Ref. No.	003009906 DW3009906
description	roller spring complete incl. holder type BBSR 22		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX300, CX, FX, TX1500		




1

No.	517367	Ref. No.	003004013 003004013+003009555 3004013+3009555 DW3004013 DW3004013+DW3009555
description	roller spring L 70mm W 50mm ID ømm lug length 50mm		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX300, CX, FX		



1

No.	517321	Ref. No.	003004011 003004011 + 003009555 003004015 003009905 3004011 + 3009555 DW3004011 DW3004011 + DW3009555 DW3004015 DW3009905
description	roller spring type BBSR 23 W 51mm ID ø 45mm lug length 50mm		
For models:	AX160, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500		



1

No.	517315	Ref. No.	003004010 + 003009555 3004010 + 3009555 DW3004010 + DW3009555
description	roller spring W 50mm ID ømm lug length 49mm		
For models:	AX151, AX151-highspeed, AX161, CAN-MASTER, CX, FX, TX1500, UX220		
accessories for	517315		
		No.	517314
		Ref. No.	003004012 3004012 DW3004012
spring holder for roller spring ø 29mm Lmm Wmm H 9mm			

accessories

holders



1

No.	517314	Ref. No.	003004012 DW3004012
description	spring holder for roller spring ø 29mm Lmm Wmm H 9mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

tension springs



1

No.	517273	Ref. No.	00550206/A DW550206/A
description	tension spring ø 10mm total length 225mm wire gauge ø 1.5mm mounting pos. upper		
For models:	CX, Electron1000, FX, GS100, GS-100, GS-100-DEPUR		



1

No.	517421	Ref. No.	00570200 DW570200
description	tension spring ø 12mm total length 240mm wire gauge ø 1.8mm for door Qty 1 pcs		
For models:	Electron600, G6005		



No.	501296	Ref. No.	00560003 DW560003
description	tension spring $\varnothing$ 12mm total length 275mm wire gauge $\varnothing$ 1.6mm		
For models:	CAN-MASTER, CX, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, FX, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro-750Plus, Gastro750S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TX1500, UX220		



No.	517259	Ref. No.	0010700 DW10700
description	tension spring $\varnothing$ 15.3mm total length 130mm wire gauge $\varnothing$ 2mm for door		
For models:	Derby, Derby400, DERBY-CF, G12D, G12S, Gastro12S, H600, H600E-lectronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, STAR		



No.	517272	Ref. No.	00550206 00550212 DW550206 DW550212
description	tension spring $\varnothing$ 15mm total length 540mm wire gauge $\varnothing$ 2mm mounting pos. lower		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		



No.	517260	Ref. No.	0010700/B DW10700/B
description	tension spring $\varnothing$ 17.3mm total length 140mm wire gauge $\varnothing$ 2.2mm for door		
For models:	Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS		



No.	517261	Ref. No.	0010700/A DW10700/A
description	tension spring $\varnothing$ 20mm total length 140mm wire gauge $\varnothing$ 2.5mm for door		
For models:	G600, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900		



No.	517286	Ref. No.	0075303 DW75303
description	tension spring $\varnothing$ 35mm total length 865mm wire gauge $\varnothing$ 5mm		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		




No.	517287	Ref. No.	0070302 DW70302
description	tension spring $\varnothing$ 38.8mm total length 663mm wire gauge $\varnothing$ 4.2mm		
For models:	GASTRO-11S, GASTRO-11-S-Isolata, Gastro12S, H600, H600, H600E-lectronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



No.	517048	Ref. No.	0010800033 0010800034 DW10800033 DW10800034
description	tension spring $\varnothing$ 39.7mm total length 305mm wire gauge $\varnothing$ 5mm mounting pos. lateral		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

kitchen accessories

waste chute rings



No.	530600	Ref. No.	0010500025 DW10500025
description	waste chute ring D1 $\varnothing$ 237mm D2 $\varnothing$ 180mm D3 $\varnothing$ 205mm H1 30mm H2 55mm		

manometers



No.	541876	Ref. No.	002000244 DW2000244
description	manometer $\varnothing$ 49mm pressure range 0-4bar connection lower marking adjustable thread 1/4"		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TwinStar, TX1500, UX220		

dosing pumps

peristaltic dosing pumps

GERMAC

built-in version

without control



1

No.	361020	Ref. No.	0015108/C DW15108/C
description	dosing pump GERMAC without control 0.8l/h 230VAC detergent hose ø 4x6mm hose thermoplastic type G80 built-in version dimensions 55x70x88mm		
For models:	Accessories, STAR		
spare parts for	361020		
	No.	361263	Ref. No. —
	roller assembly GERMAC suitable for G80/82/150/152/200/202/250/252/600		
	No.	361554	Ref. No. —
	pump hose GERMAC detergent hose type thermoplastic hose ø 5x8mm for model G200/G250/G252		
accessories for	361020		
	No.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
	No.	520091	Ref. No. 14504
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		



1

No.	361021	Ref. No.	0015108 DW15108
description	dosing pump GERMAC without control 1.5l/h 230VAC detergent hose ø 4x6mm hose thermoplastic type G150 built-in version dimensions 55x70x88mm		
For models:	Accessories		
spare parts for	361021		
	No.	361263	Ref. No. —
	roller assembly GERMAC suitable for G80/82/150/152/200/202/250/252/600		
	No.	361554	Ref. No. —
	pump hose GERMAC detergent hose type thermoplastic hose ø 5x8mm for model G200/G250/G252		

accessories for	361021		
	No.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
	No.	520091	Ref. No. 14504
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		



1

No.	361022	Ref. No.	0015108/A DW15108/A
description	dosing pump GERMAC without control 2l/h 230VAC detergent hose ø 4x6mm hose thermoplastic type G200 built-in version dimensions 55x70x88mm		
spare parts for	361022		
	No.	361263	Ref. No. —
	roller assembly GERMAC suitable for G80/82/150/152/200/202/250/252/600		
	No.	361554	Ref. No. —
	pump hose GERMAC detergent hose type thermoplastic hose ø 5x8mm for model G200/G250/G252		
accessories for	361022		
	No.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
	No.	520091	Ref. No. 14504
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		

spare parts



1

No.	361060	Ref. No.	0015108/E DW15108/E
description	pump hose GERMAC rinse aid hose type silicone hose ø 4x6mm for model G80/G82/G600		
For models:	Accessories, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro115, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600...(Other models you can see in the webshop)		



SEKO

built-in version

with frequency control



1

No.	361791 ¹	Ref. No.	0015985 DW15985
description	dosing pump SEKO frequency control 3l/h 230VAC detergent hose ø 4x6mm hose type K hose Santoprene suction level 1.5m type NBR 3		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro115, Gastro1200, Gastro125, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600Electronic...(Other models you can see in the webshop)		
spare parts for	361791		
	No.	361815	Ref. No. 15185 DW15185
	pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO		

¹with accessories

spare parts



1

No.	361815	Ref. No.	15185 DW15185
description	pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus...(Other models you can see in the webshop)		

various

built-in version



1

No.	361910	Ref. No.	0015985/B DW15985/B
description	dosing pump TECNOPRO type TP30-60-B frequency control 3l/h 230VAC rinse aid hose ø 4x6mm hose type silicone 8W		
For models:	TwinStar		

piston pumps

dosing pumps



1

No.	361800	Ref. No.	0015108/L DW15108/L
description	dosing pump type EKP-R/E 230V detergent inlet 8x12mm outlet 8x12mm 60 strokes/min		
For models:	Accessories, Derby, Derby400, DS35, DS37, DS40, DS45, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G600, G600S, Gastro115, Gastro1200, Gastro125, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS40, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus...(Other models you can see in the webshop)		
spare parts for	361800		
	No.	361047	Ref. No. —
	pressure/suction valve suitable for EKP-R L 38.7mm 3/8" WS 22		
	No.	361652	Ref. No. —
	union nut suitable for EKP-R T1: 3/8"		
	No.	361653	Ref. No. —
	olive suitable for EKP-R		
	No.	361654	Ref. No. —
	hose tail suitable for EKP-R		
	No.	361655	Ref. No. —
	O-ring suitable for EKP-R		
	No.	361857	Ref. No. —
	pump head type EKP-R for dosing pump plastic		

spare parts

			
No.	510298	Ref. No.	0010705/D 0016070 DW10705/D DW16070
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Accessories, C40-CF, C40-LS, DS40, DS45, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS45...(Other models you can see in the webshop)		

membrane dosing pumps
self-priming
LANG

1

No.	361009	Ref. No.	0010798 DW10798	
description	dosing pump type N6 membrane dosing pump rinse aid p min 0.5bar pressure connection ø straight, 4x6mm suction connection ø straight, 4x6mm LANG			
For models:	Accessories, Derby, Derby400, DS35, DS37, DS40, DS45, DS50, Dupla50, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G12S, G35, G600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS40, GS50, GS85, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12S, HT12SElectronic, Linear, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP4, LP4-800, LP4-Electronica, Star...(Other models you can see in the webshop)			
spare parts for	361009			
	No.	361079	Ref. No.	—
spring for type N5/N6 for ball				
	No.	361080	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs				
	No.	361085	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs				
	No.	361309	Ref. No.	—
ball for type N5/N6				
	No.	361310	Ref. No.	—
bracket for type N6 ball guide				
	No.	361311	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6				

spare parts for		361009		
	No.	361314	Ref. No.	—
	valve ring for type N6 holder for O-ring			
	No.	361317	Ref. No.	—
	sealing disc for type N6			
	No.	361886	Ref. No.	—
	non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm			

various

			
No.	361731	Ref. No.	001059999 DW1059999
description	dosing pump without auxiliary pressure connection rinse aid inlet 4mm outlet 8mm pressure connection ø 8mm suction connection ø 4mm		
For models:	Accessories, C40-CF, C40-LS, DW020H, G35, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, GASTRO-450, GS40, GS-40, GS50, GS-50, GS-50-230Vac, GS50-230VAC, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12S, HT12SElectronic, LI-NEAR-CF, LINEAR-LS, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP2, LP3, LP3, LP-ZERO, SILVER-1500, SILVER-1500-Insulated, STAR-CF, STAR-LS, Synthesis, TURBO-CF, TURBO-LS		

spare parts

			
No.	510298	Ref. No.	0010705/D 0016070 DW10705/D DW16070
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Accessories, C40-CF, C40-LS, DS40, DS45, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS45...(Other models you can see in the webshop)		

			
No.	361132	Ref. No.	0010599999/A DW10599999/A
description	membrane dosing pump		
For models:	Accessories		

self-priming with supporting pressure

DIHR

			
No.	361912	Ref. No.	0010799/G DW10799/G
description	dosing pump kit inlet 5mm outlet 8mm suction connection ø 5mm auxiliary pressure connection 10mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS45, DS50, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS37, GS40, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-S8, LP15-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS...(Other models you can see in the webshop)		

			
No.	361744	Ref. No.	0010799 0010799/A DW10799 DW10799/A
description	dosing pump type DW with auxiliary pressure connection rinse aid inlet 4mm outlet 8mm suction connection ø 4mm auxiliary pressure connection 10mm		
For models:	Accessories, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro400S, Gastro450, GASTRO-450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW...(Other models you can see in the webshop)		
spare parts for	361744		
	No.	520026	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 10m thickness 1mm t.max. 60°C transparent		
	No.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		

			
No.	362012	Ref. No.	0010705 DW10705
description	dosing pump type DW with auxiliary pressure connection rinse aid inlet 4x6mm outlet M10x1mm auxiliary pressure connection 10mm		
For models:	Accessories, Derby, Derby400, DERBY-CF, G600, GASTRO-500, GASTRO-750, GASTRO-900, STAR		
spare parts for	362012		
	No.	520026	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 10m thickness 1mm t.max. 60°C transparent		
	No.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		

ELETTROBAR

			
No.	510298	Ref. No.	0010705/D 0016070 DW10705/D DW16070
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Accessories, C40-CF, C40-LS, DS40, DS45, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS-40, GS45...(Other models you can see in the webshop)		

GERMAC

spare parts

			
1			
No.	510298	Ref. No.	0010705/D 0016070 DW10705/D DW16070
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Accessories, C40-CF, C40-LS, DS40, DS45, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS45...(Other models you can see in the webshop)		

			
2			
No.	510296	Ref. No.	0010705/O DW10705/O
description	membrane silicone		
For models:	Accessories, Electron500, Electron600, G600S, Gastro500S, GS50, GS85, HT11E, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S-Plus, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS		

accessories

container filters

			
1			
No.	361062	Ref. No.	N/A
description	container filter hose ø 4mm		

			
1			
No.	361829	Ref. No.	0015058 12525 DW15058
description	container filter complete plastic hose ø 5mm		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS45...(Other models you can see in the webshop)		

non-return valves

			
1			
No.	361899	Ref. No.	0010805 0010808 DW10805 DW10808
description	non-return valve inletmm outlet ø 7mm L 9mm Qty 2 pcs		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600...(Other models you can see in the webshop)		

intake lances

			
1			
No.	361911	Ref. No.	00590118 DW590118
description	intake lance plastic L 165mm NC tube ø 9mm hose ø 4.5mm cable length 1750mm		
For models:	TwinStar		

tank inlets

			
1			
No.	361057	Ref. No.	0015123 0015148 DW15123 DW15148
description	tank inlet plastic M10 hose ø 4x6mm		
For models:	Accessories, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW...(Other models you can see in the webshop)		

hoses

supply hoses


PVC supply hoses



1


No.	520010	Ref. No.	0010726 DW10726
description	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900, TEKNO-4-CF, TEKNO-4-LS		
accessories for	520010		
	No.	520053	Ref. No. —
screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm			
	No.	520054	Ref. No. —
flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs			

drain hoses



1

No.	530608	Ref. No.	0010727 DW10727
description	drain hose DN24 L 1500mm A int. ø 24mm A ext. ø 28mm B int. ø 28mm B ext. ø 35mm outer hose ø 29mm temp.-resist. 90°C		
For models:	Accessories, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX...(Other models you can see in the webshop)		



1

No.	530083	Ref. No.	0010200112 DW10200112
description	drain hose DN31 L 1500mm A int. ø 31mm A ext. ø 35mm B int. ø 40mm B ext. ø 46mm outer hose ø 38mm		
For models:	Accessories, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, G600, TX1500, UX220		



1

No.	530571	Ref. No.	0015721 0025031 DW15721 DW25031
description	drain hose DN24 L 1500mm straight ø inside 24mm straight ext. ø 29mm elbow ø inside 29mm elbow ext. ø 35mm outer hose ø 28mm		
For models:	AX161, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, BX300, DS40, DS45, DS50, DW020H, Electron1000, Electron400, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS40, GS-40-RL09-NEW, GS45, GS50, GS85, H600, H600Electronic, HT11E, HT11S, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, LP1, LP1-800, LP1-800EL, LP1-S8, LP1-S8...(Other models you can see in the webshop)		



1

No.	519272	Ref. No.	0010729 DW10729
description	drain hose DN24 L 1500mm straight ø inside 32mm straight ext. ø 35mm elbow ø inside 40mm elbow ext. ø 46mm outer hose ø 38mm		
For models:	G12S		

industrial hoses

Niplaflex hoses



1

No.	530562	Ref. No.	002907350 DW2907350
description	pressure hose ID ø 13mm ED ø 21mm L 5m operating p. 10bar burst p. 30bar t.max. 110°C		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G600S, Gastro11S, Gastro1200...(Other models you can see in the webshop)		

nylon hoses



No.	520091	Ref. No.	14504
description	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		


pressure control hoses



No.	530560	Ref. No.	0014508 DW14508
description	pressure control hose ID ø 5mm ED ø 9mm L 5m operating p. 30bar burst p. 90bar temp.-resist. 60°C		
For models:	Accessories, AX161, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, BX300, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro115, Gastro1200, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS37, GS37-RL09-NEW, GS40...(Other models you can see in the webshop)		

formed hoses

straight



No.	517235	Ref. No.	00440718 DW440718
description	formed hose		
For models:	GS40		



No.	517231	Ref. No.	0010718 0017215 DW10718 DW17215
description	formed hose D1 ø 36mm D2 ø 28mm L 75mm dishwasher straight equiv. no. 10718, 440718		
For models:	AX250, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DW020H, Electron1000, Electron500, Electron500Plus, FX, G35, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS-40, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, LINEAR-CF, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, Star, Synthesis, Tekno6, TURBO-CF, TURBO-LS		

1

No.	517232	Ref. No.	0016083 DW16083
description	formed hose dishwasher straight		
For models:	LINEAR-CF		

1



No.	517246	Ref. No.	0011600048 DW11600048
description	formed hose dishwasher straight equiv. no. 11600048		

1



No.	517224	Ref. No.	00540005 DW540005
description	formed hose dishwasher straight equiv. no. 540005		
For models:	AX210, AX220, AX230, AX240, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, UX220		

1



No.	517239	Ref. No.	0080502 DW80502
description	formed hose dishwasher straight equiv. no. 80502		
For models:	LP2, LP2		

1



No.	517247	Ref. No.	0015034 DW15034
description	formed hose dishwasher straight mounting pos. upper equiv. no. 15034		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR		



1

No.	517250	Ref. No.	0010200122/A DW10200122/A
description	formed hose dishwasher straight mounting pos. upper/lower equiv. no. 10200122/A		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

form L



1

No.	524850	Ref. No.	0076078 DW76078
description	formed hose end piece A ext. ø 43mm end piece A int. ø 35mm AD2 ø 58mm ø end piece B 49mm L 450mm Qty 1 warewashing L-shape		
For models:	HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		



1

No.	996015	Ref. No.	92102 DW92102
description	formed hose end piece A ext. ø 61.5mm end piece A int. ø 51mm AD2 ø 55mm ø end piece B 46mm L 390mm		
For models:	LP-3PLUS, LP3S-PLUS, LP-4PLUS		



1

No.	517225	Ref. No.	0010532 0015032 DW10532 DW15032
description	formed hose warewashing L-shape equiv. no. 15032		
For models:	Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC		



1

No.	517228	Ref. No.	0015032/A 11600100 DW15032/A
description	formed hose warewashing L-shape equiv. no. 15032/A		
For models:	AX161, AX290, G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

No.	517245	Ref. No.	0015033/A DW15033/A
description	formed hose warewashing L-shape equiv. no. 15033/A mounting pos. lower		
For models:	DW020H, Electron1000, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

No.	517230	Ref. No.	0016169 DW16169
description	formed hose warewashing L-shape equiv. no. 16169		
For models:	GASTRO-450, Linear, LINEAR-LS		



1

No.	517248	Ref. No.	0016170/M DW16170/M
description	formed hose warewashing L-shape equiv. no. 16170/M mounting pos. upper		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
1			
No.	517223	Ref. No.	0018787 DW18787
description	formed hose warewashing L-shape equiv. no. 18787		
For models:	DS35, Electron400, G35, Gastro450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, LP-ZERO, Star, STAR-CF, STAR-LS		

			
1			
No.	517236	Ref. No.	003002020 DW3002020
description	formed hose warewashing L-shape equiv. no. 3002020		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gastro12S, H600, HT12-Elettronica, HT12S, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP3, LP3, LP-3PLUS, LP3S-PLUS, LP4, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS...(Other models you can see in the webshop)		

			
1			
No.	517229	Ref. No.	00550224 DW550224
description	formed hose warewashing L-shape equiv. no. 550224		
For models:	GS100, GS-100, GS-100-DEPUR		

with branch

			
1			
No.	517364	Ref. No.	0011600101 DW11600101
description	formed hose ext. ø 58 D1 ø 50mm D2 ø 35mm L 455mm black Qty 1		
For models:	H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

form S

			
1			
No.	517238	Ref. No.	0022015 DW22015
description	formed hose ID ø 50mm ED ø 65mm S-shape warewashing equiv. no. 22015 hose ext. ø 72mm int. ø 1 60mm		
For models:	LP1, LP1-800		

			
1			
No.	517237	Ref. No.	0010200124/A DW10200124/A
description	formed hose S-shape warewashing equiv. no. 10200124/A		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LP4, LP4-800, LP4-Elettronica, SILVER-1500, SILVER-1500-Insulated		



1

No.	517221	Ref. No.	0016170 DW16170
description	formed hose S-shape warewashing equiv. no. 16170		
For models:	C40-CF, C40-LS, Linear, LINEAR-CF		



1

No.	517227	Ref. No.	0025032 DW25032
description	formed hose S-shape warewashing equiv. no. 25032		
For models:	Electron500, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		



1

No.	517226	Ref. No.	0025032/A DW25032/A
description	formed hose S-shape warewashing equiv. no. 25032/A		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS45, GS-45, GS50, GS-50, GS-50-230Vac, Optima500, Tekno6.1-Acqua-pulita		

form U


1

No.	517252	Ref. No.	0011600048 0015131 0018044 0018767 0018767/A DW11600048 DW15131 DW18044 DW18767 DW18767/A
description	formed hose ext. ø 35 D1 ø 28mm D2 ø 28mm warewashing U-shape		
For models:	AX250, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, DS37, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Electron600, FX, G12S, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, GS100, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600, H600Electronic, HT11...(Other models you can see in the webshop)		



1

No.	517363	Ref. No.	0015033 DW15033
description	formed hose ext. ø 38 D1 ø 30mm L 255mm Qty 1		
For models:	G600, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900		



1

No.	517249	Ref. No.	0011600000 DW11600000
description	formed hose warewashing U-shape equiv. no. 11600000 mounting pos. upper/lower		
For models:	G12D, G12S, Gastro12S, H600, HT12-Elettronica		

			
1			
No.	517257	Ref. No.	0030002021 DW30002021
description	formed hose warewashing U-shape equiv. no. 30002021 mounting pos. upper		
For models:	Gastro450, GASTRO-450		

			
1			
No.	517255	Ref. No.	00150060 00560008 DW150060 DW560008
description	formed hose warewashing U-shape equiv. no. 560008 mounting pos. upper		
For models:	Electron500, Electron500CleanWater, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
1			
No.	517242	Ref. No.	00560014 DW560014
description	formed hose warewashing U-shape equiv. no. 560014 mounting pos. lower		
For models:	Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

miscellaneous

			
1			
No.	517788	Ref. No.	00150048 DW150048
description	formed hose ID ø 28mm ED ø 36mm L 615mm for wash pump		

			
1			
No.	524824	Ref. No.	0092103 DW92103
description	formed hose ID ø 47/53mm ED ø 60/66mm L 340mm warewashing Qty 1 black		
For models:	LP-3PLUS, LP3S-PLUS		

			
1			
No.	517256	Ref. No.	00150048/A DW150048/A
description	formed hose warewashing equiv. no. 150048/A mounting pos. upper		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

			
1			
No.	517243	Ref. No.	00150049 DW150049
description	formed hose warewashing equiv. no. 150049 mounting pos. lower		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron600, G600S, Gastro500S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		

			
1			
No.	517241	Ref. No.	0016167 DW16167
description	formed hose warewashing equiv. no. 16167 mounting pos. lower		
For models:	C40-LS, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, LINEAR-LS		



1

No.	517233	Ref. No.	0016168 DW16168
description	formed hose warewashing equiv. no. 16168 mounting pos. lower		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, GS40, GS40, GS40, Linear, LINEAR-LS, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		



1

No.	517234	Ref. No.	0018788 DW18788
description	formed hose warewashing equiv. no. 18788 mounting pos. lower		
For models:	H600, H600Electronic, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Star, STAR-CF, STAR-LS, TEKNO-4-CF, TEKNO-4-LS		



1

No.	517253	Ref. No.	00540004 DW540004
description	formed hose warewashing equiv. no. 540004 mounting pos. upper		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-LS, Tekno6.1-Acqua-pulita		

fittings, hose and pipe connectors

hose connectors

without screw connection



1

No.	501210	Ref. No.	00540090 DW540090
description	Y-piece plastic hose ø 10-10-10mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, Derby, Derby400, DS35, DS37, DS40, DS40, Electron400, Electron400, Electron400CleanWater, Electron600, G35, G35-RL09-NEW, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro450, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, HT12-Elettronica, Linear...(Other models you can see in the webshop)		



1

No.	517166	Ref. No.	00540091 DW540091
description	Y-piece plastic hose ø 10-10-10mm 3-way		
For models:	AX161, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS37, GS40, GS45, GS50, GS85, H600...(Other models you can see in the webshop)		

			
1			
No.	501341	Ref. No.	00540094 DW540094
description	Y-piece plastic hose ø 6-6mm		
For models:	Electron400CleanWater, Tekno4.1-Acqua-pulita, TwinStar		

hose connectors

double nipples

			
1			
No.	517005	Ref. No.	0012006 DW12006
description	double nipple		
For models:	G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LINEAR-CR, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

reducers

			
1			
No.	520177	Ref. No.	0012032 DW12032
description	reducer thread 1/4" ET - 1/8" IT nickel-plated brass total length 13mm WS 17		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

T-pieces

nickel-plated brass

			
1			
No.	520340	Ref. No.	0012008 DW12008
description	T-piece thread 1/4" IT - 1/4" IT - 1/4" IT nickel-plated brass L 46mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

hose connectors

nickel-plated brass

			
1			
No.	520203	Ref. No.	0012023 DW12023
description	hose connector nickel-plated brass straight thread 1/2" hose ø 12mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, HT12-Optima-HR-Plus, LC81, LC91, LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, TwinStar, TX1500, UX220		

			
1			
No.	520201	Ref. No.	0012005 DW12005
description	hose connector nickel-plated brass straight thread 1/4" hose ø 12mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, G12D, G12S, Gastro12S, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC, HT12-Elettronica, HT12E-Lift, HT12S, HT12SElectronic, LINEAR-CR, LP1-S, LP2, LP2, LP3, LP3...(Other models you can see in the webshop)		



1

No.	520202	Ref. No.	0010221311 DW10221311
description	hose connector nickel-plated brass straight thread 3/8" hose ø 12mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BM100, BM200, BM300, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS35, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500Plus, Electron600, FX...(Other models you can see in the webshop)		



1

No.	517108	Ref. No.	0012030 DW12030
description	hose connector nickel-plated brass angled thread 3/8" ET - M10x1 IT hose ø 12mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, FX, G35, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40...(Other models you can see in the webshop)		

water cycle components

pressure reduction valves

pressure reduction valves

universal



1

No.	520596	Ref. No.	00391025 DW391025
description	pressure reduction valve Caleffi series 5334 connection 1/2" default setting 3bar setting range 1-6bar p max 16bar t.max. 40°C with filter chrome-plated brass WRAS/ACS		
For models:	AX161, AX290, CAN-MASTER, TwinStar		



1

No.	520789	Ref. No.	002000364 DW2000364
description	pressure reduction valve Caleffi series 5362 connection 1/2" default setting 3bar setting range 0.5 up to 6bar p max 25bar t.max. 80°C brass DVGW/SVGW/WRAS/ACS		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		

supply filters



1

No.	520790	Ref. No.	002000121 DW2000121
description	supply filter thread 3/4" IT - 3/4" ET total length 72mm nickel-plated brass H 66mm W 46mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC91, LP2, LP3, LP4-800, LP4-Electronica, TX1500, UX220		

ancillary products

thread sealants



1

No.	890135	Ref. No.	Loctite 511
description	thread sealing LOCTITE 511 tube 50ml approval DVGW		
description	LOCTITE® 511™ - tube 50ml It is designed for the locking and sealing of metal threaded pipes and fittings. The product cures rapidly when confined in the absence of air between close fitting metal surfaces.		

			
1			
No.	890128	Ref. No.	Loctite 542
description	thread sealing LOCTITE 542 medium-strength bottle 50ml approval DVGW		
description	LOCTITE® 542™ - bottle 50ml It is designed for the locking and sealing of metal pipes and fittings as well as other cylindrical metal assemblies. The product cures when confined in the absence of air between close-fitting metal surfaces and prevents loosening and leakage due to shock and vibration. The thixotropic nature of LOCTITE 542 reduces the migration of liquid product after application to the part.		

			
1			
No.	890097	Ref. No.	Loctite 577
description	thread sealing LOCTITE 577 medium-strength bottle 50ml pipe thread sealing t.max. 150°C approval BAM and DVGW		
description	LOCTITE® 577™ - bottle 50ml It is designed for the locking and sealing of metal pipes and fittings as well as other cylindrical metal assemblies. The product provides an instant, low-pressure seal for metal pipes and fittings. It will not creep, shrink or block systems by shredding. Suitable for fast application at low temperatures. It has excellent chemical and thermal resistance and offers less migration of liquid product after application to the part.		

silicone

industrial silicones

			
1			
No.	890110	Ref. No.	Silicon UNI9
description	silicone S100 cartridge 300ml transparent		
description	OTTOSEAL S 100 - cartridge 300ml - transparent Used for expansion joints in bathroom areas, sealing of expansion joints in floor and wall areas, sealing and bonding of glass modules and sealing double glazings (e. g. „Profilit“). - 1-component acetate-curing silicone sealant - Excellent weathering, ageing and UV-resistance - Contains fungicide and bacteriostatic - Unique processing characteristics - Surface can be smoothed very easily - Very good adhesion on ceramic substrates - Stress expansion modules at 100% (DIN 53 504, S3A): 0.3N/mm² - Temperature range -40°C to + 180°C		

clamps

hose clamps

DIN 3017 - W2

			
1			
No.	520112	Ref. No.	0011807 DW11807
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater... (Other models you can see in the webshop)		



1			
No.	520115	Ref. No.	0011806 DW11806
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater... (Other models you can see in the webshop)		

flat-headed bolts



1			
No.	560365	Ref. No.	0011121 DW11121
description	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, G35, G35-RL09-NEW, G600, G600, GASTRO-500, GASTRO-750, GASTRO-900, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, H600, H600Electronic, HT11E, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS		

measuring equipment

thermometers

built-in thermometers



1			
No.	541305	Ref. No.	0010500011 DW10500011
description	thermometer mounting measurements 62x11mm +20 up to +120°C capillary pipe 1500mm probe ø 6.5mm probe L 16mm		
For models:	Gastro11S, Gastro1200, Gastro12S, GS100, H600, H600, HT11S, HT11-T, HT-11-Touche, HT12S, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO		

raised countersunk head screws



1			
No.	560541	Ref. No.	00590099 DW590099
description	raised countersunk head screw thread M6 thread L 13mm SS DIN 966/ISO 7047 Qty 1 pcs intake slotted head ø 11mm head thickness 5mm		
For models:	TwinStar		

fastening material

screws

sheet metal screws



1			
No.	560521	Ref. No.	0011004 DW11004
description	sheet-metal screw ø 4mm L 10mm SS Qty 1 pcs 14585 intake Phillips head ø 8mm		
For models:	Derby, Derby400, DERBY-CF, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS-35, GS-37, GS40, GS40, GS40, GS-40, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LINEAR-CF...(Other models you can see in the webshop)		

hexagonal screws



1			
No.	560520	Ref. No.	0011109 DW11109
description	hexagonal screw thread M10 thread L 18mm SS WS 17 Qty 1 pcs head thickness 7mm DIN 933 / ISO 4017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300		



1			
No.	560087	Ref. No.	0011104/B DW11104/B
description	hexagonal screw thread M6 thread L 16mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		
For models:	LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TwinStar		

 1			
No.	550682	Ref. No.	11216
description	hexagonal screw thread M8 thread L 20mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		
For models:	HT11E, HT11E, HT11S, HT11-T, HT-11-Touche		

 1			
No.	560522	Ref. No.	0015159 DW15159
description	hexagonal screw thread M12x1.75 thread L 15mm plastic WS 19 Qty 1 pcs head thickness 10mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, G35, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, LP1...(Other models you can see in the webshop)		

side bolts

 1			
No.	560289	Ref. No.	0011168 DW11168
description	side bolts thread M6 L 12mm SS Qty 1 pcs intake Phillips head ø 12.6mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, TEKNO-4-CF, TEKNO-4-LS, TEKNO-6, TwinStar		

grub screws

DIN 914/ISO 4027

 1			
No.	560457	Ref. No.	0011170 DW11170
description	grub screw thread M5 L 25mm stainless steel DIN 914/ISO 4027 intake hexagonal WS 2.5 Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS		

DIN 916/ISO 4029

 1			
No.	560542	Ref. No.	0011505 DW11505
description	grub screw thread M6 L 16mm in stainless steel DIN 916/ISO 4029 intake internal hexagon WS 3 Qty 1 pcs		
For models:	TwinStar, TX1500		

 1			
No.	510906	Ref. No.	11504 DW11504
description	grub screw thread M6 L 8mm stainless steel DIN 914/ISO 4027 WS 3 Qty 1 pcs		
For models:	TX1500		

knurled screws



1

No.	524804	Ref. No.	0010652 DW10652
description	Thumb screw thread M5 thread L 7mm ø 30mm H 5mm SS Qty 1 pcs		
For models:	DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS...(Other models you can see in the webshop)		
accessories for	524804		
	No.	505277	Ref. No.
			0010651 10651 DW10651
rinse arm shaft warewashing ø 14mm H 38mm thread 1/4"			

 1			
No.	517075	Ref. No.	0011101/B DW11101/B
description	Thumb screw thread M8 SS ø 30mm H 3mm thread L 8mm		
For models:	Electron400, Electron400CleanWater, Gastro11S, Gastro1200, GASTRO-1200S, Gastro12S, GS100, GS-100, GS-100-DEPUR, H600, HT12-Elettronica, LP1, LP1-800, LP1-800EL, LP2, LP3, LP4, LP-ZERO, Tekno4, Tekno4.1-Acqua-pulita		



			
No.	517066	Ref. No.	0011101/A DW11101/A
description	Thumb screw thread M8 thread L 8mm ø 30mm H 3mm SS mounting pos. upper		
For models:	C40-CF, C40-LS, DERBY-CF, Gastro450, GS-35, GS40, GS40, Linear, LINEAR-CF, LINEAR-LS, Optima400, Optima500, Optima500, Optima-Cutlery, STAR-CF, TURBO-CF, TURBO-LS, TwinStar		

			
No.	517039	Ref. No.	0011101/I DW11101/I
description	Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower		
For models:	C40-CF, C40-LS, DERBY-CF, DS45, DS50, Dupla50, Electron500, Electron500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LINEAR-CF, LINEAR-LS, LP1, LP1-800, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank...(Other models you can see in the webshop)		

nuts

cap nuts

			
No.	560138	Ref. No.	0011183 DW11183
description	cap nuts thread M8 WS 13 SS Qty 20 pcs DIN/ISO DIN 1587		

hexagonal nuts

DIN 934 / ISO 4032/8673

			
No.	560340	Ref. No.	0011703 DW11703
description	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, F120, F120-TK120P, F60, F60-TK60P, G35, G35-RL09-NEW, GASTRO-500, GASTRO-750, GASTRO-900, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS-45, GS-50, GS-50-230Vac		

			
No.	560197	Ref. No.	0011719 DW11719
description	nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, H600, H600E-electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
No.	517174	Ref. No.	0011702 DW11702
description	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500...(Other models you can see in the webshop)		

hexagonal nuts metric (without norm)

			
No.	560519	Ref. No.	0010200205 DW10200205
description	nut thread M12x1 H 5mm WS 17 SS Qty 1 pcs		
For models:	Derby, Derby400, DS35, DS37, DS40, DS50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, G35, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear...(Other models you can see in the webshop)		

hexagonal nuts inch thread



1

No.	517180	Ref. No.	0011701/A DW11701/A
description	nut thread 1" H 5mm WS 36 SS Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400CleanWater, Electron500CleanWater, FX, G12D, G12S, G35, G600, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40...(Other models you can see in the webshop)		



2

No.	520232	Ref. No.	0010200080 DW10200080
description	nut thread 1 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		



1

No.	520499	Ref. No.	0015042/A DW15042/A
description	nut thread 1 1/4" H 6mm WS 50 brass Qty 1 pcs		
For models:	G12D, G12S, G600, G600, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

No.	507528	Ref. No.	002200103 DW2200103
description	nut thread 3/4" H 8mm WS 32 brass Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TwinStar, TX1500, UX220		

washers

spring rings



1

No.	560122	Ref. No.	11608
description	lock washer ID ø 5.2mm ED ø 9mm SS DIN127 Qty 20 pcs for thread M5		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, G35, GASTRO-500, GASTRO-750, GASTRO-900		



1

No.	560208	Ref. No.	11609 DW11609
description	lock washer ID ø 8.3mm ED ø 15mm SS Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, GASTRO-500, GASTRO-750, GASTRO-900		

washers

miscellaneous



1

No.	506160	Ref. No.	0011185 0011611 DW11185 DW11611
description	plain washer ID ø 8.6mm ED ø 16mm thickness 1.5mm SS Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, FX, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, HT11, HT11S, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, PlatinumOptima-HR...(Other models you can see in the webshop)		



fasteners

slot nuts



1

No.	560285	Ref. No.	002001046 DW2001046
description	slot nut W 8mm H 7mm L 30mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, TX1500, UX220		

clamps

hose clamps

DIN 3017 - W2



1

No.	520112	Ref. No.	0011807 DW11807
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater... (Other models you can see in the webshop)		



1

No.	520115	Ref. No.	0011806 DW11806
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater... (Other models you can see in the webshop)		

consumables

sealants and adhesives

industrial silicones



1

No.	890110	Ref. No.	Silicon UNI9
description	silicone S100 cartridge 300ml transparent		
description	OTTOSEAL S 100 - cartridge 300ml - transparent Used for expansion joints in bathroom areas, sealing of expansion joints in floor and wall areas, sealing and bonding of glass modules and sealing double glazings (e. g., „Profilit“). - 1-component acetate-curing silicone sealant - Excellent weathering, ageing and UV-resistance - Contains fungicide and bacteriostatic - Unique processing characteristics - Surface can be smoothed very easily - Very good adhesion on ceramic substrates - Stress expansion modules at 100% (DIN 53 504, S3A): 0.3N/mm² - Temperature range -40°C to + 180°C		

screw fixings



1

No.	890137	Ref. No.	Loctite 243
description	screw fixing LOCTITE 243 medium-strength bottle 5ml		
description	LOCTITE® 243™ - bottle 5ml Is a general purpose threadlocker of medium bond strength. This threadlocker secures and seal bolts, nuts and studs to prevent loosening due to vibration. The product works on all metals, including passive substrates such as stainless steel, aluminium and plated surfaces. It is proven to be tolerant of minor contamination due to industrial oils, e.g. engine oils, corrosion prevention oils and cutting fluids.		

thread sealants



1

No.	890135	Ref. No.	Loctite 511
description	thread sealing LOCTITE 511 tube 50ml approval DVGW		
description	LOCTITE® 511™ - tube 50ml It is designed for the locking and sealing of metal threaded pipes and fittings. The product cures rapidly when confined in the absence of air between close fitting metal surfaces.		

			
1			
No.	890128	Ref. No.	Loctite 542
description	thread sealing LOCTITE 542 medium-strength bottle 50ml approval DVGW		
description	LOCTITE® 542™ - bottle 50ml It is designed for the locking and sealing of metal pipes and fittings as well as other cylindrical metal assemblies. The product cures when confined in the absence of air between close-fitting metal surfaces and prevents loosening and leakage due to shock and vibration. The thixotropic nature of LOCTITE 542 reduces the migration of liquid product after application to the part.		

			
1			
No.	890097	Ref. No.	Loctite 577
description	thread sealing LOCTITE 577 medium-strength bottle 50ml pipe thread sealing t.max. 150°C approval BAM and DVGW		
description	LOCTITE® 577™ - bottle 50ml It is designed for the locking and sealing of metal pipes and fittings as well as other cylindrical metal assemblies. The product provides an instant, low-pressure seal for metal pipes and fittings. It will not creep, shrink or block systems by shredding. Suitable for fast application at low temperatures. It has excellent chemical and thermal resistance and offers less migration of liquid product after application to the part.		

lubricants

high-temperature greases

			
1			
No.	890120	Ref. No.	Grease High Temp
description	lubricant GM 5 up to +450°C 100g tubeml		
description	Turmopast GM 5 - tube 100g Special thermally stable paste with synergetic solid lubricant combination, generates low coefficients of friction. The extremely effective lubricant paste has a good pressure capability, protects reliably against friction and wear, and thus results in lowered lubricant consumption. Paste-like lubricant film at temperatures < 200 °C, transition to dry lubrication > 200 °C. Temperature resistance: -40°C to +450°C		

fuses

fine fuses

			
1			
No.	358610	Ref. No.	0015160 DW15160
description	fine fuse size ø5x20mm 10A fast-acting rated 250V Qty 10 pcs		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TX1500, UX220		

			
1			
No.	358671	Ref. No.	0015163 DW15163
description	fine fuse size ø5x20mm 1A fast-acting rated 250V Qty 10 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Electron500, Electron500, Electron500Plus, Electron600, FX, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, H600, HT11E, HT11S, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, LP1-800...(Other models you can see in the webshop)		

			
1			
No.	358607	Ref. No.	0015212 DW15212
description	fine fuse size ø5x20mm 6.3A slow-acting rated 250V Qty 10 pcs		
For models:	TwinStar		

ø10x38mm 500V

			
1			
No.	358027	Ref. No.	003006095 DW3006095
description	fine fuse size ø10x38mm 16A rated 500V type Gg fast-acting Qty 1 pcs		
For models:	TwinStar		