

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**












**TOOLS**






Spare parts suitable for






# EKU

## heating elements










### heating elements for bain maries

			
<b>No.</b>	415091	<b>Ref. No.</b>	1W217
<b>description</b>	heating element 1000W 230V heating circuits 1 L 295mm W 85mm connection length 20mm connection M3 tube ø 6.5mm 2 hole fixing thread M14x1 immersion heater/dry heating element bain marie/ chip scuttle L1 145mm L2 150mm H 18mm mounting distance 79mm		
<b>spare parts for</b>	415091		
	<b>No.</b>	510417	<b>Ref. No.</b> —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
<b>accessories for</b>	415091		
	<b>No.</b>	520228	<b>Ref. No.</b> —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	<b>No.</b>	521133	<b>Ref. No.</b> —
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
	<b>No.</b>	527169	<b>Ref. No.</b> —
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	<b>No.</b>	550261	<b>Ref. No.</b> —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		
	<b>No.</b>	550262	<b>Ref. No.</b> —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	<b>No.</b>	560110	<b>Ref. No.</b> —
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	<b>No.</b>	560130	<b>Ref. No.</b> —
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

			
<b>No.</b>	415092	<b>Ref. No.</b>	4-06
<b>description</b>	heating element 1300W 230V L 290mm W 130mm connection M4 tube ø 6.3mm 2 hole fixing thread M14x1.5 immersion heater L1 140mm L2 150mm H 18mm mounting distance 127mm		
<b>accessories for</b>	415092		
	<b>No.</b>	510417	<b>Ref. No.</b> —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	<b>No.</b>	520228	<b>Ref. No.</b> —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	<b>No.</b>	520230	<b>Ref. No.</b> —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		
	<b>No.</b>	521101	<b>Ref. No.</b> —
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		


<b>accessories for</b>	415092		
	<b>No.</b>	521103	<b>Ref. No.</b> —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	<b>No.</b>	521104	<b>Ref. No.</b> —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	<b>No.</b>	550262	<b>Ref. No.</b> —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	<b>No.</b>	560111	<b>Ref. No.</b> —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	<b>No.</b>	560131	<b>Ref. No.</b> —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		





### heating elements for chip scuttles


			
<b>No.</b>	415091	<b>Ref. No.</b>	1W217
<b>description</b>	heating element 1000W 230V heating circuits 1 L 295mm W 85mm connection length 20mm connection M3 tube ø 6.5mm 2 hole fixing thread M14x1 immersion heater/dry heating element bain marie/ chip scuttle L1 145mm L2 150mm H 18mm mounting distance 79mm		
<b>spare parts for</b>	415091		
	<b>No.</b>	510417	<b>Ref. No.</b> —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
<b>accessories for</b>	415091		
	<b>No.</b>	520228	<b>Ref. No.</b> —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	<b>No.</b>	521133	<b>Ref. No.</b> —
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
	<b>No.</b>	527169	<b>Ref. No.</b> —
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	<b>No.</b>	550261	<b>Ref. No.</b> —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		
	<b>No.</b>	550262	<b>Ref. No.</b> —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	<b>No.</b>	560110	<b>Ref. No.</b> —
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	<b>No.</b>	560130	<b>Ref. No.</b> —
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		



## heating elements for fryers






<b>No.</b>	415090	<b>Ref. No.</b>	1-W-218 f.FQE-60-110,1-W-218
<b>description</b>	heating element 5500W 230/400V heating circuits 3 L 325mm W 200mm H 210mm L1 15mm L2 310mm W1 67mm W2 66mm H1 183mm H2 25mm windings 12 flange length 115mm flange width 30mm hole distance 95mm hole ø 7mm connection M4 rectangular flange fryer heaters		
<b>accessories for</b>	415090		
	<b>No.</b> 521103	<b>Ref. No.</b>	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	<b>No.</b> 521104	<b>Ref. No.</b>	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	<b>No.</b> 560111	<b>Ref. No.</b>	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	<b>No.</b> 560131	<b>Ref. No.</b>	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			




<b>No.</b>	420289	<b>Ref. No.</b>	4-102
<b>description</b>	heating element 7500W 220V heating circuits 3 L 320mm W 196mm H 215mm L1 15mm L2 305mm W1 60mm W2 67mm H1 185mm H2 32mm windings 4 flange length 115mm flange width 30mm hole distance 95mm hole ø 6.5mm connection screw tube ø 6.2mm rectangular flange fryer		

## heating elements for griddles




<b>No.</b>	415076	<b>Ref. No.</b>	373.007.0 1-W-237
<b>description</b>	heating element 1300W 230V heating circuits 1 L 490mm W 78mm H 70mm tube ø 6.3mm W1 17mm W2 44mm connection M4 connection length 20mm dry heating element		
<b>accessories for</b>	415076		
	<b>No.</b> 521103	<b>Ref. No.</b>	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	<b>No.</b> 521104	<b>Ref. No.</b>	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	<b>No.</b> 560111	<b>Ref. No.</b>	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			

<b>accessories for</b>	415076		
	<b>No.</b> 560131	<b>Ref. No.</b>	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

## heating elements for large hobs







<b>No.</b>	418707	<b>Ref. No.</b>	4-208
<b>description</b>	heating element 1500W 230V L 230mm W 265mm H 70mm tube ø 6.5mm mounting pos. inner connection screw		



<b>No.</b>	418708	<b>Ref. No.</b>	4-207
<b>description</b>	heating element 1500W 230V L 255mm W 300mm H 70mm tube ø 6.5mm mounting pos. centre connection screw		


## heating elements for tilting bratt pan








<b>No.</b>	415076	<b>Ref. No.</b>	373.007.0 1-W-237
<b>description</b>	heating element 1300W 230V heating circuits 1 L 490mm W 78mm H 70mm tube ø 6.3mm W1 17mm W2 44mm connection M4 connection length 20mm dry heating element		
<b>accessories for</b>	415076		
	<b>No.</b> 521103	<b>Ref. No.</b>	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	<b>No.</b> 521104	<b>Ref. No.</b>	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	<b>No.</b> 560111	<b>Ref. No.</b>	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	<b>No.</b> 560131	<b>Ref. No.</b>	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			




<b>No.</b>	415250	<b>Ref. No.</b>	4-FI-18
<b>description</b>	heating element grill 1650W 230V L 490mm W 42mm H 45mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm 2 hole fixing thread 1/4" mounting distance 37mm		


			
1			
No.	415077	Ref. No.	TYP 1-W-240
description	heating element stock pot 1300W 230V L 280mm W 150mm H 40mm connection male faston 6.3mm tilting bratt pan heating circuits 1 tube ø 8.5mm bracket mounting hole distance 142mm hole ø 5mm lug length 25mm lug width 15mm		


## heating elements for chargrills


			
1			
No.	415095	Ref. No.	1-W-236
description	heating element 1500W 220V L 465mm W 75mm H 55mm 2 hole fixing thread 1/4" mounting distance 70mm connection M4 L1 25mm L2 440mm tube ø 6.3mm dry heating element heating circuits 1		
accessories for	415095		
   	No.	521103	Ref. No.
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No.
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	560111	Ref. No.
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No.
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

			
1			
No.	415250	Ref. No.	4-FI-18
description	heating element gril 1650W 230V L 490mm W 42mm H 45mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm 2 hole fixing thread 1/4" mounting distance 37mm		


## heating elements for salamanders/toast-


			
1			
No.	415347	Ref. No.	HS 60 E, 15-B-001
description	heating element 1600W 230V heating circuits 1 L 295mm W 205mm H 45mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm mounting thread M5 rectangular flange dry heating element		

			
1			
No.	415141	Ref. No.	SME-63
description	heating element 2900W 230V heating circuits 1 L 425mm W 165mm L1 25mm L2 50mm L3 350mm W1 52mm W2 60mm flange length 100mm flange width 22mm hole distance 88mm tube ø 8.5mm connection length 17mm dry heating element rectangular flange hole ø 5mm H 8.5mm		

			
1			
No.	415142	Ref. No.	370.423.0 SME70
description	heating element 3500W 230V heating circuits 1 L 525mm W 167mm L1 15mm L2 50mm L3 460mm W1 63mm W2 50mm flange length 100mm flange width 22mm hole distance 31mm tube ø 9mm connection length 54mm dry heating element connection male faston 6.3mm rectangular flange hole ø 10mm H 9mm		

## heating elements for convection

			
1			
No.	417586	Ref. No.	3-55
description	heating element 3200W 230V heating circuits 1 ID ø 178mm ED ø 192mm L 260mm H 34mm L1 64mm W1 30mm H1 10mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection M4 connection length 34mm tube ø 6.25mm convection heating element mounting thread M4		

			
1			
No.	418019	Ref. No.	14-N-124
description	heating element 3900W 230V heating circuits 3 ID ø 206mm ED ø 218mm L 275mm H 40mm L1 48mm W1 104mm H1 10mm H2 24mm flange length 142mm flange width 25mm hole distance 62.5mm connection M4 connection length 62mm tube ø 6mm convection heating element hole ø 6.5mm rectangular flange		


## radiation heaters

### square



1

No.	490202	Ref. No.	3-09A
description	radiation heater L 300mm W 300mm 4000W 400V H 40mm connection type screw with pan detection		



1

No.	490008	Ref. No.	3-09
description	radiation heater L 300mm W 300mm 4000W 400V heating circuits 2 connections 3 square connection type male faston 6.3mm without pan detection EGO		
spare parts for	490008		
	No.	499157	Ref. No.
			—
description	protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm		

## accessories


### sealing washers

#### O-rings



1

No.	505092	Ref. No.	04-3090
description	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs		



1

No.	521116	Ref. No.	05-0790
description	O-ring Viton thickness 3.53mm ID ø 78.97mm Qty 1 pcs		

## hot plates

### square & rectangular

#### with radiused edge



1

No.	490068 <sup>1</sup>	Ref. No.	3-06
description	hot plate dimensions 220x220mm 2600W 400V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector



1

No.	490074 <sup>1</sup>	Ref. No.	05-0600
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector

### round

#### with radiused edge

#### for domestic and commercial kitchens



1

No.	490016	Ref. No.	3-02
description	hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring		



1

No.	490021	Ref. No.	3-03A
description	hot plate ø 220mm 2600W 400V connection 4 screw clamps with 8mm spill ring		




## thermostats

## control and safety thermostats

## EGO


## control thermostats

## 55.10/19\_ series



<b>No.</b>	375363	<b>Ref. No.</b>	4-FI-004
<b>description</b>	thermostat t.max. 161°C temperature range 73-161°C 1-pole 1NO 16A probe ø 3mm probe L 144mm capillary pipe 1600mm capillary pipe isolated 1600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

## 55.13\_ series






<b>No.</b>	375401	<b>Ref. No.</b>	230054 4-117
<b>description</b>	thermostat t.max. 185°C temperature range 97-185°C 1-pole 1NO 16A probe ø 6mm probe L 87mm capillary pipe 1430mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



<b>No.</b>	375505	<b>Ref. No.</b>	15-BA-18 3-36
<b>description</b>	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



1

<b>No.</b>	375005	<b>Ref. No.</b>	10-44
<b>description</b>	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1NO 16A probe ø 6mm probe L 92mm capillary pipe 830mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS		
<b>accessories for</b>	375005		
	<b>No.</b>	110109	<b>Ref. No.</b> —
	knob thermostat t.max. 85°C ø 60mm shaft ø 6x4.6mm shaft flat upper silver temperature range 30-85°C rotation 270°		
	<b>No.</b>	110133	<b>Ref. No.</b> —
	knob thermostat t.max. 85°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-85°C rotation 270°		
	<b>No.</b>	110240	<b>Ref. No.</b> —
	knob thermostat t.max. 85°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-85°C		


## 55.34\_ series



1

<b>No.</b>	375410	<b>Ref. No.</b>	1-W-228 4-103
<b>description</b>	thermostat t.max. 180°C temperature range 95-180°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 1780mm capillary pipe isolated 1400mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

## 55.40\_ series



1

<b>No.</b>	375096	<b>Ref. No.</b>	4-116
<b>description</b>	thermostat t.max. 450°C temperature range 100-450°C 4-pole 4NO 16A probe ø 3.9mm probe L 163mm capillary pipe 1180mm capillary pipe isolated 850mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



## safety thermostats

## 55.12\_ series



<b>No.</b>	375998	<b>Ref. No.</b>	10-45 230418
<b>description</b>	safety thermostat switch-off temp. 110°C 1-pole NC 10A probe ø 6mm probe L 95mm capillary pipe 880mm capillary pipe isolated 830mm gland nut probe screw connection M10x0.75 connection male faston 6.3mm		

## control thermostats with operation switch

## 55.34\_ series



<b>No.</b>	375246	<b>Ref. No.</b>	3-22
<b>description</b>	thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper		

## 55.31\_ series



<b>No.</b>	375104	<b>Ref. No.</b>	1-W-213 230057 4-104
<b>description</b>	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 167mm capillary pipe 830mm capillary pipe isolated 600mm gland nut M10x1 probe		

## 56.\_ series



<b>No.</b>	390809	<b>Ref. No.</b>	10-45old
<b>description</b>	safety thermostat switch-off temp. 110°C 1-pole 1NC probe ø 6mm probe L 78mm capillary pipe 900mm capillary pipe isolated 800mm gland nut front fixing M10x1		

## accessories

## connecting bows



<b>No.</b>	550059	<b>Ref. No.</b>	3-47
<b>description</b>	connecting bow short for switch Qty 1 pcs		

## switches and momentary switches

## push/momentary push switches

## 30x22mm



<b>No.</b>	301040 <sup>1</sup>	<b>Ref. No.</b>	10-2369
<b>description</b>	push switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

<sup>1</sup>illuminated

## microswitches


## lever actuated



<b>No.</b>	345044	<b>Ref. No.</b>	4-FI-063
<b>description</b>	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 25mm type C99ZP3 actuating force: 25g lever length 71mm		

## cam switches

## operation switches



1

No.	301128	Ref. No.	3-35
-----	--------	----------	------

**description** operation switch 16A shaft ø 6x4.6mm



1

No.	345321	Ref. No.	15-CB-86
-----	--------	----------	----------


**description** operation switch 4 operating positions 5NO 16A sequence 0-1-2-3 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic 3-pole ambient temperature max. 300°C

## magnetic switches

## 29x19mm



1



No.	345117	Ref. No.	F.400-G, 606
-----	--------	----------	--------------

**description** magnetic switch L 28.5mm W 19mm 1NO 250V 0.04A P max. 10W connection cable cable length 1000mm

## lamps

## indicator lights

## indicator lights (complete)

## ø 6mm



1

No.	359284	Ref. No.	14-N-024
-----	--------	----------	----------

**description** indicator light ø 6mm 24V green cable length 150mm

## 22x10mm



1

No.	357081	Ref. No.	3-24
-----	--------	----------	------

**description** indicator light mounting measurements 22x10mm 230V yellow connection cable 250mm temp.-resist. 120°C

## timers

## programme timers



1

No.	360349	Ref. No.	10-238053
-----	--------	----------	-----------

**description** timer CDC 11803 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. 11803F1BEE000.0010 motor type M48R ATS type 11803F1 / 238046

**spare parts for** 360349



No.	360673	Ref. No.	—
-----	--------	----------	---

motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder



1

No.	360515	Ref. No.	10-18A
-----	--------	----------	--------

**description** timer CEM HFD4M16 engines 1 chambers 4 operation time 120s shaft ø 6x4.6mm shaft L 18mm motor type UDS11NE1RHZ235



## contactors

ABB

### power contactors



1

No.	380101	Ref. No.	14-N-057
description	power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type B6-30-01 / B7-30-01		



1

No.	380109	Ref. No.	ABB-02
description	power contactor resistive load 30A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type A16-30-01		

## electronic controllers



ELIWELL

### universal controllers

#### built-in version



1

No.	379605	Ref. No.	IC-N035A	
description	electronic controller ELIWELL type ICPlus915 model ICP22J135000 mounting measurements 71x29mm 12V voltage AC/DC Pt100/TC (J,K) relay outputs 2 NO-8A(4) NO-8A(4) Pt100/TC (J,K) cooking front measurements 78x37mm built-in depth 59mm mode of operation cooking protection IPx0 accuracy 1% built-in version defr. funct. no dependend on probe°C display 3½ digits			
	accessories for 379605			
	No.	379050	Ref. No.	—
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire			
	No.	379054	Ref. No.	—
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M			

accessories for	379605			
	No.	379785	Ref. No.	—
	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C probe ø6x100mm cable length 1.5m without screw connection 2-wire resistor 0.1kOhm			
	No.	379786	Ref. No.	—
	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C probe ø6x100mm cable length 3m without screw connection 2-wire resistor 0.1kOhm			
	No.	379787	Ref. No.	—
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 2-wire resistor 0.1kOhm			

## solenoid valves

### solenoid valves (water)

#### TP



1











No.	370029	Ref. No.	14-76	
description	solenoid valve single straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
spare parts for	370029			
	No.	371035	Ref. No.	—
solenoid coil 24VAC				
accessories for	370029			
	No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				

Table continues overleaf

accessories for 370029				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				






accessories for 101095				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110081	Ref. No.	—
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

## gas taps







### PEL

#### 21S series

1

<b>No.</b>	101095	<b>Ref. No.</b>	3-203
<b>description</b>	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
<b>spare parts for</b>	101095		
	<b>No.</b>	100408	<b>Ref. No.</b> —
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	<b>No.</b>	101060	<b>Ref. No.</b> —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	<b>No.</b>	101206	<b>Ref. No.</b> —
gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21			
	<b>No.</b>	101230	<b>Ref. No.</b> —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
<b>accessories for</b>	101095		
	<b>No.</b>	100908	<b>Ref. No.</b> —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

1

<b>No.</b>	106298	<b>Ref. No.</b>	06-101 A240067
<b>description</b>	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.65mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
<b>spare parts for</b>	106298		
	<b>No.</b>	100548	<b>Ref. No.</b> —
bypass nozzle type PEL20/21 bore ø 0.65mm thread M5x0.5			
	<b>No.</b>	101060	<b>Ref. No.</b> —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	<b>No.</b>	101206	<b>Ref. No.</b> —
gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21			
	<b>No.</b>	101230	<b>Ref. No.</b> —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
<b>accessories for</b>	106298		
	<b>No.</b>	100908	<b>Ref. No.</b> —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	<b>No.</b>	100909	<b>Ref. No.</b> —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			



<b>accessories for</b> 106298				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110081	Ref. No.	—
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

## 22S/V series






1


<b>No.</b>	106888	<b>Ref. No.</b>	06-102
<b>description</b>	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.8mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat right		

## SKG



1

<b>No.</b>	101154	<b>Ref. No.</b>	650/750 132
<b>description</b>	gas tap SKG without ignition flame connection		
<b>spare parts for</b>	101154		
	No.	101060	Ref. No. —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
<b>accessories for</b>	101154		
	No.	101060	Ref. No. —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101351	Ref. No. —
mounting strap for gas tap			

<b>accessories for</b> 101154				
	No.	101376	Ref. No.	—
gasket ID ø 8mm ED ø 12mm H 3/5mm				






## gas thermostats

## SIT

## 630 Eurosit series



1

<b>No.</b>	101409	<b>Ref. No.</b>	4-FI-009
<b>description</b>	gas thermostat type 630 Eurosit series t.max. 280°C 40-280°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
<b>spare parts for</b>	101409		
	No.	101333	Ref. No. —
plug thread 3/8" with O-ring			
<b>accessories for</b>	101409		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			

710 Minisit series



1









No.	101437	Ref. No.	1-W-042 1-W-42	
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller yes pressure regulator 3-18mbar gland nut			
spare parts for	101437			
	No.	101053	Ref. No.	—
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102118	Ref. No.	—
probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710				
accessories for	101437			
	No.	100809	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100820	Ref. No.	—
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	—
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	—
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				

<b>accessories for</b>	101437			
	<b>No.</b>	101272	<b>Ref. No.</b>	—
screw connection IT 1/2" ET 3/8" L 57mm				
	<b>No.</b>	101273	<b>Ref. No.</b>	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	<b>No.</b>	101274	<b>Ref. No.</b>	—
olive for pipe ø 16mm Qty 1 pcs				
	<b>No.</b>	101275	<b>Ref. No.</b>	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	<b>No.</b>	101276	<b>Ref. No.</b>	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	<b>No.</b>	110068	<b>Ref. No.</b>	—
knob suitable for Minisit ø 37mm				

				
1 				
No.	101432	Ref. No.	1-W-048	
description	gas thermostat with push button SIT type MINISIT 710 t.max. 90°C 30-90°C gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 probe ø 8mm probe L 100mm capillary pipe 1050mm probe type type E2 pressure controller yes pressure regula- tor 3-18mbar gland nut			
For models:	BMG40, BMG60			
spare parts for	101432			
	No.	100809	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101053	Ref. No.	—
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	102117	Ref. No.	—
probe 30-90°C probe ø 8mm probe L 100mm capillary pipe 1050mm t.max. 90°C bain marie probe type type E2 suitable for MINISIT 710				
	No.	110068	Ref. No.	—
knob suitable for Minisit ø 37mm				
accessories for	101432			
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				

Table continues overleaf



accessories for 101432		No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	cover cap without piezoelectric igniter				
	reducer IT 3/8" ET 1/2" L 21mm				
	gas connection thread 3/8" angled with O-ring MINISIT 710				
	screw connection IT 3/8" ET 3/8" L 28mm				
	screw connection IT 1/2" ET 3/8" L 57mm				
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	olive for pipe ø 16mm Qty 1 pcs				
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	union screw thread 3/8" tube ø 12mm Qty 1 pcs				

## ignition parts

### pilot burners

SIT

100 series

accessories

pilot burner brackets

producer-specific



1

No.	100890	Ref. No.	1314915 Mareno
description		pilot burner bracket suitable for 100 series	

### pilot burner nozzles



1

No.	100245	Ref. No.	3-314 A230126
description		pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75	







## PRO-GAS

140 - 145 -150 series

### pilot burners



1

No.	100859	Ref. No.	1-W-623
description		pilot burner type 140 series 1 flame	
spare parts for 100859			
	No.	100205	Ref. No. —
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100206	Ref. No. —
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100897	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	No.	100898	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			







## producer-specific pilot burners

**EKU**

### pilot burners





1

No.	100082	Ref. No.	N/A
<b>description</b>	pilot burner		
<b>accessories for</b>	100082		
	No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
	No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	No.	100834	Ref. No. 3-230 A240110
pilot burner cap			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101282	Ref. No. —
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	No.	101860	Ref. No. —
nut thread M10x1 H 4mm WS 14 chrome-plated brass Qty 1 pcs			
	No.	107650	Ref. No. 06-123 A230131-10
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			





1

No.	100078	Ref. No.	06-122
<b>description</b>	pilot burner for wok range		
<b>accessories for</b>	100078		
	No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			

<b>accessories for</b>	100078		
	No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101282	Ref. No. —
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	No.	102067	Ref. No. —
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			
	No.	107650	Ref. No. 06-123 A230131-10
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			



1


No.	102979	Ref. No.	1-W-651 3-229 A240107
<b>description</b>	pilot burner suitable for MARENO		
<b>accessories for</b>	102979		
	No.	101860	Ref. No. —
nut thread M10x1 H 4mm WS 14 chrome-plated brass Qty 1 pcs			
	No.	102980	Ref. No. —
pilot burner mushroom cap with mounting thread			





1

No.	100834	Ref. No.	3-230 A240110
<b>description</b>	pilot burner cap		

electrodes



<b>No.</b>	100701	<b>Ref. No.</b>	1-W-626
<b>description</b>	ignition electrode connection M4 Qty 1 pcs		
<b>accessories for</b>	100701		
	<b>No.</b>	100906	<b>Ref. No.</b>
	—		
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		



<b>No.</b>	100729	<b>Ref. No.</b>	1-W-396
<b>description</b>	ignition electrode L1 5mm D1 ø 8mm D2 ø 10mm BL1 41mm BL2 14mm connection F 2.8x0.8mm to clip with spring		


## thermocouples

## plug-in thermocouples


## plug-in thermocouples standard

with barrel socket  $\varnothing 6(6.5)\text{mm}$


## thermocouples SIT




<b>No.</b>	107600	<b>Ref. No.</b>	3-205
<b>description</b>	thermocouple SIT M8x1 L 320mm plug connection ø6.0(6.5)mm		
<b>For models:</b>	60GE4, 60GST4		



<b>No.</b>	107601	<b>Ref. No.</b>	3-206 A230121
<b>description</b>	thermocouple SIT M8x1 L 600mm plug connection ø6.0(6.5)mm		



<b>No.</b>	107612	<b>Ref. No.</b>	05-1250
<b>description</b>	thermocouple SIT M9x1 L 1000mm plug connection ø6.0(6.5)mm		



<b>No.</b>	107611	<b>Ref. No.</b>	1-W-631
<b>description</b>	thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm		

## gas burners

## hob burners

universal hob burners



<b>No.</b>	106379	<b>Ref. No.</b>	N/A
<b>description</b>	air mixing tube for burner cap ø 80mm L 23mm D1 ø 20mm D2 ø 15.6mm D3 ø 14mm		







<b>No.</b>	103068	<b>Ref. No.</b>	1-W-059	
<b>description</b>	burner cap ø 100mm			
<b>accessories for</b>	103068			
	<b>No.</b>	103067	<b>Ref. No.</b>	1-W-068
	burner ring for burner cap ø 100mm			
	<b>No.</b>	104102	<b>Ref. No.</b>	1-W-066
	burner head for burner cap ø 100mm ext. ø 130			




Table continues overleaf





accessories for 103068				
	No.	104103	Ref. No.	—
	burner holder suitable for burner ø100mm with nozzle holder			






1




No.	103066	Ref. No.	1-W-057
description burner cap ø 80mm			
accessories for 103066			
	No.	103065	Ref. No. 1-W-067
	burner ring for burner cap ø 80mm		
	No.	104100	Ref. No. 1-W-065
	burner head for burner cap ø 80mm		
	No.	104101	Ref. No. 1-W-064
	burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve		


<div><div>1</div></div>			
<b>No.</b>	104102	<b>Ref. No.</b>	1-W-066
<b>description</b>	burner head for burner cap ø 100mm ext. ø 130		




1




No.	104100	Ref. No.	1-W-065
description burner head for burner cap ø 80mm			
accessories for 104100			
	No.	103065	Ref. No. 1-W-067
	burner ring for burner cap ø 80mm		
	No.	103066	Ref. No. 1-W-057
	burner cap ø 80mm		
	No.	104103	Ref. No. —
	burner holder suitable for burner ø100mm with nozzle holder		

<div>1</div> 				
No.	104101	Ref. No.	1-W-064	
description	burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve			
accessories for	104101			
	No.	103065	Ref. No.	1-W-067
	burner ring for burner cap ø 80mm			
	No.	103066	Ref. No.	1-W-057
	burner cap ø 80mm			


accessories for 104101				
	No.	104100	Ref. No.	1-W-065
	burner head for burner cap ø 80mm			




1



No.	103067	Ref. No.	1-W-068	
description burner ring for burner cap ø 100mm				
accessories for 103067				
	No.	103068	Ref. No.	1-W-059
	burner cap ø 100mm			
	No.	104102	Ref. No.	1-W-066
	burner head for burner cap ø 100mm ext. ø 130			
	No.	104103	Ref. No.	—
	burner holder suitable for burner ø100mm with nozzle holder			

1



No.	103065	Ref. No.	1-W-067
description burner ring for burner cap ø 80mm			
accessories for 103065			
	No.	103066	Ref. No. 1-W-057
	burner cap ø 80mm		
	No.	104100	Ref. No. 1-W-065
	burner head for burner cap ø 80mm		
	No.	104101	Ref. No. 1-W-064
	burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve		

## producer-specific hob burners

EKU










900 series

1



No.	105051	Ref. No.	05-0463
description air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium			
accessories for 105051			
	No.	103150	Ref. No. 05-1240
	burner lower part for burner cap ø 110/120mm		
	No.	104030	Ref. No. 05-0470
	burner head for burner cap ø 80mm		
	No.	104031	Ref. No. 05-0047 05-0472
	burner head for burner cap ø 110mm		
	No.	104032	Ref. No. 05-0479
	burner head for burner cap ø 120mm		



<b>accessories for</b> 105051				
	No.	104033	Ref. No.	05-0467
burner lower part for burner cap ø 80mm 1. generation				
	No.	104034	Ref. No.	05-0469
burner lower part for burner cap ø 110mm				
	No.	105052	Ref. No.	05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1				
	No.	105265	Ref. No.	—
burner head for burner cap ø 80mm				
	No.	105266	Ref. No.	—
burner lower part for burner cap ø 80mm				
	No.	105269	Ref. No.	—
burner head ø 158mm for burner cap ø 110mm				
	No.	105272	Ref. No.	—
burner lower part for burner cap ø 110mm				
	No.	105274	Ref. No.	—
burner head for burner cap ø 120mm				
	No.	105275	Ref. No.	—
burner lower part for burner cap ø 120mm				




1

No.	103021	Ref. No.	05-0476	
description burner cap ø 110mm				
accessories for 103021				
	No.	103150	Ref. No.	05-1240
burner lower part for burner cap ø 110/120mm				
	No.	103151	Ref. No.	05-1243
reducer suitable for burner head ø110mm				
	No.	104031	Ref. No.	05-0047 05-0472
burner head for burner cap ø 110mm				
	No.	104034	Ref. No.	05-0469
burner lower part for burner cap ø 110mm				
	No.	105051	Ref. No.	05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium				
	No.	105052	Ref. No.	05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1				







1

No.	103022	Ref. No.	05-0481	
description burner cap ø 120mm with central hole				
accessories for 103022				
	No.	103150	Ref. No.	05-1240
burner lower part for burner cap ø 110/120mm				
	No.	104032	Ref. No.	05-0479
burner head for burner cap ø 120mm				
	No.	104035	Ref. No.	—
burner lower part for burner cap ø 120mm				
	No.	105051	Ref. No.	05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium				
	No.	105052	Ref. No.	05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1				



1

No.	103020	Ref. No.	05-0474
description burner cap ø 80mm			
accessories for 103020			
	No.	104030	Ref. No. 05-0470
burner head for burner cap ø 80mm			
	No.	104033	Ref. No. 05-0467
burner lower part for burner cap ø 80mm 1. generation			
	No.	105051	Ref. No. 05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium			
	No.	105052	Ref. No. 05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1			








<div>  </div> <div>1</div>						
No.	104031	Ref. No.	05-0047 05-0472			
description	burner head for burner cap ø 110mm					
accessories for	104031					
<div>  </div>	No.	103021	Ref. No.	05-0476		
	burner cap ø 110mm					
<div>  </div>	No.	103150	Ref. No.	05-1240		
	burner lower part for burner cap ø 110/120mm					

Table continues overleaf

<b>accessories for</b> 104031				
	<b>No.</b>	103151	<b>Ref. No.</b>	05-1243
reducer suitable for burner head ø110mm				
	<b>No.</b>	104034	<b>Ref. No.</b>	05-0469
burner lower part for burner cap ø 110mm				
	<b>No.</b>	105051	<b>Ref. No.</b>	05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium				
	<b>No.</b>	105052	<b>Ref. No.</b>	05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1				

1

<b>No.</b>	104032	<b>Ref. No.</b>	05-0479
<b>description</b>	burner head for burner cap ø 120mm		
<b>accessories for</b>	104032		
	<b>No.</b>	103022	<b>Ref. No.</b> 05-0481
burner cap ø 120mm with central hole			
	<b>No.</b>	103150	<b>Ref. No.</b> 05-1240
burner lower part for burner cap ø 110/120mm			
	<b>No.</b>	105051	<b>Ref. No.</b> 05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium			
	<b>No.</b>	105052	<b>Ref. No.</b> 05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1			



1

No.	104030	Ref. No.	05-0470	
description	burner head for burner cap ø 80mm			
accessories for	104030			
	No.	103020	Ref. No.	05-0474
burner cap ø 80mm				
	No.	104033	Ref. No.	05-0467
burner lower part for burner cap ø 80mm 1. generation				
	No.	105051	Ref. No.	05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium				
	No.	105052	Ref. No.	05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1				



1

<b>No.</b>	103150	<b>Ref. No.</b>	05-1240	
<b>description</b>	burner lower part for burner cap ø 110/120mm			
<b>accessories for</b>	103150			
	<b>No.</b>	103021	<b>Ref. No.</b>	05-0476
burner cap ø 110mm				
	<b>No.</b>	103022	<b>Ref. No.</b>	05-0481
burner cap ø 120mm with central hole				
	<b>No.</b>	103151	<b>Ref. No.</b>	05-1243
reducer suitable for burner head ø110mm				
	<b>No.</b>	104031	<b>Ref. No.</b>	05-0047 05-0472
burner head for burner cap ø 110mm				
	<b>No.</b>	104032	<b>Ref. No.</b>	05-0479
burner head for burner cap ø 120mm				
	<b>No.</b>	105051	<b>Ref. No.</b>	05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium				
	<b>No.</b>	105052	<b>Ref. No.</b>	05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1				



1

No.	104034	Ref. No.	05-0469
description	burner lower part for burner cap ø 110mm		
accessories for	104034		
	No.	103021	Ref. No. 05-0476
burner cap ø 110mm			
	No.	104031	Ref. No. 05-0047 05-0472
burner head for burner cap ø 110mm			
	No.	105051	Ref. No. 05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium			
	No.	105052	Ref. No. 05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1			





1

No.	104033	Ref. No.	05-0467
description	burner lower part for burner cap ø 80mm 1. generation		



1

No.	105052	Ref. No.	05-0403
description	nozzle holder ID ø 10mm nozzle mounting M10x1		

accessories for 105052



No.	100469	Ref. No.	3-309 A240156
-----	--------	----------	------------------

gas injector thread M10x1 WS 12 bore ø 1.15mm



No.	100478	Ref. No.	—
-----	--------	----------	---

gas injector thread M10x1 WS 12 bore ø 1.75mm



No.	103150	Ref. No.	05-1240
-----	--------	----------	---------

burner lower part for burner cap ø 110/120mm



No.	104030	Ref. No.	05-0470
-----	--------	----------	---------

burner head for burner cap ø 80mm



No.	104031	Ref. No.	05-0047 05-0472
-----	--------	----------	--------------------

burner head for burner cap ø 110mm



No.	104032	Ref. No.	05-0479
-----	--------	----------	---------

burner head for burner cap ø 120mm



No.	104033	Ref. No.	05-0467
-----	--------	----------	---------

burner lower part for burner cap ø 80mm 1. generation



No.	104034	Ref. No.	05-0469
-----	--------	----------	---------

burner lower part for burner cap ø 110mm



No.	105051	Ref. No.	05-0463
-----	--------	----------	---------

air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium



1

No.	103151	Ref. No.	05-1243
description	reducer suitable for burner head ø 110mm		

accessories for 103151



No.	103021	Ref. No.	05-0476
-----	--------	----------	---------

burner cap ø 110mm



No.	103150	Ref. No.	05-1240
-----	--------	----------	---------

burner lower part for burner cap ø 110/120mm



No.	104031	Ref. No.	05-0047 05-0472
-----	--------	----------	--------------------

burner head for burner cap ø 110mm



No.	105051	Ref. No.	05-0463
-----	--------	----------	---------

air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium

accessories for 103151



No.	105052	Ref. No.	05-0403
-----	--------	----------	---------

nozzle holder ID ø 10mm nozzle mounting M10x1

## old (2) series



1

No.	103095	Ref. No.	3-211A A240109
description	burner cap ø 95mm 7kW		



1

No.	103105	Ref. No.	240012-00 3-212B
description	burner head for burner cap ø 95mm 7kW		



1

No.	104111	Ref. No.	240082-00 3-212A
description	burner head for burner cap ø 95mm 7kW		



1

No.	104114	Ref. No.	240041-00 3-207
description	burner lower part for burner cap ø 85mm 3.5kW		




1


No.	104115	Ref. No.	240010-00 3-210 N/A
description	burner lower part for burner cap ø 95mm 7kW		




1


No.	104112	Ref. No.	3-244 A240185
description	gasket for burner cap ø 85mm silicone suitable for burner 3.5kW		





			
<b>No.</b>	104113	<b>Ref. No.</b>	3-245 A240184
<b>description</b>	gasket for burner cap ø 95mm silicone for burner 7kW		





			
<b>No.</b>	520587	<b>Ref. No.</b>	10-109
<b>description</b>	hose clamp stainless steel ø 12-20mm width 25mm Qty 1 pcs		


			
<b>No.</b>	104119	<b>Ref. No.</b>	3-231 A240072
<b>description</b>	nozzle holder		




### Snack 2001 series





			
<b>No.</b>	106379	<b>Ref. No.</b>	N/A
<b>description</b>	air mixing tube for burner cap ø 80mm L 23mm D1 ø 20mm D2 ø 15.6mm D3 ø 14mm		





			
<b>No.</b>	103068	<b>Ref. No.</b>	1-W-059
<b>description</b>	burner cap ø 100mm		
<b>accessories for</b>	103068		
	<b>No.</b>	103067	<b>Ref. No.</b> 1-W-068
burner ring for burner cap ø 100mm			
	<b>No.</b>	104102	<b>Ref. No.</b> 1-W-066
burner head for burner cap ø 100mm ext. ø 130			
	<b>No.</b>	104103	<b>Ref. No.</b> —
burner holder suitable for burner ø100mm with nozzle holder			

			
<b>No.</b>	103066	<b>Ref. No.</b>	1-W-057
<b>description</b>	burner cap ø 80mm		
<b>accessories for</b>	103066		
	<b>No.</b>	103065	<b>Ref. No.</b> 1-W-067
burner ring for burner cap ø 80mm			
	<b>No.</b>	104100	<b>Ref. No.</b> 1-W-065
burner head for burner cap ø 80mm			
	<b>No.</b>	104101	<b>Ref. No.</b> 1-W-064
burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve			




			
<b>No.</b>	104102	<b>Ref. No.</b>	1-W-066
<b>description</b>	burner head for burner cap ø 100mm ext. ø 130		

			
<b>No.</b>	104100	<b>Ref. No.</b>	1-W-065
<b>description</b>	burner head for burner cap ø 80mm		
<b>accessories for</b>	104100		
	<b>No.</b>	103065	<b>Ref. No.</b> 1-W-067
burner ring for burner cap ø 80mm			
	<b>No.</b>	103066	<b>Ref. No.</b> 1-W-057
burner cap ø 80mm			
	<b>No.</b>	104103	<b>Ref. No.</b> —
burner holder suitable for burner ø100mm with nozzle holder			

			
<b>No.</b>	104101	<b>Ref. No.</b>	1-W-064
<b>description</b>	burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve		
<b>accessories for</b>	104101		
	<b>No.</b>	103065	<b>Ref. No.</b> 1-W-067
burner ring for burner cap ø 80mm			
	<b>No.</b>	103066	<b>Ref. No.</b> 1-W-057
burner cap ø 80mm			
	<b>No.</b>	104100	<b>Ref. No.</b> 1-W-065
burner head for burner cap ø 80mm			


			
<b>No.</b>	103067	<b>Ref. No.</b>	1-W-068
<b>description</b>	burner ring for burner cap ø 100mm		
<b>accessories for</b>	103067		
	<b>No.</b>	103068	<b>Ref. No.</b> 1-W-059
burner cap ø 100mm			
	<b>No.</b>	104102	<b>Ref. No.</b> 1-W-066
burner head for burner cap ø 100mm ext. ø 130			
	<b>No.</b>	104103	<b>Ref. No.</b> —
burner holder suitable for burner ø100mm with nozzle holder			



<b>No.</b>	103065	<b>Ref. No.</b>	1-W-067
<b>description</b>	burner ring for burner cap ø 80mm		
<b>accessories for</b>	103065		
	<b>No.</b>	103066	<b>Ref. No.</b> 1-W-057
burner cap ø 80mm			
	<b>No.</b>	104100	<b>Ref. No.</b> 1-W-065
burner head for burner cap ø 80mm			
	<b>No.</b>	104101	<b>Ref. No.</b> 1-W-064
burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve			

## Snack 2001-96, 60, 701, 702, 703 series







<b>No.</b>	103143	<b>Ref. No.</b>	1-W-652 3-208 A240108
<b>description</b>	burner cap ø 85mm 3.5kW		
<b>accessories for</b>	103143		
	<b>No.</b>	103140	<b>Ref. No.</b> 240011-00 3-209
burner head seat ø 75mm for burner cap ø 85mm 3.5kW			







<b>No.</b>	103144	<b>Ref. No.</b>	3-211
<b>description</b>	burner cap ø 95mm 5.5kW		







<b>No.</b>	103141	<b>Ref. No.</b>	3-212
<b>description</b>	burner head ø 95mm suitable for burner 5.5kW		
<b>accessories for</b>	103141		
	<b>No.</b>	103147	<b>Ref. No.</b> —
burner lower part for burner cap ø 95mm 5.5/7kW			
	<b>No.</b>	103149	<b>Ref. No.</b> N/A
gasket L 55mm W 62mm for burner 5.5/7kW			
	<b>No.</b>	105230	<b>Ref. No.</b> —
nozzle holder			
	<b>No.</b>	105259	<b>Ref. No.</b> —
burner cap ø 95mm with central hole			



<b>No.</b>	103140	<b>Ref. No.</b>	240011-00 3-209
<b>description</b>	burner head seat ø 75mm for burner cap ø 85mm 3.5kW		
<b>accessories for</b>	103140		
	<b>No.</b>	103146	<b>Ref. No.</b> 1-W-646
burner lower part for burner cap ø 85mm 3.5kW			
	<b>No.</b>	103148	<b>Ref. No.</b> 1-W-690
gasket L 47mm W 53mm suitable for burner 3.5kW			
	<b>No.</b>	105230	<b>Ref. No.</b> —
nozzle holder			
	<b>No.</b>	107203	<b>Ref. No.</b> —
burner cap ø 85mm 3.5kW			



<b>No.</b>	103146	<b>Ref. No.</b>	1-W-646
<b>description</b>	burner lower part for burner cap ø 85mm 3.5kW		
<b>accessories for</b>	103146		
	<b>No.</b>	103140	<b>Ref. No.</b> 240011-00 3-209
burner head seat ø 75mm for burner cap ø 85mm 3.5kW			
	<b>No.</b>	103148	<b>Ref. No.</b> 1-W-690
gasket L 47mm W 53mm suitable for burner 3.5kW			
	<b>No.</b>	105230	<b>Ref. No.</b> —
nozzle holder			
	<b>No.</b>	107203	<b>Ref. No.</b> —
burner cap ø 85mm 3.5kW			










<b>No.</b>	103148	<b>Ref. No.</b>	1-W-690
<b>description</b>	gasket L 47mm W 53mm suitable for burner 3.5kW		
<b>accessories for</b>	103148		
	<b>No.</b>	103140	<b>Ref. No.</b> 240011-00 3-209
burner head seat ø 75mm for burner cap ø 85mm 3.5kW			
	<b>No.</b>	103146	<b>Ref. No.</b> 1-W-646
burner lower part for burner cap ø 85mm 3.5kW			
	<b>No.</b>	105230	<b>Ref. No.</b> —
nozzle holder			


Table continues overleaf

accessories for	103148			
	No.	107203	Ref. No.	—
	burner cap ø 85mm 3.5kW			

1


				
<b>No.</b>	103149	<b>Ref. No.</b>	N/A	
<b>description</b>	gasket L 55mm W 62mm for burner 5.5/7kW			
<b>accessories for</b>	103149			
	<b>No.</b>	103141	<b>Ref. No.</b>	3-212
burner head ø 95mm suitable for burner 5.5kW				
	<b>No.</b>	103145	<b>Ref. No.</b>	—
burner cap ø 95mm 7kW with central hole				
	<b>No.</b>	103147	<b>Ref. No.</b>	—
burner lower part for burner cap ø 95mm 5.5/7kW				
	<b>No.</b>	105230	<b>Ref. No.</b>	—
nozzle holder				
	<b>No.</b>	105259	<b>Ref. No.</b>	—
burner cap ø 95mm with central hole				
	<b>No.</b>	107143	<b>Ref. No.</b>	—
burner head for burner cap ø 95mm 5.5kW				

### solid tops




1

No.	105042	Ref. No.	05-0486
description	burner cap ø 175mm with central hole		
accessories for	105042		



No.	105041	Ref. No.	05-0485
burner head ø 175mm for solid top suitable for 1000, BS series			






No.	105484	Ref. No.	—
burner head ø 175mm for solid top suitable for Protagonista series			



1


<b>No.</b>	105041	<b>Ref. No.</b>	05-0485
<b>description</b>	burner head ø 175mm for solid top suitable for 1000, BS series		
<b>accessories for</b>	105041		
	<b>No.</b>	105042	<b>Ref. No.</b> 05-0486
burner cap ø 175mm with central hole			

### wok burners

<div></div> <div>1</div>				
No.	104117	Ref. No.	06-107	
description	air mixing sleeve for wok range			
accessories for	104117			
<div></div>	No.	103096	Ref. No.	06-106
burner cap ø 120mm 9.5kW for wok range				
<div></div>	No.	104116	Ref. No.	—
burner head 9.5kW for wok range				

1

No.	103096	Ref. No.	06-106	
description	burner cap ø 120mm 9.5kW for wok range			
accessories for	103096			
	No.	104116	Ref. No.	—
burner head 9.5kW for wok range				
	No.	104117	Ref. No.	06-107
air mixing sleeve for wok range				

<div><div>1</div></div>			
<b>No.</b>	104734	<b>Ref. No.</b>	06-105
<b>description</b>	burner head for wok range		



## pan supports



1

<b>No.</b>	210151	<b>Ref. No.</b>	1-W-645
<b>description</b>	pan support W 295mm L 545mm gas range		




1

<b>No.</b>	210150	<b>Ref. No.</b>	1-W-644
<b>description</b>	pan support W 340mm L 545mm		

## accessories

## reducers for pan supports



1

<b>No.</b>	210050	<b>Ref. No.</b>	RR
<b>description</b>	reducer for pan support L 260mm W 260mm chrome-plated steel suitable for universal		

## pan supports



1

<b>No.</b>	210035	<b>Ref. No.</b>	06-108
<b>description</b>	pan support ø 353mm H 70mm		
<b>For models:</b>	CHINAHERD		

1

<b>No.</b>	210034	<b>Ref. No.</b>	06-109
<b>description</b>	pan support ø 356mm H 90mm		



1

<b>No.</b>	210151	<b>Ref. No.</b>	1-W-645
<b>description</b>	pan support W 295mm L 545mm gas range		



1

<b>No.</b>	210150	<b>Ref. No.</b>	1-W-644
<b>description</b>	pan support W 340mm L 545mm		

## bar burners

## bar burners



1

<b>No.</b>	104156	<b>Ref. No.</b>	1-W-050
<b>description</b>	bar burner 2 row L 445mm W 200mm ømm H 50mm chargrill stainless steel		
<b>For models:</b>	SNACK2001		



1

<b>No.</b>	105422	<b>Ref. No.</b>	4-PLX-02
<b>description</b>	bar burner 4 row L 480mm W 450mm ømm chargrill		




1

<b>No.</b>	211029	<b>Ref. No.</b>	1-W-280
<b>description</b>	lava rock grid L 464mm W 310mm		



## lava rock grids



1


No.	211029	Ref. No.	1-W-280
description	lava rock grid L 464mm W 310mm		

## accessories

### nozzle holders



1

No.	105052	Ref. No.	05-0403
description	nozzle holder ID ø 10mm nozzle mounting M10x1		
accessories for	105052		
	No.	100469	Ref. No. 3-309 A240156
gas injector thread M10x1 WS 12 bore ø 1.15mm			
	No.	100478	Ref. No. —
gas injector thread M10x1 WS 12 bore ø 1.75mm			
	No.	103150	Ref. No. 05-1240
burner lower part for burner cap ø 110/120mm			
	No.	104030	Ref. No. 05-0470
burner head for burner cap ø 80mm			
	No.	104031	Ref. No. 05-0047 05-0472
burner head for burner cap ø 110mm			
	No.	104032	Ref. No. 05-0479
burner head for burner cap ø 120mm			
	No.	104033	Ref. No. 05-0467
burner lower part for burner cap ø 80mm 1. generation			
	No.	104034	Ref. No. 05-0469
burner lower part for burner cap ø 110mm			
	No.	105051	Ref. No. 05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium			

## miscellaneous



1

No.	103151	Ref. No.	05-1243
description	reducer suitable for burner head ø110mm		
accessories for	103151		
	No.	103021	Ref. No. 05-0476
burner cap ø 110mm			
	No.	103150	Ref. No. 05-1240
burner lower part for burner cap ø 110/120mm			
	No.	104031	Ref. No. 05-0047 05-0472
burner head for burner cap ø 110mm			
	No.	105051	Ref. No. 05-0463
air mixing sleeve L 45mm ED ø 45mm ID ø 42mm aluminium			
	No.	105052	Ref. No. 05-0403
nozzle holder ID ø 10mm nozzle mounting M10x1			

## gas nozzles

### main nozzles

#### gas nozzles M6x0.75



1

No.	100415	Ref. No.	3-237 A240128
description	gas injector thread M6x0.75 WS 7 bore ø 0.85mm		
For models:	60GE4, 60GST4		

#### gas nozzles M7x1



1

No.	103129	Ref. No.	1-W-092
description	gas injector thread M7x1 WS 10 bore ø 0.75mm		



1

No.	100517	Ref. No.	1-W-093
description	gas injector thread M7x1 WS 10 bore ø 0.8mm		



## gas nozzles M10x1



1

No.	100464	Ref. No.	1-W-101
description	gas injector thread M10x1 WS 12 bore ø 0.75mm		



1

No.	100469	Ref. No.	3-309 A240156
description	gas injector thread M10x1 WS 12 bore ø 1.15mm		

## gas nozzles M13x1



1

No.	102790	Ref. No.	DIV Erdg 255 PLX-60
description	gas injector thread M13x1 bore ø 2.55mm WS 13		

## pilot burner nozzles

## pilot burner nozzle AB



1

No.	100869	Ref. No.	06-124
description	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		

## pilot burner nozzles JUNKERS

## CB 5050\_ series



1

No.	100230	Ref. No.	1-W-119
description	pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB5050_		

## GAS NOZZLES/EQUIPMENT-SPECIFIC UNITS EKV

## pilot burner nozzles SIT

## 100 series



1

No.	100245	Ref. No.	3-314 A230126
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

## 160 series



1

No.	107649	Ref. No.	3-225 A230132
description	pilot burner nozzle SIT LPG code 20 Qty 1 pcs		



1

No.	107650	Ref. No.	06-123 A230131-10
description	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

equipment-specific units  
for dishwashers

## air traps

## air traps



1

No.	503337	Ref. No.	10-61
description	air trap		

## washing and rinsing systems



1

No.	511161	Ref. No.	DZT71
description	rinse arm shaft		

## knoobs

### producer-specific knobs

#### EKU



1

No.	112183	Ref. No.	06-135
description	knob gas tap with ignition flame ø 63mm shaft ø 8x6.5mm shaft flat upper black		

## locks

### edgmount latches




#### handle latches

#### producer-specific

#### INOXTREND






1

No.	690146	Ref. No.	14-N-081
description	handle latch L 172mm mounting distance 134mm non lockable heated units 6200 H 65mm type DUPLO total length 248mm		
accessories for	690146		
	No.	690123	Ref. No. —
door catch with roller			
	No.	693777	Ref. No. —
gasket H 6.6mm L 105mm W 45mm L1 78mm W1 25mm for handle			
	No.	693778	Ref. No. —
door catch			

### MODULAR




1

No.	690146	Ref. No.	14-N-081
description	handle latch L 172mm mounting distance 134mm non lockable heated units 6200 H 65mm type DUPLO total length 248mm		
accessories for	690146		
	No.	690123	Ref. No. —
door catch with roller			
	No.	693777	Ref. No. —
gasket H 6.6mm L 105mm W 45mm L1 78mm W1 25mm for handle			
	No.	693778	Ref. No. —
door catch			

### door catches





1


No.	700061	Ref. No.	14-123
description	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
accessories for	700061		
	No.	690414	Ref. No. —
handle latch L 150mm mounting distance 133mm non lockable refrigeration units G 791			


## hinges

## oven hinges



<b>No.</b>	700005	<b>Ref. No.</b>	3-52A A230084
<b>description</b>	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 118mm groove distance 7mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm		
<b>accessories for</b>	700005		
	<b>No.</b>	700001	<b>Ref. No.</b> —
	opposite support L 118mm W 17mm mounting distance 94mm		



<b>No.</b>	700004	<b>Ref. No.</b>	3-52
<b>description</b>	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 119mm groove distance 7mm spring thickness 3.5mm mounting ear position right spring length 112mm L 206mm W 25mm		
<b>accessories for</b>	700004		
	<b>No.</b>	700001	<b>Ref. No.</b> —
	opposite support L 118mm W 17mm mounting distance 94mm		

## baskets

## fryer baskets

EKU



<b>No.</b>	970156	<b>Ref. No.</b>	1-W-02
<b>description</b>	fryer basket L1 280mm W1 200mm H1 105mm chrome-plated steel		


## gaskets

## refrigeration gaskets

## plug-in gaskets

## profile 9743


We offer custom-made gaskets for this profile




<b>No.</b>	902304	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9743 Wmm L 2500mm		

## profile 9783

We offer custom-made gaskets for this profile



<b>No.</b>	900024	<b>Ref. No.</b>	Mar.2500600
<b>description</b>	refrigeration gasket profile 9783 W 190mm L 357mm plug size drawer refrigeration size 1/3		



<b>No.</b>	900025	<b>Ref. No.</b>	Mar.2500700
<b>description</b>	refrigeration gasket profile 9783 W 260mm L 355mm plug size drawer refrigeration size 1/2		

No.	902306	Ref. No.	N/A
description refrigeration gasket profile 9783 Wmm L 2500mm			

## gaskets for heated units

### door seals with fixing hook

No.	901676	Ref. No.	3-75
description door seal W 555mm 3-sided with hook H 285mm			

## O-rings

### EPDM

No.	505092	Ref. No.	04-3090
description O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs			

### Viton

No.	521116	Ref. No.	05-0790
description O-ring Viton thickness 3.53mm ID ø 78.97mm Qty 1 pcs			

## springs

### torsion springs

No.	514234	Ref. No.	8102-10
description torsion spring ø 32.3mm L2 188mm wire gauge ø 5.7mm L1 15mm tilting bratt pan series 900			

## dosing pumps

### piston pumps

#### with solenoid coil

No.	361013	Ref. No.	10-54
description dosing pump inlet 4x6mm outlet 5mm 230V rinse aid duty cycle 25% type EKP-M 50Hz impulse 3imp/s			
spare parts for 361013			
No.	361482	Ref. No.	—
solenoid coil 230VAC for type EKP-M			
No.	361811	Ref. No.	—
hose connector for dosing pump hose ø 6.3mm T1: M12x1.5 chrome-plated brass			
No.	371090	Ref. No.	—
power socket plug type DIN 43650A screw			
accessories for 361013			
No.	361366	Ref. No.	—
PCB dishwasher 11F suitable for DB2 type DB2/EV1/EKP-M			
No.	361505	Ref. No.	—
screw pipe fitting straight nickel-plated brass thread 3/8" IT hose ø 6x8mm			

## accessories

### tank inlets

No.	361856	Ref. No.	10-149 10-149a
description tank inlet stainless steel M12 hose ø 4/5/6mm			

## hoses

### drain hoses

No.	507211	Ref. No.	10-112
description drain hose DN26 L 1500mm A int. ø 33mm A ext. ø 40mm B int. ø 32mm B ext. ø 40mm outer hose ø 35mm			







## drain systems and wash basins

## standpipes

3/4"



1

No.	515049	Ref. No.	G367000
description	standpipe size 3/4" usable height 68mm overall height 94mm ED ø 20mm chrome-plated brass with O-ring		
spare parts for	515049		
	No.	528813	Ref. No.
	O-ring EPDM thickness 2mm ID ø 17mm Qty 1 pcs		
accessories for	515049		
	No.	515041	Ref. No.
	drain fitting size 3/4" usable heightmm overall height 30mm ED ø 38mm chrome-plated brass		

## fastening material

## fasteners

## clamps

## hose clamps

## miscellaneous



1

No.	520587	Ref. No.	10-109
description	hose clamp stainless steel ø 12-20mm width 25mm Qty 1 pcs		

## ancillary products

## clamps

## hose clamps

## miscellaneous



1

No.	520587	Ref. No.	10-109
description	hose clamp stainless steel ø 12-20mm width 25mm Qty 1 pcs		