

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

ELECTROLUX


induction

induction coils

			
1			
No.	404001	Ref. No.	0C0027 0G6556 7893017080 7893017081 7893017082
description	induction coils 5000W 400V for induction device		
For models:	KI/Z1, KI/Z2, KI/Z1A, KI/Z2A, KI/Z1E5A, KI/Z2E5A, QI/Z1, QI/Z2, QI/Z1A, QI/Z2A, QI/Z1E5A, QI/Z2E5A, WI/Z1, WI/Z2, WI/Z1E5, WI/Z2E5, WI/ Z1A, WI/Z2A, WI/Z1E5A, WI/Z2E5A		

heating elements


heating elements for ovens


			
1			
No.	418078	Ref. No.	005218 3570338040 3581907700 3581909599
description	heating element 1000W 230V heating circuits 1 L 335mm W 345mm L1 55mm L2 280mm W1 154mm W2 36mm flange length 80mm flange width 16mm hole distance 60mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm connection length 60mm rectangular flange dry heating element		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		


			
1			
No.	416977	Ref. No.	0C0310
description	heating element 1500W 230V L 530mm W 148mm H 24mm flange length 162mm flange width 18mm hole distance 72mm connection length 29mm tube ø 6.5mm connection M4 heating circuits 1 rectan- gular flange hole ø 6.5mm dry heating element		
For models:	KC/E1, KC/E2, KCF/E2, KC/E1E5, KC/E2E5, KCF/E2E5, KCF/M2E5G, QCF/ E2E5, WCF/E2E5		

			
1			
No.	415078	Ref. No.	054147 054535 054633 054634 OKF005 2410007210
description	heating element 1500W 240V L 540mm W 150mm H 28mm 2 hole fixing mounting distance 145mm connection M4 tube ø 6.25mm dry heating element thread M10x1 heating circuits 1		
For models:	MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MCF/GE1055UK, MIF/E700, MIF/E700D, MIF/E710, MIF/ E710D, MCF/GE702, MCFGE1052, MCF/GE700, MCFGE1050, MF/E700, RCF/M2, RCF/M3, RCF/E2, RCF/E2E5, RIF/E2, MCF/E2Q, RCF/E2Q, XCF/ M2, XCFM3, XCF/E2, XIF/E2, JCF/M2, JCFM3, JCF/E2, JIF/E2, MCF/M2, MCF/M3, MCF/E2, MCF/E2E5, MIF/E2, RCF/GE720, RCF/GE730, RCF/ GE720, RCF/GE720, RCFE720, RCF/E720, RCF/E700D, RCF/GE700D, RCF/E1050D...(Other models you can see in the webshop)		
accessories for	415078		
	No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	No.	510893	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		


			
1			
No.	417442	Ref. No.	0C0269 0C2813
description	heating element 1500W 400V L 535mm W 140mm H 23mm flange length 162mm flange width 18mm hole distance 72mm connection length 28mm tube ø 6.3mm connection M4 heating circuits 1 rectan- gular flange hole ø 6mm dry heating element L1 52mm L2 487mm		
For models:	PCF/M2, PCF/M3, PCV/E2, PCV/E3, PCF/E2, PC/E2Q, PCF/E2Q, PCV/ E2Q, PI/E1, PI/E2, PIF/E2, PIV/E2, PC/E2QE5, PCF/E2QE5, PI/E1E5, PI/ E2E5, PIF/E2E5, PCF/E2E5, PCF/M2A, PCF/M3A, OCF/M2, OCF/E2, OC/ E2Q, OCF/E2Q, OI/E1, OI/E2, OIF/E2, TCF/M2, TCF/M3, TCF/E2, TCV/ E2Q, TIF/E2, TI/E2E5, TCF/M2A, TCF/M3A, TCF/E2M0, TCF/E2QM0, TCF/ E3QM0, TCF/E2M4, TCF/E2QM4, TCF/E3QM4, KCF/M2, KC/E1, KC/ E2, KCF/E2, KC/E1E5, KC/E2E5, KCF/E2E5, KCF/W2, KCF/M2G...(Other models you can see in the webshop)		


			
1			
No.	415350	Ref. No.	OH9821 OK4982 18011700 70503042603
description		heating element 1600W 400V heating circuits 1 L 610mm W 180mm tube ø 6.5mm 2 hole fixing thread 1/4" dry heating element bain marie mounting distance 173mm	
For models:		CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)	

			
1			
No.	418247	Ref. No.	OK9753
description		heating element 2000W 220V L 600mm W 450mm L1 55mm L2 545mm W1 390mm W2 30mm flange length 70mm flange width 15mm hole distance 56mm hole ø 6mm tube ø 6.5mm connection length 30mm connection male faston 6.3mm heating circuits 1 rectangular flange dry heating element oven	

			
1			
No.	418081	Ref. No.	054326 3570041016 3570060016
description		heating element 2000W 230V L 314mm W 290mm L1 11mm L2 213mm W1 126mm W2 33mm connection plug-in connection heating circuits 1 tube ø 6.5mm plug-in connection dry heating element	
For models:		FCF/E4-OLD, FCF/E4D, FCF/E4PH, FCF/E4OLD3, FCF/E4OLD4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D	
accessories for		418081	
	No.	550404	Ref. No. —
	power socket I-II phase 240V max. 16A countries I with screw connection for heating element		
	No.	550405	Ref. No. —
	power socket male faston 6.3mm for heating element 2-pole + earthing		


			
1			
No.	417340	Ref. No.	214613
description		heating element 2000W 400V L 430mm W 150mm L1 50mm L2 380mm W1 60mm W2 30mm windings 3 connection plug-in connection heating circuits 1 tube ø 6.3mm dry heating element hole distance 56mm flange length 70mm flange width 22mm hole ø 3mm	

			
1			
No.	418082	Ref. No.	005205 3570337018 3581907668
description		heating element 2550W 230V heating circuits 2 L 333mm W 347mm L1 48mm L2 285mm W1 120mm W2 107mm flange length 120mm flange width 25mm bridge length 368mm hole ø M4mm tube ø 6.3mm connection male faston 6.3mm rectangular flange dry heating element hot air	
For models:		FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4	

			
1			
No.	415356	Ref. No.	0G4548 0G4549 0G4550 0H9756 0K4789 0K4790 0K4791 0K4863 0K6349 0K7284 0K7285 0K7294 0K7295 0K8155 0KD888 0KG803 0KG804 0KG805 0KT777 0KV480 0T5490 18001816 18001816K 18001820 18001825 18002887 18002887K 6120434704 72179703 72179704 72179705 72179705K 72310505
heating element 2750W 400V heating circuits 1 L 538mm W 618mm L1 58mm L2 480mm W1 523mm W2 95mm mounting distance 86.5mm tube ø 8.5mm connection M4 dry heating element			
BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209.D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV...(Other models you can see in the webshop)			


			
2			
No.	415378	Ref. No.	059237 727999
heating element 950W 230V L 550mm W 63mm flange length 90mm flange width 25mm tube ø 8.5mm connection length 64mm heating circuits 1 hole ø 6mm connection male faston 6.3mm rectangular flange dry heating element oven			
HC/E400, HC/E800, HCF/E800, HCF/GE810, HC/E410, HC/E810, HCF/E810, HFS/E800, ZC/E400, ZC/E800, ZCF/E800, ZCF/GE810, ZC/E410, ZC/E810, ZCF/E810, ZFS/E800, AC/E400, AC/E800, ACF/E800, ACF/GE810, OCF/E800, AFS/E800, HC/E400, HC/E800, ECF/E800, ECF/G-E810			

heating elements for bain maries

			
1			
No.	415293	Ref. No.	00269 004910 0K3512
heating element 1300W 230V heating circuits 1 L 330mm W 184mm tube ø 8.5mm lug length 40mm lug width 18mm connection male faston 6.3mm hole ø 5mm dry heating element bracket mounting			
For models: SME350, SME700, SME350, SME700, BM35E6U			

			
1			
No.	415565	Ref. No.	0K9905
heating element 1500W 230V heating circuits 1 L 350mm W 180mm hole distance 22mm connection male faston 6.3mm tube ø 8.5mm compression flange immersion heater flange ø 32mm H 20mm mounting ø 32mm mounting thread M5			
spare parts for 415565			
 No. 510364 Ref. No. — gasket Lmm Wmm ø 36mm for heating element thickness 3mm with 4 screw holes			
accessories for 415565			
 No. 510365 Ref. No. — counterflange ø 36mm Lmm Wmm			

			
1			
No.	415051	Ref. No.	0H6163 2422251010
heating element 1500W 230V heating circuits 1 L 390mm W 36mm connection male faston 6.3mm tube ø 6.5mm 2 hole fixing thread M10x1 immersion heater mounting distance 30mm			
accessories for 415051			
 No. 510893 Ref. No. — O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
 No. 521129 Ref. No. — nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			

			
1			
No.	415596	Ref. No.	0G2290
description heating element 1500W 230V heating circuits 1 L 395mm W 198mm tube ø 6.5mm lug length 31mm lug width 16mm connection length 30mm connection male faston 6.3mm dry heating element bracket mounting hole distance 160mm mounting thread M4			
For models: JFM/G400, 7720-3/90.WB.GN1/1., 7520-3/85.WB.GN1/1., 7721-3/85.WB.GN2/1, 7520-3/90.WB.GN1/1., 7720-3/85.WB.GN1/1., 7521-3/85., 7521-3/90.WB.GN2/1., 7721-3/90.WB.GN2/1., 7521-3/85.WB.GN2/1.W, PFM/G400, 7520-3, 7521-3, 7720-3, 7721-3, 9020-3, 9220-3-0, 9220-3-8			


			
1			
No.	415353	Ref. No.	050309 050933 050934 053553 053558 0K2931
description heating element 1500W 230V heating circuits 1 L 395mm W 205mm H 25mm L1 50mm L2 345mm connection M4 connection distance 198mm tube ø 8.5mm connection length 20mm dry heating element			
For models: BB/E1, MM/E350, MM/E700, MM/E350UK, MM/E700UK, MM/E350D, MM/E700D, RB/E1, RB/E2, RBV/E2, XB/E1, XB/E2, XBV/E2, JB/E1, JB/E2, JBV/E2, MB/E1, MB/E2, MBV/E2, 7BME03T, 7BME07T, RM/E350UK, RM/E700UK, T35EBM, T70EBM, XM/E350UK, XM/E700UK, CM/E700, PB/E1, PB/E2, PBV/E2, PB/E2E5, OB/E1, OB/E2, TB/E1, TB/E2, TBV/E2, TB/E2E5, RME300, PRM/E300, M/E300UK, RM/E700, PRM/E700, RM/E700U, RMV/E300, PRMV/E300, RMV/E300UK, RMV/E700, PRMV/E700, RMV/E700...(Other models you can see in the webshop)			

			
1			
No.	415499	Ref. No.	0H6178
description heating element 1500W 230V heating circuits 1 L 437mm W 227mm L1 37mm L2 400mm W1 147mm W2 80mm connection male faston 6.3mm connection distance 140mm tube ø 6.5mm dry heating element			

			
1			
No.	415350	Ref. No.	0H9821 0K4982 18011700 70503042603
description heating element 1600W 400V heating circuits 1 L 610mm W 180mm tube ø 6.5mm 2 hole fixing thread 1/4" dry heating element bain marie mounting distance 173mm			
For models: CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)			

			
1			
No.	415212	Ref. No.	0H6201 214678 3027400107
description heating element 2000W 400V heating circuits 1 L 320mm W 96mm connection M4 tube ø 8.5mm flange with thread thread 1" immersion heater L1 75mm L2 245mm H1 24mm H 40mm thermostat sleeves ø 5mm number of thermostat sleeves 1 length thermostat sleeves 133mm thermostat sleeve clinging			
accessories for 415212			
			
No.	510404	Ref. No.	0E2240 0H2578 0H2612 0K6137 0K8703 0KG502 3427TJ1,5
flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs			
			
No.	510422	Ref. No.	—
gasket copper ED ø 37.7mm ID ø 32.5mm thickness 2.7mm for thread 1"			
			
No.	520233	Ref. No.	—
nut thread 1" H 6mm brass WS 47 Qty 1 pcs			
			
No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
			
No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
			
No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
			
No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
No.	415074	Ref. No.	051998 051999
description	heating element 2300W 230V heating circuits 1 L 641mm W 180mm tube ø 8.5mm lug length 40mm lug width 18mm mounting thread M5 connection length 50mm connection male faston 6.3mm dry heating element rectangular flange		
For models:	KB/E1, KB/E2, HM/E400, HM/E800, QB/E1, QB/E2, ZM/E400, ZM/E800, WB/E1, WB/E2, AM/E400, AM/E800, OM/E800, HMS/E400, HMS/E800, HMA/E800, HMS/E400, HMS/E800, HMA/E800, HM/E400T, HM/E800T, ZHMA/E400, ZHMA/801, ZHMA/E800, ZHMA/E400, ZHM/E800T		

			
No.	415624	Ref. No.	0G1843 0K4984 18011702 70503017503
description	heating element 2400W 400V heating circuits 1 L 605mm W 380mm connection male faston 6.3mm tube ø 6.5mm 2 hole fixing thread M14x1.5 dry heating element bain marie Hmm mounting distance 374mm		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		

1

				
No.	415908	Ref. No.	0G5201 0K0570 3010500107 6891280189	
description	heating element 2500W 230V heating circuits 1 L 385mm W 96mm connection M4 tube ø 8.5mm flange with thread thread 1" immersion heater L1 75mm L2 310mm H1 10mm H 40mm thermostat sleeves ø 5mm number of thermostat sleeves 1 length thermostat sleeves 133mm thermostat sleeve clinging			
accessories for	415908			
	No.	510404	Ref. No.	0E2240 0H2578 0H2612 0K6137 0K8703 0KG502 3427TJ1,5
flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs				
	No.	510422	Ref. No.	—
gasket copper ED ø 37.7mm ID ø 32.5mm thickness 2.7mm for thread 1"				
	No.	520233	Ref. No.	—
nut thread 1" H 6mm brass WS 47 Qty 1 pcs				

1

No.	415481	Ref. No.	0K0566 3021100107
description	heating element 2500W 400V heating circuits 1 L 385mm W 96mm connection M4 flange with thread thread 1" immersion heater L1 75mm L2 310mm H1 20mm H 40mm thermostat sleeves ø 5mm number of thermostat sleeves 1 length thermostat sleeves 133mm thermostat sleeve clinging		
accessories for	415481		
	No.	510404	Ref. No. 0E2240 0H2578 0H2612 0K6137 0K8703 0KG502 3427TJ1,5
flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs			
	No.	510422	Ref. No. —
gasket copper ED ø 37.7mm ID ø 32.5mm thickness 2.7mm for thread 1"			
	No.	520233	Ref. No. —
nut thread 1" H 6mm brass WS 47 Qty 1 pcs			

			
No.	415383	Ref. No.	052416
description	heating element 300W 230V heating circuits 1 L 532mm W 54mm flange length 72mm flange width 20mm connection length 45mm connection M5 tube ø 8.5mm rectangular flange hole ø 5mm dry heating element		
For models:	HMA/E800		

			
No.	415096	Ref. No.	0A2197
description	heating element 550W 230V heating circuits 1 L 438mm W 44mm flange length 60mm flange width 40mm connection length 45mm connection male faston 6.3mm tube ø 6.3mm rectangular flange hole ø 6mm dry heating element		

1

No.	415650	Ref. No.	0K0593	
description	heating element 6000W 230V heating circuits 3 L 255mm W 250mm connection length 43mm connection M4 flange with thread thread 1¼" immersion heater H1 13mm H 25mm			
spare parts for	415650			
	No.	510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs			

Table continues overleaf



accessories for	415650		
	No.	520232	Ref. No.
			—
nut thread 1¼" H 5mm nickel-plated brass WS 47 Qty 1 pcs			

			
1			
No.	419099	Ref. No.	050534
description	heating element 700W 240V heating circuits 1 L 320mm W 140mm flange length 175mm flange width 20mm hole distance 160mm connection length 40mm connection M5 tube ø 8.5mm rectangular flange hole ø 6mm dry heating element bain marie		
For models:	DCBE21, DCB/E21U, DCBE41, DCB/E41U, DCBE42, DCB/E42U		

			
1			
No.	415097	Ref. No.	0A2137
description	heating element 800W 230V heating circuits 1 L 630mm W 44mm flange length 60mm flange width 40mm connection length 32mm connection male faston 6.3mm tube ø 6.3mm rectangular flange hole ø 6mm dry heating element		

heating elements for frying pans


			
1			
No.	420137	Ref. No.	0K6869
description	heating element 1000W 380V heating circuits 1 L 395mm W 50mm connection length 9mm connection M4 tube ø 8.3mm 2 hole fixing thread M14x1.5 dry heating element W1 6mm W2 44mm H 27mm mounting distance 36mm		

			
1			
No.	416974	Ref. No.	0H6156 3199800005
description	heating element 1100W 230V		
For models:	7530-3, 7531-3, 7730-3, 7731-3, 9030-3, 9031-3, 9032-3, 9230-3-0, 9230-3-8, 9231-3-0, 9231-3-8, 9232-3-0, 9232-3-8		

			
1			
No.	415292	Ref. No.	004932
description	heating element 1100W 230V L 205mm W 110mm connection M4 tube ø 6.3mm 2 hole fixing thread 1/4" dry heating element H 54mm mounting distance 220mm		
For models:	SBRE350, SBRE350		
accessories for	415292		
	No.	361182	Ref. No.
			—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No.
			0K6103 0K6660 0K8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.
			—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.
			—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
1			
No.	420123	Ref. No.	051358
description	heating element 1300W 240V heating circuits 1 L 535mm W 82mm connection cable tube ø 14mm cable length 1000mm dry heating element for tilting bratt pan L1 55mm W1 11mm W2 60mm H 100mm Qty 1 connection distance 50mm		
For models:	HBR/E805UK		

			
1			
No.	415184	Ref. No.	059401
description	heating element 2000W 230V heating circuits 1 L 570mm W 86mm connection length 24mm connection M5 tube ø 8.5mm dry heating element griddle H 87mm		
For models:	HR/E400D, HR/E800D, HR/E410, HR/E811, HR/E420, HR/E820, HR/E821, HR/E400, HR/E800, HR/E403DW, HR/E803DW, HBR/E800, HBR/E805, HBR/E801, HBR/E806, HBR/E810, HBR/E815, HBR/E811, HBR/E816, HBR/E800UK, HBR/E800, HBR/E805, HBR/E810, HBR/E815, HBR/E811, HBR/E816, HBR/E800UK, HTR/E410, HTR/E810, ZR/E400D, ZR/E800D, ZR/E410, ZR/E811, ZR/E420, ZR/E820, ZR/E821, ZR/E400, ZR/E800, ZR/E403DW, ZR/E803DW, HBR/E800, ZBR/E805, ZR/G413, BR/E806, ZBR/E810, ZBR/E815, ZBR/E811, ZBR/E816, ZBR/E800UK, ZBR/E800...(Other models you can see in the webshop)		

			
No.	420139	Ref. No.	OK4747
description	heating element 2000W 230V heating circuits 1 L 585mm W 105mm connection cable tube ø 8.3mm cable length 1050mm dry heating element L1 55mm L2 20mm L3 510mm H 49mm connection distance 97mm		
For models:	FET060E.MS35P.F88, FET060E.MS35P.W84, FET060E.MS35S.F88, FET080E.MS35P.F88, FET080E.MS35P.W84, FET080E.MS35S.W84, FET100E.MS35P.F88, FET100E.MS35P.W84, FET100E.MS35S.F97, FET060E.MS35S.W84, FET080E.MS35S.F88, FET100E.MS35S.F88, FET100E.MS35S.W84, APABPETOOC, APABPGTOOC, APACPITOOC, APACPGTOOC, APABPIOOOC, APABPITOOC, APACPIOOOC, APACPI-TOOC, FET060E.MS35S.F98, FET060E.MS35S.W94, FET080E.MS35S.F98, FET080E.MS35S.W94, FET100E.MS35S.F98, FET100E.MS35S.W94, FET060E.MS35P.F98, FET060E.MS35P.W94, FET080E.MS35P.F98, FET080E.MS35P.W94, FET100E.MS35P.F97, FET100E.MS35P.W94, FET060E.MS35S.F97, FET080E.MS35S.F97, FET060E.MS35P.F97, FET060E.MS35P.H97, FET080E.MS35P.F97, FET080E.MS35P.H97, FET100E.MS35P.F97, FET100E.MS35P.H97, APABPGOOOC, APAC-FOOOC		

			
No.	420129	Ref. No.	OK4748 18001124
description	heating element 2500W 230V heating circuits 1 L 580mm W 115mm connection cable tube ø 8.3mm cable length 1000mm dry heating element for tilting bratt pan L1 55mm L2 20mm L3 505mm H 48mm connection distance 107mm		
For models:	FET060E.MS35P.F88, FET060E.MS35P.W84, FET060E.MS35S.F88, FET080E.MS35P.F88, FET080E.MS35P.W84, FET080E.MS35S.W84, FET100E.MS35P.F88, FET100E.MS35P.W84, FET100E.MS35S.F97, FET060E.MS35S.W84, FET080E.MS35S.F88, FET100E.MS35S.F88, FET100E.MS35S.W84, FET060E.MS35S.F98, FET060E.MS35S.W94, FET080E.MS35S.F98, FET080E.MS35S.W94, FET100E.MS35S.F98, FET100E.MS35S.W94, FET060E.MS35P.F98, FET060E.MS35P.W94, FET080E.MS35P.F98, FET080E.MS35P.W94, FET100E.MS35P.F97, FET100E.MS35P.W94, FET060E.MS35S.F97, FET080E.MS35S.F97, FET060E.MS35P.F97, FET060E.MS35P.H97, FET080E.MS35P.F97, FET080E.MS35P.H97, FET100E.MS35P.F97, FET100E.MS35P.H97		


heating elements for fryers


			
No.	420124	Ref. No.	004628
description	heating element 2900W 230V heating circuits 1 L 233mm W 77mm H 245mm rectangular flange connection male faston 6.3mm horizontal immersion heater H1 208mm H2 37mm hole distance 68mm hole ø 6mm flange length 84mm flange width 31mm tube ø 8.5mm connection length 27mm		
For models:	RFR/E1S12, RFR/E2D12, XFR/E1S12, XFR/E2D12, JFR/E1S12, JFR/E2D12, MFR/E1S12, MFR/E2D12		


			
No.	416996	Ref. No.	004767
description	heating element 2900W 230V heating circuits 1 L 285mm W 76mm H 245mm rectangular flange connection male faston 6.3mm immersion heater H1 208mm H2 37mm hole distance 68mm hole ø 6.2mm flange length 84mm flange width 31mm tube ø 8.5mm		
For models:	RFR/E2S40, XFR/E2S40, JFR/E2S40, MFR/E2S40		


			
No.	415377	Ref. No.	006698 059563 728047
description	heating element 5500W 230V heating circuits 1 L 320mm W 86mm H 248mm rectangular flange connection M5 immersion heater W1 19mm W2 48mm H1 213mm H2 38mm hole distance 40mm hole ø 6mm flange length 60mm flange width 30mm tube ø 8.5mm connection length 26mm		
For models:	KFR/E1C, KFR/E2D, KFR/E1CE5, KFR/E2DE5, HFR/E410, HFR/E810, HFR/E411, HFR/E412, HFR/E418, HFR/E818, ZFR/E410, ZFR/E810, ZFR/E411, ZFR/E412, ZFR/E418, ZFR/E818, AFR/E410, AFR/E810, AFR/E411, AFR/E412, OFR/E810		


			
No.	418002	Ref. No.	006571
description	heating element 5500W 400V heating circuits 1 L 320mm W 86mm H 248mm rectangular flange connection M5 immersion heater W1 19mm W2 48mm H1 213mm H2 35mm hole distance 40mm hole ø 6mm flange length 60mm flange width 30mm		
For models:	KFR/E1C, KFR/E2D, KFR/E1CE5, KFR/E2DE5, HFR/E431, HFR/E831, QFR/E1C, QFR/E2D, ZFR/E431, ZFR/E831, WFR/E1C, WFR/E2D, AFR/E431, AFR/E831		


			
No.	416993	Ref. No.	004752
description	heating element 1500W 230V heating circuits 1 L 320mm W 25mm H 215mm rectangular flange connection male faston 6.3mm immersion heater L1 30mm L2 290mm H1 62mm H2 115mm H3 38mm windings 2 hole distance 18mm hole ø 6mm flange length 33mm flange width 33mm tube ø 8.5mm		
For models:	RF/E1D05, XF/E1D05, JF/E1D05, MF/E1D05		


			
No.	417631	Ref. No.	0C2616
description	heating element 2900W 230V heating circuits 1 L 270mm W 50mm H 235mm rectangular flange connection male faston 6.3mm immersion heater L1 10mm L2 260mm H1 27mm H2 170mm H3 38mm windings 4 hole distance 53mm hole ø 6mm flange length 67mm flange width 32mm tube ø 8.5mm		
For models:	PFR/E1S12, PFR/E2D12, PFRE2D12E5, OFR/E1S12, OFR/E2D12, TFR/E1S12, TFR/E2D12, TFRE2D12E5, TFRE1S12M0, TFRE2D12M0		


			
No.	416995	Ref. No.	0A5565
description	heating element 2900W 230V heating circuits 1 L 270mm W 60mm H 248mm rectangular flange connection male faston 6.3mm immersion heater L1 8mm L2 262mm H1 30mm H2 178mm H3 39mm windings 4 hole distance 53mm hole ø 6mm flange length 67mm flange width 32mm tube ø 8.5mm		
For models:	RFR/E1S12, RFR/E2D12, XFR/E1S12, XFR/E2D12, MFR/E1S12, MFR/E2D12		


			
No.	416994	Ref. No.	005964
description	heating element 2900W 230V heating circuits 1 L 310mm W 60mm H 195mm rectangular flange connection male faston 6.3mm immersion heater L1 5mm L2 305mm H1 30mm H2 125mm H3 40mm windings 4 hole distance 51mm hole ø 6mm flange length 66mm flange width 31mm tube ø 8.5mm		
For models:	BF/E1S12, RF/E1S12, RF/E2D12, RF/E1S12E5, RF/E2D12E5, XF/E1S12, XF/E2D12, JF/E1S12, JF/E2D12, MF/E1S12, MF/E2D12, MF/E1S12E5, MF/E2D12E5		


			
No.	415354	Ref. No.	054951 056168 058612
description	heating element 1500W 230V heating circuits 1 L 375mm W 26mm H 275mm rectangular flange connection M4 fryer heaters L1 20mm L2 75mm L3 280mm H1 118mm H2 115mm H3 42mm hole distance 22mm hole ø 6mm flange length 33mm flange width 41mm tube ø 8.5mm		


			
No.	415274	Ref. No.	054962 056170 058615 058802 1G0L6D339001
description	heating element 3000W 230V heating circuits 1 L 400mm W 70mm H 270mm rectangular flange connection clamp immersion heater L1 20mm L2 65mm L3 315mm H1 120mm H2 110mm H3 40mm hole distance 34mm hole ø 6.3mm flange length 67mm flange width 40mm tube ø 8.5mm		
For models:	RFR/E305, RFR/E315		

			
No.	415371	Ref. No.	0H6194 0K0603 0K0622 1180100261 1488000261 214576 3067800161
description	heating element 8000W 230/400V heating circuits 3 mounting pos. left thread M26x1.5 L 555mm W 177mm H 27mm L1 20mm L2 535mm W1 160mm W2 15mm mounting ø 26mm tube ø 17x6mm cable length 600mm flange ø 33mm fryer 1 hole fixing connection length 12mm		

			
No.	415370	Ref. No.	0K0621 1180100161
description	heating element 8000W 230/400V heating circuits 3 mounting pos. right thread M26x1.5 L 555mm W 177mm H 27mm L1 20mm L2 535mm W1 160mm W2 15mm mounting ø 26mm tube ø 17x6mm cable length 600mm flange ø 33mm 1 hole fixing connection length 12mm fryer		

			
No.	415684	Ref. No.	0K0583 30000851
description	heating element 5010W 400V heating circuits 3 L 384mm W 225mm H 245mm L1 84mm L2 300mm H1 227mm H2 18mm W1 31mm W2 148mm windings 4 cable length 860mm rotation flange		

			
No.	415490	Ref. No.	0H6192 1268700161
description	heating element 5100W 230/400V heating circuits 3 L 345mm W 168mm H 246mm L1 70mm L2 275mm H1 229mm H2 17mm W1 21mm W2 104mm windings 6 flange ø 39mm connection cable rotation flange immersion heater		


			
No.	415611	Ref. No.	0H6203 1380100161
description	heating element 7200W 230/400V heating circuits 3 L 350mm W 168mm H 249mm L1 62mm L2 288mm H1 232mm H2 17mm W1 34mm W2 100mm windings 6 flange ø 42mm tube ø 17x6mm cable length 1730mm rotation flange immersion heater		

2 hole fixing

1

No.	415291	Ref. No.	00282 004926 0K3515
description	heating element 2000W 230V heating circuits 1 L 250mm W 45mm H 190mm H1 154mm H2 36mm thread 1/4" tube ø 8.5mm mounting distance 30mm windings 3 2 hole fixing connection male faston 6.3mm immersion heater		
For models:	SFRE700, SFRE350, SFRE700, SFRE351, SFRE701		
spare parts for	415291		
	No.	510417	Ref. No. 0K6103 0K6660 0K8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	415291		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			







1


No.	415667	Ref. No.	0K0526 2713300203	
description	heating element 4220W 230V heating circuits 1 L 507mm W 45mm H 345mm L1 17mm L2 490mm H1 308mm H2 37mm thread M12x1 mounting distance 37mm tube ø 8.5mm 2 hole fixing connection M4 fryer windings 5			
For models:	7535-3/85., 7535-3/90.FRI.(N), 7735-3/85.FRI.(N), 7735-3/90.FRI.(N), 7535-3, 7735-3, 9055-3, 9255-3-0, 9255-3-8			
accessories for	415667			
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

1


No.	415470	Ref. No.	0H6180 0H6181	
description	heating element 2000W 230V heating circuits 1 L 320mm W 36mm H 265mm L1 36mm L2 280mm H1 215mm H2 40mm thread M12x1 tube ø 8.5mm 2 hole fixing connection M4 fryer windings 3			
accessories for	415470			
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

				
1				
No.	416997	Ref. No.	052326 052327	
description	heating element 4000W 230V heating circuits 1 L 415mm W 95mm H 340mm 2 hole fixing connection M5 immersion heater L1 28mm L2 57mm L3 330mm H1 60mm H2 220mm H3 60mm tube ø 8.5mm thread 1/4"			
For models:	HFR/E420, HFR/E420UK, HFR/E840, HFR/E840, ZHFRE420, ZHFRE840			
accessories for	416997			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	0K6103 0K6660 0K8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560112	Ref. No.	0E1119
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5				
	No.	560132	Ref. No.	—
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				


 			
No.	418340	Ref. No.	0K5928 0KX062
description	heating element 11000W 400V heating circuits 3 L 285mm W 150mm H 255mm H1 225mm H2 30mm special fixing connection cable tube ø 8.5mm immersion heater fryer W1 40mm W2 70mm		
For models:	HLE159-159W.3, HLE159-160W.3, SLE259-100.4.R, SLE159-171.4, SLE259-100.4.L, LE159-160.3, LE159-159.3, HLE159-160.3, HLE159-159.3, CE158-159.3, HCE158-159.3		

			
No.	418358	Ref. No.	OKV048 OKZ070
description	heating element 7200W 400V heating circuits 3 L 285mm W 150mm H 255mm H1 225mm H2 30mm cable length 110mm special fixing tube ø 8mm immersion heater W1 40mm W2 70mm		

heating elements for griddles


			
No.	415480	Ref. No.	0H6182
description	heating element 1000W 220V heating circuits 1 L 457mm W 40mm H 70mm tube ø 8.5mm W1 212mm W2 33mm cable length 270mm griddle connection distance 24mm dry heating element		

			
No.	415380	Ref. No.	052919 052920
description	heating element 1000W 230V heating circuits 1 L 600mm W 54mm H 82mm tube ø 8.5mm connection M5 connection length 16mm connection distance 46mm dry heating element		
For models:	HRS/E401, HRS/E401UK, HRS/E411, HRS/E801, HRS/E801U, HRS/E811, HR/E401T, HR/E411, HR/E801T, HR/E811T, ZHRA/E401, ZHRA/E411, ZHRA/E801, ZHRA/E811, ZHR/E401T, ZHR/E411T, ZHR/E801, ZHR/E811T		


			
No.	415482	Ref. No.	0H6155 0H6211 3005600105 415482
description	heating element 1100W 400V heating circuits 1 L 538mm W 45mm H 67mm tube ø 8.5mm W1 252mm W2 34mm cable length 265mm griddle connection distance 25mm dry heating element		
For models:	7731-3/85.GRPL.VCHR., 7531-3/85., 7531-3/90.GRPL.(N), 7530-3/85.GRIPL.(N), 7532-3/85.GRPL.GL-GR, 7530-3/90.GRIPL.(N), 7532-3/90.GRPL.GL-GR, 7730-3/85.GRIPL.(N), 7731-3/85.GRPL.(N), 7732-3/85.GRPL.GL-GR, 7730-3/90.GRIPL.(N), 7731-3/90.GRPL.(N), 7732-3/90.GRPL.GL-GR, 7531-3/85.GRPL.VCHR, 7532-3/85.GRPL.GL-GR, 7530-3, 7531-3, 7730-3, 7731-3, 9030-3, 9031-3, 9032-3, 9230-3-0, 9230-3-8, 9231-3-0, 9231-3-8, 9232-3-0, 9232-3-8		

			
No.	415079	Ref. No.	053393 053614 OK2907
description	heating element 1250W 230V heating circuits 1 L 473mm W 52mm H 43mm tube ø 8.5mm griddle connection distance 44mm dry heating element		
For models:	MR/E350D, MR/E350UK, MR/E360, MR/E700D, MR/E700UK, MR/E710, MR/E720, MR/E715, MR/E725, MR/E350, MR/E700, MR/E720D, RR/E350D, RR/E350UK, 7FTEF3R, RR/E360UK, RR/E700D, RR/E700UK, RR/E710, RR/E710UK, 7FTEC7L, 7FTEF3L, 7FTEF7L, 7FTEC7M, XR/E350D, XR/E350UK, T36EFT, XR/E700D, XR/E700UK, T71EFT, T79EFT, T35EFT, T70EFT, CR/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RR/E300, RRV/E300, RRV/E311, RRV/E700, RRV/E700, RRV/E711, RR/E300, RR/E300, RR/E700...(Other models you can see in the webshop)		

			
No.	416985	Ref. No.	004649
description	heating element 1250W 230V heating circuits 1 L 482mm W 54mm H 55mm tube ø 8.5mm connection male faston 6.3mm connection distance 46mm dry heating element		
For models:	RR/E1FL, RR/E1FR, RR/E2FL, RR/E2FM, RRV/E1FL, RRV/E1FR, RRV/E2FL, RRV/E2FM, XR/E1FL, XR/E1FR, XR/E2FL, XR/E2FM, XRV/E1FL, XRV/E1FR, XRV/E2FL, XRV/E2FM, JR/E1FL, JR/E1FR, JR/E2FL, JR/E2FM, JRV/E1FL, JRV/E1FR, JRV/E2FL, JRV/E2FM, MR/E1FL, MR/E1FR, MR/E2FL, MR/E2FM, MRV/E1FL, MRV/E1FR, MRV/E2FL, MRV/E2FM, DR/CCE, DR/CUK, DR/LCE, DR/LUK, ER/LUSA		


			
No.	415290	Ref. No.	00286 004918 OK3518
description	heating element 1300W 230V heating circuits 1 L 473mm W 80mm H 55mm tube ø 6.5mm connection M4 griddle connection distance 75mm dry heating element		
For models:	SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720		

			
No.	420133	Ref. No.	0U1489 SEL083
description	heating element 1400W 240V heating circuits 1 L 610mm W 40mm tube ø 8mm rectangular flange connection M4 flange length 52mm flange width 20mm hole ø 6.5mm connection length 64mm for grill dry heating element		

			
No.	415099	Ref. No.	0A2208
description	heating element 1500W 220V heating circuits 1 L 380mm W 90mm H 124mm tube ø 8.5mm L1 80mm L2 300mm cable length 1000mm connection distance 68mm dry heating element		

			
No.	415100	Ref. No.	0A2070
description	heating element 1500W 230V heating circuits 1 L 242mm W 155mm H 120mm tube ø 6.5mm L1 50mm L2 192mm cable length 1000mm dry heating element		

			
No.	416986	Ref. No.	004671
description	heating element 1500W 230V heating circuits 1 L 484mm W 90mm H 50mm tube ø 8.5mm connection male faston 6.3mm griddle connection distance 82mm dry heating element		
For models:	RR/E1CL, RR/E2CL, RRV/E1CL, RRV/E2CL, RR/E2CM, XR/E1CL, XR/E2CL, XRV/E1CL, XRV/E2CL, JR/E1CL, JR/E2CL, JRV/E1CL, JRV/E2CL, MR/E1CL, MR/E2CL, MRV/E1CL, MRV/E2CL, MR/E2CM, PR/E1FL, PR/E1FR, PR/E1CL, PR/E2FL, PR/E2FM, PR/E2CL, PRV/E1FL, PRV/E1FR, PRV/E1CL, PRV/E2FL, PRV/E2FM, PRV/E2CL, PR/E2CM, PR/E1FLO, PR/E1FLE5, PR/E1FRE5, PR/E2FLE5, PR/E2CME5, PR/E2FME5, OR/E1FL, OR/E1FR, OR/E1CL, OR/E2FL, OR/E2FM, OR/E2CL, OR/E2CM, OR/E1FLO, TR/E1FL, TR/E1FR, TR/E1CL, TR/E2FL, TR/E2FM...(Other models you can see in the webshop)		

			
No.	415075	Ref. No.	0K9222
description	heating element 2000W 220V heating circuits 1 L 573mm W 80mm H 70mm tube ø 9.2mm connection male faston 6.3mm connection length 21mm griddle dry heating element		

			
No.	415382	Ref. No.	055998
description	heating element 2000W 230V heating circuits 1 L 595mm W 41mm H 40mm tube ø 6.3mm connection M5 connection distance 94mm dry heating element		
For models:	HRS/E802, HRS/E812, HRA/G802, HRA/E802, HR/E802, ZHRAE802CR, ZHRAE812CR, ZHR/E812, ZHR/E802T		

			
No.	417742	Ref. No.	0G3793 0KK096 0T0055 18011707 70503032301
description	heating element 2000W 440V heating circuits 1 L 325mm W 150mm H 92mm tube ø 8.5mm		

			
No.	415098	Ref. No.	0A2068 0A2247
description	heating element 2250W 220V heating circuits 1 L 533mm W 75mm H 123mm tube ø 14mm L1 78mm L2 456mm connection cable cable length 2000mm dry heating element		
For models:	RBR/E700, RBR/E700		


			
No.	415624	Ref. No.	0G1843 0K4984 18011702 70503017503
description	heating element 2400W 400V heating circuits 1 L 605mm W 380mm connection male faston 6.3mm tube ø 6.5mm 2 hole fixing thread M14x1.5 dry heating element bain marie Hmm mounting distance 374mm		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		

			
No.	420132	Ref. No.	006682
description	heating element 2500W 230V heating circuits 1 L 570mm W 90mm H 90mm tube ø 8.6mm connection M5 for griddle connection distance 81.4mm dry heating element		
For models:	KR/E1E5, KR/E1RE5, KR/E2E5, KR/E2RE5, KR/E1CE5, KR/E2CE5, KR/E2CRE5, KR/E1E5P, KR/E1RE5P, KR/E2E5P, KR/E2RE5P, KR/E1CE5P, KR/E2CE5P, KR/E2CRE5P, HR/E834W, HR/E433W, HR/E443W, HR/E833W, HR/E843W, HR/E434W, HR/E844W, QR/E1E5, QR/E1RE5, QR/E2E5, QR/E2RE5, QR/E1CE5, QR/E2CE5, QR/E2CRE5, QR/E1P, QR/E2P, QR/E1RP, QR/E2RP, QR/E1CP, QR/E2CP, QR/E2CRP, QR/E1E5P, QR/E1RE5P, QR/E2E5P, QR/E2RE5P, QR/E1CE5P, QR/E2CE5P, QR/E2CRE5P, ZR/E834W, ZR/E433W, ZR/E443W, ZR/E833W, ZR/E843W, ZR/E844W, WR/E1E5...(Other models you can see in the webshop)		

			
No.	419096	Ref. No.	OU1088
description	heating element 2500W 240V heating circuits 1 L 255mm W 305mm tube ø 8.5mm connection M5 grill dry heating element		
For models:	EMG3-60, EMG3-60-AL, EMG3-60-ZO, EMG4-80, EMG4-80-AL, EMG4-80-ZO, SL/E360, SL/E480		

			
No.	416987	Ref. No.	006681
description	heating element 2500W 400V heating circuits 1 L 567mm W 90mm H 91mm tube ø 9mm connection M5 connection length 24mm connection distance 81mm dry heating element		
For models:	KR/E1, KR/E2, KR/E1R, KR/E2R, KR/E1C, KR/E2C, KR/E2CR, KRF/E2R, KR/E1P, KR/E2P, KR/E1RP, KR/E2RP, KR/E1CP, KR/E2CP, KR/E2CRP, KRF/E2RP, HR/E413W, HR/E813W, HR/E404W, HR/E804W, HR/E814W, HR/E403W, HR/E803W, QR/E1, QR/E2, QR/E1R, QR/E2R, QR/E1C, QR/E2C, QR/E2CR, QRF/E2R, QR/E1P, QR/E2P, QR/E1RP, QR/E2RP, QR/E1CP, QR/E2CP, QR/E2CRP, QR/E1E5P, QR/E1RE5P, QR/E2E5P, QR/E2RE5P, QR/E1CE5P, QR/E2CE5P, QR/E2CRE5P, QRF/E2RP, ZR/E413W, ZR/E813W, ZR/E404W, ZR/E804W...(Other models you can see in the webshop)		

			
No.	420529	Ref. No.	OKT757 72472201
description	heating element 2500W 440V heating circuits 1 L 325mm W 222mm H 70mm tube ø 8mm		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		




1


No.	415363	Ref. No.	OK9904	
description	heating element 3000W 230V heating circuits 1 L 450mm W 242mm H 20mm tube ø 6.3mm W1 104mm W2 31mm rectangular flange hole distance 56mm cable length 340mm flange length 70mm flange width 23mm hole ø 5mm dry heating element			
accessories for	415363			
	No.	510368	Ref. No.	057534
 gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element				


			
No.	416613	Ref. No.	OU3378
description	heating element 3000W 230V heating circuits 1 L 474mm W 285mm H 54mm tube ø 8.5mm connection M4 griddle connection distance 277mm dry heating element		
For models:	FTL35E6U, FTR35E6U, FTC35E6U, FTL70E6U, FTR70E6U, FTC70E6U		


			
No.	415479	Ref. No.	OH6183 214338 415479
description	heating element 750W 230V heating circuits 1 L 471mm W 30mm Hmm tube ø 6.35mm rectangular flange connection male faston 6.3mm hole distance 36mm flange length 44mm flange width 20mm hole ø 4.5mm connection length 30mm dry heating element		


heating elements for large hobs


			
No.	419135	Ref. No.	OK4820 18002171 72093612
description	heating element 1000W 400V L 255mm W 255mm H 75mm tube ø 6.5mm mounting pos. centre connection M5		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, CK248-205.D1ABBB, CK248-207.D1ABBB, HCE128-100W, HCE128-103W, HCE128-104W, CE128-101, CE128-102, CE128-105, CE128-107, CE128-108, HCE158-262W.3, HCE158-264.3, HCE158-261.3, HCE158-261W.3, HCE158-263.3, HCE158-232W.3, HCE158-233.3, HCE158-231.3, HCE158-231W.3, HCE158-230.3, CE158-234.3, CE158-236.3, HCE158-254.3, HCE158-251.3, HCE158-251W.3, HCE158-242W.3, HCE158-243.3, HCE158-241.3, HCE158-241W.3, HCE158-240.3, CE158-235.3, CE158-237.3, CE158-245.3, CE158-247.3, HCE158-131W.3.HV, HCE158-135.3.HV, HCE158-121W.3.HV, HCE158-125.3.HV, HCE158-132.3.HV, HCE158-132W.3.HV...(Other models you can see in the webshop)		


			
1			
No.	415577	Ref. No.	OH9772 OK4815 OK4818 OKF587 OM2123 14R07 15C04 18002166 18002169 72048402
description	heating element 1160W 400V L 295mm W 245mm H 80mm heating circuits 1 tube ø 6.3mm mounting pos. inner connection length 18mm dry heating element 400V		
For models:	HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, HLE129-100W, HLE129-103W, HLE129-104, LE129-102, LE129-105, LE129-107, HLE159-341W.3.MS92, HLE159-361W.3, HLE159-343.3.MS92...(Other models you can see in the webshop)		


			
1			
No.	420293	Ref. No.	OK4853 OK7427 OKF593 18002870 72048404
description	heating element 1160W 440V L 295mm W 250mm H 95mm heating circuits 1 tube ø 6.25mm mounting pos. inner connection length 20mm connection M5		
For models:	HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, HLE129-100W, HLE129-103W, HLE129-104, LE129-102, LE129-105, LE129-107, HLE159-341W.3.MS92, HLE159-361W.3, HLE159-343.3.MS92...(Other models you can see in the webshop)		


			
1			
No.	419134	Ref. No.	OH9773 OK4819 18002170 72093512
description	heating element 1190W 400V L 285mm W 285mm H 75mm tube ø 6.5mm mounting pos. outer connection M5		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209.D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, CK248-205.D1ABBB, CK248-207.D1ABBB, HCE128-100W, HCE128-103W, HCE128-104W, CE128-101, CE128-102, CE128-105, CE128-107, CE128-108, HCE158-262W.3, HCE158-264.3, HCE158-261.3, HCE158-261W.3, HCE158-263.3, HCE158-232W.3, HCE158-233.3, HCE158-231.3, HCE158-231W.3, HCE158-230.3, CE158-234.3, CE158-236.3, HCE158-254.3, HCE158-251.3, HCE158-251W.3, HCE158-242W.3, HCE158-243.3, HCE158-241.3, HCE158-241W.3, HCE158-240.3, CE158-235.3, CE158-237.3, CE158-245.3, CE158-247.3, HCE158-131W.3.HV, HCE158-135.3.HV, HCE158-121W.3.HV, HCE158-125.3.HV, HCE158-132.3.HV, HCE158-132W.3.HV...(Other models you can see in the webshop)		

			
1			
No.	415576	Ref. No.	OH9771 OK4814 OK4817 OKF586 OM2122 14R05 15C03 18002165 18002168 72048412
description	heating element 1335W 400V L 320mm W 275mm H 76mm heating circuits 1 tube ø 6.3mm mounting pos. centre connection length 18mm connection male faston dry heating element 400V		
For models:	HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, HLE129-100W, HLE129-103W, HLE129-104, LE129-102, LE129-105, LE129-107, HLE159-341W.3.MS92, HLE159-361W.3, HLE159-343.3.MS92...(Other models you can see in the webshop)		


			
1			
No.	420292	Ref. No.	OK4854 OK7426 OKF594 18002871 72048414
description heating element 1335W 440V L 325mm W 275mm H 95mm heating circuits 1 tube ø 6.25mm mounting pos. centre connection length 20mm connection M5			
For models: HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, HLE129-100W, HLE129-103W, HLE129-104, LE129-102, LE129-105, LE129-107, HLE159-341W.3.MS92, HLE159-361W.3, HLE159-343.3.MS92...(Other models you can see in the webshop)			


			
1			
No.	415575	Ref. No.	OH9770 OK4813 OK4816 OKF585 OM2121 15C02 18002164 72048422
description heating element 1505W 400V L 360mm W 295mm H 88mm heating circuits 1 tube ø 6.5mm mounting pos. outer connection length 22mm connection M4 dry heating element 400V			
For models: HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, HLE129-100W, HLE129-103W, HLE129-104, LE129-102, LE129-105, LE129-107, HLE159-341W.3.MS92, HLE159-361W.3, HLE159-343.3.MS92...(Other models you can see in the webshop)			


			
1			
No.	420291	Ref. No.	OK4855 OK7425 OK8066 OKF595 18002872 72048424
description heating element 1505W 440V L 350mm W 300mm H 95mm heating circuits 1 tube ø 6.5mm mounting pos. outer connection length 22mm connection M5			
For models: HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, HLE129-100W, HLE129-103W, HLE129-104, LE129-102, LE129-105, LE129-107, HLE159-341W.3.MS92, HLE159-361W.3, HLE159-343.3.MS92...(Other models you can see in the webshop)			

			
1			
No.	418697	Ref. No.	OK0618
description heating element 2000W 400V L 270mm W 230mm H 115mm tube ø 8.5mm mounting pos. inner connection M4			
For models: 7511-3/85.KF.(N), 7512-3/85.KF.BO.(N), 7511-3/90.KF.(N), 7512-3/90.KF.BO.(N), 7711-3/85.KF.(N), 7711-3/90.KF.(N), 7511-3, 7512-3, 7711-3			

			
1			
No.	418698	Ref. No.	OK0617
description heating element 2000W 400V L 300mm W 260mm H 115mm tube ø 8.5mm mounting pos. outer connection M4			
For models: 7511-3/85.KF.(N), 7512-3/85.KF.BO.(N), 7511-3/90.KF.(N), 7512-3/90.KF.BO.(N), 7711-3/85.KF.(N), 7711-3/90.KF.(N), 7511-3, 7512-3, 7711-3			

			
No.	418699	Ref. No.	0H6206 37895
description heating element 2000W 400V L 345mm W 230mm H 110mm tube ø 8.5mm mounting pos. inner connection M4			

			
No.	418700	Ref. No.	0H6205 37894
description heating element 2000W 400V L 380mm W 265mm H 110mm tube ø 8.5mm mounting pos. outer connection M4			

			
No.	418701	Ref. No.	0G2883 0G3015 72505503
description heating element 4000W 400V heating circuits 1 L 300mm W 330mm H 80mm tube ø 8.5mm W1 92.5mm W2 145mm connection screw clamp windings 7			
For models: CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)			

			
No.	418009	Ref. No.	OK0563
description heating element 4000W 400V heating circuits 1 L 380mm W 287mm H 116mm tube ø 8.5mm mounting pos. connection M4 dry heating element			

			
No.	419136	Ref. No.	OK4821 18002172 72093712
description heating element 810W 400V L 225mm W 225mm H 75mm tube ø 6.5mm mounting pos. inner connection M5			
For models: CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, CK248-205.D1ABBB, CK248-207.D1ABBB, HCE128-100W, HCE128-103W, HCE128-104W, CE128-101, CE128-102, CE128-105, CE128-107, CE128-108, HCE158-262W.3, HCE158-264.3, HCE158-261.3, HCE158-261W.3, HCE158-263.3, HCE158-232W.3, HCE158-233.3, HCE158-231.3, HCE158-231W.3, HCE158-230.3, CE158-234.3, CE158-236.3, HCE158-254.3, HCE158-251.3, HCE158-251W.3, HCE158-242W.3, HCE158-243.3, HCE158-241.3, HCE158-241W.3, HCE158-240.3, CE158-235.3, CE158-237.3, CE158-245.3, CE158-247.3, HCE158-131W.3.HV, HCE158-135.3.HV, HCE158-121W.3.HV, HCE158-125.3.HV, HCE158-132.3.HV, HCE158-132W.3.HV...(Other models you can see in the webshop)			

heating elements for chicken rotisseries

			
No.	416017	Ref. No.	OG3703 416017 A0352 DEB416017
description heating element 2400W 220V edition up to serial no. 5350 2 hole fixing thread 3/8" L 735mm W 80mm heating circuits 1 connection M6x1 dry heating element tube ø 10mm mounting distance 86mm chicken rotisserie			

heating elements for refrigeration

heating elements for defrosting

			
No.	420448	Ref. No.	082188
description heating element 120W 220V L 198mm W 114mm H 40mm cable length 95mm tube ø 6.5mm refrigeration			
For models: ALNN220UK, ALNF220UK, ALNN120, ALNF120, ALNN220, ALNF220, ALNSO120, AKNN120, AKNF120, AKNSO120, ASP110UK, ASN110UK, ASF110UK, ASP110, ASS110, ASN110, ASF110, ZILNSO120			



No.	420449	Ref. No.	082733
description	heating element 160W 220V L 370mm W 60mm H 8.5mm cable length 1190mm tube ø 8.5mm refrigeration connection F6.3		
For models:	TRN1301, TRNA1301, TRNM1301, TRN1302, TRNA1302, TRNM1302, TRN1303, TRNA1303, TRNM1303, TRN1801, TRNA1801, TRNM1801, TRN1802, TRNA1802, TRNM1802, TRN1803, TRNA1803, TRNM1803, TRN2201, TRNA2201, TRNM2201, TRN2202, TRNA2202, TRNM2202, TRN2203, TRNA2203, TRNM2203, TRRN1301, TRRN1302, TRRN1303, TRRN1801, TRRN1802, TRRN1803, TRRN2201, TRRN2202, TRRN2203, TRNP1802, TRF1301, TRF1801, TRF2201, TRN1301, TRNA1301, TRNM1301, TRRN1301, TRF1301, TRN1302, TRNA1302, TRNM1302, TRRN1302, TRN1303...(Other models you can see in the webshop)		



No.	420450	Ref. No.	083093
description	heating element 335W 220V L 255mm W 315mm H 35mm cable length 980mm tube ø 8.5mm refrigeration		
For models:	ALN110, ALN120, ALN111, ALNN120, ALNN220, ALNN230, ALN110UK, ALNN220UK, ALNF120, ALNF230, ILN110, ILN110UK, ILN120, ILNN120, ILNN220, ILNN220UK, ILNN230, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ILF110, ILF110, ILF120, ILNF120, ILNF220, ILNF220UK, ILNF230, ALN110, ALN120, ALN111, ALF110, ALF120, ALNN120, ALNF120, ALNN220, ALNF220, ALNN230, ALNF230, AKP110, AKS110, AKP120, AKN110, AKN120, AKN111, AKNN120, AKNN220, AKNN230, AKP110UK, AKN110UK...(Other models you can see in the webshop)		



No.	419025	Ref. No.	083530 3650024
description	heating element 400W 230V L 440mm W 70mm H 100mm cable length 500mm tube ø 8.5mm		
For models:	MVR/E1400, MVR/E1050, MVR/E1060, 7BAE10C, 7BAE14S, 7BAE10S, B105RC, B140RC, KVRC/E3, HVR/E1200, QVRC/E3, WVRC/E3, MVR/E3C, MVR/E3, MVR/E4C, MVR/E4		



No.	419101	Ref. No.	0A9683
description	heating element 450W 230V L 380mm W 37mm H 100mm cable length 1100mm tube ø 8.5mm immersion heater		
For models:	ADF110ES, ALN110, ALN120, ADN111, AEN110, AEN120, AKN111, ADF110, ALF110, ADF120, ALF120, AEF110, AEF120, ADN120, ADN120, AENN120, AENF120, ADN221, ADN220, ADN220, ADN220, ADN230, ADN230, AENN220, AENF220, AENN230, AENF230, ASN110, ASN111, ASF110, AKN110UK, AKF110UK, ASN110UK, ASF110UK, ARDN110, ADN110E, ADF110E, 83012001, 83012033, 83012201, ARDF110L, ARDF120, ARDN120, 83012101, 83012037, ASN110, ASF110, ADN110, ADN120, ADN111, ADF110...(Other models you can see in the webshop)		



No.	420452	Ref. No.	082279
description	heating element 540W 220V L 305mm W 695mm H 10mm cable length 985mm tube ø 8.5mm refrigeration		
For models:	ALN220, ALN240, ALN221, ILN220, ILN220UK, ILN240, ILN221, ILF220, ILF220UK, ILF240, ALN220, ALN240, ALN221, ALF220, ALF240, AKN230, AKN220, AKN240, AKN221, AKN220UK, IKN220, IKF220, AKN230, AKN220, AKN240, AKP221, AKF230, AKF220, AKF240, AKN220UK, AKF220UK, ASN220, ASN220UK, ASN220UK, ASF220UK, ISN220, ISF220, ASN220, ASF220, IKN220, IKN240, IKN240, ISNZ220, IKF220, FVNE11E, IKN221, ETZ1402, ETZ1404, IKN220N, IKF220N...(Other models you can see in the webshop)		



No.	420447	Ref. No.	082731
description	heating element 95W 230V L 425mm W 48mm H 120mm cable length 1200mm tube ø 8.5mm refrigerated counter		
For models:	TRN1301, TRNA1301, TRNM1301, TRN1302, TRNA1302, TRNM1302, TRN1303, TRNA1303, TRNM1303, TRN1801, TRNA1801, TRNM1801, TRN1802, TRNA1802, TRNM1802, TRN1803, TRNA1803, TRNM1803, TRN2201, TRNA2201, TRNM2201, TRN2202, TRNA2202, TRNM2202, TRN2203, TRNA2203, TRNM2203, TRRN1301, TRRN1302, TRRN1303, TRRN1801, TRRN1802, TRRN1803, TRRN2201, TRRN2202, TRRN2203, TRNP1802, TRRF130P, TRRF180P, TRRF220P, TRF1301, TRRF1301, TRF1801, TRRF1801, TRF2201, TRRF2201, TRN1301, TRNA1301, TRNM1301, TRRN1301...(Other models you can see in the webshop)		

heating elements for condensate evaporation



No.	420451	Ref. No.	088377
description	heating element 480W 230V L 365mm W 200mm H 8.5mm cable length 440mm tube ø 8.5mm		
For models:	AZF1103, ALN1103, ALNN1203, ALNN2203, ALF1104, ALN11033, ALF11033, AZF1103, ALF1104, ALF11033, ALNN1203, IKS220N, ISS220N, TZ751R, ISP110N, RS06FX1F, RS06DX2F, RS06F41F, RS06FX1F4, RS06DFX2F, RS13DFX2F, RS06FW1F, RS06FX1F6, RS06FX2H, RS06FX1FG, KL650F, RS06FX1FD, KLN650R, KLPP650R, KPF1400R, RS06RX1F, RS06FX1F, RS06DX2F, RS13DX2F, KLPP650R, KLPP1400R, RS06F41FS, KL650F, KE650F, KL650F, KL650F, KE650F, KL650FW, KLP650R, KLPP650R, KPF1300R, RVPE051, RSPE112		

			
No.	418996	Ref. No.	0A8134
description	heating element 95W 220V L 435mm W 56mm H 28mm cable length 3000mm tube ø 6.25mm		
For models:	ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILNN220UK, ILNN230, ALP110UK, ALN110UK, ALF110UK, ILF110, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF220, ILNF220UK, ILNF230, ALP110, ALP120, ALP220, ALP240, ALN110, ALN120, ALN220, ALN240, ALF110, ALF120, ALF220, ALF240, ALNN230, ALNF230, AKP110, AKS110, AKP120, AKP230, AKP220...(Other models you can see in the webshop)		

			
No.	418504	Ref. No.	0C0686
description	heating element 2500W 230V L 538mm W 81mm H 44mm connection male faston 6.3mm dry heating element heating circuits 1 tube ø 8.5mm L1 18mm L2 520mm W1 29mm W2 33mm rectangular flange hole distance 28mm flange length 70mm flange width 22mm hole ø M4mm connection length 31mm		
For models:	KBR/E2F, KBR/E2C, KBR/E3F, KBR/E3FH, KBR/E3C, KBR/E3CH, KBR/E2FH, KBR/E2CH, QBR/E2F, QBR/E2C, QBR/E3F, QBR/E3FH, QBR/E3C, QBR/E3CH, QBR/E2FH, QBR/E2CH, WBR/E2F, WBR/E2C, WBR/E3F, WBR/E3FH, WBR/E3C, WBR/E3CH, WBR/E2FH, WBR/E2CH		

heating elements for tilting bratt pan

			
No.	415273	Ref. No.	058345 058349 0K2857 0KB786
description	heating element 1500W 220V L 373mm W 82mm H 78mm connection M5 dry heating element heating circuits 1 tube ø 8.5mm with holder connection distance 80mm		
For models:	MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E710, CBR/E700, XBR/E716, XBR/E706		

			
No.	418005	Ref. No.	0C0685
description	heating element 2500W 400V L 545mm W 80mm H 48mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm L1 25mm L2 520mm W1 23mm W2 34mm rectangular flange hole distance 56mm flange length 70mm flange width 22mm hole ø 5.5mm		
For models:	KBR/E2F, KBR/E2C, KBR/E2FH, KBR/E2CH, WBR/E2F, WBR/E2C, WBR/E2FH, WBR/E2CH		

			
No.	418016	Ref. No.	002559
description	heating element 1500W 230V L 375mm W 76mm H 75mm connection M5 dry heating element heating circuits 1 tube ø 8.5mm connection distance 68mm		
For models:	MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E710, CBR/E700, XBR/E716, XBR/E706		

No.	418003	Ref. No.	004469
description	heating element 3000W 230V L 137mm W 515mm H 48mm connection male faston 6.3mm dry heating element heating circuits 1 tube ø 8.5mm W1 242mm W2 31mm rectangular flange hole distance 57mm flange length 70mm flange width 22mm hole ø 5mm connection length 97mm		
For models:	RBR/E2FM, RBR/E2IM, RBK/E2FM, XBR/E2FM, XBR/E2IM, XBR/E2FM, JBR/E2FM, MBR/E2FM, MBR/E2IM, MBK/E2FM		
accessories for	418003		


	No.	510368	Ref. No.	057534
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element				

			
No.	418004	Ref. No.	051356
description	heating element 1500W 230V L 530mm H 100mm dry heating element tube ø 14.5mm L1 60mm L2 535mm W1 35mm W2 80mm cable length 1000mm		
For models:	HBR/E801, HBR/E801		


			
No.	420131	Ref. No.	0C2613
description	heating element 3500W 230V L 145mm W 623mm H 50mm connection M4 for tilting bratt pan heating circuits 1 tube ø 8.5mm W1 295mm W2 33mm rectangular flange hole distance 57mm flange length 70mm flange width 22mm hole ø 5mm connection length 100mm		
For models:	PBR/E2FM, PBR/E2IM, OBR/E2FM, OBR/E2IM, TBR/E2FM, TBR/E2IM		

			
No.	415098	Ref. No.	0A2068 0A2247
description	heating element 2250W 220V heating circuits 1 L 533mm W 75mm H 123mm tube ø 14mm L1 78mm L2 456mm connection cable cable length 2000mm dry heating element		
For models:	RBR/E700, RBR/E700		

			
No.	415381	Ref. No.	051355
description	heating element for tilting bratt pan 1300W 220V L 535mm W 82mm H 100mm connection cable dry heating element heating circuits 1 tube ø 14mm L1 55mm W1 11mm W2 60mm cable length 1000mm connection distance 50mm		
For models:	HBR/E820, HBR/E825, ZBR/E820, ZBR/E825, ABR/E820, ABR/E825, HBR/E804, HBR/E1003, HBR/E1013, HBR/E803, HBR/E804, HBR/E1003, HBR/E1013		

			
No.	420128	Ref. No.	OK4745 18001114
description	heating element for tilting bratt pan 3000W 230V L 500mm W 165mm H 48mm connection cable dry heating element heating circuits 1 tube ø 8.5mm L1 55mm L2 20mm L3 425mm cable length 1000mm connection distance 156.5mm		
For models:	UET060E.MS35.F88, UET090E.MS35.F88, UET090E.MS35.W84, UET100E.MS35.F88, UET100E.MS35.W84, UET150E.MS35.F88, UET060E.MS35.W84, UET150E.MS35.W84, UET060E.MS35.F98, UET060E.MS35.W94, UET090E.MS35.F98, UET090E.MS35.W94, UET100E.MS35.F98, UET100E.MS35.W94, UET150E.MS35.F98, UET150E.MS35.W94, UET060E.MS35.F97, UET090E.MS35.F97, UET090E.MS35.H97, UET100E.MS35.F97, UET150E.MS35.F97, UET150E.MS35.H97, JUET090E.MS35.F98, JUET090E.MS35.W94, JUET150E.MS35.F98, JUET150E.MS35.W94, JUET090E.MS35.F88, JUET090E.MS35.W84, JUET150E.MS35.F88, JUET150E.MS35.W84		

			
No.	420238	Ref. No.	OK4746 18001116
description	heating element for tilting bratt pan 3000W 230V L 525mm W 975mm connection cable dry heating element heating circuits 1 tube ø 8.5mm L1 50mm L2 475mm W1 465mm W2 45mm cable length 1000mm connection distance 36.5mm		
For models:	UET060E.MS35.F88, UET090E.MS35.F88, UET090E.MS35.W84, UET100E.MS35.F88, UET100E.MS35.W84, UET150E.MS35.F88, UET060E.MS35.W84, UET150E.MS35.W84, UET060E.MS35.F98, UET060E.MS35.W94, UET090E.MS35.F98, UET090E.MS35.W94, UET100E.MS35.F98, UET100E.MS35.W94, UET150E.MS35.F98, UET150E.MS35.W94, UET060E.MS35.F97, UET090E.MS35.F97, UET090E.MS35.H97, UET100E.MS35.F97, UET150E.MS35.F97, UET150E.MS35.H97, JUET090E.MS35.F98, JUET090E.MS35.W94, JUET150E.MS35.F98, JUET150E.MS35.W94, JUET090E.MS35.F88, JUET090E.MS35.W84, JUET150E.MS35.F88, JUET150E.MS35.W84		

			
No.	420130	Ref. No.	OK4749 18001125
description	heating element for tilting bratt pan 3000W 230V L 590mm W 170mm H 45mm connection cable dry heating element heating circuits 1 tube ø 8.3mm L1 55mm L2 20mm L3 515mm cable length 1000mm connection distance 162mm		
For models:	FET060E.MS35P.F88, FET060E.MS35P.W84, FET060E.MS35.F88, FET080E.MS35P.F88, FET080E.MS35P.W84, FET080E.MS35.F88, FET100E.MS35P.F88, FET100E.MS35P.W84, FET100E.MS35.F88, FET100E.MS35.W84, FET060E.MS35.F98, FET060E.MS35.W94, FET080E.MS35.F98, FET080E.MS35.W94, FET100E.MS35.F98, FET100E.MS35.W94, FET060E.MS35P.F97, FET060E.MS35P.H97, FET080E.MS35P.F97, FET080E.MS35P.H97, FET100E.MS35P.F97, FET100E.MS35P.H97		

			
No.	415822	Ref. No.	OH6707 OK2189 249213
description	heating element tilting bratt pan 1800W 230V L 540mm W 105mm Hmm connection male faston dry heating element heating circuits 1 tube ø 8.5mm L1 50mm L2 490mm W1 65mm W2 40mm connection length 10mm		
For models:	7746-3/90.KB.(N), 7748-3/90.KB.(N), 7747-3/90.KB.(N), 7545-3/85.KB.(N), 7546-3/85.KB.(N), 7547-3/85.KB.(N), 7548-3/85.KB.(N), 7545-3/90.KB.(N), 7546-3/90., 7547-3/90.KB.(N), 7548-3/90.KB.(N), 7745-3/90.KB.(N), 7745-3/85.KB.(N), 7746-3/85.KB.(N), 7747-3/85.KB.(N), 7748-3/85.KB.(N), 7545-3/85.KB.DWD, 7748-3/85.KB.DWD.ETR, 7548-3/85.KB.DWD, 7546-3, 7548-3, 7746-3, 7748-3, 9045-3, 9046-3, 9047-3, 9048-3, 9245-3-0, 9245-3-8, 9246-3-0, 9246-3-8, 9247-3-0, 9247-3-8, 9248-3-0, 9248-3-8		


			
No.	415747	Ref. No.	002157 OK4792 18001862
description	heating element tilting bratt pan 2500W 230V L 518mm W 95mm dry heating element heating circuits 1 tube ø 8.5mm cable length 215mm connection distance 87mm		

			
No.	415355	Ref. No.	OH9767 OK4810 OKF583 18002052
description	heating element tilting bratt pan 2500W 230V L 612mm W 130mm H 8.5mm dry heating element heating circuits 1 tube ø 8.5mm cable length 750mm connection length 17mm connection distance 122mm		

heating elements for contact grills

			
No.	415648	Ref. No.	0H9684
description	heating element 660W 230V L 212mm W 72mm H 35mm tube ø 6.3mm L1 34mm L2 178mm W1 58mm W2 14mm connection cable length 210mm dry heating element		

heating elements for pasta cookers

			
No.	416981	Ref. No.	0A5492
description	heating element 1000W 230V heating circuits 1 L 245mm W 290mm H 40mm connection male faston 6.3mm tube ø 8.5mm L1 92mm L2 153mm W1 125mm W2 33mm connection distance 25mm dry heating element		
For models:	RCP/E1S, RCP/E2D, XCP/E1S, XCP/E2D, JCP/E1S, JCP/E2D, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MCP/E1S, MCP/E2D, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, PCP/E1S, PCP/E2D, PCP/E1SH, PCP/E1ELH, OCP/E1S, OCP/E2D, OCP/E1SH, OCP/E2SH, TCP/E1S, TCP/E2D, TCP/E1ELH		

			
No.	420127	Ref. No.	0K5116 18025503 6120435002 72120702 72120703
description	heating element 1400W 230V heating circuits 1 L 530mm W 58mm rectangular flange connection M5 tube ø 6.2mm flange width 28mm L1 75mm L2 40mm L3 415mm W1 33mm W2 25mm hole distance 25mm flange length 60mm hole ø 6mm mounting distance 19mm connection length 28mm dry heating element		
For models:	HLE159-390W.3, AKAROA0000, AKAROFO000, LE159-390.3, HLE159-390.3, AKAROFU00C, AKAROA000C		

			
No.	415691	Ref. No.	056906
description	heating element 1450W 220V heating circuits 1 L 507mm W 58mm Hmm rectangular flange connection M5 tube ø 6.3mm flange width 28mm W1 25mm W2 33mm hole distance 25mm flange length 60mm hole ø 6.3mm connection length 30mm dry heating element		
For models:	MCP/E700, MCP/E700D, RCP/E2S, MCP/E2S, 7CPE07P, M70EPC, CCP/E700, RCPE700, HCP/E400, HCP/E410, HCP/E800, HCP/E810, HCPS/E400, HCPS/E410, ZCP/E400, ZCP/E410, ZCP/E800, ZCP/E810, ZCPS/E400, ZCPS/E410, ACP/E400, ACP/E410, ACP/E800, ACP/E810, ACPS/E400, ACPS/E410, HCP/E800, HCP/E801, HCP/E400, HCP/E401, ZHCP/E800, ZHCP/E400, ZHCP/E401, HCP/E800, ZHCP/E801, RCP/E700		

			
No.	416979	Ref. No.	059066
description	heating element 1550W 230V heating circuits 1 L 530mm W 55mm rectangular flange connection M5 tube ø 6.8mm flange width 28mm hole distance 26mm flange length 60mm hole ø 5mm connection length 80mm pasta cooker dry heating element		
For models:	HCP/E400, HCP/E410, HCP/E800, HCP/E810, HCPS/E400, HCPS/E410, ZCP/E400, ZCP/E410, ZCP/E800, ZCP/E810, ZCPS/E400, ZCPS/E410, ACP/E400, ACP/E410, ACP/E800, ACP/E810, ACPS/E400, ACPS/E410, HCP/E800, HCP/E801, HCP/E400, HCP/E401, ZHCP/E800, ZHCP/E400, ZHCP/E401, HCP/E800, ZHCP/E801		

			
No.	416629	Ref. No.	005816 00595 0K3583 8344502
description	heating element 1600W 230V heating circuits 1 L 368mm W 70mm H 178mm connection M4 tube ø 9mm connection length 24mm dry heating element		
For models:	SCPE350, SCPE350		

			
No.	416980	Ref. No.	006853
description	heating element 1650W 230V heating circuits 1 L 500mm W 54mm Hmm rectangular flange connection M4 tube ø 8.5mm flange width 30mm L1 110mm L2 395mm W1 50mm W2 10mm hole distance 40mm flange length 60mm hole ø 6mm connection length 15mm dry heating element		
For models:	MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, PCP/E2SHP, PCP/E2SH, PCP/E2SH3B, OCP/E2S, OCP/E1SH, OCP/E2SH, TCP/E2S, TCP/E2SH, KCP/E1, KCP/E1R, KCP/E2, KCP/E2R, QCP/E1, QCP/E1R, QCP/E2, QCP/E2R, WCP/E1, WCP/E1R, WCP/E2, WCP/E2R		


			
No.	420079	Ref. No.	0C1848
description	heating element 3000W 230V heating circuits 3 L 255mm W 33mm H 39mm connection male faston 6.3mm tube ø 8.5mm mounting ø 47.5mm immersion heater		
For models:	ECP/E1ELHU, PCP/E1ELH, TCP/E1ELHU, TCP/E1ELH, KCP/G1RU, KCP/G2RU, KCP/E1RU, KCP/E2RU, KCP/G1R, KCP/G2R, KCP/E1R, KCP/E2R, QCP/G1R, QCP/G2R, QCP/E1R, QCP/E2R, WCP/G1R, WCP/G2R, WCP/E1R, WCP/E2R		
accessories for	420079		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

No.	415597	Ref. No.	045984 047505 066109 0C5347 0K2912
description	heating element 3000W 230V heating circuits 3 L 255mm W 38mm H 26mm 3 hole flange connection male faston tube ø 6.3mm thermostat sleeves ø 7.5mm length thermostat sleeves 199mm hole distance 63mm mounting ø 47.5mm hole ø 8/10mm connection length 15mm immersion heater		
For models:	MCP/E700, MCP/G700, MCP/E700D, MCP/G701, MCP/G710, MCP/G711, RCP/E2S, MCP/E2S, 7CPE07P, 7CPG07P, RCP/G701, M70EPC, M70GPC, M70GPC, CCP/G700, CCP/E700, PCP/E2SH, OCP/E2S, TCP/E2S, RCP/G700, RCPE700, HCP/G410D, HCP/G410, HCP/G810, HCP/E410, HCP/E810, HCPS/E410, ZCP/G410, ZCP/G810, ZCP/E410, ZCP/E810, ZCPS/E410, ACP/G400, ACP/G410, ACP/G800, ACP/G810, ACP/E400, ACP/E410, ACP/E800, ACP/E810, ACPS/G400, ACPS/E400, ACPS/E410, LS510, LS520, LS520F, LS521, LS521F, ZLS510, ZLS520...(Other models you can see in the webshop)		
accessories for	415597		
	No. 510408	Ref. No. 046213 055533 067620 0H2559 0L2765 1900668 19006946	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs
	No. 510562	Ref. No. —	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs


heating elements for pizza ovens

			
1			
No.	415678	Ref. No.	004151 91711901
description	heating element 1000W 230V L 575mm W 160mm flange length 220mm flange width 31mm hole distance 201mm connection length 133mm connection M5 L1 30mm L2 25mm L3 520mm W1 25mm W2 112mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		
For models:	ZCMME6, ZCBME12		

			
1			
No.	415917	Ref. No.	004152 91711911
description	heating element 1400W 230V L 572mm W 159mm flange length 220mm flange width 32mm hole distance 199mm connection length 134mm connection M5 L1 30mm L2 27mm L3 515mm W1 25mm W2 110mm tube ø 10.2mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		
For models:	ZCMME6, ZCBME12		


			
No.	415918	Ref. No.	004153 91711902
description	heating element 1500W 230V L 875mm W 164mm flange length 220mm flange width 30mm hole distance 202mm connection length 132mm connection M5 L3 815mm W1 25mm W2 110mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		
For models:	ZCME9, ZCBME18		

			
No.	415919	Ref. No.	004154 91711912
description	heating element 2000W 230V L 870mm W 160mm flange length 220mm flange width 31mm hole distance 200mm connection length 130mm connection 5 L3 820mm W1 110mm W2 160mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		
For models:	ZCME9, ZCBME18		

				
No.	416437	Ref. No.	004199 0C3608 91711021	
description	heating element 1000W 230V L 895mm W 132mm thread 1/4\" mounting distance 122mm connection length 110mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing			
For models:	ZCMDE6, ZCBDE12, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835			
accessories for	416437			
	No.	361182	Ref. No.	—
nut thread 1/4\" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	0K6103 0K6660 0K8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

			
No.	416438	Ref. No.	004200 OC3614 91711031
description	heating element 1400W 230V L 898mm W 132mm thread 1/4" mounting distance 123mm connection length 98mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	ZCMDE6, ZCBDE12, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835		
spare parts for	416438		
	No.	510417	Ref. No. OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	416438		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
No.	418053	Ref. No.	OC6494 91711005
description	heating element 1500W 230V L 365mm W 400mm L1 20mm L2 60mm L3 285mm W1 32mm W2 335mm thread M10x1 mounting distance 331mm connection length 85mm connection M5 windings 4 tube ø 6.3mm heating circuits 1 dry heating element mounting pos. upper 2 hole fixing pizza oven		





1

No.	416439	Ref. No.	004201 OC3616 91711023	
description	heating element 1500W 230V L 900mm W 245mm thread 1/4" mounting distance 237mm connection length 110mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing			
For models:	ZCMDE9, ZCBDE18, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835			
accessories for	416439			
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No.	OK6103 OK6660 OK8701
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

accessories for		416439		
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
No.	419090	Ref. No.	OK7632
description	heating element 1670W 230V L 440mm W 144mm tube ø 8.5mm heating circuits 1 dry heating element		
For models:	HC-AR, HC-CS		

				
No.	416440	Ref. No.	004202 OC3606	
description	heating element 2000W 230V L 892mm W 245mm thread 1/4" mounting distance 237mm connection length 97mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing			
For models:	ZCMDE9, ZCBDE18, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835			
spare parts for	416440			
	No.	510417	Ref. No.	OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	416440			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

			
No.	418157	Ref. No.	OKM980
description	heating element 2100W 230V L 675mm W 550mm L1 35mm L2 640mm W1 415mm W2 135mm thread 1/4" mounting distance 127mm connection length 90mm connection male faston 6.3mm tube ø 8.5mm cable length 140mm heating circuits 1 dry heating element 2 hole fixing pizza oven		

heating elements for chargrills

			
No.	416435	Ref. No.	004197 OC3605 91711020
description	heating element 600W 230V L 605mm W 130mm thread 1/4" mounting distance 120mm connection length 110mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing pizza oven		
For models:	ZCMDE4, ZCBDE8, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835		
accessories for	416435		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
No.	416436	Ref. No.	004198 OC3615 91711030
description	heating element 800W 230V L 605mm W 130mm thread 1/4" mounting distance 122mm connection length 110mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	ZCMDE4, ZCBDE8, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835, PDG433, PDG633, PDG933		
spare parts for	416436		
	No.	510417	Ref. No. OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	416436		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
No.	415376	Ref. No.	002403
description	heating element 1800W 230V L 615mm W 88mm H 23mm hole distance 40mm windings 2 flange length 60mm flange width 30mm connection male faston 6.3mm heating circuits 1 tube ø 8.5mm hole ø 6.5mm rectangular flange dry heating element		
For models:	HG/E400, HG/E800, ZG/E400, ZG/E800, AG/E400, AG/E800		

			
No.	416978	Ref. No.	OC0495
description	heating element 2500W 400V L 625mm W 90mm H 40mm W1 20mm W2 48.5mm L1 15mm flange length 60mm flange width 30mm hole distance 40mm connection M5 heating circuits 1 tube ø 8.5mm connection length 54mm hole ø 6mm rectangular flange dry heating element		
For models:	KGR/E1, KGR/E2, QGR/E1, QGR/E2, WGR/E1, WGR/E2		

			
No.	415647	Ref. No.	OK9752
description	heating element 1000W 230V heating circuits 1 L 440mm W 30mm H 6.5mm 2 hole fixing thread M10x1 mounting distance 33mm dry heating element tube ø 6.5mm cable length 320mm connection length 41mm		
accessories for	415647		
	No.	510416	Ref. No. —
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			
	No.	510893	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
	No.	520231	Ref. No. —
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	No.	521129	Ref. No. —
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			

			
No.	415288	Ref. No.	004907 00513
description	heating element 1350W 230V L 396mm W 80mm H 37mm thread 1/4" mounting distance 72mm tube ø 6.3mm connection M4 heating circuits 1 2 hole fixing dry heating element		
For models:	SGE350, SGE350		
accessories for	415288		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

accessories for 415288				
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

1

				
No.	415646	Ref. No.	0K9751	
description	heating element 700W 230V heating circuits 1 L 444mm W 37mm 2 hole fixing thread M10x1 mounting distance 30mm dry heating element tube ø 6.5mm cable length 440mm connection length 22mm			
accessories for	415646			
	No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				
	No.	510893	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				

1 			
No.	415352	Ref. No.	053613 054773 054774 0K2916
description	heating element 2750W 240V L 480mm W 125mm H 41mm L1 70mm L2 40mm L3 370mm W1 23mm W2 79mm connection M4 connection distance 72mm tube ø 8.5mm heating circuits 1 dry heating element		
For models:	MG/E350D, MG/E350UK, MG/E700D, MG/E700UK, MG/E350, MG/E700, RG/E350D, RG/E350UK, RG/E700D, RG/E700UK, 7GLE03T, 7GLE07T, XG/E350D, XG/E350UK, XG/E700D, XG/E700UK, T35ECG, T70ECG, RG/E300, PRG/E300, RG/E300UK, RG/E700, PRG/E700, RG/E700U, RG/E300		

1 			
No.	420138	Ref. No.	053451
description	heating element 3000W 230V L 480mm W 125mm H 41mm L1 70mm L2 40mm L3 370mm W1 23mm W2 79mm connection M4 connection distance 72mm tube ø 8.5mm heating circuits 1 dry heating element		
For models:	MG/E350D, MG/E350UK, MG/E700D, MG/E700UK, MG/E350, MG/E700, RG/E1, RG/E2, RGV/E1, RGV/E2, XG/E1, XG/E2, XGV/E1, XGV/E2, JG/E1, JG/E2, MG/E1, MG/E2, MG/E1, MG/E2, PG/E1, PG/E2, PG/E350D, RG/E350UK, RG/E700D, RG/E700UK, 7GLE03T, 7GLE07T, XG/E350D, XG/E350UK, XG/E700D, XG/E700UK, T35ECG, T70ECG, PG/E1, PG/E2, PG/E1E5, PG/E2E5, TG/E1, TG/E2, TG/E1E5, TG/E2E5, RG/E300, PRG/E300, RG/E300UK, RG/E700, PRG/E700, RG/E700U, RG/E300		


heating elements for salamanders/toast-


1 			
No.	420271	Ref. No.	003014 OKD844 RC00003708
description	heating element 1000W 230V L 215mm W 95mm L1 25mm L2 25mm L3 165mm W1 16mm W2 63mm hole distance 96mm connection M4 tube ø 8.5mm flange length 106mm flange width 32mm heating circuits 1 hole ø 5mm tilt flange dry heating element H 8.5mm		


1 			
No.	416653	Ref. No.	003016 OKD963 3804
description	heating element 2000W 230V L 225mm W 283mm L1 15mm L2 210mm W1 110mm W2 63mm hole distance 96mm connection M4 tube ø 8.5mm flange length 106mm flange width 32mm heating circuits 1 hole ø 5mm tilt flange dry heating element H 8.5mm		

			
No.	416654	Ref. No.	003012 03706 OKD874 TI3706
description	heating element 2000W 230V L 230mm W 230mm L1 22mm L2 208mm W1 83mm W2 63mm hole distance 96mm tube ø 8.5mm flange length 106mm flange width 32mm heating circuits 1 hole ø 5mm tilt flange dry heating element H 8.5mm		

1 			
No.	420446	Ref. No.	0M0709
description	heating element 2000W 230V L 718mm W 32mm H 32mm tube ø 11.2mm connection M4		

			
No.	415279	Ref. No.	OK3586
description	heating element 1500W 230V heating circuits 1 L 223mm W 430mm L1 12mm L2 211mm W1 200mm W2 30mm flange length 70mm flange width 23mm hole distance 56mm tube ø 6.3mm windings 4 dry heating element connection M4 rectangular flange hole ø 6mm H 6.3mm		
For models:	SCG700, SCG700		

			
No.	415622	Ref. No.	00109 OKD843
description	heating element 2000W 230V heating circuits 1 L 229mm W 255mm L1 17mm L2 212mm W1 112mm W2 32mm flange length 70mm flange width 23mm hole distance 25mm tube ø 8.5mm connection length 20mm dry heating element connection M4 rectangular flange hole ø 5mm H 8.5mm		

			
No.	416581	Ref. No.	052836
description	heating element 3000W 230V heating circuits 1 L 357mm W 226mm L1 20mm L2 337mm W1 98mm W2 30mm flange length 70mm flange width 22mm hole distance 57mm tube ø 6.3mm dry heating element connection M5 rectangular flange hole ø 6mm H 6.3mm		
For models:	SL/E802, SLE802UK, SALE08		

			
No.	415281	Ref. No.	OK3494
description	heating element 1000W 230V L 290mm W 130mm 2 hole fixing thread M12x1.25 mounting distance 123mm connection male faston 6.3mm dry heating element tube ø 6.3mm heating circuits 1 H 6.3mm		

			
No.	420126	Ref. No.	OK4778 18001707 74184404
description	heating element 2100W 230V heating circuits 1 L 260mm W 220mm H 22mm thread M12x1 connection length 212mm tube ø 8.3mm connection M5 dry heating element for salamander grill		
For models:	VSE-S.3, VSE-S.4.MARINE, VSE-S.3.JUNO, VSE-W.3, VSE-W.4.MARINE, VSE-W.3.JUNO		

			
No.	415559	Ref. No.	OG1797 OK3007 OK4777 OKI818 18001705 74184401
description	heating element 2100W 400V heating circuits 1 L 260mm W 217mm H 20mm thread M14x1.25 mounting distance 210mm connection length 14mm tube ø 6.5mm 2 hole fixing dry heating element		
For models:	VSE-S.3, VSE-S.4.MARINE, VSE-S.3.JUNO, VSE-W.3, VSE-W.4.MARINE, VSE-W.3.JUNO		


1


				
No.	415558	Ref. No.	OH9753 OK4784 18001728 725830036	
description	heating element 2600W 400V L 361mm W 310mm H 30mm thread M14x1.5 mounting distance 280mm connection length 34mm tube ø 8.5mm connection M4 2 hole fixing dry heating element			
accessories for	415558			
	No.	510417	Ref. No.	OK6103 OK6660 OK8701
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			

Table continues overleaf

accessories for 415558				
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
1			
No.	415537	Ref. No.	0H6169
description	heating element 3200W 230V heating circuits 2 L 493mm W 250mm thread M14x1.5 mounting distance 35mm connection length 45mm connection male faston 6.3mm tube ø 8.5mm dry heating element 4 hole fixing		

			
No.	416579	Ref. No.	056783 0HB159 OK9369 4175223 417522300
description	heating element 1900W 220V heating circuits 1 L 245mm W 240mm L1 63mm L2 182mm W1 98mm W2 45mm connection distance 16mm connection M4 dry heating element tube ø 6.3mm H 6.3mm		
For models:	SL/E901, SAL-E2, SALE06		


			
No.	416580	Ref. No.	056782 0HB160 OK9368 4175222 417522200
description	heating element 2000W 220V heating circuits 1 L 240mm W 333mm L1 60mm L2 180mm W1 149mm W2 35mm connection distance 29mm connection M4 dry heating element tube ø 6.3mm H 6.3mm		
For models:	SL/E851, SAL-E1, SALE04		

heating elements for heated trolleys

1

No.	415596	Ref. No.	0G2290
description	heating element 1500W 230V heating circuits 1 L 395mm W 198mm tube ø 6.5mm lug length 31mm lug width 16mm connection length 30mm connection male faston 6.3mm dry heating element bracket mounting hole distance 160mm mounting thread M4		
For models:	JFM/G400, 7720-3/90.WB.GN1/1., 7520-3/85.WB.GN1/1., 7721-3/85.WB.GN2/1, 7520-3/90.WB.GN1/1., 7720-3/85.WB.GN1/1., 7521-3/85., 7521-3/90.WB.GN2/1., 7721-3/90.WB.GN2/1., 7521-3/85.WB.GN2/1.W, PFM/G400, 7520-3, 7521-3, 7720-3, 7721-3, 9020-3, 9220-3-0, 9220-3-8		

No.	419130	Ref. No.	053577
description	heating element 1500W 230V L 388mm W 208mm connection M4 tube ø 8.5mm heating circuits 1 hole distance 230mm flange length 245mm flange width 20mm hole ø 6mm		
For models:	CCB10, CCB20		

				
No.	420303	Ref. No.	OKA636	
description	heating element bain marie 700W 230V L 400mm W 200mm connection male faston 6.3mm dry heating element tube ø 6.25mm heating circuits 1 connection distance 193mm			

			
1			
No.	415619	Ref. No.	0H9822 OK4986 18011704 70502013003
description	heating element heated cabinet 1000W 400V L 605mm W 200mm H 20mm connection M4 dry heating element 2 hole fixing thread M14x1.5 tube ø 8.5mm mounting distance 195mm		

heating cables

drain heating cables



No.	419151	Ref. No.	087138
description	drain heating cable 144W 230V ø 8mm L 2360mm L1 (unheated) 1600mm L2 (heated) 760mm for evaporator Qty 1		
For models:	ADF110ES, ADF110ESP, ADF110, ALF110, ADF120, ALF120, AEF110, AEF120, ADN220, ADN230, AENF220, AENF230, ASF110, AKF110UK, ASF110UK, ADF110E, 83012201, ARDF110L, ARDF120, ASF110, ADF110, ADF120, ADN220, ADN230, ADN230, ADN230, ADF11060, ZPR06F1F, PR06F1FBR, PS06F1F6M, PS06F1F, PS06F1F, PS06F1FR, PS06FE2F, PR06F1F4, PR06F1F, PR06F1FR, PR06FE2F, PR06RE1F, PR06FE1F, RH06FE1F, MP602, MCD650F, MCD650F2, MP1200, RH06FE1F, RH06FE1FDU, RH06FEP1F, ICF6212F, ICF6212F... (Other models you can see in the webshop)		

connection on both sides

with male fastons



No.	419153	Ref. No.	085976
description	heating cable 27.5W 230V L 7200mm L1 (unheated) 1700mm L2 (heated) 5500mm silicone ø 4.5mm connection male faston 6.3mm Qty 1		
For models:	ALN120, AEN120, ADN120, AENN120, ALN240, AEN240, ADF240, AEF240, ADN230, AENN230, ARDNN120, ADN120, ADN120, ADN240, ADN230, RS06RXH, E06N0M2C, E06N1M2C, E06N0D2C, EC6N0M2C, EC6N0D2C, E14N0M4C, E14N1M4C, E14N0D4C, E14C-0M4C, E14C1M4C, E14C0D4C, EC4N0M3C, EC4N0D3C, C06RD2F, C06RM2F, C06CD2F, C06CM2F, C14RD4F, C14RM4F, C14FD4F, C14F-M4F, C14CD3F, C14CM3F, RH06RD2F, RH06RD2FR, RH06DD2F, RH06D-D2FR, RH14RD4F, RH14DD3F, RS12RD2G, E06N0D2C, EC6N0D2C, E14N0D4C, EC4N0D3C...(Other models you can see in the webshop)		



No.	419152	Ref. No.	0A9698
description	heating cable 56.4W 230V L 7800mm L1 (unheated) 2200mm L2 (heated) 5600mm ø 4.5mm connection male faston 6.3mm Qty 1		
For models:	ADF120, ALF120, AEF120, ADN120, AENF120, ADN230, AENF230, ARDF120, ADF120, ADN120, ADF240, ADN230, MP602, MCD650F2, MP1200, MCD650FP2, MCD65F2LR, E06C0M2C, E06C1M2C, E06C0D2C, E06C0D2C, EC6N0M2C, EC6M0D2C, EC4M0M3C, EC4M0D3C, C06FD2F, C06FD2FA, C06FM2F, C06CFD2F, C06CFD2FR, C06CM2F, C14CFD3F, KLPF650R, E06C0D2C, MCD650F2A, RH06F-D2F, C06FD2FR, RH06DD2FR, RH06DFD2F, C06CFD2F, C14FD4F, RH06FD1F6, E06C0D2C, EC6M0D2C, E14C0D4C, FDNE062, FVNM062, KYNE332, KMNE332...(Other models you can see in the webshop)		

with male faston and wire end ferrule



No.	420062	Ref. No.	082247 089912
description	heating cable 42.3W 230V L 6300mm L1 (unheated) 2100mm L2 (heated) 4200mm ø 4.5mm Qty 1		
For models:	ALF220, ALF220, AZF1103, AZF2203, AKF230, AKF220, IKNN220, IKNF120, AKF220, AKF220UK, ASF110, ASF110, ASF110, ALF1104, ALF11033, AZF1103, ALF1104, ALF11033, AZP2203, AZF2203, ISPZ110, IKNF, FVNE051, FVNE11E, ISS110N, TE751L, TZ751L, TZ751GT, TE1502GT, ETZ601, ETZ1402, ETZ601GT, ETE601, ETE1402, ETE601L, ETZ601L, TE751R, TZ751R, TE1502, TZ1502, TE751GT, ISP110N, ISN110N, TZ1502GT, RS06FX1F, RS13FX2F, IKNF220N, RS06F41F, RS06FX1F4, RS13FX42F...(Other models you can see in the webshop)		

heating cartridges



No.	417570	Ref. No.	083814
description	heating cartridge 110W 230V ø 12mm L 120mm thread 3/8" cable length 1000mm universal		



No.	417227	Ref. No.	083814 1CZXJ713A001
description	heating cartridge 90W 230V ø 12mm L 124mm thread 3/8" cable length 4000mm Hmm Wmm condensate evaporation		

heater battery



No.	415122	Ref. No.	0k4812
description	heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V temperature restriction 105°C heating circuits 2 connection cable cable length 340mm L 197mm for cross flow fan		

			
1			
No.	420240	Ref. No.	0E3385 0W6266
description	heater battery mounting distance mm W 90mm H 45mm 6000W 240/415V temperature restriction 125°C heating circuits 6 connection male faston 6.3mm cable length mm L 360mm		
For models:	D166E, D166ECOP, T4350, T3900, D200E, D200G, DI200E, DI200G, T3900, T390013, D650E, D650G, D650V, T419002, T419003, PD9, T353019, T3190, T3190, T3250_EL, T3250_GAS, T3250_EL, T3250_GAS, T3650, T3650, T3650, T3350_EL, T3350_GAS, T3350_EL, T3350_GAS, T3530, T3530, T3190E, T3190G, T419001, T419005, T329001, T329002, T329003, T329004, T329005, T329006, T329007, T329008, T329009, T329010, T329011, T329012, T4300S01, T4300S02...(Other models you can see in the webshop)		

heating rods

			
1			
No.	420077	Ref. No.	054737
description	heating rod 1100W 220V L 679mm W 39mm H 10mm cable length 1000mm		
For models:	BR180Z, BR180E		

			
1			
No.	420083	Ref. No.	054735
description	heating rod 500W 220V L 290mm W 40mm H 10mm cable length 1500mm		
For models:	BR80EZ, BR180Z, BR100Z, BR100E, BR180E, BR80E		

			
1			
No.	420082	Ref. No.	054736
description	heating rod 750W 220V L 440mm W 40mm H 10mm cable length 1000mm		
For models:	BR80EZ, BR180Z, BR100Z, BR100E, BR180E, BR80E		

ceramic heaters

245x60mm

			
1			
No.	415104	Ref. No.	0A2843 0G3479 0K3898 0K9795 0KG007 10000221 1RCTCOFTE010 VOL10000221
description	ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm		
For models:	MCC/E350D, MCC/E350, RW/E1, XW/E1, JW/E1, MW/E1, RCC/E350, T35ECS, CCC/E350, PW/E1, OW/E1, TW/E1, KW/E1, QW/E1, WW/E1		
spare parts for	415104		
	No.	415109	Ref. No. —
	spring clip		
accessories for	415104		
	No.	415110	Ref. No. —
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm		

			
1			
No.	415102	Ref. No.	058144
description	ceramic emitter 400W 230V cable beaded cord L 245mm W 60mm H 35mm		
For models:	QME300I, QME600I		
spare parts for	415102		
	No.	415109	Ref. No. —
	spring clip		
accessories for	415102		
	No.	415110	Ref. No. —
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm		



1

No.	415103	Ref. No.	00288 004898
description	ceramic emitter 650W 230V cable beaded cord L 245mm W 60mm H 35mm		
For models:	SCCE350, SCCE350, SCCE350		
spare parts for	415103		
	No.	415109	Ref. No. —
	spring clip		
accessories for	415103		
	No.	415110	Ref. No. —
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm		

pilot heating elements



1

No.	415460	Ref. No.	0H6199 0K0550 0KC471 450191G3
description	heating element 1000W 230V heating circuits 1 flange 70x18mm L 230mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 20mm silicone TD ø 8mm		
For models:	7573-3/85.KES100.(N), 7574-3/85.KES150.(N), 7575-3/85.KES250.(N), 7576-3/85.KES300.(N), 7573-3/90.KES100.(N), 7574-3/90.KES150.(N), 7575-3/90.KES250.(N), 7576-3/90.KES300.(N), 7573-3, 7574-3, 7575-3, 7576-3, 7577-3, 7773-3, 7773-3/85.KES100, 7773-3/90.KES100, 7774-3, 7774-3/85.KES150, 7774-3/90.KES150, 7775-3, 7775-3/85.KES250, 7775-3/90.KES250, 7776-3, 7776-3/85.KES300, 7776-3/90.KES300, 9100-3, 9104-3, 9113-3, 9190-3, 9191-3, 9193-3, 9195-3, 9300-3-0, 9300-3-8, 9304-3-0, 9304-3-8, 9313-3-0, 9313-3-8, 9390-3, 9391-3, 9393-3, 9395-3		
accessories for	415460		
	No.	375044	Ref. No. 0H6141 0KE595
	safety thermostat switch-off temp. 178°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 1730mm capillary pipe isolated 1600mm gland nut probe with sealing sleeve screw connection M8x1 sealing sleeve 8.6x32mm		

immersion heating elements

2 hole flange 74mm



1

No.	415188	Ref. No.	070307
description	heating element 2400W 230V mounting ø 42mm heating circuits 2 L 248mm W 33mm H 25mm hole distance 75mm hole ø 9.5mm connection M4 immersion heater 2 hole flange		
For models:	LB035C, LB035R, LB035Q, LB040R, LB040Q, LB040AUS, G350C, LBICEQ010, LBIOET010, LBIOET014, LBIOEQ010, G350, G350DP, LBIOEQ014, G400, G400DP		
accessories for	415188		
	No.	521124	Ref. No. 060009 070308
	flat gasket rubber ED ø 52mm ID ø 42mm thickness 6mm Qty 1 pcs		
	No.	550444	Ref. No. —
	protection cap ø 47mm H 40mm		

3 hole flange ø47.5mm



1


No.	418683	Ref. No.	0E5953 0L1852
description	heating element 10500W 230V heating circuits 3 L 390mm W 35mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 8.5mm length thermostat sleeves 270mm tube ø 8.5mm hole distance 62mm hole ø 6.5mm		
For models:	RT100ED, RT100ES, RT140ED, RT140ES, RT190ED, RT190ES, RT190H-DED, RT190HDES, RT270ED, RT270ES, RT270HDED, RT270HDES, RT100ERF, RT100ELF, RT140ERF, RT140ELF, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190HERF, RT190HELF, RT270ERF, RT270ELF, RT270HERF, RT270HELF, RT100ERG, RT100ELG, RT140ERG, RT140ELG, RT190ERG, RT190ELG, RT190HERG, RT190HELG, RT270ERG, RT270ELG, RT270HERG, RT270HELG, RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230, RT10ERF60, RT10ELF60, RT10ERF, RT10ELF, RT10ERBF60, RT10ELBF60...(Other models you can see in the webshop)		
spare parts for	418683		
	No.	510408	Ref. No. 046213 055533 067620 0H2559 0L2765 19006668 19006946
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	418683		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

				
No.	418017	Ref. No.	0C6470	
description	heating element 10750W 230V mounting ø 47.5mm heating circuits 3 L 542mm W 35mm H 26mm number of thermostat sleeves 1 thermostat sleeves ø 8mm length thermostat sleeves 180mm thermostat sleeve not clinging tube ø 6.3mm hole distance 62mm hole ø 6mm connection M5 3 hole flange immersion heater			
accessories for	418017			
	No.	510408	Ref. No.	046213
				055533
				067620
				0H2559
				0L2765
				19006668
				19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

			
No.	420314	Ref. No.	0E5956 0L1853
description	heating element 12000W 230V mounting ø 47.5mm heating circuits 3 L 464mm W 32mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 265mm thermostat sleeve eccentric, clinging tube ø 8.4mm hole distance 62mm hole ø 6.5mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	TW1ERECO, TW1ELECO, TW1SRECO, TW1SLECO, RT100ED, RT100ES, RT140ED, RT140ES, RT190ED, RT190ES, RT190HDED, RT190HDES, RT270ED, RT270ES, RT270HDED, RT270HDES, RT100ERF, RT100ELF, RT140ERF, RT140ELF, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190HERF, RT190HELF, RT270ERF, RT270ELF, RT270HERF, RT270HELF, RT100ERG, RT100ELG, RT140ERG, RT140ELG, RT190ERG, RT190ELG, RT190HERG, RT190HELG, RT270ERG, RT270ELG, RT270HERG, RT270HELG, RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230, RT10ERF60, RT10ELF60...(Other models you can see in the webshop)		

				
No.	420311	Ref. No.	0L0019	
description	heating element 12000W 230V mounting ø 47.5mm heating circuits 3 L 464mm W 32mm H 36mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 265mm thermostat sleeve eccentric, clinging tube ø 8.4mm hole distance 62mm hole ø 6.5mm connection M5 3 hole flange immersion heater			
For models:	RT10SR, RT10SL, RT10ERF60, RT10ELF60, RT10ERF, RT10ELF, RT10ERBF60, RT10ELBF60, RT10ERG, RT10ELG, RT10SRB, RT10SLB, RT10ERBF, RT10ELBF, RT10ERBG, RT10ELBG, RT10SRC, RT10SLC, RT10ERCF, RT10ELCF, RT10ERCG, RT10ELCG, RT10SRCB, RT10SLCB, RT10ERCBF, RT10ELCBF, RT10ERCBG, RT10ELCBG, RT10ERASIA, RT10ELASIA, RT10SRASIA, RT10SLASIA, RT10ERCINA, RT10ELCINA, RT10ERROWH, RT10ELROWH, RT10ERH, RT10ELH, RT10ERROW, RT10ELROW, RT10ERROW6, RT10ELROW6, WT90ER, WT90EL, WT90ER60, WT90EL60, WT90ERB60, WT90ELB60, WT90ERG, WT90ELG...(Other models you can see in the webshop)			

				
No.		419082	Ref. No.	0F0051 0K8362
description		heating element 13000W 230V mounting ø 47.5mm heating circuits 3 L 585mm W 30mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 225mm thermostat sleeve centred, adjacent tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection length 17mm connection M5 3 hole flange immersion heater		
For models:		CS20ME4/200-3, CS20ME4/230-3, CS20ME6/230-3, CS20ME4/400-3N, CS20ME6/400-3N, CS20ME4/400-3NE, CS20ME4/400-3, CS-20ME4/440-3, CS20MT4/400-3N, CS20MT6/400-3N, CS20GE4/200-3, CS20GE4/230-3, CS20GE6/230-3, CS20GE4/400-3N, CS20GE6/400-3N, CS20GE4/400-3NE, CS20GE4/400-3, CS20GE4/440-3, CS-20GT4/400-3N, CS20GT6/400-3N, CS20LCE4/200-3, CS20LCE4/230-3, CS20LCE6/230-3, CS20LCE4/400-3N, CS20LCE6/400-3N, CS20LCE4/400-3N, CS20LCE4/400-3, CS20LCE4/440-3, CS20LCT4/400-3N, CS20LCT6/400-3N		


 				
No.	419083	Ref. No.	058214 058672	
description	heating element 17000W 220V mounting ø 47.5mm heating circuits 3 L 590mm W 35mm H 40mm tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection M5 3 hole flange immersion heater			
For models:	FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, ZOFCV/E102, ZOFCV/E104			
accessories for	419083			
	No.	510408	Ref. No.	046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				


			
No.	415063	Ref. No.	058995 0C5336 0H2521 0K8360 0KF066 60050288 7800589959
description	heating element 17000W 230V mounting ø 47.5mm heating circuits 3 L 590mm W 29mm H 38mm number of thermostat sleeves 1 thermostat sleeves ø 4mm length thermostat sleeves 225mm thermostat sleeve centre tube ø 8.5mm hole distance 63mm hole ø 10mm connection M5 3 hole flange immersion heater		
For models:	FCV/E10L3, FCV/E10L6, FVC/E101/1, FCS101E4, FCS101EP, FCS101EXLN, FCS101EX, FCVE10-P, FCVE10PUK, CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3, CS10GE6/230-3, CS10GE4/400-3N, CS10GE6/400-3N, CS10GE4/400-3N/EO, CS10GE4/400-3/50HZ/M, CS10GE4/440-3/60HZ/M, CS10GT4/400-3N, CS10GT6/400-3N, CS10LCE4/200-3, CS10LCE4/230-3, CS10LCE6/230-3, CS10LCE4/400-3N, CS10LCE6/400-3N, CS10LCE4/400-3N/EO, CS10LCE4/400-3/50HZ/, CS10LCE4/440-3/60HZ/, CS10LCT4/400-3N, CS10LCT6/400-3N, CS20ME4/200-3, CS20ME4/230-3, CS20ME6/230-3, CS20ME4/400-3N, CS20ME6/400-3N, CS20ME4/400-3NE, CS20ME4/400-3, CS20ME4/440-3, CS20MT4/400-3N, CS20MT6/400-3N, CS20GE4/200-3... (Other models you can see in the webshop)		
accessories for	415063		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
	No.	510562	Ref. No.
			—

			
No.	419084	Ref. No.	059003
description	heating element 17000W 240V mounting ø 47.5mm heating circuits 3 L 590mm W 32mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 225mm thermostat sleeve centred, adjacent tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection M5 3 hole flange immersion heater		
For models:	FCVE10-P, FCVE10PUK		


			
No.	417730	Ref. No.	0F0095 0K8363 482530509
description	heating element 17000W 254V heating circuits 3 L 585mm W 34mm H 36mm number of thermostat sleeves 1 length thermostat sleeves 225mm tube ø 8.5mm hole distance 62mm hole ø 6.5mm for combi-steamer		
For models:	CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3, CS10GE6/230-3, CS10GE4/400-3N, CS10GE6/400-3N, CS10GE4/400-3N/EO, CS10GE4/400-3/50HZ/M, CS10GE4/440-3/60HZ/M, CS10GT4/400-3N, CS10GT6/400-3N, CS10LCE4/200-3, CS10LCE4/230-3, CS10LCE6/230-3, CS10LCE4/400-3N, CS10LCE6/400-3N, CS10LCE4/400-3N/EO, CS10LCE4/400-3/50HZ/, CS10LCE4/440-3/60HZ/, CS10LCT4/400-3N, CS10LCT6/400-3N, CS20ME4/200-3, CS20ME4/230-3, CS20ME6/230-3, CS20ME4/400-3N, CS20ME6/400-3N, CS20ME4/400-3N/EO, CS20ME4/400-3/50HZ/M, CS20ME4/440-3/60HZ/M, CS20GT4/400-3N, CS20GT6/400-3N, CS20GE4/200-3, CS20GE4/230-3, CS20GE6/230-3, CS20GE4/400-3N, CS20GE6/400-3N, CS20GE4/400-3NE, CS20GE4/400-3, CS20GE4/440-3, CS20GT4/400-3N, CS20GT6/400-3N... (Other models you can see in the webshop)		

			
No.	416130	Ref. No.	049371
description	heating element 2800W 230V mounting ø 47.5mm heating circuits 1 L 310mm W 8.5mm H 39mm tube ø 8.5mm hole distance 63mm hole ø 6mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	LS32, WT302, LS33, WT303, FL32, FL33, C32, C33, Z32, Z33		
accessories for	416130		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
	No.	510562	Ref. No.
			—

 			
No.	416135	Ref. No.	049980
description	heating element 2800W 230V mounting ø 47.5mm heating circuits 1 L 375mm W 8.5mm H 40mm tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	WT4, WT4D, WT4WS1, WT4DWS1, WT4D60, WT4DDG, EUC1, EUC1DP, EUC1WS, EUC1DPWS, EUC1DP60, LS5/1, LS5/1DP, LS5/1WS, LS5/1WSDP, LS5/1DP60, LS5/1DPAUS, LS5/1DPCS, NUC1, NUC1DP, NUC1WS, NUC1DPWS, NUC1DP60, NUC1DPA, ZUCA1, UC5DP, UC5WSDP, UC5/1, UC5/1DP, FL5DDG		
accessories for	416135		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.
			—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

 			
No.	415174	Ref. No.	048489 048927 049060 0L1634
description	heating element 3000W 230V mounting ø 47.5mm heating circuits 3 L 160mm W 33mm H 39mm tube ø 6.3mm hole distance 65mm hole ø 8mm connection length 39mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	LS32F, LV32F, LV32/60, WT302F, WT302/60, LS33F, LV33F, LS33/60, WT303F, WT303/60, LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2DPSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, NGW, NGWDPDD, LS62, LS62D, LS62/UKRP... (Other models you can see in the webshop)		
spare parts for	415174		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
accessories for	415174		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			


accessories for	415174		
	No.	521012	Ref. No.
			—
gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs			

 			
No.	415069	Ref. No.	045518 046627 052620 0L1875
description	heating element 4500W 220V mounting ø 47.5mm heating circuits 3 L 310mm W 30.5mm H 29mm tube ø 6.3mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	MPN/EI760, MPNEI760UK, MPN/EI760D, 7PIE06, RPN/EI760UK, RPN/EI760D, M70EIKE, XPN/EI760UK, XPN/EI760D, RPN/EI760, HPN/EI810, HPN/EI810, HPA/EI810, HPN/EI810, HPN/EI810, HPA/EI815, LS365F, LS365, LS365PH, LS365D, LS365, LS365/63, LS367, LSE720DK, LS500UK, LS501UK, LS720, LS365F, LS720N		
accessories for	415069		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	520235	Ref. No.
			—
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	No.	520236	Ref. No.
			003362 065558 0K2022 0K2917 0KD441 H24512000
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	No.	521012	Ref. No.
			—
gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs			
	No.	550002	Ref. No.
			—
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	No.	550362	Ref. No.
			—
blind flange ø 64mm mounting ø 47.5mm			

			
No.	415067	Ref. No.	002523 048928
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 218mm W 34mm H 29mm tube ø 6.3mm hole ø 8x10mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	MPN/EI760, MPNEI760UK, MPN/EI760D, RPI/E240, RPI/E260, RPI/E260P, XPI/E240, XPI/E260, XPI/E260P, JPI/E240, JPI/E260, MPI/E240, MPI/E260, MPI/E260P, 7PIE06, RPN/EI760UK, RPN/EI760D, M70EIKE, XPN/EI760UK, XPN/EI760D, PPI/E260P, OPI/E260P, TPI/E260P, KPI/E06, HPN/EI806, HPN/EI805, QPI/E06, ZPN/EI805, WPI/E06, APN/EI805, WT1/3DP, WT2/3DP, LB2DP3, WT2DPD3, LS61, LS61/60, WT32/4,5, WT32/UK, WT32/UKRP, WT32/4,5N, WT33/4,5, WT33/UK, WT33/UKRP, WT33/4,5N, WT34/4,5, WT34/UKRP, WT34/4,5N, LS7/9, LS10D, LS10... (Other models you can see in the webshop)		


1


No.	416128	Ref. No.	049955 0L2129 0L2652
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 265mm W 30mm H 35mm tube ø 8.5mm hole distance 60mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	WT4B, WT4DB, WT46, WT4DG, WT4BWS, WT4BDWS, NUC3DD, EUC3, EUC3WS, EUC3DP, EUC3DPWS, EUC1G, EUC3DD, LS5/3, LS5/3DP, LS5/3WS, LS5/3WSDP, FUCA3DD, LS5/3WSDPD, LB5DPG, KUC3, KUC3DP, NUC3, NUC3WS, NUC3DP, NUC3DPWS, NUC3DDWS, ZUCA3, FL5, FL5DP, LV5, LV5DP, LV5/3WSDP, FL5/3WSDP, LD5DP, LD5, NUC1G, NUCA1DDG		
accessories for	416128		
	No.	510408	Ref. No. 046213 055533 067620 0H2559 0L2765 19006668 19006946
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

No.	415066	Ref. No.	026453 047847 049307 052905 0H2476 0K8125 0L1849 0L1876
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 310mm W 30mm H 36mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 185mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 64mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	MPN/EI760, MPNEI760UK, 7PIE06, RPN/EI760UK, M70EIKE, XPN/EI760UK, RPN/EI760, LS32/4.5, LS32UK/RP, C55, WT302/4.5, WT302UK/RP, LS33/4.5, LS33UK/RP, C55A, WT303/4.5, WT303UK/RP, LS540F, LS541F, LS540, LS540D, LS520D, LS520M, LS520K, LS521D, LS521M, LS521K, LS521, LS4, LS62/UK, LS63/UK, LS64/UK, WT32/UK, WT33/UK, WT34/UK, WT50/UK3, RT100ED, RT100ES, RT140ED, RT140ES, RT190ED, RT190ES, RT190HDED, RT190HDES, RT270ED, RT270ES, RT270HDED, RT270HDES, RT100ERF, RT100ELF...(Other models you can see in the webshop)		
accessories for	415066		
	No.	510408	Ref. No. 046213 055533 067620 0H2559 0L2765 19006668 19006946
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		


			
No.	420335	Ref. No.	048284 0H2568
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 375mm W 32mm H 34mm tube ø 6.25mm hole ø 8x10mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	LS8/9, WT50/9, WT50/UK9RF		


1  				
No.	418189	Ref. No.	002524 057698	
description	heating element 4700W 230V mounting ø 47.5mm heating circuits 3 L 393mm W 40mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 275mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 68mm hole ø 8/10mm connection male faston 6.3mm 3 hole flange immersion heater			
For models:	MPN/EI760, MPNEI760UK, MPN/EI760D, RPI/E240, RPI/E260, RPI/E260P, XPI/E240, XPI/E260, XPI/E260P, JPI/E240, JPI/E260, MPI/E240, MPI/E260, MPI/E260P, 7PIE06, RPN/EI760UK, RPN/EI760D, M70EIKE, XPN/EI760UK, XPN/EI760D, XFV/E700, PPI/E260P, OPI/E260P, TPI/E260P, RPN/EI760, KPI/E06, HPN/EI806, HPN/EI805, QPI/E06, ZPN/EI805, WPI/E06, APN/EI805			
accessories for	418189			
	No.	510562	Ref. No.	—
 O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				






1


No.	415080	Ref. No.	049116 058012 066110 076035 OL1850 OL1878
heating element 6000W 220V mounting ø 47.5mm heating circuits 3 L 310mm W 35mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 180mm thermostat sleeve clinging tube ø 6.3mm hole distance 63mm hole ø 8mm connection length 28mm connection male faston 6.3mm 3 hole flange immersion heater			
For models:	HCPA/EI1219, HQN/EI917, HQN/EI1225, HQNEI817, HQNEI122, LS1080UK, CT142DXE, CT142SX, CT142DXEUK, CT142SXUK, CT142DXV, CT142SXV, CT190DXE, CT190SX, CT190DXEUK, CT190SXUK, CT190DXV, CT190SXV, CT191DXE, CT191SX, CT191DXEUK, CT191SXUK, CT191DXV, CT191SXV, RT100ED, RT100ES, RT140ED, RT140ES, RT190ED, RT190ES, RT190HDED, RT190HDES, RT270ED, RT270ES, RT270HDED, RT270HDES, RT100ERF, RT100ELF, RT140ERF, RT140ELF, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190HERF, RT190HELF, RT270ERF, RT270ELF, RT270HERF, RT270HELF...(Other models you can see in the webshop)		
spare parts for	415080		
	No.	510408	Ref. No.
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
accessories for	415080		
	No.	510408	Ref. No.
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			


 			
No.	420081	Ref. No.	049455
description	heating element 6000W 230V mounting ø 47.5mm heating circuits 3 L 260mm W 27mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 7.2mm length thermostat sleeves 170mm tube ø 6.2mm hole distance 62.5mm hole ø 6.5mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	LS10/UK1, LS10/UK3, LS8/UK1, LS8UK3, WT50/UK1		


 			
No.	415068	Ref. No.	048221 048513
description	heating element 6000W 230V mounting ø 47.5mm heating circuits 3 L 370mm W 32mm H 36mm thermostat sleeves ø 7mm length thermostat sleeves 165mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 62mm hole ø 8mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	LS7D, LS7, LS7UK/RP, LV70, LS7F, LS7DEK, LS7/1UK, LS7/DP, LS7/60, WT40/9, WT40/F, LS7HD, WT40UKRP, PH4/WT40, PH4RBP/WT40, LS10D, LS10, LS10UKRP, LC100, LS10/60, LS10/1, LS10/12KW, LS10F, LS10DEK, LS10/1UKRP, LS10DP, LS10/HD, SH55, LO10, LS12F, LS12DEK, LS12HD, LS12/UK3, ECOTEMP12INS, LS10N, LS8D, LS8, LS8UK/RP, LC80, LS8F, LS8DEK, LS8/60, LS8/1UKRP, LS8/DP, WT50/F9, WT50/6, WT50/1UKRP, WT50/1, D800/6, WT50/N...(Other models you can see in the webshop)		
spare parts for	415068		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			


 				
No.	415379	Ref. No.	003409 003410 051632 052621 0K3478 0K3491 0L1877 15516 21213 21632	
description	heating element 6000W 230V mounting ø 47.5mm heating circuits 3 L 479mm W 36mm H 33mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 270mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection male faston 6.3mm 3 hole flange immersion heater			
For models:	KPI/E25, HPN/EI855, HPN/EI1255, QPI/E25, ZPN/EI1255, WPI/E25, HCPA/EI1219, HQN/EI917, HQN/EI1225, HPN/EI810, HPN/EI810, HPA/EI810, HPN/EI810, HPN/EI810, HPA/EI815, HQNEI817, HQNEI122, LS1080			
accessories for	415379			
	No.	521012	Ref. No.	—
 gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs				


 			
1			
No.	415394	Ref. No.	058666
description	heating element 7900W 230V mounting ø 47.5mm heating circuits 3 L 287mm W 33mm H 35mm tube ø 8.5mm hole distance 63mm hole ø 8mm connection M5 3 hole flange immersion heater		
For models:	XFEV/E700, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVM62E, FCVM62EUK, FCV/E6-1, FCV/E6-1		
accessories for	415394		
	No. 510408	Ref. No.	046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No. 510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			


 			
No.	420310	Ref. No.	0E5955 0L1851
description	heating element 8000W 230V mounting ø 47.5mm heating circuits 3 L 384mm W 32mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 265mm thermostat sleeve eccentric, clinging tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	RT100ED, RT100ES, RT140ED, RT140ES, RT190ED, RT190ES, RT190H-DED, RT190HDES, RT270ED, RT270ES, RT270HDED, RT270HDES, RT100ERF, RT100ELF, RT140ERF, RT140ELF, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190HERF, RT190HELF, RT270ERF, RT270ELF, RT270HERF, RT270HELF, RT100ERG, RT100ELG, RT140ERG, RT140ELG, RT190ERG, RT190ELG, RT190HERG, RT190HELG, RT270ERG, RT270ELG, RT270HERG, RT270HELG, RT100EDF, RT100ESF, RT140EDFWHIRPOOL, RT140ESFWHIRPOOL, RT190EDFWHIRPOOL, RT190ESFWHIRPOOL, RT142EDFWHIRPOOL, RT142ESFWHIRPOOL, RT190HDEDFWHIRPOOL, RT190HDESFWHIRPOOL, RT270EDFWHIRPOOL, RT270ESFWHIRPOOL...(Other models you can see in the webshop)		

 				
No.	418126	Ref. No.	059665	
description	heating element 7500W 220V mounting ø 47.5mm heating circuits 3 L 550mm W 37mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 185mm thermostat sleeve upper tube ø 6.5mm hole distance 6.5mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater			
For models:	HPN/EI815D, HPN/EI810, HPN/EI815, HPA/EI825, HPNS/EI815, HPNS/EI815D, CR20EI, ZPN/EI815D, ZPN/EI810, ZPN/EI815, ZPNS/EI815, ZPNS/EI815D, CR20EI, APN/EI815D, APN/EI810, APN/EI815, APN/ED816, APNS/EI815			
spare parts for	418126			
	No.	510408	Ref. No.	046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
accessories for	418126			
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				

 			
No.	415690	Ref. No.	002835 OK0538 60050339
description	heating element 9000W 230V mounting ø 47.5mm heating circuits 3 L 290mm W 32mm H 38mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 175mm thermostat sleeve centre tube ø 8.5mm hole distance 63mm hole ø 10mm connection M5 3 hole flange immersion heater		
For models:	FCV/E6L4, FCS061EP, FCS061E4, FCS061EXLN, FCS061EX, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, ECV/E6T4, RCV061E4, ZCV/E6T4		
accessories for	415690		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.
			—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

 			
No.	419092	Ref. No.	0F0011
description	heating element 9600W 230V mounting ø 47.5mm heating circuits 3 L 585mm W 40mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 222mm thermostat sleeve centred, adjacent tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection length 18mm connection M5 3 hole flange immersion heater		
For models:	CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7LCE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60HZ/M, CS7LCT4/400-3N		

 			
No.	415668	Ref. No.	OK3789 OKK047
description	heating element 2625W 230V mounting ø 47.5mm heating circuits 1 L 190mm W 41mm H 54mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 170mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
spare parts for	415668		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
accessories for	415668		
	No.	510562	Ref. No.
			—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

 			
No.	415002	Ref. No.	069455 069672 0A6035 230090
description	heating element 3000W 230V mounting ø 47.5mm heating circuits 1 L 198mm W 35mm H 44mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 175mm thermostat sleeve not clinging tube ø 6.3mm hole distance 64mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	LTB11, LTB12, LTB22, LTB11UK, LTB12UK, LTB22UK, LTB11, LTB22, 910-00-021, 910-00-023, 910-00-031, 910-00-033, 911-00-022, 911-00-024, 911-00-032, 911-00-034, CRYSTAL 11, CRYSTAL 22		
accessories for	415002		
	No.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.
			—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	521103	Ref. No.
			—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.
			—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No.
			—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			

accessories for	415002		
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


3 hole flange ø57.5mm

			
1			
No.	416134	Ref. No.	049997 0L1772 0L2727

description heating element 10500W 230V mounting ø 57.5mm heating circuits 3 L 335mm W 52mm H 52mm tube ø 8.5mm hole distance 73mm hole ø 8/10mm connection male faston 6.3mm 3 hole flange immersion heater INCOLOY-800


For models: LS14EA, LS14EAI, LS14EAI/AU, LS14EAASIA, LS14EA/G, LS10EA, LS14EAI/DD, WT65EB, WT65EBI, WT65EBIA, WT65EB60, WT65EBIDG, WT65EBASIA, WT65EIM50, LS14EADP/G, WT65MED, LS14EAWs, LS14ADPWSG, LS14EAIWS, WT65EBWS, WT65BIDWSG, WT65EBIWS, WT65MEDWS, ET12EWS, LS14SANA, WT65EBID, WT65EBIWS, PW1S-MG, PW1MG, PW1MUK, PW160HZ, PW1MHG, PW2MG, PW2MUK, PW2M60, WT830M, WT830MUK, WT830M60G, WT850M, WT850MUK, WT850M60G, WT830MHG, PW2SMG, ET830M, ET830MH, ET850M, PW1EAG, PW2EAG, WT830EA, WT850EA...(Other models you can see in the webshop)

spare parts for	416134		
	No.	510409	Ref. No. 007029 047156 049909 0E5037 0K9011 543613600 740483105
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

			
1			
No.	417731	Ref. No.	0L0009 0L2466 0L2724 7IOL0009

description heating element 10500W 254V heating circuits 3 L 335mm W 50mm H 50mm hole ø 8.5mm connection F6.3x0.8 screw immersion heater

For models: WT65EIM60, EHTAIUSPH6


			
1			
No.	419085	Ref. No.	007078
description	heating element 17000W 230V mounting ø 57.5mm heating circuits 6 L 450mm W 42mm H 42mm number of thermostat sleeves 1 thermostat sleeves ø 4.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging tube ø 6.2mm hole distance 69mm hole ø 6.5mm connection length 75mm connection male faston 6.3mm 3 hole immersion heater		
For models:	FCZ101EAN, FCZ101EBN, CL521, AOS101EA2N, AOS101EB2N, AOS101EANQ, AOS101EBNQ		


1

No.	418154	Ref. No.	007076 0C5384
description	heating element 17000W 400V mounting ø 57.5mm heating circuits 6 L 450mm W 39mm H 41mm number of thermostat sleeves 1 thermostat sleeves ø 4.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 69mm hole ø 6.5mm connection length 75mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	FCZ101EAA, FCZ101EAH, FCZ101EBA, FCZ101EBH, CL611, AOW101EA, AOS101EA, AOS101EB, AOS101EB6M, AOS101EA0H, AOS101EB0H, AOS101EAAQ, AOS101EBAQ, AOS101EAHQ, AOS101EBHQ, EJN101EAA, RDR101EAA, EJN101EBA, RDR101EBA		

spare parts for	418154		
	No.	510409	Ref. No. 007029 047156 049909 0E5037 0K9011 543613600 740483105
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			


accessories for	418154		
	No.	510409	Ref. No. 007029 047156 049909 0E5037 0K9011 543613600 740483105
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
	No.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

 			
No.	418155	Ref. No.	007101 0C5383
description	heating element 24000W 400V mounting ø 57.5mm heating circuits 6 L 570mm W 40mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 4.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 69mm hole ø 6.5mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ102E-BA, FCZ201EBA, FCZ202EBA, FCZ201EBH, CL121, AOS201EA, AOS201EB, AOS201EB6M, AOS202EA2N, AOS202EB2N, AOS201EA0H, AOS201EB0H, AOS102EA, AOS102EB, AOS202EA, AOS202EB, AOS102EAAQ, AOS102EBAQ, AOS201EAAQ, AOS201E-BAQ, AOS202EAAQ, AOS202EBAQ, AOS201EAHQ, AOS201EB-HQ, AOS201EBFQ, AOS201EAA1, AOS202EAA1, AOS201EAH1, AOS201EAF1, AOS201EAQ1, AOS202EAK1, AOS201EBA1, AOS202E-BA1, AOS201EBH1, AOS201EBF1, AOS202EBK1, AOS201ECM1, AOS201ECB1, EJN102EAA, EJN201EAA, EJN202EAA, RDR201EAA, EJN102EBA, EJN201EBA, EJN202EBA, RDR201EBA		


2


No.	417715	Ref. No.	049899 0L2107 0L2651
description	heating element 4500W 230V mounting ø 57.5mm heating circuits 3 L 335mm W 33mm H 40mm tube ø 8.5mm hole distance 70mm hole ø 6.4mm connection male faston 6.3mm		
For models:	EUCAI, EUCAIDP, EUCAIWS, EUCAIG, EUCAIWSG, EUCAIMLWS, EUCAI, EUCAIDPNW, ZUCI, ZUCID, ZUCAI, ZUCAIDP, ZUCAIDPWS, ZUCAIG, ZUCAIDDWS, ZUCAID, ZUCAI60, ZUCAIDD, EUCAIDD, WT38D, WT37/4.5, WT38/4.5, WT38/4.5NW, AUCI, AUCAI, AUCAIDP, AUCAID-PWS, AUCAIG, AUCAIWSG		
accessories for	417715		
	No.	532685	Ref. No. 0L2304
O-ring silicone thickness 3.34mm ID ø 56.52mm Qty 1 pcs			






1

No.	416129	Ref. No.	049898 0L2108 0L2725
description	heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 330mm W 36mm H 40mm tube ø 8.5mm hole distance 70mm hole ø 7.8mm connection length 28mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	LS6EP, LS6EP/DD, LS6EADD, LS6EA/DPDD, WT38TDE, WT38/M50, LS6EADP3, LS6EADPWS, LS6EADPWSG, WT38WS, WT38WSG, WT38MEDWS, WT38PM50, LS6EADPDWS, WT38DWS, LS6SANA, EUCAI60, WT38M50/4, LS6EA/UK, LS6EA/DPUK, EUCAIML, EUCAIMLG, EUCAICLG, EUCAIWL, LS6EA/60, EUCIM, WT38D, WT37, WT38, WT37/UK, WT38CUK, WT38UK, WT38/60, WT38MED, WT38WL, LS6EA, LS6EA/DP, LS6EAH, LS6MCD, ET12E, FL620EP, ET5EDG, LV6EP, H3300, LV6EADPWS, FL620ADPWS, H1310SANA, FL620EAG, FL620DPWSG, LV1000...(Other models you can see in the webshop)		
accessories for	416129		
	No.	510409	Ref. No. 007029 047156 049909 0E5037 0K9011 543613600 740483105
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

 			
1			
No.	420080	Ref. No.	0L1006
description	heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 340mm W 36mm H 42mm tube ø 8.5mm hole distance 70mm hole ø 6.5mm connection M4 immersion heater		
For models:	WT60/GJ60, WT60/GJ50, PH10/12-RP, EHTAO, EHTAROW, EHT-AROW60, ZHTAROW, ZHTAROW60, EHTAO60, ZHTAO, ZHTAO60, WTC90ERB, WTC90ELB, WTC140ERA, WTC140ELA, WTC140ERB, WTC140ELB, WTC180ERA, WTC180ELA, WTC180ERB, WTC180ELB, WTC220ERA, WTC220ELA, WTC220ERB, WTC220ELB, WTC90ERBG, WTC90ELBG, WTC140ERAG, WTC140ELAG, WTC140ERBG, WTC140ELBG, WTC180ERAG, WTC180ELAG, WTC180ERBG, WTC180ELBG, WTC220ERAG, WTC220ELAG, WTC220ERBG, WTC220ELBG, WTM140ERA, WTM140ELA, WTM140ERB, WTM140ELB, WTM165ERA, WTM165ELA, WTM165ERB, WTM165ELB, WTM200ERA, WTM200ELA, WTM200ERB... (Other models you can see in the webshop)		

 				
1				
No.	420309	Ref. No.	0L2246 0L2766	
description	heating element 7000W 230V mounting ø 57.5mm heating circuits 3 L 315mm W 37mm H 42mm number of thermostat sleeves 0 tube ø 8.5mm hole distance 69mm hole ø 6.5mm connection male faston 6.3mm 3 hole flange immersion heater stainless steel			
For models:	PW15MG, PW1MG, PW1MUK, PW1MHG, WT830M, WT830MUK, WT830M60G, WT830MHG, ET830M, ET830MH, PW1EAG, WT830EA, WT830EAG, PW100MG, PW100M, PW100MHG			
accessories for	420309			
	No.	510409	Ref. No.	007029 047156 049909 0E5037 0K9011 543613600 740483105
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs				

				
No.	418779	Ref. No.	049992 0L1630 0L2653 0TR570	
description	heating element 9000W 230V mounting ø 57.5mm heating circuits 3 L 340mm W 52mm H 54mm tube ø 8.5mm hole distance 72mm hole ø 8mm with integrated fuse INCOLOY			
For models:	LS6EP, WT37LEV/9, EUCAICL, EUCAICLW, WT38C, WT38C60, LU7PDP, LU7ADP, LU7ADPWS, WTU40PDP, WTU40ADP, WTU40ADPWS, WTU40ADPD, LS14EA/60, WT65E, WT65EI, ECOTEMP12S, WT65EIA, WT65E60, WT65ROW, LS14ROW, LS14ROW60, EHTA, EHTA60, EHTAWS, EHTAI, EHTAID, EHTAIWS, EHTAIDWS, EHTAIG, EHTAIWSG, EHTAIAU, EHTAIMLAU, ZHTAWS, ZHTAID, ZHTAIWS, ZHTAIAU, ZHTA, ZHTA60, ZHTAI, EHTAIUSPH5, LS9P, LS9PDD, LS9AUK/3, LS9P60, WT55P, WT55P60, WT55AUK/3, LS9ADG1, WT55ADG1...(Other models you can see in the webshop)			
spare parts for	418779			
	No.	510409	Ref. No.	007029 047156 049909 0E5037 0K9011 543613600 740483105
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs				

						
No.		418153	Ref. No.		007030 0C5381	
description		heating element 9000W 400V mounting ø 57.5mm heating circuits 6 L 440mm W 38mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 4mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging hole distance 68mm hole ø 6mm connection male faston 6.3mm 3 hole flange immersion heater				
For models:		FCZ061EAA, FCZ061EAH, FCZ061EBA, FCZ061EBH, AOS061EA, AOS061EB, AOS061EB6M, AOS061EA0H, AOS061EB0H, AOS061EAAQ, AOS061EBAQ, AOS061EAHQ, AOS061EBHQ, AOS061EAA1, AOS061EAH1, AOS061EAF1, AOS061EBA1, AOS061EBH1, AOS061EBF1, AOS061ECM1, AOS061ECB1, EJN061EAA, RDR061EAA, EJN061EBA, RDR061EBA				


3 hole flange ø60.0mm


connection straight


group 2


				
1				
No.	420308	Ref. No.	0L1035 0L2242 0L2759 617632101	
description	heating element 10500W 230V mounting ø 60mm heating circuits 3 L 340mm W 50mm H 50mm number of thermostat sleeves 0 tube ø 8.3mm hole distance 69mm hole ø 6.5mm connection M4 3 hole flange immersion heater right stainless steel			
For models:	WTC90ERB, WTC90ELB, WTC140ERA, WTC140ELA, WTC140ERB, WTC140ELB, WTC180ERA, WTC180ELA, WTC180ERB, WTC180ELB, WTC220ERA, WTC220ELA, WTC220ERB, WTC220ELB, WTC90ERBG, WTC90ELBG, WTC140ERAG, WTC140ELAG, WTC140ERBG, WTC140ELBG, WTC180ERAG, WTC180ELAG, WTC180ERBG, WTC180ELBG, WTC220ERAG, WTC220ELAG, WTC220ERBG, WTC220ELBG, WTM140ERA, WTM140ELA, WTM140ERB, WTM140ELB, WTM165ERA, WTM165ELA, WTM165ERB, WTM165ELB, WTM200ERA, WTM200ELA, WTM200ERB, WTM200ELB, WTM250ERA, WTM250ELA, WTM250ERB, WTM250ELB, WTM300ERA, WTM300ELA, WTM300ERB, WTM300ELB, WTM180ERA, WTM180ELA,...(Other models you can see in the webshop)			

with compression flange 50 x 26mm

 				
1				
No.	415272	Ref. No.	049059	
description	heating element 800W 230V heating circuits 1 flange 50x26mm L 160mm W 34mm H 20mm tube ø 8.5mm connection male faston 6.3mm immersion heater compression flange			
For models:	LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2D-PSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, NGW, NGWDPDD, UC1, UC2WS, GW1, GW1WS, LV1WS, LV1WSDP, LV2WSDP, LV2WS, GW2D-PG...(Other models you can see in the webshop)			
spare parts for	415272			
	No.	510387	Ref. No.	048483 50301684
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			
accessories for	415272			
	No.	510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm S5 for heating element for flange 50x26mm			


 				
No.	416133	Ref. No.	049954 0L2109	
description	heating element 2000W 230V compression flange flange 50x26mm L 365mm W 80mm H 27mm L1 95mm L2 270mm W1 30mm connection male faston 6.3mm heating circuits 1 tube ø 6.3mm immersion heater			
For models:	WT4, WT4B, WT4D, WT4DB, WT46, WT4DG, WT4WS1, WT4BWS, WT4DWS1, WT4BDWS, NUC3DD, WT4D60, WT4DDG, EUC1, EUC1DP, EUC1WS, EUC1DPWS, EUC3, EUC3WS, EUC3DP, EUC3DPWS, EUC1G, EUC1DP60, EUC3DD, ZUCADDROW, ZUCADDROW6, LS5/1, LS5/1DP, LS5/1WS, LS5/1WSDP, LS5/3, LS5/3DP, LS5/3WS, LS5/3WSDP, FUCA3DD, LS5/3WSDPD, LB5DPG, LS5/1DP60, LS5/1DPAUS, LS5/1D-PCS, KUC3, KUC3DP, NUC1, NUC1DP, NUC1WS, NUC1DPWS, NUC3, NUC3WS, NUC3DP, NUC3DPWS...(Other models you can see in the webshop)			
accessories for	416133			
	No.	510387	Ref. No.	048483 50301684
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			
	No.	510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm			

				
1				
No.	415070	Ref. No.	048228 048924 0KE906 0L2340 415070	
description	heating element 2200W 230V compression flange flange 50x26mm L 355mm W 75mm H 25mm L1 65mm L2 290mm W1 25mm connection male faston 6.3mm heating circuits 1 tube ø 6.3mm immersion heater W2 50mm			
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, LS61, LS61/60, LS6EP, LS6EP/DD, LS6EADD, LS6EA/DPDD, WT38TDE, LS6EADP3, LS6EADPWS, WT38WS, WT38MEDWS, WT37LEV/9, LS6EADPDWS, WT38DWS, LS6SANA, LS6EA/UK, LS6EA/DPUK, LS6EA/60, LS62, LS62D, LS62/UKRP, LS62F, LV62, LS62/60, ECOTEMP5, LS62/1P...(Other models you can see in the webshop)			
accessories for	415070			
	No.	510387	Ref. No.	048483 50301684
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			
	No.	510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm			

 				
No.	416132	Ref. No.	048491 0L1870	
description	heating element 3000W 230V compression flange flange 50x26mm L 360mm W 70mm H 25mm L1 60mm L2 300mm W1 20mm connection male faston 6.3mm heating circuits 1 tube ø 8.5mm immersion heater W2 50mm			
For models:	LU7PDP, LU7ADP, LU7ADPWS, WTU40PDP, WTU40ADP, WTU40ADPWS, WTU40ADPD, ECOTEMP12-, LS10/60, ECOTEMP12SW, ECOTEMP12INS, LS14EA, ET12E, LS14EAI, LS14EAI/AU, LS14EA/60, LS14EAA-SIA, LS14EA/G, LS10EA, LS14EAI/DD, WT65E, WT65EB, WT65EI, ECOTEMP12S, WT65EBI, WT65EBIA, WT65EIA, WT65E60, WT65EB60, WT65EBIDG, WT65EBASIA, LS14EADP/G, WT65MED, LS14EAWS, LS14ADPWSG, LS14EAIWS, WT65EBWS, WT65BIDWSG, WT65EBIWS, WT65MEDWS, ET12EWS, LS14ROW, LS14SANA, WT65EBID, WT65EBIWS, LS14ROW60, EHTA, EHTA60, EHTAWS, EHTAI...(Other models you can see in the webshop)			
accessories for	416132			
	No.	510387	Ref. No.	048483 50301684
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			
	No.	510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm			



with compression flange 62 x 26mm



No.	417539	Ref. No.	0E2326
description	heating element 2000W 230V heating circuits 1 flange 60x26mm L 350mm W 41.4mm		

with expansion flange 70 x 18mm



No.	415460	Ref. No.	0H6199 0K0550 0KC471 450191G3
description	heating element 1000W 230V heating circuits 1 flange 70x18mm L 230mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 20mm silicone TD ø 8mm		
For models:	7573-3/85.KES100.(N), 7574-3/85.KES150.(N), 7575-3/85.KES250.(N), 7576-3/85.KES300.(N), 7573-3/90.KES100.(N), 7574-3/90.KES150.(N), 7575-3/90.KES250.(N), 7576-3/90.KES300.(N), 7573-3, 7574-3, 7575-3, 7576-3, 7577-3, 7773-3/85.KES100, 7773-3/90.KES100, 7774-3, 7774-3/85.KES150, 7774-3/90.KES150, 7775-3, 7775-3/85.KES250, 7775-3/90.KES250, 7776-3, 7776-3/85.KES300, 7776-3/90.KES300, 9100-3, 9104-3, 9113-3, 9190-3, 9191-3, 9193-3, 9195-3, 9300-3-0, 9300-3-8, 9304-3-0, 9304-3-8, 9313-3-0, 9313-3-8, 9390-3, 9391-3, 9393-3, 9395-3		
accessories for	415460		
	No.	375044	Ref. No. 0H6141 0KE595
safety thermostat switch-off temp. 178°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 1730mm capillary pipe isolated 1600mm gland nut probe with sealing sleeve screw connection M8x1 sealing sleeve 8.6x32mm			



No.	418648	Ref. No.	049613 049616 049755
description	heating element 2000W 230V heating circuits 1 flange 70x18mm L 325mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 20mm silicone		
For models:	LS10, LS10UKDP, ET12E, LS10/60HZ, LS10CW, LS10INS, LS10N, LS10DP, LS10HD, LS10UK/1, LS10UK/3, LS12ASIA, HT1200, HT1000, HT1000INS, HT1200INS, HT1000DP, HT1200DP		



No.	418825	Ref. No.	049614 049756
description	heating element 3000W 230V heating circuits 1 L 310mm W 68mm tube ø 8.5mm connection length 31mm mounting measurements 70x18mm		
For models:	LS10, LS10UKDP, LS10/60HZ, HT1200INS, LS10N, LS12INS, LS12, LS12DP, LS12/60HZ, HT1200DEK, WT60DP, WT60, WT60INS, WT60NAU, WT60/60HZ, WT60N, WT609NINS, LS12HD, WT60NAUDP, ECOTEM-P12S, HT1200, HT1200INS, HT1000DP, HT1200DP		



No.	420054	Ref. No.	049615 049757 0KE957
description	heating element 3500W 230V heating circuits 1 flange 70x18mm L 310mm W 68mm Hmm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange		
For models:	LS10CW, LS10DP, LS12CW, WT60CW, WT60UKDPCW, WT60INSCW, WT60NAUCW, WT60/60HZC, LS12UK/3CW, LS12NAU, LS12UKDPCW, WT60U40050, WT60MX2206, LS12CWINS, LS12ASIA, WT60ASIA, PW1MG, PW1MUK, PW160HZ, PW1MHG, PW2MG, PW2MUK, PW2M60, WT830M, WT830MUK, WT830M60G, WT850M, WT850MUK, WT850M60G, WT830MHG, PW100M, PW200M, PW100MHG, LV100M, LV200M, HT1000		



No.	415461	Ref. No.	0H6170 0K0535 415461
description	heating element 4000W 230V heating circuits 2 flange 80x28mm L 237mm W 64mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange		



No.	415462	Ref. No.	0H6202 450181B3
description	heating element 4000W 400V heating circuits 2 flange 70x18mm L 256mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange silicone		



No.	415459	Ref. No.	0H6146 0K0506 0KE597 0T0012 213742 213743 60050490
description	heating element 5600W 230V heating circuits 2 flange 70x18mm L 272mm W 64mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange H 19mm		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		

			
No.	415557	Ref. No.	0H6164
description	heating element 5600W 400V heating circuits 2 L 272mm W 64mm tube ø 8.5mm connection male faston 6.3mm immersion heater expansion flange flange 70x18mm		
For models:	7573-3/85.KES100.(N), 7574-3/85.KES150.(N), 7575-3/85.KES250.(N), 7576-3/85.KES300.(N), 7573-3/90.KES100.(N), 7574-3/90.KES150.(N), 7575-3/90.KES250.(N), 7576-3/90.KES300.(N), 7573-3, 7574-3, 7575-3, 7576-3, 7577-3, 7773-3, 7773-3/85.KES100, 7773-3/90.KES100, 7774-3, 7774-3/85.KES150, 7774-3/90.KES150, 7775-3, 7775-3/85.KES250, 7775-3/90.KES250, 7776-3, 7776-3/85.KES300, 7776-3/90.KES300, 9100-3, 9101-3, 9102-3, 9104-3, 9111-3, 9113-3, 9190-3, 9191-3, 9193-3, 9195-3, 9300-3-0, 9300-3-8, 9301-3-0, 9301-3-8, 9302-3-0, 9302-3-8, 9304-3-0, 9304-3-8, 9311-3-0, 9311-3-8, 9313-3-0, 9313-3-8, 9390-3, 9391-3, 9393-3...(Other models you can see in the webshop)		

			
No.	415463	Ref. No.	0H6171 OK0584 450171C3
description	heating element 6000W 230V heating circuits 2 flange 70x18mm L 385mm W 59mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange		

			
No.	415464	Ref. No.	0H6198
description	heating element 6000W 400V heating circuits 2 flange 70x18mm L 380mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange		

			
No.	415345	Ref. No.	OK0551 214095
description	heating element 6000W 400V heating circuits 2 flange 70x18mm L 534mm W 65mm connection male faston 6.3mm tube ø 6.3mm immersion heater expansion flange connection length 22mm		

with expansion flange (others)

			
No.	419064	Ref. No.	0W1W1V 0W2038 471983705
description	heating element 1800W 240V L 290mm W 40mm heating circuits 1 connection F6.3 tube ø 8mm immersion heater		
For models:	W365H, W375H5, W375H, W375N, W375N, W375N., PW9, PW92, W365H01, W365H02, W365H03, W365H04, W375H01, W375H02, W375H03, W375H04, W385H0, W31100H, W375N01, W375N02, W375N03, W375N04, W375N05, W375N06, W3600X01, W3600X02, W365H05, W375H05, W375N07, W375N08, W375N09, W375N10, W385M01, W385M02, W385M03, W375N11, W375N12, W365H06, W365H07		

			
No.	420279	Ref. No.	0W1W03 0W2037
description	heating element 2500W 240V flange 1mm L 290mm W 39mm heating circuits 1 mounting measurements 22x48mm connection male faston 6.3mm expansion flange tube ø 8.5mm immersion heater		
For models:	W365H, W375H5, W375H, W375N, W375N, W375N., W365H01, W365H02, W365H03, W365H04, W375H01, W375H02, W375H03, W375H04, W375N01, W375N02, W375N03, W375N04, W375N05, W375N06, W365H05, W375H05, W375N07, W375N08, W375N09, W375N10, W385M01, W385M02, W385M03, W375N11, W375N12, W365H06, W365H07		

with round flange ø47.5mm

			
No.	419086	Ref. No.	056012
description	heating element 17000W 220V heating circuits 6 mounting ø 47.5mm L 470mm W 42mm H 42mm round flange cable length 380mm immersion heater tube ø 6.3mm connection length 130mm		
For models:	FV4E, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, ZOFCV/E102, ZOFCV/E104, FV4E		

1



No.	418156	Ref. No.	055464
description	heating element 17000W 240V heating circuits 3 mounting ø 47.5mm L 470mm W 36mm H 40mm round flange connection cable cable length 350mm immersion heater tube ø 6.3mm		
For models:	FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, ZOFCV/E102, ZOFCV/E104		
accessories for	418156		
	No.	510408	Ref. No.
	046213 055533 067620 0H2559 0L2765 19006668 19006946		
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.
	—		
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	520235	Ref. No.
	—		
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	No.	520236	Ref. No.
	003362 065558 OK2022 OK2917 OKD441 H24512000		
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	No.	550002	Ref. No.
	—		
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	No.	550362	Ref. No.
	—		
blind flange ø 64mm mounting ø 47.5mm			



1

No.	415809	Ref. No.	055384 056013
description	heating element 24000W 400V heating circuits 3 mounting ø 47.5mm round flange connection cable immersion heater		
For models:	FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, ZOFCV/E202, ZOFCV/E204		
accessories for	415809		
	No.	510408	Ref. No.
	046213 055533 067620 0H2559 0L2765 19006668 19006946		
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.
	—		
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	520235	Ref. No.
	—		
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	No.	520236	Ref. No.
	003362 065558 0K2022 0K2917 0KD441 H24512000		
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	No.	550002	Ref. No.
	—		
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	No.	550362	Ref. No.
	—		
blind flange ø 64mm mounting ø 47.5mm			

1 			
No.	415652	Ref. No.	002751 0C5337 60050289
description	heating element 24000W 400V heating circuits 6 mounting ø 47.5mm L 585mm W 32mm H 35mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm connection length 86mm thermostat sleeves ø 5mm number of thermostat sleeves 1 length thermostat sleeves 155mm thermostat sleeve clinging		
For models:	FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/E102/1L6, FCV/E20L6, FCVE202L6, FVC/E102/1, FVC/E201/1, FVC/E202/1, FCS102E4, FCS102EP, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS102EX, FCS201EX, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8C, ECVE102T4, ECV/E20T4, ECVE202T4, ECV/E102/1T6, ECV/E20T6, ECVE202T6, ACVE102C4, ACV/E20C4, ACVE202C4, ACV/E102/1C6, ACVE20C6, ACV/E202/1, ZCV/E102/1, ZCV/E20T4, ZCV/E202/1, ZCV/E102/1T6, ZCV/E20T6, ZCV/E202/1		
spare parts for	415652		
	No.	510408	Ref. No.
	046213		
	055533		
	067620		
	0H2559		
0L2765			
19006668			
19006946			
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

accessories for		415652		
	No.	510408	Ref. No.	046213 055533 067620 0H2559 0L2765 19006668 19006946
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	520235	Ref. No.	—
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	No.	520236	Ref. No.	003362 065558 0K2022 0K2917 0KD441 H24512000
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	No.	550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	No.	550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm			
	No.	550460	Ref. No.	—
	kable set			

			
1			
No.	420118	Ref. No.	0K4731 18001100
description	heating element 3000W 230V heating circuits 3 L 225mm W 39mm H 33mm tube ø 8.3mm number of thermostat sleeves 0 connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		
For models:	ACSGRT, IVAAOE0000, HVAEOEOORO, GVAEOEO000, GVAEOEO-ORO, FVAEOEOORO, IVKAOEO000, FVKAOEOORO, HVABOEOORO, GVABOEO000, GVABOEOORO, FVABOEOORO, FVFBEOEXORO, IVKBOE-OOO, FVKBOEOORO, IVACOEORO, BON080EF88, GVACOEORO, FVACOEORO, IVACOMOORO, GVACOMOORO, GVFCOEEXOOO, GVFCOEEXORO, FVFCOEEXORO, FVKCOEOORO, IVAEOEO000, IVAEOEO-ORO, HVAEOEOORO, GVAEOEOORO, FVAEOEOORO, IVAEOMOORO, GVAEOMOORO, FVOEOEXOOO, FVFEEOEXORO, HVKEEOEOORO, GVKE-OEOORO, FVKEEOEOORO, GVAHOEO000, GVAHOEOORO, FVAHOEO-ORO, GVAHOMOORO, FVFOEOEXORO, BON150SF98, BOT080S.MH25.W94, BOT080S.MS25.W94, BOT100E.MS35.H97, BOT150S.MH25.F98, BOT150S.MH25.W94, BOT200S.MH25.F18, BOT200S.MH25.W14... (Other models you can see in the webshop)		

			
1			
No.	420119	Ref. No.	OK4732 18001101
description	heating element 3000W 230V heating circuits 3 L 230mm W 42mm H 33mm tube ø 8.4mm thermostat sleeves ø 5mm length thermostat sleeves 190mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging/not clinging connection male faston 6.3mm connection length 16mm immersion heater round flange mounting ø 47.5mm		
For models:	ACSGRT, IVAAOEOOOO, HVAEOEOORO, GVAEOEOOOO, GVAEOEOORO, FVAEOEOORO, IVKAOEOOOO, FVKAEOEOORO, HVABOEOORO, GVABOEOOOO, GVABOEOORO, FVABOEOORO, FVFBEOEXORO, IVKBOEOOOO, FVKBOEOORO, IVACOEEOORO, BON080EF88, GVACOEEOORO, FVACOEEOORO, IVACOMOOORO, GVACOMOOORO, GVFCOEEXOOO, GVFCOEEXORO, FVFCOEEXORO, FVKCOEOORO, IVAEOEOOOO, IVAEOEOORO, HVAEOEOORO, GVAEOEOORO, FVAEOEOORO, IVAEOMOOORO, GVAEOMOOORO, FVOEOEXOOO, FVFEEOEXORO, HVKEOEOORO, GVKEOEOORO, FVKEOEOORO, GVAHOEOOOO, GVAHOEOORO, FVAHOEOORO, GVAHOMOOORO, FVFOEXORO, BON150SF98, BOT080S.MH25.W94, BOT080S.MS25.W94, BOT100E.MS35.H97, BOT150S.MH25.F98, BOT150S.MH25.W94, BOT200S.MH25.F18, BOT200S.MH25.W14... (Other models you can see in the webshop)		

			
2			
No.	417657	Ref. No.	OK4798 18002022
description	heating element 3x1500W 230V heating circuits 3 mounting ø 47.5mm L 500mm W 38mm H 38mm round flange immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 280mm thermostat sleeve eccentric, clinging		

1

accessories for		415026	
	No.	520236	Ref. No.
	003362 065558 0K2022 0K2917 0KD441 H24512000		
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	No.	550002	Ref. No.
	—		
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	No.	550362	Ref. No.
	—		
blind flange ø 64mm mounting ø 47.5mm			

			
1			
No.	420125	Ref. No.	056489
description	heating element 4500W 220V heating circuits 3 L 345mm W 39mm H 33mm tube ø 8.3mm number of thermostat sleeves 0 connection male faston 6.3mm connection length 18mm immersion heater round flange mounting ø 47.5mm		
For models:	FVE3, FVE3, VAPE3		

			
1			
No.	420121	Ref. No.	OK4733 18001102 18001102K
description	heating element 4500W 230V heating circuits 3 L 330mm W 39mm H 33mm tube ø 8.4mm number of thermostat sleeves 0 connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		
For models:	ACSGRT, GWACOEEOORO, FWAAOMOOORO, GWACOMOOORO, IWKCOEOOOO, HWAHOEOORO, GWAHOEOOOO, GWAHOEOORO, FWAHOEOORO, BEN150EW87, HWAJOEOORO, GWAJOEOORO, FWAJOEOORO, BEN200EW87, GWAJOMOOORO, FWFJOEXOOO, FWFJOEXORO, BEN300E.S35.H97, GWAKOEEOORO, FWAKOEEOORO, IWAKOMOOORO, GWAKOMOOORO, FWFKOEXORO, FWKKOEEOORO, IVALOEEOOOO, IVALOEEOORO, BEN400E.S35.H97, BEN400EF97, FVALOEEOORO, GVALOMOOORO, IVAAOEOOOO, HVAEOEOORO, GVAEOEOOOO, GVAEOEOORO, FVAEOEOORO, IVKAOEOOOO, FVKAEOEOORO, HVABOEOORO, GVABOEOOOO, GVABOEOORO, FVABOEOORO, FVFBEOEXORO, IVKBOEOOOO, FVKBOEOORO, IVACOEEOORO, BON080EF88, GVACOEEOORO, FVACOEEOORO, IVACOMOOORO, GVACOMOOORO...(Other models you can see in the webshop)		

			
No.	418782	Ref. No.	0G1632 0K4734 18001103 18001103K
description	heating element 4500W 230V heating circuits 3 L 330mm W 43mm H 33mm tube ø 6.3mm thermostat sleeves ø 6.25mm length thermostat sleeves 203mm number of thermostat sleeves 1 connection male faston 6.3mm immersion heater round flange mounting ø 47.5mm with temperature protection		
For models:	ACSGRT, GWACOE00RO, FWAAMO00RO, GWACOMO0RO, IWKCOE0000, HWAHOE00RO, GWAHOE0000, GWAHOE00RO, FWAHOE00RO, BEN150EW87, HWAJOE00RO, GWAJOE00RO, FWAJOE00RO, BEN200EW87, GWAJOM00RO, FWFJOEX000, FWFJOEX0RO, BEN300E.S35.H97, GWAKOE00RO, FWAKOE00RO, IWAKOMO0RO, GWAKOMO0RO, FWFKOEX0RO, FWKKOE00RO, IVALOE0000, IVALOE00RO, BEN400E.S35.H97, BEN400EF97, FVALOE00RO, GVALOMO0RO, IVAAOE0000, HVAEOE00RO, GVAEOE0000, GVAEOE00RO, FVAEOE00RO, IVKAOE0000, FVKAEOE00RO, HVABOE00RO, GVABOE0000, GVABOE00RO, FVABOE00RO, FVFB0EX0RO, IVKBOE0000, FVKB0E00RO, IVACOE00RO, BON080EF88, GVACOE00RO, FVACOE00RO, IVACOMO0RO, GVACOMO0RO...(Other models you can see in the webshop)		
accessories for	418782		
	No.	510408	Ref. No. 046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

accessories for		415598	
	No.	550362	Ref. No.
	—		
blind flange ø 64mm mounting ø 47.5mm			

			
No.	417702	Ref. No.	0KT719
description	heating element 4500W 255V heating circuits 3 mounting ø 47.5mm L 330mm W 38mm H 30mm round flange connection male faston 6.3mm immersion heater tube ø 8.5mm thermostat sleeves ø 4mm number of thermostat sleeves 1 length thermostat sleeves 190mm thermostat sleeve centred, adjacent		
For models:	ACSGRT, GWACOE00RO, FWAAMO00RO, GWACOMO0RO, IWKCOE0000, HWAHOE00RO, GWAHOE0000, GWAHOE00RO, FWAHOE00RO, BEN150EW87, HWAJOE00RO, GWAJOE00RO, FWAJOE00RO, BEN200EW87, GWAJOM00RO, FWFJOEX000, FWFJOEX0RO, BEN300E.S35.H97, GWAKOE00RO, FWAKOE00RO, IWAKOMO0RO, GWAKOMO0RO, FWFKOEX0RO, FWKKOE00RO, IVALOE0000, IVALOE00RO, BEN400E.S35.H97, BEN400EF97, FVALOE00RO, GVALOMO0RO, IVAAOE0000, HVAEOE00RO, GVAEOE0000, GVAEOE00RO, FVAEOE00RO, IVKAOE0000, FVKAEOE00RO, HVABOE00RO, GVABOE0000, GVABOE00RO, FVABOE00RO, FVFB0EX0RO, IVKBOE0000, FVKB0E00RO, IVACOE00RO, BON080EF88, GVACOE00RO, FVACOE00RO, IVACOMO0RO, GVACOMO0RO...(Other models you can see in the webshop)		

			
No.	420140	Ref. No.	0K4735
description	heating element 6000W 230V heating circuits 3 L 434mm W 38mm H 35mm tube ø 8.5mm number of thermostat sleeves 0 connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		
For models:	ACSGRT, GWACOE00RO, FWAAMO00RO, GWACOMO0RO, IWKCOE0000, HWAHOE00RO, GWAHOE0000, GWAHOE00RO, FWAHOE00RO, BEN150EW87, HWAJOE00RO, GWAJOE00RO, FWAJOE00RO, BEN200EW87, GWAJOM00RO, FWFJOEX000, FWFJOEX0RO, BEN300E.S35.H97, GWAKOE00RO, FWAKOE00RO, IWAKOMO0RO, GWAKOMO0RO, FWFKOEX0RO, FWKKOE00RO, IVALOE0000, IVALOE00RO, BEN400E.S35.H97, BEN400EF97, FVALOE00RO, GVALOMO0RO, IVAAOE0000, HVAEOE00RO, GVAEOE0000, GVAEOE00RO, FVAEOE00RO, IVKAOE0000, FVKAEOE00RO, HVABOE00RO, GVABOE0000, GVABOE00RO, FVABOE00RO, FVFB0EX0RO, IVKBOE0000, FVKB0E00RO, IVACOE00RO, BON080EF88, GVACOE00RO, FVACOE00RO, IVACOMO0RO, GVACOMO0RO...(Other models you can see in the webshop)		

			
No.	420120	Ref. No.	0K4736 18001105
description	heating element 6000W 230V heating circuits 3 L 435mm W 43mm H 33mm tube ø 8.5mm thermostat sleeves ø 5mm length thermostat sleeves 190mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging/not clinging connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		
For models:	ACSGRT, GWACOE00RO, FWAAMO00RO, GWACOMO0RO, IWKCOE0000, HWAHOE00RO, GWAHOE0000, GWAHOE00RO, FWAHOE00RO, BEN150EW87, HWAJOE00RO, GWAJOE00RO, FWAJOE00RO, BEN200EW87, GWAJOM00RO, FWFJOEX000, FWFJOEX0RO, BEN300E.S35.H97, GWAKOE00RO, FWAKOE00RO, IWAKOMO0RO, GWAKOMO0RO, FWFKOEX0RO, FWKKOE00RO, IVALOE0000, IVALOE00RO, BEN400E.S35.H97, BEN400EF97, FVALOE00RO, GVALOMO0RO, IVAAOE0000, HVAEOE00RO, GVAEOE0000, GVAEOE00RO, FVAEOE00RO, IVKAOE0000, FVKAEOE00RO, HVABOE00RO, GVABOE0000, GVABOE00RO, FVABOE00RO, FVFB0EX0RO, IVKBOE0000, FVKB0E00RO, IVACOE00RO, BON080EF88, GVACOE00RO, FVACOE00RO, IVACOMO0RO, GVACOMO0RO...(Other models you can see in the webshop)		

1

				
No.	415598	Ref. No.	046622 046623	
description	heating element 4500W 230V heating circuits 3 mounting ø 47.5mm L 350mm W 28mm H 34mm round flange connection male faston 6.3mm immersion heater tube ø 6.5mm thermostat sleeves ø 6.5mm number of thermostat sleeves 1 length thermostat sleeves 305mm thermostat sleeve centre not clinging			
For models:	LSE720DK, LS720, LS720N			
spare parts for	415598			
	No.	510408	Ref. No.	046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
accessories for	415598			
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	520235	Ref. No.	—
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm				
	No.	520236	Ref. No.	003362 065558 0K2022 0K2917 0KD441 H24512000
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	550002	Ref. No.	—
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				

			
No.	415405	Ref. No.	045559 058011 0L1879
description	heating element 6000W 230V heating circuits 3 L 465mm W 38mm H 24mm tube ø 6.3mm connection male faston 6.3mm immersion heater round flange mounting ø 47.5mm		
For models:	HQN/EI17, HQN/EI1225, HQNEI817, HQNEI122, CT142DXE, CT142SXE, CT142DXEUK, CT142SXEU, CT142DXV, CT142SXV, CT190DXE, CT190SX, CT190DXEUK, CT190SXEU, CT190DXV, CT190SXV, CT191DXE, CT191SX, CT191DXEUK, CT191SXEU, CT191DXV, CT191SXV, CT192DXE, CT192SX, CT192DXEUK, CT192SXEU, CT192DXV, CT192SXV, CT240DXE, CT240SX, CT240DXEUK, CT240SXUK, CT240DXV, CT240SXV, CT241DXE, CT241SX, CT241DXEUK, CT241SXUK, CT241DXV, CT241SXV, CT142DXEZ, CT142SXEZ, CT142DXVZ, CT142SXVZ, CT190DXEZ, CT190SXEZ, CT190DXV, CT190SXV, CT191DXE, CT191SX... (Other models you can see in the webshop)		
spare parts for	415405		
	No.	504148	Ref. No. —
	boiler		
accessories for	415405		
	No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	No.	520236	Ref. No. 003362 065558 0K2022 0K2917 0KD441 H24512000
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	No.	521012	Ref. No. —
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs		
	No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

			
No.	419097	Ref. No.	0H9761 0H9762 0K4801 0K4802 0K4807
description	heating element 6000W 230V heating circuits 3 mounting ø 47.5mm L 500mm W 38mm H 38mm round flange immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 280mm thermostat sleeve eccentric, clinging		

			
No.	420122	Ref. No.	0K6397
description	heating element 6000W 240V heating circuits 3 L 430mm W 39mm H 33mm tube ø 8.5mm thermostat sleeves ø 5mm length thermostat sleeves 190mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging/not clinging connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		
For models:	ACSGRT, GWACOE00RO, FWAAMO00RO, GWACOMO0RO, IWKCOE00RO, HWAHOE00RO, GWAHOE00RO, GWAHOE00RO, FWAHOE00RO, BEN150EW87, HWAJOE00RO, GWAJOE00RO, FWAJOE00RO, BEN200EW87, GWAJOMO0RO, FWFJOE00RO, FWFJOEX0RO, BEN300E.S35.H97, GWAKOE00RO, FWAKOE00RO, IWAKOMO0RO, GWAKOMO0RO, FWFKOE00RO, FWFKOE00RO, IVALOE00RO, IVALOE00RO, BEN400E.S35.H97, BEN400EF97, FVALOE00RO, GVALOMO0RO, IVAAOE00RO, HVAAOE00RO, GVAAOE00RO, GVAAOE00RO, FVAAOE00RO, IVKAOE00RO, FVKAOE00RO, HVAOE00RO, GVABOE00RO, GVABOE00RO, FVABOE00RO, FVFB0EX0RO, IVKBOE00RO, FVKB0E00RO, IVACOE00RO, BON080EF88, GVACOE00RO, FVACOE00RO, IVACOMO0RO, GVACOMO0RO... (Other models you can see in the webshop)		

			
No.	418188	Ref. No.	055431 055463 056011 0K9195
description	heating element 7500W 220V heating circuits 3 mounting ø 47.5mm L 260mm W 35mm H 32mm round flange cable length 1040mm immersion heater tube ø 6.2mm		
For models:	FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVE203CE, FCV/E6-1, FCV/E6-1		
accessories for	418188		
	No.	510408	Ref. No. 046213 055533 067620 0H2559 0L2765 19006668 19006946
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	No.	520236	Ref. No. 003362 065558 0K2022 0K2917 0KD441 H24512000
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

with round flange ø57.5mm



No.	420313	Ref. No.	OE5066 OL1836
description	heating element 10000W 230V heating circuits 3 mounting ø 57.5mm L 455mm W 44mm H 42mm round flange connection male faston 6.3mm immersion heater tube ø 6.2mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 225mm thermostat sleeve eccentric, non clinging		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		
accessories for	420313		
	No.	510409	Ref. No.
	007029 047156 049909 OE5037 OK9011 543613600 740483105		
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
	No.	550002	Ref. No.
	—		
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			



No.	418983	Ref. No.	OE5213 OK7530
description	heating element 12000W 220V heating circuits 3 mounting ø 57.5mm L 455mm W 40mm H 30mm connection M5 immersion heater tube ø 6.3mm connection length 20mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 290mm thermostat sleeve upper dishwasher		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST...(Other models you can see in the webshop)		



No.	419021	Ref. No.	OE5116 0H2515 OK8251 OL1837
description	heating element 12000W 230V heating circuits 3 mounting ø 57.5mm L 460mm W 44mm H 34mm connection male faston 6.3mm tube ø 6.25mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 230mm thermostat sleeve eccentric, non clinging		
For models:	PW2MG, PW2MUK, PW2M60, WT850M, WT850MUK, WT850M60G, RT100ED, RT100ES, RT140ED, RT140ES, RT190ED, RT190ES, RT190HDED, RT190HDES, RT270ED, RT270ES, RT270HDED, RT270HDES, RT100ERF, RT100ELF, RT140ERF, RT140ELF, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190HERF, RT190HELF, RT270ERF, RT270ELF, RT270HERF, RT270HELF, RT100ERG, RT100ELG, RT140ERG, RT140ELG, RT190ERG, RT190ELG, RT190HERG, RT190HELG, RT270ERG, RT270ELG, RT270HERG, RT270HELG, RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230...(Other models you can see in the webshop)		



No.	420315	Ref. No.	OK8506 30001786
description	heating element 12000W 230V heating circuits 3 mounting ø 57.5mm L 480mm W 36mm H 57mm round flange connection M5 immersion heater tube ø 6.2mm H1 45mm H2 12mm L1 40mm L2 440mm number of thermostat sleeves 0		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST...(Other models you can see in the webshop)		



	No.	419132	Ref. No.	OE5162 OL1861
description		heating element 12000W 230V heating circuits 3 mounting ø round flange ø57.5mmmm L 460mm W 35mm H 55mm round flange immersion heater tube ø 6.2mm H2 35mm L1 40mm L2 400mm		
For models:		RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		
accessories for		419132		
	No.	510409	Ref. No.	007029 047156 049909 OE5037 OK9011 543613600 740483105
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
	No.	560400	Ref. No.	—
	flat-headed bolt thread M5 thread L 8mm SS DIN 84/ISO 1207 Qty 1 pcs intake slotted head ø 8.3mm head thickness 3.2mm			
	No.	699566	Ref. No.	—
	connection terminal for heating element			



No.	420317	Ref. No.	OK8505 30200035 6120444401
description	heating element 15000W 230V heating circuits 3 mounting ø 57.5mm L 480mm W 32mm H 60mm round flange connection M5 immersion heater tube ø 6.3mm H1 40mm H2 20mm L1 450mm L2 30mm number of thermostat sleeves 0		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST...(Other models you can see in the webshop)		

			
No.	418982	Ref. No.	OE5115 OK8250 OL1833
description	heating element 4000W 230V heating circuits 3 mounting ø 57.5mm L 455mm W 40mm H 32mm connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 290mm thermostat sleeve upper dishwasher		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		

			
No.	420316	Ref. No.	OE5114 OK8249 OL1834 20391212
description	heating element 6000W 230V heating circuits 3 mounting ø 57.5mm L 463mm W 40mm H 40mm round flange connection male faston 6.3mm immersion heater tube ø 6.25mm thermostat sleeves ø 6.5mm number of thermostat sleeves 1 length thermostat sleeves 308mm thermostat sleeve eccentric, clinging		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, WTF2ERC, WTF2ELC, WTF2SRC, WTF2SLC, WTF2HERC, WTF2HELC, WTF2HSRC, WTF2HSLC, WTF3ERC, WTF3ELC, WTF3SRC, WTF3SLC, WTF3HERC, WTF3HELC, WTF3HSRC, WTF3HSLC, WTF2ERB, WTF2ELB, WTF2SRB, WTF2SLB, WTF2HERB, WTF2HELB...(Other models you can see in the webshop)		
accessories for	420316		
	No.	510409	Ref. No.
			007029 047156 049909 0E5037 OK9011 543613600 740483105
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

			
No.	419087	Ref. No.	OK7528
description	heating element 6900/7500W 230/240V heating circuits 3 mounting ø 57.5mm L 325mm W 40mm H 40mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 6.2mm number of thermostat sleeves 1 length thermostat sleeves 300mm thermostat sleeve eccentric, clinging		
For models:	AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP...(Other models you can see in the webshop)		

			
No.	420224	Ref. No.	OH2277
description	heating element 7500W 220V heating circuits 3 mounting ø 57.5mm L 324mm W 40mm H 42mm flange connection connection male faston 6.3mm immersion heater tube ø 6mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 290mm thermostat sleeve eccentric, clinging		
For models:	PW1MG, PW1MUK, PW160HZ, PW1MHG, WT830M, WT830MUK, WT830M60G, WT830MHG, PW100M, PW100MHG		

			
No.	418615	Ref. No.	OE5161 OK8245 OL1859
description	heating element 7500W 230V heating circuits 3 mounting ø round flange ø57.5mmmm L 440mm W 35mm H 55mm round flange immersion heater tube ø 6.2mm H1 20mm H2 35mm L1 40mm L2 400mm		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		
spare parts for	418615		
	No.	510409	Ref. No.
			007029 047156 049909 0E5037 OK9011 543613600 740483105
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
accessories for	418615		
	No.	550002	Ref. No.
			—
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

			
No.	420318	Ref. No.	047155
description	heating element 8000W 220V heating circuits 3 mounting ø 57.5mm L 475mm W 56mm H 41mm round flange connection M5 immersion heater tube ø 8.4mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 265mm thermostat sleeve eccentric, clinging		
For models:	CT142DXE, CT142SXE, CT142DXEUK, CT142SXEUK, CT142DXV, CT142SXV, CT190DXE, CT190SXE, CT190DXEUK, CT190SXEUK, CT190DXV, CT190SXV, CT191DXE, CT191SXE, CT191DXE, CT191SXEUK, CT191DXV, CT191SXV, CT142DXEZ, CT142SXEZ, CT142DXVZ, CT142SXVZ, CT190DXEZ, CT190SXEZ, CT190DXV, CT190SXV, CT191DXE, CT191SXE, CT191DXV, CT191SXV		



1

No.	420312	Ref. No.	OE5113 OL1835
description	heating element 8000W 230V heating circuits 3 mounting ø 57.5mm L 455mm W 40mm H 42mm round flange connection male faston 6.3mm immersion heater tube ø 6.2mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 225mm thermostat sleeve eccentric, non clinging		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		



2

No.	420306	Ref. No.	OE5163 OL1860
description	heating element 9000W 230V heating circuits 3 mounting ø 57.5mm L 450mm W 34mm H 60mm round flange ø 57.5mm connection M5 immersion heater tube ø 6.5mm H1 36mm H2 24mm L1 50mm L2 400mm number of thermostat sleeves 0		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		
accessories for	420306		
	No.	510409	Ref. No.
			007029 047156 049909 OE5037 OK9011 543613600 740483105
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

special flanges



1

No.	416975	Ref. No.	OK0516
description	heating element 15000W 400V heating circuits 6 L 263mm W 240mm H 80mm tube ø 6.5mm connection cable cable length 1500mm immersion heater special fixing hole distance 48/56mm flange length 335mm flange width 125mm hole ø 10mm		
For models:	7561-3.KES60.RW, 7751-3/85.KES60, 7550-3/85.KES40.(N), 7551-3/85.KES60, 7550-3/90.KES40.(N), 7551-3/90.KES60, 7561-3/85.KES60.RW., 7561-3/90.KES60.RW., 7585-3/85.KK40.MOTK., 7586-3/85.KK60.MOTK., 7585-3/90.KK40.MOTK., 7586-3/90.KK60.MOTL., 7550-3, 7551-3, 7560-3, 7561-3, 7580-3, 7581-3, 7750-3, 7750-3/85.KES40, 7750-3/90.KES40, 7751-3, 7751-3/90.KES60, 7780-3, 7781-3, 7785-3/85.KK40.MOTK., 7785-3/90.KK40.MOTK., 7786-3/85.KK60.MOTK., 7786-3/90.KK60.MOTK., 9111-3, 9113-3, 9171-3, 9172-3, 9181-3, 9182-3, 9311-3-0, 9311-3-8, 9313-3-0, 9313-3-8, 9371-3-0, 9371-3-8, 9372-3-0, 9372-3-8, 9381-3-0, 9381-3-8, 9382-3-0, 9382-3-8, 9411-3, 9413-3, 9414-3...(Other models you can see in the webshop)		
accessories for	416975		
	No.	510560	Ref. No.
			OG0027 OH6992 OK5577 19006925 2871981 700645
gasket EPDM thickness 6mm ID ø 200mm dimensions 280x70mm Qty 1 pcs for heating element			



1

No.	415797	Ref. No.	OK0517
description	heating element 18000W 400V heating circuits 6 L 325mm W 240mm H 45mm tube ø 6.5mm connection cable cable length 1250mm immersion heater rectangular flange hole distance 62mm flange length 336mm flange width 126mm hole ø 10mm		
For models:	7562-3.KES80.RW, 7563-3.KES100.RW, 7552-3/85.KES80.(N), 7553-3/85.KES100.(N), 7552-3/90.KES80.(N), 7553-3/90.KES100.(N), 7562-3/85.KES80.RW., 7563-3/85.KES100.RW., 7562-3/90.KES80.RW., 7563-3/90.KES100.RW., 7587-3/85.KK80.MOTK., 7588-3/85.KK100.MOTK, 7587-3/90.KK80.MOTK., 7588-3/90.KK100.MOTK, 7552-3, 7553-3, 7562-3, 7563-3, 7582-3, 7583-3, 7752-3, 7752-3/85.KES80, 7752-3/90.KES80, 7753-3, 7753-3/85.KES100, 7753-3/90.KES100, 7782-3, 7783-3, 7787-3/85.KK80.MOTK., 7787-3/90.KK80.MOTK., 7788-3/85.KK100.MOTK, 7788-3/90.KK100.MOTK, 9114-3, 9115-3, 9172-3, 9173-3, 9174-3, 9183-3, 9184-3, 9314-3-0, 9314-3-8, 9315-3-0, 9315-3-8, 9372-3-0, 9372-3-8, 9373-3-0, 9373-3-8, 9374-3-0, 9374-3-8, 9383-3-0...(Other models you can see in the webshop)		
accessories for	415797		
	No.	510560	Ref. No.
			OG0027 OH6992 OK5577 19006925 2871981 700645
gasket EPDM thickness 6mm ID ø 200mm dimensions 280x70mm Qty 1 pcs for heating element			

			
1			
No.	415798	Ref. No.	OK0521
description	heating element 22500W 400V heating circuits 6 immersion heater rectangular flange		
accessories for	415798		
	No.	510560	Ref. No.
			OG0027
			0H6992
			OK5577
			19006925
gasket EPDM thickness 6mm ID ø 200mm dimensions 280x70mm Qty 1 pcs for heating element			

			
1			
No.	415799	Ref. No.	0H6152 0H6153
description	heating element 25200W 400V heating circuits 6 L 470mm W 235mm H 90mm connection cable length 1500mm immersion heater special fixing hole distance 48/56mm hole ø 10mm		
For models:	7564-3.KES150.RW, 7554-3/85.KES150.(N), 7554-3/90.KES150.(N), 7564-3/85.KES150.RW., 7564-3/90.KES150.RW., 7585-3/85.KK40.MOTK., 7585-3/90.KK40.MOTK., 7554-3, 7564-2, 7568-3, 7569-3/85.KK200.MOTK, 7569-3/90.KK200.MOTK, 7584-3, 7589-3/85.KK150.MOTK, 7589-3/90.KK150.MOTK, 7754-3, 7754-3/85.KES150, 7754-3/90.KES150, 7768-3, 7769-3/85.KK200.MOTK, 7769-3/90.KK200.MOTK, 7784-3, 7785-3/85.KK40.MOTK., 7789-3/85.KK150.MOTK, 7789-3/90.KK150.MOTK, 9116-3, 9174-3, 9175-3, 9176-3, 9185-3, 9316-3-0, 9316-3-8, 9374-3-0, 9374-3-8, 9375-3-0, 9375-3-8, 9376-3-0, 9376-3-8, 9385-3-0, 9385-3-8, 9386-3-0		
accessories for	415799		
	No.	510560	Ref. No.
			OG0027
			0H6992
			OK5577
			19006925
gasket EPDM thickness 6mm ID ø 200mm dimensions 280x70mm Qty 1 pcs for heating element			

			
1			
No.	419089	Ref. No.	OKJ275
description	heating element 6000W 220V heating circuits 3 L 225mm W 140mm H 100mm hole ø 9mm cable length 250mm tube ø 8.5mm flange length 235mm flange width 125mm immersion heater		

miscellaneous

			
1			
No.	420305	Ref. No.	OC5840
description	heating element 17000W 400V heating circuits 6 L 395mm W 76mm H 61mm flange connection hole ø 6mm connection male faston 6.3mm flange length 105mm flange width 87mm tube ø 8.5mm immersion heater number of thermostat sleeves 1 length thermostat sleeves 120mm thermostat sleeve eccentric, clinging/not clinging		
For models:	FCZ101EAA, FCZ101EAH, FCZ101EAN, FCZ101ETA, FCZ101ETH, FCZ101ETN, FCZ101EBA, FCZ101EBH, FCZ101EBN, FCZ101EBC, FCZ101EBA2, FCZ101EBH2, FCZ101EBN2, FCZ101EBC2, FCZ101ECA, FCZ101ECH, FCZ101ECN, FCZ101ECA2, FCZ101ECH2, FCZ101ECN2, AOW101EA, AOW101EABU, AOS101EAA1, AOS101EAH1, AOS101EAN1, AOS101EAC1, AOS101EAE1, AOS101EAF1, AOS101EAQ1, AOS101EAM1, AOS101EAB1, AOS101EAK1, AOS101EAT1, AOS101ETA1, AOS101ETH1, AOS101ETN1, AOS101ETC1, AOS101ETE1, AOS101ETF1, AOS101ETM1, AOS101ETK1, AOS101EBA1, AOS101EBH1, AOS101EBN1, AOS101EBC1, AOS101EBE1, AOS101EBF1, AOS101EBK1, AOS101EBA2, AOS101EBH2...(Other models you can see in the webshop)		
accessories for	420305		
	No.	901629	Ref. No.
			OC5834
flange gasket L 101mm W 83mm hole ø 6mm hole distancemm 7 holes thickness 5mm for heating element			

			
1			
No.	420284	Ref. No.	OC5841
description	heating element 24000W 400V heating circuits 6 L 535mm W 60mm H 75mm 7 hole fixing connection male faston 6.3mm flange length 105mm flange width 87mm tube ø 8.4mm immersion heater number of thermostat sleeves 1 length thermostat sleeves 120mm thermostat sleeve eccentric, clinging thermostat sleeves ø 4.7mm		
For models:	FCZ102EAA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ102EBA, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ102ECA, FCZ102ECA2, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, AOS102EAA1, AOS201EAA1, AOS202EAA1, AOS201EAH1, AOS102EAC1, AOS201EAF1, AOS102EAS1, AOS201EAQ1, AOS102EAM1, AOS102EAB1, AOS102EAK1, AOS201EAK1, AOS202EAK1, AOS102EAT1, AOS201EAT1, AOS202EAT1, AOS102ETA1, AOS201ETA1, AOS202ETA1, AOS201ETH1, AOS201ETN1, AOS201ETC1, AOS201ETE1, AOS201ETF1, AOS102ETM1, AOS201ETM1, AOS202ETM1, AOS102ETK1, AOS201ETK1, AOS202ETK1, AOS102EBA1...(Other models you can see in the webshop)		
accessories for	420284		
	No.	901629	Ref. No.
			OC5834
flange gasket L 101mm W 83mm hole ø 6mm hole distancemm 7 holes thickness 5mm for heating element			

			
No.	420548	Ref. No.	0C5839
description	heating element 9000W 400V heating circuits 6 L 235mm W 85mm H 58mm flange connection hole ø 6mm connection male faston 6.3mm flange length 105mm flange width 90mm tube ø 8.5mm number of thermostat sleeves 1 length thermostat sleeves 125mm thermostat sleeve eccentric, clinging		
For models:	FCZ061EAA, FCZ061EAH, FCZ061EAN, FCZ061ETA, FCZ061ETH, FCZ061ETN, FCZ061EBA, FCZ061EBH, FCZ061EBN, FCZ061EBC, FCZ061EBA2, FCZ061EBH2, FCZ061EBN2, FCZ061EBC2, FCZ061ECA, FCZ061ECH, FCZ061ECN, FCZ061ECA2, FCZ061ECH2, FCZ061ECN2, AOS061EAA1, AOS061EAH1, AOS061EAN1, AOS061EAC1, AOS061EAE1, AOS061EAF1, AOS061EAM1, AOS061EAB1, AOS061EAK1, AOS061EAT1, AOS061ETA1, AOS061ETH1, AOS061ETN1, AOS061ETC1, AOS061ETE1, AOS061ETF1, AOS061ETM1, AOS061ETK1, AOS061EBA1, AOS061EBH1, AOS061EBN1, AOS061EBC1, AOS061EBE1, AOS061EBF1, AOS061EBK1, AOS061EBA2, AOS061EBH2, AOS061EBN2, AOS061EBC2, AOS061EBE2...(Other models you can see in the webshop)		

3/4"			
			
No.	415580	Ref. No.	0G0334 0H9764 0K4804 18002029 1GVL0C955001 740403
description	heating element 5000W 400V heating circuits 1 L 404mm W 23mm H 80mm cable length 400mm connection length 85mm immersion heater flange with thread H1 52mm H2 28mm thread 3/4"		
For models:	VARIOTEAM/S-33.3/F, STEAM-O-MAT		
accessories for	415580		
  	No.	510403	Ref. No. —
	flat gasket fibre ED ø 36.5mm ID ø 27mm thickness 2mm Qty 1 pcs		
	No.	510421	Ref. No. —
 	gasket copper ED ø 31.8mm ID ø 26.4mm thickness 2.2mm for thread 3/4"		
	No.	520234	Ref. No. —
nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs			

1 1/4"				
				
1				
No.	415390	Ref. No.	0H6173	
description	heating element 7500W 230V heating circuits 3 thread 1 1/4" L 410mm W 35mm H 28mm tube ø 6.5mm immersion heater flange with thread			
accessories for	415390			
	No.	510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs			
	No.	520232	Ref. No.	—
	nut thread 1 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs			

accessories for	415390		
	No.	528021	Ref. No. —
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

1½"



1

No.	415401	Ref. No.	214119	
description	heating element 4500W 230V heating circuits 3 thread 1½" L 315mm W 33mm H 30mm thermostat sleeves ø 6mm length thermostat sleeves 240mm connection M4x0.75 immersion heater flange with thread no original spare part			
spare parts for	415401			
	No.	510406	Ref. No.	—
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs			
accessories for	415401			
	No.	510424	Ref. No.	—
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"			
	No.	520211	Ref. No.	—
	reducer thread 2" ET - 1½" IT brass			
	No.	520212	Ref. No.	066079
	hexagonal nut thread 1½" brass WS 60 H 8mm			
	No.	550361	Ref. No.	—
	blind flange ø 58mm thread 1½"			

				
1				
No.	415392	Ref. No.	0K0548 1274600137 214066 415392	
description	heating element 6000W 400V heating circuits 3 thread 1½" L 405mm W 36mm H 33mm thermostat sleeves ø 9mm length thermostat sleeves 360mm thermostat sleeve not clinging tube ø 8.5mm connection M4 immersion heater connection length 60mm flange with thread number of thermostat sleeves 1			
spare parts for	415392			
	No.	510406	Ref. No.	—
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs			
accessories for	415392			
	No.	510424	Ref. No.	—
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"			
	No.	520211	Ref. No.	—
	reducer thread 2" ET - 1½" IT brass			
	No.	520212	Ref. No.	066079
	hexagonal nut thread 1½" brass WS 60 H 8mm			
	No.	550361	Ref. No.	—
	blind flange ø 58mm thread 1½"			

1				
No.	415403	Ref. No.	OH6160 415403	
description	heating element 7500W 230V heating circuits 3 thread 1½" L 495mm W 36mm H 33mm thermostat sleeves ø 9mm length thermostat sleeves 400mm thermostat sleeve centre not clinging tube ø 8.5mm connection M4 immersion heater connection length 35mm flange with thread number of thermostat sleeves 1			
accessories for	415403			
	No.	510406	Ref. No.	—
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs			
	No.	510424	Ref. No.	—
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"			
	No.	520211	Ref. No.	—
	reducer thread 2" ET - 1½" IT brass			
	No.	520212	Ref. No.	066079
	hexagonal nut thread 1½" brass WS 60 H 8mm			
	No.	550361	Ref. No.	—
	blind flange ø 58mm thread 1½"			

				
No.	415404	Ref. No.	214067	
description	heating element 9000W 230V heating circuits 3 thread 1½" L 600mm W 39mm H 37mm thermostat sleeves ø 9mm length thermostat sleeves 450mm thermostat sleeve centre not clinging tube ø 8.5mm connection M4 immersion heater flange with thread number of thermostat sleeves 1			
spare parts for	415404			
	No.	510406	Ref. No.	—
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs			
accessories for	415404			
	No.	510424	Ref. No.	—
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"			
	No.	520211	Ref. No.	—
	reducer thread 2" ET - 1½" IT brass			
	No.	520212	Ref. No.	066079
	hexagonal nut thread 1½" brass WS 60 H 8mm			
	No.	550361	Ref. No.	—
	blind flange ø 58mm thread 1½"			



1			
No.	419166	Ref. No.	OPRF12
description	heating element 1400W 230V heating circuits 1 L 235mm W 50mm H 30mm thread M10x1 tube ø 6.3mm connection male faston 6.3mm		

1

				
No.	415909	Ref. No.	OHA117	
description	heating element 2000W 230V heating circuits 1 L 243mm W 34mm H 24mm L1 35mm L2 204mm thread M10x1 mounting distance 28mm tube ø 6.3mm 2 hole fixing connection male faston 6.3mm immersion heater			
For models:	LB035C, G350C, LBICEQ010			
accessories for	415909			
	No.	510416	Ref. No.	—
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			
	No.	510893	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
	No.	520231	Ref. No.	—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	No.	521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			



1

No.	415010	Ref. No.	069437 069671 069791 230085	
description	heating element 2000W 230V heating circuits 1 L 260mm W 125mm H 20mm L1 110mm L2 150mm W1 42mm W2 83mm thread M10x1 mounting distance 70mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing			
For models:	LTB11, LTB12, LTB22, LTB11UK, LTB12UK, LTB22UK, LTB11, LTB22, 910-00-021, 910-00-023, 910-00-031, 910-00-033, 911-00-022, 911-00-024, 911-00-032, 911-00-034, CRYSTAL 11, CRYSTAL 22			
spare parts for	415010			
	No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				
accessories for	415010			
	No.	504306	Ref. No.	069438 075646 0E5524 0KK028
gasket fibre ED ø 16mm ID ø 10mm thickness 2mm Qty 1 pcs				
	No.	510893	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				

accessories for 415010				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

				
1				
No.	415073	Ref. No.	046284 047484 047506 047507	
description	heating element 2200W 220V heating circuits 1 L 403mm W 138mm H 22mm L1 124mm L2 279mm W1 27mm W2 84mm thread M14x1 mounting distance 80mm tube ø 8.5mm 2 hole fixing connection M5 immersion heater			
For models:	LS500F, LS501F, LS540F, LS540DK, LS541F, LS540, LSD551, LSD55V, LS500F, LS500UK, LS501, LS501UK, LS540D, LS540/63, LS541, LS510, LS520, LS520D, LS520F, LS520M, LS520K, LS521, LS521D, LS521F, LS521M, LS521K, LS521, LS4, LS500, LS501, LS540, ZLS510, ZLS520, ZLS521, ALS540, ALLS521, ALLS520, ALS510, C51, C52, C50, LS520ZD, LS521ZD, CF314, LS510MZ, LS520MZ, LS521MZ			
accessories for	415073			
	No.	510417	Ref. No.	0K6103 0K6660 0K8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521133	Ref. No.	—
nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	550261	Ref. No.	006245 0K9627 514875601
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560112	Ref. No.	0E1119
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5				
	No.	560132	Ref. No.	—
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				



1

No.	415072	Ref. No.	046404 046418 047620 047848 048000 048086 0H2485 0K8766	
description heating element 2200W 230V heating circuits 1 L 325mm W 83mm H 25mm thread M14x1 mounting distance 75mm tube ø 8.5mm connection male faston 6.3mm 2 hole fixing immersion heater				
For models: LS360F, LS360DK, LS365F, LS365, LS365PH, LS360D, LS365D, LS360, LS365, LS360/63, LS365/63, LS367, LS720F, LSE720DK, LSE720PH, LS860F, LS860DK, LS860PH, LS1080F, LS1080UK, LS1080PH, LSE721F, LS861F, LS1080M, LS1080, LS1080D, LS1080UK, LS1080/63, LSE721, LS720, LSE720UK, LS721UK, LSE720D, LS860, LS860, LS860D, LS860UK, LS861UK, LS860/63, LS861, LS520D, LS520K, LS521D, LS521M, LS521K, LS521, LS360, LS365F, 652120Z, LS860...(Other models you can see in the webshop)				
accessories for 415072				
	No.	510417	Ref. No.	0K6103 0K6660 0K8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521133	Ref. No.	—
nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	550261	Ref. No.	006245 0K9627 514875601
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

			
No.	419098	Ref. No.	0K6870
description	heating element 3200W 380V heating circuits 1 L 465mm W 130mm H 28mm thread M14x1.5 mounting distance 122mm tube ø 8.5mm immersion heater 2 hole fixing		

			
1			
No.	420142	Ref. No.	OKJ338
description	heating element 4000W 380V heating circuits 1 H 120mm tube ø 8.3mm connection M4 immersion heater 12 hole fixing for kettle W1 52mm H1 28mm H2 92mm thread M14x1.5 ø 79mm windings 7 mounting distance 44mm		

			
1			
No.	420141	Ref. No.	OK8600
description	heating element 5000W 230V heating circuits 1 L 116mm W 79mm tube ø 8.5mm connection M4 immersion heater 2 hole fixing for kettle W1 53mm H1 29mm H2 88mm thread M14x1.5 ø 79mm windings 7 mounting distance 45mm		
For models:	EBE40., EBE40, EBE40., EBE040, EBE60., EBE60., EBE60, EBE80., EBE80., EBE80, EBE100., EBE100., EBE100., EBE100, BASIC40, BASIC60, BASIC80., BASIC100, EBE40AWF, EBE60AWF, EBE80AWF, EBE100AWF		

2 connections

angled

group 1

			
1			
No.	418007	Ref. No.	059680
description	heating element 1050W 230V heating circuits 1 L 425mm W 41.5mm H 92mm tube ø 8.5mm connection M5 dry heating element connection distance 33mm		
For models:	HPN/ED811, HPN/ED816, HPA/ED825, ZPN/ED811, ZPN/ED816, APN/EI815D, APN/EI810, APN/EI815, APN/ED816, APNS/EI815		

			
1			
No.	418008	Ref. No.	059679
description	heating element 1250W 230V heating circuits 1 L 485mm W 44mm H 95mm tube ø 8.7mm connection M5 connection length 22mm dry heating element connection distance 35mm		
For models:	HPN/ED811, HPN/ED816, HPA/ED825, ZPN/ED811, ZPN/ED816, APN/EI815D, APN/EI810, APN/EI815, APN/ED816, APNS/EI815		

			
1			
No.	418006	Ref. No.	059681
description	heating element 750W 230V heating circuits 1 L 317mm W 41.5mm H 92mm tube ø 8.5mm connection M5 dry heating element connection distance 33mm		
For models:	HPN/ED811, HPN/ED816, HPA/ED825, ZPN/ED811, ZPN/ED816, APN/EI815D, APN/EI810, APN/EI815, APN/ED816, APNS/EI815		

heating elements for convection

1

No.	415119	Ref. No.	0A2017	
description	heating element 1600W 230V heating circuits 1 ID ø 179mm ED ø 197mm L 254mm H 30mm L1 51mm W1 31mm H1 9mm H2 21mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 41mm tube ø 6.3mm convection heating element hole ø 4mm rectangular flange			
For models:	655-00-106, 655-00-107			
accessories for	415119			
	No.	510368	Ref. No.	057534
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

1

No.	415123	Ref. No.	0H6212 1748100123 214759
description	heating element 1750W 220V heating circuits 1 ID ø 186mm ED ø 199mm L 222mm H 29mm L1 14mm W1 30mm H1 9mm H2 20mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
accessories for	415123		
	No.	510368	Ref. No.
	057534		gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element

			
No.	415351	Ref. No.	054609 054610 054613 054614 056945 058145
description	heating element 2500W 230V heating circuits 1 ID ømm L 544mm L1 100mm W1 160mm flange length 70mm flange width 22mm hole distance 56mm ED ømm connection male faston 6.3mm tube ø 8.5mm dry heating element hole ø 50mm rectangular flange L2 444mm W2 33mm W 350mm		
For models:	FCF/E6-0, FCF061ELN, FCF6EHOR, FCF061ENS, FCFE6-1J, FCFE6D, FCFE6D, FCFE6, FCFE6UK, PFCFE6, ECF/E6-0, ECF061ENS, ECF061E5M, ECF061ECV, FCF/E6, ACF/E6-0, JCF/E6-1, JCF/E6-2, RCF061E, ACF/E6, NCF/E6-0, COCO6E, FCFE061, ZCF/E6-0		

			
No.	419091	Ref. No.	005217
description	heating element 2500W 230V heating circuits 11 ID ø 180mm ED ø 199mm L 245mm H 28mm L1 46mm W1 27mm H1 4mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm vertical connection length 45mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		



1

			0H6157 0H6209 OK0546 OK0606 415116
No.	415116	Ref. No.	
description	heating element 2600W 230V heating circuits 1 ID ø 190mm ED ø 210mm L 220mm H 28mm L1 10mm W1 31mm H1 5mm H2 23mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
accessories for	415116		
	No.	510368	Ref. No.
			057534
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			



1

			
No.	418083	Ref. No.	054980 055503 2410053880
description	heating element 3000W 230V heating circuits 1 ID ø 179mm ED ø 190mm L 245mm H 35mm L1 45mm W1 30mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 18mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	FCF/E4, FCF/E4-3KW, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCVE20/P-V, FCVE20-V, FCVE20VUK, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, FCF/E4OLD3, ACF/E4, ACF/E4-3KW, NCF/E4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D, ZCF/E4, ZCF/E4, FCV/E20-V		
accessories for	418083		
	No.	510368	Ref. No. 057534
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
No.	418470	Ref. No.	0H6168 214154 214166 60050388
description	heating element 3000W 230V heating circuits 2 ID ø 350mm ED ø 365mm L 390mm H 118mm W1 62mm H1 34mm H2 84mm flange length 85mm flange width 30mm connection length 90mm tube ø 6.5mm dry heating element hole ø 6.5mm rectangular flange L1 40mm		
For models:	5611-3-10, 5611-3-6, 5611-3-8		

			
No.	418487	Ref. No.	OK3049 OKA698 293688
description	heating element 3150W 230V heating circuits 3 ID ø 201mm ED ø 218mm L 275mm H 41mm L1 54mm W1 63mm H1 3mm H2 38mm flange length 93mm flange width 22mm hole distance 78mm connection male faston 6.3mm connection length 65mm tube ø 8.5mm convection heating element hole ø 5mm rectangular flange		

			
No.	419088	Ref. No.	OK8242 20408701
description	heating element 3200W 230V heating circuits 3 ID ø 384mm ED ø 400mm L 440mm H 106mm L1 35mm W1 166mm H1 16mm H2 90mm flange length 205mm flange width 43mm connection length 160mm tube ø 8.5mm cable length 480mm convection heating element mounting thread M14x1.5 rectangular flange		

			
No.	418150	Ref. No.	006984 0C5362 0C6500
description	heating element 3200W 400V heating circuits 2 ID ø 383mm ED ø 400mm L 536mm H 60mm L1 136mm W1 32mm H1 36mm H2 24mm flange length 80mm flange width 45mm hole distance 60mm connection male faston 6.3mm connection length 30mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCZ061EAA, FCZ061EAH, FCZ061EAN, FCZ061ETA, FCZ061ETH, FCZ061ETN, FCZ061EBA, FCZ061EBH, FCZ061EBN, FCZ061EBC, FCZ061EBA2, FCZ061EBH2, FCZ061EBN2, FCZ061EBC2, FCZ061ECA, FCZ061ECH, FCZ061ECN, FCZ061ECA2, FCZ061ECH2, FCZ061ECN2, AOS061EA, AOS061EB, AOS061EB6M, AOS061EA0H, AOS061EB0H, AOS061EAAQ, AOS061EBAQ, AOS061EAHQ, AOS061EBHQ, AOS061EAA1, AOS061EAH1, AOS061EAN1, AOS061EAC1, AOS061EAE1, AOS061EAF1, AOS061EAM1, AOS061EAB1, AOS061EAK1, AOS061EAT1, AOS061ETA1, AOS061ETH1, AOS061ETN1, AOS061ETC1, AOS061ETE1, AOS061ETF1, AOS061ETM1, AOS061ETK1, AOS061EBA1, AOS061EBH1, AOS061EBN1...(Other models you can see in the webshop)		
accessories for	418150		
		No. 550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

			
No.	415368	Ref. No.	055430 055439 056930
description	heating element 3750W 220V heating circuits 3 L 535mm H 34mm L1 95mm W1 157mm flange length 78mm flange width 50mm hole distance 60mm connection male faston 6.3mm connection length 97mm tube ø 8.5mm dry heating element hole ø 6mm rectangular flange L2 440mm W2 33mm W 348mm		
For models:	FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCV/E6-1, FCV/E6-1		

			
No.	415657	Ref. No.	002757 0K0537 60050301
description	heating element 4500W 230V heating circuits 3 L 534mm W 350mm H 70mm L1 96mm L2 438mm W1 160mm W2 33mm H1 37mm H2 33mm flange length 76mm flange width 50mm hole distance 60mm hole ø 6mm tube ø 8.5mm convection heating element connection male faston 6.3mm connection length 103mm rectangular flange		
For models:	FCV/E6L3, FCV/E6L4, FCS061EP, FCS061E3CI, FCS061E4, FCS061EXLN, FCS061EX, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5701-3-2, 5701-3-3, ECV/E6T4, RCV061E2, RCV061E4, ACV/E6C3, NCV/E6L2, ZCV/E6T4		
accessories for	415657		
		No. 550256	Ref. No. 055327 60050210
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		
		No. 550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

			
No.	415654	Ref. No.	002688 60050271
description	heating element 5666W 230V heating circuits 2 ID ø 465mm ED ø 480mm L 580mm H 65mm L1 90mm W1 32mm H1 34mm H2 31mm flange length 80mm flange width 45mm hole distance 56mm connection M5 connection length 108mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCV/E10L2, FCV/E10L3, FCV/E20L3, FCV/E10L6, FCV/E20L6, FVC/E101/1, FVC/E201/1, FCFE101-0, FCFE201-0, FCS101E2, FCS101E4, FCS101EP, FCS201E4, FCS201EP, FCS101EXLN, FCS101EX, FCS201EX, FCS201EXLN, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5702-3-2, 5702-3-3, 5704-3-2, 5704-3-3, ECFE101-0, ECV/E10T4, ECV/E20T4, ECV/E10T6, ECV/E20T6, ECV/E10IGP, ACFE101-0, ACFE201-0, JCF/E101/1-1, JCF/E101/1-2, RCV101E2, RCV101E4, RCF101E, ACV/E10C2, ACV/E10C4...(Other models you can see in the webshop)		
accessories for	415654		
		No. 550256	Ref. No. 055327 60050210
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		
		No. 550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

				
1				
No.	415389	Ref. No.	053838 053839 054620 054621 058196 058197	
description	heating element 5666W 230V heating circuits 2 ID ø 470mm ED ø 487mm L 590mm H 66mm L1 105mm W1 33mm H1 37mm H2 29mm flange length 80mm flange width 45mm hole distance 60mm connection M5 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange			
For models:	FCFE10, FCFE10UK, FCVE10, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVE20/P-V, FCVE20-V, FCVE20VUK, FCVE10-P, FCVE10PUK, FCF/E10, ZOFCV/E102, ZOFCV/E104, FF/E10, COCO10E, FCFE101, FCF/E20-V			
accessories for	415389			
				
No.	550256	Ref. No.	055327 60050210	
gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327				

1

No.	418151	Ref. No.	007064 0C5364 0C6501
description	heating element 5670W 400V heating circuits 2 ID ø 467mm ED ø 483mm L 585mm H 60mm L1 102mm W1 33mm H1 32mm H2 28mm flange length 80mm flange width 45mm hole distance 60mm connection male faston 6.3mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCZ101EAA, FCZ201EAA, FCZ101EAH, FCZ201EAH, FCZ101EAN, FCZ101ETA, FCZ201ETA, FCZ101ETH, FCZ201ETH, FCZ101ETN, FCZ201ETN, FCZ101EBA, FCZ201EBA, FCZ101EBH, FCZ201EBH, FCZ101EBN, FCZ101EBC, FCZ201EBC, FCZ101EBA2, FCZ201EBA2, FCZ101EBH2, FCZ201EBH2, FCZ101EBN2, FCZ201EBN2, FCZ101EBC2, FCZ201EBC2, FCZ101ECA, FCZ201ECA, FCZ101ECH, FCZ201ECH, FCZ101ECN, FCZ101ECA2, FCZ201ECA2, FCZ101ECH2, FCZ201ECH2, FCZ101ECN2, FCZ201ECN2, AOS101EA, AOS101EB, AOS201EA, AOS201EB, AOS101EB6M, AOS201EB6M, AOS101EA0H, AOS101EB0H, AOS201EA0H, AOS201EB0H, AOS101EAAQ, AOS101EBAQ, AOS201EAAQ...(Other models you can see in the webshop)		
accessories for	418151		
	No.	550257	Ref. No.
			002689 60050277
gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689			

No.	415393	Ref. No.	055481 056970 60050224
description	heating element 8000W 230V heating circuits 2 L 150mm W 545mm H 134mm L1 33mm L2 117mm W1 29mm H1 19mm H2 115mm flange length 76mm flange width 50mm hole distance 60mm connection M5 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, FCVE20-P, FCVE20PUK, ZOFCV/E202, ZOFCV/E204		

			
1			
No.	415391	Ref. No.	054050 054051 054288 054289 056929 056934
description	heating element 8000W 230V heating circuits 2 L 170mm W 505mm H 128mm L1 33mm L2 138mm W1 29mm H1 13mm H2 115mm flange length 76mm flange width 50mm hole distance 60mm connection M5 connection length 104mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCFE20, FCFE20UK, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCVE20, FCF/E20, FCFE202, FF/E40, FF/E20, AFCE/E40, COCO20E, 4238N, FCFE201		

			
No.	415656	Ref. No.	0A5330 0G2201 0K0553 60050272
description	heating element 8000W 400V heating circuits 2 ID ø 560mm ED ø 580mm L 630mm H 68mm L1 50mm W1 33mm H1 37mm H2 29mm flange length 80mm flange width 45mm hole distance 60mm connection M5 connection length 15mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCV/E102/1L3, FCVE202L3, FCV/E102/1L6, FCVE202L6, FVC/E102/1, FVC/E202/1, FCFE102-0, FCFE201-0, FCFE202-0, FCF201ENS, FCS102E4, FCS102EP, FCS202E4, FCS202EP, FCS102EX, FCS202EX, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8C, 5707-3-2, 5707-3-3, ECFE102-0, ECFE201-0, ECFE202-0, ECF201ENS, ECVE102T4, ECVE202T4, ECV/E102/1T6, ECVE202T6, ACFE102-0, ACFE201-0, ACFE202-0, JCF/E102/1-1, JCF/E102/1-2, RCF201E, ACVE102C4, ACVE202C4, ACV/E102/1C6, ACV/E202/1, NCF/E102/1, ZCV/E102/1, ZCV/E202/1, ZCV/E102/1T6, ZCV/E202/1, ZCF/E102/1, ZCF/E202/1-0		
accessories for	415656		
	No.	550256	Ref. No. 055327 60050210
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		
	No.	550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

			
No.	418152	Ref. No.	0C1173 0C5365 0C6502
description	heating element 8000W 400V heating circuits 2 ID ø 569mm ED ø 580mm L 700mm H 60mm L1 120mm W1 33mm H1 34mm H2 26mm flange length 80mm flange width 45mm hole distance 60mm connection male faston 6.3mm connection length 20mm tube ø 8.5mm dry heating element hole ø 6mm rectangular flange		
For models:	FCZ102EAA, FCZ202EAA, FCZ102ETA, FCZ202ETA, FCZ102EBA, FCZ202EBA, FCZ102EBA2, FCZ202EBA2, FCZ102ECA, FCZ202ECA, FCZ102ECA2, FCZ202ECA2, AOS102EA, AOS102EB, AOS202EA, AOS202EB, AOS102EAAQ, AOS102EBAQ, AOS202EAAQ, AOS202EBAQ, AOS102EAA1, AOS202EAA1, AOS102EAC1, AOS102EAS1, AOS102EAM1, AOS202EAM1, AOS102EAB1, AOS202EAB1, AOS102EAK1, AOS202EAK1, AOS102EAT1, AOS202EAT1, AOS102ETA1, AOS202ETA1, AOS102ETM1, AOS202ETM1, AOS102ETK1, AOS202ETK1, AOS102EBA1, AOS202EBA1, AOS102EBC1, AOS102EBK1, AOS202EBK1, AOS102EBA2, AOS202EBA2, AOS102EBK2, AOS202EBK2, AOS102ECA1, AOS202ECA1, AOS102ECM1...(Other models you can see in the webshop)		
accessories for	418152		
	No.	550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

			
No.	420117	Ref. No.	055465 056973
description	heating element 8000W 415V heating circuits 2 L 170mm W 505mm H 133mm L1 32mm L2 138mm W1 29mm H1 33mm H2 100mm flange length 76mm flange width 50mm hole distance 60mm connection M5 connection length 102mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, FCVE20-P, FCVE20PUK, ZOFCV/E202, ZOFCV/E204		

			
No.	415487	Ref. No.	0H6800 0K0601 415487
description	heating element 1000W 230V heating circuits 1 L 445mm W 65mm flange length 70mm flange width 22mm hole distance 28mm connection length 25mm connection male faston 6.3mm tube ø 6.5mm hole ø 3mm W1 30mm rectangular flange convection heating element		
accessories for	415487		
	No.	510368	Ref. No. 057534
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		


			
No.	420468	Ref. No.	0E5126 0E5253
description	heating element 1375W 230V heating circuits 1 L 370mm W 87mm W2 56.5mm flange length 23mm flange width 13mm hole distance 382mm connection length 95mm connection F6.3 tube ø 8.5mm W1 30.5mm rectangular flange		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		

1

No.	415488	Ref. No.	0H6195
description	heating element 1500W 230V heating circuits 1 L 435mm W 175mm L1 55mm L2 380mm W2 30mm flange length 70mm flange width 22mm hole distance 56mm connection length 36mm connection male faston 6.3mm tube ø 6.3mm hole ø 3mm W1 72mm rectangular flange for hot air oven		
accessories for	415488		
	No.	510368	Ref. No. 057534
	 gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

			
No.	418469	Ref. No.	0H6208 OK0579 214728
description	heating element 1500W 240V heating circuits 1 L 350mm W 95mm L1 30mm L2 320mm W2 80mm flange length 70mm flange width 22mm hole distance 56.5mm connection length 15mm connection male faston 6.3mm tube ø 6.3mm hole ø 3.5mm W1 15mm rectangular flange convection heating element windings 2		

1

				
No.	415485	Ref. No.	0H6197 OK0607	
description	heating element 2000W 230V heating circuits 1 L 360mm W 155mm L1 35mm L2 325mm W2 30mm flange length 70mm flange width 22mm hole distance 28mm connection length 63mm connection male faston 6.3mm tube ø 6.3mm W1 62mm rectangular flange convection heating element mounting thread M4			
spare parts for	415485			
	No.	510368	Ref. No.	057534
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element				

1

No.	415242	Ref. No.	0H6213 OK0628 214767
description	heating element 2x3500W 230V heating circuits 2 L 240mm W 390mm H 30mm W2 50mm flange length 70mm flange width 22mm hole distance 56mm connection length 20mm connection male faston 6.3mm tube ø 6.5mm hole ø 5mm W1 290mm rectangular flange convection heating element		
accessories for	415242		
	No.	510368	Ref. No. 057534
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

1

No.	415457	Ref. No.	0H6166 0H6186 OK0557 214137 30074001 3007400132 415457 60050386
description	heating element 3000W 230V heating circuits 2 L 330mm W 135mm L1 60mm L2 270mm H 30mm W2 110mm flange length 85mm flange width 30mm connection length 105mm connection male faston 6.3mm tube ø 6.5mm hole ø 6.5mm W1 25mm rectangular flange hot air		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		
accessories for	415457		
	 No.	510561	Ref. No. 0H7021 60050466
O-ring silicone thickness 3mm ID ø 55mm Qty 1 pcs			
	 No.	520239	Ref. No. 0H6648 60050430
counterflange L 110mm W 35mm			
	 No.	521142	Ref. No. 0H6665 OK1831 246294 60050436
gasket L 68mm W 13mm for heating element			
	 No.	528203	Ref. No. —
gasket rubber ED ø 18mm ID ø 12mm thickness 3mm Qty 1 pcs			

1

			
No.	415458	Ref. No.	0H6188 1295400233 214494 415458
description	heating element 3000W 230V heating circuits 2 L 575mm W 150mm W2 125mm flange length 70mm flange width 22mm hole distance 55mm connection length 20mm connection male faston 6.3mm tube ø 6.5mm hole ø 3mm W1 25mm rectangular flange convection heating element		
spare parts for	415458		
	No.	510368	Ref. No. 057534
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			



1

No.	415616	Ref. No.	0H6189 1300100133	
description	heating element 3000W 380V heating circuits 2 L 575mm W 150mm W2 125mm flange length 70mm flange width 22mm hole distance 28mm connection length 20mm connection male faston 6.3mm tube ø 6.3mm hole ø 4mm W1 25mm rectangular flange dry heating element			
accessories for	415616			
	No.	510368	Ref. No.	057534
 gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element				



No.	415806	Ref. No.	0H6176
description	heating element 5200W 230V heating circuits 2 L 240mm W 390mm H 30mm W2 50mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm hole ø 5mm W1 290mm rectangular flange convection heating element		
accessories for	415806		
	No.	510368	Ref. No.
	057534		
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		



			
No.	418910	Ref. No.	032072
description	heating element 810W 240V heating circuits 1 L 250mm W 60.5mm connection length 42mm connection male faston 6.3mm tube ø 8.5mm thread M12x1 convection heating element mounting distance 52mm		
For models:	DL14/AC, DL14/C, DL21/C, SM08C., SM15CP, SM15C., SM15CA., SM15/CS., SM21/CP, SM21C., SM21CA., SM15VA., SM21VA., SM08C, SM15CP, SM15C, SM15CA, SM15/CS, SM21C, SM21C, SM21CA, SM15VA, SM21VA		

radiation heaters

			
No.	490153	Ref. No.	002557 0C4077
description	radiation heater octagonal 3400W 230V L 300mm W 300mm heating circuits 2 H 30mm with heating coil energy regulation with temperature signalization connections 4+2 connection type cable cable length 900mm AD		
For models:	HI/E400, HI/E800, KI/E1, KI/E2, KI/E2E5, ZI/E400, ZI/E800, QI/E1, QI/E2, QI/E2E5, AI/E400, AI/E800, WI/E1, WI/E2, WI/E2E5		

square



1

	No.	490159		Ref. No.	0C2128 0K0611	
		descriptionradiation heater L 300mm W 300mm 3500W 230V connections 3 square without pan detection EGO				
		For models:KT/E1, KT/E2, QT/E1, QT/E2, WT/E2				
		spare parts for490159				
		No.	499157		Ref. No.	—
 protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm						




1

No.	490008	Ref. No.	OK0589 OK4822 OK4861 OK6389 18002173
description		radiation heater L 300mm W 300mm 4000W 400V heating circuits 2 connections 3 square connection type male faston 6.3mm without pan detection EGO	
For models:		CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)	
spare parts for		490008	
No.	499157	Ref. No.	—
protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm			

			
1			
No.	416998	Ref. No.	004755
description	radiation heater rectangular 2700W 230V L 410mm W 165mm heating circuits 3 connections 3x 2 IRCA for fryer		
For models:	RF/E1S08, RF/E2D08, RFR/E1S08, RFR/E2D08, RF/E1S07, RF/E2D07, RFR/E1S07, RFR/E2D07, XF/E1S08, XF/E2D08, XFR/E1S08, XFR/E2D08, XF/E1S07, XF/E2D07, XFR/E1S07, XFR/E2D07, JF/E1S08, JF/E2D08, JFR/E1S08, JFR/E2D08, JF/E1S07, JF/E2D07, JFR/E1S07, JFR/E2D07, MF/E1S08, MF/E2D08, MFR/E1S08, MFR/E2D08, MF/E1S07, MF/E2D07, MFR/E1S07, MFR/E2D07, PF/E1S07, PF/E2D07, PFR/E1S07, PFR/E2D07, PF/E1S07E5, PFR/E2D07E5, OF/E1S07, OFR/E1S07, OFR/E2D07, TF/E1S07, TF/E2D07, TFR/E1S07, TFR/E2D07, TF/E1S07E5, TFR/E2D07E5		

			
1			
No.	416999	Ref. No.	005942 0G4494 0KI523 17012747
description	radiation heater rectangular 5000W 230V L 410mm W 280mm heating circuits 3 connections 3x 2 IRCA for fryer		
For models:	BFR/E1S14, RMV/E1C, RMV/E2C, RFR/E1S14, RFR/E2D14, XMV/E1C, XMV/E2C, XFR/E1S14, XFR/E2D14, JMV/E1C, JMV/E2C, JFR/E1S14, JFR/E2D14, MMV/E1C, MMV/E2C, MFR/E1S14, MFR/E2D14, PMV/E1C, PMV/E2C, PFR/E1S14, PFR/E2D14, OMV/E1C, OMV/E2C, TMV/E1C, TMV/E2C, TFR/E1S14, TFR/E2D14, KMV/E2C, KFR/E1A, KFR/E2B, QMV/E2C, QFR/E1A, QFR/E2B, WFR/E1A, WFR/E2B, AFAUOFOOOC, AFAUOA-OOOO, AFAROFOOOC, AFAROA-OOOO		

			
1			
No.	490197	Ref. No.	0C5945 0C7624
description	radiation heater rectangular 6000W 230V L 405mm W 255mm H 45mm heating circuits 3		
For models:	BCP/E1		

			
1			
No.	417732	Ref. No.	0C7411 617839A00
description	radiation heater rectangular 8500W 400V L 550mm W 424mm H 33mm heating circuits 3 connections 3 HICOOK for tilting bratt pan		

			
1			
No.	418000	Ref. No.	006158 17012750
description	radiation heater rectangular 9000W 400V L 432mm W 340mm heating circuits 3 IRCA for fryer		
For models:	KFR/E1E, KFR/E2F, KFH/E1, KFH/E1ELH, KFH/E1EH, HFH/E430, HFR/E430, HFR/E830, HFH/G435, HFRS/E430, QFR/E1E, QFR/E2F, QFH/E1, QFH/E1ELH, QFH/E1H, ZFH/E430, ZFR/E430, ZFR/E830, ZFH/G435, ZFRS/E430, WFR/E1E, WFR/E2F, WFH/E1, WFH/E1ELH, WFH/E1EH, AFR/E430, AFR/E830, AFH/E435, AFRS/E430, AFAUOFOOOC, AFAUOA-OOOO, AFAROFOOOC, AFAROA-OOOO		

1-circuit

			
1			
No.	490042	Ref. No.	0C0812
description	radiation heater ø 200mm 1800W 230V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm EGO		
For models:	SIE350, SVE700, SIE350, SVE700		

2-circuit

			
1			
No.	490133	Ref. No.	059043
description	radiation heater ø 230mm 2100W 230V		
For models:	MI/E350, MI/E700, MIF/E700, MI/E350D, MI/E700D, MIF/E700D		

			
1			
No.	490028	Ref. No.	005008
description	radiation heater ø 230mm 2100W 230V heating circuits 2 energy regulation with temperature signalization partial power 650W with heating coil connections 3+2 connection type male faston 6.3mm EGO		
For models:	RI/E1, RI/E2, RIF/E2, RIV/E2, XI/E1, XI/E2, XIF/E2, XIV/E2, JI/E1, JI/E2, JIF/E2, JIV/E2, MI/E1, MI/E2, MIF/E2, MIV/E2, PI/E1, PI/E2, PIF/E2, PIV/E2, PI/E1E5, PI/E2E5, PIF/E2E5, OI/E1, OI/E2, OIF/E2, TI/E1, TI/E2, TIF/E2, TIV/E2, TI/E1E5, TI/E2E5, TIF/E2E5		



1


No.	490134	Ref. No.	059432
description	radiation heater ø 230mm 2200W 230V heating circuits 2		
For models:	MI/E700, MIF/E700, MI/E700D, MIF/E700D		



1

No.	490044	Ref. No.	0A5299
description	radiation heater ø 230mm 2200W 230V heating circuits 2 energy regulation with temperature signalization partial power 750W with ribbon heater connections 3+2 connection type male faston 6.3mm EGO		
For models:	MI/E360, MI/E710, MIF/E710, MI/E360D, MI/E710D, MIF/E710D, XMI/E360, XMI/E710, XMIF/E710, CI/E710, CIF/E710		

foil heating elements



1

No.	418763	Ref. No.	032086
description	foil heating element L 290mm W 175mm 500W 230V t.max. 150°C with temperature limiter 140°C silicone cable length 1000mm switch-off temp. 140°C		
For models:	DL07/C, DL21/C, DL21/CP, DI-WHW2, DI-WHW3, DI-WHW4, DI-WHW5, DI-WHW6, MDBM31, DB/G31, MDBM21, DB/G21, MDBM33, MDBM22, MDBM31H, MDBM21H, MDBM33H, MDBM22H, DB/G33, DB/G22		



1

No.	416371	Ref. No.	032094 088274 1EFICA917002
description	foil heating element L 400mm W 290mm 1000W 230V t.max. 140°C with temperature limiter silicone cable length 2000mm thickness 1mm		
For models:	DL14/C, DL14/CP, DL21/C, DL21/CP, FS07C, FS11C, FS11C2, NFS15C, FS15C2, FSV07C2X, FSV11C3X, FSV15C4X, FSV07C2C, FSV11C3C, FSV15C4C, FSV11C3CX, FSV15C4CX, FSV11C3CC, FSV15C4CC, FSL07C2, FSL11C3, FSL15C4, SSBMHC12, SSBMHC16, SSBMHC20, SSBMB12, SSBMB16, SSBMB16B, SSBMHC12HD, SSBMHC16HD, SSBMHC20H, SSBMB8, SSBMHC8, DBMAC12, DBMAC16, DBMAC20, DBMP12, DBMP16, DBMP20, ZLB12H, ZLB16H, ZLB20H, ZLB12B, ZLB16B, ZLB20B, ZLB12HHD, ZLB16HHD, ZLB20HHD, ZLB08B, ZLB08H...(Other models you can see in the webshop)		

hot plates

square & rectangular

with radiused edge



1

No.	490065	Ref. No.	0A2198
description	hot plate dimensions 220x220mm 2000W 230V with spill ring connection 4 screw clamps protector no square		



1

No.	490067	Ref. No.	0KM342
description	hot plate dimensions 220x220mm 2000W 400V with spill ring connection 4 screw clamps protector no square		
accessories for	490067		
No.	693464	Ref. No.	—
sealing cord ø 10mm Qty supplied by meter			

 			
1			
No.	490066 ¹	Ref. No.	006220 0A2199
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	MC/E2Q, MCF/E2Q, MCV/E2Q, RC/E2Q, RCF/E2Q, RCV/E2Q, PC/E2Q, PCF/E2Q, PCV/E2Q, PC/E2QE5, PCF/E2QE5, OC/E2Q, OCF/E2Q, TC/E2Q, TCF/E2Q, TCV/E2Q, TC/E2QE5, TCF/E2QE5		

¹incl. protector

 			
1			
No.	490176 ¹	Ref. No.	034442 0C6244 537025800
description	hot plate dimensions 220x220mm 2600W 440V with spill ring connection 4 screw clamps protector yes		
For models:	TCV/E2QM0, TCV/E3QM0, TCV/E2QM4, TCV/E3QM4		

¹incl. protector

 			
1			
No.	490054 ¹	Ref. No.	0A2020
description	hot plate dimensions 300x300mm 2500W 230V with spill ring connection 4 screw clamps protector yes		

¹incl. protector

 			
1			
No.	490128 ¹	Ref. No.	0K0339
description	hot plate dimensions 300x300mm 2500W 400V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector

 			
1			
No.	490056 ¹	Ref. No.	052196 052198 OKD869 0KE969
description	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, CK248-205.D1ABBB, CK248-207.D1ABBB, HCE128-100W, HCE128-103W, HCE128-104W, CE128-101, CE128-102, CE128-105, CE128-107, CE128-108, HCE158-262W.3, HCE158-264.3, HCE158-261.3, HCE158-261W.3, HCE158-263.3, HCE158-232W.3, HCE158-233.3, HCE158-231.3, HCE158-231W.3, HCE158-230.3, CE158-234.3, CE158-236.3, HCE158-254.3, HCE158-251.3, HCE158-251W.3, HCE158-242W.3, HCE158-243.3, HCE158-241.3, HCE158-241W.3, HCE158-240.3, CE158-235.3, CE158-237.3, CE158-245.3, CE158-247.3, HCE158-131W.3.HV, HCE158-135.3.HV, HCE158-121W.3.HV, HCE158-125.3.HV, HCE158-132.3.HV, HCE158-132W.3.HV...(Other models you can see in the webshop)		

¹incl. protector

 			
1			
No.	490057 ¹	Ref. No.	052197 0G0485 OK4755 OK4756 OK4768 OK6681 0KE281 OKF577 OTR597 18001351 18001352
description	hot plate dimensions 300x300mm 3000W 400V with spill ring connection 4 screw clamps protector yes square		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, CK248-205.D1ABBB, CK248-207.D1ABBB, HCE128-100W, HCE128-103W, HCE128-104W, CE128-101, CE128-102, CE128-105, CE128-107, CE128-108, HCE158-262W.3, HCE158-264.3, HCE158-261.3, HCE158-261W.3, HCE158-263.3, HCE158-232W.3, HCE158-233.3, HCE158-231.3, HCE158-231W.3, HCE158-230.3, CE158-234.3, CE158-236.3, HCE158-254.3, HCE158-251.3, HCE158-251W.3, HCE158-242W.3, HCE158-243.3, HCE158-241.3, HCE158-241W.3, HCE158-240.3, CE158-235.3, CE158-237.3, CE158-245.3, CE158-247.3, HCE158-131W.3.HV, HCE158-135.3.HV, HCE158-121W.3.HV, HCE158-125.3.HV, HCE158-132.3.HV, HCE158-132W.3.HV...(Other models you can see in the webshop)		

¹incl. protector

 			
1			
No.	490177	Ref. No.	OKE113
description	hot plate dimensions 300x300mm 3000W 440V with spill ring connection 4 screw clamps protector no		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, CK248-205.D1ABBB, CK248-207.D1ABBB, HCE128-100W, HCE128-103W, HCE128-104W, CE128-101, CE128-102, CE128-105, CE128-107, CE128-108, HCE158-262W.3, HCE158-264.3, HCE158-261.3, HCE158-261W.3, HCE158-263.3, HCE158-232W.3, HCE158-233.3, HCE158-231.3, HCE158-231W.3, HCE158-230.3, CE158-234.3, CE158-236.3, HCE158-254.3, HCE158-251.3, HCE158-251W.3, HCE158-242W.3, HCE158-243.3, HCE158-241.3, HCE158-241W.3, HCE158-240.3, CE158-235.3, CE158-237.3, CE158-245.3, CE158-247.3, HCE158-131W.3.HV, HCE158-135.3.HV, HCE158-121W.3.HV, HCE158-125.3.HV, HCE158-132.3.HV, HCE158-132W.3.HV...(Other models you can see in the webshop)		

 			
1			
No.	490071 ¹	Ref. No.	052199 052201
description	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	HC/E410, HC/E810, HCF/E810, KC/E1, KC/E2, KCF/E2, KC/E1E5, KC/E2E5, KCF/E2E5, ZC/E410, ZC/E810, ZCF/E810, QC/E1E5, QC/E2E5, QCF/E2E5, WC/E1E5, WC/E2E5, WCF/E2E5		

¹incl. protector

 			
1			
No.	490074 ¹	Ref. No.	052200 0G0858 0G2905 0K0340 0K0368 490074
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		
For models:	HC/E400, HC/E800, HCF/E800, KC/E1, KC/E2, KCF/E2, KC/E1E5, KC/E2E5, KCF/E2E5, ZC/E400, ZC/E800, ZCF/E800, QC/E1, QC/E2, QCF/E2, QC/E2M0, QCF/E2M0, AC/E400, AC/E800, ACF/E800, OCF/E800, WC/E1, WC/E2, WCF/E2, AFS/E800, HC/E400, HC/E800, ECF/E800, AEARAA-JOOO, AEARHAJOOO, AEARAFJOOO, AEARHFJOOO, AEAUAJGOO, AEAUHAJGOO, AEAUAFJGOO, AEAUHFJGOO, AEAXJAKFFO, AEAXHAKFFO, AEAXJFKFFO, AEAXHFKFFO, AEAUCAJGOO, AEAXLAKFFO, AEAUCFJGOO, AEAXLFKFFO, AEARABJOOO, AEARHBJOOO, AEAUABJGOO, AEAUHBJGOO, AEAXJBKFFO, AEAXHBKFFO...(Other models you can see in the webshop)		

¹incl. protector


			
1			
No.	490194 ¹	Ref. No.	OC2524
description	hot plate dimensions 300x300mm 4000W 440V with spill ring connection M5 protector yes		
For models:	QC/E2M4, QCF/E2M4		


¹incl. protector


			
1			
No.	490187	Ref. No.	OG0233 OK4758 18001430 18001431
description	hot plate dimensions 350x400mm 4500W 380V with spill ring		


tiltable

			
1			
No.	490085	Ref. No.	OK9761 210747
description	hot plate dimensions 300x300mm 2500W 230V with cast edge tilt boiling plate connection 3 screw clamps H 43mm square		

 			
1			
No.	490086	Ref. No.	0H6083
description	hot plate dimensions 300x300mm 2500W 400V with cast edge tilt boiling plate connection 3 screw clamps H 43mm square		

 			
1			
No.	490088	Ref. No.	0H6079 490088
description	hot plate dimensions 300x300mm 2500W 400V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		
For models:	7701-3/85, 7501-3/85., 7501-3/90.HE.4PL.(N), 7502-3/85., 7500-3/85. HE.2PL.(N), 7503-3/85.HE.6PL, 7504-3/85.HE.6PL.BO, 7505-3/85, 7500-3/90.HE.2PL.(N), 7502-3/90.HE.4PL.BO., 7503-3/90.HE.6PL.(N), 7504-3/90.HE.6PL.BO., 7505-3/90.HE.6PL.BO., 7700-3/85, 7703-3/85, 7700-3/90.HE.2PL.(N), 7701-3/90.HE.4PL.(N), 7703-3/90.HE.6PL.(N), 7502-3/85.HE.4PL.BO., 7505-3/85.HE.6PL.BO., 7503-3/85.HE.6PL. EO, 7501-3/85.HE.4PL.EO, 7500-3/85.HE.2PL.EO, 7504-3/90.HE.6PL. BO., 7500-3, 7501-3, 7502-3, 7503-3, 7504-3, 7505-3, 7700-3, 7701-3, 7703-3, 9000-3, 9002-3, 9004-3, 9006-3, 9200-3-0, 9200-3-8, 9201-3-0, 9201-3-8, 9203-3-0, 9203-3-8		

 			
1			
No.	490089	Ref. No.	0H1252 0K0371 0K9760
description	hot plate dimensions 300x300mm 4000W 230V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		

 			
1			
No.	490090	Ref. No.	0H6081 0H6082 0K0381 0KI335 490090
description	hot plate dimensions 300x300mm 4000W 400V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		
For models:	7701-3/85, 7501-3/85., 7501-3/90.HE.4PL.(N), 7502-3/85., 7500-3/85. HE.2PL.(N), 7503-3/85.HE.6PL, 7504-3/85.HE.6PL.BO, 7505-3/85, 7502-3/90.HE.4PL.BO., 7503-3/90.HE.6PL.(N), 7504-3/90.HE.6PL.BO., 7505-3/90.HE.6PL.BO., 7700-3/85, 7703-3/85, 7700-3/90.HE.2PL. (N), 7701-3/90.HE.4PL.(N), 7703-3/90.HE.6PL.(N), 7502-3/85.HE.4PL. BO., 7505-3/85.HE.6PL.BO., 7503-3/85.HE.6PL.EO, 7501-3/85.HE.4PL. EO, 7504-3/90.HE.6PL.BO., 7501-3, 7502-3, 7503-3, 7504-3, 7505-3, 7701-3, 7703-3, 9002-3, 9004-3, 9006-3, 9201-3-0, 9201-3-8, 9203-3-0, 9203-3-8		

miscellaneous

			
1			
No.	490165	Ref. No.	0G0308 0H9741 0H9742 0K4759 0K4760 0K4761 18001434 18001435 19001434
description	hot plate dimensions 350x400mm 4000W 400V connection 2x3		

round

with radiused edge

for domestic and commercial kitchens

			
1			
No.	490010	Ref. No.	058104 6001065
description	hot plate ø 145mm 1000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	QCE300, QCE600, QCE601		

 			
1			
No.	490012	Ref. No.	050725 053406 053607 0K2890
description	hot plate ø 145mm 1500W 230V connection 4 screw clamps with 8mm spill ring		
For models:	MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MC/ E700D, MC/E700UK, MC/E1050D, MC/E700, MC/E1050, RC/E1, RC/ E2, RCV/E2, RCV/E3, RCF/E2, RCF/E2E5, XC/E1, XC/E2, XCV/E2, XCV/ E3, XCF/E2, JC/E1, JC/E2, JCVE2, JCV/E3, JCF/E2, MC/E1, MC/E2, MCV/ E2, MCV/E3, MCF/E2, MCF/E2E5, RCF/E720, RCF/E720, RC/E700D, RCF/ E700D, RCF/E1050D, RCF/E700UK, RC/E700UK, RC/E1050D, 74CE07T, 74CE07F, 76CE10F, XCF/E1050, RCF/E720		

			
1			
No.	490014	Ref. No.	OG0730 OG5200 OG6313 153005
description		hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring	

			
1			
No.	490015	Ref. No.	003930
description		hot plate ø 180mm 1500W 400V connection 4 screw clamps with 8mm spill ring	
For models:		BC/E1, BCF/E2, RC/E1, RC/E2, RCV/E2, RCV/E3, RCF/E2MO, RCVF/E3MO, XC/E1, XC/E2, XCV/E2, XCV/E3, XCF/E2, JC/E1, JC/E2, JCVE2, JCV/E3, JCF/E2, MC/E1, MC/E2, MCV/E2, MCV/E3	

			
1			
No.	490016	Ref. No.	00290 004914 01P24 0K0350 0K9762 0M0651 210383
description		hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring	
For models:		SCE350, SCE700, SCE350, SCE700	

			
1			
No.	490017	Ref. No.	0H6076 0K0343 0K0352
description		hot plate ø 180mm 2000W 400V connection 4 screw clamps with 8mm spill ring	

			
1			
No.	490018	Ref. No.	0H6078 0K0329 0K0334 0K9940 490018
description		hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring	
For models:		7511-2, 7512-2, 7512-9, 7711-2	

			
1			
No.	490130	Ref. No.	050724
description		hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring	
For models:		RC/E320, RC/E320U, RC/E720, RC/E720, RCV/G320, RCV/E720, RCFE720, RCF/E720, RC/E320, RC/E720, RCV/E320, RCV/E720, RCF/E720	

			
1			
No.	490019	Ref. No.	OG0733 0K0345 0K0356 0KG657 0KT346 153010
description		hot plate ø 220mm 2000W 400V connection 4 screw clamps with 8mm spill ring	

			
1			
No.	490020	Ref. No.	053407 053606 0K2889
description		hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring	
For models:		RC/E320, RC/E320U, RC/E720, RC/E720, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MC/E350D, MC/E350UK, MC/E700D, MC/E700UK, MC/E1050D, MC/E350, MC/E700, MC/E1050, RC/E1, RC/E2, RCV/E2, RCV/E3, RCF/E2, RCF/E2E5, XC/E1, XC/E2, XCV/E2, XCV/E3, XCF/E2, JC/E1, JC/E2, JCVE2, JCV/E3, JCF/E2, MC/E1, MC/E2, MCV/E2, MCV/E3, MCF/E2, MCF/E2E5, RCV/G320, RCV/E720, RCFE720, RCF/E720, RC/E350D, RC/E700D, RCF/E700D, RCF/E1050D, RCF/E700UK, RC/E350UK, RC/E700UK...(Other models you can see in the webshop)	
accessories for		490020	
		No.	550796
		Ref. No.	—
fixing plate for hot plate ø220mm			

			
1			
No.	490021	Ref. No.	003931 0K4729 0K4730 18001060 18001085
description	hot plate ø 220mm 2600W 400V connection 4 screw clamps with 8mm spill ring		
For models:	BC/E1, BCF/E2, RC/E1, RC/E2, RCV/E2, RCV/E3, RCF/E2MO, RCVF/E3MO, XC/E1, XC/E2, XCV/E2, XCV/E3, XCF/E2, JC/E1, JC/E2, JCVE2, JCV/E3, JCF/E2, MC/E1, MC/E2, MCV/E2, MCV/E3, TC/E1M0, TCF/E2M0, TCF/E2M4		

			
2			
No.	490175	Ref. No.	003929
description	hot plate ø 220mm 2600W 440V connection 4 screw clamps with 8mm spill ring		
For models:	RC/E1, RC/E2, RCV/E2, RCV/E3, RCF/E2M4, RCVF/E3M4, XC/E1, XC/E2, XCV/E2, XCV/E3, XCF/E2, JC/E1, JC/E2, JCVE2, JCV/E3, JCF/E2, MC/E1, MC/E2, MCV/E2, MCV/E3, TCV/E2M0, TC/E1M4, TCV/E2M4		

			
1			
No.	490061	Ref. No.	0K0331 0K0578 490061
description	hot plate ø 300mm 2500W 230V connection 4 screw clamps with 8mm spill ring		

			
1			
No.	490063	Ref. No.	0H6080 210372
description	hot plate ø 300mm 2500W 400V connection 4 screw clamps with 8mm spill ring		

with cast brim

with screw connection

			
1			
No.	490100	Ref. No.	0K0374
description	hot plate ø 400mm 5000W 230V connection 2x 3 screw clamps with cast edge H 42mm		

miscellaneous

			
1			
No.	490158	Ref. No.	0K0362
description	hot plate dimensions 300x300mm 2500W 230V		

accessories

fasteners

			
1			
No.	550129	Ref. No.	0C0114 0G4300 0K2533 0K2534 17012743 NZI518807000
description	bearing screw for tilt boiling plate straight thread M12x80		
For models:	ZFT/E1, ZFT/E1E5, ZFT/E1M4, ZFT/E1M0, ZFT/E1L, ZFT/E1LE5, RFT/E1, RFT/E1E5, RFT/E1M4, RFT/E1M0, ZFT/E2, ZFT/E2E5, ZFT/E2M4, ZFT/E2M0, ZFT/E2L, ZFT/E2LE5		

			
1			
No.	691457	Ref. No.	0C2114
description	protector for probe		
For models:	KT/E1, KT/E2, QT/E1, QT/E2, WT/E1, WT/E2		

energy regulators

EGO

1-circuit



No.	380015	Ref. No.	003030
			003031
			003529
			005270
			026861
			055016
			058406
			06501
			0A2482
			0C1605
			0C4929
			0F0089
			0G0652
			0G2652
			0H6103
			0H6137
			0H7480
			0HB171
			0K0502
			0K2964
			0K3459
			0K3763
			0K3874
			0K5029
			0K7769
			0K8611
			0K9374
			0K9741
			0K9775
			0K9784
			0KB064
			0KE181
0KJ148			
0KJ210			
0KS980			
0KW347			
10063			
18015440			
203160			
30001227			
3016217			
315078803			
53701330			
750011			
description			energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010
For models:			MPN/EI760, MPNEI760UK, MPN/EI760D, BCP/E1, RMV/E1C, RMV/E2C, RPI/G260P, RCP/E2S, XMV/E1C, XMV/E2C, XPI/G260P, JMV/E1C, JMV/E2C, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MMV/E1C, MMV/E2C, MPI/G260P, MCP/E2S, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, 7PIE06, RPN/EI760UK, RPN/EI760D, M70EIKE, XPN/EI760UK, XPN/EI760D, PMV/E1C, PMV/E2C, PPD/G260, PPI/G260P, PPI/E260P, PCP/E2SH, PCP/E1SH, PCP/E2SH, PCP/E2SH3B, OMV/E1C, OMV/E2C, OPD/G260, OPI/G260P, OPI/E260P, OCP/E2S, OCP/E1SH, OCP/E2SH, TMV/E1C, TMV/E2C, TPD/G260...(Other models you can see in the webshop)

2-circuit



1				
	No.	380004	Ref. No.	059046 05946 380004
description	energy regulator 230V 13A dual circuit turn direction right shaft L 23mm no. 50.67021.590 with operation switch 2-pole			
For models:	MI/E350, MI/E700, MIF/E700, MI/E350D, MI/E700D, MIF/E700D, MI/E360, MI/E710, MIF/E710, MI/E360D, MI/E710D, MIF/E710D, RI/E1, RI/E2, RIF/E2, RIV/E2, XI/E1, XI/E2, XIF/E2, XIV/E2, JI/E1, JI/E2, JIF/E2, JIV/E2, MI/E1, MI/E2, MIF/E2, MIV/E2, XMI/E360, XMI/E710, XMIF/E710, CI/E710, CIF/E710, PI/E1, PI/E2, PIF/E2, PIV/E2, PI/E1E5, PI/E2E5, PIF/E2E5, OI/E1, OI/E2, OIF/E2, TI/E1, TI/E2, TIF/E2, TIV/E2, TI/E1E5, TI/E2E5, TIF/E2E5...(Other models you can see in the webshop)			



1			
No.	380027	Ref. No.	004902 0C6530 0K3520
Description	energy regulator EGO 230V 13A dual circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-70% no. 50.55021.100		
For models:	SIE350, SVE700, SIE350, SVE700		

thermostats

bi-metal thermostats

safety bi-metal thermostats



1				
	No.	390480	Ref. No.	0L2895
Description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 105°C 1NC 1-pole 16A connection F6.3 2 hole fixing			



1

No.	390199	Ref. No.	003329
description	bi-metal safety thermostat hole distance 24mm switch-off temp. 210°C 1NC 1-pole 16A connection F6.3		
For models:	MFR/G380, MFR/G381, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RF/E1S08, RF/E2D08, RFR/E1S08, RFR/E2D08, XF/G1S07, XRF/G2D07, XFR/G1S07, XFR/G2D07, XF/E1S08, XF/E2D08, XFR/E1S08, XFR/E2D08, JF/G1S07, JF/G2D07, JFR/G1S07, JFR/G2D07, JF/E1S08, JF/E2D08, JFR/E1S08, JFR/E2D08, MF/G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, MF/E1S08, MF/E2D08, MFR/E1S08, MFR/E2D08, 7FRG03T, CFR/G381, T35GFR, JFR/G400, PFR/G400		

1 			
No.	390590	Ref. No.	085286 OKK203
description	bi-metal safety thermostat hole distance 24mm switch-off temp. °C 1NC 1-poleAV connection plug 2 hole fixing		
For models:	IMF28A, IMF28W, IMF35A, IMF35W, IMF58A, IMF58W, IMF80A, IMF80W, FGC33AS42, FGC46AS42, MF250WB20, FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC90A, FGC90W, FGC143AB, FGC143WB, FGS94AB, FGS94WB, FGS140A, FGC25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM235WB, FIM150ASB, FIM150WSB, FIM285ASB, FIM285WSB, CIM50AB, FIM50WB, FGC24ABS, FGC24WBAB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, FGC143AB, FGC143WB, CB184A, CB249A, CB316A...(Other models you can see in the webshop)		

1 			
No.	375967	Ref. No.	048750
description	bi-metal safety thermostat hole distance 45mm 1-pole 16A connection F6.3		



1

No.		390138		Ref. No.		048287 048887 OK8665			
description		bi-metal safety thermostat hole distancemm switch-off temp. 112°C 1NC 1-pole 16A connection F6.3							
For models:		LS32, LS32/4.5, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302F, WT302/60, LS33, LS33/4.5, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303F, WT303/60, LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2DPSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP...(Other models you can see in the webshop)							
accessories for		390138							
		No.		504736		Ref. No.		048987	
		bracket for contact thermostat							
		No.		550388		Ref. No.		—	
		bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8							

1 			
No.	390526	Ref. No.	082618 083113 37T31-501513
description	bi-metal safety thermostat hole distance 45mm switch-off temp. 25°C 1NO 1-poleAV connection F6.3		
For models:	ICP130, ICN110UK, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALN110UK, ALNN220UK, ALNF120, ALNF230, ILN220, ILN220UK, ILN240, ILNN120, ILNN230, ALN110UK, ALNN220UK, ALNF220UK, ILNF120, ILNF230, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNF120, ALNN220, ALNF220, ALNN230, ALNF230, ALNSO120, AKP110, AKS110, AKP120, AKN110, AKN120, AKN111, AKN230, AKN220, AKN240, AKN221, AKNN120...(Other models you can see in the webshop)		

1 			
No.	390764	Ref. No.	082619 083106
description	bi-metal safety thermostat hole distance 45mm switch-off temp. °C 1NC 1-poleA connection cable length 1200mm temperature range 7-8°C		
For models:	ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ILN110, ILN110UK, ILN120, ILNSO120, ILNN220, ILNN220UK, ALF110UK, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF120, ILNF220, ILNF220UK, ILNF230, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, AKP110, AKS110, AKP120, AKS220, AKN110, AKN120, AKP110UK, AKN110UK, AKF240, AKNF120, AKNF220, AKNF230, AKF110UK, AKF110, AKF120, AKF230...(Other models you can see in the webshop)		

1 			
No.	390749	Ref. No.	OKL023
description	bi-metal safety thermostat switch-off temp. 210°C 2-pole connection F6.3		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		

bi-metal thermostats

1 			
No.	375666	Ref. No.	005203 OKG530 3570559017
description	bi-metal thermostat 1NO 1-pole 10A 250V connection F6.3 M4		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		

1 			
No.	375927	Ref. No.	OPE024
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 50°C 1NO 10A connection F6.3		
For models:	FS07C, FS11C, FS11C2, NF515C, FS15C2, FSV07C2X, FSV11C3X, FSV15C4X, FSV07C2C, FSV11C3C, FSV15C4C, FSV11C3CX, FSV15C4CX, FSV11C3CC, FSV15C4CC		



			045495 047508 048487 0H2569 0K8773 26344400
No.	390101	Ref. No.	
description	bi-metal thermostat hole distance 38mm switch-off temp. 53°C 1CO 1-pole 16A connection F6.3 2 hole fixing		
For models:	LS360F, LS360DK, LS365F, LS365, LS365PH, LS500F, LS501F, LS540F, LS540DK, LS541F, LS360D, LS365D, LS360, LS365, LS360/63, LS365/63, LS367, LS720F, LSE720DK, LSE720PH, LS860F, LS860DK, LS860PH, LS1080F, LS1080UK, LS1080PH, LSE721F, LS861F, LS540, LS1080M, LS1080, LS1080D, LS1080UK, LS1080/63, LS500F, LS500UK, LS501, LS501UK, LS540D, LS540/63, LSE721, LS720, LSE720UK, LS721UK, LSE720D, LS541, LS860, LS860, LS860D, LS860UK...(Other models you can see in the webshop)		



No.	375958	Ref. No.	0H2279 0K7537
description	bi-metal thermostat hole distance 40mm 1NO 1-pole connection F6.3 for tank		
For models:	D180, D180, D180, D180, D180, D180, D180, D180, D180, D180, D180, D180, D180, D180, D180, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES... (Other models you can see in the webshop)		



No.	390468	Ref. No.	048804
description	bi-metal thermostat hole distance 40mm switch-off temp. 60°C 1CO 1-pole 16A connection F6.3 2 hole fixing		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2DPSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WS-DP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1...(Other models you can see in the webshop)		



No.	375956	Ref. No.	0A9671
description	bi-metal thermostat hole distancemm switch-off temp. 40°C 1NC 1-pole 10A 250V connection male faston 6.3mm defrosting cable length 1600mm		
For models:	BCF180A, BCF180DA, BCF180RPA, , BCW201R, BCFW201R, BCF120A, BCF120RA, ADN220ES, ADF110ES, ADF220ES, ADN110ESP, ADF110E- SP, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/ FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, ALN110, ALN120, ADN111, AEN110, AEN120, ADF110, ALF110, ADF120, ALF120, AEF110, AEF120, ADN1120, ADN120, AENN120, AENF120, ALN220, ALN240, ADN221, AEN220, AEN240, AEN221, ADF220, ADF240, AEF220, AEF240, ADN220. ADN220. ADN220. ADNF230, AENN220...(Other models you ca		



No.	375953	Ref. No.	0H2320 OK7651 OKB609
description	bi-metal thermostat switch-off temp. 110°C 1NC 1-pole 230V		
For models:	AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10E- SP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP...(Other models you can see in the webshop)		



No.	375959	Ref. No.	0A8707
description	temperature limiter hole distance 34mm switch-off temp. 85°C 1NC 10A 250V connection F6.3 Qty 1 pcs		
For models:	ICP130, ICN110UK, TRNP1802, TRRF130P, TRRF180P, TRRF220P, TRF1301, TRRF1301, TRF1801, TRRF1801, TRF2201, TRRF2201, TRN1301, TRNA1301, TRNM1301, TRF1301, TRRF1301, TRRF130P, TRN1302, TRNA1302, TRNM1302, TRN1303, TRNA1303, TRNM1303, TRN1801, TRNA1801, ARNM1801, TRF1801, TRRF1801, TRRF180P, TRN1802, TRNA1802, TRNM1802, TRN1803, TRNA1803, TRNM1803, TRN2201, TRNA2201, TRNM2201, TRF2201, TRRF2201, TRRF220P, TRN2202, TRNA2202, TRNM2202, TRN2203, TRNA2203, TRNM2203, TRNP1802, ICP130...(Other models you can see in the webshop)		




No.	375964	Ref. No.	088567
description	thermostat 1NC 1-pole 10A 250V cable length 750mm		
For models:	BCFW201R, AOFPS102CR, AOF5102CR, EABC101R, AOFPS201CR, AOFPS101CR, AOF5101CR, AOF102R, RBFP10.1, AOF201R, AOF101CR, AOF102CR, AOF201CR, TC10, TC651DX, EABC101R, 1DR.TC, AOF201CRR, AOF201RRU, 1DR.TC, TC651DEX, 1DR.TC, TC651DEX2, EBCS722CR, EBCS51CR, TC10		

control and safety thermostats

EGO

control thermostats

55.10/19_ series




No.	375055	Ref. No.	0A2018
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 318° 250V		
For models:	HGRV, KITCALDO		




No.	375568	Ref. No.	0H6126 9755190098
description	thermostat t.max. 140°C temperature range 50-140°C 1-pole 1NO 0.5A probe ø 6mm probe L 107mm capillary pipe 860mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position° shaft position rotation 270°		
For models:	7550-2, 7551-2, 7552-2, 7553-2, 7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2, 9100-2, 9101-2, 9102-2, 9104-2, 9113-2, 9114-2, 9115-2, 9116-2		



No.	375488	Ref. No.	031480 0KW857 18002898 50000051
description	thermostat t.max. 175°C temperature range 45-170°C 1-pole 1NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° shaft flat upper		
For models:	TC1200TOP, TC1210TOP, TC1400TOP, TC1410TOP, TC1600TOP, TC1610TOP, TC1800TOP, TC1810TOP, TC2000TOP, TC2010TOP, TCD1200TOP, TCD1400TOP, TCD1600TOP, TCD1800TOP, TCD2000TOP, TC1000, TC1010, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1000, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1000, TC1000...(Other models you can see in the webshop)		



No.	375309	Ref. No.	006749 00779
description	thermostat t.max. 180°C temperature range 95-180°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 1500mm capillary pipe isolated 1100mm gland nut shaft L 23mm shaft position upper rotation 270°		



No.	390053	Ref. No.	050412
description	thermostat t.max. 188°C temperature range 90-185°C 1-pole 1NO 16A probe ø 4mm probe L 231mm capillary pipe 1300mm capillary pipe isolated 1300mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, RFR/G350, RFR/G700, RFR/G350D, RFR/G700D, RFR/G350F, RFR/G700F, RBR/E700UK, M35GFR, M70GFR, XFR/G350D, XFR/G700D, XFR/G350F, XFR/G700F, XBR/E710, CBR/E700, CFR/G700, RFR/G301, RFR/G301, RFR/G701, RFR/G701F, HBR/G805, HBR/E805UK, RFR/G301, RFR/G701		



No.	390046	Ref. No.	0KJ142
description	thermostat t.max. 190°C temperature range 104-190°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position lower rotation 270° probe material SS		



No.	375273	Ref. No.	004168 0C6949
description	thermostat t.max. 200°C temperature range 60-200°C 1-pole 1NO 16A probe ø 6mm probe L 74mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	ZFC33, ZFC45		



No.	390156	Ref. No.	051360 0K2925
description	thermostat t.max. 260°C temperature range 50-260°C 1-pole 1NO 16A probe ø 4mm probe L 115mm capillary pipe 1300mm capillary pipe isolated 1300mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E716, XBR/E706, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G1003, HBR/G1003, HBR/G1004, HBR/E803, HBR/E804, HBR/E1003, HBR/G803, HBR/G804, HBR/G1013, HBR/E1013, HBR/G803, HBR/G804, HBR/G1003, HBR/G1013, HBR/E803, HBR/E804, HBR/E1003, HBR/E1013, HBR/G1004		



No.	390068	Ref. No.	029918 057937 0K2960 446570201
description	thermostat t.max. 269°C temperature range 55-269°C 1-pole 1CO 16A probe ø 3.1mm probe L 219mm capillary pipe 1280mm capillary pipe isolated 1270mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318°		
For models:	FCF02EV, FCF02EOEM, FCF/E3, FCF/E2, FCF/E2D, FCF/E2UK, FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCVE10, FCVE20, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK...(Other models you can see in the webshop)		



No.	375664	Ref. No.	054323
description	thermostat t.max. 287°C temperature range 60-287°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1470mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	FCF/E4-OLD, FCF/E4D, FCFE4PH, FCF/E4OLD3, FCF/E4OLD4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D		



No.	375327	Ref. No.	006941 00769
description	thermostat t.max. 297°C temperature range 58-297°C 1-pole 1NO 16A probe ø 3.03mm probe L 219mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	FTL35E6U, FTR35E6U, FTC35E6U, FTL70E6U, FTR70E6U, FTC70E6U		

E·G·O



1

No.	375667	Ref. No.	056384 0F0088 0K0645 30000815
description	thermostat t.max. 300°C temperature range 68-300°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCFE6J50, FCFE6J60, FCFG10J, FCFG10J, FCFE10J, FCFE10J, FCFG20J, FCFG20J, FCFE20J, FCFE20J, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCFG10J, FCFG10J, FCFG20J, FCF-G20J, FCFG41J, FCFG40J...(Other models you can see in the webshop)		

E·G·O



1

No.	375002	Ref. No.	004939 00569
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		

E·G·O



1

No.	375253	Ref. No.	004155 91310003
description	thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	ZCMME6, ZCBME12, ZCMME4, ZCBME8, ZCMME9, ZCBME18		

E·G·O



1

No.	375661	Ref. No.	056701 74310830
description	thermostat t.max. 500°C temperature range 75-500°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1470mm capillary pipe isolated 960mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	FZG18, FZE18, FPE30, FPE18, FZ/G18, FZ/E18, FP/E30, FP/E18		

E·G·O



1

No.	390415	Ref. No.	070311
description	thermostat t.max. 60°C temperature range fixed 60°C 1-pole 1CO 16A probe ø 6mm probe L 129mm capillary pipe 1470mm capillary pipe isolated 1430mm gland nut shaft Lmm shaft position		


E·G·O



1


No.	375113	Ref. No.	055367 056671 0K2952 60050222
description	thermostat t.max. 76°C temperature range fixed 76°C 1-pole 1CO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 870mm gland nut shaft Lmm shaft position probe material SS		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCGV6-1, FCGV6-3, FCGV6-1UK, FCGV6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCGV10-2, FCGV10-4, FCGV10-1SG, FCGV10-2, FCGV10-4D, FCGV10-2UK, FCGV10-4UK, FCGV10-2, FCGV10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCGV20-2, FCGV20-4, FCGV20-2, FCGV20-4D, FCGV20-2UK, FCGV20-4UK, FCGV20-4, FCGV20-4D, FCVE20-V...(Other models you can see in the webshop)		

E·G·O




No.	390040	Ref. No.	003262 050931 051920
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 2040mm capillary pipe isolated 1940mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	ZHMA/E400, BCFCV101/1, BCFCV102/1, BCFCV101/1, BCFCV102/1		

E·G·O



No.	375809	Ref. No.	0K3061
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		


E·G·O



No.	375042	Ref. No.	0H6440
description	thermostat t.max. 98°C temperature range 50-98°C 1-pole 1CO 16A probe ø 3.1mm probe L 334mm capillary pipe 2410mm capillary pipe isolated 1400mm gland nut M9x1 shaft L 23mm shaft position upper rotation 270° probe material SS		


55.13_ series

E·G·O



No.	375871	Ref. No.	0E5032 0H2117 0K7035 0K7164 0KE345
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1CO 16A probe ø 6mm probe L 113mm capillary pipe 2930mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° H 40mm W 35mm D 30mm		
For models:	PW1EFL, PW1EFLF, PW1EFL/60HZ, PW2EFL, PW2EFLF, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFLF, WT830EFL/60HZ, WT850, WT850EFLF, WT850EFL/60HZ, WT850SFL, FT36EDTS, FT36ESTS, FT36VDT, FT36VSTS, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, TW1ERECO, TW1ELECO, TW1SRECO, TW1SLECO, WT730ER, WT730EL, WT730SR, WT730SL...(Other models you can see in the webshop)		

E·G·O



No.	375567	Ref. No.	0K0659
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 115mm capillary pipe 1130mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	9006-3		

E·G·O




No.	375067	Ref. No.	0K0673
description	thermostat t.max. 125°C temperature range fixed 125°C 1-pole probe ø 3.03mm probe L 147mm capillary pipe 830mm capillary pipe isolatedmm gland nut probe material SS		

E-G-O



No.	375492	Ref. No.	003123 058163 6010005
description	thermostat t.max. 190°C temperature range 94-190°C 1-pole 1NO 16A probe ø 6mm probe L 94mm capillary pipe 1090mm capillary pipe isolated 960mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310° probe material SS		
For models:	QFE300, QFE302, QFE600, QFE602		

E-G-O



No.	375041	Ref. No.	0H6439 0K0493 232908 60050403
description	thermostat t.max. 250°C temperature range 50-250°C 1-pole 1CO 16A probe ø 3.1mm probe L 160mm capillary pipe 1430mm capillary pipe isolated 800mm gland nut M9x1 shaft L 23mm shaft position upper rotation 270°		

E-G-O



No.	375069	Ref. No.	0K0634 0K0646 0K0674 375069
description	thermostat t.max. 255°C temperature range 50-255°C 1-pole 1CO 16A probe ø 3.03mm probe L 160mm capillary pipe 1430mm capillary pipe isolated 800mm gland nut shaft L 23mm probe material SS		

E-G-O



No.	375835	Ref. No.	0H6241 215671
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1CO 16A probe ø 3.1mm probe L 160mm capillary pipe 1430mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E-G-O



No.	375505	Ref. No.	0H2049 0H6124 0K0644 0K6907 0KA528 0KS225 375011 4678012008 PE3000700
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E-G-O



No.	375810	Ref. No.	0H9843 0K2995 0K5039 740401
description	thermostat t.max. 80°C temperature range fixed 80°C 1-pole 1NC 16A probe ø 7.5mm probe L 30.5mm capillary pipe 810mm capillary pipe isolatedmm gland nut shaft L 23mm		
For models:	VARIOTEAM/S-33.3/F, STEAM-O-MAT		

E-G-O



No.	390664	Ref. No.	049255 0L2122 9755132688
description	thermostat t.max. 83°C temperature range 29-83°C 1-pole 1CO 16A probe ø 6mm probe L 115mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft Lmm shaft position° shaft position rotation 260°		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, LB1, LB1WS, LB1WSDP, WT1WSDP, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, WT2WSDP, WT2WSDPD, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD...(Other models you can see in the webshop)		

E-G-O



No.	375006	Ref. No.	069422 0A6040 236022 236043
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1CO 16A probe ø 6mm probe L 92mm capillary pipe 3150mm capillary pipe isolated 300mm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	LTB11, LTB12, LTB22, LTB11UK, LTB12UK, LTB22UK, LTB11, LTB22, 910-00-021, 910-00-023, 910-00-031, 910-00-033, 911-00-022, 911-00-024, 911-00-032, 911-00-034, CRYSTAL 11, CRYSTAL 22		


E-G-O



No.	390663	Ref. No.	046524 048266 049243 068012 068582 OKF095 0L1633
description	thermostat t.max. 91°C temperature range 29-91°C 1-pole 1CO 15A probe ø 6mm probe L 113mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft Lmm rotation 260°		
For models:	LS500F, LS501F, LS540F, LS540DK, LS541F, LS720F, LSE720DK, LSE720PH, LS860F, LS860DK, LS860PH, LS1080F, LS1080UK, LS1080PH, LSE721F, LS861F, LS540, LS1080M, LS1080, LS1080D, LS1080UK, LS1080/63, LS500F, LS500UK, LS501, LS501UK, LS540D, LS540/63, LSE721, LS720, LSE720UK, LS721UK, LSE720D, LS541, LS860, LS860, LS860D, LS860UK, LS861UK, LS860/63, LS861, LS61, LS61/60, LS62, LS62D, LS62/UKRP, LS62F, LV62, LS62/60, LS62/1P...(Other models you can see in the webshop)		

55.17_ series

E-G-O



No.	375665	Ref. No.	005207 3581901703 3581913146 3890776036
description	thermostat t.max. 282°C temperature range 96-282°C 1-pole 1NO 16A probe ø 3.03mm probe L 196mm capillary pipe 1240mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 22mm shaft position left rotation 270°		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		

 			
No.	390687	Ref. No.	070350
description	thermostat t.max. 85°C temperature range fixed 85°C 1-pole 1CO 16A probe ø 6mm probe L 115mm capillary pipe 1500mm capillary pipe isolated 1420mm gland nut shaft Lmm shaft position° shaft position		
For models:	LB035C, LB035R, LB035Q, LB040R, LB040Q, LB040AUS, G350C, LBICEQ010, LBIOET010, LBIOET014, LBIOEQ010, G350, G350DP, LBIOEQ014, G400, G400DP, LCFBE003		

 			
No.	375147	Ref. No.	0H6138 213073
description	thermostat t.max. 255°C temperature range 30-255°C 2-pole 2CO 16A probe ø 3.03mm probe L 147mm capillary pipe 1440mm capillary pipe isolated 1250mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position right rotation 270°		
For models:	5611-3-6		


55.18_ series

 			
No.	375950	Ref. No.	0E3691 0KB677
description	thermostat t.max. 238°C temperature range 50-200°C 1-pole probe ø 3mm probe L 158mm capillary pipe 890mm capillary pipe isolated 760mm shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		

55.34_ series

 			
No.	375671	Ref. No.	032858 0A2237 0A3055 0H6228
description	thermostat t.max. 110°C temperature range 30-110°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 1200mm capillary pipe isolated 600mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	LPS/75, LPS/75, DI-HTGW1, DI-HTGW2, DI-HTGW3, DI-HTGW4, DB/A31, DB/A21, DB/A33, DB/A22, CCB10, CCB20, 710-00-115, 710-00-115, 711-00-115, 711-00-115, 710-00-122, 710-00-122, 711-00-122, 711-00-122, 711-00-122, 0WC142, 655-00-106, 655-00-107, 655-00-110, 656-00-106		

55.22_ series

 			
No.	375080	Ref. No.	0H6133 0H6242 212795 215672 60050392 723408 9755342045
description	thermostat t.max. 102°C temperature range 30-90 / 50-102°C 2-pole 2CO 16A probe ø 3.1mm probe L 334mm capillary pipe 1440mm capillary pipe isolated 1400mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° probe thread 1/4"		
For models:	5611-3-6, 5611-3-8, 5612-3-6, 5612-3-8, 5614-3-6, 5614-3-8		

			
No.	375143	Ref. No.	004911 01T01 0G0500 0G0953 0G4943 0H6220 0K0636 0K1540 0K3513 0K3852 0K3926 0K8428 0K9764 0K1132 0KQ973 0M0720 2061 214948 375143 VO2061
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	SME350, SME700, SME350, SME700, BM35E6U, 7720-3/90.WB.GN1/1., 7520-3/85.WB.GN1/1., 7721-3/85.WB.GN2/1, 7520-3/90.WB.GN1/1., 7720-3/85.WB.GN1/1., 7521-3/85., 7521-3/90.WB.GN2/1., 7721-3/90. WB.GN2/1., 7521-3/85.WB.GN2/1.W, 7520-3, 7521-3, 7720-3, 7721-3, 9006-9, 9020-3, 9220-3-0, 9220-3-8		

			
No.	390055	Ref. No.	026860
description	thermostat t.max. 160°C temperature range 66-160°C 3-pole 3NO 16A probe ø 8mm probe L 115mm capillary pipe 800mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° with disc probe thread M14x1 disc ø 12.5mm		

			
No.	390058	Ref. No.	0A2003 0A2599
description	thermostat t.max. 175°C temperature range 100-175°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 2000mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318°		

			
No.	375957	Ref. No.	0H6233 0K9780 0KC027 0KC472 0KC473
description	thermostat t.max. 180°C temperature range 100-180°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 910mm capillary pipe isolated 770mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

			
No.	375699	Ref. No.	0K3854 0K9907 0KA538 0KA541
description	thermostat t.max. 180°C temperature range 90-180°C 3-pole 3CO 16A probe ø 6mm probe L 133mm capillary pipe 880mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



No.	375022	Ref. No.	0H6127 18005611 212698 30000060 375022
description	thermostat t.max. 180°C temperature range 95-180°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 1780mm capillary pipe isolated 1400mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm rotation 270°		
For models:	SLE159-170, SLE159-180, 7535-3/85., 7535-3/90.FRI.(N), 7735-3/85.FRI.(N), 7735-3/90.FRI.(N), 7535-3, 7536-3, 7537-3, 7538-3, 7735-3, 7736-3, 7737-3, 7738-3, 9050-3, 9052-3, 9055-3, 9250-3-0, 9250-3-8, 9252-3-0, 9252-3-8, 9255-3-0, 9255-3-8		



No.	375576	Ref. No.	005940 0KG557
description	thermostat t.max. 185°C temperature range 60-185°C 3-pole 3NO 16A probe ø 4mm probe L 229mm capillary pipe 1200mm capillary pipe isolated 1150mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	RFR/E1S14, RFR/E2D14, RF/E1S07, RF/E2D07, RFR/E1S07, RFR/E2D07, XFR/E1S14, XFR/E2D14, XF/E1S07, XF/E2D07, XFR/E1S07, XFR/E2D07, JFR/E1S14, JFR/E2D14, JF/E1S07, JF/E2D07, JFR/E1S07, JFR/E2D07, MFR/E1S14, MFR/E2D14, MF/E1S07, MF/E2D07, MFR/E1S07, MFR/E2D07, PF/E1S07, PF/E2D07, PFR/E1S07, PFR/E2D07, PF/E1S07E5, PFRE2D07E5, OF/E1S07, OFR/E1S07, OFR/E2D07, TF/E1S07, TF/E2D07, TFR/E1S07, TFR/E2D07, TF/E1S07E5, TFRE2D07E5		



No.	390056	Ref. No.	00281 004925 0K3514
description	thermostat t.max. 185°C temperature range 100-185°C 3-pole 3NO 16A probe ø 4mm probe L 231mm capillary pipe 2600mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	SFRE700, SFRE350, SFRE700		



No.	376400	Ref. No.	0G2760
description	thermostat t.max. 185°C temperature range 60-185°C 3-pole 3NO probe ø 4mm probe L 235mm capillary pipe 1180mm capillary pipe isolated 1060mm gland nut M9x1 shaft ø 6x4.6mm shaft L 24mm shaft position upper rotation 270°		
For models:	AFAUOFOOOC, AFAUOAOOOO, AFAROFOOOC, AFARAOOOOO		



No.	375839	Ref. No.	004548 051361 054931 057345
description	thermostat t.max. 185°C temperature range 60-185°C 3-pole 3NC 16A probe ø 4mm probe L 229mm capillary pipe 2600mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, RF/E1S08, RF/E2D08, RFR/E1S08, RFR/E2D08, XF/E1S08, XF/E2D08, XFR/E1S08, XFR/E2D08, JF/E1S08, JF/E2D08, JFR/E1S08, JFR/E2D08, MF/E1S08, MF/E2D08, MFR/E1S08, MFR/E2D08, RFRE302, RFR/E302UK, RFRE305, RFR/E305, RFR/E701, RFR/E701, RFRE312, RFR/E312, RFRE315, RFR/E315, RFR/E711, RFR/E711U, HFR/G420, HFR/G840, RFR/E305, RFR/E302, RFR/E701, RFR/E315, RFR/		




No.	375766	Ref. No.	002587 0K1250 18015469 320104
description	thermostat t.max. 190°C temperature range 120-190°C 3-pole 1CO/2NO 16A probe ø 6mm probe L 133mm capillary pipe 880mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E·G·O




No.	375043	Ref. No.	0H6221 0K1541 214840
description	thermostat t.max. 200°C temperature range 65-200°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 880mm capillary pipe isolated 800mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E·G·O



No.	375763	Ref. No.	0K4097 0KL450 0KW841 0M2160 631111 63115A 725629
description	thermostat t.max. 206°C temperature range 120-206°C 3-pole 1CO/2NO 16A probe ø 4mm probe L 157mm capillary pipe 1780mm capillary pipe isolated 1500mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	HLE159-159W.3, HLE159-160W.3, SLE259-100.4.R, SLE159-171.4, SLE259-100.4.L, LE159-160.3, LE159-159.3, HLE159-160.3, HLE159-159.3, CE158-159.3, HCE158-159.3		

E·G·O




No.	375675	Ref. No.	0C1000
description	thermostat t.max. 210°C temperature range fixed 210°C 2-pole 2NC 0.5A probe ø 6mm probe L 74mm capillary pipe 1250mm capillary pipe isolated 1100mm gland nut		
For models:	KPD/G10, KPD/G15, KPD/G15A, QPD/G10, QPD/G15, WPD/G10, WPD/G15, WPD/G15A		

E·G·O




No.	375559	Ref. No.	002402 0C7528
description	thermostat t.max. 230°C temperature range 95-230°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 1250mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	PR/E1CL, PR/E2CL, PRV/E1FL, PRV/E1FR, PRV/E1CL, PRV/E2FL, PRV/E2FM, PRV/E2CL, PR/E2CM, PR/E1FLO, PR/E2CMES, PGV/E1, PGV/E2, OR/E1CL, OR/E2CL, OR/E1FLO, TR/E2FL, TR/E2FM, TRV/E1CL, TRV/E2FL, TRV/E2CL, TR/E2CM, TR/E1FLO, TR/E2FLES, TR/E2CRE5, TR/E2FME5, TGV/E1, TGV/E2, KGR/E1, KGR/E2, HG/E400, HG/E800, QGR/E1, QGR/E2, ZG/E400, ZG/E800, WGR/E1, WGR/E2, AG/E400, AG/E800		

E·G·O




No.	390074	Ref. No.	051362
description	thermostat t.max. 260°C temperature range 60-240/80-260°C 3-pole 3NO 10A probe ø 4mm probe L 130mm capillary pipe 1300mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm		
For models:	FCVE10, FCVE20, HBR/E801, HBR/E801		

E·G·O



No.	375587	Ref. No.	059235 375587 727992
description	thermostat t.max. 285°C temperature range 100-285°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 1150mm capillary pipe isolated 1130mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	BCF/E2, BR/E1FL, BR/E1FR, BR/E2FL, BR/E2FR, PCF/M2, PCF/M3, PCV/E2, PCV/E3, PCF/E2, PC/E2Q, PCF/E2Q, PCV/E2Q, PI/E1, PI/E2, PIF/E2, PIV/E2, PC/E2QE5, PCF/E2QE5, PI/E1E5, PI/E2E5, PIF/E2E5, PCF/E2E5, PCF/M2E5, PCF/M2A, PCF/M3A, OCF/M2, OCF/E2, OC/E2Q, OCF/E2Q, OI/E1, OI/E2, OIF/E2, TCF/M2, TCF/M3, TCF/E2, TCV/E2Q, TIF/E2, TCF/E2QE5, TI/E2E5, TCF/E2E5, TCF/M2E5, TCF/M2A, TCF/M3A, TCF/E2M0, TCF/E2QM0, TCF/E3QM0, TCF/E2M4, TCF/E2QM4, TCF/E3QM4...(Other models you can see in the webshop)		

E-G-O



No.	375183	Ref. No.	00285 004917 OK3517
description	thermostat t.max. 298°C temperature range 50-298°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720		

E-G-O




No.	375560	Ref. No.	004363
description	thermostat t.max. 300°C temperature range 115-300°C 3-pole 3NO 10A probe ø 3mm probe L 144mm capillary pipe 1150mm capillary pipe isolated 1130mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	RR/E1FL, RR/E1FR, RR/E1CL, RR/E2FL, RR/E2FM, RR/E2CL, RRV/E1FL, RRV/E1FR, RRV/E1CL, RRV/E2FL, RRV/E2FM, RRV/E2CL, RRV/E2CM, XR/E1FL, XR/E1FR, XR/E1CL, XR/E2FL, XR/E2FM, XR/E2CL, XRV/E1FL, XRV/E1FR, XRV/E1CL, XRV/E2FL, XRV/E2FM, XRV/E2CL, JR/E1FL, JR/E1FR, JR/E1CL, JR/E2FL, JR/E2FM, JR/E2CL, JRV/E1FL, JRV/E1FR, JRV/E1CL, JRV/E2FL, JRV/E2FM, JRV/E2CL, MR/E1FL, MR/E1FR, MR/E1CL, MR/E2FL, MR/E2FM, MR/E2CL, MRV/E1FL, MRV/E1FR, MRV/E1CL, MRV/E2FL, MRV/E2FM, MRV/E2CL, MR/E2CM...(Other models you can see in the webshop)		

E-G-O




No.	375574	Ref. No.	055996
description	thermostat t.max. 300°C temperature range 115-300°C 3-pole 3NO 16A probe ø 2.5mm probe L 322mm capillary pipe 1150mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	HRS/G802, HRS/G812, HRS/E802, HRS/E812, HRA/G802, HRA/E802, HR/E802, ZHRAG802CR, ZHRAE802CR, HRA/G812, ZHRAE812CR, ZHR/E812, ZHR/E802T		

E-G-O




No.	375192	Ref. No.	OK5018
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E-G-O



No.	375038	Ref. No.	OC1413 OG0955 OH6217 OK2827 OK3758 OK7279 OK9355 OK9763 OKC023 OKG661 OKI522 OKK117 OM0722 11151588 18015446 180706 203494 232030 6203010010 ALI180706 CODE:180706
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	APABPETOOC, APABPGTOOC, APACPITOOC, APACPGTOOC, APABPI-OOOC, APABPITOOC, APACPIOOC, APACPITOOC, APABPGOOOC, APACPFOOOC, 7744-3/85.KB.(N), 7542-3/85., 7544-3/85.KB.(N), 7542-3/90.KB.(N), 7544-3/90.KB.(N), 7742-3/90.KB.(N), 7742-3/85.KB.(N), 7744-3/90.KB.(N), 7746-3/90.KB.(N), 7748-3/90.KB.(N), 7747-3/90.KB.(N), 7541-3/85.KB.(N), 7545-3/85.KB.(N), 7546-3/85.KB.(N), 7547-3/85.KB.(N), 7548-3/85.KB.(N), 7545-3/90.KB.(N), 7546-3/90., 7547-3/90.KB.(N), 7548-3/90.KB.(N), 7745-3/90.KB.(N), 7745-3/85.KB.(N), 7746-3/85.KB.(N), 7747-3/85.KB.(N), 7748-3/85.KB.(N), 7542-3/85.KB.DWD, 7544-3/85.KB.220V3, 7545-3/85.KB.DWD, 7742-3/85.KB.DWD.ETR, ZFT/E1, ZFT/E1E5, ZFT/E1M4, ZFT/E1M0, ZFT/E1L, ZFT/E1LE5, RFT/E1, RFT/E1E5, RFT/E1M4, RFT/E1M0, ZFT/E2...(Other models you can see in the webshop)		
accessories for	375038		
	No.	110123	Ref. No. —
	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		

E.G.O



No.	375569	Ref. No.	0H6218 214831
description	thermostat t.max. 300°C temperature range 60-300°C 3-pole 3NO 16A probe ø 3.1mm probe L 263mm capillary pipe 1180mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	7508-3/85., 7502-3/85., 7500-3/85.HE.2PL.(N), 7504-3/85.HE.6PL.BO, 7505-3/85, 7512-3/85.KF.BO.(N), 7502-3/90.HE.4PL.BO., 7504-3/90.HE.6PL.BO., 7505-3/90.HE.6PL.BO., 7508-3/90.HE.CER.BO., 7512-3/90.KF.BO.(N), 7700-3/85, 7700-3/90.HE.2PL.(N), 7502-3/85.HE.4PL.BO., 7508-3/85.HE.CER.BO., 7505-3/85.HE.6PL.BO., 7508-3/85.HE.CER.BO., 7506-3/85.HE.CER.2KZ, 7508-3/85.HE.CER.BO., 7506-3/85.HE.CER.2KZ, 7510-3/85.HE.CER.6KZ, 7504-3/90.HE.6PL.BO., 7502-3, 7502-9, 7504-3, 7505-3, 7508-3, 7510-3/90.HE.CER.6KZ, 7512-3, 7512-9, 9002-3, 9004-2, 9004-3, 9006-3, 9012-3, 9015-3, 9598-3-0, 9598-3-8		

E.G.O



No.	375453	Ref. No.	052916 0K2906
description	thermostat t.max. 308°C temperature range 100-300°C 3-pole 3NO 16A probe ø 6mm probe L 75mm capillary pipe 1150mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270° probe material SS		
For models:	MR/E350D, MR/E350UK, MR/E360, MR/E700D, MR/E700UK, MR/E710, MR/E720, MR/E715, MR/E725, MR/E350, MR/E700, MR/E720D, RR/E350D, RR/E350UK, 7FTEF3R, RR/E360UK, RR/E700D, RR/E700UK, RR/E710, RR/E710UK, 7FTEC7L, 7FTEF3L, 7FTEF7L, 7FTEC7M, XR/E350D, XR/E350UK, T36EFT, XR/E700D, XR/E700UK, T71EFT, T79EFT, T35EFT, T70EFT, CR/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RRV/E300, RRV/E300, RRV/E311, RRV/E700, RRV/E700, RRV/E711, HRS/E401, HRS/E401UK, HRS/E411...(Other models you can see in the webshop)		

E.G.O



No.	375420	Ref. No.	0H6216
description	thermostat t.max. 320°C temperature range 110-320°C 3-pole 3NO 16A probe ø 6mm probe L 96mm capillary pipe 1780mm capillary pipe isolated 1600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	7731-3/85.GRPL.VCHR., 7531-3/85., 7531-3/90.GRPL.(N), 7530-3/85.GRPL.(N), 7532-3/85.GRPL.GL-GR, 7530-3/90.GRPL.(N), 7532-3/90.GRPL.GL-GR, 7730-3/85.GRPL.(N), 7731-3/85.GRPL.(N), 7732-3/85.GRPL.GL-GR, 7730-3/90.GRPL.(N), 7731-3/90.GRPL.(N), 7732-3/90.GRPL.GL-GR, 7531-3/85.GRPL.VCHR, 7532-3/85.GRPL.GL-GR, 7530-3, 7531-3, 7730-3, 7731-3, 9030-3, 9031-3, 9032-3, 9230-3-0, 9230-3-8, 9231-3-0, 9231-3-8, 9232-3-0, 9232-3-8		

E.G.O




No.	375412	Ref. No.	0A2206 0K2915
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	MG/E350D, MG/E350UK, MG/E700D, MG/E700UK, MG/E350, MG/E700, RG/E1, RG/E2, RGV/E1, RGV/E2, XG/E1, XG/E2, XGV/E1, XGV/E2, JG/E1, JG/E2, MG/E1, MG/E2, MG/E1, MG/E2, RG/E350D, RG/E350UK, RG/E700D, RG/E700UK, 7GLE03T, 7GLE07T, XG/E350D, XG/E350UK, XG/E700D, XG/E700UK, T35ECG, T70ECG, PG/E1, PG/E2, PG/E1E5, PG/E2E5, TG/E1, TG/E2, TG/E1E5, TG/E2E5		

E.G.O



No.	375621	Ref. No.	0K8421 537000900
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		

E-G-O



No.	375424	Ref. No.	052099
description	thermostat t.max. 320°C temperature range 60-320°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 1800mm capillary pipe isolated 1300mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MCF/GE1055UK, MIF/E700, MIF/E700D, MIF/E710, MIF/E710D, MCF/GE702, MCFGE1052, MCF/GE700, MCFGE1050, MF/E700, RCF/M2, RCF/M3, RCF/E2, RCF/E2MO, RCF/E2M4, RCF/E3MO, RCF/E3M4, RCF/E2E5, RIF/E2, MCF/E2Q, RCF/E2Q, XCF/M2, XCFM3, XCF/E2, XIF/E2, JCF/M2, JCFM3, JCF/E2, JIF/E2, MCF/M2, MCF/M3, MCF/E2, MCF/E2E5, MIF/E2, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCFE720...(Other models you can see in the webshop)		

E-G-O



No.	390038	Ref. No.	045169 0C5345 0K2919 0K5114 0K1260 460985204 721196
description	thermostat t.max. 90°C temperature range 30-90°C 3-pole 3CO 16A probe ø 6mm probe L 215mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft Lmm		
For models:	MCP/E700, MCP/G700, MCP/E700D, MCP/G701, MCP/G710, MCP/G711, RCP/E2S, MCP/E2S, 7CPE07P, 7CPG07P, RCP/G701, M70EPC, M70GPC, M70GPC, CCP/G700, CCP/E700, PCP/E2SHP, OCP/E2S, TCP/E2S, RCP/G700, RCPE700, HCP/G410D, HCP/G410, HCP/G810, HCP/E410, HCP/E810, HCPS/E410, ZCP/G410, ZCP/G810, ZCP/E410, ZCP/E810, ZCPS/E410, ACP/G400, ACP/G410, ACP/G800, ACP/G810, ACP/E400, ACP/E410, ACP/E800, ACP/E810, ACPS/G400, ACPS/E400, ACPS/E410, LS360F, LS360DK, LS365F, LS365, LS365PH, LS360, LS365...(Other models you can see in the webshop)		

E-G-O



No.	375107	Ref. No.	293586
description	thermostat t.max. 350°C temperature range 60-350°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 880mm capillary pipe isolated 800mm gland nut shaft L 23mm shaft position upper rotation 270°		

E-G-O



No.	375210	Ref. No.	049191
description	thermostat t.max. 90°C temperature range 38-90°C 3-pole 3CO 16A probe ø 6mm probe L 215mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm rotation 270°		
For models:	LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, LB2DPSAUS, LB1G, LB1WSG, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, LB2WSG, UC1, UC2WS, GW1, GW1WS, LV1WS, LV1WSDP, LV2WSDP, LV2WS, GW2WS, GW2, Z1, Z1/WS, Z1TOP, Z2, Z2TOP		

E-G-O



No.	375565	Ref. No.	0C0270
description	thermostat t.max. 350°C temperature range fixed 350°C 3-pole 3NC 16A probe ø 3mm probe L 190mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm		
For models:	KCF/M2, KC/E1, KC/E2, KCF/E2, KC/E1E5, KC/E2E5, KCF/E2E5, KCF/W2, KCF/M2G, KCF/M2E5G, KRF/E2R, KRF/E2RP, KBR/G2F, KBR/G2C, KBR/G3F, KBR/G3FH, KBR/G3C, KBR/G3CH, KBR/E2F, KBR/E2C, KBR/E3F, KBR/E3FH, KBR/E3C, KBR/E3CH, KBR/G2FH, KBR/G2CH, KBR/E2FH, KBR/E2CH, QCF/M2, QCF/E2, QCF/E2E5, QCF/E2M0, QCF/E2M4, QCF/W2, QRF/E2R, QRF/E2RP, QBR/G2F, QBR/G2C, QBR/G3F, QBR/G3FH, QBR/G3C, QBR/G3CH, QBR/E2F, QBR/E2C, QBR/E3F, QBR/E3FH, QBR/E3C, QBR/E3CH, QBR/G2FH, QBR/G2CH...(Other models you can see in the webshop)		

E-G-O



1

No.	375411	Ref. No.	031284 031532 050237 050932 052000 0K2929 60050027
description	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3NO 16A probe ø 6mm probe L 129mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	MM/E700, MM/E700UK, MM/E700D, RB/E2, RBV/E2, XB/E2, XBV/E2, JB/E2, JBV/E2, MB/E2, MBV/E2, 7BME07T, RM/E700UK, PB/E1, PB/E2, PBV/E2, PB/E2E5, OB/E2, TB/E1, TB/E2, TBV/E2, TB/E2E5, RM/E700, PRM/E700, RM/E700U, RMV/E700, PRMV/E700, RMV/E700, RMAE700, PRMA/E700, RMA/E700, KB/E2, HM/E800, QB/E2, ZM/E800, WB/E2, AM/E800, OM/E800, HMS/E800, HMA/E800, HMA/E800, HM/E800T, ZHMA/E800, RM/E700, RMV/E700, RMA/E700, DL07/C, DL14/C, DL14/CP, DL21/C....(Other models you can see in the webshop)		

E-G-O



2

No.	391035	Ref. No.	OKT880
description	thermostat temperature range 50-300°C 3-pole 3NO 16A probe ø 4mm probe L 292mm capillary pipe 2300mm capillary pipe isolated 2260mm gland nut shaft ø 6x4.6mm shaft L 25.5mm shaft position upper rotation 270°		

safety thermostats

51._ series

E-G-O




1

No.	375078	Ref. No.	0H6145 375.078
description	safety thermostat switch-off temp. 313°C 1-pole 0.5A probe ø 3.1mm probe L 160mm capillary pipe 830mm capillary pipe isolatedmm gland nut probe SS		

55.10/19_ series


E-G-O



1

No.	375254	Ref. No.	00031 006748 0K3496 TEC00031
description	safety thermostat 1-pole capillary pipe isolatedmm gland nut switch-off temp. 295°C probe		


E-G-O



1


No.	375324	Ref. No.	006942 00770
description	safety thermostat capillary pipe 1200mm probe ø 4mm 1-pole probe L 116mm 16A capillary pipe isolated 1000mm gland nut switch-off temp. 360°C probe		
For models:	FTL35E6U, FTR35E6U, FTC35E6U, FTL70E6U, FTR70E6U, FTC70E6U		

E-G-O



1

No.	375250	Ref. No.	00427 004912 004931 0K3555 0K3610 7803
description	safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 129mm 16A capillary pipe isolatedmm gland nut switch-off temp. 130°C probe SS		
For models:	SME350, SME700, SME350, SME700, SMG350, SMG700, BM35E6U		
spare parts for	375250		
	No.	551083	Ref. No. 0A2187
cap for safety thermostat thread M8x1			



1

No.	375278	Ref. No.	056745 0K2963
description	safety thermostat switch-off temp. 140°C 1-pole 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe		
For models:	FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVG10-2, FCVG10-4, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4, FCVG20-4D, FCV/G6-1, ZOFCV/G6-3, ZOFCV/G102, ZOFCV/G104, ZOFCV/G202, ZOFCV/G204, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3		



1

No.	390060	Ref. No.	00450 004951 0K3563
description	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe SS probe ø 6mm probe L 77mm capillary pipe 870mm capillary pipe isolated-mm gland nut		
For models:	SFRG350, SFRG700, SFRG350, SFRG700		
accessories for	390060		
	No.	551083	Ref. No. 0A2187
	cap for safety thermostat thread M8x1		



1


No.	390062	Ref. No.	0A2011
description	safety thermostat switch-off temp. 235°C 1-pole 0.5A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1500mm gland nut M9x1 probe SS		
For models:	MBR/G700UK, XBR/G701UK, BOFR/G500, ROFR/G1000		
accessories for	390062		
	No.	551083	Ref. No. 0A2187
	cap for safety thermostat thread M8x1		



1

No.	375191	Ref. No.	004108
description	safety thermostat switch-off temp. 500°C 1-pole 16A probe ø 3.9mm probe L 230mm capillary pipe 870mm capillary pipe isolated 660mm gland nut probe		
For models:	MAX18/35X, ZCMDG6, ZCMDG4, ZCMDG9, ZCBDG8, ZCBDG12, ZCBDG18, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835		

55.11_ series



1

No.	375767	Ref. No.	031482 0KW855 18002892 50000053
description	safety thermostat switch-off temp. 170°C 1-pole 16A probe ø 3.1mm probe L 160mm capillary pipe 650mm capillary pipe isolated 600mm gland nut probe		
For models:	TC1200TOP, TC1210TOP, TC1400TOP, TC1410TOP, TC1600TOP, TC1610TOP, TC1800TOP, TC1810TOP, TC2000TOP, TC2010TOP, TCD1200TOP, TCD1400TOP, TCD1600TOP, TCD1800TOP, TCD2000TOP, TC1000, TC1010, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1000, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, MTC1200P, MTC1400P.. (Other models you can see in the webshop)		




55.13_series



No.	375854	Ref. No.	OE1108 OE5086 OK6886 OK6888 OK7886 OK8886 OKX072 467660804 467660809
description	safety thermostat switch-off temp. 126°C 1-pole 16A probe Ø 6mm probe L 129mm capillary pipe 1730mm capillary pipe isolated 800mm gland nut M9x1 shaft Ø 6x4.6mm starting temperature 120°C probe		
For models:	HCCS20W, HCCS20W, PW1EFL, PW1EFLF, PW1EFL/60HZ, PW2EFL, PW2EFLF, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFLF, WT830EFL/60HZ, WT850, WT850EFL, WT850EFL/60HZ, WT850SFL, FT36EDTS, FT36ESTS, FT36VDT, FT36VDT, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, WTF2ERC, WTF2ELC, WTF2SRC, WTF2SLC, WTF2HERC, WTF2HELC...(Other models you can see in the webshop)		



No.	375157	Ref. No.	OK0649 180710 375157 718RVZ 9755135224
description	safety thermostat switch-off temp. 140°C 1-pole 16A probe Ø 5mm probe L 96mm capillary pipe 1470mm capillary pipe isolatedmm gland nut probe		
For models:	7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2		



No.	375044	Ref. No.	OH6141 OKE595	
description	safety thermostat switch-off temp. 178°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 1730mm capillary pipe isolated 1600mm gland nut probe with sealing sleeve screw connection M8x1 sealing sleeve 8.6x32mm			
For models:	7573-3/85.KES100.(N), 7574-3/85.KES150.(N), 7575-3/85.KES250.(N), 7576-3/85.KES300.(N), 7573-3/90.KES100.(N), 7574-3/90.KES150.(N), 7575-3/90.KES250.(N), 7576-3/90.KES300.(N), 7573-3, 7574-3, 7575-3, 7576-3, 7577-3, 7773-3, 7773-3/85.KES100, 7773-3/90.KES100, 7774-3, 7774-3/85.KES150, 7774-3/90.KES150, 7775-3, 7775-3/85.KES250, 7775-3/90.KES250, 7776-3, 7776-3/85.KES300, 7776-3/90.KES300, 9100-3, 9104-3, 9113-3, 9300-3-0, 9300-3-8, 9304-3-0, 9304-3-8, 9313-3-0, 9313-3-8			
accessories for	375044			
	No.	102067	Ref. No.	055033 0992014
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1				
	No.	551083	Ref. No.	0A2187
cap for safety thermostat thread M8x1				



No.	375106	Ref. No.	OH6142 OH9844 OK4131 OK5041 OKX292 18015468 700741 70074101
description	safety thermostat switch-off temp. 190°C 1-pole 16A probe Ø 3.1mm probe L 178mm capillary pipe 350mm capillary pipe isolatedmm gland nut M9x1 probe SS		
For models:	7561-3.KES60.RW, 7562-3.KES80.RW, 7563-3.KES100.RW, 7564-3.KES150.RW, 7751-3/85.KES60, 7550-3/85.KES40.(N), 7551-3/85.KES60, 7552-3/85.KES80.(N), 7553-3/85.KES100.(N), 7554-3/85.KES150.(N), 7550-3/90.KES40.(N), 7551-3/90.KES60, 7552-3/90.KES80.(N), 7553-3/90.KES100.(N), 7554-3/90.KES150.(N), 7561-3/85.KES60.RW, 7562-3/85.KES80.RW, 7563-3/85.KES100.RW, 7564-3/85.KES150.RW, 7561-3/90.KES60.RW, 7562-3/90.KES80.RW, 7563-3/90.KES100.RW, 7564-3/90.KES150.RW, 7585-3/85.KK40.MOTK, 7586-3/85.KK60.MOTK, 7587-3/85.KK80.MOTK, 7588-3/85.KK100.MOTK, 7585-3/90.KK40.MOTK, 7586-3/90.KK60.MOTL, 7587-3/90.KK80.MOTK, 7588-3/90.KK100.MOTK, 7550-3, 7551-3, 7552-3, 7553-3, 7554-3, 7560-3, 7561-3, 7562-3, 7563-3, 7564-2, 7568-3, 7569-3/85.KK200.MOTK, 7569-3/90.KK200.MOTK, 7580-3, 7581-3, 7582-3, 7583-3, 7584-3, 7589-3/85.KK150.MOTK...(Other models you can see in the webshop)		

1 

E-G-O



No.	375573	Ref. No.	059552
description	safety thermostat switch-off temp. 225°C 3-pole 20A probe ø 6mm probe L 157mm capillary pipe 940mm capillary pipe isolated 800mm gland nut probe SS		
For models:	HCP/E400, HCP/E410, HCP/E800, HCP/E810, HCPS/E400, HCPS/E410, ZCP/E400, ZCP/E410, ZCP/E800, ZCP/E810, ZCPS/E400, ZCPS/E410, ACP/E400, ACP/E410, ACP/E800, ACP/E810, ACPS/E400, ACPS/E410		

E-G-O



No.	375521	Ref. No.	0H7487
description	safety thermostat switch-off temp. 240°C 3-pole 20A probe ø 6mm probe L 177mm capillary pipe 2380mm capillary pipe isolated 1100mm gland nut M9x1 probe SS		

E-G-O



No.	375108	Ref. No.	052331 0K4322 727932
description	safety thermostat switch-off temp. 250°C 3-pole 1x20/2x0.5A probe ø 6mm probe L 157mm capillary pipe 1230mm capillary pipe isolated 800mm gland nut probe SS		
For models:	MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/G740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, RFR/G350, RFR/G700, RFR/G350D, RFR/G700D, RFR/G350F, RFR/G700F, RFR/G741, 7FRG03S, 7FRG07S, M35GFR, M70GFR, XFR/G350D, XFR/G700D, XFR/G350F, XFR/G700F, XFR/G351, CFR/G741, M35GFR, M70GFR, CFR/G351, CFR/G700, CFR/G351, CFR/G701, RFR/G301, RFR/G300, RFR/G301, RFR/G701, RFR/G701F, HFR/G410D, HFR/G810D, HFR/G410NL, HFR/G810NL, HFH/G400U, HFH/G401U, HBR/E800, HBR/E805, HBR/E810...(Other models you can see in the webshop)		

E-G-O



No.	390087	Ref. No.	051369 0H1261
description	safety thermostat switch-off temp. 250°C 3-pole 20A probe ø 6mm probe L 239mm capillary pipe 2530mm capillary pipe isolated 1600/210/375mm gland nut probe SS		
For models:	MFR/G350NL, MFR/G700NL, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/E740, RFR/E356, RFR/E741, RFR/E701, XFR/G350NL, XFR/G700NL, CFR/E702, HFR/G420NL, HFR/G840, HFR/E420, HFR/E420UK, HFR/E840, HFR/E840, HFR/E421, ZHFRE420, HFR/E421, ZHFRE840		

E-G-O



No.	375641	Ref. No.	054932 0K2948
description	safety thermostat switch-off temp. 250°C 3-pole 20A probe ø 6mm probe L 239mm capillary pipe 2530mm capillary pipe isolated 1600/210mm gland nut probe SS		
For models:	MBR/E700UK, MFR/E350, MFR/E700, MFR/E370, MFR/E350UK, MFR/E700UK, MFR/E370UK, MFR/E370D, MFR/E350D, MFR/E700D, 7FRE03S, 7FRE07S, 7FRE23S, RFR/E350UK, RFR/E700UK, RFR/E370UK, RBR/E700UK, T35EFR, T70EFR, T36EFR, XFR/E350UK, XFR/E700UK, XFR/E370UK, XBR/E710, CBR/E700, CFR/E350, CFR/E700, RFR/E302, RFR/E302UK, RFR/E305, RFR/E305, RFR/E701, RFR/E701, RFR/E312, RFR/E312, RFR/E315, RFR/E315, RFR/E711, RFR/E711U, RFR/E305, RFR/E302, RFR/E701, RFR/E315, RFR/E711, RFR/E312		

E-G-O



No.	375588	Ref. No.	053183 0KE986
description	safety thermostat switch-off temp. 285°C 3-pole 1x20/2x0.5A probe ø 6mm probe L 157mm capillary pipe 940mm capillary pipe isolated 940mm gland nut probe		
For models:	HPN/GD811, HPN/GD816, HPA/GD825, ZPN/GD811, ZPN/GD816, 2PDAG15, APN/GI810, APN/GI815, APN/GI816, APN/GD811, APN/GD816, APN/GI816, OPN/GI815, HPN/G810, HPN/G815, HPA/G815, HPN/G810, HPN/G815, HPA/G815		



No.	375047	Ref. No.	0H6136
description	safety thermostat switch-off temp. 320°C 3-pole 20A probe ø 6mm probe L 177mm capillary pipe 1430mm capillary pipe isolated 800mm gland nut M9x1 probe SS		



No.	375571	Ref. No.	051454 OK2887 727998
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 6mm probe L 157mm capillary pipe 940mm capillary pipe isolated 890mm gland nut probe SS		
For models:	MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MCF/GE1055UK, MIF/E700, MIF/E700D, MIF/E710, MIF/E710D, MCF/GE702, MCFGE1052, MCF/GE700, MCFGE1050, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, RCF/E700D, RCF/GE700D, RCF/E1050D, RCFGE1050D, RCF/E700UK, 74CE07F, 76CE10F, RCF/GE700, RC/G702, RC/G1052, RCF/GE702, RCF/GE1052, 74FE07F, RCF/GE1051, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, XCF/GE700D, M70GCK/E, M70ECK/E, XCF/E1050, XCF/E700UK, XMIF/E710...(Other models you can see in the webshop)		




No.	375377	Ref. No.	051643 OK2892
description	safety thermostat switch-off temp. 350°C 3-pole 3NC 1x20/2x0.5A probe ø 6mm probe L 157mm capillary pipe 1230mm capillary pipe isolated 1100mm gland nut probe		
For models:	MR/G721, MR/G1071, MR/G1070, MR/G720, MR/G725, MR/G1075, MR/G726, MR/G1076, RR/G720D, 7FTGC7L, 7FTGC1L, RR/G1070D, 7FTGC7M, RR/G1076, XR/G720D, XR/G1070D, T79GFT, T109GFT, HBR/G820, HBR/G825, ABR/G820, ABR/G825, HQN/G1225, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G1003, HBR/G1003, HBR/G1004, HBR/G803, HBR/G804, HBR/G1013, HBR/G803, HBR/G804, HBR/G1003, HBR/G1013, HQN/G1225, HBR/G1004		

55.32_series



No.	375394	Ref. No.	OK3967 375015
description	safety thermostat switch-off temp. 135°C 3-pole 1CO/2NC 20A probe ø 6mm probe L 73mm capillary pipe 1490mm capillary pipe isolated 1350mm gland nut M9x1 probe SS		




No.	375209	Ref. No.	004862
description	safety thermostat switch-off temp. 140°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	FDV40E, FDV40EL, FDV20E, FDV20EL, RPI/E240, RPI/E260, RPI/E260P, XPI/E240, XPI/E260, XPI/E260P, JPI/E240, JPI/E260, MPI/E240, MPI/E260, MPI/E260P, KPI/E10, KPI/E15, KPI/E15A, KPI/E06, KPI/G18, KPI/G25, KPI/E15H, KPI/E10H, HPN/EI815D, HPN/EI810, HPN/EI815, HPA/EI825, HPNS/EI815, HPNS/EI815D, QPI/E10, QPI/E15, QPI/E06, QPI/G18, QPI/G25, QPI/E15H, QPI/E10H, ZPN/EI815D, ZPN/EI810, ZPN/EI815, ZPNS/EI815, ZPNS/EI815D, WB/E1, WB/E2, WPI/E10, WPI/E15, WPI/E15A, WPI/E06, WPI/E15H, WPI/E10H, APN/EI810...(Other models you can see in the webshop)		




No.	390920	Ref. No.	0C2983
description	safety thermostat switch-off temp. 140°C 3-pole 3CO 20A probe ø 6mm probe L 88mm capillary pipe 900mm capillary pipe isolated 770mm gland nut probe		
For models:	PPI/E260P, OPI/E260P, TPI/E260P, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ061ECA, FCZ101ECA, FCZ102ECA, FCZ061ECH, FCZ101ECH, FCZ061ECN, FCZ101ECN, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, AOS061EAA1, AOS101EAA1, AOS102EAA1, AOS201EAA1, AOS202EAA1, AOS061EAH1, AOS101EAH1, AOS201EAH1, AOS061EAN1, AOS101EAN1...(Other models you can see in the webshop)		

E·G·O



No.	390167	Ref. No.	059079
description	safety thermostat switch-off temp. 140°C 3-pole capillary pipe isolatedmm gland nut		
For models:	FCVG10-P, FCGV10PUK, FCGV20-P, FCGV20PUK		

E·G·O



No.	375150	Ref. No.	0H6219 OK3900 375150
description	safety thermostat switch-off temp. 145°C 3-pole 20A probe ø 3mm probe L 178mm capillary pipe 1790mm capillary pipe isolatedmm gland nut M9x1 probe		

E·G·O



No.	375622	Ref. No.	003530
description	safety thermostat switch-off temp. 147°C 1-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 800mm gland nut probe		
For models:	KPI/E25, HPN/EI855, HPN/EI1255, QPI/E25, ZPN/EI1255, WPI/E25, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, FRESHMAKER, ICEWATER45, ICEWATER45, DSS42A		

E·G·O



No.	375170	Ref. No.	002711 60050329 60050366
description	safety thermostat switch-off temp. 150°C 1-pole 20A probe ø 6mm probe L 74mm capillary pipe 1700mm capillary pipe isolated 1100mm gland nut probe		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCV/G10L3, FCGV10L3T, FCGV102L3, FCGV/G20L3, FCGV202L3, FCGV10L3J, FCGV102L3J, FCGV/G10L6JAP, FCGV/G102/1L6JAP, FCGV/G61/1, FCGV/G6L4, FCGV/G10L6, FCGV/G102/1L6, FCGV/G20L6, FCGV202L6, FCGV/G101/1, FCGV/G102/1, FCGV/G201/1, FCGV/G202/1, FCS061G4, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, FCF/E4-OLD, FCF/E4D, FCFE4PH, 5711-2-6, 5711-2-7...(Other models you can see in the webshop)		

E·G·O



No.	375657	Ref. No.	005319 005681 0C1147
description	safety thermostat switch-off temp. 150°C 2-pole 1x20/1x0.5A probe ø 6mm probe L 74mm capillary pipe 1700mm capillary pipe isolated 1100mm gland nut probe SS		
For models:	FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061GBG, FCZ101GBG, FCZ102GBG, FCZ201GBG, FCZ202GBG, FCZ061GBD, FCZ101GBD, FCZ102GBD, FCZ201GBD, FCZ202GBD, FCZ061GBI, FCZ101GBI, FCZ201GBI, FCZ101GBG2, FCZ102GBG2, FCZ201GBG2, FCZ202GBG2, FCZ101GBD2, FCZ102GBD2, FCZ201GBD2, FCZ202GBD2, FCZ101GBI2, FCZ102GBI2, FCZ201GBI2, FCZ061GCG, FCZ061GCD, FCZ101GCG2, FCZ102GCG2, FCZ201GCG2, FCZ202GCG2, FCZ101GCD2, FCZ102GCD2...(Other models you can see in the webshop)		

E-G-O



No.	375937	Ref. No.	004075 10737 21737
description	safety thermostat switch-off temp. 160°C 3-pole probe ø 6mm probe L 88mm capillary pipe 900mm capillary pipe isolated 895mm gland nut starting temperature 143°C		
For models:	HPN/GI855, HPN/GI1255, ZPN/GI1255		

E-G-O



No.	375558	Ref. No.	004742
description	safety thermostat switch-off temp. 170°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 900mm capillary pipe isolated 800mm gland nut probe SS		
For models:	RCP/E1S, RCP/E2D, XCP/E1S, XCP/E2D, JCP/E1S, JCP/E2D, MCP/E1S, MCP/E2D, PCP/E1S, PCP/E2D, PCP/E1SH, OCP/E1S, OCP/E2D, OCP/E1SH, OCP/E2SH, TCP/E1S, TCP/E2D		

E-G-O



No.	375328	Ref. No.	005815 1007
description	safety thermostat switch-off temp. 162°C 3-pole 20A probe ø 6mm probe L 77mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe		
For models:	SBRE350, SCPE350, SBRE350, SCPE350		

E-G-O




No.	391041	Ref. No.	0G1961 0K5143 18025561
description	safety thermostat switch-off temp. 180°C 3-pole 20A probe ø 4mm probe L 163mm capillary pipe 1190mm capillary pipe isolated 800mm		
For models:	ACSGRT, GWACOE00RO, FWAAOM00RO, GWACOM00RO, IWKCOE0000, HWAHOE00RO, GWAHOE0000, GWAHOE00RO, FWAHOE00RO, BEN150EW87, HWAJOE00RO, GWAJOE00RO, FWAJOE00RO, BEN200EW87, GWAJOM00RO, FWFJOEX000, FWFJOEX0RO, BEN300E.S35.H97, GWAKOE00RO, FWAKOE00RO, IWAKOM00RO, GWAKOM00RO, FWFKOEX0RO, FWKKOE00RO, IVALOE0000, IVALOE00RO, BEN400E.S35.H97, BEN400EF97, FWALOE00RO, GWALOM00RO, IVAAOE0000, HVAAOE00RO, GVAAOE0000, GVAAOE00RO, FVAAOE00RO, IVKAOE0000, FVKAOE00RO, HVABOE00RO, GVABOE0000, GVABOE00RO, FVABOE00RO, FVFB0EX0RO, IVKBOE0000, FVKBOE00RO, IVACOE00RO, BON080EF88, GVACOE00RO, FVACOE00RO, IVACOM00RO, GVACOM00RO...(Other models you can see in the webshop)		

E-G-O



No.	375577	Ref. No.	005295
description	safety thermostat switch-off temp. 170°C 3-pole 0.5A probe ø 6mm probe L 87mm capillary pipe 900mm capillary pipe isolated 800mm gland nut probe		
For models:	KPI/G10, KPI/G15, KPI/G15A, HPN/GI810, HPN/GI815, HPN/GI816, HPA/GI825, HPNS/GI816, ZPN/GI810, 2PIG15, ZPN/GI816, 2PIAG15, ZPNS/GI816, WPI/G10, WPI/G15, WPI/G15A, APN/GI810, APN/GI815, APN/GI816, APN/GD811, APN/GD816, APNS/GI816, OPN/GI815		

E-G-O



No.	390064	Ref. No.	0A2204
description	safety thermostat switch-off temp. 220°C 3-pole 3NC 20A probe ø 6mm probe L 133mm capillary pipe 1890mm capillary pipe isolated 700mm gland nut probe SS		

E.G.O



No.	375575	Ref. No.	0C4279
description	safety thermostat switch-off temp. 230°C 1-pole 20A probe ø 6mm probe L 87mm capillary pipe 890mm capillary pipe isolated gland nut probe SS		
For models:	BF/G1S07, BFR/G1S14, RFR/G1S14, RFR/G2D14, RFR/E1S14, RFR/E2D14, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, MFR/G1S14, MFR/G2D14, MFR/E1S14, MFR/E2D14, MF/G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, PF/G1S07, PF/G2D07, PFR/G1S07, PFR/G2D07, PFR/G1S14, PFR/G2D14, PFRG2D14HV, PFRG1S14HV, OF/G1S07, OFR/G1S07, OFR/G2D07, OFR/G1S14, OFR/G2D14, TF/G1S07, TF/G2D07, TFR/G1S07, TFR/G2D07, TFR/G1S14, TFR/G2D14, KFR/G1A, KFR/G2B, KFR/G1E, KFR/G2F, KFH/G1, KFH/G1ELH, KFH/G1EH, QFR/G1A, QFR/G2B, QFR/G1E, QFR/G2F, QFH/G1, QFH/G1ELH...(Other models you can see in the webshop)		



No.	391029	Ref. No.	0C4463
description	safety thermostat switch-off temp. 230°C temperature range 16-230°C 3-pole 3NC 20A probe ø 6mm probe L 89mm capillary pipe 895mm capillary pipe isolated 750mm gland nut shaft ømm starting temperature°C probe SS		
For models:	BF/E1S12, BFR/E1S14, RF/E1S07, RF/E2D07, RFR/E1S07, RFR/E2D07, MF/E1S07, MF/E2D07, MFR/E1S07, MFR/E2D07, PF/E1S07, PF/E2D07, PFR/E1S07, PFR/E2D07, PFR/E1S14, PFR/E2D14, PF/E1S07E5, PFRE-2D07E5, OF/E1S07, OFR/E1S07, OFR/E2D07, TF/E1S07, TF/E2D07, TFR/E1S07, TFR/E2D07, TFR/E1S14, TFR/E2D14, TF/E1S07E5, TFRE2D07E5, KFR/E1A, KFR/E2B, KFR/E1E, KFR/E2F, QFR/E1A, QFR/E2B, QFR/E1E, QFR/E2F, QFH/E1, QFH/E1ELH, QFH/E1H, WFR/E1A, WFR/E2B, WFR/E1E, WFR/E2F, WFH/E1, WFH/E1ELH, WFH/E1EH		

E.G.O



No.	375393	Ref. No.	0KJ144
description	safety thermostat switch-off temp. 235°C 3-pole 1CO/2NC 20A probe ø 6mm probe L 87mm capillary pipe 1790mm capillary pipe isolated 1710mm gland nut M9x1 probe SS		

E.G.O



No.	390113	Ref. No.	0K5033
description	safety thermostat switch-off temp. 240°C 3-pole 3NC 20A probe ø 4mm probe L 157mm capillary pipe 890mm capillary pipe isolated 350mm gland nut probe SS		

E.G.O



No.	375586	Ref. No.	056435 0A5435
description	safety thermostat switch-off temp. 245°C 1-pole 0.5A probe ø 6mm probe L 77mm capillary pipe 1290mm capillary pipe isolated 1100mm gland nut probe SS		
For models:	MFR/G360, RFR/G1S12, RFR/G2D12, RFR/G2S40, RPI/G260, RPI/G260P, XFR/G1S12, XFR/G2D12, XFR/G2S40, XPI/G260, XPI/G260P, JFR/G1S12, JFR/G2D12, JFR/G2S40, JPI/G260, MFR/G1S12, MFR/G2D12, MFR/G2S40, MPI/G260, MPI/G260P, RFR/G360, T35GFR, PFR/G2S40, TFR/G2S40, RF/G300, HFR/G410, HFR/G810, HFR/G411, HFR/G412, HPA/GD825, ZFR/G410, ZFR/G810, ZFR/G411, ZFR/G412, RF/G300		

E.G.O



No.	375585	Ref. No.	006282 11151614
description	safety thermostat switch-off temp. 245°C 3-pole 0.5A probe ø 6mm probe L 79mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	KB/E1, KB/E2, KFR/G1E, KFR/G2F, KFR/E1E, KFR/E2F, KFH/G1, KFH/E1, KFH/G1ELH, KFH/E1ELH, KFH/G1EH, KFH/E1EH, HFH/G430, HFH/E430, HFR/G430, HFR/G830, HFR/E430, HFR/E830, HFH/G435, HFH/E435, HFRS/G430, HFRS/E430, QB/E1, QB/E2, QFR/G1E, QFR/G2F, QFR/E1E, QFR/E2F, QFH/G1, QFH/E1, QFH/G1ELH, QFH/E1ELH, QFH/G1EH, QFH/E1H, ZFH/G430, ZFH/E430, ZFR/G430, ZFR/G830, ZFR/E430, ZFR/E830, ZFH/G435, ZFH/E435, ZFRS/G430, ZFRS/E430, WFR/G1E, WFR/G2F, WFR/E1E, WFR/E2F, WFH/G1, WFH/E1...(Other models you can see in the webshop)		


 			
No.	375578	Ref. No.	004472
description	safety thermostat switch-off temp. 245°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 2700mm capillary pipe isolated 1600mm gland nut probe SS		
For models:	RBK/E2FM, RF/E1D05, RFR/E1S12, RFR/E2D12, RFR/E2S40, RF/E1S12, RF/E2D12, RF/E1S12, RF/E2D12, RF/E1S12E5, RF/E2D12E5, RFR/E1S12, RFR/E2D12, XBK/E2FM, XF/E1D05, XFR/E1S12, XFR/E2D12, XFR/E2S40, XF/E1S12, XF/E2D12, XF/E1S12, XF/E2D12, XR/E1CL, XR/E2CL, XRV/E1CL, XRV/E2CL, XFR/E1S12, XFR/E2D12, JF/E1D05, JFR/E1S12, JFR/E2D12, JFR/E2S40, JF/E1S12, JF/E2D12, JF/E1S12, JF/E2D12, JR/E1CL, JR/E2CL, JRV/E1CL, JRV/E2CL, MBK/E2FM, MF/E1D05, MFR/E1S12, MFR/E2D12, MFR/E2S40, MF/E1S12, MF/E2D12, MF/E1S12, MF/E2D12, MF/E1S12E5...(Other models you can see in the webshop)		

 			
No.	375580	Ref. No.	005941 OKG536
description	safety thermostat switch-off temp. 250°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	RFR/E1S14, RFR/E2D14, RF/E1S07, RF/E2D07, RFR/E1S07, RFR/E2D07, XFR/E1S14, XFR/E2D14, XF/E1S07, XF/E2D07, XFR/E1S07, XFR/E2D07, JFR/E1S14, JFR/E2D14, JF/E1S07, JF/E2D07, JFR/E1S07, JFR/E2D07, MFR/E1S14, MFR/E2D14, MF/E1S07, MF/E2D07, MFR/E1S07, MFR/E2D07, PF/E1S07, PF/E2D07, PFR/E1S07, PFR/E2D07, PFR/E1S14, PFR/E2D14, PF/E1S07E5, PFRE2D07E5, OF/E1S07, OFR/E1S07, OFR/E2D07, TF/E1S07, TF/E2D07, TFR/E1S07, TFR/E2D07, TFR/E1S14, TFR/E2D14, TF/E1S07E5, TFRE2D07E5, KFR/E1A, KFR/E2B, QFR/E1A, QFR/E2B, WFR/E1A, WFR/E2B		

 			
No.	375916	Ref. No.	005931 11151612
description	safety thermostat switch-off temp. 259°C 1-pole 0.5A probe ø 6mm probe L 88mm capillary pipe 900mm capillary pipe isolated 100mm gland nut starting temperature 239°C probe		
For models:	RFR/G1S14, RFR/G2D14, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, XFR/G1S14, XFR/G2D14, XF/G1S07, XF/G2D07, XFR/G1S07, XFR/G2D07, JFR/G1S14, JFR/G2D14, JF/G1S07, JF/G2D07, JFR/G2D07, JFR/G2D07, MFR/G1S14, MFR/G2D14, MF/G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, ACPG25, PF/G1S07, PF/G2D07, PFR/G1S07, PFR/G2D07, PFR/G1S14, PFR/G2D14, PFRG2D14HV, PFRG1S14HV, OF/G1S07, OFR/G1S07, OFR/G2D07, OFR/G1S14, OFR/G2D14, TF/G1S07, TF/G2D07, TFR/G1S07, TFR/G2D07, TFR/G1S14, TFR/G2D14, KFR/G1A, KFR/G2B, KFR/G1T, QFR/G1A, QFR/G2B, QFR/G1T...(Other models you can see in the webshop)		

 			
No.	375557	Ref. No.	006283 006307
description	safety thermostat switch-off temp. 270°C 3-pole 20A probe ø 6mm probe L 79mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	RR/E1CL, RR/E2CL, RRV/E1CL, RRV/E2CL, RR/E2CM, MR/E1CL, MR/E2CL, MRV/E1CL, MRV/E2CL, MR/E2CM, PR/E1CL, PR/E2CL, PRV/E1CL, PRV/E2CL, PR/E2CM, PR/E2CME5, OR/E1FL, OR/E1FR, OR/E1CL, OR/E2FL, OR/E2FM, OR/E2CL, OR/E2CM, TR/E1CL, TR/E2CL, TRV/E1CL, TRV/E2CL		

 			
No.	375340	Ref. No.	00063 004921 OK3499
description	safety thermostat switch-off temp. 295°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 1800mm capillary pipe isolatedmm gland nut probe probe material SS		
For models:	SFRE700, SFRE350, SFRE700, SFRE351, SFRE701		



			0H6140 0H6215 0K3118 0KE602 18005614 213149 214803 30000058
No.	375045	Ref. No.	
description	safety thermostat switch-off temp. 315°C 3-pole 3NC 20A probe ø 6mm probe L 77mm capillary pipe 1490mm capillary pipe isolated 1100mm gland nut M9x1 probe SS		
For models:	SLE159-170, SLE159-180, 7535-3/85., 7535-3/90.FRI.(N), 7735-3/85.FRI.(N), 7735-3/90.FRI.(N), 7535-3, 7536-3, 7537-3, 7538-3, 7735-3, 7736-3, 7737-3, 7738-3, 9050-3, 9052-3, 9055-3, 9250-3-0, 9250-3-8, 9252-3-0, 9252-3-8, 9255-3-0, 9255-3-8		



No.	375659	Ref. No.	007042
description	safety thermostat switch-off temp. 338°C 2-pole 1x20/1x0.5A probe ø 6mm probe L 53mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M10x1		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FC- Z201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202E- TA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FC- Z101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		



No.	375789	Ref. No.	005320 005680
description	safety thermostat switch-off temp. 338°C 2-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut screw-in probe probe thread M14x1		
For models:	FCVG6L3CJ, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, 5711-2-8CH, 5711-2-10CH, 5721-2-7, 5721- 2-10, 5711-3-8CH, 5711-3-10CH, 5712-3-8CH, 5712-3-10C, 5717-3-8M, 5717-3-8C, 5717-3-8M, 5712-2-10F, 5712-2-10S, 5714-2-10F, 5714- 2-10S, 5717-3-10F, 5711-3-10S, 5712-3-10F, 5712-3-10S, 5714-3-10F, 5714-3-10S, 5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, 5707-2-2, 57074- 2-3, 5701-3-2, 5701-3-3, 5702-3-2, 5702-3-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, ECV/G6T4C, ECV/G61/1, ECV/G61/1, ECV/E10IGP, RCOV61G2, ACV/G6C3C, ZCV/G6T4C, ZCV/G61/1		



No.	375455	Ref. No.	002599
			002730
			0F0057
			0K0515
			0K8486
description			60050253
			911986
For models:			FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/E10L2, FCV/G61/1, FCV/E10L3, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G102/1, FVC/E102/1, FCV/G201/1, FVC/E201/1, FVC/G202/1, FVC/E202/1, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCF061ENS, FCF101ENS...(Other models you can see in the webshop)



No.	390141	Ref. No.	006826 0H6135 0KI518 11151589
description	safety thermostat switch-off temp. 350°C 3-pole 3NC 20A probe ø 6mm probe L 77mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		
For models:	APABPETOOC, APABPGTOOC, APACPITOOC, APACPGTOOC, APABPI- OOOC, APABPITOOC, APACPIOOC, APACPITOOC, APRBPETOOC, APR- BPETOOB, APRBPGTOOB, APRBPGOOOB, APRBPITOOC, APRBPITOOB, APR- CPETOOC, APRCPETOOB, APRCPGTOOB, APRCPGTOOB, APRCPITOOB, APRCPITOOB, APABPGOOOC, APACPF00OC, 7731-3/85.GRPL. VCHR., 7744-3/85.KB.(N), 7531-3/85., 7531-3/90.GRPL.(N), 7542-3/85., 7544-3/85.KB.(N), 7542-3/90.KB.(N), 7544-3/90.KB.(N), 7742-3/90. KB.(N), 7742-3/85.KB.(N), 7744-3/90.KB.(N), 7746-3/90.KB.(N), 7748- 3/90.KB.(N), 7747-3/90.KB.(N), 7541-3/85.KB.(N), 7545-3/85.KB.(N), 7546-3/85.KB.(N), 7547-3/85.KB.(N), 7548-3/85.KB.(N), 7545-3/90. KB.(N), 7546-3/90., 7547-3/90.KB.(N), 7548-3/90.KB.(N), 7745-3/90. KB.(N), 7745-3/85.KB.(N), 7746-3/85.KB.(N), 7747-3/85.KB.(N), 7748- 3/85.KB.(N)...(Other models you can see in the webshop)		



No.	375344	Ref. No.	OPRE75
description	safety thermostat switch-off temp. 360°C 1-pole 0.5A probe ø 4mm probe L 120mm capillary pipe 1500mm capillary pipe isolated 1500mm gland nut probe		



No.	375579	Ref. No.	003594 053980 057442 0G2269 19013336 727829
description	safety thermostat switch-off temp. 360°C 1-pole 0.5A probe ø 6mm probe L 74mm capillary pipe 1500mm capillary pipe isolated 1500mm gland nut probe		
For models:	MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, RBR/ G2FM, RBR/G2IM, XBR/G2FM, XBR/G2IM, JBR/G2FM, MBR/G2FM, MBR/ G2IM, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, XBR/ G701, M70GBP, XBR/G751, XBR/G756, PBR/G2FM, PBR/G2IM, OBR/ G2FM, OBR/G2IM, TBR/G2FM, TBR/G2IM, HR/G420D, HR/G820D, HR/ G420, HR/G820, HR/G821, HBR/G800, HBR/G805, HBR/G801, HBR/ G806, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800D, HBR/ G805D, HBR/G801D, HBR/G806D, HBR/G810D, HBR/G815D, HBR/ G811D, HBR/G816D, HBR/E800, HBR/E805...(Other models you can see in the webshop)		



No.	375563	Ref. No.	004600
description	safety thermostat switch-off temp. 360°C 3-pole 1x20/2x0.5A probe ø 6mm probe L 79mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut probe SS		
For models:	BCF/E2, RR/G1CL, RR/G2CL, RRV/G1CL, RRV/G2CL, RR/G2CM, XR/ G1CL, XR/G2CL, XRV/G1CL, XRV/G2CL, XR/G2CM, JR/G1CL, JR/G2CL, JRV/G1CL, JRV/G2CL, MR/G1CL, MR/G2CL, MRV/G1CL, MRV/G2CL, MR/G2CM, PCF/M2, PCF/M3, PCV/E2, PCV/E3, PCF/E2, PC/E2Q, PCF/ E2Q, PCV/E2Q, PI/E1, PI/E2, PIF/E2, PIV/E2, PC/E2QE5, PCF/E2QE5, PI/ E1E5, PI/E2E5, PIF/E2E5, PCF/E2E5, PCF/M2E5, PR/G1CL, PR/G2CL, PRV/G1CL, PRV/G2CL, PR/G2CM, PCF/M2A, PCF/M3A, OCF/M2, OCF/ E2, OC/E2Q, OCF/E2Q...(Other models you can see in the webshop)		

E·G·O



No.	390142	Ref. No.	00305 004919 0H6134 0K3522 390142
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		
For models:	SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, 7508-3/85., 7502-3/85., 7500-3/85. HE.2PL.(N), 7504-3/85.HE.6PL.BO., 7505-3/85, 7512-3/85.KF.BO.(N), 7502-3/90.HE.4PL.BO., 7504-3/90.HE.6PL.BO., 7505-3/90.HE.6PL.BO., 7508-3/90.HE.CER.BO., 7512-3/90.KF.BO.(N), 7700-3/85, 7700-3/90. HE.2PL.(N), 7502-3/85.HE.4PL.BO., 7508-3/85.HE.CER.BO., 7505-3/85. HE.6PL.BO., 7508-3/85.HE.CER.BO., 7506-3/85.HE.CER.2KZ, 7508-3/85. HE.CER.BO., 7506-3/85.HE.CER.2KZ, 7510-3/85.HE.CER.6KZ, 7504-3/90. HE.6PL.BO., 7502-3, 7502-9, 7504-3, 7504-9, 7505-3, 7505-9-9, 7508-3, 7510-3/90.HE.CER.6KZ, 7512-3, 7512-9, 9002-3, 9004-3, 9006-3, 9012-3, 9015-3, 9598-3-0...(Other models you can see in the webshop)		

E·G·O



No.	375562	Ref. No.	004269 11151622
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	RCF/M2, RCF/M3, RCF/E2, RCF/E2MO, RCF/E2M4, RCVF/E3MO, RCVF/E3M4, RCF/E2E5, RBR/E2FM, RBR/E2IM, RMV/E1C, RMV/E2C, RMV/G1C, RMV/G2C, RIF/E2, MCF/E2Q, RCF/E2Q, XCF/M2, XCFM3, XCF/E2, XBR/E2FM, XBR/E2IM, XMV/E1C, XMV/E2C, XMV/G1C, XMV/G2C, XIF/E2, JCF/M2, JCFM3, JCF/E2, JBR/E2FM, JMV/E1C, JMV/E2C, JIF/E2, MCF/M2, MCF/M3, MCF/E2, MCF/E2E5, MBR/E2FM, MBR/E2IM, MMV/E1C, MMV/E2C, MMV/G1C, MMV/G2C, MIF/E2, PBR/E2FM, PBR/E2IM, PMV/G1C, PMV/G2C, PMV/E1C...(Other models you can see in the webshop)		

E·G·O



No.	375190	Ref. No.	004205
description	safety thermostat switch-off temp. 560°C 3-pole 20A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 700mm gland nut probe		
For models:	ZCMDE6, ZCBDE12, ZCMME6, ZCBME12, ZCMDE4, ZCBDE8, ZCMME4, ZCBME8, ZCMDE9, ZCBDE18, ZCMME9, ZCBME18, FFPS16, FFPS32, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835		

55.33_ series

E·G·O



No.	376027	Ref. No.	0KI686
description	safety thermostat switch-off temp. 295°C 3-pole 20A probe ø 4mm probe L 128mm capillary pipe 1770mm capillary pipe isolated 1750mm gland nut probe SS		

accessories



No.	551083	Ref. No.	0A2187
description	cap for safety thermostat thread M8x1		
For models:	MBR/E710D, MBR/E700, MBR/E700UK, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, MBR/E716, MBR/E706, 7BRE60XN, 7BRE60X, RBR/E700UK, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, RBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E710, XBR/G701, M70GBP, XBR/G701UK, XBR/G751, XBR/G756, CBR/G700, CBR/E700, XBR/E716, XBR/E706, HFR/E410, HFR/E810, HFR/E411, HFR/E412, HFR/E418, HFR/E818, HBR/G800, HBR/G805, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800UK, HBR/G821UK, ZFR/E410, ZFR/E810, ZFR/E411, ZFR/E412...(Other models you can see in the webshop)		

control thermostats with operation switch

55.10/19_ series

E-G-O



No.	390052	Ref. No.	052330 0H1260 0K2945 0K7813 728019
description	thermostat t.max. 185°C temperature range 90-185°C 1-pole 1NO 15A probe ø 4mm probe L 229mm capillary pipe 2500mm capillary pipe isolated 1200/200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	MFR/E350, MFR/E700, MFR/E370, MFR/E350UK, MFR/E700UK, MFR/E370UK, MFR/E370D, MFR/E350D, MFR/E700D, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/E740, BF/E1S12, BFR/E1S14, RBK/E2FM, RF/E1D05, RFR/E1S12, RFR/E2D12, RFR/E2S40, RF/E1S12, RF/E2D12, RF/E1S12, RF/E2D12, RF/E1S12E5, RF/E2D12E5, RFR/E1S12, RFR/E2D12, XBR/E2FM, XF/E1D05, XFR/E1S12, XFR/E2D12, XFR/E2S40, XF/E1S12, XF/E2D12, XF/E1S12, XF/E2D12, XFR/E1S12, XFR/E2D12, JF/E1D05, JFR/E1S12, JFR/E2D12, JFR/E2S40, JF/E1S12, JF/E2D12, JF/E1S12, JF/E2D12...(Other models you can see in the webshop)		

E-G-O




No.	375584	Ref. No.	002602 003049 0G2351 727935 727963
description	thermostat t.max. 185°C temperature range 91-185°C 1-pole 1NO 0.5A probe ø 4mm probe L 235mm capillary pipe 2420mm capillary pipe isolated 1200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	MFR/G740, RFR/G2S40, XFR/G2S40, JFR/G2S40, MFR/G2S40, RFR/G741, XFR/G351, CFR/G741, CFR/G351, PFR/G2S40, TFR/G2S40, HFR/G410, HFR/G810, HFR/G411, HFR/G412, FC1G, FC2G, HFH/G400U, HFH/G401U, HBR/G800UK, HBR/G821UK, ZFR/G410, ZFR/G810, ZFR/G411, ZFR/G412, RF/G1680, RF/G2480, ZBR/G821, ZBR/G826, ZBR/G800UK, AFR/G410, AFR/G810, M40GFR90, AFR/G411, AFR/G412, OFR/G810, OBR/G800UK		

E-G-O



No.	375581	Ref. No.	002109
description	thermostat t.max. 260°C temperature range 55-260°C 1-pole 1NO 16A probe ø 4mm probe L 116mm capillary pipe 1300mm capillary pipe isolated 1300mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	RBR/E2FM, RBR/E2IM, RMV/E1C, RMV/E2C, XBR/E2FM, XBR/E2IM, XMV/E1C, XMV/E2C, JBR/E2FM, JMV/E1C, JMV/E2C, MBR/E2FM, MBR/E2IM, MMV/E1C, MMV/E2C, PBR/E2FM, PBR/E2IM, PMV/E1C, PMV/E2C, OBR/E2FM, OBR/E2IM, OMV/E1C, OMV/E2C, TBR/E2FM, TBR/E2IM, TMV/E1C, TMV/E2C, KBR/G2F, KBR/G2C, KBR/G3F, KBR/G3FH, KBR/G3C, KBR/G3CH, KBR/E2F, KBR/E2C, KBR/E3F, KBR/E3FH, KBR/E3C, KBR/E3CH, KMV/E2C, KBR/G2FH, KBR/G2CH, KBR/E2FH, KBR/E2CH, HBR/G800, HBR/G805, HBR/G801, HBR/G806, HBR/G810, HBR/G815...(Other models you can see in the webshop)		


E-G-O



No.	390039	Ref. No.	051142 0K2930
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 173mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	BB/E1, MM/E350, MM/E350UK, MM/E350D, RB/E1, RB/E2, RBV/E2, XB/ E1, JB/E1, MB/E1U, MB/E1, MB/E2, MBV/E2, 7BME03T, RM/E350UK, PB/ E1, OB/E1, TB/E1, RME300, PRM/E300, M/E300UK, RMV/E300, PRMV/ E300, RMV/E300UK, RMAE700, PRMA/E700, RMA/E700, KB/E1, HM/ E400, QB/E1, WB/E1, AM/E400, JFM/G400, RM/E300, RMV/E300, RMA/ E700, PFM/G400, ZLRLPLBL, ZLRRPLHLB, DETCLDXN, DETCLDXSP, SSEPRFPN, SSEPRFPWL, ZLRRHPL, ZLRLHPL		
accessories for	390039		
	No.	111934	Ref. No.
	—		
knob thermostat t.max. 90°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°			



55.13_ series



No.	375053	Ref. No.	0H9836 0K5023 18015429
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 113mm capillary pipe 830mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO/2NO		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		


55.34_ series




No.	375570	Ref. No.	0K0662
description	thermostat t.max. 470°C temperature range 100-470°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1110mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 24mm shaft position upper rotation 270° outer switch 2NO		
For models:	7511-3/85.KF.(N), 7512-3/85.KF.BO.(N), 7511-3/90.KF.(N), 7512-3/90.KF.BO.(N), 7711-3/85.KF.(N), 7711-3/90.KF.(N), 7511-3, 7512-3, 7711-3		




No.	375877	Ref. No.	0G2529 621535
description	thermostat t.max. 530°C temperature range 100-530°C 3-pole 3NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1110mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position shaft position 90° rotation 270° outer switch 0-1 with operation switch		
For models:	ALARHFSOOO, ALARHASOOO, ALARHBSOOO, ALAWHFSOOO, ALAWHASOOO, ALAWHBSOOO, ALARAFOOOO, ALARHF0000, ALARAAOOOO, ALARHAOOOO, ALARABOOOO, ALARHB0000, ALAWAF0000, ALAWHF0000, ALAWAAOOOO, ALAWHAOOOO, ALAWABOOOO, ALAWHB0000, ALAWCF0000, ALAWCAOOOO, ALAWCB0000, ALAROI0000, ALAWOI0000, ALAWOISOOB, ALAROI0000, ALARAFSOOC, ALARAASOOC, ALARABSOOC, ALAWAFSOOC, ALAWAASOOC, ALAWABSOOC, ALAWCFSOOC, ALAWCASOOC, ALAWCBSOOC		



No.	375246	Ref. No.	01R77 01T05 01T09 0G0956 0K0496 0M0724 0M0728
description	thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper		
For models:	7508-3/85., 7506-3/85.HE.CER.2KZ, 7507-3/85., 7506-3/90.HE.CER.2KZ, 7507-3/90.HE.CER.4KZ, 7508-3/90.HE.CER.BO., 7706-3/85.HE.CER.2KZ, 7707-3/85.HE.4KF.CER, 7706-3/90.HE.CER.2KZ, 7707-3/90.HE.4KF.CER, 7508-3/85.HE.CER.BO., 7508-3/85.HE.CER.BO., 7506-3/85.HE.CER.2KZ, 7506-3/85.HE.CER.2KZ, 7508-3/85.HE.CER.BO., 7507-3/85.HE.CER.4KZ, 7506-3/85.HE.CER.2KZ, 7510-3/85.HE.CER.6KZ, 7507-3/85.HE.CER.4KZ, 7507-3/85.HE.CER.4KZ, 7506-3, 7507-3, 7508-3, 7510-3/90, HE.CER.6KZ, 7706-3, 7707-3, 9012-3, 9211-3-0, 9211-3-8		

 			
No.	390919	Ref. No.	002582 OK5022 OK7287 18015428 477650028
description	thermostat temperature range 50-300°C 3-pole 3NO 16A probe ø 4mm probe L 292mm capillary pipe 2300mm capillary pipe isolated 2260mm gland nut shaft ø 6x4.6mm shaft L 25.5mm shaft position upper rotation 270° outer switch 49.41015.500		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209.D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV...(Other models you can see in the webshop)		
spare parts for	390919		
	No.	300002	Ref. No.
			00070 004908 0A2134 0G0268 0G0517 0G0921 0G2119 0H6605 OK3016 OK3500 OK4911 OK5472 OK9781 18005010 19005011 727993
	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
	No.	550059	Ref. No.
			0A2205 0G0270 0H6775 OK5001 OKM937 OKT779 18015163 253566 537001200 5370012005 617078 721205
	connecting bow short for switch Qty 1 pcs		

63._ series

 			
No.	390514	Ref. No.	OK0492
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 15A probe ø 4.76mm probe L 293.5mm capillary pipe 1800mm shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318° outer switch 2NO		

IMIT / TEMPOMATIC / ARTERMO

control thermostats

			
No.	390005	Ref. No.	069423 0H1277 236042
description	thermostat t.max. 85°C temperature range 25-85°C 1-pole 1CO 15A probe ø 11mm probe L 35mm capillary pipe 600mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 8mm shaft position upper° rotation 270° screw-in probe		
For models:	LTB11, LTB12, LTB22, LTB11UK, LTB12UK, LTB22UK, LTB11, LTB22, 910-00-021, 910-00-023, 910-00-031, 910-00-033, 911-00-022, 911-00-024, 911-00-032, 911-00-034, CRYSTAL 11, CRYSTAL 22		
accessories for	390005		
	No.	510417	Ref. No.
			OK6103 OK6660 OK8701
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	550261	Ref. No.
			006245 OK9627 514875601
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		

safety thermostats



No.	375941	Ref. No.	053012
description	safety thermostat switch-off temp. 238°C 1-pole 1NC 16A probe ø 5mm probe L 100mm capillary pipe 1050mm capillary pipe isolated mm gland nut 250V		
For models:	FE250D, FE250S, FEC/250D, FEC/250S, HFR/G1680, HFR/E1680, HFR/G2480, HFR/E2480		

CAMPINI


control thermostats



No.	375838	Ref. No.	OHA200 20617 9020617
description	safety thermostat t.max. 124°C temperature range°C 1-pole 1CO 16A probe ø 6mm probe L 70mm capillary pipe 1970mm capillary pipe isolated 1970mm gland nut shaft ømm shaft Lmm shaft position rotation° probe material SS		
For models:	LB040AUS, G350C, LBIOET010, LBIOET014, LBIOEQ010, G350, G350DP, LBIOEQ014, G400, G400DP, LCFBE003		

RATHGEBER

control thermostats



No.	375702	Ref. No.	OKA778 33060401
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 140mm capillary pipe 2400mm capillary pipe isolated 1700mm gland nut shaft ø 6x4.6mm shaft L 17mm shaft position upper rotation 270°		

various

control thermostats with operation switch



No.	375425	Ref. No.	0H6123
description	thermostat t.max. 360°C temperature range 130-400°C 2-pole probe L 228mm		
For models:	7701-3/85, 7501-3/85., 7501-3/90.HE.4PL.(N), 7502-3/85., 7500-3/85. HE.2PL.(N), 7503-3/85.HE.6PL, 7504-3/85.HE.6PL.BO, 7505-3/85, 7502-3/90.HE.4PL.BO., 7503-3/90.HE.6PL.(N), 7504-3/90.HE.6PL.BO., 7505-3/90.HE.6PL.BO., 7700-3/85, 7703-3/85, 7700-3/90.HE.2PL.(N), 7701-3/90.HE.4PL.(N), 7703-3/90.HE.6PL.(N), 7502-3/85.HE.4PL. BO., 7505-3/85.HE.6PL.BO., 7503-3/85.HE.6PL.EQ, 7501-3/85.HE.4PL. EQ, 7504-3/90.HE.6PL.BO., 7501-3, 7502-3, 7503-3, 7504-3, 7505-3, 7701-3, 7703-3, 9002-3, 9004-3, 9006-3, 9201-3-0, 9201-3-8, 9203-3-0, 9203-3-8		

control thermostats with actual value



No.	379722	Ref. No.	OK7631 OKB607
description	thermostat t.max. 120°C temperature range 0-120°C 1-pole 1CO 10A probe ø 8.5mm probe L 32mm capillary pipe 1600mm mounting ø 60mm		
For models:	HC-AR, HC-CS		



No.	379035	Ref. No.	0137315 0H6479 6137315
description	thermostat t.max. 120°C temperature range 0-120°C 1-pole 1CO 5A probe ø 10mm probe L 32mm capillary pipe 1500mm capillary pipe isolated 1500mm gland nut M10x1 mounting ø 80mm		



No.	379727	Ref. No.	OKI133
description	thermostat t.max. 120°C temperature range 0-120°C 1-pole 1CO 5A probe ø 8.5mm probe L 32mm capillary pipe isolated 1520mm		
For models:	HCCS20W, HCCS20W, HC-CS, HC-CS		

refrigeration thermostats

universal without housing



No.	390534	Ref. No.	0A8246
description	thermostat temperature range -35 up to +35°C probe ø6x110mm capillary pipe 1800mm PRODIGY		
For models:	EWE601, EWZ601, EWDE602, EWDZ602, 12800100.1, 12800110.1, 12800110.1, 12800100.1, 15600116.1, 15600120.1		
accessories for	390534		
	No.	110305	Ref. No. —
	knob thermostat t.max. 35°C temperature range -35 up to +35°C ø 45mm shaft ø 6x4.6mm shaft flat inclined rotation 270° white		

DANFOSS

service thermostats DANFOSS

All Danfoss thermostats are supplied with fastening material application:

390552 - **fridges

390553 - **Refrigerators with defrosting push button

390554 - **/**Refrigerators with automatic defrosting

390555 - absorption refrigerators

390557 - Deep cooler with active signal

390558 - Freezing with passive signal

390559 - bottle cooler 390559



No.	390559	Ref. No.	0K8399
description	thermostat type 077B7008 capillary pipe 2000mm temperature range -8.5 up to +11.5°C probe ømm probe Lmm		

RANCO

K22 series



No.	390524	Ref. No.	023591 085284 087969 23004 B23004 B23591 R23591
description	thermostat RANCO type K22L1082 probe ømm probe Lmm capillary pipe 2000mm temperature range -22 up to -3°C		
For models:	FGC33AS42, FGC46AS42, FGC65A42, FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC143AB, FGC143WB, FGC25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM50WB, FGC24AB, FGC24WBAB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, FGC143AB, FGC143WB, CB184A, CB249A, CB316A, CB425A, CB840A, FGC24AB, FGC24WB, FGC29AB, FGC67AB, FGC67WB, FGC143AB, FGC143WB, CIM38AB, CIM38WB, CIM85AB, CIM15WB...(Other models you can see in the webshop)		



No.	390589	Ref. No.	087804 092561 23597 R23597
description	thermostat RANCO type K22L1083 probe ø 2mm probe Lmm capillary pipe 2300mm		
For models:	CIM235AB, CIM235WB, VM500W+BI, VM500A+BI, VB250A, VB250W, VM900A, VM900W		



No.	390260	Ref. No.	081673
description	thermostat RANCO type K22L2533 capillary pipe 2030mm		
For models:	TRRN1301, TRRN1302, TRRN1303, TRRN1801, TRRN1802, TRRN1803, TRRN2201, TRRN2202, TRRN2203		

			
No.	390539	Ref. No.	099551 0A8963 0KE844
description	thermostat RANCO type K22L3521 probe ømm probe Lmm capillary pipe 2000mm temperature range -2 up to +8°C		
For models:	TRN1301, TRNA1301, TRNM1301, TRN1302, TRNA1302, TRNM1302, TRN1303, TRNA1303, TRNM1303, TRN1801, TRNA1801, TRNM1801, TRN1802, TRNA1802, TRNM1802, TRN1803, TRNA1803, TRNM1803, TRN2201, TRNA2201, TRNM2201, TRN2202, TRNA2202, TRNM2202, TRN2203, TRNA2203, TRNM2203, TRRN1301, TRRN1302, TRRN1303, TRRN1801, TRRN1802, TRRN1803, TRRN2201, TRRN2202, TRRN2203, TRNP1802, TRRF130P, TRRF180P, TRRF220P, TRF1301, TRRF1301, TRF1801, TRRF1801, TRF2201, TRRF2201, TRN1301, TRNA1301, TRNM1301, TRRF1301...(Other models you can see in the webshop)		

			
No.	390223	Ref. No.	083697
description	thermostat RANCO type K22L2560 capillary pipe 2000mm probe ø10x110mm		
For models:	ESQC41F, ESQC41FR, ESQC41F, ESQC41FR		

			
No.	390209	Ref. No.	086033 0H9305 0K7414
description	thermostat RANCO type K22L1020 probe ø 9mm probe L 40mm capillary pipe 2000mm temperature range -20.5 up to -1.5°C		

			
No.	390277	Ref. No.	0KM735
description	thermostat RANCO type K22L3020 probe ø 9mm probe L 40mm capillary pipe 1600mm temperature range -26.5 up to -19.5°C		

			
No.	390279	Ref. No.	34444194
description	thermostat RANCO type K22L3022 probe ø 9mm probe L 35mm capillary pipe 1600mm		

K50 series

			
No.	390208	Ref. No.	086026
description	thermostat RANCO type K50L3006 probe ømm probe Lmm capillary pipe 2000mm temperature range +1.5 up to +4°C		

			
No.	390271	Ref. No.	0A8089 0KE820
description	thermostat RANCO type K50L3078 probe ømm probe Lmm capillary pipe 2000mm temperature range -7 up to -3°C		
For models:	721-00-115, 721-00-116, 721-00-122, 721-00-123, 125-00-100, 125-00-102, 125-00-103, 125-00-100, 125-00-102, 125-00-103, 23000150.1, 23000151.1, 23100150.1, 23100151.1, 133-01-110, 133-01-111, 133-06-110, 133-06-111, GF4060, 721-00-116, 721-00-122, 721-00-123		

			
No.	390288	Ref. No.	085314 091526 0KV418 R23034
description	thermostat RANCO type K50L3163 probe ømm probe Lmm capillary pipe 2100mm temperature range -24 up to -14°C		
For models:	MF250WB20, FGS500A, FGS500W, FGS94AB, FGS94WB, FIM150ASB, FIM150WSB, FIM285ASB, FIM285WSB, VM250A+BI, VM250W+BI		

			
No.	390224	Ref. No.	0A8728
description	thermostat RANCO type K50L3199 capillary pipe 2000mm		
For models:	ICF110, ICF110, ICF110, ESQF41F, NICF40, ESQF41F, ET401S, ET401SCS, EC406SGC, EC404SGC, EC404SGC, ZICF40, ZICF40		

			
No.	390588	Ref. No.	089078
description	thermostat RANCO type K50L3274 probe ø 2mm probe Lmm capillary pipe 3000mm		
For models:	MF250WB20, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, DSS42A, G500A, MUSTER350A, MUSTER800A, GB1555W, GB1555A, G500W		

			
No.	390286	Ref. No.	085283
description	thermostat RANCO type K50L3383 probe ømm probe Lmm capillary pipe 1500mm temperature range +1 up to +3°C		
For models:	IMF28A, IMF28W, IMF35A, IMF35W, IMF58A, IMF58W, IMF80A, IMF80W, FGC33AS42, FGC46AS42, FGC65A42, MC140AB20, MC140WB20, MC200AB20, MC200WB20, FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC143AB, FGC143WB, FGS94AB, FGS94WB, FGC-F25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, FIM150ASB, FIM150WSB, CIM50AB, FIM50WB, FGC24ABS, FGC24WBAB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, FGC143AB, FGC143WB, CB184A...(Other models you can see in the webshop)		

			
No.	390255	Ref. No.	083520
description	thermostat RANCO type K50P1115/012 capillary pipe 2000mm temperature range +1.5 up to +11°C		
For models:	MVR/E1400, MVR/E1050, MVR/E1060, 7BAE10C, 7BAE14S, 7BAE10S, B105RC, B140RC, KVR/E3, HVR/E1200, QVRC/E3, WVR/E3, MVR/E3C, MVR/E3, MVR/E4C, MVR/E4		

			
No.	390272	Ref. No.	0A8135
description	thermostat RANCO type K50P1117 probe ømm probe Lmm capillary pipe 2000mm temperature range -32 up to -12°C		

			
No.	390540	Ref. No.	OKS870 E1730 K50P1459
description	thermostat RANCO type K50P1459 capillary pipe 400mm temperature range -22.5 up to +2°C		

K52 series

			
No.	390214	Ref. No.	0A8653
description	thermostat RANCO type K52L4512 probe ø 11mm probe L 30mm capillary pipe 2100mm temperature range -6.4 up to +3.2°C		
For models:	ICP110, ICP111, ICP112, ICP110, ICP111, ICP112, NEPV40, NEPV40, NEPEV40, NEPV40, NEPA40, NEPEV40, NEPV40, EKE421S, EK401U, EK401UGT, EKE421GTS, EK401UCS, 120.06.402, EP406SRC, EP406SRV, EP406VRC, EP406VRV, EP404VRC, EN404VAC, EP408SRV, 12006402.1, EP406SRC, EP406SRV, EP406VRC, EP406VRV, EP408SRV, EP404VRC, RVPE041, RVPE04V, RVPE04W, ZICP110, ZICV40		



K55 series

RANCO



1

No.	390259	Ref. No.	081688 082025 084032 60050015
description	thermostat RANCO type K55L5026 probe ømm probe Lmm capillary pipe 2000mm temperature range +0.5 up to +8.0°C		
For models:	IKP110, IKP220, IKS110, IKS220, ISP110, ISP220, ISS110, ISS220, TR1202, TR1221, TR1603, TR1622, TR1641, TR2004, TR2023, TR2042, IKPZ110, IKPZ120, IKS110, IKP220, IKPZ240, IKS220, ISPZ110, ISSZ110, ISPZ220, ISSZ220, TR1202, TR1221, TR1603, TR1622, TR1641, TR2004, TR2023, TR2042, IKP110N, IKS110N, IKP220N, IKS220N, ISP110N, ISS110, ISP220N, ISS220, EP406VAV, DVP500V11C, DVP501V11C, MVP502V11C, DVN500V11C, DVN501V11C, DVP500V11V, DVP501V11V...(Other models you can see in the webshop)		

RANCO



2

No.	390251	Ref. No.	081689
description	thermostat RANCO type K55L5027 capillary pipe 2000mm temperature range -1.4 up to +5.4°C		
For models:	ICP130, ICN110UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, AKP110, AKS110, AKP120, AKP111, AKP230, AKP220, AKS220, AKP240, AKP221, AKN110, AKN120, AKN111, AKN230, AKN220, AKN240, AKN221, AKNN120, AKNN220, AKNN230...(Other models you can see in the webshop)		

RANCO



1

No.	390252	Ref. No.	082246 082254 082985 085000
description	thermostat RANCO type K55L5070 capillary pipe 2500mm temperature range -22 up to -7°C		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

RANCO



1

No.	390250	Ref. No.	083125
description	thermostat RANCO type K55L5078 probe ømm probe Lmm capillary pipe 2000mm temperature range +2 up to +10°C		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

RANCO



1

No.	390248	Ref. No.	083135
description	thermostat RANCO type K55L5079 capillary pipe 2000mm temperature range +2 up to +10°C		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

RANCO



1

No.	390217	Ref. No.	083147 646715500
description	thermostat RANCO type K55L5080 probe ømm probe Lmm capillary pipe 2000mm temperature range -3 up to +10°C		
For models:	TRNP1802, TRN1301, TRNA1301, TRNM1301, TRN1302, TRNA1302, TRNM1302, TRN1303, TRNA1303, TRNM1303, TRN1801, TRNA1801, ARNM1801, TRN1802, TRNA1802, TRNM1802, TRN1803, TRNA1803, TRNM1803, TRN2201, TRNA2201, TRNM2201, TRN2202, TRNA2202, TRNM2202, TRN2203, TRNA2203, TRNM2203, TRNP1802, SAL250, ES950, MLP139V12C, MLP132V12C, MLP130V12C, 13000130.1, KTP100, KTSM100, KKSMM100, 13000131.1, 13000132.1		

			
No.	390542	Ref. No.	087516 0A9547
description	thermostat RANCO type K55P5851 probe ø 2mm probe Lmm capillary pipe 2500mm		
For models:	RS24, EP406VRPUK, RW24, C04PVF4D, C04PVG4D, E04P6SRC, EP406VRC, E04P6VRV, E04P4VRC, E04P4VRV		

			
No.	390210	Ref. No.	0KM596
description	thermostat RANCO type K55L1042 capillary pipe 1100mm temperature range +1.7 up to +9.5°C probe ø10x110mm		

			
No.	375962	Ref. No.	085889
description	thermostat RANCO type K55-L5106 probe ø 2mm probe L 200mm capillary pipe 2500mm 1NC shaft ø 6x4mm 1-pole with capillary probe		
For models:	FS24, E04C6SCGUK, C04FSF4D, E04C6SGC, E04C4SGC, E04C6SGV, E04C4SGV		

			
No.	375961	Ref. No.	0A9688
description	thermostat RANCO type K55-L5110 probe ø 12mm probe L 29mm capillary pipe 1500mm 1NC shaft ø 6x4mm 1-pole capillary pipe isolated 1500mm with capillary probe		
For models:	AEF110, AEF120, AENF220, AENF230, ASF110, APF113, APF114, APP224/60, APF114, APF223, APF224, APF22B, E06C0M1C, E06C-1M1C, E06C0M2C, E06C1M2C, EC4MOM2C, EC4MOMC3, E05C0M1C, E05C1M1C, C06FM1F, C06FM2F, C14CFM2F, C14CFM3F, C05FM1F, M06C0M1C, M06C9M1C, M06C2M1C, M06C9M1V, M13C0M2C, M13C9M2C, M13C2M2C, CM06FF3M, CM06FF4M, CM06FFWM, CM-13FF3M, CM13FF4M, CM13FFWM, CM06FF3M, CM13FF3M, FVNM061, FVNM062, KMFE933, FVNM051, KMFE662		

			
No.	375966	Ref. No.	087165 0A9690
description	thermostat RANCO type K55-L5112 probe ø 11.5mm probe L 27mm capillary pipe 1550mm temperature range -3.6 up to +12°C		
For models:	AEN110, AEN120, AENN120, AENF120, AEN220, AEN240, AENN220, AENF220, AENN230, AENF230, ASN110, ASN220, E06N0M1C, E06N-1M1C, E06N0M2C, E06N1M2C, EC6N0M2C, EC6N0M2C, E14N0M2C, E14N1M2C, E14N0M4C, E14N1M4C, EC4NOM2C, EC4MOM2C, EC4NOM3C, EC4MOMC3, E05N0M1C, E05N1M1C, E12N0M2C, E12N-1M2C, C06RM1F, C06RM2F, C06CM2F, C06CM2F, C14RM2F, C14RM4F, C14CM2F, C14CFM2F, C14CM3F, C14CFM3F, C05RM1F, C12RM2F, RVNM061, RVNM062, KMNE332, KMNE332, RVNM142, RVNM142, KMFE933, RVNM051...(Other models you can see in the webshop)		

			
No.	375965	Ref. No.	087173
description	thermostat RANCO type K55-L5115 probe ø 12mm probe L 29mm capillary pipe 1600mm 1NC shaft ø 6x4mm 1-pole capillary pipe isolated 1600mm		
For models:	AEF220, AEF240, ASF220, E14C0M2C, E14C1M2C, E14C0M4C, E14C1M4C, E12C0M2C, E12C1M2C, C14FM2F, C14FM4F, C12FM2F, RH06RD1G, RS05RD1G, FVNM142, FVNM144, FVNM122		

			
No.	375963	Ref. No.	087360
description	thermostat RANCO type K55-L5119 probe ø 12mm probe L 28mm capillary pipe 1500mm 1NC shaft ø 6x4mm 1-pole capillary pipe isolated 1500mm with capillary probe		
For models:	APP113, APP114, APP223, APP224, APP114/60, APP224/60, APP11B, APP113V, APP22B, APP224V, M06P0M1C, M06P9M1C, M06P2M1C, M06P9M1V, M13P0M2C, M13P9M2C, M13P2M2C, M13P9M2V, CM06RF3M, CM06RF4M, CM06RFWM, CM13RF3M, CM13RF4M, CM13RFWM, CM06RF3M, CM13RF3M		

K60 series

RANCO



1

No.	390257	Ref. No.	081378
description	thermostat RANCO type K60L2034 capillary pipe 900mm temperature range -17 up to -10°C		
For models:	DCBR40, DCB/R40F, DCB/R40U, DCB/R40/61, DCBR41, DCB/R41F, DCB/R41U, DCB/R41-6, DCBR61, DCB/R61U, DCB/R61-6		

RANCO



1

No.	390247	Ref. No.	083177
description	thermostat RANCO type K60L2112 capillary pipe 2000mm		
For models:	DLP14/F, DLP21/F, DL14/F, DL21/F, DL14/F, DL21/F, DLP14/F, DLP21/F, DL14/F, DL21/F, DLP14/F, DLP21/F		

RANCO



1

No.	390246	Ref. No.	083178
description	thermostat RANCO type K60L2141 capillary pipe 830mm		
For models:	DLP14/F, DLP21/F, DL14/F, DL21/F, DL14/F, DL21/F, DLP14/F, DLP21/F, DL14/F, DL21/F, DLP14/F, DLP21/F		

RANCO



1

No.	390543	Ref. No.	OKS869 E1739 K60P1106
description	thermostat RANCO type K60P1106 capillary pipe 400mm		

K61 series

RANCO



1

No.	390212	Ref. No.	086078
description	thermostat RANCO type K61L1500 probe ømm probe Lmm capillary pipe 750mm T war -11.5°C T cold 22°C		

RANCO



1

No.	390586	Ref. No.	086288 62026411
description	thermostat RANCO type K61L1504 probe ø 2mm probe Lmm capillary pipe 1800mm T war 11.5°C T cold 22°C		

miscellaneous producers



1

No.	390721	Ref. No.	086037
description	thermostat probe ø 2.3mm capillary pipe 1850mm evaporator		

accessories

fitting parts



1

No.	504736	Ref. No.	048987
description	bracket for contact thermostat		
For models:	LS32, LS32/4.5, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302F, WT302/60, LS33, LS33/4.5, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303F, WT303/60, LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2DPSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP...(Other models you can see in the webshop)		



1

1

1

1

1111

miscellaneous



No.	504757	Ref. No.	0L0280
description	screw connection ID 10mm for probe		
For models:	WT4, WT4B, WT4D, WT4DB, WT46, WT4DG, WT4WS1, WT4BWS, WT4DWS1, WT4BDWS, NUC3DD, WT4D60, WT4DDG, EUC1, EUC1DP, EUC1WS, EUC1DPWS, EUC3, EUC3WS, EUC3DP, EUC3DPWS, EUC1G, EUC1DP60, EUC3DD, ZUCADDROW, ZUCADDROW6, LS5/1, LS5/1DP, LS5/1WS, LS5/1WSDP, LS5/3, LS5/3DP, LS5/3WS, LS5/3WSDP, FUCA3DD, LS5/3WSDPD, LB5DPG, LS5/1DP60, LS5/1DPAUS, LS5/1DPCS, KUC3, KUC3DP, NUC1, NUC1DP, NUC1WS, NUC1DPWS, NUC3, NUC3WS, NUC3DP, NUC3DPWS...(Other models you can see in the webshop)		

capillary tube clips



No.	550004	Ref. No.	0H6906
description	capillary tube clip for pipe 17x6mm for flat tube heating element		



No.	550138	Ref. No.	052262 0H6922 0KT898 18005602 279916 SK50399AUSFB
description	capillary tube clip for pipe 8.5mm for circular tube heating elements		
For models:	MFR/E350, MFR/E700, MFR/E370, MFR/E350UK, MFR/E700UK, MFR/E370UK, MFR/E370D, MFR/E350D, MFR/E700D, BF/E1S12, RF/E1D05, RF/E1S12, RF/E2D12, RF/E1S12E5, RF/E2D12E5, RFR/E1S12, RFR/E2D12, XF/E1D05, XFR/E1S12, XFR/E2D12, XFR/E2S40, XF/E1S12, XF/E2D12, XF/E1S12, XF/E2D12, XFR/E1S12, XFR/E2D12, JF/E1D05, JFR/E1S12, JFR/E2D12, JFR/E2S40, JF/E1S12, JF/E2D12, JF/E1S12, JF/E2D12, MF/E1D05, MF/E1S12, MF/E2D12, MF/E1S12E5, MF/E2D12E5, MFR/E1S12, MFR/E2D12, 7FRE03S, 7FRE07S, 7FRE23S, RFR/E350UK, RFR/E700UK, RFR/E370UK, T3SEFR, T70EFR...(Other models you can see in the webshop)		

gland nut accessories

ducts



No.	550271	Ref. No.	0K9769 624042
description	gland duct ET M12x0.75 IT M9x1 with gasket and nut		

gaskets



No.	510452	Ref. No.	006098
description	gasket silicone 7.8mm L 7mm		
For models:	RFR/G1S14, RFR/G2D14, RFR/E1S14, RFR/E2D14, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RF/E1S07, RF/E2D07, RFR/E1S07, RFR/E2D07, XFR/G1S14, XFR/G2D14, XFR/E1S14, XFR/E2D14, XF/G1S07, XF/G2D07, XFR/G1S07, XFR/G2D07, XF/E1S07, XF/E2D07, XFR/E1S07, XFR/E2D07, JFR/G1S14, JFR/G2D14, JFR/E1S14, JFR/E2D14, JF/G1S07, JF/G2D07, JFR/G2D07, JFR/G2D07, JF/E1S07, JF/E2D07, JFR/E1S07, JFR/E2D07, MFR/G1S14, MFR/G2D14, MFR/E1S14, MFR/E2D14, MF/G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, MF/E1S07, MF/E2D07, MFR/E1S07, MFR/E2D07		

bolts with slot



No.	520243	Ref. No.	027061
description	bolt with slot thread M9x1 Qty 10 pcs nickel-plated brass		
accessories for	520243		
No.	510591	Ref. No.	—
description	washer with slot ED 8.8mm slit width 1.2mm Qty 10		
No.	510592	Ref. No.	—
description	gasket 8x8.7mm Qty 10 pcs slotted silicone		

locking screws



No.	504738	Ref. No.	067899 0KX146 214195500 722935
description	screw connection for probe thread M12x1 ID 6.3mm L 18mm		
For models:	MCP/E700, MCP/G700, MCP/E700D, MCP/G701, MCP/G710, MCP/G711, RCP/E2S, MCP/E2S, 7CPE07P, 7CPG07P, RCP/G701, M70EPC, M70GPC, M70GPC, CCP/G700, CCP/E700, PCP/E2SHP, OCP/E2S, TCP/E2S, RCP/G700, HCP/G410D, HCP/G410, HCP/G810, HCP/E410, HCP/E810, HCP/E410, ZCP/G410, ZCP/G810, ZCP/E410, ZCP/E810, ZCP/E410, ACP/G400, ACP/G410, ACP/G800, ACP/G810, ACP/E400, ACP/E410, ACP/E800, ACP/E810, ACP/G400, ACP/E400, ACP/E410, LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT4...(Other models you can see in the webshop)		
accessories for	504738		
No.	528485	Ref. No.	067898 070339 086109 0H2570 0KK903 530501200 60074
description	O-ring EPDM thickness 1.78mm ID 6.07mm Qty 1 pcs		

			
1			
No.	550926	Ref. No.	059295 17012752
description	union screw thread M12x1 probe ø max. 4mm SS		
For models:	MFR/G740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, BF/G1S07, BFR/G1S14, BFR/E1S14, RFR/G1S12, RFR/G2D12, RFR/G2S40, XFR/G1S12, XFR/G2D12, XFR/G2S40, JFR/G1S12, JFR/G2D12, JFR/G2S40, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MFR/G1S12, MFR/G2D12, MFR/G2S40, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, RFR/G741, 7FRG03S, 7FRG07S, CFR/G741, M35GFR, M70GFR, CFR/G351, CFR/G701, PF/G1S07, PF/G2D07, PFR/G1S07, PFR/G2D07, PFR/G1S14, PFR/G2D14, PF/E1S07, PF/E2D07, PFR/E1S07, PFR/E2D07, PFR/E1S14, PFR/E2D14, PF/E1S07E5, PFRE2D07E5, ECP/E1ELHU...(Other models you can see in the webshop)		

			
1			
No.	550925	Ref. No.	002076 17012753
description	union screw thread M12x1 probe ø max. 6mm SS		
For models:	MFR/G740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, RFR/G1S12, RFR/G2D12, RFR/G2S40, XFR/G1S12, XFR/G2D12, XFR/G2S40, JFR/G1S12, JFR/G2D12, JFR/G2S40, MFR/G1S12, MFR/G2D12, MFR/G2S40, RFR/G741, 7FRG03S, 7FRG07S, CFR/G741, M35GFR, M70GFR, CFR/G351, CFR/G701, XFR/G700, PFR/G2S40, TFR/G2S40, KFR/G1E, KFR/G2F, KFR/E1E, KFR/E2F, KFH/G1, KFH/E1, KFH/G1ELH, KFH/E1ELH, KFH/G1EH, KFH/E1EH, HFR/G410, HFR/G810, HFR/G410D, HFR/G810D, HFR/G410NL, HFR/G810NL, HFR/G411, HFR/G412, HFR/G430, HFR/E430, HFR/G430, HFR/G830...(Other models you can see in the webshop)		

connecting bows

			
1			
No.	550060	Ref. No.	006712 01103 01P01 054376 0A2039 0H6283 0KQ972 0M0643 VO2215
description	connecting bow long for thermostat Qty 1 pcs		
For models:	RF/E1S08, RF/E2D08, RFR/E1S08, RFR/E2D08, RFR/E1S14, RFR/E2D14, RF/E1S07, RF/E2D07, RFR/E1S07, RFR/E2D07, XF/E1S08, XF/E2D08, XFR/E1S08, XFR/E2D08, XFR/E1S14, XFR/E2D14, XF/E1S07, XF/E2D07, XFR/E1S07, XFR/E2D07, JF/E1S08, JF/E2D08, JFR/E1S08, JFR/E2D08, JFR/E1S14, JFR/E2D14, JF/E1S07, JF/E2D07, JFR/E1S07, JFR/E2D07, MF/E1S08, MF/E2D08, MFR/E1S08, MFR/E2D08, MFR/E1S14, MFR/E2D14, MF/E1S07, MF/E2D07, MFR/E1S07, MFR/E2D07, PF/E1S07, PF/E2D07, PFR/E1S07, PFR/E2D07, PF/E1S07E5, PFRE2D07E5, OF/E1S07, OFR/E1S07, OFR/E2D07, TF/E1S07...(Other models you can see in the webshop)		

			
1			
No.	550059	Ref. No.	0A2205 0G0270 0H6775 0K5001 0KM937 0KT779 18015163 253566 537001200 5370012005 617078 721205
description	connecting bow short for switch Qty 1 pcs		
For models:	BR/E1FL, BR/E1FR, BR/E2FL, BR/E2FR, RR/E1FL, RR/E1FR, RR/E1CL, RR/E2FL, RR/E2FM, RR/E2CL, RRV/E1FL, RRV/E1FR, RRV/E1CL, RRV/E2FL, RRV/E2FM, RRV/E2CL, RG/E1, RG/E2, RGV/E1, RGV/E2, XR/E1FL, XR/E1FR, XR/E1CL, XR/E2FL, XR/E2FM, XR/E2CL, XRV/E1FL, XRV/E1FR, XRV/E1CL, XRV/E2FL, XRV/E2FM, XRV/E2CL, XG/E1, XG/E2, XGV/E1, XGV/E2, JR/E1FL, JR/E1FR, JR/E1CL, JR/E2FL, JR/E2FM, JR/E2CL, JRV/E1FL, JRV/E1FR, JRV/E1CL, JRV/E2FL, JRV/E2FM, JRV/E2CL, JG/E1...(Other models you can see in the webshop)		

switches and momentary switches
rocker/momentary rocker switches

25.5x25mm

			
1			
No.	347115 ¹	Ref. No.	092131
description	rocker switch mounting measurements 25.5x25mm clear 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

illuminated

			
1			
No.	347542	Ref. No.	085977
description	rocker switch mounting measurements 25x25mm white 2CO 250V 16A I-II connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	C06RD1F, C06RD1FL, C06RD2F, C06RD1G, C06RM1F, C06RM2F, C06RM1G, C06FD1F, C06FD1FL, C06FD2F, C06CD2F, C06CFD2F, C06CFD2FR, C06CM2F, C06CM2F, C14RD2F, C14RD4F, C14RD2G, C14RM2F, C14RM4F, C14RM2G, C14CD2F, C14CFD2F, C14CD3F, C14CFD3F, C14CM2F, C14CFM2F, C14CM3F, C14CFM3F, C05RM1F, C05RM1G, C12RM2F, C12RM2G, RSD36, RGD36, FSD36, RSD313, RS25, FS25, RS212, RDNE061, RVNE062, RVNE06V, RVNM061, RVNM062, RVNM06V, FDFE061, FDNE062, KVPE332, KVNE332...(Other models you can see in the webshop)		



27.8x25mm



No.	347656 ¹	Ref. No.	085987
			089175
			092130
			099274
description	rocker switch mounting measurements 27.8x25mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm		
For models:	83012001, 83012033, 83012201, ARDF110L, ARDF120, ARDNN120, 83012101, ARDN220, ARDN221, ARDNF220, 83012037, ASN110, ASF110, ASN220, ASF220, ADN110, ADN120, ADN111, ADF110, ADF120, ADNN120, ADNF120, ADN220, ADN240, ADN221, ADF220, ADF240, ADNN220, ADNF220, ADNN230, ADNF230, ADN11060, ADF11060, ADN22060, ADF2206, ZPR04R1F, ZPR04F1F, ZPR06R1F, ZPR06F1F, STRP1101, STRP1102, STRP1601, TRN224C, TRN224D, TRN224E, STRP1602, STRP1603, STRP2201, STRP2202, STRP2203... (Other models you can see in the webshop)		

¹illuminated

No.	347546	Ref. No.	099275
description	rocker switch mounting measurements 27.8x25mm white 2CO 250V 16A I/II %HUM connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
	83012001, 83012033, 83012101, 83012037, ASN110, ASN220, ADN110, ADN120, ADNN120, ADN220, ADN240, ADNN220, ADNF220, ADNN230, ADNF230, ADN11060, TRN224C, TRN224D, TRN224E, TRN132A, TRN132B, TRN132C, TRNA132A, TRNA132B, TRNA132C, TRRN132A, TRRN132B, TRRN132C, TRN183A, TRN183B, TRN183C, TRN183D, TRNA183A, TRNA183B, TRNA183C, TRNA183D, TRRN183A, TRRN183B, TRRN183C, TRRN1842D, TRN22A4, TRN224B, TRNA224A, TRNA224B, TRRN224A, TRRN224B, PR04R1FBR, PR06R1FBR, PR06R2FBR, PR06R1F4...(Other models you can see in the webshop)		

30x11mm



No.	301014	Ref. No.	OK6805
			OKB556
			201120021
			301014
			464129209
			4641292091
			990700
description	momentary rocker switch mounting measurements 30x11mm black 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 mounting ømm male faston 6.3mm		
For models:	D180, D180, D180, D180, D180		



No.	301012	Ref. No.	004110
description	rocker switch mounting measurements 30x11mm green 1NO/ indicator light 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
For models:	ZCMDG6, ZCMDG4, ZCMDG9		

30x22mm



	No.	301003	Ref. No.	004158 083086 91310085
	description			
	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65			
For models:				
ZCMD6, ZCBDE12, ZCMM6, ZCBME12, ZCMD4, ZCBDE8, ZCMM4, ZCBME8, ZCMD9, ZCBDE18, ZCMM9, ZCBME18, ZCBDG8, ZCBDG12, ZCBDG18, FFPS16, FFPS32, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835, PDG433, PDG633, PDG933				
accessories for				
301003				
	No.	301036	Ref. No.	002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			



	No.	301001	Ref. No.	005899
				0C4924
				91310090
description		rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:		ZCBDG8, ZCBDG12, ZCBDG18		
accessories for		301001		
	No.	301036	Ref. No.	002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			



	No.	301091	Ref. No.
			OK7092 301091
description	rocker switch mounting measurements 30x22mm red 2NO 400V 10A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		

1

			050491 081679 081682 082390 085634 089013 0A8248 0HB342 3700100 4011709 660800901
No.	301009	Ref. No.	
description			
rocker switch mounting measurements 30x22mm white 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65			
For models:			
ICF110, ICP110, ICP111, ICP130, ICP112, ITP120UK, ICF110, ICN110UK, ICF110, ITP120UK, AP20, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILNSO120, ILN221, ILNN120, ILNN220, ILNN220UK, ILF110, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF120, ILNF220, ILNF220UK, IKP110, IKP220, IKN110, IKN220, IKNSO120, IKNN120, IKNN220, IKNN230, IKS110, IKS220...(Other models you can see in the webshop)			
accessories for			
301009			
	No.	301036	Ref. No.
			002150
description			
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

			
No.	301036	Ref. No.	002150
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		
For models:	HBR/G801, HBR/G806, HBR/G811, HBR/G816, HBR/G801D, HBR/G806D, HBR/G811D, HBR/G816D, HBR/E801, HBR/E806, HBR/E811, HBR/E816, ZBR/G801, ZBR/G806, ZBR/G811, ZBR/G816, ZBR/G801D, ZBR/G806D, ZBR/G811D, ZBR/G816D, ZR/G413, BR/E806, ZBR/E811, ZBR/E816, ABR/G801, ABR/G806, ABR/G811, ABR/G816, ABR/G801D, ABR/G806D, ABR/G811D, ABR/G816D, ABR/E801, ABR/E806, ABR/E811, ABR/E816		

			
No.	301314	Ref. No.	082873
description	rocker switch mounting measurements 30x22mm white 2NO 250V 16A ON-OFF connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		
For models:	ICP111, ICP112, ICP110, ICP112, NEPEV40, NEPEV40, NEPEV40, 400LTPVN, ES2M, ES3M, RVPE04V, RVPE04W, ZICV40, ZICP40, ZICFV40, ZICFV40		

				
1				
No.	345711	Ref. No.	082473	
description	rocker switch mounting measurements 30x22mm white 2CO 250V 16A I-II connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40			
For models:	ILP110, ILP110UK, ILN120, ILP220, ILP220UK, ILP240, ILN110, ILN110UK, ILN120, ILN220, ILN220UK, ILN240, ILNN220, ILNN220UK, ILNF220, ILNF220UK, ESR141212F, ESR142F, ESR14412F, ESR142G, ESR4212FR, ESR4212F, ESR41FR, ESF41F, ESR41F, ESR61F, ESR621/2F, ESR621/2F, ESR61FR, , EUKR142N, , EUKF41F, EUKR142F, EUKR141212, EUKR14412F, , ESR41F60HZ, ESR422F60HZ, ESR61F60, ESR622F60, ESR142F60, ESR1412F60HZ, ESR1442F60HZ, ESR142G60HZ, ESF41G60, ESF41G, ESR421/2F, ESR41FR, ESR41F...(Other models you can see in the webshop)			
accessories for	345711			
	No.	301036	Ref. No.	002150
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

			
No.	345714	Ref. No.	082486
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated refrigeration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	ILNN120, ILF110, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF120, ILNF220, ILNF220UK, ICP111, ZBRAV806, ZBRAV805, ZBRAV805, ZBRAV706, ZBRAV705, ZBRAV705, ESF61G60, ESF41GR, ESF41G60HZ, ESF61GR, ESF41F, IKN111, IKN221, ISP221N, ESF41GR, PTVN2719, PTVN2519, PTVN2724, PTVN2524, FVNE061, FVNE132, KVNE662, ZILNN120, KVNE332, KVNE932, FVNE062, ZILNF230, ILF120, ZICP110, ILF110		

blank



1

No.	345390	Ref. No.	054547 055014	
description	momentary rocker switch mounting measurements 30x22mm red 1NC 230V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
For models:	FCFG10, FCFG10D, FCFG10NL, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFG20J, FCFG20J, FCFG40J, FCFG40J, FCFG20J, FCFG20J, FCFG41J, FCFG40J, FCFG101, FCFG201, FCFG202, FCFG202, FF/G20, FF/G40, COCO10G, COCO20G, 4236N, ZOFCF/G10D, ZOFCF/G20D			
accessories for	345390			
	No.	301036	Ref. No.	002150
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				



1

No.	346297	Ref. No.	056880 0K2911
description	rocker switch mounting measurements 30x22mm orange 2NO 230V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	MCP/E700, MCP/G700, MCP/E700D, RCP/G700, RCPE700		
accessories for	346297		
	No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

No.	346298	Ref. No.	056878 056879 0K2905
description	rocker switch mounting measurements 30x22mm yellow 2NO 230V 16A illuminated II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	MCP/E700, MCP/G700, MCP/E700D, 7CPE07P, 7CPG07P, M70EPC, M70GPC, CCP/E700, RCP/G700, RCPE700, RCP/G700, RCP/E700		
accessories for	346298		
	No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

labelled



1

No.	300125	Ref. No.	053810 056702 056703 081680 085609 0HA083 0K8650 0KM979 0PE186 20528 23327 74500120 9020528 B23327
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	WMGHUK, WMMHPLUK, MTC1200P, MTC1400P, MTC1600P, MTC1800P, MTC2000P, MTC1210P, MTC1410P, MTC1610P, MTC1810P, MTC2010P, MTCD1200P, MTCD1400P, MTCD1600P, MTCD1800P, MTCD2000P, MSR1207, MSR1407, MSR1607, MSR1807, MSR2007, MSR1217, MSR1417, MSR1617, MSR1817, MSR2017, MSRP1207, MSRP1407, MSRP1607, MSRP1807, MSRP2007, LPS/75, 7CPE07P, 7CPG07P, M70EPC, M70GPC, CCP/E700, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCVE20-V...(Other models you can see in the webshop)		
accessories for	300125		
	No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

with symbol



1

No.	346385	Ref. No.	054552 401D3501
description	rocker switch mounting measurements 30x22mm green 2CO 230V 16A illuminated fan connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG101, FCFG201, FCF/E10, FCF/E20, COCO10G, COCO10E, COCO20G, COCO20E, FCFE101, FCFE201, ZOFCF/G10D, ZOFCF/G20D		
accessories for	346385		
	No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

No.	346386	Ref. No.	058808
description	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated I-II connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		
For models:	FCFE10, FCFE10UK, FCFE20, FCFE20UK, FCFE10J, FCFE10J, FCFE20J, FCFE20J, COCO10E, COCO20E, FCFE101, FCFE201		
accessories for	346386		
	No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

No.	346384	Ref. No.	053837
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated I-II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	FCFE10, FCFE10UK, FCFE20, FCFE20UK, FCF/E10, FCF/E20, COCO10E, COCO20E, FCFE101, FCFE201		
accessories for	346384		
	No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

No.	345713	Ref. No.	082391
description	rocker switch mounting measurements 30x22mm white/yellow 1NO/NO 250V 16A illuminated lighting, I-II connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		
For models:	ILP111, ILP221, ILN111, ILN221, ESR142GR, ESR142G, ESR41GR, ESR41G, ESR41G60HZ, ESR142G60HZ, ESF41F60, ESR41G, ESMR41G, ESR41GR, ESM41G, ETE601GT, ESR41G, ESR142G, EUKR41GR, ESR142GR, EKZ601GT, EKE601GT, ETE601GT, ZLP111, ZLP221, ZLN111, ZLN221, RVPE132, RVNE312V, RPPE13V		

1

	1	
No.	301036	Ref. No. 002150
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm	
For models:	HBR/G801, HBR/G806, HBR/G811, HBR/G816, HBR/G801D, HBR/G806D, HBR/G811D, HBR/G816D, HBR/E801, HBR/E806, HBR/E811, HBR/E816, ZBR/G801, ZBR/G806, ZBR/G811, ZBR/G816, ZBR/G801D, ZBR/G806D, ZBR/G811D, ZBR/G816D, ZR/G413, BR/E806, ZBR/E811, ZBR/E816, ABR/G801, ABR/G806, ABR/G811, ABR/G816, ABR/G801D, ABR/G806D, ABR/G811D, ABR/G816D, ABR/E801, ABR/E806, ABR/E811, ABR/E816	

1

ø16mm			
			
1			
No.	346287 ¹	Ref. No.	002418 006848 0G2313 0G2315 0K2049 52221G00000 P12NK1G00000 P1CAP1
description	momentary push switch mounting ø 16mm red 1NO 250V 3A illuminated connection male faston 2.8mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, HI/G400, HI/G800, HI/G400N, HI/G800N, BRN70G, BRN/70GZ, BR70GZ, BRNG70A, FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L-6JAP, FCVG6L3CJ, FCV/G10L2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/G6L4, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG202L6, FCV/G101/1, FCV/G102/1, FCV/G201/1, FCV/G202/1, FCS061G48J, FCS061GP, FCS061G-3DI, FCS061G4, FCS061G4DT, FCS061G49J, FCS101G2, FCS101G4, FCS101G4DT...(Other models you can see in the webshop)		

illuminated

ø25mm

1

No.	345038	Ref. No.	053978 058274 727946
description	momentary push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	RC/G320, RC/G330, RC/G320F, RC/G720, RC/G730, MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/G1050D, MCFG1055NL, MC/G355, MC/G350, MC/G355E, MC/G350D, MC/G355F, MC/G355NL, MC/G705, MC/G700, MC/G705E, MC/G700D, MC/G705NL, MC/G1055, MC/G1050, MC/G1050D, MC/G1055NL, MC/G705F, MCF/GE1055UK, MCF/G1090, MCF/G1095, MC/G352, MC/G702, MC/G1052, MCF/G702, MCF/GE702, MCF/G1052, MCFGE1052...(Other models you can see in the webshop)		

MAG-PRO 

			
No.	345161 ¹	Ref. No.	054518 082446 0K2150 0K3029 60050016
description	push switch mounting ø 25mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MVR/E1400, MVR/E1050, MVR/E1060, MCP/G700, RC/G1, RC/G2, RCV/G2, RCV/G3, RCF/G2, RCF/G3, RSF/G2, RSV/G2, RSF/G3, MCF/G2A, MCF/G3A, XC/G1, XC/G2, XCV/G2, XCV/G3, XCF/G2, XCF/G3, XSF/G2, XSV/G2, XSF/G3, JC/G1, JC/G2, JCV/G2, JCV/G3, JCF/G2, JCF/G3, MC/G1, MC/G2, MCV/G2, MCV/G3, MCF/G2, MCF/G3, MSF/G2, MSV/G2, MSF/G3, RFR/G350, RFR/G700, RFR/G350D...(Other models you can see in the webshop)		

¹illuminated

			
No.	345715	Ref. No.	082328
description	push switch mounting ø 25mm white 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	ISP110, SFM21/C, SM15/F, SM21/F, SMP15/F, SMP21/F, SFM21/F, SM15/F, SM21/F, SMP15/F, SMP21/F, IKPZ110, IKPZ120, IKNZ110, IKNZ120, IKS110, IKP220, IKPZ240, IKNZ220, IKNZ240, IKS220, ISP2110, ISNZ110, ISSZ110, ISP220, ISNZ220, ISSZ220, ILF110, ILF110, IKF220, IKNF, FVNE051, FVNE11E, ISS110		

			
No.	347428	Ref. No.	0C2129
description	momentary push switch mounting ø 25mm black NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40 with rubber collar		
For models:	PCP/E2SH, PCP/E1SH, PCP/E2SH, PCP/E2SH3B, OCP/E2S, OCP/E1SH, OCP/E2SH, TCP/E2S, TCP/E2SH, QBR/G2F, QBR/G2C, QBR/G3F, QBR/G3FH, QBR/G3C, QBR/G3CH, QBR/E2F, QBR/E2C, QBR/E3F, QBR/E3FH, QBR/E3C, QBR/E3CH, QBR/G2FH, QBR/G2CH, QBR/E2FH, QBR/E2CH		

			
No.	345039	Ref. No.	053979 0K3030 60050204 727947
description	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		
For models:	RC/G320, RC/G330, RC/G320F, RC/G720, RC/G730, MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/G1050D, MCFG1055NL, MC/G355, MC/G350, MC/G355E, MC/G350D, MC/G355F, MC/G355NL, MC/G705, MC/G700, MC/G705E, MC/G700D, MC/G705NL, MC/G1055, MC/G1050, MC/G1050D, MC/G1055NL, MC/G705F, MCF/GE1055UK, MCF/G1090, MCF/G1095, MC/G352, MC/G702, MC/G1052, MCF/G702, MCF/GE702, MCF/G1052, MCFGE1052...(Other models you can see in the webshop)		
accessories for	345039		
	No.	345001	Ref. No. —
	 momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65		

2 hole fixing

			
No.	345021	Ref. No.	046340 046348
description	momentary push switch 2NO		
For models:	LS360F, LS365F, LS500F, LS501F, LS540F, LS540DK, LS541F, LS367, LS720F, LSE720DK, LSE720PH, LS860F, LS860DK, LS860PH, LS1080F, LS1080UK, LS1080PH, LSE721F, LS861F, LS540, LS1080M, LS1080, LS1080D, LS1080UK, LS1080/63, LS500F, LS500UK, LS501, LS501UK, LS540D, LS540/63, LSE721, LS720, LSE720UK, LS721UK, LSE720D, LS541, LS860, LS860, LS860D, LS860UK, LS861UK, LS860/63, LS861, LS500, LS501, LS540, 652120Z, LS860, LS1080...(Other models you can see in the webshop)		

			
No.	345999	Ref. No.	045165
description	push switch 2NO 250V 16A connection male faston 6.3mm protection IP40		
For models:	LS365, LS365PH, LS365D, LS365, LS365/63, LS365F		

			
1			
No.	346879	Ref. No.	OKK220
description	push switch green 2NO/indicator light 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		


accessories

fitting parts

			
1			
No.	345998	Ref. No.	048575
description	fixing plate		

			
1			
No.	347831	Ref. No.	0G2438 769131
description	stop for switch shaft ø 6x4.6mm		
For models:	ACSGRT, BOT080S.MH25.W94, BOT080S.MS25.W94, BOT100E.MS35.H97, BOT150S.MH25.F98, BOT150S.MH25.W94, BOT200S.MH25.F18, BOT200S.MH25.W14, BOT400E.MS35.W14, BOT400S.MH25.F18, FET060E.MS35P.F88, FET060E.MS35P.W84, FET060E.MS35S.F88, FET080E.MS35P.F88, FET080E.MS35P.W84, FET080E.MS35S.W84, FET100E.MS35P.F88, FET100E.MS35P.W84, FET100G.MS25P.H97, UET060E.MS35.F88, UET090E.MS35.F88, UET090E.MS35.W84, UET100E.MS35.F88, UET100E.MS35.W84, UET150E.MS35.F88, BOT150E.MS35.H97, FET100E.MS35S.F97, FET060E.MS35S.W84, FET080E.MS35S.F88, FET080G.MS25S.F98, FET080G.MS25S.W94, FET100E.MS35S.F88, FET100E.MS35S.W84, UET060E.MS35.W84, UET150E.MS35.W84, BOT040E.MS35.F88, BOT040S.MH25.F98, BOT040E.MS35.W84, BOT040S.MH25.W94, BOT060E.MS35.F88, BOT060S.MH25.F98, BOT060E.MS35.W84, BOT060S.MH25.W94, BOT080E.MS35.F88, BOT080S.MH25.F98, BOT080E.MS35.W84, BOT100S.MH25.F98, BOT100S.MH25.W94, BOT300S.MH25.F18, BOT300S.MH25.W14... (Other models you can see in the webshop)		
accessories for	347831		
	No.	347830	Ref. No.
			0G2405 0K5151 0K1513 769363
switch for tilting kettle with potentiometer			

push buttons

			
1			
No.	346311	Ref. No.	003768
description	push button		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, 5702-2-3, 5704-2-3, 57074-2-3, 5701-3-3, 5702-3-3, 5704-3-3, 5707-3-3, ECF/G6/0, ECFG101-0, ECFG102-0, ECFG201-0, ECFG202-0, ECF/E6-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF061ENS, ECF101ENS, ECF102ENS, ECF201ENS, ECF061ECV, ACF/G6-0... (Other models you can see in the w		

			
1			
No.	345729	Ref. No.	083049
description	push button external size 23x23mm black		
For models:	ALN110, ALN120, ADF110, ALF110, ADF120, ALF120, AEF110, AEF120, ADNN120, ADNF120, AENF120, ALN220, ALN240, ADF220, ADF240, AEF220, AEF240, ADNN220, ADNF220, ADNN230, ADNF230, AENF220, AENF230, ASF110, ASF220, AKN110UK, AKF110UK, AKN220UK, AKF220UK, ASN110UK, ASF110UK, ASN220UK, ASF220UK, APP113, APP114, APF113, APF114, APP223, APP224, ARDN110, APP114/60, APP224/60, APP224/60, APP11B, APP113V, APF114, APP22B, APP224V, APF223, APF224... (Other models you can see in the webshop)		

element holders

			
1			
No.	346310	Ref. No.	003767
description	element holder ø 24mm		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, 5702-2-3, 5704-2-3, 57074-2-3, 5701-3-3, 5702-3-3, 5704-3-3, 5707-3-3, ECF/G6/0, ECFG101-0, ECFG102-0, ECFG201-0, ECFG202-0, ECF/E6-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF061ENS, ECF101ENS, ECF102ENS, ECF201ENS, ECF061ECV, ACF/G6-0... (Other models you can see in the webshop)		

protective covers

			
1			
No.	346577	Ref. No.	0H6588
description	protective cover		

microswitches

universal



1

No.	345042	Ref. No.	085298 0D6615 0KQ309
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black		
For models:	MULTI2-01, TRS-3-02, TRS-3-03, TRS-1-02, TRS-1-03, MINIG-01, MULTIG-01, MULTI2-02, BE5-01, BE5-02, TRS-3-04, TRS-3-05, BE5-03, TRS-1-04, MULTIG-02, BE5-04, TRS-1-05, MULTIG-03, BE5A-01, TRS-1-06, MULTI2-03, TRS-1-07, MULTIG-04, MULTIG-05, TRS-1-08, TRS-3-06, BE5-05, TRS-3-07, TRS-1-09, EL25-01, BE5A-02, TR200-04, TR200-03, MULTI2-04, CPX-01, TBX130-09, TR200-01, TR200-02, MULTI2-05, TRX-01, TRX-02, TBX130-10, TBX1201OLD, MULTIG-06, TRS-1-10, TRS-1-11, MULTIG-07, TR22-01, TR24, TRS-3-08...(Other models you can see in the webshop)		
accessories for	345042		
	No.	345043	Ref. No.
			—
	lever set 5-piece		

lever actuated



1

No.	345102	Ref. No.	0A8015
description	microswitch with lever 1NO connection cable		
For models:	ICP130, ICN110UK, BC11, BC22, BC44H, BCF11, BCF22, ALNSO120, ILNSO120, ILNN120, ILNF120, ALNN120, ALNF120, ALNSO120, AKNSO120, IKNN120, IKNF120, AKNN120, AKNF120, AKNSO120, ICP130, NIP40, NIP40, EKE411UF, 12001720, EN406VAC, EN404VAC, EN404VAC, EP406VAV, EN406VAC, EP406VAV, EN404VAC, EVNN-60V22C, EVNN61V22C, EVNC60V22C, EVNC61V22C, EVNN60V22C, EEVNN601, DVNN60V22C, DVNN61V22C, EVNC60V22C, EVNC61V22C, DVNC60V22C, DVNC61V22C, MVNN60V22C, MVNN61V22C, MVNC60V22C, MVNC61V22C, 11400120, EEVA10/1...(Other models you can see in the webshop)		



1

No.	347006	Ref. No.	0G2121 0K5144 18025562 762144 763034
description	microswitch with lever 250V 1NO connection with cable ambient temperature max. 85°C		
For models:	ACSGRT, BOT080S.MH25.W94, BOT080S.MS25.W94, BOT100E.MS35.H97, BOT150S.MH25.F98, BOT150S.MH25.W94, BOT200S.MH25.F18, BOT200S.MH25.W14, BOT400E.MS35.W14, BOT400S.MH25.F18, FET060E.MS35PF88, FET060E.MS35PW84, FET060E.MS35S.F88, FET080E.MS35PF88, FET080E.MS35PW84, FET080E.MS35S.W84, FET100E.MS35PF88, FET100E.MS35PW84, FET100G.MS25P.H97, UET060E.MS35.F88, UET090E.MS35.F88, UET090E.MS35.W84, UET100E.MS35.F88, UET100E.MS35.W84, UET150E.MS35.F88, BOT150E.MS35.H97, FET100E.MS35S.F97, FET060E.MS35S.W84, FET080E.MS35S.F88, FET080G.MS25S.F98, FET080G.MS25S.W94, FET100E.MS35S.F88, FET100E.MS35S.W84, UET060E.MS35.W84, UET150E.MS35.W84, BOT040E.MS35.F88, BOT040S.MH25.F98, BOT040E.MS35.W84, BOT040S.MH25.W94, BOT060E.MS35.F88, BOT060S.MH25.F98, BOT060E.MS35.W84, BOT060S.MH25.W94, BOT080E.MS35.F88, BOT080S.MH25.F98, BOT080E.MS35.W84, BOT100S.MH25.F98, BOT100S.MH25.W94, BOT300S.MH25.F18, BOT300S.MH25.W14...(Other models you can see in the webshop)		



1

No.	346362	Ref. No.	058344 0A2145 0A2194 0K2976
description	microswitch with lever connection cable		
For models:	MBR/G710D, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, RBR/G710D, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E710, XBR/G751, XBR/G756, CBR/E700, XBR/E716, XBR/E706, RBR/E700, RBR/E700		



1

No.	346927	Ref. No.	0HA094
description	microswitch with lever 250V 10A 2CO connection male faston 6.3mm Lmm ambient temperature max. 125°C mounting distance 22mm double type VRSR01DA1 actuating force: 220g		
For models:	LB035C, LB035R, LB035Q, LB040R, LB040Q, LB040AUS, G350C, LBIOET010, LBIOET014, LBIOEQ010, G350, G350DP, LBIOEQ014, G400, G400DP, LCFBE003		

			
1			
No.	345254	Ref. No.	046286 053671 054550 057580 058405 066874 081352 081692 0K7808 60050203
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 120°C mounting distance 22mm actuating force: 60g lever length 58mm		
For models:	AP20, BC44, BCF44, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, BC44, BCF44, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILNSO120... (Other models you can see in the webshop)		

			
2			
No.	345257	Ref. No.	069484 218002
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 29mm L1 33mm ambient temperature max. 120°C mounting distance 22mm actuating force: 130g lever length 31.5mm		
For models:	LTB11, LTB12, LTB22, LTB11UK, LTB12UK, LTB22UK, LTB11, LTB22, 910-00-021, 910-00-023, 910-00-031, 910-00-033, 911-00-022, 911-00-024, 911-00-032, 911-00-034, CRYSTAL 11, CRYSTAL 22		

			
1			
No.	345107	Ref. No.	046379 047485 0H2586 0KB678 306E2334 640606500 OMRV1531C6 S640603300
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 98mm ambient temperature max. 125°C mounting distance 22mm actuating force: 30g lever length 90mm		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100, LB80EPH, LB80E, LB120EPH, LB120E, LB160EPH, LB160E, LB160V, CLB160E, CLB160V, LB70E, LB110E, LS540F, LS540DK, LS541F, LS365D, LS540, LSDS5I, LSDS5V, LS540D, LS540/63, LS541, LS510, LS520, LS520D, LS520F, LS520M, LS520K, LS521, LS521D, LS521F, LS521M, LS521K, LS521, LS4, LS540, ZLS510, ZLS520, ZLS521, ALS540, ALLS521, ALLS520, ALS510, LB80E, LB70E, LB120E... (Other models you can see in the webshop)		

			
1			
No.	346072	Ref. No.	00204 004904 0E0209 OHM414 OK7559
description	microswitch with lever 250V 6A 1CO connection male faston 6.3mm ambient temperature max. 85°C lever length 71mm		
For models:	SGE350, SGE350, FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST... (Other models you can see in the webshop)		

			
1			
No.	345049	Ref. No.	OK3764
description	microswitch with lever CO connection male faston		

			
1			
No.	345757	Ref. No.	OK1003 831613IW3 83163080
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black		
For models:	5611-3-10, 5611-3-8, 5612-3-10, 5612-3-8, 5614-3-10, 5614-3-8		

			
1			
No.	347007	Ref. No.	046322 075935
description	microswitch with lever 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C lever length 55mm		
For models:	CT92DXE, CT92SXE, CT92DXEUK, CT92SXEUK, CT92DXV, CT92SXV, CT92DXVUK, CT92SXVUK, CT140EDX, CT140ESX, CT140EDXUK, CT140SXUK, CT140VUX, CT140VSX, CT141EDX, CT141ESX, CT141E- DUK, CT141ESUK, CT141VUX, CT141VSX, CT142DXE, CT142SXE, CT142DXEUK, CT142SXEUK, CT142DXV, CT142SXV, CT190DXE, CT190SXE, CT190DXEUK, CT190SXEUK, CT190DXV, CT190SXV, CT- 191DXE, CT191SXE, CT191DXEUK, CT191SXEUK, CT191DXV, CT191SXV, CT192DXE, CT192SXE, CT192DXEUK, CT192SXEUK, CT192DXV, CT192SXV, CT240DXE, CT240SXE, CT240DXEUK, CT240SX, CT240DXV, CT240SXVUK... (Other models you can see in the webshop)		

roller-lever actuated

microswitches



1

No.	345253	Ref. No.	0T3953
description	microswitch with handle with a switch 250V 15A 1CO connection male faston 6.3mm L 28mm L1 37mm ambient temperature max. 125°C mounting distance 22mm type RL6-1-F-GE-P12-5-L actuating force: 80g grey lever length 28mm		



1

No.	345041	Ref. No.	0H6597 18005617 245536 345041
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C black lever length 20.5mm		
For models:	SLE159-170, SLE159-180, 7535-3/85., 7535-3/90.FRI.(N), 7735-3/85.FRI.(N), 7735-3/90.FRI.(N), 7535-3, 7536-3, 7537-3, 7538-3, 7735-3, 7736-3, 7737-3, 7738-3, 9050-3, 9052-3, 9055-3, 9250-3-0, 9250-3-8, 9252-3-0, 9252-3-8, 9255-3-0, 9255-3-8		

heavy duty version



1

No.	346979	Ref. No.	0L0204 0L1942
description	microswitch with handle with a switch 250V 5A 1CO connection male faston 6.3mm L 25mm L1 49mm ambient temperature max. 85°C mounting distance 22mm type MF45 actuating force: 150g lever length 25mm		
For models:	PW1EAG, PW2EAG, WT830EA, WT850EA, WT830EAG, WT850EAG		

with mounting components



1

No.	347528	Ref. No.	049619
description	microswitch with handle with a switch 250V 10A 1CO connection male faston 6.3mm L 20.5mm ambient temperature max. 125°C mounting distance 22mm actuating force: 120g black/green		
For models:	LS14EAI/AU, WT60NAUCW, WT60NAU, WT60NAUDP, LS12NAU, WT65EBIA, WT65EIA, WT65MED, WT65MEDWS, EHTAIAU, EHTAIMLAU, ZHTAIAU, H1510SANA		

non-standard



1

No.	347008	Ref. No.	0E5629 0K8742 30001008 D2VW5L2A1M
description	microswitch with handle with a switch 250V 5A 1CO connection cable ambient temperature max. 85°C lever length 20mm		
For models:	PW1EFL, PW1EFLF, PW1EFL/60HZ, PW2EFL, PW2EFLF, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFLF, WT830EFL/60HZ, WT850, WT850EFL, WT850EFL/60HZ, WT850SFL, PW1EAG, PW2EAG, WT830EA, WT850EA, WT830EAG, WT850EAG, LO1EFL, LO2EFL		

pin-plunger actuated



1

No.	345326	Ref. No.	0E1685
description	microswitch with plunger 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type XP52Z11 actuating force: 350g red stroke 15mm		
For models:	W3400H06, W355HE, W3400H, W3400H, W355HQSR, W355H, W355H, WE66MP, WE66MP, WE106MP, LC12EC, LACE12M/EI, CLC12EC, LACE22M, LACV22M/V, CLC22VC, WE55QSR_EL, W3400H01, W3400H02, W3400H03, W3400H04		



1

	No.	345042	Ref. No.	085298 0D6615 0KQ309	
description		microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black			
For models:		MULTI2-01, TRS-3-02, TRS-3-03, TRS-1-02, TRS-1-03, MINIG-01, MULTIG-01, MULTI2-02, BE5-01, BE5-02, TRS-3-04, TRS-3-05, BE5-03, TRS-1-04, MULTIG-02, BE5-04, TRS-1-05, MULTIG-03, BE5A-01, TRS-1-06, MULTI2-03, TRS-1-07, MULTIG-04, MULTIG-05, TRS-1-08, TRS-3-06, BE5-05, TRS-3-07, TRS-1-09, EL25-01, BE5A-02, TR200-04, TR200-03, MULTI2-04, CPX-01, TBX130-09, TR200-01, TR200-02, MULTI2-05, TRX-01, TRX-02, TBX130-10, TBX1201OLD, MULTIG-06, TRS-1-10, TRS-1-11, MULTIG-07, TR22-01, TR24, TRS-3-08...(Other models you can see in the webshop)			
accessories for		345042			
		No.	345043	Ref. No.	—
lever set 5-piece					



1

No.	345105	Ref. No.	0KI505
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type 5M-51 actuating force: 280g black		
For models:	MF250WB20		

M10



1

No.	345032	Ref. No.	002785 005031 046063 058926 0F0072 0H6565 0K2018 0K2969 0K8366 0KE535 0KI395 245031 245040 345032 60050200 60050480
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/E740, BF/E1S12, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RF/E1D05, RFR/E1S12, RFR/E2D12, RFR/E2S40, RF/E1S12, RF/E2D12, RF/E1S12, RF/E2D12, RF/E1S12E5, RF/E2D12E5, RFR/E1S12, RFR/E2D12, XF/E1D05, XFR/E1S12, XFR/E2D12, XFR/E2S40, XF/E1S12, XF/E2D12, XF/E1S12, XF/E2D12, XFR/E1S12, XFR/E2D12, JF/E1D05, JFR/E1S12, JFR/E2D12, JFR/E2S40, JF/E1S12, JF/E2D12, JF/E1S12, JF/E2D12, MF/E1D05, MFR/E1S12...(Other models you can see in the webshop)		



1

No.	345156	Ref. No.	0KW537
description	microswitch with plunger thread M10x1 thread L 13mm 250V 16A 1CO connection male faston 6.3mm stroke 6mm mounting distance 25mm L 46mm L1 13mm ambient temperature max. 85°C type C4A-ZN3 actuating force: 340g		



1

No.	347004	Ref. No.	087151
description	microswitch with plunger thread M10x1 thread L 16mm 250V 10A 1NO connection male faston 6.3mm stroke 8mm mounting distance 22mm ambient temperature max. 85°C actuating force: 160g		
For models:	ADNN120, ADNF120, AENN120, AENF120, ARDNN120, 83012101, ADNN120, ADNF120, ALNN1203, ALNN1203, RS06DX2F, RS06DFX2F, RH06DD2U, RH06DFD2U, MP602, MP602/60, MP1200, MP1200, MCD650FP2, EC6N0M2C, EC6N0M2C, EC6N0D2C, EC6M0D2C, C06CD2F, C06CFD2F, C06CFD2FR, C06CM2F, C06CM2F, KLPP650R, RS06DX2F, KLPP650R, RH06DD2F, RH06DD2FR, RH06DFD2F, C06CFD2I, EC6N0D2C, EC6M0D2C, KLP650R, KLPP650R, KVPE332, KVNE332, KMNE332, KMNE332		

M12



1

No.	347009	Ref. No.	0H2312 0K7633 XO1E1G6Z1 XO1E1G6Z122
description	microswitch with plunger thread M12x1 380V 20A 1CO connection screw ambient temperature max. 85°C		
For models:	AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR85, AR85, AR85, AR85, AR85, AR85, AR85...(Other models you can see in the webshop)		

miscellaneous



1

No.	346289	Ref. No.	0G1767 M1S66011KY
description	microswitch with plunger thread M12 thread L 14mm 250V 4A 1CO connection cable stroke 5mm ambient temperature max. 85°C cable 5500mm type 101055425 actuating force: 250g		
For models:	9190-3, 9191-3, 9193-3, 9195-3, 9390-3, 9391-3, 9393-3, 9395-3		

with push button

switches with snap-fit



1

No.	345249	Ref. No.	084403
description	microswitch with push button 250V 0.25A 1NO connection male faston 6.3mm L 26x12mm ambient temperature max. 85°C actuating force: 500g		
For models:	BC100A, BC100DA, BC100RA, BC100RDA, BC180A, BC180DA, BC180RA, BC180RDA, BC180RPA, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180RDA, BCF180RPA, BC120A, BC120RA, BCF120A, BCF120RA, AZP1103, AZF1103, AZP2203, AZF2203, AZP1103, AZP2203, ALN1103, ALNN1203, ALN2203, ALNN2203, AZP6430, ALF1104, AZP13430, AZF13430, ALN11033, ALF11033, BC0144, BC072, ESBC72R, ESBC144R, ESBF70, ESBF70R, ESBF144, ESBF144R, MRF4808660, MRF6018660, MRF401/86, MRF601/86...(Other models you can see in the webshop)		



1

No.	347027	Ref. No.	0A9383
description	microswitch with push button 250V 1A 1CO connection male faston 2.8mm L 26x12mm ambient temperature max. 85°C type XKA-304B1AAJ11 actuating force: 50g		
For models:	ALNN120, ALNF120, ALN110, ALN120, ADN111, AEN110, AEN120, AKN111, ADF110, ALF110, ADF120, ALF120, AEF110, AEF120, ADNN120, ADNF120, AENN120, AENF120, ALN220, ALN240, ADN221, AEN220, AEN240, AEN221, ADF220, ADF240, AEF220, AEF240, ADNN220, ADNF220, ADNN230, ADNF230, AENN220, AENF220, AENN230, AENF230, ASN110, ASN111, ASF110, ASN220, ASN221, ASF220, AKN110UK, AKF110UK, AKN220UK, AKF220UK, ASN110UK, ASF110UK, ASN220UK, ASF220UK...(Other models you can see in the webshop)		



2

No.	346772	Ref. No.	087485
description	microswitch with push button 250V 5A 1CO connection male faston 4.8mm L 24x27mm ambient temperature max. 85°C actuating force: 160g		
For models:	ADN220ES, ADF110ES, ADF220ES, ADN110ESP, ADF110ESP, ALN110, ALN120, ADN111, AEN110, AEN120, ADF110, ALF110, ADF120, ALF120, AEF110, AEF120, ADNN120, ADNF120, AENN120, AENF120, ALN220, ALN240, ADN221, AEN220, AEN240, AEN221, ADF220, ADF240, AEF220, AEF240, ADNN220, ADNF220, ADNN230, ADNF230, AENN220, AENF220, AENN230, AENF230, ASN110, ASF110, ASN220, ASN221, ASF220, AKN110UK, AKF110UK, AKN220UK, AKF220UK, ASN110UK, ASF110UK, ASN220UK...(Other models you can see in the webshop)		

roller actuated

roller 0°



1

No.	345639	Ref. No.	004174
description	microswitch with roller plunger 230V 16A 1CO connection solder/screw connection L1 49mm ambient temperature max. 125°C thread L 14mm thread M10 mounting distance 25mm actuating force: 300g type MS15-1		
For models:	ZFC33, ZFC45		

roller 90°



1

No.	346574	Ref. No.	0K2153 MP2101BT32
description	microswitch with roller plunger 250V 10A connection cable ambient temperature max. 85°C		
For models:	9481-3, 9482-3, 9581-3, 9582-3		



1


No.	346290	Ref. No.	0H6583
description	microswitch with roller plunger 250V 6A 1CO connection cable L1 31mm ambient temperature max. 85°C thread L 20mm thread M10 mounting distance 22mm actuating force: 220g MP320 protection IP67		
For models:	9041-3, 9043-3, 9045-3, 9047-3, 9181-3, 9181-5, 9186-5, 9241-3-0, 9241-3-8, 9243-3-0, 9243-3-8, 9245-3-0, 9245-3-8, 9247-3-0, 9247-3-8, 9374-5-8, 9375-3-0, 9381-3-0, 9381-3-8, 9381-5-0, 9381-5-8, 9386-3-0		

non-standard



1

No.	345777	Ref. No.	004288
description	microswitch		



1

No.	346389	Ref. No.	0G1829 0H7125
description	microswitch connection male faston		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		



1

No.	301207	Ref. No.	004241
description	microswitch operation switch mounting distance 24mm 250V 0.5A NO connection male faston 4.8mm type 209 actuating force: 400g		
For models:	RC/G1, RC/G2, RCV/G2, RCV/G3, RCF/G2, RCF/G3, RCF/M2, RCF/M3, RSF/G2, RSV/G2, RSF/G3, MCF/G2A, MCF/G3A, XC/G1, XC/G2, XCV/G2, XCV/G3, XCF/G2, XCF/G3, XCF/M2, XCFM3, XSF/G2, XSV/G2, XSF/G3, JC/G1, JC/G2, JCV/G2, JCV/G3, JCF/G2, JCF/G3, JCF/M2, JCFM3, MC/G1, MC/G2, MCV/G2, MCV/G3, MCF/G2, MCF/G3, MCF/M2, MCF/M3, MSF/G2, MSV/G2, MSF/G3		

accessories



No.	524966	Ref. No.	049858
description	actuator for microswitch L 275mm W 120mm H 44mm		
For models:	RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230, RT10ERF60, RT10ELF60, RT10ERF, RT10ELF, RT10ERBF60, RT10ELBF60, RT10ERG, RT10ELG, RT10EDH, RT10ESH, RT10SRB, RT10SLB, RT10ED/230H, RT10ES/230H, RT10ERBF, RT10ELBF, RT10ERBG, RT10ELBG, RT10EDECO, RT10ESECO, RT10SRC, RT10SLC, RT10ED/230E, RT10ES/230E, RT10ERCF, RT10ELCF, RT10ERCG, RT10ELCG, RT10EDHE, RT10ESHE, RT10SRCB, RT10SLCB, RT10ED/230HE, RT10ES/230HE, RT10ERCBF, RT10ELCBF, RT10ERCBG, RT10ELCBG, RT10ERASIA, RT10ELASIA, RT10SRASIA, RT10SLASIA, RT10ERCINA, RT10ELCINA...(Other models you can see in the webshop)		



No.	348103	Ref. No.	045404
description	insulation for microswitch L 46mm W 26mm		
For models:	AP20, BC44, BCF44, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF220, ALNF230, BC44, BCF44, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILNN220UK...(Other models you can see in the webshop)		

position switches

BERNSTEIN



No.	346296	Ref. No.	0H6698
description	position switch with handle with a switch 1NO/1NC protection IP65 BERNSTEIN		
For models:	7744-3/85.KB.(N), 7542-3/85., 7544-3/85.KB.(N), 7542-3/90.KB.(N), 7544-3/90.KB.(N), 7742-3/90.KB.(N), 7742-3/85.KB.(N), 7744-3/90.KB.(N), 7746-3/90.KB.(N), 7748-3/90.KB.(N), 7747-3/90.KB.(N), 7585-3/85.KK40.MOTK., 7586-3/85.KK60.MOTK., 7587-3/85.KK80.MOTK., 7588-3/85.KK100.MOTK., 7585-3/90.KK40.MOTK., 7586-3/90.KK60.MOTL., 7587-3/90.KK80.MOTK., 7588-3/90.KK100.MOTK., 7541-3/85.KB.(N), 7545-3/85.KB.(N), 7546-3/85.KB.(N), 7547-3/85.KB.(N), 7548-3/85.KB.(N), 7545-3/90.KB.(N), 7546-3/90., 7547-3/90.KB.(N), 7548-3/90.KB.(N), 7745-3/90.KB.(N), 7745-3/85.KB.(N), 7746-3/85.KB.(N), 7747-3/85.KB.(N), 7748-3/85.KB.(N), 7542-3/85.KB.DWD, 7544-3/85.KB.220V3, 7545-3/85.KB.DWD, 7742-3/85.KB.DWD.ETR, 7742-3/85.KB.DWD, 7748-3/85.KB.DWD.ETR, 7548-3/85.KB.DWD, 7542-3, 7544-3, 7546-3, 7548-3, 7568-3, 7569-3/85.KK200.MOTK, 7569-3/90.KK200.MOTK, 7580-3, 7581-3, 7582-3...(Other models you can see in the webshop)		

PIZZATO

FD series



No.	345057	Ref. No.	0H6689 XCK J 1 0511
description	position switch cast aluminum 1NO/1NC 400V 3A L 98mm W 40mm H 35mm protection IP67 actuating force: 450g screw connection PG13.5 mounting distance 30x60mm		

FR series



No.	345144	Ref. No.	046884 053241 054423 054424 464963 470942
description	position switch plastic 1NC/1NO 400V 3A L 92mm W 31mm H 31mm protection IP67 actuating force: 360g screw connection PG13.5 mounting distance 22mm screw		
For models:	HCPA/G1219, HCPA/GI 1219, ZCPAG1219, ZCPA/GI 1219, HCPA/G1219, HCPA/GI1219, HCPA/V1219, HCPA/EI1219, CR15G, HCPA/G121, HCPA/G121, CT92DXE, CT92SXE, CT92DXEUK, CT92SXEUK, CT92DXV, CT92SXV, CT92DXVUK, CT92SXVUK, CT140EDX, CT140ESX, CT140EDXUK, CT140SXEUK, CT140VDX, CT140VSX, CT141EDX, CT141ESX, CT141EDUK, CT141ESUK, CT141VDX, CT141VSX, CT142DXE, CT142SXE, CT142DXEUK, CT142SXEUK, CT142DXV, CT142SXV, CT190DXE, CT190SXE, CT190DXEUK, CT190SXEUK, CT190DXV, CT190SXV, CT191DXE, CT191SXE, CT191DXEUK, CT191SXEUK, CT191DXV, CT191SXV, CT192DXE...(Other models you can see in the webshop)		

SIEMENS

3SE3 series

switches (complete)



No.	346288	Ref. No.	0K2158 3SE21001E 3SE31001E
description	position switch		

TELEMECANIQUE (EFA)



No.	345823	Ref. No.	048159
description	position switch		
For models:	LS720F, LSE720DK, LS860F, LS1080F, LS720, LS720N		



1

No.	346807	Ref. No.	OH9724 OK3679 OK4382 126283 751005
description	position switch plastic 1NO/1NC 400V 3A L 116.7mm W 40mm H 36mm protection IP67 actuating force: 1800g screw connection M19 mounting distance 30x60mm		
For models:	VARIOSTEAM/S-33.3/F, STEAM-O-MAT		

system switches (ROLD)



1

No.	345723	Ref. No.	082916
description	adjusting screw		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		



1

No.	345721	Ref. No.	083050
description	blank cap holder		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		



1

No.	345724	Ref. No.	082919
description	cap size 23x23mm black MIN/MED/MAX		
For models:	AEN110, AEN120, AKN111, AEF110, AEF120, AENN120, AENF120, AEN220, AEN240, AEN221, AEF220, AEF240, AENN220, AENF220, AENN230, AENF230, ASN110, ASN111, ASF110, ASN220, ASN221, ASF220, APP113, APP114, APF113, APF114, APP223, APP224, APP114/60, APP224/60, APP224/60, APP11B, APP113V, APF114, APP22B, APP224V, APF223, APF224, APF22B, ESMLR60W, ESMLF60W, ESMLR60S, ESMLF60S, RS24, FS24, RFIS24, KZ1502, KE1502GT, TE1502, TZ1502...(Other models you can see in the webshop)		



1

No.	345604	Ref. No.	083047
description	element holder single mounting measurements 28.5x28.5mm black for push buttons 23x23mm		
For models:	RS24, FS24, RFIS24, E04P8SRVUK, MLP2V2, MLP2V12, MLP3V3, MLP3V22, MLP3V14, MLP4V4, MLP4V32, MLP4V24, C04PVF4D, C04NVF4D, C04FSF4D, C04PVG4D, C04FISHD, R04P6SRGB, R04P6SRB, R04P6SWB, E04P4VRC, E04N4VAC, E04C4SGC, E04N4VAC, E04P8SRV, E04P4VRV, E04C4SGV		



1

No.	345603	Ref. No.	083048
description	element holder triple mounting measurements 28.5x77.5mm black for push buttons 23x23mm		
For models:	AEN120, AEF120, AEN240, AEF240, ES950, E06N0M1C, E06N1M1C, E06N1M2C, E06N0M1V, E06N1M1V, E06NOD1C, E06NOD2C, E06NOD1V, E06C0M1C, E06C1M1C, E06C1M2C, E06F0D1C, E06COD1C, E06C0D2C, E06COD2C, E06COD1V, EC6N0M2C, EC6N0M2C, EC6N0D2C, EC6M0D2C, E14N0M2C, E14N1M2C, E14N1M4C, E14N0M2V, E14N1M2V, E14N0D2C, E14N0D4C, E14N0D2V, E14C0M2C, E14C1M2C, E14C1M4C, E14C0D2C, E14C0D4C, E14C0D2V, EC4NOM2C, EC4MOM2C, EC4NOM3C, EC4MOM3C, EC4NOD2C, EC4MOD2C, EC4NOD3C, EC4MOD3C, E05N0M1C, E05N1M1C, E05N0M1V...(Other models you can see in the webshop)		



1

No.	345601	Ref. No.	0A8268
description	indicator lamp holder V ø 11mm		
For models:	EMVN500, MVN112V12C, DVP500V11C, DVP501V11C, MVP502V11C, DVN500V11C, DVN501V11C, DVP500V11V, DVP501V11V, MVP502V11V, EDVN500, DVN501V11V, DVP600V11C, DVP601V11C, MVP602V11C, DVP600V12C, DVP601V12C, DVN600V11C, DVN601V11C, DVN600V12C, DVN601V12C, DVP600V11V, DVP601V11V, EMVP602, DVN600V11V, EDVN601, DVP110V12C, DVP111V12C, MVP112V12C, DVN110V12C, DVN111V12C, DVP110V12V, DVP111V12V, MVP112V12V, EDVN110, EDVN1101, DVP130V12C, DVP131V12C, MVP132V12C, DVN130V12C, DVN131V12C, DVP130V14C, DVP131V14C, DVN130V14C, DVN131V14C, DVP130V12V, DVP131V12V, EEVNI1301, DVN130V12V, EDVN1300...(Other models you can see in the webshop)		

			
1			
No.	345733	Ref. No.	0A8267 0KE828
description	indicator light lens yellow defrosting		
For models:	721-00-115, 721-00-116, 721-00-122, 721-00-123, 125-00-100, 125-00-102, 125-00-103, 125-00-100, 125-00-102, 125-00-103, 23000150.1, 23000151.1, 23100150.1, 23100151.1, 15600116.1, 15600120.1, GF4060, 721-00-116, 721-00-122, 721-00-123		

			
2			
No.	345832	Ref. No.	049068
description	momentary switch unit 1CO 250V 16A connection male faston 6.3mm		
For models:	LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2D-PSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, NGW, NGWDPDD, UC1, UC2WS, GW1, GW1WS, LV1WS, LV1WSDP, LV2WSDP, LV2WS, GW2D-PG...(Other models you can see in the webshop)		

			
1			
No.	345825	Ref. No.	049315
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, FL32, FL32/4.5, FL33, FL33/4.5, C32, C32/4.5, C33, C33/4.5, Z32, Z32/4.5, Z33, Z33/4.5		

			
1			
No.	345734	Ref. No.	0A8264
description	push button 230V green illuminated 8mm		
For models:	400LTPVN, EKE421S, EK401U, EK401UGT, EKE421GTS, ET401S, ET401SGT, EKE411UF, 12001720, EC406SGC, EC406SGV, 120.06.402, EP406SRC, EP406SRV, EP406VRC, EP406VRV, EN406VAC, EN404VAC, EC406SGC, EC406SGV, EP406VAV, EP408SRV, 12006402.1, EP406SRC, EP406SRV, EP406VRC, EP406VRV, EN406VAC, EP406VAV, EP408SRV, 721-00-115, 721-00-116, 721-00-122, 721-00-123, 125-00-100, 125-00-102, 125-00-103, 125-00-100, 125-00-102, 125-00-103, 23000150.1, 23000151.1, 23100150.1, 23100151.1, 15600116.1, 15600120.1, GF4060, 721-00-116, 721-00-122, 721-00-123...(Other models you can see in the webshop)		

			
1			
No.	345739	Ref. No.	083202
description	push button L 25mm W 19.5mm black		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

			
1			
No.	345737	Ref. No.	083200
description	push button L 25mm W 19.5mm black 0-1		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

			
1			
No.	345740	Ref. No.	083209
description	push button L 25mm W 19.5mm black light		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

			
1			
No.	345746	Ref. No.	0A8271
description	push button L 25mm W 19.5mm black light		
For models:	400LTPVN, E04P6VRVUK, E04P8SRVUK, NEPEV40, 400LTPVN, EK401UGT, EKE421GTS, ET401SGT, EC406SGV, EP406SRV, EP406VRV, EC406SGV, EP406VAV, EP408SRV, C04NVGWD, R04P6SRGB, EP406SRV, EP406VRV, EP406VAV, EP408SRV, R04P6SRB, R04P6SWB, E04P6SRV, E04P6VRV, E04P8SRV, E04C6SGV, 721-00-115, 721-00-116, 721-00-122, 721-00-123, 125-00-100, 125-00-102, 125-00-103, 125-00-100, 125-00-102, 125-00-103, GF4060, 721-00-116, 721-00-122, 721-00-123		



1

No.	345738	Ref. No.	083201
description	push button L 25mm W 19.5mm black moisture		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		



1

No.	345732	Ref. No.	0A8269
description	push button L 25mm W 19.5mm black ventilation		
For models:	23000150.1, 23000151.1, 23100150.1, 23100151.1		



1

No.	347863	Ref. No.	049091
description	push button ø 23mm green		
For models:	LB1, LB1WS, LB1WSDP, WT1WSDP, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, WT2WSDP, WT2WSDPD, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, NGW, NGWDPDD, GW1, GW1WS, GW2DPG, GW2WSDPG, GW2G, GW2WSG, GW2WS, GW2		



1

No.	345833	Ref. No.	049062
description	push button ø 23mm grey		
For models:	LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2DPSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, NGW, NGWDPDD, UC1, UC2WS, GW1, GW1WS, LV1WS, LV1WSDP, LV2WSDP, LV2WS, GW2DPG...(Other models you can see in the webshop)		



1

No.	345829	Ref. No.	049325
description	push button ø 23mm grey drain pump		
For models:	LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, FL33, FL33/4.5, C33, C33/4.5, Z33, Z33/4.5		



1

No.	345827	Ref. No.	049317
description	push button ø 23mm grey Sinus		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, FL32, FL32/4.5, FL33, FL33/4.5, C32, C32/4.5, C33, C33/4.5, Z32, Z32/4.5, Z33, Z33/4.5		



1

No.	345834	Ref. No.	049065
description	push button ø 23mm yellow		
For models:	LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2DPSAUS, LB1G, LB1WSG, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, UC1, UC2WS, LV1WS, LV1WSDP, LV2WSDP, LV2WS, Z1, Z1/WS, Z1TOP, Z2, Z2TOP		



1

No.	345828	Ref. No.	049318
description	push button ø 23mm yellow start / I		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, FL32, FL32/4.5, FL33, FL33/4.5, C32, C32/4.5, C33, C33/4.5, Z32, Z32/4.5, Z33, Z33/4.5		



1

No.	347989	Ref. No.	049383
description	push button ø 23mm yellow start / II		
For models:	C55, C55A		

			
No.	345727	Ref. No.	0A8691
description	push button size 23x23mm black 0-1 with lens		
For models:	ALN110, ALN120, ADN111, AEN110, AEN120, AKN111, ADF110, ALF110, ADF120, ALF120, AEF110, AEF120, ADNN120, ADNF120, AENN120, AENF120, ALN220, ALN240, ADN221, AEN220, AEN240, AEN221, ADF220, ADF240, AEF220, AEF240, ADNN220, ADNF220, ADNN230, ADNF230, AENN220, AENF220, AENN230, AENF230, ASN110, ASN111, ASF110, ASN220, ASN221, ASF220, AKN110UK, AKF110UK, AKN220UK, AKF220UK, ASN110UK, ASF110UK, ASN220UK, ASF220UK, APP113, APP114...(Other models you can see in the webshop)		

			
No.	345726	Ref. No.	082937
description	push button size 23x23mm black light with lens		
For models:	ADN111, ADN221, APP113V, APP224V, E04P8SRVUK, E06NOD1V, E06COM1V, E06C1M1V, E06COD1V, E14N0D2V, E14C0M2V, E14C1M2V, E14C0D2V, M06P9M1V, M06C9M1V, M13P9M2V, EMVN500, MVN112V12C, DVP500V11C, DVP501V11C, MVP502V11C, DVN500V11C, DVN501V11C, DVP500V11V, DVP501V11V, MVP502V11V, EDVN500, DVN501V11V, DVP600V11C, DVP601V11C, MVP602V11C, DVP600V12C, DVP601V12C, DVN600V11C, DVN601V11C, DVN600V12C, DVN601V12C, DVP600V11V, DVP601V11V, EMVP602, DVN600V11V, EDVN601, DVP110V12C, DVP111V12C, MVP112V12C, DVN110V12C, DVN111V12C, DVP110V12V, DVP111V12V, MVP112V12V...(Other models you can see in the webshop)		

			
No.	345725	Ref. No.	082901
description	push button size 23x23mm black moisture with lens		
For models:	ALN110, ALN120, ADN111, AEN110, AEN120, AKN111, ADNN120, ADNF120, AENN120, AENF120, ALN220, ALN240, ADN221, AEN220, AEN240, AEN221, ADNN220, ADNF220, ADNN230, ADNF230, AENN220, AENF220, AENN230, AENF230, ASN110, ASN111, ASN220, ASN221, AKN110UK, AKN220UK, ASN110UK, ASN220UK, ARDN110, E06N0M1C, E06N1M1C, E06N0M2C, E06N1M2C, E06N0M1V, E06N1M1V, E06NOD1C, E06NOD2C, E06NOD1V, E06N0M2C, E06N0M2C, E06NOD2C, E06M0D2C, E14N0M2C, E14N1M2C, E14N0M4C, E14N1M4C...(Other models you can see in the webshop)		

			
No.	345745	Ref. No.	0A8747
description	push button size 23x23mm black ventilation with lens		
For models:	PTVN2719, PTVN2519, PTVN2724, PTVN2524, EDOIN28013, EDOIN28013, EDON420121B, EDON280120, EDON280112, EDON280111, EDON280104, EDON280103, EDON280102, EDON280113, EDON280105, EDON420130, EDON420122, EDON420121, EDON420114, EDON420105, EDON420106, EDON420123, EDON420115, EDON570140, EDON570132, EDON570131, EDON570124, EDON570122, EDON570108, EDON570133, EDON570125, EDON720150, EDON720142, EDON720133, EDON720134, EDON720132, EDON720126, EDON720143, EDON720135, EDORN28120, EDORN28112, EDORN28111, EDORN28104, EDORN28103, EDORN28113, EDORN28105, EDORN28130, EDORN42122, EDORN42114, EDORN42106...(Other models you can see in the webshop)		

			
No.	345731	Ref. No.	0A8272
description	rotary disc red/black disc ø 16.9mm		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

			
No.	346824	Ref. No.	087253 0K9675
description	rotary disc red/black disc ø 20.6mm		
For models:	ALN110, ALN120, ADN111, AEN110, AEN120, AKN111, ALF110, ADF120, ALF120, AEF110, AEF120, ADNN120, ADNF120, AENN120, AENF120, ALN220, ALN240, ADN221, AEN220, AEN240, AEN221, ADF220, ADF240, AEF220, AEF240, ADNN220, ADNF220, ADNN230, ADNF230, AENN220, AENF220, AENN230, AENF230, ASN110, ASN111, ASF110, ASN220, ASN221, ASF220, AKN110UK, AKF110UK, AKN220UK, AKF220UK, ASN110UK, ASF110UK, ASN220UK, ASF220UK, APP113, APP114, APF113...(Other models you can see in the webshop)		

			
No.	345719	Ref. No.	0A8273 E1506
description	switch 1CO 250V 16A connection male faston 6.3mm		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

			
No.	345722	Ref. No.	0A8274 OKN445 70MAI3605
description	switch 1NO 250V 16A connection male faston 6.3mm		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

			
No.	345651	Ref. No.	003766 OK3391
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, 5702-2-3, 5704-2-3, 57074-2-3, 5701-3-3, 5702-3-3, 5704-3-3, 5707-3-3, ECF/G6/0, ECFG101-0, ECFG102-0, ECFG201-0, ECFG202-0, ECF/E6-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF061ENS, ECF101ENS, ECF102ENS, ECF201ENS, ECF061E5M, ECF061ECV, ACF/G6-0...(Other models you can see in the webshop)		

			
No.	345826	Ref. No.	049326
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, FL33, FL33/4.5, C33, C33/4.5, Z33, Z33/4.5		



			
No.	345831	Ref. No.	049063
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2D-PSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, NGW, NGWDPDD, UC1, UC2WS, GW1, GW1WS, LV1WS, LV1WSDP, LV2WSDP, LV2WS, GW2D-PG...(Other models you can see in the webshop)		



			
No.	345720	Ref. No.	0A8754
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

			
No.	345824	Ref. No.	049316
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, FL32, FL32/4.5, FL33, FL33/4.5, C32, C32/4.5, C33, C33/4.5, Z32, Z32/4.5, Z33, Z33/4.5		

			
No.	347547	Ref. No.	0A8266
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	NEPV40, NEPV40, NEPV40, NEPA40, 400LTPVN, NEPV40, EKE421S, EK401U, EK401UGT, EKE421GTS, ET401S, ET401SGT, EKE411UF, 12001720, EC406SGC, EC406SGV, 120.06.402, EP406SRC, EP406SRV, EP406VRC, EP406VRV, EN406VAC, EN404VAC, EC406SGC, EC406SGV, EP406VAV, EP408SRV, 12006402.1, EP406SRC, EP406SRV, EP406VRC, EP406VRV, EN406VAC, EP406VAV, EP408SRV, 721-00-115, 721-00-116, 721-00-122, 721-00-123, 125-00-100, 125-00-102, 125-00-103, 125-00-100, 125-00-102, 125-00-103, 23000150.1, 23000151.1, 23100150.1, 23100151.1, 15600116.1...(Other models you can see in the webshop)		

float switches

  			
No.	345822	Ref. No.	049309 049454 049478 L1031BDA0090
description	float switch thread M16x1.5 1NO or 1NC ø 17.4mm L 98mm mounting ø 16mm 250V 0.5A cable cable length 2000mm		
For models:	LS32UK/RP, WT302UK/RP, LS33UK/RP, WT303UK/RP, LS65, LS62/UK, LS63/UK, LS64/UK, WT35, WT32/UK, WT33/UK, WT34/UK, LC100, LS10/UK1, LS10/UK3, LS12/UK3, LS8/UK1, LS8UK3, WT50/UK1, WT50/UK3		

  			
No.	345484	Ref. No.	0E5808 0K8328 30001703 RSF44Y100RF
description	float switch thread M16x1.5 1NO or 1NC ø 17.5mm L 92mm mounting ø 16mm 250V 1A cable cable length 2000mm		
For models:	PW1EFL, PW1EFLF, PW1EFL/60HZ, PW2EFL, PW2EFLF, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFLF, WT830EFL/60HZ, WT850, WT850EFLF, WT850EFL/60HZ, WT850SFL, LO1EFL, LO2EFL		


floats

			
No.	695036	Ref. No.	0KV717
description	float for ice maker ø 75mm L 115mm H 40mm plastic		



cam switches

on/off




1

No.	301087	Ref. No.	047498 S641601800
description	cam switch 2 operating positions 2NO sequence 0-1 10A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ON-OFF plastic		
For models:	LS510, LS520, LS520D, LS520F, LS520M, LS520K, LS4, ZLS510, ZLS520, ALLS520, ALS510, C51, C52, C50, LS520ZD, CF314, LS510MZ, LS520MZ		




2

No.	300088	Ref. No.	002382 003119 032677
description	cam switch 2 operating positions 4NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	FCVMG62, QFE302, QFE602, DL14/C, DL14/CP, DL21/C, DL21/CP, SM08C., SM15CP, SM15C., SM15CA., SM15/CS., SM21/CP, SM21C., SM21CA., SM15VP, SM15VA., SM21VP, SM21VA., DI-RT2, DI-RT3, DI-RT4, DI-RT5, DI-RT6, DI-BARW2, DI-BARW3, DI-BARW4, DI-BARW5, DI-BARW6, DI-RW2, DI-RW3, DI-RW4, DI-RW5, DI-RW6, DB/G31, DB/G21, DB/G33, DB/G22, SM08C, SM15CP, SM15C, SM15CA, SM15/CS, SM21C, SM21C, SM21CA, SM15VP, SM15VA, SM21VP, SM21VA		



1

No.	300218	Ref. No.	0E5222 0K8266 740610
description	cam switch 2 operating positions 6NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		



1

No.	300074	Ref. No.	0A2162 0A2227 0KE807
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	MBR/G710D, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, MCC/E350D, MCC/E350, FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, RW/E1, XW/E1, JW/E1, MW/E1, RBR/G710D, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, RCC/E350, XBR/E710D, M70EBP, XBR/E710, XBR/G751, XBR/G756, CBR/E700, XBR/E716, XBR/E706, T35ECS, CCC/E350, PW/E1, OW/E1, TW/E1, RBR/E700, RBR/E700, KW/E1, HFR/G410NL, HFR/G810NL, HPN/GI810, HPN/GI815, HPN/GI806, HPN/GI805, QW/E1, ZPN/GI810, 2PIG15...(Other models you can see in the webshop)		



1


No.	300020	Ref. No.	003565 028390 0C3192 I01591
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	KPI/G18, KPI/G25, HPN/GI855, HPN/GI1255, QPI/G18, QPI/G25, ZPN/GI1255, FCVE6-3CE, FCVE103CE, FCVE203CE, HQN/EI917, HQN/EI1225, HPN/EI810, HPN/EI810, HPA/EI810, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G805, HBR/G1003, HBR/G1003, HBR/G1004, HBR/G803, HBR/G804, HBR/G1013, HBR/G803, HBR/G804, HBR/G1003, HBR/G1013, HPN/EI810, HPN/EI810, HPA/EI815, HQNEI817, HQNEI122, AFCV/G6-3, AFCV/G103, AFCV/G203, HBR/G1004, ZHMA/E400		
accessories for	300020		
	No.	110135	Ref. No. —
rosette knob up to ø 52mm			
	No.	110231	Ref. No. —
knob switch 0-1-0-1 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black			



1

No.	300017	Ref. No.	0A2241 0H6603 245596
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	RB/E1, RB/E2, RBV/E2, XB/E2, XBV/E2, JB/E2, JBV/E2, MB/E1, MB/E2, MBV/E2, PB/E2, PBV/E2, PB/E2E5, OB/E2, TB/E2, TBV/E2, TB/E2E5, KB/E2, HM/E800, HG/E400, HG/E800, QB/E2, ZM/E800, ZG/E400, ZG/E800, WB/E2, AM/E800, OM/E800, AG/E400, AG/E800, 7508-3/85., 7500-3/85.HE.2PL.(N), 7505-3/85, 7506-3/85.HE.CER.2KZ, 7507-3/85., 7505-3/90.HE.6PL.BO., 7506-3/90.HE.CER.2KZ, 7507-3/90.HE.CER.4KZ, 7508-3/90.HE.CER.BO., 7700-3/85, 7706-3/85.HE.CER.2KZ, 7707-3/85.HE.4KF.CER, 7700-3/90.HE.2PL.(N), 7706-3/90.HE.CER.2KZ, 7707-3/90.HE.4KF.CER, 7508-3/85.HE.CER.BO., 7505-3/85.HE.6PL.BO., 7508-3/85.HE.CER.BO., 7506-3/85.HE.CER.2KZ, 7506-3/85.HE.CER.2KZ...(Other models you can see in the webshop)		

4-position



1

No.	300007	Ref. No.	0H6602 0H9803 0K4913 18005014 300007
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 4-position ceramic		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3		



1

No.	300021	Ref. No.	0K4921 0K9771
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		



1

No.	300102	Ref. No.	050857 0H6388 0H6682 0H7497 0K2939 0KC014 0KG608 0KZA39 203564 247200
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MPN/E1760, MPN/E1760UK, MCP/E700, MCP/E700D, 7PIE06, RPN/E1760UK, 7CPE07P, M70EIKE, XPN/E1760UK, M70EPC, CCP/E700, RFRE302, RFR/E302UK, RFRE305, RFR/E305, RFR/E701, RFR/E701, RFRE312, RFR/E312, RFRE315, RFR/E315, RFR/E711, RFR/E711U, RPN/E1760, RPN/E1760, RCPE700, HMS/E800, HMA/E800, HM/E800T, HPN/E810, HPN/E815, HBR/E801, HBR/E803, HBR/E804, HBR/E805UK, HBR/E1003, HBR/E1013, HCP/E800, HCP/E400, HBR/E801, HBR/E803, HBR/E804, HBR/E1003, HBR/E1013...(Other models you can see in the webshop)		




1

No.	300103	Ref. No.	029147 0H1255 0H6389 0H6598 0K1383 0K2147 SEC117
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	7508-3/85., 7502-3/85., 7500-3/85.HE.2PL.(N), 7504-3/85.HE.6PL.BO., 7505-3/85, 7506-3/85.HE.CER.2KZ, 7512-3/85.KF.BO.(N), 7502-3/90.HE.4PL.BO., 7504-3/90.HE.6PL.BO., 7505-3/90.HE.6PL.BO., 7506-3/90.HE.CER.2KZ, 7508-3/90.HE.CER.BO., 7512-3/90.KF.BO.(N), 7700-3/85, 7700-3/90.HE.2PL.(N), 7502-3/85.HE.4PL.BO., 7508-3/85.HE.CER.BO., 7505-3/85.HE.6PL.BO., 7508-3/85.HE.CER.BO., 7506-3/85.HE.CER.2KZ, 7506-3/85.HE.CER.2KZ, 7508-3/85.HE.CER.BO., 7509-3/85.HE.CER.6KZ, 7506-3/85.HE.CER.2KZ, 7510-3/85.HE.CER.6KZ, 7509-3/85.HE.CER.6KZ, 7509-3/85.HE.CER.6KZ, 7504-3/90.HE.6PL.BO., 7502-3, 7502-9, 7504-3, 7504-9, 7505-3, 7505-9-9, 7508-3, 7510-3/90.HE.CER.6KZ, 7512-3, 7512-9, 7709-3/85, 7709-3/90, 9002-3, 9004-2, 9004-3, 9006-3, 9012-3, 9015-3, 9598-3-0, 9598-3-8		



1

No.	300104	Ref. No.	01C16 01C21 0H6683 0KE653 0M0519 247202
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	7561-3.KES60.RW, 7562-3.KES80.RW, 7563-3.KES100.RW, 7564-3.KES150.RW, 7751-3/85.KES60, 7550-3/85.KES40.(N), 7551-3/85.KES60, 7552-3/85.KES80.(N), 7553-3/85.KES100.(N), 7554-3/85.KES150.(N), 7550-3/90.KES40.(N), 7551-3/90.KES60, 7552-3/90.KES80.(N), 7553-3/90.KES100.(N), 7554-3/90.KES150.(N), 7561-3/85.KES60.RW, 7562-3/85.KES80.RW, 7563-3/85.KES100.RW, 7564-3/85.KES150.RW, 7561-3/90.KES60.RW, 7562-3/90.KES80.RW, 7563-3/90.KES100.RW, 7564-3/90.KES150.RW, 7573-3/85.KES100.(N), 7574-3/85.KES150.(N), 7575-3/85.KES250.(N), 7576-3/85.KES300.(N), 7573-3/90.KES100.(N), 7574-3/90.KES150.(N), 7575-3/90.KES250.(N), 7576-3/90.KES300.(N), 7585-3/85.KK40.MOTK., 7586-3/85.KK60.MOTK., 7587-3/85.KK80.MOTK., 7588-3/85.KK100.MOTK, 7585-3/90.KK40.MOTK., 7586-3/90.KK60.MOTL., 7587-3/90.KK80.MOTK., 7588-3/90.KK100.MOTK, 7550-3, 7551-3, 7552-3, 7553-3, 7554-3, 7560-3, 7561-3, 7562-3, 7563-3, 7564-2, 7568-3...(Other models you can see in the webshop)		



2

No.	300194	Ref. No.	0K2034
description	cam switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection screw 4-position ceramic		



1

No.	300224	Ref. No.	0K1380
description	cam switch 4 operating positions sequence 0-1-2-3 3-pole		

5-position



1

No.	300147	Ref. No.	052749
description	cam switch 5 operating positions 1NO/2CO sequence 0-1-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection screw 5-position		



1

No.	300075	Ref. No.	025300
description	cam switch 5 operating positions 2NO/2CO sequence 0-1-2-3-4 32A shaft ø 6x4.6mm shaft L 23mm connection screw 5-position ceramic		

7-position





1

No.	300004	Ref. No.	00291 004915 0H6685 0K6627 0K7430 0K9774 247243 SEC133
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic		
For models:	SCE350, SCE700, SCFE700, SCE350, SCE700, SCFE700, PC35E6U, PC70E6U, 7701-3/85, 7501-3/85., 7501-3/90.HE.4PL.(N), 7502-3/85., 7500-3/85.HE.2PL.(N), 7503-3/85.HE.6PL, 7504-3/85.HE.6PL.BO, 7505-3/85, 7500-3/90.HE.2PL.(N), 7502-3/90.HE.4PL.BO., 7503-3/90.HE.6PL.(N), 7504-3/90.HE.6PL.BO., 7505-3/90.HE.6PL.BO., 7700-3/85, 7703-3/85, 7700-3/90.HE.2PL.(N), 7701-3/90.HE.4PL.(N), 7703-3/90.HE.6PL.(N), 7502-3/85.HE.4PL.BO., 7505-3/85.HE.6PL.BO., 7503-3/85.HE.6PL.EO, 7501-3/85.HE.4PL.EO, 7500-3/85.HE.2PLEO, 7504-3/90.HE.6PL.BO., 7500-3, 7501-3, 7502-3, 7503-3, 7504-3, 7505-3, 7700-3, 7701-3, 7703-3, 9000-3, 9002-3, 9004-3, 9006-3, 9200-3-0, 9200-3-8, 9201-3-0, 9201-3-8, 9203-3-0...(Other models you can see in the webshop)		

			
1			
No.	300025	Ref. No.	0A2021 0G0649 0KM938 537000300
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
accessories for	300025		
	No.	112172	Ref. No. —
	knob universal ø 70mm black without adaptor/dial plate		
	No.	112213	Ref. No. —
	knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm		
	No.	112311	Ref. No. —
	knob adapter shaft ø 6x4.6mm L 0mm with spring		

			
1			
No.	300106	Ref. No.	01C25 01C32 0A2022 0G0920 0H1256 0H6394 0H9805 0K4922 0K6968 0K7289 0KC015 0M0527 18005037 18005083 180514 30000755
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, CK248-205.D1ABBB, CK248-207.D1ABBB, HCE128-100W, HCE128-103W, HCE128-104W, CE128-101, CE128-102, CE128-105, CE128-107, CE128-108, HCE158-262W.3, HCE158-264.3, HCE158-261.3, HCE158-261W.3, HCE158-263.3, HCE158-232W.3, HCE158-233.3, HCE158-231.3, HCE158-231W.3, HCE158-230.3, CE158-234.3, CE158-236.3, HCE158-254.3, HCE158-251.3, HCE158-251W.3, HCE158-242W.3, HCE158-243.3, HCE158-241.3, HCE158-241W.3, HCE158-240.3, CE158-235.3, CE158-237.3, CE158-245.3, CE158-247.3, HCE158-131W.3.HV, HCE158-135.3.HV, HCE158-121W.3.HV, HCE158-125.3.HV, HCE158-132.3.HV, HCE158-132W.3.HV...(Other models you can see in the webshop)		

			
1			
No.	300177	Ref. No.	053408 059238 0K2888 4627266813
description	cam switch 7 operating positions 6NO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position		
For models:	RC/E320, RC/E320U, RC/E720, RC/E720, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MC/E350D, MC/E350UK, MC/E700D, MC/E700UK, MC/E1050D, MC/E350, MC/E700, MC/E1050, BC/E1, BCF/E2, RC/E1, RC/E2, RCV/E2, RCV/E3, RCF/E2, RCF/E2MO, RCF/E2M4, RCVF/E3MO, RCVF/E3M4, RCF/E2E5, MC/E2Q, MCF/E2Q, MCV/E2Q, RC/E2Q, RCF/E2Q, RCV/E2Q, XC/E1, XC/E2, XCV/E2, XCV/E3, XCF/E2, JC/E1, JC/E2, JCV/E2, JCV/E3, JCF/E2, MC/E1, MC/E2, MCV/E2, MCV/E3, MCF/E2...(Other models you can see in the webshop)		

			
1			
No.	300237	Ref. No.	0H9804 0H9820 0K4914 18005022 18005422 700320
description	cam switch 7-position shaft ø 6x4.6mm shaft L 23mm ambient temperature max. 150°C		

2 operating positions

			
1			
No.	300054	Ref. No.	0H6604
description	cam switch 2 operating positions speed sequence 0-1 shaft ø 6x4.6mm connection male faston 9-pole		



3 operating positions




1

No.	347996	Ref. No.	0L3145
description	cam switch 3 operating positions 2NO/1CO sequence 0-1-2 32A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		



1

No.	345172	Ref. No.	048524
description	cam switch 3 operating positions 2NO/2CO sequence 0-1-2 32A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		
For models:	LS10D, LS10, LS10UKRP, LC100, ECOTEMP12-, LS10/60, LS10/1, LS10/12KW, LS10F, LS10DEK, LS10/1UKRP, LS10SW, LS10/50J, LS10/60J, LS10/HD, SH55, LS12D, LS12, LS12UK/RP, LC120, LS12/60, LS12F, LS12DEK, LS12HD, LS12/UK3, ECOTEMP12SW, ECOTEMP12INS, LS12MEX, LS10N, LS8D, LS8, LS8UK/RP, LC80, LS8F, LS8DEK, LS8/9, LS8/60, LS8/1UKRP, WT50/9, WT50/UK9RF, WT50/F9, WT50/6, WT50/1UKRP, WT50/1, D800/9, D800/6, WT50/60, WT50/N, LS8/HD, LS8/9DD...(Other models you can see in the webshop)		
accessories for	345172		
	No.	110137	Ref. No. 048273 048288 048402 0E5217 OKU315
knob switch zero mark ø 44mm shaft ø 6x4.6mm shaft flat left black			



1

No.	345171	Ref. No.	048271
description	cam switch 3 operating positions 3NO sequence 0-1-2 16A shaft ø 6x4.6mm shaft L 26mm connection male faston 6.3mm ceramic		
For models:	LS7D, LS7, LS7UK/RP, LV70, LS7F, LS7DEK, LS7/1UK, LS7/9, LS7/60, WT40/9, WT40/F, LS7HD, WT40/J50, WT40/J60, WT40UKRP, PH4/WT40, PH4RBP/WT40, LS10D, LS10, LS10UKRP, LC100, LS10/60, LS10/1, LS10/12KW, LS10F, LS10DEK, LS10/1UKRP, LS10SW, LS12D, LS12, LS12UK/RP, LC120, LS12/60, LS12F, LS12DEK, RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230, RT10ERF60, RT10ELF60, RT10ERF, RT10ELF, RT10ERBF60, RT10ELBF60, RT10ERG, RT10ELG, RT10EDH...(Other models you can see in the webshop)		
accessories for	345171		
	No.	112340	Ref. No. 046356 048340 048527 089816 46356
knob switch zero mark t.max.°C temperature range°C ø 40mm shaft ø 6x4.6mm shaft flat left black			




1

No.	346469	Ref. No.	0H9806 0H9806
description	cam switch 3 operating positions 3NO/1CO sequence 0-1-2 32A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	VSE-S.3, VSE-S.4.MARINE, VSE-S.3.JUNO, VSE-W.3, VSE-W.4.MARINE, VSE-W.3.JUNO		



1

No.	300039	Ref. No.	0H6590
description	cam switch 3 operating positions main + selector switch sequence 1-2-3 16A shaft ø 6x4.6mm connection male faston 6-pole		



1

No.	300042	Ref. No.	0H6101 60050377
description	cam switch 3 operating positions speed/power sequence 1-2-3 shaft ø 6x4.6mm connection male faston 16-pole		



1


No.	300036	Ref. No.	0H6392 VI255
description	cam switch 3 operating positions manual sequence 0-1-2 shaft ø 6x4.6mm connection male faston 2-pole		

4 operating positions



1

No.	347883	Ref. No.	0C9725
description	cam switch 4 operating positions 11NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		




1

No.	300010	Ref. No.	057934
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1

No.	300037	Ref. No.	0H6387
description	cam switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		



1

No.	301216	Ref. No.	059544 4624866803 721198
description	cam switch 4 operating positions 5NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		
For models:	MCP/G700, MCP/G701, MCP/G710, MCP/G711, RPI/E240, RPI/E260, RPI/G260P, RPI/E260P, RCP/E2S, XPI/E240, XPI/E260, XPI/G260P, XPI/E260P, JPI/E240, JPI/E260, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MPI/E240, MPI/E260, MPI/G260P, MPI/E260P, MCP/E2S, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, 7CPG07P, RCP/G701, M70GPC, M70GPC, CCP/G700, PPD/G260, PPI/G260P, PPI/E260P, PCP/E2SHP, PCP/E1SH, PCP/E2SH, PCP/E2SH3B, OPD/G260, OPI/G260P, OPI/E260P, OCP/E2S, OCP/E1SH, OCP/E2SH, TPD/G260, TPI/G260P, TPI/E260P, TCP/E2S, TCP/E2SH...(Other models you can see in the webshop)		



1

No.	301186	Ref. No.	049144
description	cam switch 4 operating positions 7NO sequence 1-0-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	LC100, LS10DP, LO10, LS10/UK1, LS10/UK3, LS12DP, LS12/UK3, LS8/DP, WT50/J50, WT50/J60, LS8/UK1, LS8UK3, WT50/UK1, WT50/UK3		




1

No.	347483	Ref. No.	0C7965
description	cam switch 4 operating positions 8NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 17mm connection male faston 6.3mm plastic		




1

No.	300035	Ref. No.	0H6391 4H217
description	cam switch 4 operating positions main + selector switch sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston plastic		




1

No.	300043	Ref. No.	0H6098 212236 300043 60050374
description	cam switch 4 operating positions motor performance shaft ø 6x4.6mm connection male faston 16-pole		
For models:	5611-3-8, 5612-3-8, 5614-3-8		




1

No.	300065	Ref. No.	OK2032 60050417
description	cam switch 4 operating positions power/ program shaft ø 6x4.6mm connection male faston 16-pole		



1

No.	300041	Ref. No.	0H6100 12CH027 212242 60050376
description	cam switch 4 operating positions programme 16A shaft ø 6x4.6mm connection male faston 12-pole		




1

No.	300066	Ref. No.	OK1007
description	cam switch 4 operating positions programme shaft ø 6x4.6mm connection male faston 16-pole		



1

No.	301090	Ref. No.	050783 053866
description	cam switch 4 operating positions sequence 0-1-2-3 shaft ø 6x4.6mm connection male faston 7-pole		
For models:	MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MCF/GE1055UK, MIF/E700, MIF/E700D, MIF/E710, MIF/E710D, MCF/GE702, MCFGE1052, MCF/GE700, MCFGE1050, MF/E700, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCFE720, RCF/E720, RCF/E700D, RCF/GE700D, RCF/E1050D, RCFGE1050D, RCF/E700UK, 74CE07F, 76CE10F, RCF/GE700, RC/G702, RC/G1052, RCF/GE702, RCF/GE1052, 74FE07F, RCF/GE1051, XCF/GE700D, M70GCK/E, M70ECK/E, XCF/E1050, XCF/E700UK, XMIF/E710, M70GCH/E, M105GCK/E, CCF/E700...(Other models you can see in the webshop)		




1

No.	301215	Ref. No.	OC0320
description	cam switch 4 operating positions shaft ø 6x4.6mm connection male faston 11-pole		
For models:	BCF/E2, BCP/E1, PCF/M2, PCF/M3, PCV/E2, PCV/E3, PCF/E2, PC/E2Q, PCF/E2Q, PCV/E2Q, PI/E1, PI/E2, PIF/E2, PIV/E2, PC/E2QE5, PCF/E2QE5, PI/E1E5, PI/E2E5, PIF/E2E5, PCF/E2E5, PCF/M2E5, PCF/M2A, PCF/M3A, OCF/M2, OCF/E2, OC/E2Q, OCF/E2Q, OI/E1, OI/E2, OIF/E2, TCF/M2, TCF/M3, TCF/E2, TCV/E2Q, TIF/E2, TCF/E2QE5, TI/E2E5, TCF/E2E5, TCF/M2E5, TCF/M2A, TCF/M3A, TCF/E2M0, TCF/E2QM0, TCF/E3QM0, TCF/E2M4, TCF/E2QM4, TCF/E3QM4, KCF/M2, KC/E1, KC/E2...(Other models you can see in the webshop)		



1

No.	345750	Ref. No.	0H6291
description	cam switch 4 operating positions shaft ø 6x4.6mm connection male faston 16-pole		



1


No.	301187	Ref. No.	049145
description	cam switch 4 operating positions shaft ø 6x4.6mm connection male faston 4-pole		
For models:	LS7/DP, LC100, LS10DP, LO10, LS10/UK1, LS10/UK3, LS12DP, LS12/UK3, WT50/J50, WT50/J60, WT50/UK1, WT50/UK3		

5 operating positions




1


No.	301296	Ref. No.	OC9080
description	cam switch 5 operating positions 6NO/1CO sequence 0-1-2-3-4 16A shaft ø 6x4.6mm shaft L 24mm connection male faston 6.3mm plastic		


			
1			
No.	300009	Ref. No.	051647 0K2940 0W2001
description	cam switch 5 operating positions changeover switch sequence 0-1-2-3-4 16A shaft ø 6x4.6mm connection male faston 8-pole		
For models:	MPN/EI760, MPNEI760UK, MCP/E700, MCP/E700D, 7PIE06, RPN/EI760UK, 7CPE07P, M70EIKE, XPN/EI760UK, M70EPC, CCP/E700, RPN/EI760, RPN/EI760, RCPE700, HPN/E810, HPN/E815, HCP/E800, HCP/E400, HPN/E810, HPN/E815, RPN/EI760, RCP/E700		


			
1			
No.	301229	Ref. No.	005213
description	cam switch 5 operating positions sequence 0-1-2-3-4 shaft ø 6x4.6mm connection male faston 3-pole		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		


			
1			
No.	301211	Ref. No.	004268
description	cam switch 5 operating positions sequence 0-1-2-3-4 shaft ø 6x4.6mm connection male faston 7-pole		
For models:	RCF/M2, RCF/M3, RCF/E2, RCF/E2MO, RCF/E2M4, RCVF/E3MO, RCVF/E3M4, RCF/E2E5, RIF/E2, MCF/E2Q, RCF/E2Q, XCF/M2, XCFM3, XCF/E2, XIF/E2, JCF/M2, JCFM3, JCF/E2, JIF/E2, MCF/M2, MCF/M3, MCF/E2, MCF/E2E5, MIF/E2		

6 operating positions

			
1			
No.	345170	Ref. No.	048270
description	cam switch 6 operating positions 1CO sequence 0-1-2-3-4-5 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	LS7D, LS7, LS7UK/RP, LV70, LS7F, LS7DEK, LS7/1UK, LS7/9, LS7/60, WT40/9, WT40/F, LS7HD, WT40/J50, WT40/J60, WT40UKRP, PH4/WT40, PH4RBP/WT40, LS10D, LS10, LS10UKRP, LC100, ECOTEMP12-, LS10/60, LS10/1, LS10/12KW, LS10F, LS10DEK, LS10/1UKRP, LS10SW, LS10/50J, LS10/60J, LS10/HD, SH55, LS12F, LS12DEK, LS12HD, LS12/UK3, ECOTEMP12SW, ECOTEMP12INS, LS12MEX, LS10N, LS8D, LS8, LS8UK/RP, LC80, LS8F, LS8DEK, LS8/9, LS8/60, LS8/1UKRP...(Other models you can see in the webshop)		
accessories for	345170		
	No.	112340	Ref. No.
			046356
			048340
			048527
			089816
			46356

			
1			
No.	301184	Ref. No.	048286
description	cam switch 6 operating positions programme shaft ø 6x4.6mm connection male faston 1-pole		
For models:	LS10D, LS10, LS10UKRP, LS10/12KW, LS10SW, LS12D, LS12, LS12UK/RP, LC120, LS12/60, LS12F, LS12DEK, LS12HD, LS12MEX, HT1200elm		

			
1			
No.	301092	Ref. No.	058806
description	cam switch 6 operating positions selection/ program shaft ø 6x4.6mm connection male faston 7-pole		
For models:	FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCVE20-2, FCVE20-4, FCVE20-2UK, FCVE20-4UK, FCV/E6-1, FCV/E6-1, ZOFCV/E102, ZOFCV/E104, ZOFCV/E202, ZOFCV/E204		



1


No.	347519	Ref. No.	0E5810
description	cam switch 6 operating positions sequence 0-1-2-3-4-5 shaft $\varnothing$ 6x4.6mm shaft L 26mm 3-pole		
For models:	PW1EFL, PW1EFLF, PW1EFL/60HZ, PW2EFL, PW2EFLF, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFLF, WT830EFL/60HZ, WT850, WT850EFLF, WT850EFL/60HZ, WT850SFL, LO1EFL, LO2EFL		

7 operating positions



1


No.	301210	Ref. No.	004741 4207000025
description	cam switch 7 operating positions 7NO sequence 0-1-2-3-4-5-6 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	RPI/E240, RPI/E260, RPI/E260P, RCP/E1S, RCP/E2D, XPI/E240, XPI/E260, XPI/E260P, XCP/E1S, XCP/E2D, JPI/E240, JPI/E260, JCP/E1S, JCP/E2D, MPI/E240, MPI/E260, MPI/E260P, MCP/E1S, MCP/E2D, PCP/E1S, PCP/E2D, OCP/E1S, OCP/E2D, TCP/E1S, TCP/E2D		



1

No.	300233	Ref. No.	002661 0K2019 245029 245034
description	cam switch 7 operating positions shaft $\varnothing$ 6x4.6mm shaft L 23mm 5-pole		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/G6L3JAP, FCVG10L3J, FCVG102L3J, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E101/1, FCV/E10L2, FCV/E61/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/E101/1, FCS061E44J, FCS061G48J, FCS061G3DI, FCS061E3CI, FCS101E2, FCS061G4DT, FCS061G49J, FCS101G2, FCS201E4, FCS202E4, FCS201G4, FCS202G4, 5711-2-6, 5711-2-7, 5712-2-6, 5712-2-7, 5714-2-6, 5714-2-7, 5717-2-6...(Other models you can see in the webshop)		

8 operating positions




1

No.	301094	Ref. No.	055017 780517
description	cam switch 8 operating positions 7NO sequence 0-1-2-3-4-5-6-7 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG10J, FCFG10J, FCFE10J, FCFE10J, FCFG20J, FCFG20J, FCFE20J, FCFE20J...(Other models you can see in the webshop)		



1

No.	345169	Ref. No.	048829
description	cam switch 8 operating positions connection male faston 5-pole		
For models:	LS61, LS61/60, LS62, LS62D, LS62/UKRP, LS62F, LV62, LS62/60, ECOTEMP5, LS62/1P, LS62HD, LS65, LS62/UK, LS63, LS63D, LS63/UKRP, LS63F, LV63, LS63/60, LS63/1P, LS63/UK, LS64, LS64/UKRP, LV64, ECOTEMP5S, LS64/1P, LS64/UK, ECOTEMP5SW, WT32, WT32/4,5, WT32/UK, WT32/UKRP, WT32/F6, WT32/J60, WT32/J50, WT32/4,5N, WT35, WT32/UK, WT33, WT33/4,5, WT33/UK, WT33/UKRP, WT33/F, D500, WT33/M50, WT33/M60, WT33/60, WT33/4,5N, WT33/UK, WT30U400...(Other models you can see in the webshop)		
accessories for	345169		
	No.	110907	Ref. No. 048830
	knob switch zero mark $\varnothing$ 44mm shaft $\varnothing$ 6x4.6mm shaft flat left black		



1


No.	301238	Ref. No.	003761 005450
description	cam switch 8 operating positions shaft $\varnothing$ 6x4.6mm connection male faston 4-pole		
For models:	5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5701-3-2, 5701-3-3, 5702-3-2, 5702-3-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, JCF/G6-1, JCF/G101/1-1, JCF/G102/1-1, JCF/E6-1, JCF/E101/1-1, JCF/E102/1-1, JCF/G6-2, JCF/G101/1-2, JCF/G102/1-2, JCF/E6-2, JCF/E101/1-2, JCF/E102/1-2		

with potentiometer



1

No.	347022	Ref. No.	0G2875 11151627 94030504
description	cam switch 0-1 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm 10K/J cable length 400mm 2-pole with potentiometer plug type 10-pole		
For models:	AIARHFFOBB, AIARHAFOBB, AIARHBFOBB, AIAWHFFOBB, AIAWHAF-FOBB, AIAWHBFFOBB, AIAROIFFOBB, AIAWOIFFOBB, AIARAFFOBB, AI-ARAAFFOBB, AIARABFFOBB, AIAWAFFOBB, AIAWAAFFOBB, AIAWABFFOBB		




1

No.	348104	Ref. No.	0C0084 0C9700
description	cam switch 10 operating positions 1NO sequence 0-1-2-3-4-5-6-7-8-9 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection coded plug outer switch yes cable length 45mm 0.1-10KOhm LED		
For models:	MI/Z1, RI/Z1, XI/Z1, MI/Z2, RI/Z2, XI/Z2, MI/Z1U, MI/Z2U, PI/Z1, PI/Z2, PI/Z1E5, PI/Z2E5, PIW/Z1, PI/Z2F, OI/Z1, OI/Z2, TI/Z1, TI/Z2, TI/Z1E5, TI/Z2E5, TIW/Z1, TI/Z2F, QI/Z1, QI/Z2, QI/Z1E5, QI/Z2E5, WI/Z1, WI/Z2, WI/Z1E5, WI/Z2E5		




1

No.	345331	Ref. No.	0G3299 7894032507
description	cam switch 2 operating positions 1NO sequence 0-1 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection coded plug cable length 2400mm 0.1-10KOhm cable 8-pole 2-pole with potentiometer		
spare parts for	345331		
	No.	345119	Ref. No. —
	cam switch 2 operating positions 2NO sequence 0-1 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection soldering connection operation switch cable lengthmm 10kOhm plastic with potentiometer		
	No.	402070	Ref. No. 0G0317 0G2166 18025493 722952 82361+20301
potentiometer 10KOhm rotation 360° shaft $\varnothing$ 6x4.6mm shaft L 18mm connection male faston 2.8mm thread M10x0.75 thread L 9mm			



1

No.	347514	Ref. No.	0G3298 7894032506
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection coded plug cable length 2400mm 0.1-10KOhm cable 10-pole 2-pole with potentiometer		
spare parts for	347514		
	No.	345119	Ref. No. —
	cam switch 2 operating positions 2NO sequence 0-1 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection soldering connection operation switch cable lengthmm 10kOhm plastic with potentiometer		



1

No.	346984	Ref. No.	0H9852 0K5063 0M2134 14R19 15I01 18025422 72000601
description	cam switch 2 operating positions 4NO sequence 0-1 32A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection cable 2400mm cable length 2400mm 50kOhm ceramic		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1AC- CB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		



1

No.	300260	Ref. No.	0K1631
description	potentiometer sequence 0-1		
For models:	QI/Z1A, QI/Z2A, QI/Z1E5A, QI/Z2E5A, WI/Z1A, WI/Z2A, WI/Z1E5A, WI/Z2E5A, VI230., VI400, VI440., VW230., VW400, VW440.		



operation switches

E-G-O




1

No.	300002	Ref. No.	00070
			004908
			0A2134
			0G0268
			0G0517
			0G0921
			0G2119
			0H6605
			0K3016
			0K3500
			0K4911
			0K5472
			0K9781
			18005010
			19005011
			727993
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	BR/E1FL, BR/E1FR, BR/E2FL, BR/E2FR, MM/E700, MM/E700UK, MM/E700D, MG/E350D, MG/E350UK, MG/E700D, MG/E700UK, MG/E350, MG/E700, RR/E1FL, RR/E1FR, RR/E1CL, RR/E2FL, RR/E2FM, RR/E2CL, RRV/E1FL, RRV/E1FR, RRV/E1CL, RRV/E2FL, RRV/E2FM, RRV/E2CL, RR/E2CM, RG/E1, RG/E2, RGV/E1, RGV/E2, XR/E1FL, XR/E1FR, XR/E1CL, XR/E2FL, XR/E2FM, XR/E2CL, XRV/E1FL, XRV/E1FR, XRV/E1CL, XRV/E2FL, XRV/E2FM, XRV/E2CL, XG/E1, XG/E2, XGV/E1, XGV/E2, JR/E1FL, JR/E1FR, JR/E1CL, JR/E2FL...(Other models you can see in the webshop)		



1


No.	300080	Ref. No.	002164	
			01553PB	
			026945	
			0G3354	
			0K2928	
			0K3015	
			0K4968	
			0K8419	
			18005612	
			180515	
			2317	
			537000200	
			V02071	
			VOL180515	
description			cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C	
For models:			MR/E350D, MR/E350UK, MR/E360, MR/E700D, MR/E700UK, MR/E710, MR/E720, MR/E715, MR/E725, MR/E350, MR/E700, MR/E720D, RR/E350D, RR/E350UK, 7FTEF3R, RR/E360UK, RR/E700D, RR/E700UK, RR/E710, RR/E710UK, 7FTEC7L, 7FTEF3L, 7FTEF7L, 7FTEC7M, XR/E350D, XR/E350UK, T36EFT, XR/E700D, XR/E700UK, T71EFT, T79EFT, T35EFT, T70EFT, CR/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RM/E700, PRM/E700, RM/E700U, RRV/E300, RRV/E300, RRV/E311, RRV/E700, RRV/E700, RRV/E711...(Other models you can see in the webshop)	
accessories for			300080	
	No.	551456	Ref. No.	—
	gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white			




1

No.	300040	Ref. No.	0K2151 10302025000
description	cam switch 2 operating positions operation switch 16A sequence 0-1 shaft ø 6x4.6mm connection male faston 2-pole ambient temperature max. 270°C		
For models:	9100-3, 9101-3, 9102-3, 9104-3, 9106-3, 9108-3, 9111-3, 9113-2, 9113-3, 9114-2, 9114-3, 9115-2, 9115-3, 9116-2, 9116-3, 9171-3, 9172-3, 9173-3, 9174-3, 9175-3, 9176-3, 9181-3, 9182-3, 9183-3, 9184-3, 9185-3, 9300-3-0, 9300-3-8, 9301-3-0, 9301-3-8, 9302-3-0, 9302-3-8, 9304-3-0, 9304-3-8, 9306-3-0, 9306-3-8, 9308-3-0, 9311-3-0, 9311-3-8, 9313-3-0, 9313-3-8, 9314-3-0, 9314-3-8, 9315-3-0, 9315-3-8, 9316-3-0, 9316-3-8, 9317-3-8, 9371-3-0, 9371-3-8...(Other models you can see in the webshop)		

			
No.	301214	Ref. No.	0H6595 OK1004 4621066809
description	cam switch 2 operating positions operation switch 16A sequence 0-1 shaft ø 6x4.6mm shaft L 33mm connection male faston 6.3mm plastic ambient temperature max. 150°C		
For models:	7550-5.KES40, 7551-5.KES60, 7552-5.KES80, 7553-5.KES100, 7554-5.KES150, 7561-3.KES60.RW, 7562-3.KES80.RW, 7563-3.KES100.RW, 7564-3.KES150.RW, 7581-5.KK60, 7582-5.KK80, 7583-5.KK100, 7574-5.KES150, 7575-5.KES250, 7750-5.KES40, 7751-5.KES60, 7752-5.KES80, 7753-5.KES100, 7754-5.KES150, 7781-5.KK60, 7782-5.KK80, 7783-5.KK100, 7576-5.KES300, 7573-5.KES100, 7580-5.KK40, 7584-5.KK150, 7780-5.KK40, 7751-3/85.KES60, 7550-3/85.KES40.(N), 7551-3/85.KES60, 7552-3/85.KES80.(N), 7553-3/85.KES100.(N), 7554-3/85.KES150.(N), 7550-3/90.KES40.(N), 7551-3/90.KES60, 7552-3/90.KES80.(N), 7553-3/90.KES100.(N), 7554-3/90.KES150.(N), 7550-5/85.KES40.(N), 7551-5/85.KES60.(N), 7552-5/85.KES80.(N), 7553-5/85.KES100.(N), 7554-5/85.KES150.(N), 7550-5/90.KES40.(N), 7551-5/90.KES60.(N), 7552-5/90.KES80.(N), 7553-5/90.KES100.(N), 7554-5/90.KES150.(N), 7561-3/85.KES60.RW, 7562-3/85.KES80.RW....(Other models you can see in the webshop)		

			
No.	300180	Ref. No.	006649 720388
description	cam switch 2 operating positions operation switch 32A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	PGV/E1, PGV/E2, TGV/E1, TGV/E2, KR/E1, KR/E2, KR/E1R, KR/E2R, KR/E1C, KR/E2C, KR/E2CR, KR/E1E5, KR/E1RE5, KR/E2E5, KR/E2RE5, KR/E1CE5, KR/E2CE5, KR/E2CRE5, KR/E2R, KR/E1P, KR/E2P, KR/E1RP, KR/E2RP, KR/E1CP, KR/E2CP, KR/E2CRP, KR/E1E5P, KR/E1RE5P, KR/E2E5P, KR/E2RE5P, KR/E1CE5P, KR/E2CE5P, KR/E2CRE5P, KR/E2R, KGR/E1, KGR/E2, HR/E834W, HR/E413W, HR/E813W, HR/E404W, HR/E804W, HR/E814W, HR/E433W, HR/E443W, HR/E833W, HR/E843W, HR/E434W, HR/E844W, HR/E403W, HR/E803W....(Other models you can see in the webshop)		

			
No.	301142	Ref. No.	055473
description	cam switch 2 operating positions operation switch sequence 1-2 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 270°C		
For models:	FCVE20-V, FCVE20VUK, FCVM62E, FCVM62EUK, FCVMG62, ZOFCV/G6-3, FCV/E20-V		

			
No.	300181	Ref. No.	0H6599 245555
description	cam switch 3 operating positions operation switch 32A sequence 0-1-2 shaft ø 6x4.6mm connection screw clamp 4-pole ambient temperature max. 330°C		
For models:	7535-3/85, 7535-3/90.FRI.(N), 7735-3/85.FRI.(N), 7735-3/90.FRI.(N), 7535-3, 7538-3, 7735-3, 7738-3, 9052-3, 9252-3-0, 9252-3-8		


			
No.	301095	Ref. No.	054324 3570524011
description	cam switch 4 operating positions operation switch sequence 0-1-2-3 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 270°C		
For models:	FCF/E4-OLD, FCF/E4D, FCFE4PH, FCF/E4OLD3, FCF/E4OLD4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D		

			
No.	345764	Ref. No.	0H6102 21531A
description	cam switch 5 operating positions operation switch sequence 0-1-2-3-4 shaft ø 6x4.6mm 5-pole ambient temperature max. 270°C		



1


No.	300200	Ref. No.	01C29 031481 054375 058125 0A2036 0H6589 0H6688 0H9802 0K4287 0K4443 0K4912 0K5045 0K8843 0KT763 0KW856 0M0524 12344145 18002897 18005012 18025012 1805012 50000052 6030015 722894 M01C29
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		
For models:	TC1200TOP, TC1210TOP, TC1400TOP, TC1410TOP, TC1600TOP, TC1610TOP, TC1800TOP, TC1810TOP, TC2000TOP, TC2010TOP, TCD1200TOP, TCD1400TOP, TCD1600TOP, TCD1800TOP, TCD2000TOP, TC1000, TC1010, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1000, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1000, TC1000...(Other models you can see in the webshop)		



2

No.	300178	Ref. No.	0H6284 220909
description	operation switch 3 operating positions 3NO/2CO 16A sequence 0-1-2 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic ambient temperature max. 270°C		
For models:	7536-3, 7537-3, 7736-3, 7737-3, 9050-3, 9055-3, 9250-3-0, 9250-3-8, 9255-3-0, 9255-3-8		

miscellaneous




1

No.	300221	Ref. No.	0E3017 0E5131 0K8165 640458
description	cam switch 2 operating positions 4NO sequence 1-2 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	EBS50., EBS50H, EBS100., EBS100H, EBS150., EBS150H, EBS200., EBS200H, EBS300., EBS300H, EBVS0., EBVS0H, EBVS100., EBVS100H, EBVS150., EBVS150H, EBVS200., EBVS200H, EBVS300., EBVS300H, EBVC50., EBVC50H, EBVC100., EBVC100H, EBVC150., EBVC150H, EBVC200., EBVC200H, EBVC300., EBVC300H, EBP100., EBP100M, EBP150., EBP150M, EBP200., EBP200M, EBP300., EBP300M, EBPC100., EBPC100M, EBPC150., EBPC150M, EBPC200., EBPC200M, EBPC300., EBPC300M, MED50H, MED100H, MED150H, MED200H...(Other models you can see in the webshop)		



1

No.	301299	Ref. No.	0C6245
description	cam switch 8 operating positions 5NO sequence 0-1-2-3-4-5-6-7 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFE6-1J, FCFE101-1J, FCFE102-1J, ECF/E6-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF061ENS, ECF101ENS, ECF102ENS, ECF201ENS, ECF061E5M, ECF061ECV, ACF/E6-0, ACFE101-0, ACFE102-0, ACFE201-0, ACFE202-0, RCF061E, RCF101E, RCF201E		



1

No.	345198	Ref. No.	0E3697
description	cam switch shaft $\varnothing$ 6x4.6mm shaft L 23mm 6-pole		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		

rotary switches

BREMAS

A1600 series



No.	345315 ¹	Ref. No.	004156 91310060
description	rotary switch 3 1-0-2 sets of contacts 6 type CA160007 400V 16A shaft ø 5x5mm shaft L 23mm shaft square with knob connection screw		
For models:	ZCMME6, ZCBME12, ZCMME4, ZCBME8, ZCMME9, ZCBME18, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835		

¹incl. knob

No.	301182	Ref. No.	046649 S641600702
description	rotary switch 4 0-1-2-3 sets of contacts 13 type SCH.0713/6194 600V 20A shaft ø 4x5mm shaft L 25mm square connection male faston 6.3mm		
For models:	LS365, LS365PH, LS365D, LS365, LS365/63, LS365F		

accessories



No.	111420	Ref. No.	004147 0C9554
description	knob switch zero mark ø 34/60mm shaft ø 5x5mm red H 22mm L 50mm		
For models:	ZCMME6, ZCBME12, ZCMME4, ZCBME8, ZCMME9, ZCBME18		

miscellaneous



No.	300327	Ref. No.	046879
description	rotary switch		

GOTTAK



No.	347723	Ref. No.	OK8614
description	rotary switch 3 1-2-3 sets of contacts 5 type 46RCTH 400V 16A shaft ø 6x4.6mm shaft L 23mm shaft oval connection male faston 6.3mm 3 operating positions		
For models:	EBE40., EBE40, EBE40., EBE040, EBE60., EBE60., EBE60., EBE60, EBE80., EBE80., EBE80., EBE100., EBE100., EBE100., EBE100, EBS50., EBS50H, EBS100., EBS100H, EBS150., EBS150H, EBS200., EBS200H, EBS300., EBS300H, EBVS0., EBVS0H, EBV100., EBV100H, EBV150., EBV150H, EBV200., EBV200H, EBV300., EBV300H, EBVC50, EBVC50H, EBVC100, EBVC100H, EBVC150, EBVC150H, EBVC200, EBVC200H, EBVC300, EBVC300H, EBP100., EBP100M, EBP150, EBP150M...(Other models you can see in the webshop)		



No.	300219	Ref. No.	OE5132 OK8253 680306
description	switch 3 operating positions 3NO sequence 0-1 momentary switch 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		

KRAUS & NAIMER

rotary switches



No.	301206	Ref. No.	OG2095 OK4923 18005107 31110001 751000
description	rotary switch 4 0-1-2-3 sets of contacts 8 type CA11-AT08A188 690V 7.5A shaft ø 4.8x6mm shaft L 18mm shaft round connection screw code 37/000100 marking 7BC540		
For models:	7561-3.KES60.RW, 7562-3.KES80.RW, 7563-3.KES100.RW, 7564-3.KES150.RW, 7561-3/85.KES60.RW, 7562-3/85.KES80.RW, 7563-3/85.KES100.RW, 7564-3/85.KES150.RW, 7561-3/90.KES60.RW, 7562-3/90.KES80.RW, 7563-3/90.KES100.RW, 7564-3/90.KES150.RW, 7560-3, 7561-3, 7562-3, 7563-3, 7564-2, 9411-3, 9411-5, 9413-3, 9413-5, 9414-3, 9414-5, 9415-3, 9415-5, 9416-3, 9416-5		

miscellaneous



1


No.	346390	Ref. No.	OH9723 OH9811 OK3676 OK4925 OK7350 OK8029 OK8090 OKE475 126191 18005109 22126191 60053
description rotary switch sets of contacts 1 2 0-1 250V 16A illuminated connection male faston 6.3mm mounting measurements 25x25mm			
For models: VARIOSTEAM/S-33.3/F, STEAM-O-MAT, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP... (Other models you can see in the webshop)			

magnetic switches

29x19mm



1



No.	345117	Ref. No.	048392
description magnetic switch L 28.5mm W 19mm 1NO 250V 0.04A P max. 10W connection cable length 1000mm			
For models: LS7D, LS7, LS7UK/RP, LV70, LS7F, LS7DEK, LS7/1UK, LS7/60, WT40/9, WT40/F, FL700, HYDRA700, Z70			

touch sensitive light switches



1


No.	402043	Ref. No.	086451 OKM709
description light barrier L 180mm W 35mm H 46mm			



1

No.	402009	Ref. No.	086475 OT4520
description light barrier L 310mm W 35mm H 47mm			


35x22mm



1


No.	347003	Ref. No.	OE5185 OK7171 OK8714
description magnetic switch L 35mm W 22mm 1NO 230V 1A 60W			
For models: FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST... (Other models you can see in the webshop)			

36x13mm



1

No.	345118 ¹	Ref. No.	083881
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection cable length 980mm		
accessories for	345118		
	No.	345399	Ref. No. —
magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			

¹with coded connector

1


No.	345820 ¹	Ref. No.	049226
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection plug cable length 290mm		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, LS61, LS61/60, LS62, LS62D, LS62/UKRP, LS62F, LV62, LS62/60, LS62/1P, LS62HD, LS65, LS62/UK, LS63, LS63D, LS63/UKRP, LS63F, LV63, LS63/60, LS63/1P, LS63/UK, LS64, LS64/UKRP, LV64, LS64/1P, LS64/UK, WT32...(Other models you can see in the webshop)		

¹with coded connector

1


No.	347557	Ref. No.	068492 069659 088578
description	magnetic switch L 36mm W 13mm 1NO cable length 800mm H 8mm mounting distance 22mm		
For models:	AQC22U US, AQC31U US, AQC60U, AQC119U US,,, BC28A6, Crosswise,,, BCF15A6,,, BC15A, Crosswise, BC28A, Crosswise, BC56HA, BCF15A, Crosswise, BCF28A, Crosswise, BCF56HA, BC10A, BLAST C/FREEZER, BCF7A, BLAST C/FREEZER, ZAE71D, ZA/E71DXUK, ZAE71S, ZA/E71SXUK, ZAE101D, ZA/E101DXU, ZAE101S, ZA/E101SUK, RBC102, RI75RE1F, RI075RE1FR, RI093RE1F, RI093RE1FR, RI093RE1FU, RBF611560, Crosswise, RBC061, Crosswise, RBC6.1-1S, Crosswise, RBC101, Crosswise, RBC10.1-2...(Other models you can see in the webshop)		

36x26mm




1

No.	346999	Ref. No.	049969 0E5854
description	magnetic switch L 36mm W 26mm 1NC 230V 3A P max. 60W connection cable length 2000mm polarised		
For models:	RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230, RT10ERF60, RT10ELF60, RT10ERF, RT10ELF, RT10ERBF60, RT10ELBF60, RT10ERG, RT10ELG, RT10EDH, RT10ESH, RT10SRB, RT10SLB, RT10ED/230H, RT10ES/230H, RT10ERBF, RT10ELBF, RT10ERBG, RT10ELBG, RT10EDECO, RT10ESECO, RT10SRC, RT10SLC, RT10ED/230E, RT10ES/230E, RT10ERCF, RT10ELCF, RT10ERCG, RT10ELCG, RT10EDHE, RT10ESHE, RT10SRCB, RT10SLCB, RT10ED/230HE, RT10ES/230HE, RT10ERCBF, RT10ELCBF, RT10ERCBG, RT10ELCBG, RT10ERASIA, RT10ELASIA, RT10SRASIA, RT10SLASIA, RT10ERCINA, RT10ELCINA...(Other models you can see in the webshop)		
accessories for	346999		
	No.	347001	Ref. No. 088361 0E0102 0K6712 0KE287 301606 461137802 4611378029
magnet ømm L 23mm H 18mm W 16mm ID ømm ED ømm M5			




				049966 0E0003 0K6346 0K9346
No.	346998	Ref. No.		
description	magnetic switch L 36mm W 26mm 1NO 230V 3A P max. 60W connection cable cable length 2000mm			
For models:	ZA, ZA, LN34, LN34, LN34, LN34, LN46, LN46, LN46, LN46, LN72, LN72, LN72, LN72, RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF...(Other models you can see in the webshop)			
accessories for	346998			
				088361 0E0102 0K6712 0KE287 301606 461137802 4611378029
	No.	347001	Ref. No.	
magnet ømm L 23mm H 18mm W 16mm ID ømm ED ømm M5				



			049967
No.	347000	Ref. No.	0E5369 0K7172
description	magnetic switch L 36mm W 26mm 1NO 230V 3A P max. 60W connection cable cable length 5500mm		
For models:	FT36EDTS, FT36ESTS, FT36VDTS, FT36VSTS, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, WTF2ERC, WTF2ELC, WTF2SRC, WTF2SLC, WTF2HERC, WTF2HELC, WTF2HSRC, WTF2HSLC, WTF3ERC, WTF3ELC, WTF3SRC, WTF3SLC, WTF3HERC, WTF3HELC, WTF3HSRC., WTF3HSLC, WTF2ERB., WTF2ELB, WTF2SRB, WTF2SLB, WTF2HERB, WTF2HELB...(Other models you can see in the webshop)		

50x19mm

[illegible]

No.	347450 ¹	Ref. No.	0L1871
description	magnetic switch L 50mm W 19mm 1NO 250V 1A P max. 50W connection male faston 6.3mm		
For models:	NUC3DD, EUC1, EUC1DP, EUC1WS, EUC1DPWS, EUC3, EUC3WS, EUC3DP, EUC3DPWS, EUC1G, EUC1DP60, EUC3DD, ZUCADDROW, ZUCADDROW6, FUCA3DD, KUC3, KUC3DP, NUC1, NUC1DP, NUC1WS, NUC1DPWS, NUC3, NUC3WS, NUC3DP, NUC3DPWS, NUC3DDWS, NUC1DP60, NUC1DPA, ZUCA1, ZUCA3, EUCADDROW, EUCADDROW6, LS6EP, LS6EP/DD, LS6EADD, LS6EA/DPDD, WT38TDE, WT38/M50, LS6EADP3, LS6EADPWS, LS6EADPWGS, WT38WS, WT38WSG, WT38MEDWS, WT38PM50, WT37LEV/9, LS6EADPDWS, WT38DWS, LS6SANA, EUCAI... (Other models you can see in the webshop)		

'incl. bracket

51x16mm



1

No.	348168	Ref. No.	032634 0D6673 0KJ006
description	magnetic switch L 51mm W 16mm 1NO 240V 2A P max. 12W cable length 350mm		

ø 6mm



1

No.	345818	Ref. No.	048893
description	magnetic switch 250V 0.01A connection cable		
For models:	LS7D, LS7, LS7UK/RP, LV70, LS7F, LS7DEK, LS7/1UK, LS7/9, LS7/60, WT40/9, WT40/F, LS7HD, WT40/J50, WT40/J60, WT40UKRP, PH4/WT40, PH4RBP/WT40, FL700, HYDRA700, Z70		



1

No.	345819 ¹	Ref. No.	048831 A0611BDAE030
description	magnetic switch 250V 1A P max. 50W probe L 29mm 1NO connection plug cable length 300mm		
For models:	LS61, LS61/60, LS62, LS62D, LS62/UKRP, LS62F, LV62, LS62/60, ECOTEMP5, LS62/1P, LS62HD, LS63, LS63D, LS63/UKRP, LS63F, LV63, LS63/60, LS63/1P, LS64, LS64/UKRP, LV64, ECOTEMP5S, LS64/1P, ECOTEMP5SW, WT32, WT32/4,5, WT32/UK, WT32/UKRP, WT32/F6, WT32/J60, WT32/J50, WT32/4,5N, WT33, WT33/4,5, WT33/UK, WT33/UKRP, WT33/F, D500, WT33/M50, WT33/M60, WT33/60, WT33/4,5N, WT30U400, WT30U440, WT34, WT34/4,5, WT34/UKRP, D510, WT34/4,5N, LS7/DP...(Other models you can see in the webshop)		

¹with coded connector

1

No.	345146	Ref. No.	048268 048486
description	magnetic switch 250V 1A P max. 50W probe L 29mm 1NO connection plug cable length 980mm		
For models:	LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2D-PSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, LS10D, LS10, LS10UKRP, LC100, LS10/60, LS10/1, LS10/12KW, LS10F, LS10DEK, LS10/1UKRP, LS10SW...(Other models you can see in the webshop)		

ø 9mm



1

No.	347190	Ref. No.	049970 0E0006 0E2321 30001021
description	magnetic switch 150V 0.5A P max. 10W probe L 30mm 1NC connection cable cable length 1500mm		
For models:	LN34, LN34, LN34, LN34, LN46, LN46, LN46, LN72, LN72, LN72, LN72, RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS...(Other models you can see in the webshop)		

ø10mm



1

No.	347899	Ref. No.	0E2185 OK8715
description	magnetic switch 12V 1A P max. 10W probe L 26mm 1NC connection cable length 1500mm kit		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		



1

No.	348200	Ref. No.	077482744000 OK8504
description	magnetic switch VA P max.W Wmm probe L 27mm probe ø 10mm cable length 1600mm		

M10x1



1

No.	346376	Ref. No.	056468
description	magnetic switch thread M10x1 L 40mm 1NO 250V 1A connection cable 50W		
For models:	7CPE07P, 7CPG07P, M70EPC, M70GPC, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCV/E6-1, FCV/E6-1, FCV/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, RCP/G700		

accessories

magnets




1

No.	347900	Ref. No.	OK7361 3308099P
description	magnet ø 10mm L 27mm Hmm Wmm hole ømm		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST...(Other models you can see in the webshop)		



1

No.	347002	Ref. No.	048254 048667
description	magnet ø 6mm L 30mm Hmm Wmm ED ø 6mm		
For models:	LS10D, LS10, LS10UKRP, LC100, ECOTEMP12-, LS10/60, LS10/1, LS10/12KW, LS10F, LS10DEK, LS10/1UKRP, LS10SW, LS10/50J, LS10/60J, LS10DP, LS10/HD, SH55, LO10, LS10/UK1, LS10/UK3, LS12D, LS12, LS12UK/RP, LC120, LS12DP, LS12/60, LS12F, LS12DEK, WT60/emF, WT60/12UK, WT60/9, WT60/12, WT60/12UKRP, WT60/9in, WT60/12in, LS12HD, PH10/12, LS12/UK3, ECOTEMP12SW, ECOTEMP12INS, LS12MEX, LS10N, LS8D, LS8, LS8UK/RP, LC80, LS8F, LS8DEK, LS8/9, LS8/60...(Other models you can see in the webshop)		



1

No.	347001	Ref. No.	088361 0E0102 OK6712 0KE287 301606 461137802 4611378029
description	magnet ømm L 23mm H 18mm W 16mm ID ømm ED ømm M5		
For models:	PW1EAG, PW2EAG, WT830EA, WT850EA, WT830EAG, WT850EAG, FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST...(Other models you can see in the webshop)		

1

Technical drawing showing dimensions for the magnet component:

- Top view: Overall length 63, hole distance 52, hole diameter $\varnothing 2.3$. Text: $\varnothing 2.3$ Per viti autofilettanti / For self-tapping screw.
- Side view: Overall height 18.8, hole distance 11, hole diameter $\varnothing 2.3$. Text: $\varnothing 2.3$ Per viti autofilettanti / For self-tapping screw.

No.	519049	Ref. No.	049627
description	magnet $\varnothing$ mm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole $\varnothing$ 2mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ101GTD, FCZ102GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2...(Other models you can see in the webshop)		
accessories for	519049		
	No.	560095	Ref. No.
	 sheet metal screws $\varnothing$ 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head $\varnothing$ 5.6mm oval head		



1			
No.	347200	Ref. No.	OL1001 OL2534
description	magnet ømm L 63mm H 7.3mm W 19mm hole distance 52.5mm M2 hole ø 2.25mm		
For models:	WT1WSDP, NGW, NGWDPDD, PW1SMG, PW1MG, PW1MUK, PW1MHG, PW2MG, PW2MUK, WT830M, WT830MUK, WT830M60G, WT850M, WT850MUK, WT850M60G, WT830MHG, WT830M208U, WT830M240U, WT830H208U, WT830H240U, WT850M208U, WT850M240U, PW2SMG, ET830M, ET830MH, ET850M, WTC90ERB, WTC90ELB, WTC140ERA, WTC140ELA, WTC140ERB, WTC140ELB, WTC180ERA, WTC180ELA, WTC180ERB, WTC180ELB, WTC220ERA, WTC220ELA, WTC220ERB, WTC220ELB, WTC90ERBG, WTC90ELBG, WTC140ERAG, WTC140ELAG, WTC140ERBG, WTC140ELBG, WTC180ERAG, WTC180ELAG, WTC180ERBG, WTC180ELBG... (Other models you can see in the webshop)		

miscellaneous

1

			
No.	347830	Ref. No.	0G2405 0K5151 0K1513 769363
description		switch for tilting kettle with potentiometer	
For models:		ACSGRT, BOT080S.MH25.W94, BOT080S.MS25.W94, BOT100E.MS35.H97, BOT150S.MH25.F98, BOT150S.MH25.W94, BOT200S.MH25.F18, BOT200S.MH25.W14, BOT400E.MS35.W14, BOT400S.MH25.F18, FET060E.MS35P.F88, FET060E.MS35P.W84, FET060E.MS35S.F88, FET080E.MS35P.F88, FET080E.MS35P.W84, FET080E.MS35S.W84, FET100E.MS35P.F88, FET100E.MS35P.W84, FET100G.MS25P.H97, UET060E.MS35.F88, UET090E.MS35.F88, UET090E.MS35.W84, UET100E.MS35.F88, UET100E.MS35.W84, UET150E.MS35.F88, BOT150E.MS35.H97, FET100E.MS35S.F97, FET060E.MS35S.W84, FET080E.MS35S.F88, FET080G.MS25S.F98, FET080G.MS25S.W94, FET100E.MS35S.F88, FET100E.MS35S.W84, UET060E.MS35.W84, UET150E.MS35.W84, BOT040E.MS35.F88, BOT040S.MH25.F98, BOT040E.MS35S.W84, BOT040S.MH25.W94, BOT060E.MS35.F88, BOT060S.MH25.F98, BOT060E.MS35.W84, BOT060S.MH25.W94, BOT080E.MS35.F88, BOT080S.MH25.F98, BOT080E.MS35.W84, BOT100S.MH25.F98, BOT100S.MH25.W94, BOT300S.MH25.F18, BOT300S.MH25.W14... (Other models you can see in the webshop)	
accessories for		347830	
		No.	347831
		Ref. No.	0G2438 769131
stop for switch shaft ø 6x4.6mm			

control equipment

MOELLER/EATON

push buttons - signal lamps



1

No.	346294	Ref. No.	OK2149 RLTRT
description	push button mounting measurements ø22mm red		
For models:	7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2		

switch blocks



No.	346292	Ref. No.	OK2181
description	contact block screw 1NO		
For models:	7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2		



switches (complete)

push/momentary push switches



1

No.	346367	Ref. No.	0A2234
description	momentary push switch mounting measurements ø22mm black 1NO water momentary		



1

No.	346366	Ref. No.	0A2232
description	momentary push switch mounting measurements ø22mm black 1NO/1CO arrow momentary		



1

No.	346291	Ref. No.	0KX188 2010741
description	momentary push switch mounting measurements ø22mm red 1NO		



1

No.	346438	Ref. No.	0G3875 180655 180665
description	momentary push switch mounting measurements ø22mm white complete on		



1

No.	346340	Ref. No.	0A2196 0K2980
description	switch mounting measurements ø22mm red complete EMERGENCY SHUT-DOWN		
For models:	MBR/G710D, RBR/G710D, XBR/E710D, XBR/E716, RBR/E700, ZRBR/G700D		


SCHLEGEL

symbol plates



1

No.	345752	Ref. No.	0H6290 0K9347
description	symbol plate white operating temperature		



1

No.	345756	Ref. No.	0K1006
description	symbol plate white reset		
For models:	9100-2, 9101-2, 9102-2, 9104-2, 9113-2, 9114-2, 9115-2, 9116-2		

special

ø16mm

push buttons



1

No.	345754	Ref. No.	005139 0H6288
description	push button square clear ø 16mm		
For models:	FCVG202L3, FCS201G4, FCS202G4, 5717-2-6, 5714-2-7, 5714-2-6L, 5714-2-7L, ECVG202T4, ACVG202C4, ZCV/G202/1, 9100-2, 9101-2, 9102-2, 9104-2, 9113-2, 9114-2, 9115-2, 9116-2		



1

No.	345265	Ref. No.	0H6287
description	contact block 1NC/1NO 250V 6A equiv. no. 51.971.022		
For models:	9100-2, 9101-2, 9102-2, 9104-2, 9113-2, 9114-2, 9115-2, 9116-2		



1

No.	345751	Ref. No.	005138 0H6286 H22091400
description	contact block 2NO/2NC		
For models:	FCVG202L3, FCS201G4, FCS202G4, FCS202GP, 5717-2-6, 5714-2-7, 5714-2-6L, 5714-2-7L, ECVG202T4, ACVG202C4, ZCV/G202/1		

switches



1

No.	345753	Ref. No.	005137 OH6285 512850 H22091300
description	switch mounting measurements ø16mm latching		
For models:	FCVG202L3, FCS201G4, FCS202G4, 5717-2-6, 5714-2-7, 5714-2-6L, 5714-2-7L, ECVG202T4, ACVG202C4, ZCV/G202/1		



1

No.	345755	Ref. No.	OK1005 751.185.0
description	switch mounting measurements ø16mm momentary		
For models:	9100-2, 9101-2, 9102-2, 9104-2, 9113-2, 9114-2, 9115-2, 9116-2		

ø22mm

key lock switches



1

No.	345244	Ref. No.	OH6694
description	key lock switch mounting measurements ø22mm latching sequence 0-1		
For models:	9190-3, 9191-3, 9193-3, 9195-3, 9390-3, 9391-3, 9393-3, 9395-3, 9481-3, 9482-3, 9581-3, 9582-3		

rotary switches



1

No.	345263	Ref. No.	OK2156 7040950
description	rotary selector mounting measurements ø22mm black momentary sequence 0-1		
For models:	9481-3, 9482-3, 9581-3, 9582-3		



1

No.	345260	Ref. No.	OH6692
description	rotary selector mounting measurements ø22mm black momentary sequence 1-0-2		
For models:	7747-3/90.KB.(N), 7585-3/85.KK40.MOTK., 7586-3/85.KK60.MOTK., 7587-3/85.KK80.MOTK., 7588-3/85.KK100.MOTK, 7585-3/90.KK40.MOTK., 7586-3/90.KK60.MOTL., 7587-3/90.KK80.MOTK., 7588-3/90.KK100.MOTK, 7585-5/85.KK40.MOTK., 7586-5/85.KK60.MOTK., 7587-5/85.KK80.MOTK., 7588-5/85.KK100.MOTK, 7589-5/85.KK150.MOTK, 7585-5/90.KK40.MOTK., 7586-5/90.KK60.MOTK., 7587-5/90.KK80.MOTK., 7588-5/90.KK100.MOTK, 7589-5/90.KK150.MOTK, 7569-5/90.KK200.MOTK, 7541-3/85.KB.(N), 7543-3/85.KB.(N), 7541-3/90.KB.(N), 7543-3/90.KB.(N), 7545-3/85.KB.(N), 7547-3/85.KB.(N), 7545-3/90.KB.(N), 7741-3/85.KB.(N), 7743-3/85.KB.(N), 7741-3/90.KB.(N), 7743-3/90.KB.(N), 7745-3/85.KB.(N), 7745-3/90.KB.(N), 7747-3/85.KB.(N), 7545-3/85.KB.DWD, 7543-3/90.KB.EO.ETRO, 7541-3/90.KB.EO.ETRO, 7569-3/85.KK200.MOTK, 7569-3/90.KK200.MOTK, 7569-5/85.KK200.MOTK, 7589-3/85.KK150.MOTK, 7589-3/90.KK150.MOTK, 7769-3/85.KK200.MOTK, 7769-3/90.KK200.MOTK, 7769-5/85.KK200.MOTK, 7769-5/90.KK200.MOTK, 7785-3/85.KK40.MOTK., 7785-3/90.KK40.MOTK., 7785-5/85.KK40.MOTK...(Other models you can see in the webshop)		

switch blocks



1

No.	345272	Ref. No.	OH6695
description	contact block 1NC/1NO 660V max. 16(4)A connection screw		
For models:	9481-3, 9482-3, 9581-3, 9582-3		



1

No.	345261	Ref. No.	OH6693
description	contact block 2NO 660V max. 16(4)A connection screw		
For models:	7747-3/90.KB.(N), 7585-3/85.KK40.MOTK., 7586-3/85.KK60.MOTK., 7587-3/85.KK80.MOTK., 7588-3/85.KK100.MOTK, 7585-3/90.KK40.MOTK., 7586-3/90.KK60.MOTL., 7587-3/90.KK80.MOTK., 7588-3/90.KK100.MOTK, 7585-5/85.KK40.MOTK., 7586-5/85.KK60.MOTK., 7587-5/85.KK80.MOTK., 7588-5/85.KK100.MOTK, 7589-5/85.KK150.MOTK, 7585-5/90.KK40.MOTK., 7586-5/90.KK60.MOTK., 7587-5/90.KK80.MOTK., 7588-5/90.KK100.MOTK, 7589-5/90.KK150.MOTK, 7569-5/90.KK200.MOTK, 7541-3/85.KB.(N), 7543-3/85.KB.(N), 7541-3/90.KB.(N), 7543-3/90.KB.(N), 7545-3/85.KB.(N), 7547-3/85.KB.(N), 7545-3/90.KB.(N), 7741-3/85.KB.(N), 7743-3/85.KB.(N), 7741-3/90.KB.(N), 7743-3/90.KB.(N), 7745-3/85.KB.(N), 7747-3/85.KB.(N), 7545-3/85.KB.DWD, 7543-3/90.KB.EO.ETRO, 7541-3/90.KB.EO.ETRO, 7569-3/85.KK200.MOTK, 7569-3/90.KK200.MOTK, 7569-5/85.KK200.MOTK, 7589-3/85.KK150.MOTK, 7589-3/90.KK150.MOTK, 7769-3/85.KK200.MOTK, 7769-3/90.KK200.MOTK, 7769-5/85.KK200.MOTK, 7769-5/90.KK200.MOTK, 7785-3/85.KK40.MOTK., 7785-3/90.KK40.MOTK., 7785-5/85.KK40.MOTK...(Other models you can see in the webshop)		



LOVATO

metal series

switches (complete)



1

No.	345420	Ref. No.	070323 0HA001 0HA108
description	push switch mounting measurements ø22mm green 1NO 250V connection screw 16A protection IP40		

RAFI

Lumotast series

momentary push switches



1

No.	346576	Ref. No.	0H6587
description	momentary push switch mounting measurements ø16mm 230V 3NC/3NO		

SCHNEIDER ELECTRIC

push buttons



1

No.	347661	Ref. No.	0D7662 0KR665 24046 570000024046 DS24046
description	push button set mounting measurements ø22mm 2-piece red/green		
For models:	MC40AS-01, MULTI2-01, TRS-3-02, TRS-3-03, TRS-1-02, TRS-1-03, MULTI2-02, BM20AS-01, MC40AS-02, TRS-3-04, TRS-3-05, PL15-01, BM20AS-02, TRS-1-04, PL15-02, PL15-03, BM20AS-03, BM20AS-04, BM30AS-01, BM30AS-02, MC40AS-03, TRS-1-05, BM20AS-05, BM30AS-03, TRS-1-06, MULTI2-03, BM20AS-06, TRS-1-07, TRS-1-08, TRS-3-06, TRS-3-07, TRS-1-09, PL15-06, PL15-05, BM30S-01, BM20AS-07, BM20AS-12, MC40S-01, MC40AS-04, MC40AS-05, MC40S-02, BM20S-01, BM20S-02, BM20S-03, TR200-04, TR200-03, MULTI2-04, BM30AS-04, BM30S-02, BM20AS-13...(Other models you can see in the webshop)		

SIEMENS

3SB series ø22mm new

push buttons



1

No.	347543	Ref. No.	049238 0L0615
description	push button mounting measurements ø22mm white		
For models:	LS14EA, ET12E, LS14EAI, LS14EAI/AU, LS14EA/60, LS14EAASIA, LS14EA/G, LS10EA, LS14EAI/DD, WT65E, WT65EB, WT65EI, ECOTEM-P12S, WT65EBI, WT65EBIA, WT65EIA, WT65E60, WT65EB60, WT65EBIDG, WT65EBASIA, WT65EIM50, WT65EIM60, LS14EADP/G, WT-65MED, WT65EJ50, WT65EJ60, WT65MEDWS, WT65ROW, LS14ROW, LS14SANA, WT65EBID, LS14ROW60, WT65ROW60, EHTA, EHTA60, EHTAI, EHTAID, EHTAIG, EHTAIAU, EHTAIMLAU, ZHTAID, ZHTAIAU, ZHTA, ZHTA60, ZHTAI, EHTAIUSPH5, EHTAIUSPH6, H3500, H1510SANA, HT1200BIDG...(Other models you can see in the webshop)		



1

No.	347545	Ref. No.	075600 075656 0L1243
description	push button mounting measurements ø22mm yellow		
For models:	LO/E480, PLO480/E, LO480EUK, LO480E/63, LO480VAPORESTD, PLO480V, LO480V/63-60HZ, LO/E250, PLO250E, LO/E250UK, LO250E/63, LOPE25, LOPE48, LO480Z-VAPORE		



1

No.	346630	Ref. No.	075601 0L0616
description	contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black		
For models:	LS14EA, ET12E, LS14EAI, LS14EAI/AU, LS14EA/60, LS14EAASIA, LS14EA/G, LS10EA, LS14EAI/DD, WT65E, WT65EB, WT65EI, ECOTEM-P12S, WT65EBI, WT65EBIA, WT65EIA, WT65E60, WT65EB60, WT65EBIDG, WT65EBASIA, WT65EIM50, WT65EIM60, LS14EADP/G, WT-65MED, WT65EJ50, WT65EJ60, WT65MEDWS, WT65ROW, LS14ROW, LS14SANA, WT65EBID, LS14ROW60, WT65ROW60, EHTA, EHTA60, EHTAI, EHTAID, EHTAIG, EHTAIAU, EHTAIMLAU, ZHTAID, ZHTAIAU, ZHTA, ZHTA60, ZHTAI, EHTAIUSPH5, EHTAIUSPH6, LO/E480, PLO480/E, LO480EUK...(Other models you can see in the webshop)		

accessories for	346630	No.	347520	Ref. No.	—
 push button mounting measurements ø22mm non-illuminated black					

lamp elements



No.	347539	Ref. No.	075602 0L1244
description	indicator socket SIEMENS 3SB3400-1A black max 250V socket Ba9s 250V ambient temperature max. 165°C 2.5W		
For models:	LO/E480, PLO480/E, LO480EUK, LO480E/63, LO480VAPORESTD, PLO480V, LO480V/63-60HZ, LO/E250, PLO250E, LO/E250UK, LO250E/63, LOPE25, LOPE48, LO480Z-VAPORE		

signal element



No.	347897	Ref. No.	075605 3SB10016BE06
description	signal element mounting measurements ø22mm green		
For models:	LO/E480, PLO480/E, LO480EUK, LO480E/63, LO480VAPORESTD, PLO480V, LO480V/63-60HZ, LO/E250, PLO250E, LO/E250UK, LO250E/63, LOPE25, LOPE48, LO480Z-VAPORE		



No.	347898	Ref. No.	075604 3SB30016AA20
description	signal element mounting measurements ø22mm red		
For models:	LO/E480, PLO480/E, LO480EUK, LO480E/63, LO480VAPORESTD, PLO480V, LO480V/63-60HZ, LO/E250, PLO250E, LO/E250UK, LO250E/63, LOPE25, LOPE48, LO480Z-VAPORE		

rotary switches



No.	345674	Ref. No.	075657 0L1368
description	rotary selector mounting measurements ø22mm black latching sequence 0-1		
For models:	LO/E480, PLO480/E, LO480EUK, LO480E/63, LO480VAPORESTD, PLO480V, LO480V/63-60HZ, LO/E250, PLO250E, LO/E250UK, LO250E/63, LOPE25, LOPE48, LO480Z-VAPORE		
accessories for	345674		
	No.	346602	Ref. No. —
contact block SIEMENS 3SB3400-0D 2NO max 400V 10A black			
	No.	346603	Ref. No. —
contact block SIEMENS 3SB3400-0E 2NC max 400V 10A black			

accessories for 345674



No.	346630	Ref. No.	075601 0L0616
contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black			



No.	346631	Ref. No.	—
contact block SIEMENS 3SB3400-0C 1NC max 400V 10A black			



No.	346632	Ref. No.	—
contact block SIEMENS 3SB3400-0D 1NC/1NO max 400V 10A black			

TELEMECANIQUE (EFA)

XB2 series

switches (complete)



No.	346575	Ref. No.	0H6687 0K2035
description	momentary push switch mounting measurements ø22mm green 1NC/1NO		
For models:	9190-3, 9191-3, 9193-3, 9195-3, 9390-3, 9391-3, 9393-3, 9395-3		

XB4 series

signal element



No.	347538	Ref. No.	0E0110 0K9103 763110600
description	signal element mounting measurements ø22mm green 2.4W 250V 1-pole		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST...(Other models you can see in the webshop)		



1

No.	347527	Ref. No.	0E0109 OK9104 763110700
description	signal element mounting measurements ø22mm red		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST...(Other models you can see in the webshop)		

momentary mushroom switches



1

No.	346942	Ref. No.	0E2208
description	emergency stop switch mounting measurements ø22mm complete		
For models:	WT730WSRTS, WT730WSLTS, WT760SRTM, WT760WSLTM, WT790WS-RTM, WT790WSLTM, LN34, LN34, LN34, LN34, LN46, LN46, LN46, LN46, LN72, LN72, LN72, LN72, LN34, LN34, LN34, LN34, LN46, LN46, LN46, LN46, LN72, LN72, LN72, LN72		

switches (complete)



1

No.	347544	Ref. No.	0HB250 OK9111
description	push button mounting measurements ø22mm black 1NO 240V 1-pole 3A		
For models:	EBS50., EBS50H, EBS100., EBS100H, EBS150., EBS150H, EBS200., EBS200H, EBS300., EBS300H, EBV50., EBV50H, EBV100., EBV100H, EBV150., EBV150H, EBV200., EBV200H, EBV300., EBV300H, EBVC50., EBVC50H, EBVC100., EBVC100H, EBVC150., EBVC150H, EBVC200., EBVC200H, EBVC300., EBVC300H, EBP100., EBP100M, EBP150., EBP150M, EBP200., EBP200M, EBP300., EBP300M, EBPC100., EBPC100M, EBPC150., EBPC150M, EBPC200., EBPC200M, EBPC300., EBPC300M, MED50H, MED100H, MED150H, MED200H...(Other models you can see in the webshop)		



1

No.	347525	Ref. No.	0H2641 OK9113
description	push button mounting measurements ø22mm green 2NO 240V 2-pole 3A illuminated		
For models:	D820, D820, D820, D820, D840, D840, HC-AR, AR85, AR85, AR85, AR85, AR85, AR85, AR85, AR85, HC-CS, EBS50L, EBS100L, EBA100L, EBP100L, EBS200L, EBA200L, EBP200L, EBS300L, EBA300L, EBP300L		

miscellaneous



1

No.	346300	Ref. No.	OK3365
description	indicator socket socket Ba9s		
For models:	7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2		



1

No.	347988	Ref. No.	059051
description	rotary selector mounting measurements ø22mm green sequence 1NO/indicator light 24V 6A 1-pole		
For models:	HCPA/G1219, HCPA/GI 1219, CR20V, CR20EI, CR22G, ZCPAG1219, ZCPA/GI 1219, CR20V, CR20EI, CR22G, CR15G, CR/41G, CR42G, CR/41E, CR/41V, CR/42V, CR40G, CR40V, CR/40E, CR/42E, LV301R, LV200, LV300, LV300R, LV500R, LV501R		

lamps



1

No.	359606	Ref. No.	0H9799 OK2043 OK4896 OK4897 176769 18003946
description	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm		
For models:	7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2		
accessories for	359606		
	No.	359832	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm		
	No.	359853	Ref. No. —
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm		

			
1			
No.	359807	Ref. No.	0E0016 0K9110
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST...(Other models you can see in the webshop)		

			
2			
No.	357087	Ref. No.	053894 075026
description	light bulb socket Ba9s 30V 2W ø 10mm L 28mm		
For models:	FCVE10, FCVE20, FV4N, FVGC4, FV4G, FV4E, FV4N, FV4G, FV4E, FVAC041, LO/E480, PLO480/E, LO480EUK, LO480E/63, LO480VAPO-RESTD, PLO480V, LO480V/63-60HZ, LO/E250, PLO250E, LO/E250UK, LO250E/63, LOPE25, LOPE48, LO480Z-VAPORE		

encoders and potentiometers

			
1			
No.	347022	Ref. No.	0G2875 11151627 94030504
description	cam switch 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 10K/J cable length 400mm 2-pole with potentiometer plug type 10-pole		
For models:	AIARHFFOOF, AIARHAF00B, AIARHBFOOF, AIAWHFFOOF, AIAWHAF-FOF, AIAWHBFFOOF, AIAR0IFOOF, AIAWOIFFOOF, AIARAFFOOF, AI-ARAFOOF, AIARABFOOF, AIAWAFFOOF, AIAWAAFFOOF, AIAWABFFOOF		

			
1			
No.	348104	Ref. No.	0C0084 0C9700
description	cam switch 10 operating positions 1NO sequence 0-1-2-3-4-5-6-7-8-9 16A shaft ø 6x4.6mm shaft L 23mm connection coded plug outer switch yes cable length 45mm 0.1-10KOhm LED		
For models:	MI/Z1, RI/Z1, XI/Z1, MI/Z2, RI/Z2, XI/Z2, MI/Z1U, MI/Z2U, PI/Z1, PI/Z2, PI/Z1E5, PI/Z2E5, PIW/Z1, PI/Z2F, OI/Z1, OI/Z2, TI/Z1, TI/Z2, TI/Z1E5, TI/Z2E5, TIW/Z1, TI/Z2F, QI/Z1, QI/Z2, QI/Z1E5, QI/Z2E5, WI/Z1, WI/Z2, WI/Z1E5, WI/Z2E5		

			
1			
No.	345331	Ref. No.	0G3299 7894032507
description	cam switch 2 operating positions 1NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection coded plug cable length 2400mm 0.1-10KOhm cable 8-pole 2-pole with potentiometer		
spare parts for	345331		
		No.	345119
		Ref. No.	—
		cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection soldering connection operation switch cable lengthmm 10kOhm plastic with potentiometer	
		No.	402070
		Ref. No.	0G0317 0G2166 18025493 722952 82361+20301
		potentiometer 10KOhm rotation 360° shaft ø 6x4.6mm shaft L 18mm connection male faston 2.8mm thread M10x0.75 thread L 9mm	

			
1			
No.	347514	Ref. No.	0G3298 7894032506
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection coded plug cable length 2400mm 0.1-10KOhm cable 10-pole 2-pole with potentiometer		
spare parts for	347514		
		No.	345119
		Ref. No.	—
		cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection soldering connection operation switch cable lengthmm 10kOhm plastic with potentiometer	



1

			0H9852 0K5063 0M2134 14R19 15I01 18025422 72000601
No.	346984	Ref. No.	
description	cam switch 2 operating positions 4NO sequence 0-1 32A shaft ø 6x4.6mm shaft L 23mm connection cable 2400mm cable length 2400mm 50kOhm ceramic		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209.D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		



2

No.	403557	Ref. No.	0C0974
description	potentiometer 0.6KOhm shaft ø 6mm shaft L 14mm thread M9 plug type male faston cable length 155mm		
For models:	FCS061GP, FCS061EP, FCS101EP4J, FCS101EP, FCS101GP9J, FCS102EP4J, FCS101GP, FCS102EP, FCS102GA9J, FCS201EP, FCS102GP, FCS202EP, FCS201GP, FCS202GP, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J, FCS102EX, FCS201EX, FCS201EXLN, FCS202EX, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX		



1

			0G0317 0G2166
No.	402070	Ref. No.	18025493 722952 82361+20301
description	potentiometer 10KOhm rotation 360° shaft Ø 6x4.6mm shaft L 18mm connection male faston 2.8mm thread M10x0.75 thread L 9mm		
For models:	HLI159-371W.3, HLI159-373.3, HLI259-390W.3, LI159-375.3, LI159-376.3, LI259-372.3, LI259-379.3, LI159-380.3, HLI159-373W.3, HLI159-374.3, HLI259-375W.3, LI159-371.3, LI159-372.3, LI159-379.3, HLI159-371.3, HLI159-372.3, LI159-373.3, LI159-374.3, LI159-385.3, LI159-386.3, LI259-375.3, LI259-376.3, LI259-371.3, LI259-373.3, LI259-374.3, LI259-377.3, LI259-378.3, HLI259-375.3, HLI259-376.3, LI259-390.3, LI259-391.3, LI259-392.3, LI259-393.3, LI259-394.3, LI259-395.3, HLI259-390.3, HLI259-391.3, CI158-104.3, CI158-105.3, CI158-115.3, HCI158-104.3, HCI158-105.3, CI158-106.3, CI158-107.3, CI158-118.3, CI248-135.3, CI248-136.3, HCI248-135.3, HCI248-136.3		



1

No.	400178	Ref. No.	0H7178
description	potentiometer 47KOhm		
For models:	9013-3, 9015-3, 9213-3-0, 9213-3-8		



1

No.	402071	Ref. No.	0G2907 77927301
description	potentiometer cable length 1200mm		
For models:	AVAHOFOOOC, AVABOEEOOOC, AVACOEEOOOC, AVAEOEEOOOC, AVAHOEOOOC, AVABOETOOC, AVACOETOOC, AVAEOETOOC, AVAHO- ETOOC, AVABOFTOOC, AVACOFTOOC, AVAEOFTOOC, AVAHOFTOOC, AVRBOAOOOO, AVRCOAOOOO, AVREAOOOO, AVRBOFOOOO, AVRCOFOOOO, AVREOFOOOO, AVRBOATOOO, AVRCOATOOO, AVREO- ATOOO, AVRBOFTOOO, AVRCOFTOOO, AVREOFTOOO, AWACOEEOOOC, AWACOETOOC, AWACOGOOOC, AWACOGTOOC, AWAHOEOOOC, AWAHOETOOC, AWAHOGOOOC, AWAHOGTOOC, AWAJOEOOOC, AWAJOETOOC, AWAJOGOOOC, AWAJOGTOOC, AVABOFOOOC, AVA- CJOFOOOC, AVAEFOOOC		



1

No.	300267	Ref. No.	OKJ776
description	potentiometer kit shaft ø 6mm cable length 240mm		
For models:	BE5-01, BE5-02, BE5-03, BE5-04, BE5A-01, BE5-05, BE5A-02, DM55-01, BE5A-03, BE5A-04, BE5-06, BE5-07, BE5A-05, BE5-09, BE5-12, BE5-11, BE5-13, BE5-14, BE5-08, BE5-05, BE5A-02		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø 6mm (type SQ-20)



1

No.	359803	Ref. No.	054151 0HB189 0K2899 0K9373 6608012 660801201
description	indicator light lens green Qty 1 pcs ø 6mm		
For models:	RC/E320, RC/E320U, RC/E720, RC/E720, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCV/G320, RCV/E720, RCFE720, RCF/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RG/E300, PRG/E300, RG/E300UK, RG/E700, PRG/E700, RG/E700U, RME300, PRM/E300, M/E300UK, RM/E700, PRM/E700, RM/E700U, RFR/E302, RFR/E302UK, RFR/E305, RFR/E305, RFR/E701, RFR/E701, RFR/E312, RFR/E312, RFR/E315, RFR/E315, RFR/E711, RFR/E711U, RRV/E300, RRV/E300, RRV/E311, RRV/E700, RRV/E700, RRV/E711, RMV/E300...(Other models you can see in the webshop)		



2

No.	359804	Ref. No.	053812 056706 075589 2729W000A9
description	indicator light lens yellow Qty 1 pcs ø 6mm		
For models:	WMGHUK, TC1000, TC1000, TC1010, 134TCA0, TCD1000, TCD1000, TC1400, TC1400, TCD1410, TCD1400, TC1410, 4061410, TC1600, TC1600, TC1610, TC1610, TCD1600, TCD1600, TC2000, TC2000, TCD2000, TCD2000, TC2010, TC2010, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCFE720, RCF/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RME300, PRM/E300, M/E300UK, RM/E700, PRM/E700, RM/E700U, RFR/E302, RFR/E302UK, RFR/E305, RFR/E305, RFR/E701, RFR/E701...(Other models you can see in the webshop)		

ø10mm (type SRZ-2)



1

No.	359067	Ref. No.	0HA054
description	indicator light housings mounting measurements ø10mm green square		
For models:	LB035C, LB035R, LB035Q, LB040R, LB040Q, LB040AUS, G350C, LBIOET010, LBIOET014, LBIOEQ010, G350, G350DP, LBIOEQ014, G400, G400DP, LCFBE003		

ø10mm (type SRZ-3)



1

No.	359228	Ref. No.	0KI363
description	indicator light housings mounting measurements ø10mm clear round Qty 1 pcs		
For models:	AVAHOFOOOC, ACAWCBOOOC, ALAWCFOOOC, ALAWCAOOOC, ALAWCB0000, STE23A1A.582255, ACAWCAOOOC, ACAWCFOOOC, ACAWCAROOC, AHATRAOOOC, AHATUAOOOC, AHATRFOOOC, AHATUFOOOC, AHATQA00OC, AHATTA00OC, AHATQFOOOC, AHATTF00OC, AHATSA00OC, AHATVA00OC, AHATSF00OC, AHATVFOOOC, APABPETOOC, APABPGTOOC, APACPITOOC, APACPGTOOC, AVABOE00OC, AVACOE00OC, AVAE0E00OC, AVAHOE00OC, AVABOETOOC, AVACOETOOC, AVAE0ETOOC, AVAHOETOOC, AVABOFTOOC, AVACOFTOOC, AVAE0FTOOC, AVAHOFTOOC, AAATAA00OC, AAATHA00OC, AAATAFOOOC, AAATHFOOOC, AAATAB00OC, AAATHBOOC, AEAUCAJGOO, AEAXLAKFFO, AEAUCFJGOO, AEAXLKFFO, AEACBJGOO, AEAXLBKFFO, AGPWCAGBOO...(Other models you can see in the webshop)		



1

No.	359123	Ref. No.	00053 004896 0K3498 0KI364 5789W000G9 72593808
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
For models:	SCE350, SCE700, SCFE700, SIE350, SVE700, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SFRE700, SCCE350, SME350, SME700, SGE350, SBRE350, SCPE350, SCE350, SCE700, SCFE700, SIE350, SVE700, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SFRE350, SFRE700, SCCE350, SME350, SME700, SGE350, SBRE350, SCPE350, PC35E6U, PC70E6U, BM35E6U, FTL35E6U, FTR35E6U, FTC35E6U, FT-L70E6U, FTR70E6U, FTC70E6U, SFRE350, SFRE351, SFRE700, SFRE701...(Other models you can see in the webshop)		
accessories for	359123		
	No.	359132	Ref. No. 00052 004895 0K3497
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		



1

No.	359124	Ref. No.	00319 004928 0K3526
description	indicator light housings mounting measurements ø10mm yellow round Qty 1 pcs		
For models:	SFRE700, SFRE350, SFRE700, SFRE350, SFRE351, SFRE700, SFRE701		
accessories for	359124		
	No.	359132	Ref. No. 00052 004895 0K3497
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

ø12mm (type SDK-3)



No.	359792	Ref. No.	047750 0KE900 5329081000
description	indicator light housings mounting measurements ø12mm blue Qty 1 pcs		
For models:	LS365F, LS360D, LSE720DK, LS540D, LS720, LS520D, LS520K, LS521D, LS521K, LS521, ECOTEMP5, ECOTEMP55, ECOTEMP5SW, WT32, WT32/4,5, WT32/UK, WT32/UKRP, WT32/F6, WT32/J60, WT32/J50, WT32/4,5N, WT35, WT32/UK, WT33, WT33/4,5, WT33/UK, WT33/UKRP, WT33/F, D500, WT33/M50, WT33/M60, WT33/60, WT33/4,5N, WT33/UK, WT30U400, WT30U440, WT34, WT34/4,5, WT34/UKRP, D510, WT34/4,5N, WT40/9, WT40/F, WT40/J50, WT40/J60, WT40UKRP, PH4/WT40, PH4RBP/WT40, LS10DEK, LS10/1UKRP...(Other models you can see in the webshop)		

ø13mm (type SF-3)



No.	359975	Ref. No.	0K6375
description	indicator light housings mounting measurements ø13mm green round Qty 1 pcs		
For models:	HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, HLI159-371W.3, HLI159-373.3, HLI259-390W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LI159-375.3, LI159-376.3, LI259-372.3, LI259-379.3, LK259-707.D1ACCB, LK259-708.D1ACCB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, HLE129-100W, HLE129-103W...(Other models you can see in the webshop)		



No.	359976	Ref. No.	0C0250
description	indicator light housings mounting measurements ø13mm red round Qty 1 pcs with adapter		

ø13mm (type SFK-3)



No.	359225	Ref. No.	046289 5329080000
description	indicator light housings mounting measurements ø13mm clear Qty 1 pcs		
For models:	LS360F, LS360DK, LS365F, LS365, LS365PH, LS500F, LS501F, LS540F, LS540DK, LS541F, LS360D, LS365D, LS360, LS365, LS360/63, LS365/63, LS367, LS720F, LSE720DK, LSE720PH, LS860F, LS860DK, LS860PH, LS1080F, LS1080UK, LS1080PH, LSE721F, LS861F, LS540, LS1080M, LS1080, LS1080D, LS1080UK, LS1080/63, LS500F, LS500UK, LS501, LS501UK, LS540D, LS540/63, LSE721, LS720, LSE720UK, LS721UK, LSE720D, LS541, LS860, LS860D, LS860UK...(Other models you can see in the webshop)		



No.	359126	Ref. No.	075096 0C2587 0L3030 5329080300
description	indicator light housings mounting measurements ø13mm green Qty 1 pcs		
For models:	TC1200TOP, TC1210TOP, TC1400TOP, TC1410TOP, TC1600TOP, TC1610TOP, TC1800TOP, TC1810TOP, TC2000TOP, TC2010TOP, TCD1200TOP, TCD1400TOP, TCD1600TOP, TCD1800TOP, TCD2000TOP, TC1000, TC1010, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1000, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1000, TC1000, TC1010, 134TCA0, TCD1000, TCD1000, TC1400, TC1400, TCD1410, TCD1400, TC1410, 4061410, TC1600, TC1600, TC1610, TC1610, TCD1600...(Other models you can see in the webshop)		



No.	359128	Ref. No.	075097
description	indicator light housings mounting measurements ø13mm red round Qty 1 pcs		
For models:	CT140EDX, CT140ESX, CT140EDXUK, CT140SXEU, CT140VUX, CT-140VUX, CT141EDX, CT141ESX, CT141EDUK, CT141ESUK, CT141VUX, CT141VUX, CT142DXE, CT142SXEU, CT142DXEUK, CT142SXEU, CT142DXV, CT142SXV, CT190DXE, CT190SXEU, CT190DXEUK, CT190SXEU, CT190DXV, CT190SXV, CT191DXE, CT191SXEU, CT-191DXE, CT191SXEU, CT191DXV, CT191SXV, CT192DXE, CT192SXEU, CT192DXEUK, CT192SXEU, CT192DXV, CT192SXV, CT240DXE, CT240SXEU, CT240DXEUK, CT240SX, CT240DXV, CT240SXVUK, CT241DXE, CT241SXEU, CT241DXEUK, CT241SXEU, CT241DXV, CT241SXV, CT140EDXZ, CT140ESX...(Other models you can see in the webshop)		



No.	359127	Ref. No.	031611 075095 0C2182 0HB339 5329080400 665601400
description	indicator light housings mounting measurements ø13mm yellow Qty 1 pcs		
For models:	TC1200TOP, TC1210TOP, TC1400TOP, TC1410TOP, TC1600TOP, TC1610TOP, TC1800TOP, TC1810TOP, TC2000TOP, TC2010TOP, TCD1200TOP, TCD1400TOP, TCD1600TOP, TCD1800TOP, TCD2000TOP, TC1000, TC1010, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1000, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, LPS/75, LPS/75...(Other models you can see in the webshop)		

indicator lamps for socket type SQ

			
No.	359109	Ref. No.	054150 0HB138 0K2894 6608011 660801101
description	indicator lamp 230V green connection male faston 6.3mm no lens ø 6mm		
For models:	RC/E320, RC/E320U, RC/E720, RC/E720, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCV/G320, RCV/E720, RC/E720, RCF/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RG/E300, PRG/E300, RG/E300UK, RG/E700, PRG/E700, RG/E700U, RME300, PRM/E300, M/E300UK, RM/E700, PRM/E700, RM/E700U, RFRE302, RFR/E302UK, RFRE305, RFR/E305, RFR/E701, RFR/E701, RFRE312, RFR/E312, RFRE315, RFR/E315, RFR/E711, RFR/E711U, RRV/E300, RRV/E300, RRV/E311, RRV/E700, RRV/E700, RRV/E711, RMV/E300...(Other models you can see in the webshop)		
accessories for	359109		
			
No.	359806	Ref. No.	—
indicator light lens clear Qty 1 pcs ø 6mm			

1 			
No.	359110	Ref. No.	053811 056707 06601 OK9372 OKE182 2752120578
description	indicator lamp 230V white connection male faston 6.3mm no lens ø 6mm		
For models:	TC1000, TC1000, TC1010, 134TCA0, TCD1000, TCD1000, TC1400, TC1400, TCD1410, TCD1400, TC1410, 4061410, TC1600, TC1600, TC1610, TC1610, TCD1600, TCD1600, TC2000, TC2000, TCD2000, TCD2000, TC2010, TC2010, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCFE720, RCF/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RME300, PRM/E300, M/E300UK, RM/E700, PRM/E700, RM/E700U, RFRE302, RFR/E302UK, RFRE305, RFR/E305, RFR/E701, RFR/E701, RFRE312...(Other models you can see in the webshop)		

indicator lamps for socket type SRZ / SDK / SDY / SFK

1 			
No.	359130	Ref. No.	031607 046076 046241 048488 048691 048832 072049 0C0249 0HA088 0HB343 0W1E5Y 0W3318 20042 9020042
description	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		
For models:	TC1200TOP, TC1210TOP, TC1400TOP, TC1410TOP, TC1600TOP, TC1610TOP, TC1800TOP, TC1810TOP, TC2000TOP, TC2010TOP, TCD1200TOP, TCD1400TOP, TCD1600TOP, TCD1800TOP, TCD2000TOP, TC1000, TC1010, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1000, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1000, TC1000...(Other models you can see in the webshop)		

1 			
No.	359129	Ref. No.	075110
description	indicator lamp 24V clear connection male faston 6.3mm		
For models:	CT92DXE, CT92SXE, CT92DXEUK, CT92SXEUK, CT92DXV, CT92S XV, CT92DXVUK, CT92S XVUK, CT140EDX, CT140ESX, CT140EDXUK, CT140SXEUK, CT140VDX, CT140VSX, CT141EDX, CT141ESX, CT141E-DUK, CT141ESUK, CT141VDX, CT141VSX, CT142DXE, CT142SXE, CT142DXEUK, CT142SXEUK, CT142DXV, CT142S XV, CT190DXE, CT190SXE, CT190DXEUK, CT190SXEUK, CT190DXV, CT190S XV, CT-191DXE, CT191SXE, CT191DXE, CT191SXEUK, CT191DXV, CT191S XV, CT192DXE, CT192SXE, CT192DXEUK, CT192SXEUK, CT192DXV, CT192S XV, CT240DXE, CT240SXE, CT240DXEUK, CT240S XV, CT240DXV, CT240S XVUK...(Other models you can see in the webshop)		

1 			
No.	359131	Ref. No.	OKI361
description	indicator lamp 400V clear connection male faston 6.3mm		
For models:	AVAHOFOOOC, ACAWCBOOOC, ALAWCFOOOC, ALAWCAOOOC, ALAWCBOOOC, STE23A1A.582255, ACAWCAOOOC, ACAWCFOOOC, ACAWCAROOC, AHATRAOOOC, AHATUAOOOC, AHATRFOOOC, AHATUFOOOC, AHATQAOOOC, AHATTAOOOC, AHATQFOOOC, AHATTFOOOC, AHATSAOOOC, AHATVAOOOC, AHATSF00OC, AHAT-VFOOOC, APABPETOOC, APABPGTOOC, APACPITOOC, APACPGTOOC, AVABOE00OC, AVACOE00OC, AVAE0E00OC, AVAHOE00OC, AVABOETOOC, AVACOETOOC, AVAE0ETOOC, AVAHOETOOC, AVABOF-TOOC, AVACOFTOOC, AVAE0FTOOC, AVAHOFTOOC, AAATAOOOC, AAATHAOOOC, AAATAFOOOC, AAATHFOOOC, AAATABOOOC, AAATHBOOOC, AEAUCAJGOO, AEAXLAKFFO, AEAUCFJGOO, AEAXL-KFFO, AEAUCBJGOO, AEAXLBKFFO, AGPWCAGBOO...(Other models you can see in the webshop)		

1 			
No.	359133	Ref. No.	OKI362 72593804
description	indicator lamp 400V green connection male faston 6.3mm		
For models:	AVAHOFOOOC, ACARHAOO, ACARAFOO, ACARHFOO, ACARABOO, ACARHBOO, ACAWHFRO, ACAWAFOO, ACAWHFOO, ACAWHAAO, ACAWHBOO, ACAWABOO, ACAWHBOO, ACAWCBOOOC, ALARHF00-OO, ALARHASOOO, ALARHBSOOO, ALAWHF00OO, ALAWHASOOO, ALAWHBSOOO, ALARAFOOOC, ALARHFOOOC, ALARAAOOOC, ALARHAOOOC, ALARABOOOC, ALARHBOOOO, ALAWAFOOOC, ALAWHFOOOC, ALAWAAOOOC, ALAWHAOOOC, ALAWABOOOC, ALAWHBOOOO, ALAWCFOOOC, ALAWCAOOOC, ALAWCBOOOO, ACARAARO, ACAWAARO, ACAWCAOOOC, ACAWCFOOOC, ACAWCAROOC, ABARAAOOOC, ABARHAOOOC, ABARAF00OC, ABARHFOOOC, ABARACOOOC, ABARHCOOOO, ABAR-AOOOC, ABAR-FOOOC, ABARBCOOOC, ABAR-COOOC...(Other models you can see in the webshop)		

			
1			
No.	359132	Ref. No.	00052 004895 0K3497
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	SCE350, SCE700, SCFE700, SIE350, SVE700, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SFRE700, SCCE350, SME350, SME700, SGE350, SBRE350, SCPE350, SCFGE700, SCFGE1050, SCE350, SCE700, SCFE700, SIE350, SVE700, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SFRE350, SFRE700, SCCE350, SME350, SME700, SGE350, SBRE350, SCPE350, SCFGE700, SCFGE1050, PC35E6U, PC70E6U, BM35E6U, FTL35E6U, FTR35E6U, FTC35E6U, FTL70E6U, FTR70E6U, FTC70E6U...(Other models you can see in the webshop)		

indicator lights 3-piece (housing, lens and bulb)

ø19.2mm

			
1			
No.	359108	Ref. No.	0H6108 0H6109 0H6110 212569
description	indicator light ø 19.2mm green		

			
1			
No.	359107	Ref. No.	0H6111 212570
description	indicator light ø 19.2mm yellow socket E14		

lamps

light bulbs

			
1			
No.	359656	Ref. No.	0H2639 0K9109 0KC506
description	light bulb socket Ba9s 130V 2W ø 10mm L 28mm		
For models:	AR85, AR85, AR85, AR85, AR85, AR85, AR85, AR85, HC-CS, EBS50L, EBS100L, EBA100L, EBP100L, EBS200L, EBA200L, EBP200L, EBS300L, EBA300L, EBP300L		

			
1			
No.	359807	Ref. No.	0E0016 0K9110
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST...(Other models you can see in the webshop)		

			
1			
No.	357087	Ref. No.	053894 075026
description	light bulb socket Ba9s 30V 2W ø 10mm L 28mm		
For models:	FCVE10, FCVE20, FV4N, FVGC4, FV4G, FV4E, FV4N, FV4G, FV4E, FVAC041, LO/E480, PLO480/E, LO480EUK, LO480E/63, LO480VAPORESTD, PLO480V, LO480V/63-60HZ, LO/E250, PLO250E, LO/E250UK, LO250E/63, LOPE25, LOPE48, LO480Z-VAPORE		

neon light bulbs



1

No.	359606	Ref. No.	0H9799	
			0K2043	
			0K4896	
			0K4897	
			176769	
			18003946	
description	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm			
For models:	7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2			
accessories for	359606			
	No.	359832	Ref. No.	—
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm			
	No.	359853	Ref. No.	—
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm			

			
1			
No.	359602	Ref. No.	002592 07150205 0H7036 0H7144 0K3356 0K4892 0K9814 0KC231 18003900 188211410 30001874 72036132
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3		

			
1			
No.	359603	Ref. No.	002585 052204 07150215 0G0967 0H7037 0K4893 0K7293 0K9813 0KC232 18003901 188211420 565628 72036130
description	neon light bulb socket E14 380V clear ø 14mm L 30mm		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3		

			
1			
No.	359378	Ref. No.	0A2224 0G2390 0H6615 0K2046 0KD884 0KI684 0U4330 1010100503 3122720378 63406
description	indicator light ø 10mm 230V green connection male faston 6.3mm socket screw base		
For models:	5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, 5707-2-2, 5707-2-3, 5701-3-2, 5701-3-3, 5702-3-2, 5702-3-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, ROMA/E500, BOFR/G500, ROFR/G1000, ROBR/G1000, ROBR/G1010, ROBR/G1510, ROPN/G1000, ROPN/G1015, ROPN/G1020, ROM/E500, 5611-3-6, 5612-3-6, 5614-3-6		

indicator lights (complete)

ø 6mm

			
1			
No.	357084	Ref. No.	003032
description	indicator lamp ø 6mm 240V green		

			
1			
No.	345836	Ref. No.	049064 272017030T
description	indicator light ø 6mm 230V green cable length 250mm		
For models:	LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2D-PSAUS, LB1G, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, NGW, NGWDPDD, UC1, UC2WS, GW1, GW1WS, LV1WS, LV1WSDP, LV2WSDP, LV2WS, GW2D-PG...(Other models you can see in the webshop)		

			
1			
No.	359380	Ref. No.	0A2408 0KI685 0KV042 6327 63408
description	indicator light ø 10mm 230V red connection male faston 6.3mm socket screw base		
For models:	MVR/E1400, MVR/E1050, MVR/E1060, 7BAE10C, 7BAE14S, 7BAE10S, B105RC, B140RC, KVRC/E3, HVR/E1200, QVRC/E3, WVRC/E3, MVR/E3C, MVR/E3, MVR/E4C, MVR/E4		

			
1			
No.	359379	Ref. No.	0A2225 3122006478
description	indicator light ø 10mm 230V yellow connection male faston 6.3mm socket screw base		
For models:	ROMA/E500, BOFR/G500, ROFR/G1000, ROBR/G1000, ROBR/G1010, ROBR/G1510, ROPN/G1000, ROPN/G1015, ROPN/G1020, ROM/E500		

ø10mm

with screw socket

			
1			
No.	359995	Ref. No.	OKL449
description	indicator light ø 10mm 230V clear connection male faston 6.3mm		

with plug-in socket

			
1			
No.	359232	Ref. No.	0H6106 1010100603 60050379
description	indicator light ø 10mm clear 230V connection male faston 2.8mm Qty 1 pcs		



1

No.	359139	Ref. No.	004169 058544 0K2965 28H2740378
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	MCP/E700, MCP/E700D, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, 7CPE07P, M70EPC, CCP/E700, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCFG6D, FCFE6D, FCFE6D...(Other models you can see in the webshop)		



2

No.	359019	Ref. No.	004157 91310111
description	indicator light ø 10mm green 400V connection male faston 6.3mm Qty 1 pcs		
For models:	ZCMM6, ZCBME12, ZCMM4, ZCBME8, ZCMM9, ZCBME18, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835		



1

No.	359138	Ref. No.	005214 056429 0C3052 0C4181 3570553101
description	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs		
For models:	FCF/E4, FCF/E4-3KW, FCF4E, FCF4E-3KW, ECF4E, ECF4E3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, ACF4E, ACF4E3KW NCF/E4, ZCF/E4, ZCF/E4		



1

No.	359231	Ref. No.	0H6616 0K2047
description	indicator light ø 10mm yellow 230V connection male faston 2.8mm Qty 1 pcs		
For models:	5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5701-3-2, 5701-3-3, 5702-3-2, 5702-3-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, 5611-3-6, 5612-3-6, 5614-3-6		



1

No.	359140	Ref. No.	005215 058522 28H2120478
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/G6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E4, FCF/E4-3KW, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL...(Other models you can see in the webshop)		

ø12mm

with screw socket



1

No.	359027	Ref. No.	003531
description	indicator light ø 12mm 250V green connection male faston 6.3mm		
For models:	HPN/EI855, HPN/EI1255, ZPN/EI1255		

ø12.5mm



1

No.	359999	Ref. No.	0H2633 0K9096
description	indicator light ø 12.5mm 230V clear connection male faston 6.3mm		
For models:	HCCS20W, HCCS20W, EBE40., EBE40, EBE40., EBE040, EBE60., EBE60., EBE60., EBE80., EBE80., EBE80., EBE80, EBE100., EBE100., EBE100., EBE100, EBS50., EBS50H, EBS100., EBS100H, EBS150., EBS150H, EBS200., EBS200H, EBS300., EBS300H, EBV50., EBV50H, EBV100., EBV100H, EBV150, EBV150H, EBV200., EBV200H, EBV300., EBV300H, EBVc50, EBVc50H, EBVc100, EBVc100H, EBVc150, EBVc150H, EBVc200, EBVc200H, EBVc300, EBVc300H, EBP100., EBP100M...(Other models you can see in the webshop)		

ø13mm				
with screw socket				
				
1				
No.	359145	Ref. No.	0C3487 0H6619 18005620 5322720379 622885	
description indicator light ø 13mm 230V green t.max. 120°C				
For models: DLP/SCE, DLP/SUK, ELP/SUSA, DLP/LCE, DLP/LUK, ELP/LUSA, 7561-3. KES60.RW, 7562-3.KES80.RW, 7563-3.KES100.RW, 7564-3.KES150.RW, 7581-5.KK60, 7582-5.KK80, 7583-5.KK100, 7781-5.KK60, 7782-5.KK80, 7783-5.KK100, 7580-5.KK40, 7584-5.KK150, 7780-5.KK40, 7744-3/85. KB.(N), 7508-3/85., 7542-3/85., 7544-3/85.KB.(N), 7542-3/90.KB.(N), 7544-3/90.KB.(N), 7742-3/90.KB.(N), 7742-3/85.KB.(N), 7744-3/90. KB.(N), 7561-3/85.KES60.RW., 7562-3/85.KES80.RW., 7563-3/85. KES100.RW., 7564-3/85.KES150.RW., 7561-3/90.KES60.RW., 7562-3/90. KES80.RW., 7563-3/90.KES100.RW., 7564-3/90.KES150.RW., 7573-3/85. KES100.(N), 7574-3/85.KES150.(N), 7575-3/85.KES250.(N), 7576-3/85. KES300.(N), 7573-3/90.KES100.(N), 7574-3/90.KES150.(N), 7575-3/90. KES250.(N), 7576-3/90.KES300.(N), 7580-5/85.KK40.(N), 7581-5/85. KK60.(N), 7582-5/85.KK80.(N), 7583-5/85.KK100.(N), 7584-5-85.KK150. (N), 7580-5/90.KK40.(N)...(Other models you can see in the webshop)				
accessories for 359145				
	No.	510302	Ref. No.	047986 0H2550 0Q0014 543619100
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs				
	No.	511505	Ref. No.	—
O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs				

				
1				
No.	359144	Ref. No.	005012 058712 058727 0C0687 0H6620 0KF061 0W0314 464044000 5322080179	
description indicator light ø 13mm 230V red				
For models: MPN/EI760, MPNEI760UK, 7PIE06, RPN/EI760UK, M70EIKE, XPN/ EI760UK, XPN/EI760D, PPD/G260, PPI/G260P, PPI/E260P, OPD/ G260, OPI/G260P, OPI/E260P, TPD/G260, TPI/G260P, TFRE1S12M0, TFRE2D12M0, TFRE1S12M4, TFRE2D12M4, KPI/G10, KPI/G15, KPI/E10, KPI/E15, KPD/G10, KPD/G15, KPD/G15A, KPI/G15A, KPI/E15A, KPI/G06 KPI/E06, KPI/G15H, KPI/E15H, KPI/G10H, KPI/E10H, KBR/G2F, KBR/G2C, KBR/G3F, KBR/G3FH, KBR/G3C, KBR/G3CH, KBR/E2F, KBR/E2C, KBR/ E3F, KBR/E3FH, KBR/E3C, KBR/E3CH, KBR/G2FH, KBR/G2CH, KBR/E2FH, KBR/E2CH...(Other models you can see in the webshop)				
accessories for 359144				
	No.	510302	Ref. No.	047986 0H2550 0Q0014 543619100
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs				
	No.	511505	Ref. No.	—
O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs				



1

No.	359146	Ref. No.	0H6618 18005621 5322080479
description	indicator light ø 13mm 230V yellow		
For models:	7561-3.KES60.RW, 7562-3.KES80.RW, 7563-3.KES100.RW, 7564-3.KES150.RW, 7581-5.KK60, 7582-5.KK80, 7583-5.KK100, 7781-5.KK60, 7782-5.KK80, 7783-5.KK100, 7580-5.KK40, 7584-5.KK150, 7780-5.KK40, 7751-3/85.KES60, 7744-3/85.KB.(N), 7542-3/85., 7544-3/85.KB.(N), 7542-3/90.KB.(N), 7544-3/90.KB.(N), 7742-3/90.KB.(N), 7742-3/85.KB.(N), 7744-3/90.KB.(N), 7550-3/85.KES40.(N), 7551-3/85.KES60, 7552-3/85.KES80.(N), 7553-3/85.KES100.(N), 7554-3/85.KES150.(N), 7550-3/90.KES40.(N), 7551-3/90.KES60, 7552-3/90.KES80.(N), 7553-3/90.KES100.(N), 7554-3/90.KES150.(N), 7561-3/85.KES60.RW., 7562-3/85.KES80.RW., 7563-3/85.KES100.RW., 7564-3/85.KES150.RW., 7561-3/90.KES60.RW., 7562-3/90.KES80.RW., 7563-3/90.KES100.RW., 7564-3/90.KES150.RW., 7580-5/85.KK40.(N), 7581-5/85.KK60.(N), 7582-5/85.KK80.(N), 7583-5/85.KK100.(N), 7584-5/85.KK150.(N), 7580-5/90.KK40.(N), 7581-5/90.KK60.(N), 7582-5/90.KK80.(N), 7583-5/90.KK100.(N), 7584-5/90.KK150.(N)...(Other models you can see in the webshop)		
accessories for	359146		
	No.	510302	Ref. No. 047986 0H2550 0Q0014 543619100
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	No.	511505	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		

			
1			
No.	357085	Ref. No.	0E5134 0K8276
description	indicator light ø 13mm 24V clear connection male faston 6.3mm screw base		
For models:	PW1EFL, PW1EFLF, PW1EFL/60HZ, PW2EFL, PW2EFLF, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFLF, WT830EFL/60HZ, WT850, WT850EFLF, WT850EFL/60HZ, WT850SFL, TW1ERECO, TW1ELECO, TW1SRECO, TW1SLECO, RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS...(other models you can see in the webshop)		

with plug-in socket



			005010
			058596
			058658
No.	359364	Ref. No.	0K2922
			0KF056
			727941
			727996
			728026
description	indicator light ø 13mm green 230V		
For models:	MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MC/E350D, MC/E350UK, MC/E700D, MC/E700UK, MC/E1050D, MCF/GE1055UK, MC/E350, MC/E700, MC/E1050, MI/E350, MI/E700, MIF/E700, MI/E350D, MI/E700D, MIF/E700D, MI/E360, MI/E710, MIF/E710, MI/E360D, MI/E710D, MIF/E710D, MBR/G710D, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/E740, MPN/E1760, MPNEI760UK, BC/E1, BCF/E2, BF/E1S12, BFR/E1S14, BR/E1FL, BR/E1FR, BR/E2FL, BR/E2FR...(Other models you can see in the webshop)		



			005011
			058631
			058659
No.	359365	Ref. No.	0KF058
			727997
			728027
description	indicator light ø 13mm yellow 230V		
For models:	MCF/GE705, MCF/GE1055, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MCF/GE1055UK, MIF/E700, MIF/E700D, MIF/E710, MIF/E710D, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/E740, BCF/E2, BF/E1S12, BFR/E1S14, BR/E1FL, BR/E1FR, BR/E2FL, BR/E2FR, MF/E700, RCF/M2, RCF/M3, RCF/E2, RCF/E2MO, RCF/E2M4, RCVF/E3MO, RCVF/E3M4, RCF/E2E5, RBR/E2FM, RBR/E2IM, RBK/E2FM, RMV/E1C...(Other models you can see in the webshop)		

ø14mm

with plug-in socket



No.	359151	Ref. No.	026456
			053148
			053154
			068694
			0HB053
			0W2002
			42U2780387
			4619400
description	indicator light ø 14mm green 400V connection male faston 6.3mm temp.-resist. 120°C		
For models:	HCF/E800, HCF/E800UK, HCF/E800, HCF/GE81, HCF/GE81, HCF/GE80, HCF/GE80, HRS/E401, HRS/E401UK, HRS/E411, HRS/E801, HRS/E801U, HRS/E802, HRS/E812, HRS/E811, HRA/E802, HR/E401T, HR/E411, HR/E801T, HR/E811T, HR/E802, HMS/E400, HMS/E800, HMA/E800, HMS/E400, HMS/E800, HMA/E800, HM/E400T, HM/E800T, HQN/EI917, HQN/EI1225, HPN/E810, HPN/EI810, HPN/E815, HPN/EI810, HPA/EI810, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G805, HBR/G1003, HBR/G1003, HBR/G1004, HBR/E801, HBR/E803, HBR/E804, HBR/E805UK, HBR/E1003...(Other models you can see in the webshop)		



No.	359150	Ref. No.	026385
			053150
			053153
			068624
			0K7814
			42U2120187
description	indicator light ø 14mm red 400V connection male faston 6.3mm temp.-resist. 105°C square		
For models:	HQN/EI917, HQN/EI1225, HPN/E810, HPN/EI810, HPN/E815, HPN/EI810, HPA/EI810, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G805, HBR/G1003, HBR/G1003, HBR/G1004, HBR/E803, HBR/E804, HBR/E805UK, HBR/E1003, HBR/G803, HBR/G804, HBR/G1013, HBR/E1013, HCP/E800, HCP/E400, HBR/G803, HBR/G804, HBR/G1003, HBR/G1013, HBR/E803, HBR/E804, HBR/E1003, HBR/E1013, HPN/E810, HPN/E815, HPN/EI810, HPN/EI810, HPA/EI815, HQNEI817, HQNEI122		



No.	359152	Ref. No.	045272
			053149
			053155
			068625
			42U2120487
description	indicator light ø 14mm yellow 400V connection male faston 6.3mm temp.-resist. 105°C square		
For models:	HCF/E800, HCF/E800UK, HCF/E800, HCF/GE81, HCF/GE81, HCF/GE80, HCF/GE80, HRS/G802, HRS/G812, HRS/E411, HRS/E801U, HRS/E802, HRS/E812, HRA/G802, HRA/E802, HR/E411, HR/E802, HMS/E400, HMS/E800, HMA/E800, HMS/E400, HMS/E800, HMA/E400T, HM/E400T, HM/E800T, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G805, HBR/G1003, HBR/G1003, HBR/G1004, HBR/E801, HBR/E803, HBR/E804, HBR/E805UK, HBR/E1003, HBR/G803, HBR/G804, HBR/G1013, HBR/E1013, HFR/G420, HFR/G420, HFR/G420NL, HFR/G840, HFR/G840, HFR/G840, HFR/G840...(Other models you can see in the webshop)		

ø16mm

with plug-in socket



No.	359518	Ref. No.	006849
			0G2317
			245888
description	indicator light ø 16mm 230V green		
For models:	7550-5.KES40, 7551-5.KES60, 7552-5.KES80, 7553-5.KES100, 7554-5.KES150, 7574-5.KES150, 7575-5.KES250, 7750-5.KES40, 7751-5.KES60, 7752-5.KES80, 7753-5.KES100, 7754-5.KES150, 7576-5.KES300, 7573-5.KES100, 7720-3/90.WB.GN1/1., 7520-3/85.WB.GN1/1., 7731-3/85.GRPL.VCHR, 7701-3/85, 7721-3/85.WB.GN2/1, 7751-3/85.KES60, 7501-3/85., 7531-3/85., 7501-3/90.HE.4PL.(N), 7531-3/90.GRPL.(N), 7502-3/85., 7520-3/90.WB.GN1/1., 7720-3/85.WB.GN1/1., 7746-3/90.KB.(N), 7748-3/90.KB.(N), 7747-3/90.KB.(N), 7550-3/85.KES40.(N), 7551-3/85.KES60, 7552-3/85.KES80.(N), 7553-3/85.KES100.(N), 7554-3/85.KES150.(N), 7550-3/90.KES40.(N), 7551-3/90.KES60, 7552-3/90.KES80.(N), 7553-3/90.KES100.(N), 7554-3/90.KES150.(N), 7550-5/85.KES40.(N), 7551-5/85.KES60.(N), 7552-5/85.KES80.(N), 7553-5/85.KES100.(N), 7554-5/85.KES150.(N), 7550-5/90.KES40.(N), 7551-5/90.KES60.(N), 7552-5/90.KES80.(N), 7553-5/90.KES100.(N), 7554-5/90.KES150.(N)...		
	(Other models you can see in the webshop)		

ø19mm



1

No.	345768	Ref. No.	0H6107 OK0480
description	indicator light ø 19mm 230V red		



1

No.	359519	Ref. No.	002584 0H2175 OK4898 OK7286 0KE384 18003952 30000074 72036101
description	indicator light housings mounting measurements ø19mm socket E14 clear		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3		

ø20mm



1

No.	359516	Ref. No.	002162 OK4903 18003967 249780 70031902
description	indicator light ø 20mm 230V clear		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, CEB068, BE1-WS-C.3, CEB069, UEB068, UEB069, CGB068, CGB069, UGB068, UGB069		



1

No.	359514	Ref. No.	002161 OG0220 OK3006 OK4900 OK4902 18003964 18003966 249618 249816 70031901 70031909
description	indicator light ø 20mm 230V green connection male faston 6.3mm ambient temperature max. 125°C		
For models:	CEB068, CEB069, UEB068, UEB069, CGB068, CGB069, UGB068, UGB069		

ø22mm



1

No.	359508	Ref. No.	OK4580 OK4859 OK4905 12011865 18002879 18003969 199161 72457405
description	indicator light ø 22mm 230V clear connection screw		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		



1

No.	359506	Ref. No.	OG1917 OK5043 OK5094 OK5120 OKG881 OKI198 18002877 18015471 18025474 18025507 199175 72457401
description	indicator light ø 22mm 230V green connection screw temp.-resist. 60°C		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE159-390W.3, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, HLI159-371W.3, HLI159-373.3, HLI259-390W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LI159-375.3...(Other models you can see in the webshop)		



			
No.	359512	Ref. No.	OK6368 OK6559 199155 72457406
description	indicator light ø 22mm 400V clear connection screw temp.-resist. 60°C		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		

			
No.	359510	Ref. No.	OG2093 OK4858 OK6366 OK8427 OKJ579 18002876 18015421 199154 199174 724574 72457402
description	indicator light ø 22mm 400V green connection screw temp.-resist. 60°C		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		

ø25mm

			
No.	358138	Ref. No.	OK5929
description	indicator light housings mounting measurements 25mm socket E14 red connection screw clamp 2W 250V		

28.5x28.5mm

			
No.	345728	Ref. No.	0A8692
description	indicator light lens 23x23 orange defrost		
For models:	EMVN500, MVN112V12C, DVP500V11C, DVP501V11C, MVP502V11C, DVN500V11C, DVN501V11C, DVP500V11V, DVP501V11V, MVP502V11V, EDVN500, DVN501V11V, DVP600V11C, DVP601V11C, MVP602V11C, DVP600V12C, DVP601V12C, DVN600V11C, DVN601V11C, DVN600V12C, DVN601V12C, DVP600V11V, DVP601V11V, EMVP602, DVN600V11V, EDVN601, DVP110V12C, DVP111V12C, MVP112V12C, DVN110V12C, DVN111V12C, DVP110V12V, DVP111V12V, MVP112V12V, EDVN1100, EDVN1101, DVP130V12C, DVP131V12C, MVP132V12C, DVN130V12C, DVN131V12C, DVP130V14C, DVP131V14C, DVN130V14C, DVN131V14C, DVP130V12V, DVP131V12V, EEVNI1301, DVN130V12V, EDVN1300...(Other models you can see in the webshop)		

30x22mm

			
No.	359156	Ref. No.	OKM981
description	indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm temp.-resist. 125/55°C type RL2		

31x10mm

			
No.	359306	Ref. No.	0H6581
description	indicator light mounting measurements 31x10mm 230V white/red/green		
For models:	7507-2, 7508-2, 7707-2		

33x10mm

			
No.	359842	Ref. No.	056501
description	indicator light mounting measurements 33x10mm 24V white		
For models:	FCVE6-3CE, FCVE103CE, FCVE203CE, FCVM62E, FCVM62EUK, FCV-MG62, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3		

34x12mm



1

No.	359311	Ref. No.	0H6614
description	indicator light mounting measurements 34x12mm 230V green/red		

miscellaneous

1

No.	359301	Ref. No.	0K3357
description	indicator light		



1

No.	359006	Ref. No.	069417 0K3776 226006
description	indicator light white 230V		
For models:	LTB12, LTB22, LTB12UK, LTB22UK, LTB22, CRYSTAL 22		

1

No.	359758	Ref. No.	0K3095
description	indicator light yellow		

blank elements



1

No.	359844	Ref. No.	005212 0C3049 3556043077 3556146011
description	indicator light lens red ø 6mm		
For models:	FCF/E4, FCF/E4-3KW, FCF4E, FCF4E-3KW, ECF4E, ECF4E3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, ACF4E, ACF4E3KW, NCF/E4, ZCF/E4, ZCF/E4		



1

No.	359845	Ref. No.	005211 3556043085 3556146029
description	indicator light lens yellow ø 6mm		
For models:	FCF/E4, FCF/E4-3KW, FCF4E, FCF4E-3KW, ECF4E, ECF4E3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, ACF4E, ACF4E3KW, NCF/E4, ZCF/E4, ZCF/E4		

screw-on/push-on fit

neon light bulbs



1

No.	359606	Ref. No.	0H9799 0K2043 0K4896 0K4897 176769 18003946
description	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm		
For models:	7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2		
accessories for	359606		



No.	359832	Ref. No.	—
description	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm		
No.	359853	Ref. No.	—
description	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm		



1

No.	359602	Ref. No.	002592 07150205 0H7036 0H7144 0K3356 0K4892 0K9814 0KC231 18003900 188211410 30001874 72036132
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3		

			
1			
No.	359603	Ref. No.	002585 052204 07150215 0G0967 0H7037 0K4893 0K7293 0K9813 0KC232 18003901 188211420 565628 72036130
description neon light bulb socket E14 380V clear ø 14mm L 30mm			
For models: BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3			

light bulbs

for ovens

			
1			
No.	359610	Ref. No.	0A2883 0H7035 0K6588 0KE265 0KS867 3000031017 6061052 E767
description light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips			

			
1			
No.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
description light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
For models: HCCS20W, HCCS20W, FCF02EV, FCF02EOEM, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E3, FCF/E4, FCF/E4-3KW, FCF4E, FCF4E-3KW, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F...(Other models you can see in the webshop)			

			
1			
No.	359611	Ref. No.	081696 0S0596
description light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT			
For models: AP20, ALP110, ALP120, ALP220, ALP240, ALN110, ALN120, ALN220, ALN240, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ADN220ES, ADF110ES, ADF220ES, ADN110ESP, ADF110ESP, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILN-N220UK, ALP110UK...(Other models you can see in the webshop)			

for indicator lights

			
1			
No.	359656	Ref. No.	0H2639 0K9109 0KC506
description light bulb socket Ba9s 130V 2W ø 10mm L 28mm			
For models: AR85, AR85, AR85, AR85, AR85, AR85, AR85, HC-CS, EBS50L, EBS100L, EBA100L, EBP100L, EBS200L, EBA200L, EBP200L, EBS300L, EBA300L, EBP300L			

			
1			
No.	359807	Ref. No.	0E0016 0K9110
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST, FT50WVDT, FT50WVST, FT72WEDT, FT72WEST...(Other models you can see in the webshop)		

			
1			
No.	357087	Ref. No.	053894 075026
description	light bulb socket Ba9s 30V 2W ø 10mm L 28mm		
For models:	FCVE10, FCVE20, FV4N, FVGC4, FV4G, FV4E, FV4N, FV4G, FV4E, FVAC041, LO/E480, PLO480/E, LO480EUK, LO480E/63, LO480VAPO-RESTD, PLO480V, LO480V/63-60HZ, LO/E250, PLO250E, LO/E250UK, LO250E/63, LOPE25, LOPE48, LO480Z-VAPORE		

halogen lamp

for socket E14 / E27

			
1			
No.	359728	Ref. No.	006645
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	MAX18/35X		

for socket G4 / G6.35 / G9

			
1			
No.	357191	Ref. No.	0C4396 0C9877
description	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2...(Other models you can see in the webshop)		

			
1			
No.	359596	Ref. No.	0H7038 0H7039 359596 565729 60050471
description	halogen lamp socket G4 12V 10W temp.-resist. 500°C		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		

			
1			
No.	359599	Ref. No.	002956 007056 0C2803 0K2984 0K8586 0KE767 0W1780 60050318
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

			
1			
No.	359946	Ref. No.	0C5605 0C5813 0C8662 8085641028
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C		
For models:	MAX18/35X, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835		

linear lamps

halogen lamps

			
1			
No.	359313	Ref. No.	032118 093041 099154 0TTF29
description	halogen lamp socket R7s L 117.6mm 230V 150W IMPORT		
For models:	WMGHUK, DL07/NA, DL14/NA, DL14/AC, DL07/C, DL14/F, DL21/F, DL14/F, DLP21/F, SM08C, SM15CP, SM15C, SM15CA, SM15/CS, SM21/CP, SM21C, SM21CA, SM15VP, SM15VA, SM21VP, SM21VA, SMPV07, FSV07C2X, FSV11C3X, FSV15C4X, FSV07C2C, CM07C, FSV11C3C, FSV15C4C, FSV11C3CX, CM07C2, FSV15C4CX, FSV11C3CC, FSV15C4CC, CM11C, CM11C2, CM15C, CM15C2, D107HWD, SM08C, SM15C, SM15/CS, SM21C, SM15F, SM21F, SMP15F, SMP21F, ZSM08/C, ZSM15/C, ZSM15/CS...(Other models you can see in the webshop)		



infrared lamps

with base type X lug



No.	359617	Ref. No.	0k3359
description	infrared lamp 1000W 220V L 365mm lens L 340mm total length 480mm with mounting strap		

with base type Z ceramic



No.	359625	Ref. No.	0K9756 19250701
description	infrared lamp socket Z-ceramic L 226mm 220-250V 500W cable length 195mm IMPORT		

fridge lamps



No.	358118	Ref. No.	090199
description	light bulb socket E12 40W 130V ø 50mm L 70mm lens L 50mm clear		
For models:	83012201, ARDF110L, ARDF120, ASF110, ADF110, ADF120, ADN240, ADF11060, PROGRE1FUS, RH06RE1FUS, RH06FE1FUS, RH14RE2FUS, RH14FE2FUS, RH06DD2U, RH06DFD2U, RH14DD2FU, RH14DFD2FU, RH14DD3U, RH14DFD3U, MCD650F, MCD650F2, RH06RE1FEU, RH06FE1FEU, RH14RE2FEU, RH14FE2FEU, PR43RE1FEU, RH06RE2HU, RH14RE4HU, RH14FE4HU, RH06FE1FDU, RH14FE2FDU, RH06R1FERU, RH06F1FERU, RH14R2FERU, RH14F2FERU, RH06R1FD4U, RH06REH-RU, RH06FE2HRU, RH14RE4HRU, RH14FE4HRU, RH06FD1F, FSD36, RH06FD1FL, RH06FD1FR, RH06FD2F, C06FD2FR, FS25, RS05FD1F, RH06FD1F6, E05C0D1C...(Other models you can see in the webshop)		

producer-specific fridge lamps

ELECTROLUX



No.	357106	Ref. No.	081697
description	lamp glass L 103mm W 65mm plastic		
For models:	AP20, ALP110, ALP120, ALP220, ALP240, ALN110, ALN120, ALN220, ALN240, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ADN220ES, ADF110ES, ADF220ES, ADN110ESP, ADF110ESP, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILN220UK, ALP110UK...(Other models you can see in the webshop)		



No.	357108	Ref. No.	082326
description	socket socket E14 250V mounting ø 27mm mounting thread 1/8"		
For models:	ALP110, ALP120, ALP220, ALP240, ALN110, ALN120, ALN220, ALN240, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILNN220UK, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ILF110, ILF110...(Other models you can see in the webshop)		

oven lamps

universal oven lamps

mounting diameter 28.5mm



No.	359317	Ref. No.	0H7040 0K3358 567783
description	oven lamp mounting ø 28.5mm 12V 5W socket G4 temp.-resist. 300°C cable length 300mm		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		
spare parts for	359317		
	No.	Ref. No.	0H6582 60050416 7791450300
oven lamp glass			



No.	359308	Ref. No.	0H6582 60050416 7791450300
description	oven lamp glass		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		

mounting diameter 35.5mm



No.	360738	Ref. No.	0E3681
description	oven lamp complete L 69mm W 42mm 250V 15W socket E14 temp.-resist. 350°C connection F6.3x0.8		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		



1

No.	359718	Ref. No.	0H6105 7722251616	
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas			
spare parts for	359718			
	No.	359701	Ref. No.	002625 0C5508 60050296
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			
	No.	359740	Ref. No.	—
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT			

1

No.	359701	Ref. No.	002625 0C5508 60050296
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, ECF/G6/0, ECFG101-0, ECFG102-0, ECFG201-0, ECFG202-0, ECF/E6-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF061ENS, ECF101ENS, ECF102ENS, ECF201ENS, ECF061E5M, ECF061ECV, ACF/G6-0, ACFG101-0, ACFG102-0, ACFG201-0, ACFG202-0, ACF/E6-0, ACFE101-0, ACFE102-0...(Other models you can see in the webshop)		
accessories for	359701		
	No.	359705	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C			
	No.	359709	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C			
	No.	359721	Ref. No. —
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs			
	No.	359942	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C			

1

No.	357080	Ref. No.	007055
description	lamp socket socket G4 mounting ø 35.5mm connection cable 2400mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ061ETH, FCZ101ETH, FCZ061ETN, FCZ101ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ101GTG, FCZ102GTG, FCZ101GTD, FCZ102GTD, FCZ061EBA, FCZ101EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ061EBH2, FCZ101EBH2, FCZ061EBN2, FCZ101EBN2, FCZ061EBC2, FCZ101EBC2, FCZ061GBG, FCZ101GBG, FCZ102GBG, FCZ061GBD, FCZ101GBD, FCZ102GBD, FCZ061GBI, FCZ101GBI, FCZ101GBG2, FCZ102GBG2, FCZ101GBD2, FCZ102GBD2...(Other models you can see in the webshop)		

1

No.	359841	Ref. No.	007105
description	lamp socket socket G4 mounting ø 35.5mm connection cable 3500mm		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCZ201GCG, FCZ202GCG, FCZ201GCD, FCZ202GCD, FCZ201GCG2, FCZ202GCG2... (Other models you can see in the webshop)		

accessories for	359841			
	No.	359763	Ref. No.	002626 0F0075 0K8368 0KE752 30001788 60050280

frame without socket

	No.	359764	Ref. No.	002627 0F0071 0K8365
---	-----	--------	----------	----------------------------

lamp glass ø 44mm

	No.	359765	Ref. No.	002628 0F0150 0K8376 60050281
---	-----	--------	----------	--

lamp holder ID ø 38mm ED ø 76mm

			
1			
No.	359762	Ref. No.	002709 006106 0C1555 60050279
description lamp socket socket G4 mounting ø 35.5mm connection cable 450mm			
For models: FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L-3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6...(Other models you can see in the webshop)			

mounting diameter 47.8mm			
			
1			
No.	357187	Ref. No.	056708
description oven lamp mounting ø 47.8mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas			
For models: FZG18, FZE18, FPE30, FPE18, FZ/G18, FZ/E18, FP/E30, FP/E18			
spare parts for 357187			
			
No.	359610	Ref. No.	0A2883 0H7035 0K6588 0KE265 0KS867 3000031017 6061052 E767
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips			
			
No.	359725	Ref. No.	—
oven lamp glass thread ø 44mm H 43mm ø 54mm hard glas temp.-resist. 350°C			

mounting diameter 65.5mm			
			
1			
No.	357078	Ref. No.	033804
description oven lamp mounting ø 65.5mm 230V 40W socket G9 temp.-resist. 300°C connection male faston 6.3mm hard glas			
For models: MP712BT, MP928BT, MC2036BT, MPV920BT, MPV924BT, MCV2032BT, BP1124BT, BC1432BT, BC1832BT, BC2232BT, EP1112T, EP1428T, EC1428T, EC1828T, EC2228T, EP1116T, EP1120T, EP1124T, EP1128T, EP1132T, EP1136T, EP1140T, EP1412T, EP1416T, EP1420T, EP1424T, EP1432T, EP1436T, EP1440T, EC1412T, EC1416T, EC1420T, EC1424T, EC1432T, EC1436T, EC1440T, EC1816T, EC1820T, EC1824T, EC1832T, EC1836T, EC1840T, EC2220T, EC2224T, EC2232T, EC2236T, EC2240T, MPV712BT, MPV716BT, MPV720BT...(Other models you can see in the webshop)			

			
1			
No.	359022	Ref. No.	004160
description lamp socket socket E14 mounting ø 65.5mm connection male faston 6.3mm			
For models: MAX18/35X, ZCMDG6, ZCMDE6, ZCBDE12, ZCMME6, ZCBME12, ZCMDG4, ZCMDE4, ZCBDE8, ZCMME4, ZCBME8, ZCMDG9, ZCMDE9, ZCBDE18, ZCMME9, ZCBME18, ZCBDG8, ZCBDG12, ZCBDG18, FFPS16, FFPS32, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835			

			
1			
No.	359724	Ref. No.	003451 004163
description oven lamp glass thread ø 62mm H 46mm ø 74mm hard glas temp.-resist. 350°C			
For models: MAX18/35X, ZCMDE6, ZCBDE12, ZCMME6, ZCBME12, ZCMDE4, ZCBDE8, ZCMME4, ZCBME8, ZCMDE9, ZCBDE18, ZCMME9, ZCBME18, ZCBDG8, ZCBDG12, ZCBDG18, FFPS16, FFPS32, ZMMDG4, ZMBDG8, ZMMDG4, ZMMDG6, ZMBDG12, ZMMDG6, FPS/18, FPS/30, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835			

			
1			
No.	357083	Ref. No.	005875
description	sealing ring metal ID ø 62.5mm ED ø 80mm thickness 3mm		
For models:	MAX18/35X, ZCMM6, ZCBME12, ZCMM4, ZCBME8, ZCMM9, ZCBME18, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835		

55x70mm

			
1			
No.	357164	Ref. No.	OKL472
description	oven lamp complete 230V 25W socket G9 rectangular connection male faston 6.3mm L 70mm W 55mm		
For models:	HCCS20W, HCCS20W, A-O-H/S, A-O-H/W, A-O-H/PT, A-O-H/M50, A-O-H/M60, HC-CS, HC-CS		

55x100mm

1

No.	359698	Ref. No.	054991 055021 0G3691 77722210423
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
For models:	FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG41J, FCFG40J, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-1SG, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D...(Other models you can see in the webshop)		
spare parts for	359698		
	No.	358119	Ref. No.
	frame L 118mm W 72mm mounting distance 143mm for bulb socket		
	No.	358122	Ref. No.
	gasket L 112mm W 68mm silicone thickness 3mm for bulb socket		
	No.	358123	Ref. No.
	lamp glass L 112mm W 68mm		

spare parts for		359698		
	No.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	No.	359714	Ref. No.	055022 0H2410 0H6672 0K7946
	gasket for bulb socket			
	No.	359715	Ref. No.	0H6989 284255 7872150100
	lamp glass L 110mm W 65mm thickness 5mm			
	No.	359716	Ref. No.	0H7118
	frame for bulb socket			
accessories for		359698		
	No.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	No.	359938	Ref. No.	—
	borosilicate glass L 115mm W 69mm			

			
1			
No.	359716	Ref. No.	0H7118
description	frame for bulb socket		
For models:	9030-2, 9031-2		

			
1			
No.	359714	Ref. No.	055022 0H2410 0H6672 0K7946
description	gasket for bulb socket		
For models:	FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG41J, FCFG40J, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-1SG, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D...(Other models you can see in the webshop)		

			
1			
No.	359715	Ref. No.	0H6989 284255 7872150100
description	lamp glass L 110mm W 65mm thickness 5mm		
For models:	9030-2, 9031-2, 9100-2, 9101-2, 9102-2, 9104-2		

			
1			
No.	359698	Ref. No.	054991 055021 0G3691 77722210423
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
For models:	FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG41J, FCFG40J, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-1SG, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D...(Other models you can see in the webshop)		
spare parts for	359698		
	No.	358119	Ref. No.
	frame L 118mm W 72mm mounting distance 143mm for bulb socket		
	No.	358122	Ref. No.
	gasket L 112mm W 68mm silicone thickness 3mm for bulb socket		
	No.	358123	Ref. No.
	lamp glass L 112mm W 68mm		

spare parts for	359698		
	No.	359612	Ref. No.
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	No.	359714	Ref. No.
	gasket for bulb socket		
	No.	359715	Ref. No.
	lamp glass L 110mm W 65mm thickness 5mm		
	No.	359716	Ref. No.
	frame for bulb socket		
accessories for	359698		
	No.	359612	Ref. No.
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	No.	359938	Ref. No.
	borosilicate glass L 115mm W 69mm		



1

1



			
No.	359765	Ref. No.	002628 0F0150 OK8376 60050281
description	lamp holder ID ø 38mm ED ø 76mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
No.	359841	Ref. No.	007105
description	lamp socket socket G4 mounting ø 35.5mm connection cable 3500mm		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCZ201GCG, FCZ202GCG, FCZ201GCD, FCZ202GCD, FCZ201GCG2, FCZ202GCG2...(Other models you can see in the webshop)		
accessories for	359841		
	No.	359763	Ref. No. 002626 0F0075 OK8368 0KE752 30001788 60050280
	frame without socket		
	No.	359764	Ref. No. 002627 0F0071 OK8365
	lamp glass ø 44mm		
	No.	359765	Ref. No. 002628 0F0150 OK8376 60050281
	lamp holder ID ø 38mm ED ø 76mm		

			
No.	359762	Ref. No.	002709 006106 0C1555 60050279
description	lamp socket socket G4 mounting ø 35.5mm connection cable 450mm		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L-3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6...(Other models you can see in the webshop)		

			
No.	360647	Ref. No.	0C4459
description	reflector		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
No.	359376	Ref. No.	054320
description	lamp socket socket E14		
For models:	FCF/E4, FCF/E4-3KW, FCF/E4-OLD, FCF/E4D, FCFE4PH, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, FCF/E4OLD3, ACF/E4, ACF/E4-3KW, FCF/E4OLD4, NCF/E4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D, ZCF/E4, ZCF/E4		
accessories for	359376		
	No.	359377	Ref. No. 054318
	oven lamp glass H 30mm ø 47mm		



1

No.	359377	Ref. No.	054318	
description	oven lamp glass H 30mm ø 47mm			
For models:	FCF/E4, FCF/E4-3KW, FCF/E4-OLD, FCF/E4D, FCFE4PH, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, FCF/E4OLD3, ACF/E4, ACF/E4-3KW, FCF/E4OLD4, NCF/E4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D, ZCF/E4, ZCF/E4			
accessories for	359377			
	No.	359376	Ref. No.	054320
 lamp socket socket E14				

			
1			
No.	359611	Ref. No.	081696 050596
description	light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT		
For models:	AP20, ALP110, ALP120, ALP220, ALP240, ALN110, ALN120, ALN220, ALN240, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ADN220ES, ADF110ES, ADF220ES, ADN110ESP, ADF110ESP, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILN220UK, ALP110UK...(Other models you can see in the webshop)		

lamps

light bulbs

			
1			
No.	359610	Ref. No.	0A2883 0H7035 0K6588 0KE265 0KS867 3000031017 6061052 E767
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

			
1			
No.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	HCCS20W, HCCS20W, FCF02EV, FCF02EOEM, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-OT, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E3, FCF/E4, FCF/E4-3KW, FCF4E, FCF4E-3KW, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F...(Other models you can see in the webshop)		

halogen lamps

for socket E14 / E27

			
1			
No.	359728	Ref. No.	006645
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	MAX18/35X		

for socket G4 / G6.35 / G9

			
1			
No.	357191	Ref. No.	0C4396 0C9877
description	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2...(Other models you can see in the webshop)		

			
1			
No.	359596	Ref. No.	0H7038 0H7039 359596 565729 60050471
description	halogen lamp socket G4 12V 10W temp.-resist. 500°C		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		



1

No.	359599	Ref. No.	002956 007056 0C2803 0K2984 0K8586 0KE767 0W1780 60050318
description		halogen lamp socket G4 12V 20W temp.-resist. 500°C	



1

No.	359946	Ref. No.	0C5605 0C5813 0C8662 8085641028
description		halogen lamp socket G9 230V 40W temp.-resist. 300°C	
For models:		MAX18/35X, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835	

sockets

G4 / G5,3 / G6,35



1

No.	359304	Ref. No.	0K3362
description		lamp socket socket G4 24V ø 17mm H 9mm connection cable 120mm mounting distance 12mm with 2 hole fixing mounting thread M3 cable length 120mm Qty 1 pcs	

E14



1

No.	359307	Ref. No.	0K2016
description		lamp socket socket E14 28mm with 2 hole fixing	

residual heat indicators



1

No.	359326	Ref. No.	059047
description		residual heat indicator 4-fold	
For models:		MI/E350, MI/E700, MIF/E700, MI/E350D, MI/E700D, MIF/E700D, MI/E360, MI/E710, MIF/E710, MI/E360D, MI/E710D, MIF/E710D, RI/E1, RI/E2, RIF/E2, RIV/E2, XI/E1, XI/E2, XIF/E2, XIV/E2, JI/E1, JI/E2, JIF/E2, JIV/E2, MI/E1, MI/E2, MIF/E2, MIV/E2, XMI/E360, XMI/E710, XMIF/E710, CI/E710, CIF/E710, PI/E1, PI/E2, PIF/E2, PIV/E2, PI/E1E5, PI/E2E5, PIF/E2E5, OI/E1, OI/E2, OIF/E2, TI/E1, TI/E2, TIF/E2, TIV/E2, TI/E1E5, TI/E2E5, TIF/E2E5...(Other models you can see in the webshop)	

lamp accessories

gaskets



1

No.	359766	Ref. No.	0K2106 246314
description		gasket L 100mm W 76mm	
For models:		5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8	

timers

programme timers



1

No.	360633	Ref. No.	003833 0C8731 0C8755
description	time switch kit 14000F3 operation time 120min impulse electric shaft ø 6x4.6mm shaft L 20mm CDC 230V engines 1 chambers 2		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCF02EV, FCF02EOEM, FCFV/G10L3, FCFV/G6L3TOWNGAS, FCFV/G6L3, FCFVG10L3T, FCFVG102L3, FCFV/G20L3, FCFVG202L3, FCFV6L3J, FCFV/E10L3JAP, FCFV/E102/1L3JAP, FCFV/G6L3JAP, FCFVG10L3J, FCFVG102L3J, FCFVG6L3CJ, FCFV/G10L2, FCFV/E10L2, FCFV/G6L3C, FCFV/G61/1, FCFVG6L3CT, FCFVG6L3CJ, FCFV/E10L3, FCFV/E6L3, FCFV/E102/1L3, FCFV/E20L3, FCFVE202L3, FCFV/G6-0, FCFVG101/0, FCFVG102-0, FCFVG201-0, FCFVG202-0, FCFV/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR...(Other models you can see in the webshop)		




1

No.	350017	Ref. No.	0H6755 0KE659 252205 60050442 WT1597A
description		timer	
For models:		5611-3-6, 5612-3-6, 5614-3-6	



1

No.	360280	Ref. No.	046621 S646604001
description	timer		
For models:	LS360F, LS365F, LS367, LS720F, LSE720DK, LSE720PH, LSE721F, LSE721, LS720, LSE720UK, LS721UK, LSE720D, 652120Z, LS720N, LSE720Z		



1

No.	360283	Ref. No.	068671 S446052314
description	timer		
For models:	LS360DK, LS365, LS365PH, LS360D, LS365D, LS360, LS365, LS360, LS365F, HB3PNT		



1

No.	360005	Ref. No.	069420 069673 069925 0H1278 238011
description	timer BIGATTI D94 engines 1 chambers 1 operation time 20min 230V shaft ømm shaft Lmm manuf. no. WE006 motor type 82354021L		
For models:	LTB11, LTB12, LTB22, LTB12UK, LTB22UK, LTB11, LTB22, CRYSTAL 11, CRYSTAL 22		



1

No.	360506	Ref. No.	070310
description	timer BIGATTI D94 engines 1 chambers 3 operation time 120s 230V 50/60Hz shaft ø 6x4.6mm shaft L 28mm manuf. no. AD006 motor type UDS40NE1RKZ165		



1

No.	360027	Ref. No.	0R0015 (old version)
description	timer BIGATTI D94 engines 1 chambers 3 operation time 240s 230V shaft ø 6x4.6mm shaft L 28mm manuf. no. GEV004 motor type UDS40NE1RK		



1

No.	360508	Ref. No.	OKU798
description	timer BIGATTI engines 1 chambers 2 operation time 60min 230V 50/60Hz shaft ø 6x5mm shaft L 19.5mm manuf. no. D94.04 / CC5011 motor type UDS11UD5RKZ253 for oven		



1

No.	360349	Ref. No.	069926
description	timer CDC 11803 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. 11803F1BEE000.0010 motor type M48R ATS type 11803F1 / 238046		
For models:	LTB11, LTB12, LTB22, LTB11UK, LTB12UK, LTB22UK, LTB11, LTB22, 910-00-021, 910-00-023, 910-00-031, 910-00-033, 911-00-022, 911-00-024, 911-00-032, 911-00-034, CRYSTAL 11, CRYSTAL 22		
spare parts for	360349		
	No.	360673	Ref. No. —
motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			



No.	360719	Ref. No.	OCA557
description	timer CDC 11902F3 engines 1 chambers 2 operation time 144min 230V shaft ø 6x4.6mm shaft L 20mm manuf. no. 11902F3DFE000.0010		



No.	360691	Ref. No.	OR0015
description	timer CDC 11903F1 engines 1 chambers 3 operation time 240s 230V shaft ø 6x4.6mm shaft L 28mm manuf. no. 11903F1AGE000.0010		



No.	360524	Ref. No.	OKL019
description	timer CDC 11904 engines 1 chambers 4 operation time 12min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BDR000.0000 motor type M48R ATS		
spare parts for	360524		
	No.	360118	Ref. No.
			—
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



No.	360566	Ref. No.	099423
description	timer CDC 11904 engines 1 chambers 4 operation time 15min 115V 60Hz shaft ømm shaft Lmm manuf. no. 11904F1BEI000.0010 motor type M48R ATS voltage AC		
For models:	FGC33AS42, FGC46AS42, FGC65A42, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC143AB, FGC143WB, FGC25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM50WB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, FGC143AB, FGC143WB, CB249A, CB316A, CB425A, CB840A, FGC29AB, , FGC67AB, FGC67WB, FGC143AB, FGC143WB, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM50WB, FGC29WB, C150W, C300A, C300W, CB1565W...(Other models you can see in the webshop)		



No.	360733	Ref. No.	OL3674
description	timer CDC 49050V engines 2 chambers 5 operation time 6s / 2min 230V manuf. no. 49050V0AOEFB.1000		



No.	360677	Ref. No.	OL3642
description	timer CDC 4905DV engines 2 chambers 5 operation time 6s / 3min 230V		



No.	360635	Ref. No.	OL3420
description	timer CDC 4907DV engines 2 chambers 7 operation time 6s / 6min 230V shaft ømm shaft Lmm manuf. no. 4907DV0ASE000.1000 motor type M48R 230V		
spare parts for	360635		
	No.	360118	Ref. No.
			—
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



No.	360334	Ref. No.	003833 OK2302
description	timer FIBER P04 engines 1 chambers 2 operation time 120min 230V shaft ø 6x4.6mm shaft L 20mm manuf. no. P045J02W401 motor type M51BJ0R6400 impulse electric		
spare parts for	360334		
	No.	360673	Ref. No.
			—
motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			



1

No.	360165	Ref. No.	085285
description	timer FIBER P20 engines 1 chambers 4 operation time 10min 230V shaft ømm shaft Lmm manuf. no. P205J04J414 motor type M51B-J0R6400		
For models:	FGC33AS42, FGC46AS42, FGC65A42, FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC143AB, FGC143WB, FGC6725A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM50WB, FGC24ABS, FGC24WBAB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, FGC143AB, FGC143WB, CB184A, CB249A, CB316A, CB425A, CB840A, FGC24AB, FGC24WB, FGC29AB, , FGC67AB, FGC67WB, FGC143AB, FGC143WB, CIM38AB, CIM38WB, CIM85AB, CIM15WB...(Other models you can see in the webshop)		
spare parts for	360165		
	No.	360673	Ref. No.
			—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



1

No.	360167	Ref. No.	085324
description	timer FIBER P20 engines 1 chambers 4 operation time 12min 230V 50/60Hz shaft ømm shaft Lmm manuf. no. P205J04J514 motor type M51BJ0R0000		
spare parts for	360167		
	No.	360673	Ref. No.
			—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		




1

No.	360154	Ref. No.	085329
description	timer FIBER P20 engines 1 chambers 4 operation time 15min 230V shaft ømm shaft Lmm manuf. no. P205J04J714 motor type M51B-J0R6400		
For models:	FGC33AS42, FGC46AS42, FGC65A42, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC143AB, FGC143WB, FGC6725A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM50WB, FGC29AB, FGC29WB, CIM38AB, CIM-38WB, CIM50AB, FIM50WB, FGC143AB, FGC143WB, CB249A, CB316A, CB425A, CB840A, FGC29AB, , FGC67AB, FGC67WB, FGC143AB, FGC143WB, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM-50WB, FGC29WB, C150W, C300A, C300W, CB1565W...(Other models you can see in the webshop)		
spare parts for	360154		
	No.	360673	Ref. No.
			—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		




1


No.	360374	Ref. No.	099322
description	timer FIBER P20 engines 1 chambers 4 operation time 8min 230V shaft ømm shaft Lmm		
For models:	MC140AB20, MC140WB20, MC200AB20, MC200WB20, CIM235AB, CIM235WB, VM500W+BI, VM500A+BI, VM350A+BI, VM350W+BI		
spare parts for	360374		
	No.	360673	Ref. No.
			—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



No.	360163	Ref. No.	086213 7I086213
description	timer FIBER P23 engines 1 chambers 1 operation time 15min 230V shaft L 30mm manuf. no. P235JR1J706 motor type M51BJ0R6400		
spare parts for	360163		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



No.	360162	Ref. No.	086034
description	timer FIBER P23 engines 1 chambers 2 operation time 12min 230V manuf. no. P235JR2J501 motor type M51BJ0R6400		
spare parts for	360162		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



No.	360024	Ref. No.	069419 069669 069674 0A6044 0A6086 0A6087 0H1279 0K3795 238046 238053 360349
description	timer FIBER P25 engines 1 chambers 3 operation time 2min 230V shaft ømm shaft Lmm manuf. no. P255J03H3N6 motor type M51BJ0L6400		
spare parts for	360024		
	No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		



No.	360277	Ref. No.	049076 049251
description	timer FIBER P25 engines 1 chambers 4 operation time 22.5min 230V shaft ømm shaft Lmm manuf. no. P255J04L2F9 motor type M51BJ0R6400		
For models:	LB1WS, LB1WSDP, LB1/TOP, WT1WSDP, LB1WSG, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2WSDP, LB2/TOP, LB2/RBP, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1WS, WT1TOP, WT2TOP, LB2WSDPDI, LB2WSDPD, LB2TOP, UC2WS, GW1WS, LV1WS, LV1WSDP, LV2WSDP, LV2WS, GW2WSDPG, GW2WSG, GW2WS		
spare parts for	360277		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		




1

No.	360073	Ref. No.	048647
description	timer FIBER P25 engines 2 chambers 5 operation time 6s / 2min 230V shaft ømm shaft Lmm manuf. no. P255J05JD84 motor type M51B-J0R6400 / M51BJ0L6400		
spare parts for	360073		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		



1

No.	360071	Ref. No.	048303
description	timer FIBER P25 engines 2 chambers 5 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. P255J05JB62 motor type M51B-J0R6400 / M51BJ0L6400		
For models:	LS7D, LS7, LS7UK/RP, LV70, LS7F, LS7DEK, LS7/1UK, LS7/9, WT40/9, WT40/F, LS7HD, WT40/J50, WT40UKRP, PH4/WT40, PH4RBP/WT40, WT50/1UKRP, WT50/1, FL700, HYDRA700, Z70		
spare parts for	360071		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		




1

No.	360278	Ref. No.	049256
description	timer FIBER P25 engines 2 chambers 7 operation time 6s / 6min 230V shaft ømm shaft Lmm manuf. no. P255J07JFK4 motor type M51B-J0R6400 / M51BJ0L6400		
For models:	LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, LB1/60, WT1WSDP, LB2D-PSAUS, LB1G, LB1WSG, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, UC1, UC2WS, GW1, GW1WS, GW2DPG, GW2WSDPG, GW2G, GW2WSG, GW2WS, GW2, Z1, Z1/WS, Z1TOP...(Other models you can see in the webshop)		
spare parts for	360278		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



1

No.	360456	Ref. No.	045909 066907
description	timer FIBER P34 engines 1 chambers 2 operation time 36min 230V shaft ø 5X3mm shaft L 22mm manuf. no. P345J02L867 motor type M51BJ0L6400		



1

No.	360051	Ref. No.	0KM738
description	timer FIBER P36 engines 1 chambers 2 operation time 15min 230V shaft ømm shaft Lmm manuf. no. P365JR2J717 motor type M51B-J0R6400		
spare parts for	360051		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



electric timers



1

No.	350007	Ref. No.	0H6118
description	timer CR5 operation time 120min time spreadmin 2CO at 250V 16A permanent position no impulse electric shaft ø 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral 2-pole		



1

No.	350015	Ref. No.	OKI405
description	timer MS65 without bell operation time 120min time spreadmin 1CO/1NO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral 2-pole		
For models:	AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170		
accessories for	350015		
	No.	110366	Ref. No. —
	No.	111206	Ref. No. —



1

No.	350005	Ref. No.	212622
description	timer MS65 without bell operation time 30min time spreadmin 2CO at 250V 16A permanent position no impulse electric shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral 2-pole		
accessories for	350005		
	No.	110366	Ref. No. —
	No.	111207	Ref. No. —



1

No.	350143	Ref. No.	0H6117 OK0484 212606 350006 MSWT6501A
description	timer MS65 without bell operation time 60min time spreadmin 2CO at 250V 16A permanent position no time range 0-60min impulse electric shaft ø 6x4.6mm shaft L 22mm EATON (INVENSYS) ambient temperature max. 85°C 50Hz 2-pole 230V		

mechanical timers



1

No.	350170	Ref. No.	OG2148 0H6114 0H9817 OK4949 OK5238 16006000 18005374 19000731 212583 26006000 700321 701067
description	timer 600 2-pole operation time 60min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft L 21mm mounting distance 28mm		



1

No.	350169	Ref. No.	0H6112 0H6116 16016000
description	timer 601 2-pole operation time 60min impulse mechanical 2CO at 250V 16A permanent position no shaft ø 6x4.6mm shaft ø 6x4.6mm shaft L 21mm mounting distance 28mm connection lateral		

			
1			
No.	350012	Ref. No.	0H6750 0K2269
description	timer 601 with bell 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral		

			
1			
No.	350105	Ref. No.	0H6113 0H6757
description	timer 601 with bell 2-pole operation time 90min impulse mechanical 1CO/1NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection rear		

			
1			
No.	350061	Ref. No.	003431 005216 0C6345 3570057012
description	timer DTJ with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral		
For models:	FCF/E4, FCF/E4-3KW, FCF/E4-OLD, FCF/E4D, FCFE4PH, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, FCF/E4OLD3, ACF/E4, ACF/E4-3KW, FCF/E4OLD4, NCF/E4, FCF/E2, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D, ZCF/E4, ZCF/E4		

			
1			
No.	350030	Ref. No.	0K3053 EMTMC120
description	timer M2 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350030		
	No.	110366	Ref. No. —
knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	No.	111199	Ref. No. —
dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm			

			
1			
No.	350032	Ref. No.	0KN622
description	timer M2 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 18mm mounting distance 28mm connection rear		
accessories for	350032		
	No.	110366	Ref. No. —
knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	No.	110371	Ref. No. —
dial plate graduation 15min permanent position no rotation 30-330° ø 60mm timers knob ø 45mm			

			
1			
No.	350018	Ref. No.	0H6684 350018
description	timer M2 2-pole operation time 60min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350018		
	No.	110366	Ref. No. —
knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	No.	111202	Ref. No. —
dial plate graduation 60min permanent position yes rotation 0-300° ø 60mm timers knob ø 45mm with permanent position			

			
1			
No.	350009	Ref. No.	056485
description	timer M2 with bell 2-pole operation time 60min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral		
For models:	FVE3, FVE3, VAPE3		
accessories for	350009		
	No.	110366	Ref. No. —
knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	No.	110373	Ref. No. —
dial plate graduation 60min permanent position no rotation 30-300° ø 60mm timers knob ø 45mm			



1

No.	350141	Ref. No.	OK6863
description	timer TF 2-pole operation time 120min 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm mounting thread M3 ambient temperature max. 80°C		



1

No.	350222	Ref. No.	OC3935
description	timer with bell 2-pole operation time 90min impulse mechanical at 250V 16A shaft ø 6x4.6mm shaft L 21mm ambient temperature max. 125°C		
For models:	FCF/E4, FCF/E4-3KW, FCF4E, FCF4E-3KW, ECF4E, ECF4E3KW, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, ACF4E, ACF4E3KW		

audible timers



1

No.	350036	Ref. No.	004938
description	audible timer operation time 60min ø 55mm shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm		
For models:	PPL5GG, PPFL5GG		

defrost timers

BIGATTI



1

No.	360188	Ref. No.	0A8781
description	defrost timer BIGATTI type D94.00 defrosting interval 2x per 24h defrosting time 60smin fan delaymin 230V		
For models:	SAL250, ES950, MLP609V11C, MLP609V11V, MLP139V12C, MLP139V12V, MLP602V11C, MLP602V11V, MLP132V12C, MLP132V12V, MLP600V11C, MLP130V12C, 130-00-130.1, KTSM100, KKSM100, KTP100, 13000130.1, KTP100, KTSM100, KKSM100, 130-00-131-1, 13000132.1, 13000131.1, 13000132.1		



1

No.	360058	Ref. No.	081983 082593 0A8088 0T0211 30000514 446092100 640700200 SB382
description	defrost timer type SB3.82 defrosting interval 1-12x in 24h defrosting time 2-54min fan delay 0-15min 230V defr. funct. 1-12x per 24h		
For models:	ICP130, ICN110UK, AEN110, AEN120, AKN111, AEF110, AEF120, AENN120, AENF120, AEN220, AEN240, AEN221, AEF220, AEF240, AENN220, AENF220, AENN230, AENF230, ASN110, ASN111, ASF110, ASN220, ASN221, ASF220, APF113, APF114, APP224/60, AKP110, AKS110, AKP120, AKP111, AKP230, AKP220, AKS220, AKP240, AKP221, AKN110, AKN120, AKN111, AKN230, AKN220, AKN240, AKN221, AKNN120, AKNN220, AKNN230, AKNSO120, IKP110, AKP110UK, AKP220UK...(Other models you can see in the webshop)		

CDC



1

No.	360193	Ref. No.	094755
description	defrost timer CDC type 13102 defrosting interval 1-12x in 24h defrosting time 2-50min fan delay 0-10min 230V 50Hz defr. funct. 1-12x per 24h with delay of fan 0-10min		

DECO



1

No.	360056	Ref. No.	OK2267
description	defrost timer DECO type S2N defrosting interval 1x per 24h defrosting time 0-540min fan delaymin 230V outlet 1 channel defr. funct. 1x per 24h		

miscellaneous



1

No.	379008	Ref. No.	082389 082397 082485
description	defrost timer ELIWELL type EWT570 12V AC/DCV mounting measurements 71x29mm front measurements 74x32mm built-in depth 60mm		
For models:	ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILNSO120, ILN221, ILNN120, ILNN220, ILNN220UK, ILF110, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF120, ILNF220, ILNF220UK, ZLP110, ZLP111, ZLP220, ZLP221, ZLN110, ZLN111, ZLN220, ZLN221, ZLNN220, FVNE061, FVNE132, KVNE662, ZILNN120, KVNE332, ZILNN230, KVNE932, ZILNSO120, ZILN120, FVNE062, ZILNF120, ZILNF230...(Other models you can see in the webshop)		
accessories for	379008		
	No.	379054	Ref. No.
			004120
			004121
			081675
			083833
transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M			



1

No.	360187	Ref. No.	084277 084986 0T5163 221286
description	defrost timer type RZ-2001-21 defrosting interval 4H defrosting time 15min fan delay 5min 230V 50Hz defr. funct. 4x per 24h		
For models:	ESMLR60W, ESMLR60S, RFIS24, KZ1502, TE1502, MLP2V2, MLP2V12, MLP3V3, MLP3V22, MLP3V14, MLP4V4, MLP4V32, MLP4V24, C04NVFWD, C04NVGWD, C04NVF4D, C04FISHD, MLP609V11C, MLP609V11V, MLP602V11C, MLP602V11V, MLP139V12C, MLP132V12C, MLP139V12V, MLP132V12V, MLP600V11C, MLP130V12C, E04N6VAC, E04N4VAC, E04N4VAC		

alarm devices

alarm units



1

No.	350056	Ref. No.	055368 0A2504 0A2505 0F0169 0KN825
description	alarm device 220-240VAC ømm H 25mm wall-mounted version mounting distancemm 83dB protection IPx0		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RCP/E2S, MCP/E2S, PCP/E2SHP, OCP/E2S, TCP/E2S, TFRE1S12M0, TFRE2D12M0, TFRE1S12M4, TFRE2D12M4, FCF02EV, FCF02EOEM, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E3, FCF/E2, FCF/E2D...(Other models you can see in the webshop)		

buzzers



1

No.	350050	Ref. No.	0G1057 0H6572 0H6596 0K2031 244123 245527 705559
description	buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB		
For models:	5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5701-3-2, 5701-3-3, 5702-3-2, 5702-3-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, 5611-3-6, 5612-3-6, 5614-3-6		



1

No.	350085	Ref. No.	059001 0G1993 ZZ111162
description	buzzer connection plug-in connection		
For models:	FCVE20/P-V, FCVE10-P, FCVE10PUK, FCGV10-P, FCGV10PUK, FCVE20-P, FCVE20PUK, FCGV20-P, FCGV20PUK, 5611-3-10, 5612-3-10, 5614-3-10		



contactors

ABB

auxiliary contactors



1

No.	380122	Ref. No.	0H6545 0K1879 307P060
description	auxiliary contactor 230VAC AC1 10A AC15 3A connection screw connection contacts 2NO/2NC N22E		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8, 7538-3, 7738-3		

BENEDIKT & JÄGER

power contactors



1

No.	380777	Ref. No.	0H2643 0K9134
description	auxiliary contactor resistive load 20A 230VAC main contacts 4NO type K2-07A40230		



1

No.	381471	Ref. No.	0C2244
description	power contactor resistive load 110A 230 (AC3/400V) 22kW main contacts 3NO connection screw type K3-50A00		
For models:	FCZ102EAA, FCZ102ETA, FCZ202ETA, FCZ102EBA, FCZ102EBA2, FCZ202EBA2, FCZ102ECA, FCZ102ECA2, FCZ202ECA2, AOS102EAMQ, AOS102EABQ, AOS102EAA1, AOS102EAC1, AOS102EAS1, AOS102EAM1, AOS202EAM1, AOS102EAB1, AOS202EAB1, AOS102EAK1, AOS102EAT1, AOS102ETA1, AOS202ETA1, AOS102ETM1, AOS202ETM1, AOS102ETK1, AOS202ETK1, AOS102EBA1, AOS102EBC1, AOS102EBK1, AOS102EBA2, AOS202EBA2, AOS102EBK2, AOS202EBK2, AOS102ECA1, AOS102ECM1, AOS102ECB1, AOS102ECA2, AOS202ECA2, AOS102ECM2		



1

No.	381184	Ref. No.	048736 0L0286
description	power contactor resistive load 25A 180-210VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type K3-10ND01 180		
For models:	LV32/60, WT302/60, LS33/60, WT303/60, LS61, LS61/60, WT38/M50, WT38PM50, WT38M50/4, EUCIM, EUCIM60, EUCAIUSPH6, LS62, LS62D, LS62/UKRP, LS62F, LV62, LS62/60, LS62/1P, LS62HD, LS63, LS63D, LS63/UKRP, LS63F, LV63, LS63/60, LS63/1P, LS64, LS64/UKRP, LV64, LS64/1P, WT38/M60, WT38PM60, WT38M60/4, WT32/J60, WT32/J50, WT33/M60, WT33/60, LS7/60, WT40/J50, WT40/J60, LS10SW, LS10/50J, LS10/60J, LS12/60, LS12MEX, LS14EA/60, WT65E60, WT65EB60, WT60U44060...(Other models you can see in the webshop)		



1

No.	381472	Ref. No.	0C7622
description	power contactor resistive load 25A 230 (AC3/400V) 4kW main contacts 4NO connection screw		



1

No.	380672	Ref. No.	005170 0H7049 K209A01
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type K2-09A01230		
For models:	5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5711-3-10F, 5711-3-10S, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5701-3-3, 5702-3-3, 7747-3/90.KB.(N), 7545-3/85.KB.(N), 7547-3/85.KB.(N), 7545-3/90.KB.(N), 7547-3/90.KB.(N), 7745-3/90.KB.(N), 7745-3/85.KB.(N), 7747-3/85.KB.(N), 7545-3/85.KB.DWD, RFT/E1, RFT/E1E5, RFT/E1M4, RFT/E1M0, 5611-3-10, 5611-3-6, 5611-3-8, 5614-3-10, 5614-3-6, 5614-3-8, 9041-3, 9043-3, 9241-3-0, 9241-3-8, 9243-3-0, 9243-3-8		

			
1			
No.	380773	Ref. No.	045920 047048 048403 048825 069129 069130 072319 0E0580 0E3757 0K9120 0KA631 0KC418 0KL558 0KV050 0L0285 6282 628211 CA312 K310A01 S444524014 S648601800
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type K3-10A01230		
For models:	EBS50, EBS50, EBS50, EBS50, EBV50, EBV50, EBV50, EBV50, EBS100, EBS100, EBS100, EBS100, EBV100, EBV100, EBV100, EBV100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBS200, EBS200, EBS200, EBS200, EBV200, EBV200, EBV200, EBV200, EBV200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBS300, EBS300, EBS300, EBS300, EBV300, EBV300, EBV300, EBV300, EBV-C300, EBV-C300, EBV-C300, EBV-C300...(Other models you can see in the webshop)		

			
1			
No.	380665	Ref. No.	N/A
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K2-09A10230		

			
1			
No.	380772	Ref. No.	045981 045982 048519 052370 053116 054544 057896 057951 066726 072058 075796 081676 082986 088477 0HN519 0K2975 0KL557 440034000 60050305 S648608400
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-10A10230		
For models:	AP20, BC100A, BC100DA, BC100RA, BC100RDA, BC180A, BC180DA, BC180RA, BC180RDA, BC180RPA, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180RDA, BCF180RPA, , BCW061, BCW101, BCW102, BCFW061, BCFW101, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BC120A, BC120RA, BCF120A, BCF120RA, BCWS061T, BCFW102, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER...(Other models you can see in the webshop)		
spare parts for	undefined		
accessories for	undefined		

			
1			
No.	380675	Ref. No.	0H7050 0K3383 0KE713 582309 K212A01
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type K2-12A01230		
For models:	FCV/E20L3, FCV/E20L6, FVC/E201/1, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5712-3-10F, 5712-3-10S, 5701-3-2, 5702-3-2, 5704-3-2, 5704-3-3, ECV/E20T4, ECV/E20T6, ACV/E20C4, ACVE20C6, ZCV/E20T4, ZCV/E20T6, 5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		



1

No.	380679	Ref. No.	002168 003598 072881 072882 0K4939 0K6150 0K9125 0KC417 0KE719 0KF296 0K1948 0W0632 11151353 18005215 35500005 63562202 728013 7511209 7835500005
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K2-12A01230		
For models:	RBR/E2FM, RBR/E2IM, RBK/E2FM, RPI/E260P, RCP/E2S, RF/E1S12E5, RF/E2D12E5, XBR/E2FM, XBR/E2IM, XBK/E2FM, XPI/E260P, JBR/E2FM, MBR/E2FM, MBR/E2IM, MBK/E2FM, MPI/E260P, MCP/E2S, MF/E1S12E5, MF/E2D12E5, PFR/E1S14, PFR/E2D14, HFR/E410, HFR/E810, HFR/E411, HFR/E412, HBR/E820, HBR/E825, HBR/E800, HBR/E805, HPN/EI810, HPN/ED811, HPN/ED816, HPA/ED825, HCP/E400, HCP/E410, HCP/E800, HCP/E810, HCP/E400, HCP/E410, ZFR/E410, ZFR/E810, ZFR/E411, ZFR/E412, ZBR/E820, ZBR/E825, ZBR/E800, ZBR/E805, ZPN/EI810, ZPN/ED811, ZPN/ED816...(Other models you can see in the webshop)		



1

No.	380674	Ref. No.	005171 0H7051 0KK107 582310 60050338
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 4NO connection screw connection type K2-12A0040230		
For models:	FCV/E20L3, FCVE202L3, FCVE202L6, FVC/E202/1, 5711-3-7, 5711-3-8, 5711-3-10, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, ECVE202T4, ECVE202T6, HLI159-371W.3, HLI159-373.3, HLI259-390W.3, LI159-375.3, LI159-376.3, LI259-372.3, LI259-379.3, LI159-380.3, HLI159-373W.3, HLI159-374.3, HLI259-375W.3, LI159-371.3, LI159-372.3, LI159-379.3, HLI159-371.3, HLI159-372.3, LI159-373.3, LI159-374.3, LI159-385.3, LI159-386.3, LI259-375.3, LI259-376.3, LI259-371.3, LI259-373.3, LI259-374.3, LI259-377.3, LI259-378.3, HLI259-375.3, HLI259-376.3...(Other models you can see in the webshop)		



1

No.	381079	Ref. No.	004012 0E0182 0E2270 0E5568 0K6151 0K8680 0K8733 0K9123 0KC432 0KE712 5SX23407 63562204
description	power contactor resistive load 25A 230VAC (AC3/400V) 16A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K2-16A10230		
For models:	FCVG6L3CJ, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCVG6L3CJ, TT210E, D166E, TT210G, T4250, D166ECOP, T4250, T4350, TT130, TT130C, D200E, D200G, DI200E, DI200G, D350E, D350G, D350V, TT350, TT350, TT350, TT600E, TT600G, TT600V, D650E, D650G, D650V, D1000V, T353019, T2130, T2130C, T3190, T3190, T3250_EL, T3250_GAS, T3250_EL, T3250_GAS, T3650, T3650, T3650, T1000, T3350_EL, T3350_GAS, T3350_EL, T3350_GAS...(Other models you can see in the webshop)		



1

No.	380959	Ref. No.	058670 0KZ813 K3-10ND10 24
description	power contactor resistive load 25A 24VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-10ND10 24		
For models:	FCVE6-3CE, FCVE103CE, FCVE203CE, FCVE20/P-V, FCVMG62, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, WTF2ERC, WTF2ELC, WTF2SRC, WTF2SLC, WTF2HERC, WTF2HELC, WTF2HSRC, WTF2HSLC, WTF3ERC, WTF3ELC, WTF3SRC, WTF3SLC, WTF3HERC, WTF3HELC, WTF3HSRC., WTF3HSLC, WTF2ERB., WTF2ELB, WTF2SRB, WTF2SLB, WTF2HERB, WTF2HELB, WTF2HSRB, WTF2HSLB, WTF3ERB, WTF3ELB, WTF3SRB, WTF3SLB, WTF3HERB, WTF3HELB, WTF3HSRB, WTF3HSLB, WTF4HERB, WTF4HELB, WTF4HSRB, WTF4HSLB, WTF2ERA...(Other models you can see in the webshop)		



1

No.	380779	Ref. No.	046994 054259 058004 075723 0E0020 0E1291 0K3968 0K8545 0K9127 0KG583 0L0360 0TR640 30001827 60050202 S648602300 S648608000 S648608700
description	power contactor resistive load 25A 24VAC (AC3/400V) 14A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-14ND10		
For models:	LV4800HERC, WT200ELP, Z480PESECO, DTVSX, H512LVELEPL, H512LVLEPL, WT150HEL, WT730ERT, WTF4HSRB, WT150ELEPL+RBP, RT10ERCBF, WT140ELP, H522VELECO, WT730WSRTS, CT191SX, WT100EL, H522LVERC, RT140ERCF, WT200HERC, RT190ELG, WT95ERF, RT34HDEDEP, CT191DXE, WT790WSLT, CT190SXV, A/DTEDX, LV4800ELC, RT100ELCG, RT270EDEPLU, RT140EPLES, WT190HEL, WT150SLEPL, RT270HDESECOFWHIRPOO, WTF4HELA, RT2500EDBERGERAND, WT150SLM, WT95SL, FT72VDT, RT4800HDEDEPLBERGERA, WT100SRP, RT142ESECOFWHIRPOOL, RT140EDEPLF, WT150HSLC, CT140EDX, RT100ESECO, FP50A, RT190VDU, WTF4HSLB, H522LVLEPL, RT270EDECO...(Other models you can see in the webshop)		



1

No.	380774	Ref. No.	006437 006438 006879 058805 0KA632 0KI328 60050260 62790702 68767513210 7835500017
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-18ND10		
For models:	BF/E1S12, BFR/E1S14, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, PBR/E2FM, PBR/E2IM, PMV/E1C, PMV/E2C, PF/E1D05, PF/E1S12, PF/E2D12, PF/E1D05E5, PF/E1S12E5, PF/E2D12E5, PPI/E260P, ECP/E1ELHU, PCP/E2SH, PCP/E1SH, PCP/E2SH, PCP/E2SH3B, PCP/E1ELH, OBR/E2FM, OBR/E2IM, OMV/E1C, OMV/E2C, OF/E1S12, OF/E2D12, OPI/E260P, OCP/E2S, OCP/E1SH, OCP/E2SH, TBR/E2FM, TBR/E2IM, TMV/E1C, TMV/E2C, TF/E1D05, TF/E1S12, TF/E2D12, TFR/E1S12, TFR/E2D12, TFR/E1S14, TFR/E2D14, TF/E1D05E5, TF/E1S12E5, TF/E2D12E5...(Other models you can see in the webshop)		



1

No.	381176	Ref. No.	0KV658
description	power contactor resistive load 32A 230VAC (AC3/400V) 30A/15kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-30A00230		



1

No.	380789	Ref. No.	0K9132 0KC513
description	power contactor resistive load 32A 230VAC main contacts 3 auxiliary contacts 1 with 2 auxiliary contacts NC		



1

No.	381171	Ref. No.	006157 056600 0E0177 0K3969 0K6190 0K9124
description	power contactor resistive load 32A 24VAC (AC3/400V) 22A/11kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-22ND10		
For models:	HFH/E430, ZFH/E430, FV4E, FV4E, FT36EDTS, FT36ESTS, FT36VDT, FT36VSTS, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS, FT72WED, FT72WES, FT72WVD, FT72WVS, FT36WEDT, FT36WEST, FT36WVDT, FT36WVST, FT50WEDT, FT50WEST...(Other models you can see in the webshop)		



1

No.	380673	Ref. No.	0H7052 0K3384 0K9307 582311
description	power contactor resistive load 45A 230VAC (AC3/400V) 11kW		
For models:	FDV40E, FDV40EL, FDV20E, FDV20EL, FCV/E20L3, FCVE202L3, FCVE202L6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5711-3-10F, 5711-3-10S, 5707-3-2, 5707-3-3, ECVE202T4, ECVE202T6, ZFT/E1M0, ACVE202C4, ACV/E202/1, ZCV/E202/1, ZCV/E202/1, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		



1

No.	380521	Ref. No.	005238 0K3385 60050337
description	power contactor resistive load 45A 230VAC (AC3/400V) 23A/11kW main contacts 4NO connection screw connection type K2-23A0040230		
For models:	5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C		



1

No.	380637	Ref. No.	002167 052329 054928 057950 059943 0H9713 0K4938 0K9129 0KE717 0KI949 0W0690 11151355 11151409 18005214 K223X022
description	power contactor resistive load 45A 230VAC main contacts 3NO auxiliary contacts 1NO connection screw type K2-23A10 230		
For models:	MFR/E740, RFR/E2S40, XFR/E2S40, JFR/E2S40, MFR/E2S40, RFR/E741, CFR/E702, HFR/E418, HFR/E818, HFR/E430, HFR/E830, HFRS/E430, HFR/E431, HFR/E831, HBR/E810, HBR/E815, HBR/E811, HBR/E816, HPN/EI815D, HPN/EI815, HPA/EI825, HPNS/EI815, HPNS/EI815D, ZFR/E418, ZFR/E818, ZFR/E430, ZFR/E830, ZFRS/E430, ZFR/E431, ZFR/E831, ZBR/E810, ZBR/E815, ZBR/E811, ZBR/E816, ZPN/EI815D, ZPN/EI815, ZPNS/EI815, ZPNS/EI815D, AFR/E430, AFR/E830, AFRS/E430, AFR/E431, AFR/E831, ABR/E810, ABR/E815, ABR/E811, ABR/E816, ABR/E810, ABR/E815, ABR/E811...(Other models you can see in the webshop)		



1

No.	381173	Ref. No.	0C9763
description	power contactor resistive load 50A 230VAC (AC3/400V) 24A/11kW main contacts 3NO auxiliary contacts 1NO connection torx type K3-24B00 50/60Hz		



1

No.	381085	Ref. No.	0L0355 648613200
description	power contactor resistive load 50A 230VAC (AC3/400V) 24A/11kW main contacts 3NO auxiliary contacts connection screw connection type K3-24A00230		
For models:	FCZ102EAA, FCZ102ETA, FCZ202ETA, FCZ102EBA, FCZ102EBA2, FCZ202EBA2, FCZ102ECA, FCZ102ECA2, FCZ202ECA2, FCFE101- 0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCF101ENS, FCF102ENS, FCF201ENS, FCFE101-1J, FCFE102-1J, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF101ENS, ECF102ENS, EC- F201ENS, AOS102EAA1, AOS102EAC1, AOS102EAS1, AOS062EAM1, AOS102EAM1, AOS062EAB1, AOS102EAB1, AOS102EAK1, AOS102E- AT1, AOS102ETA1, AOS202ETA1, AOS062ETM1, AOS102ETM1, AO- S202ETM1, AOS102ETK1, AOS202ETK1, AOS102EBA1, AOS102EBC1, AOS102EBK1, AOS102EBA2, AOS202EBA2, AOS102EBK2, AOS202EBK2, AOS102ECA1...(Other models you can see in the webshop)		



1

No.	380776	Ref. No.	007104 0G3044 11151645
description	power contactor resistive load 80A 230VAC (AC3/400V) 40A/18.5kW main contacts 3NO auxiliary contacts connection screw connection type K3-40A00230 contacts		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ202ECA, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCS101E44J, FCS101EP4J, FCS201E4, FCS201EP, FCS101EX4J, FCS201EX, CL221, AOS201EA, AOS201EB, AOS201E- B5M, AOS201EB6M, AOS102EA2N, AOS102EB2N, AOS202EA2N, AOS202EB2N, AOS201EA0H, AOS201EB0H, AOS202EA, AOS202EB, AOS201EAAQ, AOS201EBAQ, AOS202EAAQ, AOS202EBAQ, AOS102EANQ, AOS102EBNQ, AOS202EANQ, AOS202EBNQ, AOS201EAHQ, AOS201EBHQ...(Other models you can see in the webshop)		



2

No.	380775	Ref. No.	007080
description	power contactor resistive load 65A 230VAC (AC3/400V) 32A/15kW main contacts 3NO auxiliary contacts connection screw connection type K3-32A00230		
For models:	KPI/E10, KPI/E15, KPI/E15A, KPI/E15H, KPI/E10H, KFR/E1E, KFR/E2F, KFR/E1C, KFR/E2D, KFR/E1CE5, KFR/E2DE5, QPI/E10, QPI/E15, QPI/ E15H, QPI/E10H, QFR/E1E, QFR/E2F, QFR/E1C, QFR/E2D, WPI/E10, WPI/E15, WPI/E15A, WPI/E15H, WPI/E10H, WFR/E1E, WFR/E2F, WFR/ E1C, WFR/E2D, FCZ101EAA, FCZ102EAA, FCZ101EAH, FCZ101EAN, FCZ201EAN, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ101ETH, FCZ201ETH, FCZ101ETN, FCZ201ETN, FCZ101EBA, FCZ102EBA, FCZ101EBH, FCZ101EBN, FCZ201EBN, FCZ101EBC, FCZ201EBC, FCZ101EBA2, FCZ102EBA2...(Other models you can see in the webshop)		



1

No.	380676	Ref. No.	059993 0E2844 0H7054 0KE189 0TRA70 0W2968 0W3846 289700582313 K245A00 K245A01
description	power contactor resistive load 80A 230VAC (AC3/400V) 45A/20kW main contacts 3NO connection screw connection type K2-45A00230		
For models:	EBS50, EBS50, EBS50, EBS50, EBV50, EBV50, EBV50, EBV50, EBS100, EBS100, EBS100, EBS100, EBV100, EBV100, EBV100, EBV100, EBV100, EBV-C100, EBV-C100, EBV-C100, EBS200, EBS200, EBS200, EBS200, EBV200, EBV200, EBV200, EBV200, EBV200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBS300, EBS300, EBS300, EBS300, EBV300, EBV300, EBV300, EBV300, EBV300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, EBS50...(Other models you can see in the webshop)		

auxiliary contacts

1



No.	380677	Ref. No.	047046 059086 0E0888 0H7044 0K9121 0KC515 11151408 60050473 HN01 S640605500
description	auxiliary contact contacts 1NC AC15 10A for contactors K2/K3 connection screw type HN01 AC1 25A		
For models:	EBS50, EBS50, EBS50, EBS50, EBV50, EBV50, EBV50, EBV50, EBV50, EBS100, EBS100, EBS100, EBS100, EBV100, EBV100, EBV100, EBV100, EBV100, EBV-C100, EBV-C100, EBV-C100, EBS200, EBS200, EBS200, EBS200, EBV200, EBV200, EBV200, EBV200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBS300, EBS300, EBS300, EBS300, EBV300, EBV300, EBV300, EBV300, EBV300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, EBS50....(Other models you can see in the webshop)		

1



No.	381086	Ref. No.	OK8700
description	auxiliary contact contacts 1NC AC15 10A for contactors K2/K5 connection screw type HA01 AC1 25A		
For models:	CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7LCE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60HZ/M, CS7LCT4/400-3N, CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3, CS10GE6/230-3, CS10GE4/400-3N, CS10GE6/400-3N, CS10GE4/400-3N/EO, CS10GE4/400-3/50HZ/M, CS10GE4/440-3/60HZ/M, CS10GT4/400-3N, CS10GT6/400-3N, CS10LCE4/200-3, CS10LCE4/230-3, CS10LCE6/230-3, CS10LCE4/400-3N, CS10LCE6/400-3N, CS10LCE4/400-3N/EO....(Other models you can see in the webshop)		

1



No.	380678	Ref. No.	046995 0C4704 0E0418 0H7043 0H7045 0K9119 0KA929 0KE890 11151407 1SHN10 60050474 NHI11PKZM0 S640605400
description	auxiliary contact contacts 1NO AC15 10A for contactors K2/K3 connection screw type HN10 AC1 25A		
For models:	EBS50, EBS50, EBS50, EBS50, EBV50, EBV50, EBV50, EBV50, EBS100, EBS100, EBS100, EBS100, EBV100, EBV100, EBV100, EBV100, EBV100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV200, EBV200, EBV200, EBV200, EBV200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBS300, EBS300, EBS300, EBV300, EBV300, EBV300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, AO-W101EA, AOW101EABU, LC10E, LC12E, CLC12, LACE12M/EI, CLC22... (Other models you can see in the webshop)		

1



No.	380781	Ref. No.	048497 0E5657 0K5986 HA10
description	auxiliary contact contacts 1NO AC15 6A for contactors K2/K5 connection screw type HA10 AC1 25A		
For models:	EBS50., EBS50H, EBS100., EBS100H, EBS150., EBS150H, EBS200., EBS200H, EBS300., EBS300H, EBV50., EBV50H, EBV100., EBV100H, EBV150, EBV150H, EBV200., EBV200H, EBV300., EBV300H, EBVC50, EBVC50H, EBVC100, EBVC100H, EBVC150, EBVC150H, EBVC200, EBVC200H, EBVC300, EBVC300H, EBP100., EBP100M, EBP150, EBP150M, EBP200., EBP200M, EBP300., EBP300M, EBPC100, EBPC100M, EBPC150, EBPC150M, EBPC200, EBPC200M, EBPC300, EBPC300M, MED50H, MED100H, MED150H, MED200H....(Other models you can see in the webshop)		

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380246	Ref. No.	0KQ380
description	power contactor resistive load 25A 400VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		
For models:	CUTE0523, CUTE0538, KT055, KT056, K55		



2

No.	380262	Ref. No.	0K3374
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm		

ISKRA (FANAL)

power contactors



1

No.	380211	Ref. No.	086169
description	power contactor 230VAC		



1

No.	380213	Ref. No.	086215
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		



1

No.	380204	Ref. No.	003027 004206 0K3606 6208
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10		
For models:	SGE350, SGE350, GR35E6U, MAX18/35X, ZCMDE6, ZCBDE12, ZCMDE4, ZCBDE8, ZCMDE9, ZCBDE18, FFPS16, FFPS32		

LOVATO

power contactors



1

No.	380782	Ref. No.	0KD792
description	power contactor resistive load 40A 230VAC (AC3/400V) 12.5kW main contacts 3NO connection screw connection		

MOELLER/EATON

power contactors



1

No.	380493	Ref. No.	0K3375 0K3479
description	contactor resistive load 55A 230VAC main contacts 3NO		



1

No.	380511	Ref. No.	0H6623 DIL0431 DILEM01
description	power contactor resistive load 16A 230VAC main contacts 3NO auxiliary contacts 1NC		
For models:	9481-3, 9482-3, 9581-3, 9582-3		



1

No.	380518	Ref. No.	OK3371 582250
description	power contactor resistive load 20A 230VAC		



1

No.	380515	Ref. No.	0H7047 DIL00M10
description	power contactor resistive load 20A 230VAC (AC3/400V) 4kW main contacts 4		



1

No.	380171	Ref. No.	0H6542 0H7046 OK1883 OK2061 OKN149 582249 DILEM10
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type DILEM 10		



1

No.	380519	Ref. No.	OK3373 DIL0AM
description	power contactor resistive load 35A 230VAC		



1

No.	380516	Ref. No.	0H7048 DIL0M11
description	power contactor resistive load 35A 230VAC (AC3/400V) 7.5kW main contacts 3NO auxiliary contacts NC/NO connection screw connection type DIL00M/11		

auxiliary contactors



1

No.	380669	Ref. No.	0H6543 DILER31230
description	power contactor resistive load 10A 230VAC main contacts 3NO auxiliary contacts 1NC		
For models:	7585-3/85.KK40.MOTK., 7586-3/85.KK60.MOTK., 7587-3/85.KK80.MOTK., 7588-3/85.KK100.MOTK., 7585-3/90.KK40.MOTK., 7586-3/90.KK60.MOTK., 7587-3/90.KK80.MOTK., 7588-3/90.KK100.MOTK., 7585-5/85.KK40.MOTK., 7586-5/85.KK60.MOTK., 7587-5/85.KK80.MOTK., 7588-5/85.KK100.MOTK., 7589-5/85.KK150.MOTK., 7585-5/90.KK40.MOTK., 7586-5/90.KK60.MOTK., 7587-5/90.KK80.MOTK., 7588-5/90.KK100.MOTK., 7589-5/90.KK150.MOTK., 7569-5/90.KK200.MOTK., 7569-3/85.KK200.MOTK., 7569-3/90.KK200.MOTK., 7569-5/85.KK200.MOTK., 7589-3/85.KK150.MOTK., 7589-3/90.KK150.MOTK., 7769-3/85.KK200.MOTK., 7769-3/90.KK200.MOTK., 7769-5/85.KK200.MOTK., 7769-5/90.KK200.MOTK., 7785-3/85.KK40.MOTK., 7785-3/90.KK40.MOTK., 7785-5/85.KK40.MOTK., 7785-5/90.KK40.MOTK., 7786-3/85.KK60.MOTK., 7786-3/90.KK60.MOTK., 7786-5/85.KK60.MOTK., 7786-5/90.KK60.MOTK., 7787-3/85.KK80.MOTK., 7787-3/90.KK80.MOTK., 7787-5/85.KK80.MOTK., 7787-5/90.KK80.MOTK., 7788-3/85.KK100.MOTK., 7788-3/90.KK100.MOTK., 7788-5/85.KK100.MOTK., 7788-5/90.KK100.MOTK., 7789-3/85.KK150.MOTK., 7789-3/90.KK150.MOTK., 7789-5/85.KK150.MOTK., 7789-5/90.KK150.MOTK., 9045-3, 9047-3...(Other models you can see in the webshop)		

TELEMECANIQUE (Schneider Electric)

power contactors



1

No.	381231	Ref. No.	0KQ438
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LC1K0910P7		
For models:	K35, T5, K35, K35-11, K55-01, K35-01, K55-02, T55-01, K35-02, K35-03, K55-03, K35-04, K55-04, S4A3STD, S4A1STD, S8A3STD, S8A1STD, K35-05, K35-06, K55-05, K55-06, K35-07, K35-08, K55-07, K35-09, K55-08, K35-17, K35-15, K35-23, K35-13, K35-21, K55-12, K35-14, K35-16, K35-19, K35-22, K35-20, K35-12, K55-10, K35-24, K35-25, K35-06, K35-05, K35-07, K35-10, K55-09		



1

No.	380479	Ref. No.	0K2051
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09P7		

ABL SURSUM

motor protection circuit breakers



1

No.	380303	Ref. No.	083472
description	motor protection circuit breaker type Mbs25-063 setting range 4-6.3A (AC3/400V) 3kW		
For models:	BC100A, BC100DA, BC100RA, BC100RDA, BC180A, BC180DA, BC180RA, BC180RDA, BC180RPA, BC44, BC44H, BCF22, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180RDA, BCF180RPA, BC44, BC44H, BCF22, BC120A, BC120RA, BCF120A, BCF120RA, BC44, BC44H, BCF22, BC56VA, Crosswise 20, BC56HA, BCF28A, ESBF20, ESBF40, AOCP2028R, AOCP2028RD, AOCP2028RT, ESK40H, AOFP2028R, AOFP2028RD, AOFP2028RT, EABP31, EABC301, AOFP061U, AOFP061TU, AOCP061T...(Other models you can see in the webshop)		

ALLEN BRADLEY

power contactors




1

No.	380517	Ref. No.	0H6547 CA4510
description	power contactor resistive load 20A 230VAC (AC3/400V) 5.3A/2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 100-M05NKF3S		

TRIPUS (Eichhoff)

small relay switches



1

No.	380120	Ref. No.	0H6541 240602 307P065
description	small relay switch 230V AC1 16A main contacts 4NO connection Faston 6.3mm type 307P002 resistive load 16A		
For models:	7561-3.KES60.RW, 7562-3.KES80.RW, 7563-3.KES100.RW, 7564-3.KES150.RW, 7720-3/90.WB.GN1/1., 7520-3/85.WB.GN1/1., 7731-3/85.GRPL.VCHR., 7701-3/85, 7721-3/85.WB.GN2/1, 7501-3/85., 7531-3/85., 7501-3/90.HE.4PL.(N), 7531-3/90.GRPL.(N), 7508-3/85., 7502-3/85., 7520-3/90.WB.GN1/1., 7720-3/85.WB.GN1/1., 7561-3/85.KES60.RW., 7562-3/85.KES80.RW., 7563-3/85.KES100.RW., 7564-3/85.KES150.RW., 7561-3/90.KES60.RW., 7562-3/90.KES80.RW., 7563-3/90.KES100.RW., 7564-3/90.KES150.RW., 7500-3/85.HE.2PL.(N), 7503-3/85.HE.6PL, 7504-3/85.HE.6PL.BO, 7505-3/85, 7506-3/85.HE.CER.2KZ, 7507-3/85., 7511-3/85.KF.(N), 7512-3/85.KF.BO.(N), 7530-3/85.GRIPL.(N), 7532-3/85.GRPL.GL-GR, 7521-3/85., 7500-3/90.HE.2PL.(N), 7502-3/90.HE.4PL.BO., 7503-3/90.HE.6PL.(N), 7504-3/90.HE.6PL.BO., 7505-3/90.HE.6PL.BO., 7506-3/90.HE.CER.2KZ, 7507-3/90.HE.CER.4KZ, 7508-3/90.HE.CER.BO., 7511-3/90.KF.(N), 7512-3/90.KF.BO.(N), 7530-3/90.GRIPL.(N), 7532-3/90.GRPL.GL-GR, 7521-3/90.WB.GN2/1., 7700-3/85...(Other models you can see in the webshop)		



1

No.	380119	Ref. No.	0H7194 307P010 60050496
description	small relay switch 230V main contacts 2NO/2NC connection Faston 6.3mm resistive load 16A		



1

No.	380121	Ref. No.	0H6544 0H7193 501966 60050495 601962
description	small relay switch 230V main contacts 3NO/1NC auxiliary contacts knob ø70mm (227-piece) connection Faston 6.3mm type E3250 resistive load 16A		
For models:	7560-3, 7561-3, 7562-3, 7563-3, 7564-2, 9050-3, 9100-3, 9101-3, 9102-3, 9104-3, 9106-3, 9108-3, 9111-3, 9113-3, 9114-3, 9115-3, 9116-3, 9250-3-0, 9250-3-8, 9300-3-0, 9300-3-8, 9301-3-0, 9301-3-8, 9302-3-0, 9302-3-8, 9304-3-0, 9304-3-8, 9306-3-0, 9306-3-8, 9308-3-0, 9311-3-0, 9311-3-8, 9313-3-0, 9313-3-8, 9314-3-0, 9314-3-8, 9315-3-0, 9315-3-8, 9316-3-0, 9316-3-8, 9317-3-8, 9411-3, 9413-3, 9414-3, 9415-3, 9416-3		

miscellaneous

accessories



1

No.	400699	Ref. No.	0G1781
description	switching delay SV3/50 3s 50VA type 52159 suitable for JUNO		
For models:	9190-3, 9191-3, 9193-3, 9195-3, 9390-3, 9391-3, 9393-3, 9395-3		

power contactors



1

No.	380391	Ref. No.	003305 21215 I09313
description	power contactor 230V resistive load 110A (AC3/400V) 55/30kW main contacts 3NO connection screw		
For models:	KPI/E25, QPI/E25, WPI/E25		

1

No.	380157	Ref. No.	0K2053
description	power contactor resistive load 32A		

solid state relays

CRYDOM



1

No.	403038	Ref. No.	0G5742 0K5070
description	solid state relay CRYDOM 1 phase 50A 480V 4-32VDC L 57mm W 45mm screw type CWD4850P		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209.D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, HLE129-100, HLE129-103, HLE129-104W, HLE159-252W.3.6, HLE159-328.3.HV, HLE159-351W.3.HV, HLE249-200.3, HLE249-208.3, HLE259-088.3.HV, HLE259-089.3.HV, HLE259-384W.3, LE129-101, LE159-261.3, LE159-281.3.6, LE159-318.3.HV, LE159-322.3.HV, LE159-330.3.HV, LE159-337.3.HV, LE159-344.3.MS92, LE159-347.3.HV, LE249-199.3, LE249-203.3, LE249-207.3, LE249-211.3, LE249-215.3, LE249-219.3, LE249-223.3, LE249-232.3, LE249-238.3, LE259-081.3.HV, LE259-082.3.HV, LE259-083.3.HV, LE259-094.3.HV, LE259-099.3.HV, LE259-382.3, LK259-707.D1ACCB, LK259-708.D1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC...(Other models you can see in the webshop)		

relays

power relays

with DIN rail mounting

upper



1

No.	380183	Ref. No.	048265 048438
description	power relays FINDER 230VAC 12A 2CO connection male faston 4.8mm DIN rail manuf. no. 56.32.8.230.0007		
For models:	LB1, LB1WS, LB1/RBP, LB1/60, WT1WSDP, LB1G, LB1WSG, LB2WS, LB2, LB2/RBP, LB2WS60, LB2WSG, WT2WS, WT1, WT1WS, WT2DPAUS, WT2, NGW, NGWDPDD, LS7D, LS7, LS7UK/RP, LV70, LS7F, LS7DEK, LS7/1UK, LS7/9, LS7/60, WT40/9, WT40/F, LS7HD, WT40UKRP, PH4/WT40, PH4RBP/WT40, LS10D, LS10, LS10UKRP, LC100, LS10/60, LS10/1, LS10/12KW, LS10F, LS10DEK, LS10/1UKRP, LS10SW, LS12D, LS12, LS12UK/RP, LC120, LS12/60...(Other models you can see in the webshop)		
accessories for	380183		
	No.	380476	Ref. No.
	—		
relay socket dimensions 78x27x33.5mm 250V voltage AC 10A FINDER manuf. no. 96.72			



1

No.	380196	Ref. No.	048611
description	power relays FINDER 230VAC 12A 4CO connection male faston 4.8mm DIN rail manuf. no. 56.34.8.230.0007		
For models:	DI-WHW2, DI-WHW3, DI-WHW4, DI-WHW5, DI-WHW6, DI07HWD, DI12HWD, DI14HWD, DI12HWW, DI14HWW, LB1WS, LB1WSDP, LB1/TOP, WT1WSDP, LB1WSG, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2WSDP, LB2/TOP, LB2/RBP, LB2WS60, WT2WSDP, WT2WSDPD, LB2WSG, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, LS10D, LS10, LS10UKRP, LC100, ECOTEMP12-, LS10/60, LS10/1, LS10/12KW, LS10F, LS10DEK, LS10/1UKRP...(Other models you can see in the webshop)		

with flange mounting



1

No.	380921	Ref. No.	054543 082482 085092
description	plug-in relay 230VAC 16A 2CO connection male faston screw mounting		
For models:	ILN110, ILN110UK, ILN120, ILN220, ILN220UK, ILN240, ILNN120, ILNN220, ILNN220UK, ILNN230, ILF110, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF120, ILNF220, ILNF220UK, ILNF230, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFG201, FCFG202, FCFG202, SM15F, SM21F, SMP15F, SMP21F, COCO20G, 4236N, ZSM15/F, ZSM21/F, ZSMP15/F, ZSMP21/F, ZLN110, ZLN220, ZLNN220, FVNE061, FVNE132, KVNE662, ZILNN120, KVNE332...(Other models you can see in the webshop)		



1

No.	380131	Ref. No.	046001 053737 081261
description	power relays Italiana Relè 230VAC 16A 3CO connection male faston 6.3mm screw mounting manuf. no. B2-3-230AC		
For models:	AP20, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILNN220UK, ILNN230, ILF110, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF120, ILNF220, ILNF220UK, ILNF230, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-2UK, FCVG10-4UK, FCVE20-2, FCVE20-4, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2UK, FCVG20-4UK, ZOFCV/E102, ZOFCV/E104, ZOFCV/G102, ZOFCV/G104...(Other models you can see in the webshop)		



1

No.	380130	Ref. No.	046318 046380 S648606100
description	power relays Italiana Relè 230VAC 16A 3NO connection male faston 6.3mm screw mounting manuf. no. B1-3-230AC		
For models:	LS360F, LS360DK, LS365F, LS365, LS365PH, LS500F, LS501F, LS540F, LS540DK, LS541F, LS360D, LS365D, LS360, LS365, LS365/63, LS367, LS720F, LSE720DK, LSE720PH, LS860F, LS860DK, LS860PH, LS1080F, LS1080UK, LS1080PH, LSE721F, LS861F, LS540, LS1080M, LS1080, LS1080D, LS1080UK, LS1080/63, LSDS51, LSDS5V, LS500F, LS500UK, LS501, LS501UK, LS540D, LS540/63, LSE721, LS720, LSE720UK, LS721UK, LSE720D, LS541, LS860, LS860, LS860D...(Other models you can see in the webshop)		

with bracket mounting



1

No.	380052	Ref. No.	088267
description	power relays 230VAC 25A 2NO connection male faston 6.3mm flange support		
For models:	,, BC28A6, Crosswise, , BCF15A6, BC15A, Crosswise, BC28A, Crosswise, BCF15A, Crosswise, BC10A, BLAST C/FREEZER, BCF7A, BLAST C/FREEZER, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ061EBH2...(Other models you can see in the webshop)		



1

No.	380626	Ref. No.	031295 031314 031609 031610 058557 058857 069882 083215 60050261 727944
description	power relays FINDER 230VAC 10A 2CO connection male faston 4.8mm bracket mounting manuf. no. 62.62.8.230.0000		
For models:	BC11, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BCF15A6, , , BCFW061, BCFW101, ALN110, ALN120, ALNN120, ALNN220, ALNN230, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, BC11, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BCWS061T, BCFW102, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALN110, ALN120, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		



1

No.	380139	Ref. No.	0PE302
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	MTC1200P, MTC1400P, MTC1600P, MTC1800P, MTC2000P, MTC1210P, MTC1410P, MTC1610P, MTC1810P, MTC2010P, MTCD1200P, MT-CD1400P, MTCD1600P, MTCD1800P, MTCD2000P, MSR1207, MSR1407, MSR1607, MSR1807, MSR2007, MSR1217, MSR1417, MSR1617, MSR1817, MSR2017, MSRP1207, MSRP1407, MSRP1607, MSRP1807, MSRP2007		



1

No.	380403	Ref. No.	088197 0A9596
description	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		
For models:	BC100A, BC100DA, BC100RA, BC100RDA, BC180A, BC180DA, BC180RA, BC180RDA, BC180RPA, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180RDA, BCF180RPA, AQC119U US, , , BCW061, BCW101, BCW201R, BCW102, BCFW061, BCFW101, BCFW201R, BC120A, BC120RA, BCF120A, BCF120RA, BCWS061T, BCFW102, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BCFWS102, BCFWS101, AZF1103, AZF2203, BC56VA, Crosswise 20, BC56HA, BCF28A...(Other models you can see in the webshop)		



2

No.	380312	Ref. No.	056446 056466 085296 086214 0D0013
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		
For models:	MCP/G700, 7CPE07P, 7CPG07P, M70EPC, M70GPC, RCP/G700, HBR/G801, HBR/G806, HBR/G811, HBR/G816, HBR/G801D, HBR/G806D, HBR/G811D, HBR/G816D, HBR/E801, HBR/E806, HBR/E811, HBR/E816, ZBR/G801, ZBR/G806, ZBR/G811, ZBR/G816, ZBR/G801D, ZBR/G806D, ZBR/G811D, ZBR/G816D, ZR/G413, BR/E806, ZBR/E811, ZBR/E816, ABR/G801, ABR/G806, ABR/G811, ABR/G816, ABR/G801D, ABR/G806D, ABR/G811D, ABR/G816D, ABR/E801, ABR/E806, ABR/E811, ABR/E816, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA...(Other models you can see in the webshop)		

			
1			
No.	380702	Ref. No.	005033 005034 0K2397 0K2398 0K2445 0T3793 261956 261957
description	power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V		
For models:	FCZ102GTG, FCZ102GTD, FCZ102GBG2, FCZ102GBD2, FCZ102GBI2, FCZ102GCG2, FCZ102GCD2, FCV/G20L3, FCVG202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5711-2-7L, 5711-2-8L, 5711-2-10L, 5712-2-7L...(Other models you can see in the webshop)		

			
2			
No.	380636	Ref. No.	056510 60050217
description	power relays FINDER 24VAC 10A 3CO connection male faston 4.8mm bracket mounting manuf. no. 60.63.8.024.0000		
For models:	BC100A, BC100DA, BC100RA, BC100RDA, BC180A, BC180DA, BC180RA, BC180RDA, BC180RPA, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180RDA, BCF180RPA, AQC31U US, AQC60U, AQC119U US,,, BC28A6, Crosswise,,, BC-F15A6,,, BCW061, BCW101, BCW201R, BCW102, BCFW061, BCFW101, BCFW201R, BC120A, BC120RA, BCF120A, BCF120RA, BCWS061T, BCFW102, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER... (Other models you can see in the webshop)		

			
1			
No.	380185	Ref. No.	085647
description	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A10-230AC-FA		
For models:	DLV14/F, DLVT14/F, DLV21/F, DLVT21/F, ZDLV14/F, ZDLVT14/F, DLV21/F, DLVT21/F, ADLV14/F, ADLVT14/F, DLV21/F, DLVT21/F, SMV15/F, SMV21/F, SMV15/F, SMV21/F		

			
1			
No.	381123	Ref. No.	0A9723 SKRM703730
description	power relays SCHRACK 230VAC 16A 3CO connection male faston bracket mounting manuf. no. RM703730 400V		
For models:	ADNN120, ADNF120, AENN120, AENF120, ARDNN120, 83012101, ADNN120, ADNF120, MCD650FP2, EC6N0M2C, EC6N0M2C, EC6N0D2C, EC6M0D2C, C06CD2F, C06CFD2F, C06CFD2FR, C06CM2F, C06CM2F, RH06DD2F, RH06DD2FR, RH06DFD2F, C06CFD2I, EC6N0D2C, EC6M0D2C, KVPE332, KVNE332, KMNE332, KMNE332		

			
1			
No.	380950	Ref. No.	0A9500
description	relay SCHRACK 230VAC 25A 2CO connection F6.3 with mounting strap at 250V 25A manuf. no. RM805730 250V 4-pole		
For models:	SSWC12, SSWC16, SSWC20, SSWB12, SSWB16, SSWB20, DRVAF12, DRVAF16, DRVAF20, DRVP12, DRVP16, DRVP20, ZLRW12C, ZLRW16C, ZLRW20C, ZLRW12B, ZLRW16B, ZLRW20B		

with special fixing

			
1			
No.	380318	Ref. No.	048888
description	power relays SCHRACK 230VAC 16A 2NO connection coded plug manuf. no. 0419 120301 00 2-pole		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, LS61, LS61/60, WT38/M50, WT38PM50, WT38M50/4, EUCIM, EUCIM60, EUCAIUSPH6, LS62, LS62D, LS62/UKRP, LS62F, LV62, LS62/60, ECOTEMP5, LS62/1P, LS62HD, LS65, LS62/UK, LS63, LS63D, LS63/UKRP, LS63F, LV63, LS63/60, LS63/1P... (Other models you can see in the webshop)		



with male contacts

bullet connectors, 11 contacts




No.	380132	Ref. No.	0K3700 128657
description	power relays Italiana Relè 230VAC 10A 3CO connection plug-in connection round 11-pole manuf. no. C43-230AC ZVE11 250V 11-pole		
accessories for	380132		
	No.	380136	Ref. No. 049236
	relay socket 11-pole connection plug-in connection round 11-pole dimensions 65x28x40mm 250V voltage AC 10A Italiana Relè manuf. no. ZVE11		

female contact 4.8mm



No.	380475	Ref. No.	0H9815 0K4944 18005327 700522 LY2
description	power relays FINDER 220-240VAC 12A 2CO connection F4.8 raster size 10mm plug-in connection manuf. no. 56.32.8.230.0040 250V 2-pole connection 4.8mm		
accessories for	380475		
	No.	380476	Ref. No. —
	relay socket dimensions 78x27x33.5mm 250V voltage AC 10A FINDER manuf. no. 96.72		



No.	380854	Ref. No.	0E5170 0K8710
description	power relays FINDER 24VAC 16A 3CO connection F4.8 raster size 10mm plug-in connection manuf. no. 62.33.8.024.0000 250V connection 4.8mm		
For models:	PW1EFL, PW1EFLF, PW1EFL/60HZ, PW2EFL, PW2EFLF, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFLF, WT830EFL/60HZ, WT850, WT850EFL, WT850EFLF, WT850SFL, FT36EDTS, FT36ESTS, FT36VDT, FT36VST, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS...(Other models you can see in the webshop)		


plug-in/print relays



No.	380797	Ref. No.	048791
description	print relay 230VAC 1CO at 250V 10A connection pins raster size 3.5mm FINDER manuf. no. 40.31.8.230.0000 95.83.3/95.63		
For models:	LO10		
accessories for	380797		
	No.	380663	Ref. No. —
	relay socket 250V voltage AC 10A FINDER manuf. no. 95.83.3		




No.	380333	Ref. No.	0E5849 0K4551 0K4947 0K6309 11031629 11031637 18005339
description	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75		
For models:	RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230, RT10ERF60, RT10ELF60, RT10ERF, RT10ELF, RT10ERBF60, RT10ELBF60, RT10ERG, RT10ELG, RT10EDH, RT10ESH, RT10SRB, RT10SLB, RT10ED/230H, RT10ES/230H, RT10ERBF, RT10ELBF, RT10ERBG, RT10ELBG, RT10EDECO, RT10ESECO, RT10SRC, RT10SLC, RT10ED/230E, RT10ES/230E, RT10ERCF, RT10ELCF, RT10ERCG, RT10ELCG, RT10EDHE, RT10ESHE, RT10SRCB, RT10SLCB, RT10ED/230HE, RT10ES/230HE, RT10ERCBF, RT10ELCBF, RT10ERCBG, RT10ELCBG, RT10ERASIA, RT10ELASIA, RT10SRASIA, RT10SLASIA, RT10ERCINA, RT10ELCINA...(Other models you can see in the webshop)		
accessories for	380333		
	No.	380340	Ref. No. —
	relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5		
	No.	380505	Ref. No. —
	relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3		
	No.	381181	Ref. No. —
	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75		

1

No.	380853	Ref. No.	0E5172 0K8712
description	print relay 24VAC 1CO at 250V 16A connection pins raster size 5mm FINDER manuf. no. 40.61.8.024.0000 95.65/95.75		
For models:	PW1EFL, PW1EFLF, PW1EFL/60HZ, PW2EFL, PW2EFLF, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFLF, WT830EFL/60HZ, WT850, WT850EFLF, WT850EFL/60HZ, WT850SFL, FT36EDTS, FT36ESTS, FT36VDT, FT36VDTF, FT36VST, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS...(Other models you can see in the webshop)		

1

No.	380953	Ref. No.	0E5173
description	relay socket 8-pole 250V 10A FINDER manuf. no. 95.65		
For models:	RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)		

relay sockets




1

No.	380136	Ref. No.	049236	
description	relay socket 11-pole connection plug-in connection round 11-pole dimensions 65x28x40mm 250V voltage AC 10A Italiana Relè manuf. no. ZVE11			
For models:	LS7HD, LS10UKRP, LS10/HD, LS12HD, LS8/HD			
accessories for	380136			
	No.	380805	Ref. No.	—
support bracket				



1

No.	380137	Ref. No.	053912	
description	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8			
For models:	FVGC4, FV4G, FV4E, HCPA/G1219, HCPA/G1219, HCPA/V1219, FV4G, FV4E, FVAC041, HCPA/G121, HCPA/G121			
accessories for	380137			
	No.	380805	Ref. No.	—
support bracket				

1

No.	380802	Ref. No.	002786	
description	relay socket 4-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.74			
For models:	HBR/G800, HBR/G805, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800UK, ZBR/G800, ZBR/G805, ZBR/G810, ZBR/G815, ZBR/G811, ZBR/G816, ZBR/G800UK, ABR/G800, ABR/G805, ABR/G810, ABR/G815, ABR/G811, ABR/G816, OBR/G800UK			
accessories for	380802			
	No.	380804	Ref. No.	—
support bracket				

level relays

GICAR



1

No.	400018	Ref. No.	004837 005048 055359 055458 0A8502 0C0937 0H6151 0H6585 0K9194 0KE598 0M2262 18E18 213810 60050385 BR63051 MBR63051
description level relay 230V voltage AC connection F6.3 type RL30/3ES/F/G			
For models: FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, KPI/G15H, KPI/E15H, KPI/G10H, KPI/E10H, QPI/G15H, QPI/E15H, QPI/G10H, QPI/E10H, WPI/G15H, WPI/E15H, WPI/G10H, WPI/E10H, FCVG202L3, FCVG202L6, FCV/G202/1, FCS201G4, FCS202G4, FCS202GP, FCS202GX, FVE3, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK...(Other models you can see in the webshop)			



1

No.	400743	Ref. No.	0H6240 80/3VZI
description level relay			
For models: 9190-3, 9191-3, 9193-3, 9195-3, 9390-3, 9391-3, 9393-3, 9395-3			



1

No.	400176	Ref. No.	0G1804 ER104
description level relay 1CO 230V voltage AC			



1

No.	401638	Ref. No.	056496 60050216 911987
description level relay 24V type RL30/3ES/F/G			
For models: FCVE6-3CE, FCVE103CE, FCVE203CE, FCVM62E, FCVM62EUK, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3			

miscellaneous



1

No.	402951	Ref. No.	053913
description level controller 50/60Hz 24V voltage AC 10A type RL30/3ES/11			
For models: CRN22G, CRN/20G, CRN30G, CRN15G, CRN15V, CRN15E, CRN/22GZ, CRN20GZ, CRN30GZ, CRN15GZ, CRN15V-Z, CRN15EZ, CRN20GA, CRN30GA, CRN15GA, CRN15VA, CRN15EA, FCVE10, FCVE20, FVGC4, FV4G, FV4E, CR42G, CR42V, CR42E, CR/40G, CR/40V, CR40E, FV4G, FV4E, FVAC041			



1

No.	400002	Ref. No.	0H6222 0K0643 0KF903 214871 60050390
description level relay type FTL 160			
For models: 5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8			

supervisory relays



1

No.	401610	Ref. No.	N/A
description	supervisory relay revolutions		

time relays

time relays



1

No.	380682	Ref. No.	0H6817 0K2378 BHRFN MHR1
description	time relay CROUZET time range 1s-100h 24VDC		
For models:	5611-3-10, 5611-3-8, 5612-3-10, 5612-3-8, 5614-3-10, 5614-3-8		



1

No.	380381	Ref. No.	0H6818
description	time relay DOLD MK7614.32 time range 0.15s-30min 230VAC 2x4A 2CO connection grip connection		
For models:	9190-3, 9191-3, 9193-3, 9195-3, 9390-3, 9391-3, 9393-3, 9395-3		



1

No.	380380	Ref. No.	006156
description	time relay FIBER T45Sc25 time range 0s-120h 24VAC 5A mounting measurements 45x45mm connection plug-in connection round 8-pole		
For models:	HFH/G430, HFH/E430, ZFH/G430, ZFH/E430		



1

No.	381148	Ref. No.	0C1240
description	time relay FINDER 85.02.0.024.0000 time range 0.05s - 100h 24VAC/DC 10A 2CO		
For models:	CRN22G, CRN/20G, CRN30G, CRN15G, CRN15V, CRN15E, CRN/22GZ, CRN20GZ, CRN30GZ, CRN15GZ, CRN15V-Z, CRN15EZ, CRN20GA, CRN30GA, CRN15GA, CRN15VA, CRN15EA, CR42G, CR42V, CR42E, CR/40G, CR/40V, CR40E		



1

No.	380622	Ref. No.	049235
description	time relay FINDER 88.02.0.230.0002 time range 0.05s-100h 24-230V AC/DC 2x8A mounting measurements 45x45mm		
For models:	LS7HD, LS10UKRP, LS10/HD, LS12HD, LS8/HD		
accessories for	380622		
	No.	380667	Ref. No.
			—



1

No.	360104	Ref. No.	004181
description	time relay FINDER 88.12.0.230.0002 time range 0.05s-100h 24-230V AC/DC 2x5A mounting measurements 45x45mm 2CO connection plug-in connection round 8-pole		
For models:	ZFC33, ZFC45		
accessories for	360104		
	No.	380638	Ref. No.
			—



1	No.	350200	Ref. No.	0E0019
				0E5342
				0E5669
				0H2266
				0K7996
				0K8355
				0K8727
				0KA728
				0KA729
				0KC433
				0KE414
				0KT395
				30000877
				88826135
				BCRU11524V
description				
time relay OMRON H3DK-M1 time range 0.1s-1200h 24-240V AC/DC 5A mounting measurements DIN railmm connection screw clamp				
For models:				
EBS50., EBS50H, EBS100., EBS100H, EBS150., EBS150H, EBS200., EBS200H, EBS300., EBS300H, EBV50., EBV50H, EBV100., EBV100H, EBV150, EBV150H, EBV200., EBV200H, EBV300., EBV300H, EBVC50, EBVC50H, EBVC100, EBVC100H, EBVC150, EBVC150H, EBVC200, EBVC200H, EBVC300, EBVC300H, EBP100., EBP100M, EBP150, EBP150M, EBP200., EBP200M, EBP300., EBP300M, EBPC100, EBPC100M, EBPC150, EBPC150M, EBPC200, EBPC200M, EBPC300, EBPC300M, MED50H, MED100H, MED150H, MED200H...(Other models you can see in the webshop)				



1	No.	380681	Ref. No.	0K2401
description				
time relay TESCH E67.3x105 time range 3-60s 230VAC 5A				



1	No.	360357	Ref. No.	0H6122
description				
time relay TESCH V333x01 time range 0s-60h 220-240VAC 4x4A 4CO				



1	No.	360407	Ref. No.	075659
description				
timer FINDER T23522203F0 time range 0.5s-120h 24VAC 2x6A mounting measurements 45x70mm 2CO				
For models:				
LO/E480, PLO480/E, LO480EUK, LO480E/63, LO480VAPORESTD, PLO480V, LO480V/63-60HZ, LO/E250, PLO250E, LO/E250UK, LO250E/63, LOPE25, LOPE48, LO480Z-VAPORE				

transformers

open transformers

with clamp terminal



1	No.	401266	Ref. No.	056512
description				
transformer primary 230V secondary 12/24V 100VA				
For models:				
FCVE6-3CE, FCVE103CE, FCVE203CE, FCVE20/P-V, FCVE10-P, FCVE-10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3				

toroidal core transformers



1	No.	401663	Ref. No.	0E5290
description				
transformer primary 230V secondary 12V 25VA				
For models:				
RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD, RT100VS, RT140ERF, RT140ELF, RT140VD, RT140VS, RT142ERF, RT142ELF, RT190ERF, RT190ELF, RT190VD, RT190VS, RT190HERF, RT190HELF, RT190HDVDF, RT190HDVSF, RT270ERF, RT270ELF, RT270VDF, RT270VSF, RT270HERF, RT270HELF, RT270HDVDF, RT270HDVSF...(Other models you can see in the webshop)				

			
1			
No.	379395	Ref. No.	006159
description	transformer primary 240V secondary 24V 200VA		
For models:	MCP/E1SH, MCP/E2SH, MCP/E2SHB, PCP/E1SH, PCP/E2SH, PCP/E2SH3B, PCP/E1ELH, OCP/E1SH, OCP/E2SH, TCP/E2SH, TCP/E1ELH, KFH/G1, KFH/E1, KFH/G1ELH, KFH/E1ELH, KFH/G1EH, KFH/E1EH, HFH/G430, HFH/E430, HFH/G435, HFH/G435, QFH/G1, QFH/E1, QFH/G1ELH, QFH/E1ELH, QFH/G1EH, QFH/E1H, ZFH/G430, ZFH/E430, ZFH/G435, ZFH/G435, WFH/G1, WFH/E1, WFH/G1ELH, WFH/E1ELH, WFH/G1EH, WFH/E1EH, AFH/G435, AFH/E435, ZFT/E1L, ZFT/E1LE5, ZFT/E2L, ZFT/E2LE5		

encapsulated transformers

multiple connections

			
1			
No.	401346	Ref. No.	0H6808
description	transformer 20VA		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		

			
1			
No.	401546	Ref. No.	0K2761
description	transformer primary 230V secondary 12V 10VA		
For models:	5611-3-10, 5612-3-10, 5614-3-10		

with screw connection

			
1			
No.	401665	Ref. No.	0E5247 0KK018 0L0074 0L1158
description	transformer primary 230/400V secondary 24-48V 400VA connection screw 50-60Hz		
For models:	FP50A, FP50AM, FP70A, FP70A, FP100A, FP100A, FP50A, FP70A, FP100A, PW1EFL, PW1EFLF, PW1EFL/60HZ, PW2EFL, PW2EFLF, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFL/60HZ, WT850, WT850EFLF, WT850EFL/60HZ, WT850SFL, RT100ED, RT100ES, RT100SR, RT100SL, RT140ED, RT140ES, RT140SR, RT140SL, RT190ED, RT190ES, RT190SR, RT190SL, RT190HDED, RT190HDES, RT190HSR, RT190HSL, RT270ED, RT270ES, RT270SR, RT270SL, RT270HDED, RT270HDES, RT270HSR, RT270HSL, RT100ERF, RT100ELF, RT100VD... (Other models you can see in the webshop)		

PMA

			
1			
No.	401267	Ref. No.	007045
description	transformer primary 230V secondary 12/24V 60/40VA secondary 5/1.7A connection screw 50Hz		
For models:	FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ102GAG, FCZ102GAD, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ102GBG, FCZ102GBD, FCZ102ECA, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ102GCG, FCZ102GCD, FCS061GP, FCS061EP, FCS101EP4J, FCS101EP, FCS101GP9J, FCS101GP, FCS102GA9J, FCS201EP, FCS102GP, FCS202EP, FCS201GP, FCS202GP, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EX, FCS201EX, FCS201EXLN, FCS202EX, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, AOW101EA, AOS061EA, AOS061EB, AOS101EA, AOS101EB, AOS201EA, AOS201EB... (Other models you can see in the webshop)		



1

No.	379054	Ref. No.	004120 004121 081675 083833 0A2497
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	ALN110, ALN120, ADN111, ADF110, ALF110, ADF120, ALF120, ADNN120, ADNF120, ALN220, ALN240, ADN221, ADF220, ADF240, ADNN220, ADNF220, ADNN230, ADNF230, AKN110UK, AKF110UK, AKN220UK, AKF220UK, ASN110UK, ASF110UK, ASN220UK, ASF220UK, ARDN110, AZP1103, AZF1103, AZP2203, AZF2203, 83012001, 83012033, 83012201, ARDF110L, ARDF120, ARDNN120, 83012101, ARDN220, ARDN221, ARDNF220, 83012037, AZP1103, AZP2203, ASN110, ASF110, ASN220, ASF220, ADN110, ADN120... (Other models you can see in the webshop)		



2

No.	401174	Ref. No.	082378
description	transformer primary 230VAC secondary 12VAC 6VA secondary 0.5A connection screw 50Hz		
For models:	ICF110, ICP130, ITP120UK, ICN110UK, ICF110, ITP120UK, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILNSO120, ILN221, ILNN120, ILNN220, ILNN220UK, ILNN230, ILF110, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF120, ILNF220, ILNF220UK, ILNF230, TRNP1802, TRRN1301, TRRN1302, TRRN1303, TRRN1801, TRRN1802, TRRN1803, TRRN2201, TRRN2202, TRRN2203, KVRC/E3, HVR/E1200, QVRC/E3...(Other models you can see in the webshop)		

for lighting



1

No.	401547	Ref. No.	002710 002856 0C9422 0F0083 0K8481 17008908 60050262
description	transformer primary 230V secondary 11.5V 50W		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCV/G20L3, FCVG20L3, FCVE6L3J, FCV/E10L3JAP, FCV/E10L6JAP, FCV/G6L3JAP, FCVG10L3J, FCV/G10L6JAP, FCVG6L3CJ, FCV/G10L2, FCV/E10L2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E6L3, FCV/E20L3, FCVE20L3, FCV/G6L4, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCV/G20L6, FCV/E20L6, FCVG20L6, FCVE20L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS061G3DI, FCS061E3CI, FCS061G4, FCS101E2, FCS061G4DT, FCS101E44, FCS061G49J, FCS101G2, FCS101E4...(Other models you can see in the webshop)		

miscellaneous

1

No.	403448	Ref. No.	083389
description	transformer for blast chiller suitable for ZANUSSI		
For models:	BC11, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BC11, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BC0144, BC072, ESB-C72R, ESBF10, ESB-C144R, ESBF70, ESBF70R, ESBF144, ESB-C10R, ESB-C20R, ESB-C20R, ESBF20, ESB-C40, ESBF40, ESBF144R, ESK40H, ESF40H, EEVA10/1, EEVA20/1, EEVA40/1, EEVA40/2, EEVAC10/1, EEVAC20/1, EEVAC40/1, EEVAC40/2, EEVA10/1, EEVA20/1, EEVA40/1, EEVA40/2, EEVAC10/1, EEVAC20/1, EEVAC40/1, EEVAC40/2...(Other models you can see in the webshop)		

electronic controllers

CAREL

refrigeration controllers

built-in version



1

No.	379512	Ref. No.	091609
description	electronic controller CAREL IRELF0EN215 mounting measurements 71x29mm built-in depth 70.5mm 230V voltage AC NTC relay outputs 3 CO-8A(4) CO-8A(4) CO-6A(1) NTC NTC DI yes without plug protection IP54 -50 up to +99°C display 3 digits		
For models:	ZVR1780, ZVR2180, ZVR1930, ZVR2400, RS06PX1F6M, FULL DOOR FREEZER, RCSN2M2, RCSN2M12, RCSN3M3, RCSN3M22, RCSN3M14, RCSN4M4, RCSN4M32, RCSN4M24, RCSN2M2U, RCSN3M3U, RCSN4M4U, RCSN2M2R, RCSN2M12R, RCSN3M3R, RCSN3M22R, RCSN3M14R, RCSN4M4R, RCSN4M32R, RCSN4M24R, RS06RX1F, FULL DOOR FREEZER, RS06FX1F, RS06DX2F, RS13RX2F, RS13DX2F, RS06PX1F, RS06PX1F6, RS06R41F, RS06DFX2F, RS13PX2F, RS13PX2F6, RS13P42F, RS13DFX2F, RS06PW1F, FULL DOOR FREEZER, RS06FW1F, RS13PW2F, RCSN2M2T, RCSN3M3T, RCSN4M4T, FULL DOOR FREEZER, RS06FX1F6, RS06RXH, FULL DOOR FREEZER...(Other models you can see in the webshop)		

DIXELL

1

DOLD

1

ELIWELL

1

Table continues overleaf



accessories for 379559			
No.	379161	Ref. No.	0A9498
temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
No.	379782	Ref. No.	—
temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			



1

No.	379562	Ref. No.	081684 082484 084337 084338 085047 091357 646724001
description electronic controller ELIWELL type IC902 mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC relay outputs 1 relay front measurements 74x32mm built-in depth 61mm protection IP65 accuracy superior to 0.5% from final value% defr. funct. no -55 up to +150°C display 2½ digit TempIn1 yes 8A			
For models: ILF110, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF120, ILNF220, ILNF220UK, RI16H1F, RI16H2FT, EMVN500, MVN112V12C, DVP500V11C, DVP501V11C, MVP502V11C, DVN500V11C, DVN501V11C, DVP500V11V, DVP501V11V, MVP502V11V, EDVN500, DVN501V11V, DVP600V11C, DVP601V11C, MVP602V11C, DVP600V12C, DVP601V12C, DVN600V11C, DVN601V11C, DVN600V12C, DVN601V12C, DVP600V11V, DVP601V11V, EMVP602, DVN600V11V, EDVN601, DVP110V12C, DVP111V12C, MVP112V12C, DVN110V12C, DVN111V12C, DVP110V12V, DVP111V12V, MVP112V12V, EDVN110, EDVN1101, DVP130V12C, DVP131V12C, MVP132V12C...(Other models you can see in the webshop)			
accessories for 379562			
No.	379052	Ref. No.	083583 050302
temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			
No.	379064	Ref. No.	085961 0A9600 0D6591 31876
temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
No.	379161	Ref. No.	0A9498
temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
No.	379782	Ref. No.	—
temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			



1

No.	379566	Ref. No.	004109
description electronic controller ELIWELL type IC912 mounting measurements 71x29mm 12V Pt100/TC-J defr. funct. no			
For models: ZCMDG6, ZCMDG4, ZCMDG9, ZCBDG8, ZCBDG12, ZCBDG18			



1

No.	379567	Ref. No.	006154 0C3421
description electronic controller ELIWELL type ICPlus902 model ICP11J0550000 mounting measurements 71x29mm 24V voltage AC Pt100/TC (J,K) relay outputs 1 CO-8A(3) Pt100/TC (J,K) built-in depth 60mm defr. funct. -150 to 1350°C display 3½ digits			
For models: MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, PCP/E1SH, PCP/E2SH, PCP/E2SH3B, OCP/E1SH, OCP/E2SH, TCP/E2SH, HFH/G430, HFH/E430, ZFH/G430, ZFH/E430			
accessories for 379567			
No.	378064	Ref. No.	—
alarm device AKO type AKO-520631 mounting measurements 214x214mm 230V voltage AC relay outputs 1 CO-8A(4) up to 1 front measurements 222x222mm protection accuracy% yes yes			
No.	378075	Ref. No.	—
temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C probe ø4.5x150mm cable length 3m without screw connection 2-wire			
No.	379050	Ref. No.	—
temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire			
No.	379062	Ref. No.	—
temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x50mm cable length 3m without screw connection 2-wire			
No.	379131	Ref. No.	—
temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x85mm cable length 3m without screw connection 3-wire resistance at 0°C 100Ohm			
No.	400583	Ref. No.	—
transformer primary 230VAC secondary 24VAC 10VA secondary 0.4A connection screw 50Hz			



accessories for 379690	
No.	379781
Ref. No.	—
temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire	
No.	379782
Ref. No.	—
temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm	

1	
No.	379832
Ref. No.	0S1643
description electronic controller ELIWELL type ICPlus915 model ICP22DI750000 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 CO-8A(3) CO-8A(3) NTC/PTC NTC/PTC built-in depth 59mm defr. funct. -50 to +140°C display 3½ digits	

refrigeration controllers

built-in version

1	
No.	379025
Ref. No.	05877 089903 091289 099695 0S0786
description electronic controller ELIWELL type ID961LX mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 front measurements 76.2x35mm protection IP65 -55 up to +150°C display 3½ digits	
For models: AZP1103, AZP110360, AZP6430, AZP2203, AZP220360, AZP13430, RS06PX1F, RS06PX1F6, RS06R41F, RS13PX2F, RS13PX2F6, RS13P42F, RS06PW1F, RS13PW2F, SAL25L2C94, RS06N41F, RS06F41FS, KL650R, KLP1300R, RS0PX1FD, RS13PX2FD, KL650R, KEP650R, KL650R, KLP1300R, KEP1300R, KLP1300R, SAL25L2C9, PTR259, SAL25T12, SAL25N12, SAL25T20, SAL25N20, SAL25N04, SAL25T04, RS06N41F	

1	
No.	379572
Ref. No.	083698 083746 083799 0A8908 0A8909 0A8933 0A9230 0K6601 0T1387 461601
description electronic controller ELIWELL type ID970 model ID12C00TCD300 mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC relay outputs 2 NO-8A(3) CO-8A(3) NTC/PTC built-in depth 67mm -55 up to +150°C display 3½ digits	
For models: ESR142GR, ESR14412FR, ESR141212FR, ESR142FR, ESR141212F, ESR142F, ESR14412F, ESR142G, ESF142FR, ESR4212FR, ESR4212F, ESR41GR, ESR41FR, ESR41G, ESF41FR, ESR41F, ESQC41F, ESQC41FR, , EUKR142N, , EUKR142F, EUKR141212, EUKR14412F, , ESR41F60HZ, ESR422F60HZ, ESR41G60HZ, ESR142F60, ESR1412F60HZ, ESR1442F-60HZ, ESR142G60HZ, ESF41GR, ECZ602, ETZ601, ETZ602, ETZ1402, ETZ1404, ETZ601GT, ESQC41F, ESQC41FR, ETE601, ETE602, ETE1402, ETE1404, ETE601GT, ETE601L, ETZ601L, ECE602, ESR41F...(Other models you can see in the webshop)	
accessories for 379572	
No.	378194
Ref. No.	—
temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire	
No.	379052
Ref. No.	083583 0S0302
temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire	
No.	379053
Ref. No.	—
temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire	
No.	379054
Ref. No.	004120 004121 081675 083833 0A2497
transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M	
No.	379057
Ref. No.	—
temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire	
No.	379064
Ref. No.	085961 0A9600 0D6591 31876
temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire	
No.	379142
Ref. No.	0S0301
temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire	
No.	379160
Ref. No.	—
temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire	

accessories for 379572				
No.		379161	Ref. No.	0A9498
 temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire				
No.		379343	Ref. No.	092182 099570
 temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire				
No.		379458	Ref. No.	050299
 temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire				
No.		379781	Ref. No.	—
 temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire				
No.		379782	Ref. No.	—
 temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm				
No.		379804	Ref. No.	—
 protector for electronic controller 71x29 L 93mm W 65mm plexiglas				



1				
No.	379575	Ref. No.	089176 K0020100	
description	electronic controller ELIWELL type ID971 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 relays -55 up to +150°C display 3½ digits RoomTempIN yes DEF Probe yes DEF Relay 8A compressor relay 8A			
For models:	STRP1101, STRP1102, STRP1601, STRP1602, STRP1603, STRP2201, STRP2202, STRP2203, STRP1101S, STRP1601S, STRP2201S, STRP1602R, STRP1603R, STRP2201R, STRP2202R, STRP2203R, STRP1101R, STRP1102R, STRP1601R, RCSN2M2, RCSN2M12, RCSN3M3, RCSN3M22, RCSN3M14, RCSN4M4, RCSN4M32, RCSN4M24, RCSN2M2U, RCSN3M3U, RCSN4M4U, RCSN2M2R, RCSN2M12R, RCSN3M3R, RCSN3M22R, RCSN3M14R, RCSN4M4R, RCSN4M32R, RCSN4M24R, RCSN2M2T, RCSN3M3T, RCSN4M4T, HB2P, HB1P2C12, HB1P3C, HB4C, HB3P, HB2P2C, HB1P4C, HB6C, HB4P...(Other models you can see in the webshop)			
accessories for	379575			
	No.	379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			
	No.	379064	Ref. No.	085961 0A9600 0D6591 31876
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
	No.	379161	Ref. No.	0A9498
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	No.	379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			



No.	381440	Ref. No.	099334
description electronic controller ELIWELL type ID974 230V voltage AC NTC/PTC protection IP65			
For models: 83012101, ADNN120, MCD650FP2, RH06DD2FR, EC6N0D2C, EC-6M0D2C			



No.	378135	Ref. No.	087656 087780 088395
description electronic controller ELIWELL type ID974 mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC relay outputs 3 relays -50 up to +150°C display 3 1/2 digits RoomTempIN yes DEF Probe yes DEF Relay 8A fan relay 8A compressor relay 15A			
For models: AZP1103, AZF1103, AZP2203, AZF2203, AZP1103, AZP2203, ALN1103, ALNN1203, ALN2203, ALNN2203, AZP6430, ALF1104, AZP13430, AZF13430, ALN11033, ALF11033, KLN650R, KLPP650R, KLN1400R, KPF1400R, RS06RX1F, RS06FX1F, RS06DX2F, RS13FX2F, RS13DX2F, RS-13RX2F, KLPP650R, KLPP1400R, KL650R, KL650F, KLP1400R, KLP1400F, KEP6500R, KE650F, KEP1400R, KEP1400F, KL650R, KL650F, KLP1400R, KLP1400F			
accessories for 378135			
No.	379053	Ref. No.	—
temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			
No.	379064	Ref. No.	085961 0A9600 0D6591 31876
temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
No.	379161	Ref. No.	0A9498
temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
No.	379782	Ref. No.	—
temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			