# Professionall

Solutii profesionale pentru echipamente profesionale

GAS COMPONENTS

ELECTRIC COMPONENTS

WATER TECHNOLOGY

MECHANICAL COMPONENTS

TOOLS

Spare parts suitable for

# ELFRAMO

# heating elements

## heating elements for fryers

### 2 hole fixing




1

| No. | 415920 | Ref. No. | 00033120 |
|---|---|---|---|
| description | heating element 2800W 230V heating circuits 1 L 280mm W 160mm H 185mm thread 1/4" tube ø 8.5mm windings 4 connection M4 2 hole fixing fryer heaters | | |
| For models: | EB6, EB6+6 | | |
| accessories for | 415920 | | |
| | No. 510417 | Ref. No. | — |
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | |
| | No. 520228 | Ref. No. | — |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | |
| | No. 520230 | Ref. No. | — |
| | nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs | | |
| | No. 521101 | Ref. No. | — |
| | nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs | | |
| | No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |
| | No. 550262 | Ref. No. | — |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | |
| | No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| | No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |




1

| No. | 415921 | Ref. No. | 00033130 |
|---|---|---|---|
| description | heating element 1260W 230V heating circuits 1 L 320mm W 48mm H 220mm L1 22mm L2 298mm thread 1/4" tube ø 8.5mm windings 2 2 hole fixing connection M4 fryer heaters | | |
| For models: | EB18P, EB8 | | |
| accessories for | 415921 | | |
| | No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |
| | No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| | No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |

### group 7

1

| No. | 420210 | Ref. No. | 00039276 |
|---|---|---|---|
| description | heating element 1600W 230V heating circuits 1 L 283mm W 75mm H 200mm 2 hole fixing connection male faston 6.3mm immersion heater L1 10mm L2 273mm W1 12.5mm W2 50mm H1 20mm H2 180mm tube ø 8.5mm thread 1/4" mounting distance 41.5mm windings 2 | | |
| For models: | ST7, ST7+7 | | |



MAG-PRO




1

| | | | |
|---|---|---|---|
| **No.** | 416783 | **Ref. No.** | 00033154<br>00033155 |
| **description** | heating element 5500W 230V heating circuits 1 L 250mm W 60mm H 250mm L1 22mm L2 375mm H1 206mm H2 44mm thread M14x1.5 tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 6 | | |
| **For models:** | EM20, EM20+20, ES20, ESD20, FE20, FE20+20, FE30, FE30+30, KES20, KESD20 | | |
| **accessories for** | 416783 | | |
| | No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |
| | No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| | No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |




1

| | | | |
|---|---|---|---|
| **No.** | 415924 | **Ref. No.** | 00033142 |
| **description** | heating element 3000W 230V heating circuits 1 L 297mm W 86mm H 243mm L1 22mm L2 275mm H1 207mm H2 36mm thread 1/4" mounting distance 34mm tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 4 | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, ES12, ESD12, FE12 | | |
| **accessories for** | 415924 | | |
| | No. 361182 | Ref. No. | — |
| | nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs | | |
| | No. 510417 | Ref. No. | — |
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | |
| | No. 520228 | Ref. No. | — |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | |
| | No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |

| | | | |
|---|---|---|---|
| **accessories for** | 415924 | | |
| | No. 550262 | Ref. No. | — |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | |
| | No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| | No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |




1

| | | | |
|---|---|---|---|
| **No.** | 416782 | **Ref. No.** | 00033150<br>00033151 |
| **description** | heating element 3333W 230V heating circuits 1 L 395mm W 85mm H 245mm L1 23mm L2 375mm H1 210mm H2 35mm thread 1/4" mounting distance 76mm tube ø 8.5mm 2 hole fixing connection M4 connection length 37mm fryer heaters windings 4 | | |
| **For models:** | EM20, EM20+20, EM20-900, ES20, ESD20, FE20, FE20+20, FE30, FE30+30 | | |
| **accessories for** | 416782 | | |
| | No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |
| | No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| | No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |




1

| | | | |
|---|---|---|---|
| **No.** | 415922 | **Ref. No.** | 00033140 |
| **description** | heating element 1680W 230V windings 2 | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12 | | |

MAG-PRO




1

| | | | |
|---|---|---|---|
| **No.** | 415923 | **Ref. No.** | 00033141 |
| **description** | heating element 2000W 230V heating circuits 1 L 315mm W 74mm H 250mm L1 20mm L2 295mm H1 214mm H2 36mm thread 1/4" mounting distance 66mm tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 2 fryer | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, ES12, ESD12, FE12 | | |
| **spare parts for** | 415923 | | |
| | No. 510417 | Ref. No. | — |
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | |
| **accessories for** | 415923 | | |
| | No. 361182 | Ref. No. | — |
| | nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs | | |
| | No. 520228 | Ref. No. | — |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | |
| | No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |
| | No. 550262 | Ref. No. | — |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | |
| | No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| | No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |




1

| | | | |
|---|---|---|---|
| **No.** | 419056 | **Ref. No.** | 00033145 |
| **description** | heating element 2000W 240V heating circuits 1 L 315mm W 74mm H 250mm L1 20mm L2 295mm H1 214mm H2 36mm thread 1/4" mounting distance 66mm tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 2 fryer | | |
| **For models:** | EB12, EB12+12, ES12, ESD12 | | |

## 6 hole fixing

1

| | | | |
|---|---|---|---|
| **No.** | 420209 | **Ref. No.** | 00039278 |
| **description** | heating element 9000W 230V heating circuits 3 L 310mm W 180mm H 235mm L1 10mm L2 300mm thread 1/4" mounting distance 34.5mm tube ø 8.5mm 6 hole fixing connection male faston 6.3mm immersion heater fryer | | |
| **For models:** | ST12, ST12+12 | | |

## coil heating elements

1

| | | | |
|---|---|---|---|
| **No.** | 420345 | **Ref. No.** | 00055600<br>00055640 |
| **description** | heating element 1400W 230V L 285mm W 135mm ø 19.5mm thread 3/8" connection M5 for drying heating circuits 1 2 hole fixing | | |
| **For models:** | EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

## immersion heating elements

### miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 418574 | **Ref. No.** | 00203052<br>00203053 |
| **description** | heating element 3000W 230V heating circuits 1 L 233mm W 45mm H 29mm rectangular flange hole distance 50mm hole ø 9.5mm connection male faston 6.3mm tube ø 8.5mm flange length 96mm flange width 80mm immersion heater INCOLOY-800 | | |
| **For models:** | BD13, BD14, BD46, BD47, BD50, BE35, BE40, BE50 | | |
| **accessories for** | 418574 | | |
| | No. 510401 | Ref. No. | 00003430 |
| | gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 415178 | **Ref. No.** | 00203049 |
| **description** | heating element 3000W 230V immersion heater | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, 882, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BE35, BE40, BE50, D30 | | |



MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 418548 | **Ref. No.** | 00003305<br>00003324<br>00003325 |
| **description** | heating element 5200W 230V heating circuits 3 L 325mm W 47mm H 50mm tube ø 8.5mm hole distance 62mm hole ø 9.3mm connection M4 4 hole flange immersion heater flange width 81mm flange length 96mm with thermal fuse | | |
| **For models:** | 120, 160, 240, 885, 904, 906, 908, 912, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, LP60 | | |
| **spare parts for** | 418548 | | |
| | No. 510401 | Ref. No. | 00003430 |
| | gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 415031 | **Ref. No.** | 00003324 |
| **description** | heating element 5700W 230V heating circuits 3 | | |
| **accessories for** | 415031 | | |
| | No. 510401 | Ref. No. | 00003430 |
| | gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 415032 | **Ref. No.** | 00003330<br>00003334 |
| **description** | heating element 7500W 230V heating circuits 3 4 hole flange immersion heater | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, C33, C34, C34dgt, C44, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D30, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, D80F, D85, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70, LPE100, LPE145, SQ885, SQT80 | | |
| **accessories for** | 415032 | | |
| | No. 510401 | Ref. No. | 00003430 |
| | gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm | | |
| | No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |
| | No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| | No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |

1

| | | | |
|---|---|---|---|
| **No.** | 415033 | **Ref. No.** | 00003349 old version |
| **description** | heating element 9000W 230V heating circuits 3 L 322mm W 37mm H 68mm tube ø 6.3mm hole distance 67/45mm hole ø 10mm connection M4 4 hole flange immersion heater | | |
| **accessories for** | 415033 | | |
| | No. 510401 | Ref. No. | 00003430 |
| | gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm | | |
| | No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |
| | No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| | No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |

1

| | | | |
|---|---|---|---|
| **No.** | 420213 | **Ref. No.** | 00003335 |
| **description** | heating element 9000W 240V heating circuits 3 L 483mm W 46mm H 40mm tube ø 8.5mm hole distance 65mm hole ø 9.5mm connection M4 4 hole flange immersion heater flange width 81mm flange length 96mm | | |
| **For models:** | CE24, ETE20, ETE21, ETE25, ETE27, ETS15, LP130 | | |
| **accessories for** | 420213 | | |
| | No. 510401 | Ref. No. | 00003430 |
| | gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 418879 | **Ref. No.** | 00003349 |
| **description** | heating element 9800W 230V heating circuits 3 L 322mm W 37mm H 68mm number of thermostat sleeves 2 thermostat sleeves ø 6.5/10mm length thermostat sleeves 185/80mm tube ø 6.3mm hole distance 65/45mm hole ø 10mm connection M4 4 hole flange immersion heater flange width 81mm flange length 96mm | | |
| **For models:** | 120, 160, 240, 885, 904, 906, 908, 912, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |
| **accessories for** | 418879 | | |
| | No. 510401 | Ref. No. | 00003430 |
| | gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm | | |

MAG-PRO

## 1¼"

1

| | | | |
|---|---|---|---|
| **No.** | 415153 | **Ref. No.** | 00002430<br>00003251<br>00003270<br>00003271 |
| **description** | heating element 5700W 230V heating circuits 3 thread 1¼" L 300mm W 85mm H 42mm L1 120mm L2 180mm W1 29mm W2 28mm H1 21mm H2 21mm tube ø 6.3mm connection male faston 6.3mm connection length 40mm flange with thread immersion heater | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, C33, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, D80F, D85, LP60, LP60H, LP61, LP61H, LP70 | | |
| **spare parts for** | 415153 | | |
| | No. | 510405 | Ref. No. — |
| | flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs | | |
| **accessories for** | 415153 | | |
| | No. | 520232 | Ref. No. — |
| | nut thread 1¼" H 5mm nickel-plated brass WS 47 Qty 1 pcs | | |
| | No. | 528021 | Ref. No. — |
| | flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega | | |

1

| | | | |
|---|---|---|---|
| **No.** | 418981 | **Ref. No.** | 00003277 |
| **description** | heating element 1000/1300/1400W 200/230/240V heating circuits 1 L 213mm W 67mm H 29mm thread 1/4" mounting distance 61mm tube ø 6.3mm connection male faston 6.3mm immersion heater | | |
| **For models:** | BD46, BD47, BE35, BE40 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 416281 | **Ref. No.** | 00203091 |
| **description** | heating element 2000W 230V heating circuits 1 L 300mm W 76mm H 30mm thread 1/4" mounting distance 80mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing connection length 15mm immersion heater | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA | | |
| **spare parts for** | 416281 | | |
| | No. | 510417 | Ref. No. — |
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | |
| **accessories for** | 416281 | | |
| | No. | 361182 | Ref. No. — |
| | nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs | | |
| | No. | 520228 | Ref. No. — |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | |

| | | | |
|---|---|---|---|
| **accessories for** | 416281 | | |
| | No. | 550262 | Ref. No. — |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 415176 | **Ref. No.** | 00203089 |
| **description** | heating element 2700W 230V heating circuits 1 L 350mm W 70mm thread 1/4" mounting distance 64mm tube ø 6.25mm 2 hole fixing immersion heater connection male faston 6.3mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 416282 | **Ref. No.** | 00018070 |
| **description** | heating element 3200W 230V heating circuits 1 L 350mm W 77mm H 33mm thread 1/4" mounting distance 71mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing immersion heater | | |
| **For models:** | 882, 885, BD50, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C77, CE24, D120, D120dgt, D80, D80F, D85, LP60, LP60H | | |
| **spare parts for** | 416282 | | |
| | No. | 510417 | Ref. No. — |
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | |
| **accessories for** | 416282 | | |
| | No. | 361182 | Ref. No. — |
| | nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs | | |
| | No. | 520228 | Ref. No. — |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | |
| | No. | 550262 | Ref. No. — |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | |

# thermostats

## bi-metal thermostats

### safety bi-metal thermostats

1

| | | | |
|---|---|---|---|
| **No.** | 390748 | **Ref. No.** | 22110020 |
| **description** | bi-metal safety thermostat hole distance 23.5mm switch-off temp. 100°C 1NC 1-poleA connection F6.3 | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, 882, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BE35, BE40, D30 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 390681 | **Ref. No.** | 22110021 |
| **description** | bi-metal safety thermostat hole distance 40mm switch-off temp. 105°C 2NC 2-pole 16A 250V connection F6.3 | | |
| **For models:** | BE35, BE40, BE50 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 375757 | **Ref. No.** | 22110020 old version |
| **description** | bi-metal safety thermostat switch-off temp. 100°C 1NC 1-pole 16A connection F6.3 | | |

## bi-metal thermostats

1

| | | | |
|---|---|---|---|
| **No.** | 390909 | **Ref. No.** | 22180101 |
| **description** | bi-metal thermostat hole distance 46mm switch-off temp. 56°C 1NC 1-pole 16A 250V connection F6.3 Qty 1 pcs | | |
| **For models:** | BE35, BE40 | | |

# control and safety thermostats

## EGO

## control thermostats

### 55.10/19_ series

1

| | | | |
|---|---|---|---|
| **No.** | 390779 | **Ref. No.** | 22140003<br>22140004 |
| **description** | thermostat t.max. 190°C temperature range 105-190°C 1-pole 1NO 0.5A probe ø 4mm probe L 235mm capillary pipe 1470mm capillary pipe isolated 1250mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position lower rotation 270° | | |
| **For models:** | ES12, ES20, ESD12, ESD20, GSDT12, GSDT20, GST12, GST20, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20, ST12, ST12+12, ST7, ST7+7 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 390731 | **Ref. No.** | 22140002 |
| **description** | thermostat t.max. 195°C temperature range 65-195°C 1-pole 1NO 16A probe ø 4mm probe L 106mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position° shaft position upper rotation 270° | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35T, GWDT12, GWDT20, GWT12, GWT20, ST12, ST12+12, ST4, ST6, ST7, ST7+7 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 390174 | **Ref. No.** | 00003323<br>22140001 |
| **description** | thermostat t.max. 204°C temperature range 65-204°C 1-pole 1NO 16A probe ø 4mm probe L 89mm capillary pipe 600mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM240, EM35, EM360, EM40-900, EM480, EM612, ES12, ES20, ESD12, ESD20, FE12, FE20, FE20+20, FE30, FE30+30, KES20, KESD20 | | |




1

| | | | |
|---|---|---|---|
| **No.** | 390172 | **Ref. No.** | 0000317a<br>00057151<br>22110002 |
| **description** | thermostat t.max. 50°C temperature range fixed 50°C 1-pole 1CO 16A probe ø 11mm probe L 45mm capillary pipe 850mm capillary pipe isolated 830mm gland nut shaft Lmm shaft position screw-in probe probe thread 3/8" | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40i, D45...(Other models you can see in the webshop) | | |
| **accessories for** | 390172 | | |

| | | | |
|---|---|---|---|
| No. | 506024 | Ref. No. | — |
| nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs | | | |

MAG-PRO

| | | | | |
|---|---|---|---|---|
| **accessories for** | 390172 | | | |
| | No. | 521137 | Ref. No. | — |
| | flat gasket fibre ED ø 20mm ID ø 18mm thickness 1.5mm for thread 3/8" Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| **No.** | 375534 | **Ref. No.** | 22180004 |
| **description** | thermostat t.max. 90°C temperature range 19-90°C 1-pole 1CO 16A probe ø 6mm probe L 129mm capillary pipe 980mm capillary pipe isolated 960mm gland nut shaft Lmm shaft position rotation 180° | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40i, D40i-BT-BA, D45, D80, D80F, D85, ETE20, ETE21, ETE25, ETE27, LP60, LP60H, LP61, LP61H, LP70 | | |

## 55.34_ series

| | | | |
|---|---|---|---|
| **No.** | 390057 | **Ref. No.** | 00033240<br>22160001 |
| **description** | thermostat t.max. 192°C temperature range 100-192°C 3-pole 3NO 16A probe ø 7mm probe L 200mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper° rotation 270° | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, ES12, ESD12 | | |

| | | | |
|---|---|---|---|
| **No.** | 390043 | **Ref. No.** | 00003190 |
| **description** | thermostat t.max. 80°C temperature range fixed 80°C capillary pipe isolatedmm gland nut | | |

| | | | |
|---|---|---|---|
| **No.** | 390042 | **Ref. No.** | 00003190<br>0000319A<br>22190001 |
| **description** | thermostat t.max. 85°C temperature range 35-85°C 3-pole 3CO 16A probe ø 9.5mm probe L 80mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper° rotation 180° with disc disc ø 10mm | | |

## safety thermostats

### 55.10/19_ series

| | | | |
|---|---|---|---|
| **No.** | 390738 | **Ref. No.** | 22180100 |
| **description** | safety thermostat switch-off temp. 107°C 1-pole 1NC 16A probe ø 6mm probe L 77mm capillary pipe 1170mm capillary pipe isolated 1150mm gland nut probe probe material SS | | |
| **For models:** | EN, ET, ET020, ETA, LPE100, LPE145 | | |




| | | | |
|---|---|---|---|
| **No.** | 375178 | **Ref. No.** | 22170001 |
| **description** | safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 4mm probe L 116mm capillary pipe 1500mm capillary pipe isolatedmm gland nut probe SS | | |
| **For models:** | FG125, FG12M, FG157, FG159, FG24M, FG307, FG309, GB10, GBD10, GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM2532, GM2542, GM25-900, GM35, GM50-900, GMD2532, GMD2542, GSDT12, GSDT20, GST12, GST20, GVM35, GVM35T, GW12, GW20, GWD12, GWD20, GWDT12, GWDT20, GW-MODULARI, GWT12, GWT20 | | |



MAG-PRO

| | | | |
|---|---|---|---|
| **No.** | 390730 | **Ref. No.** | 161142<br>22170003 |
| **description** | safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 4mm probe L 125mm capillary pipe 1550mm capillary pipe isolated 1410mm gland nut probe | | |
| **For models:** | FG12M, FG24M, GB10, GBD10, GSDT12, GSDT20, GST12, GST20, GVM35T, GW12ELT, GW209T, GW20ELT, GWD12ELT, GWD209T, GW-D20ELT, GWDT12, GWDT20, GWT12, GWT20 | | |

## 55.14_ series

| | | | |
|---|---|---|---|
| **No.** | 390176 | **Ref. No.** | 00003227<br>22130001 |
| **description** | safety thermostat switch-off temp. 230°C 1-pole 16A probe ø 6mm probe L 74mm capillary pipe 600mm capillary pipe isolatedmm gland nut probe SS | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900 | | |

## 55.31_ series

| | | | |
|---|---|---|---|
| **No.** | 390091 | **Ref. No.** | 22150001 |
| **description** | safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 239mm capillary pipe 830mm capillary pipe isolatedmm gland nut probe SS 380V | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, FE12, FE20, FE20+20, FE30, FE30+30 | | |

## 55.32_ series

| | | | |
|---|---|---|---|
| **No.** | 390178 | **Ref. No.** | 22100002 |
| **description** | safety thermostat switch-off temp. 124°C 3-pole 20A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D45, D80, D80F, D85, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70, SQ885...(Other models you can see in the webshop) | | |

## 55.33_ series

| | | | |
|---|---|---|---|
| **No.** | 375796 | **Ref. No.** | 00032280<br>22150002<br>22150003 |
| **description** | safety thermostat switch-off temp. 220°C 3-pole 3NC 20A probe ø 6mm probe L 107mm capillary pipe 870mm capillary pipe isolated 800mm gland nut probe | | |
| **For models:** | EB12, EB12+12, EB8, EM12, EM12+12, EM20, EM20+20, ES12, ES20, ESD12, ESD20, KES20, KESD20, ST12, ST12+12, ST7, ST7+7 | | |

## 56._ series

| | | | |
|---|---|---|---|
| **No.** | 390714 | **Ref. No.** | 00032270 |
| **description** | safety thermostat switch-off temp. 230°C 1-pole 1NC 16A probe ø 6mm probe L 75mm capillary pipe 740mm capillary pipe isolated 200mm gland nut probe SS | | |
| **For models:** | EB6, EB6+6, ES20, ESD20, KES20, KESD20, ST4, ST6 | | |

MAG-PRO

# IMIT / TEMPOMATIC / ARTHERMO

## control thermostats

1

| | | | |
|---|---|---|---|
| **No.** | 390173 | **Ref. No.** | 00003170<br>00057150 |
| **description** | thermostat t.max. 87°C temperature range 27-87°C 1-pole 1CO 15A probe ø 6.5mm probe L 95mm capillary pipe 1000mm capillary pipe isolated 1000mm gland nut shaft ø ø6x4.6mm shaft L 19mm rotation 270° with disc disc ø 14.5mm | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, C33, C44, C66, D120, EN, ET, ET020, ETA, LP130, LP60, LP70, LPE100, LPE145, SQ885, SQT80 | | |
| **accessories for** | 390173 | | |

| | | | |
|---|---|---|---|
| No. | 110100 | Ref. No. | — |
| knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black | | | |

| | | | |
|---|---|---|---|
| No. | 110310 | Ref. No. | — |
| rosette knob up to ø 45mm | | | |

## safety thermostats

1

| | | | |
|---|---|---|---|
| **No.** | 375850 | **Ref. No.** | 22130002 |
| **description** | safety thermostat switch-off temp. 230°C 1-pole 1NC 15A probe ø 3.5mm probe L 200mm capillary pipe 950mm capillary pipe isolated-mm gland nut probe SS 250V | | |
| **For models:** | EM20, EM20+20, ES20, ESD20, KES20, KESD20, ST12, ST12+12 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 375851 | **Ref. No.** | 00032610 |
| **description** | safety thermostat switch-off temp. 230°C 1-pole capillary pipe isolatedmm gland nut probe | | |

# various

## control thermostats

1

| | | | |
|---|---|---|---|
| **No.** | 390196 | **Ref. No.** | 22180004 old version |
| **description** | thermostat t.max. 93°C temperature range 35-93°C 1-pole | | |

# accessories

## fitting parts



1

| | | | |
|---|---|---|---|
| **No.** | 511627 | **Ref. No.** | 00003400 |
| **description** | screw connection for boiler IT M16x1 ET 3/8" | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, D30, LPE100, LPE145, SQ885, SQT80 | | |

## gland ducts

1

| | | | |
|---|---|---|---|
| **No.** | 551076 | **Ref. No.** | 00038680 |
| **description** | gland duct ET M11x1 IT M10x1 probe ø max. 4mm WS 22 copper stainless steel L 30mm | | |
| **For models:** | FG12M, FG24M, GB10, GBD10, GSDT12, GSDT20, GST12, GST20, GW209T, GWDT12, GWDT20, GWT12, GWT20 | | |

## plunger sockets

1

| | | | |
|---|---|---|---|
| **No.** | 550139 | **Ref. No.** | 00030500 |
| **description** | thermowell thread 3/4" L 310mm SS double ø 8mm hole ø 7mm | | |
| **For models:** | FG125, FG157, FG159, FG307, FG309, GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM2532, GM2542, GM25-900, GM35, GM50-900, GMD2532, GMD2542, GVM35, GVM35T, GW12, GW20, GWD12, GWD20, GW-MODULARI | | |
| **accessories for** | 550139 | | |

| | | | |
|---|---|---|---|
| No. | 520234 | Ref. No. | — |
| nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs | | | |

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 550268 | **Ref. No.** | 00032290 |
| **description** | cover cap for push-button | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, ES12, ES20, ESD12, ESD20, FE12, FE20, FE20+20, FE30, FE30+30, KES20, KESD20 | | |



MAG-PRO

# switches and momentary switches

## push/momentary push switches

### 17x13mm

1

| | | | |
|---|---|---|---|
| **No.** | 345950 | **Ref. No.** | 28160041 |
| **description** | momentary push switch mounting measurements 17x13mm grey 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150/75°C protection IP40 | | |
| **For models:** | BD14, C33 | | |

### 20.6x16.4mm

1

| | | | |
|---|---|---|---|
| **No.** | 345948 | **Ref. No.** | 28160038<br>28160039 |
| **description** | momentary push switch mounting measurements 20.6x16.4mm grey 2CO 250V 16A outflow connection male faston 6.3mm ambient temperature max. 150°C protection IP40 | | |
| **For models:** | BD14, C33 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 345949 | **Ref. No.** | 28160040 |
| **description** | push switch mounting ø 20.6x16.4mm grey 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 | | |
| **For models:** | BD14, C33 | | |

### 28.5x28.5mm

1

| | | | |
|---|---|---|---|
| **No.** | 345940 | **Ref. No.** | 28160020 |
| **description** | momentary push switch mounting measurements 28.5x28.5mm grey 2CO 240V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, C44, C66, C77, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 345942 | **Ref. No.** | 28160024<br>28160273 |
| **description** | push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 | | |
| **For models:** | LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 345953 | **Ref. No.** | 28160273 |
| **description** | push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 | | |
| **For models:** | C44, C66, C77 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 345943 | **Ref. No.** | 28160026<br>28160272 |
| **description** | momentary push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A clock connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40 | | |
| **For models:** | B11, B15, BD11, BD13, BD22, BD50, BE35, BE40, BE50, BE50T, D120, D30, D35, D40, D40ELT, D40i, D40i-BT-BA, D80, D80F | | |

1

| | | | |
|---|---|---|---|
| **No.** | 345941 | **Ref. No.** | 28160022 |
| **description** | momentary push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A drain pump connection male faston 6.3mm ambient temperature max. 150°C protection IP40 | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 882, 885, 904, 906, 908, 912 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 345947 | **Ref. No.** | 28160037 |
| **description** | momentary push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A drain pump connection male faston 6.3mm ambient temperature max. 150°C protection IP40 | | |
| **For models:** | C44, C66, C77, D120, D30, D40, D40ELT, D80, D80F | | |

1

| | | | |
|---|---|---|---|
| **No.** | 347990 | **Ref. No.** | 28160045 |
| **description** | momentary push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A regeneration connection male faston 6.3mm | | |
| **For models:** | D35, D40i | | |

MAG-PRO

## 28.5x77.5mm

1

| | | | |
|---|---|---|---|
| No. | 345944 | Ref. No. | 28160028<br>28160034 |
| description | switch combination latching mounting measurements 28.5x77.5mm grey 2CO 250V 16A main switch connection male faston 6.3mm ambient temperature max. 85°C protection IP40 | | |
| For models: | B11, B15, BD11, BD13, D30 | | |

1

| | | | |
|---|---|---|---|
| No. | 345954 | Ref. No. | 28160274 |
| description | switch combination latching mounting measurements 28.5x77.5mm grey 2CO/2CO/2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40 | | |
| For models: | C44, C66, C77 | | |

1

| | | | |
|---|---|---|---|
| No. | 345945 | Ref. No. | 28160029<br>28160033 |
| description | switch combination latching mounting measurements 28.5x77.5mm grey 2CO/2CO/2CO 250V 16A main switch/program/drain pump connection male faston 6.3mm ambient temperature max. 85°C protection IP40 | | |
| For models: | CE24, D35, D40, D40i, D40i-BT-BA | | |

1

| | | | |
|---|---|---|---|
| No. | 345180 | Ref. No. | 28160021<br>28160023 |
| description | switch combination mounting measurements 28.5x77.5mm grey 1CO/1CO/1CO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40 | | |
| For models: | 120, 160, 240, 882, 885, 904, 906, 908, 912, C44, C66, LP130, LP60, LP60H, LP61, LP61H, LP70, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| No. | 345946 | Ref. No. | 28160036 |
| description | switch combination mounting measurements 28.5x77.5mm grey 2CO/2CO/2CO 250V 16A double arrow/arrow/main switch connection male faston 6.3mm ambient temperature max. 85°C protection IP40 | | |
| For models: | D120, D40ELT, D80, D80F | | |

## miscellaneous

1

| | | | |
|---|---|---|---|
| No. | 345951 | Ref. No. | 28160043 |
| description | momentary push switch grey 2CO 250V 16A without frame drain connection male faston 6.3mm ambient temperature max. 85°C | | |
| For models: | B11, BD11, BD13, BD22, BD50, BE35, BE40, BE50, BE50T | | |

1

| | | | |
|---|---|---|---|
| No. | 345952 | Ref. No. | 28160044 |
| description | momentary push switch grey 2CO 250V 16A without frame rinsing connection male faston 6.3mm ambient temperature max. 85°C | | |
| For models: | B11, BD11, BD13, BD50, BE35, BE40 | | |

# microswitches

## lever actuated

1

| | | | |
|---|---|---|---|
| No. | 345183 | Ref. No. | 25190005 |
| description | microswitch with double lever 250V 16A 2CO connection male faston 6.3mm L 50mm ambient temperature max. 125°C mounting distance 22.5mm type N16 actuating force: 290g lever length 47mm | | |
| For models: | 42, 42E, 48, 48E, 55, 60, C33, C44, C66, C77, CW650-15, CW650-16, CW650-35, CW650-36 | | |

1

| | | | |
|---|---|---|---|
| No. | 345178 | Ref. No. | 25190003 |
| description | microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 28mm L1 37mm ambient temperature max. 125°C mounting distance 22mm actuating force: 220g lever length 33mm | | |
| For models: | 120, 160, 240, 885, 904, 906, 908, 912, C44, C66, C77, D40i, D40i-BT-BA, D40i-ELT-BT-BA, EB12, EB12+12, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, ES12, ES20, ESD12, ESD20, FE12, FE20, FE20+20, FE30, FE30+30, KES20, KESD20, ST12, ST12+12, ST7, ST7+7 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 345255 | **Ref. No.** | 25190007 |
| **description** | microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 35mm L1 28mm ambient temperature max. 125°C mounting distance 22mm actuating force: 136g lever length 27mm | | |
| **For models:** | B11, BD11, BD13, BD14, BD14alt, BD22, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D30, D40, D40ELT, D40ELT-BT-BA, D80, D80F, EN, ST4, ST6 | | |

## roller-lever actuated

### non-standard

1

| | | | |
|---|---|---|---|
| **No.** | 345186 | **Ref. No.** | 00000639<br>00006390<br>25190001 |
| **description** | microswitch with handle with a switch 250V 15A 1CO connection male faston 6.3mm L 42mm ambient temperature max. 85°C lever length 37mm | | |
| **For models:** | 120, 160, 240, 885, SQ885, SQT80 | | |

## accessories

1

| | | | |
|---|---|---|---|
| **No.** | 511892 | **Ref. No.** | 00011115 |
| **description** | actuator for microswitch kit | | |
| **For models:** | 885, 904, 906, 908, 912 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511081 | **Ref. No.** | 00011100 |
| **description** | actuator microswitch | | |
| **For models:** | 42, 42E, 48, 48E, 55, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511111 | **Ref. No.** | 00006410 |
| **description** | actuator microswitch kit | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511119 | **Ref. No.** | 00011090 |
| **description** | actuator microswitch kit | | |
| **For models:** | 120, 160, 240, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511112 | **Ref. No.** | 00006401<br>640H |
| **description** | lever for microswitch | | |
| **For models:** | E500, MR600 | | |

## position switches

### LOVATO

1

| | | | |
|---|---|---|---|
| **No.** | 347579 | **Ref. No.** | 25190004 |
| **description** | position switch plastic 1NO/1NC 400V 3A L 110mm W 30mm H 44mm protection IP66/67 actuating force: 380g screw connection M16 mounting distance 22mm type ZCP21 | | |
| **For models:** | ET, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

### TELEMECANIQUE (EFA)

1

| | | | |
|---|---|---|---|
| **No.** | 347579 | **Ref. No.** | 25190004 |
| **description** | position switch plastic 1NO/1NC 400V 3A L 110mm W 30mm H 44mm protection IP66/67 actuating force: 380g screw connection M16 mounting distance 22mm type ZCP21 | | |
| **For models:** | ET, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 347903 | **Ref. No.** | 00073790<br>25190002 |
| **description** | position switch plastic 1NO/1NC 400V 3A L 110mm W 30mm H 44mm protection IP66/67 actuating force: 380g screw connection M16 mounting distance 22mm type ZCP21 | | |
| **For models:** | D40i, D40i-ELT-BT-BA, EN, ET, ET020, ETA, LP100, LP145, LPE100, LPE145 | | |

## system switches (ROLD)

1

| | | | |
|---|---|---|---|
| **No.** | 346233 | **Ref. No.** | 28160205<br>28160210<br>28160218<br>28160219 |
| **description** | blank ø 23.3mm grey | | |
| **For models:** | BD50, BE35, BE40, BE50, BE50T | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 347193 | Ref. No. | 28160250 |
| description | momentary switch unit 1NO 250V 16A connection male faston 6.3mm | | |
| For models: | BD14alt, BD50, BE35, BE40, BE50 | | |

1

| | | | |
|---|---|---|---|
| No. | 346256 | Ref. No. | 28160214 |
| description | push button ø 23mm grey clock no lens | | |
| For models: | BD50, BE35, BE40, BE50, CE24 | | |

1

| | | | |
|---|---|---|---|
| No. | 346255 | Ref. No. | 28160202 |
| description | push button ø 23mm grey drain pump | | |
| For models: | BE35, BE40, BE50 | | |

1

| | | | |
|---|---|---|---|
| No. | 346253 | Ref. No. | 28160213 |
| description | push button ø 23mm grey main switch | | |
| For models: | BD50, BE35, BE40, BE50, CE24 | | |

1

| | | | |
|---|---|---|---|
| No. | 345651 | Ref. No. | 28160253 |
| description | switch 2CO 250V 16A connection male faston 6.3mm | | |

1

| | | | |
|---|---|---|---|
| No. | 347504 | Ref. No. | 28160275 |
| description | switch 2CO 250V 16A connection male faston 6.3mm | | |
| For models: | CE24 | | |

## rotary switches

### BRETER

#### rotary switches

1

| | | | |
|---|---|---|---|
| No. | 345165 | Ref. No. | 25100102 old version |
| description | rotary switch 16A 2-pole | | |

1

| | | | |
|---|---|---|---|
| No. | 345015 | Ref. No. | 00005980 |
| description | rotary switch 16A connection screw clamp 3-pole shaft 5x5mm | | |

1

| | | | |
|---|---|---|---|
| No. | 345166 | Ref. No. | 25120001 old version |
| description | rotary switch 4-pole | | |

### TECNOMATIC

1

| | | | |
|---|---|---|---|
| No. | 345016 | Ref. No. | 0000597A<br>25100001 |
| description | rotary switch 2 0-1 sets of contacts 1 type HD1201R000 600V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw | | |
| For models: | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, ES12, ES20, ESD12, ESD20, FE12, FE20, FE20+20, FE30, FE30+30, KES20, KESD20, ST12, ST12+12, ST7, ST7+7 | | |

1

| | | | |
|---|---|---|---|
| No. | 347055 | Ref. No. | 25100102 |
| description | rotary switch 2 0-1 sets of contacts 2 type HD1602R000 600V 16A shaft ø 5x5mm shaft L 23mm shaft square connection screw | | |
| For models: | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, C44, C66, CW650-15, CW650-16, CW650-35, CW650-36, SQ885, SQT80 | | |



MAG-PRO

## magnetic switches

### 36x13mm

1

| No. | 345955 | Ref. No. | 25110113 |
|---|---|---|---|
| description | magnetic switch L 36mm W 13mm connection cable | | |
| For models: | 42, 42E, 48, 48E, 55, 55E, 882, 885, B11, B15, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, D120, D120dgt, D30, D35, D36, D45, D85, ETE20, ETE21, ETE25, ETE27, ETS15, LP60, LP60H, LP61, LP61H | | |

### 65x20mm

1




| No. | 345116 | Ref. No. | 25240003 |
|---|---|---|---|
| description | magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm | | |
| For models: | EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, LP130, LP70, LPE100, LPE145 | | |
| accessories for | 345116 | | |
| | No. | 345399 | Ref. No. — |
| | magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3 | | |

## accessories

### magnets




1

| No. | 519049 | Ref. No. | 25110115 |
|---|---|---|---|
| description | magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm | | |
| For models: | ETE20, ETE21, ETE25, ETE27, ETS15 | | |
| accessories for | 519049 | | |
| | No. | 560095 | Ref. No. — |
| | sheet metal screws ø 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head | | |

### miscellaneous

1

| No. | 347904 | Ref. No. | 00065606 |
|---|---|---|---|
| description | holding plate L 62mm W 26mm for magnetic switch | | |
| For models: | LP60, LP60H, LP61, LP61H | | |

# control equipment

## TELEMECANIQUE (EFA)

### ZB4 series

### switches (complete)

1

| No. | 346925 | Ref. No. | 00061070 |
|---|---|---|---|
| description | rotary selector mounting measurements ø22mm latching white illuminated rotation 90° sequence 0-1 | | |
| For models: | EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LPE100, LPE145 | | |
| spare parts for | 346925 | | |
| | No. | 347385 | Ref. No. — |
| | contact block EFA ZBE-101 1NO max 230V 10(6)A black | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 347905 | Ref. No. | 00061060 |
| description | rotary selector mounting measurements ø22mm latching white illuminated sequence 0-1 | | |
| For models: | ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

# lamps

## indicator lights

### indicator lights 3-piece (housing, lens and bulb)

#### lamps

#### light bulbs

1

| | | | |
|---|---|---|---|
| No. | 359236 | Ref. No. | 00006460<br>28130003 |
| description | light bulb socket E10 24V 3W ø 10mm L 28mm | | |

### indicator lights (complete)

#### ø 6mm

1

| | | | |
|---|---|---|---|
| No. | 359005 | Ref. No. | 28100006 |
| description | indicator light ø 6mm 230V yellow cable length 400mm | | |
| For models: | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, C44, C66, CW650-15, CW650-16, CW650-35, CW650-36, SQ885, SQT80 | | |

#### ø10mm

#### with plug-in socket

1

| | | | |
|---|---|---|---|
| No. | 359140 | Ref. No. | 28100007 |
| description | indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs | | |
| For models: | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, B15, C44, C66, LP70, SQ885, SQT80 | | |

#### ø12mm

#### with screw socket

1

| | | | |
|---|---|---|---|
| No. | 359048 | Ref. No. | 28110100<br>28110101 |
| description | indicator light ø 12mm 230V yellow connection male faston 6.3mm | | |
| For models: | D35, D40ELT, D40i, D40i-BT-BA | | |

#### ø13mm

#### with screw socket

1

| | | | |
|---|---|---|---|
| No. | 359146 | Ref. No. | 28100011 |
| description | indicator light ø 13mm 230V yellow | | |
| For models: | B11, BD11, BD13, BD14, BD14alt, BD22, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C66, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D30, D35, D36, D40, D40i, D40i-BT-BA, D45, D80, D80F, LP130, LP60, LP60H, LP61, LP61H | | |
| accessories for | 359146 | | |

| | | | |
|---|---|---|---|
| No. | 510302 | Ref. No. | — |
| O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| No. | 511505 | Ref. No. | — |
| O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs | | | |

1

| | | | |
|---|---|---|---|
| No. | 359049 | Ref. No. | 28100001 |
| description | indicator light ø 13mm 400V green | | |
| accessories for | 359049 | | |

| | | | |
|---|---|---|---|
| No. | 510302 | Ref. No. | — |
| O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| No. | 511505 | Ref. No. | — |
| O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs | | | |

#### with plug-in socket

1

| | | | |
|---|---|---|---|
| No. | 359119 | Ref. No. | 28100004 |
| description | indicator light ø 13mm green 24V connection male faston 6.3mm Qty 1 pcs | | |

MAG-PRO

## 33x10mm

1

| | | | |
|---|---|---|---|
| **No.** | 359452 | **Ref. No.** | 00003320<br>28110001<br>28110001 + 00038828 |
| **description** | indicator light mounting measurements 33.1x10.3mm 400V green connection male faston 6.3mm | | |
| **For models:** | 120, 160, 240, 882, 885, EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, ES12, ES20, ESD12, ESD20, FE12, FE20, FE20+20, FE30, FE30+30, KES20, KESD20, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 359451 | **Ref. No.** | 00003321<br>28110002<br>28110002 + 00038828 |
| **description** | indicator light mounting measurements 33.1x10.3mm 400V yellow connection male faston 6.3mm | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, ES12, ES20, ESD12, ESD20, FE12, FE20, FE20+20, FE30, FE30+30, KES20, KESD20 | | |

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 357123 | **Ref. No.** | 28100014 |
| **description** | indicator light red 230V connection cable ø 8mm | | |
| **For models:** | ST12, ST12+12, ST4, ST6, ST7, ST7+7 | | |

## screw-on/push-on fit

## light bulbs

## for indicator lights

1

| | | | |
|---|---|---|---|
| **No.** | 359236 | **Ref. No.** | 00006460<br>28130003 |
| **description** | light bulb socket E10 24V 3W ø 10mm L 28mm | | |

# timers

## programme timers

1

| | | | |
|---|---|---|---|
| **No.** | 360654 | **Ref. No.** | 26100024 |
| **description** | timer CDC 11804F1 engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm | | |
| **For models:** | B11, BD11, BD13, BD14, BD14alt, BD22, BE35, BE40 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 360653 | **Ref. No.** | 26100023 |
| **description** | timer CDC 11804F1 engines 1 chambers 4 operation time 180s 230V | | |
| **For models:** | BD50, BE50, BE50T, D30 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 360671 | **Ref. No.** | 26100021 |
| **description** | timer CDC 4905DV engines 2 chambers 5 operation time 72s / 4.8min 230V shaft ømm shaft Lmm | | |
| **For models:** | C33, C44, C66, C77, D120, D40, D80, D80F | | |

1

| | | | |
|---|---|---|---|
| **No.** | 360069 | **Ref. No.** | 26100017 |
| **description** | timer CROUZET engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 645/5245 motor type 82340 | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, B11, B15 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 360068 | **Ref. No.** | 26100019 |
| **description** | timer CROUZET engines 1 chambers 5 operation time 90s 230V shaft ømm shaft Lmm manuf. no. 645/5238 motor type 82340 | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 360081 | **Ref. No.** | 00005930<br>26100015 |
| **description** | timer FIBER P25 engines 1 chambers 4 operation time 120s 24V shaft ø 5x5mm shaft L 20mm manuf. no. P255204H313 motor type M51B20L6400 | | |
| **spare parts for** | 360081 | | |
| | No. 360676 | Ref. No. | — |
| | motor kit pinion ø 6.8mm teeth 15 24V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder | | |

1

| | | | |
|---|---|---|---|
| **No.** | 360304 | **Ref. No.** | 26100022 |
| **description** | timer FIBER P25 engines 2 chambers 4 operation time 2min / 7.5min 230V shaft ømm shaft Lmm manuf. no. P255J04LXP8 motor type M51BJ0R6400 / M51BJ0L6400 | | |
| **For models:** | LP130, LP60, LP60H, LP61, LP61H, LP70 | | |
| **spare parts for** | 360304 | | |
| | No. 360673 | Ref. No. | — |
| | motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder | | |
| | No. 360674 | Ref. No. | — |
| | motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder | | |

1

| | | | |
|---|---|---|---|
| **No.** | 360303 | **Ref. No.** | 26100021 (old version) |
| **description** | timer FIBER P25 engines 2 chambers 5 operation time 72s / 4.8min 230V shaft ømm shaft Lmm manuf. no. P255J05ANM0 motor type M51BJ0R6400 / M51BJ0L6400 | | |
| **spare parts for** | 360303 | | |
| | No. 360673 | Ref. No. | — |
| | motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder | | |
| | No. 360674 | Ref. No. | — |
| | motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder | | |

1

| | | | |
|---|---|---|---|
| **No.** | 360203 | **Ref. No.** | 26100011 |
| **description** | timer FIBER P26 engines 1 chambers 3 operation time 20min 230V shaft ømm shaft Lmm manuf. no. P265J03L103 motor type M61B40R6400 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 360087 | **Ref. No.** | 26100011 |
| **description** | timer FIBER P26 engines 1 chambers 3 operation time 20min 230V shaft ømm shaft Lmm manuf. no. P265J03L130 motor type M61B40R6400 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 360305 | **Ref. No.** | 26100025 |
| **description** | timer FIBER PWE engines 1 chambers 1 operation time 20min 230V shaft ømm shaft Lmm manuf. no. PWE5J01L103 motor type M51B-J0R6400 | | |
| **For models:** | B11, BD11, BD13, BD14, BD14alt, BD22, BD50, BE35, BE40, BE50, BE50T | | |
| **spare parts for** | 360305 | | |
| | No. 360673 | Ref. No. | — |
| | motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder | | |

1

| | | | |
|---|---|---|---|
| **No.** | 360300 | **Ref. No.** | 26100024 (old version) |
| **description** | timer FIBER PWE engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm manuf. no. PWE5J04302 motor type M51B-J0R6400 | | |
| **spare parts for** | 360300 | | |
| | No. 360673 | Ref. No. | — |
| | motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder | | |

## contactors

### GENERAL ELECTRIC (AEG)

#### power contactors

1

| | | | |
|---|---|---|---|
| **No.** | 380245 | **Ref. No.** | 25130028 |
| **description** | power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS4K 01A type GE CL00A 301 H 85mm | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 380244 | **Ref. No.** | 0000<br>25130028<br>25130031 |
| **description** | power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 380262 | **Ref. No.** | 25130026 |
| **description** | power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm | | |
| **For models:** | EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 380261 | **Ref. No.** | 25130025 |
| **description** | power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310 | | |
| **For models:** | EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900 | | |

MAG-PRO

## LOVATO

### power contactors

1

| | | | |
|---|---|---|---|
| **No.** | 380083 | **Ref. No.** | 25130037 |
| **description** | power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF0901A230 | | |
| **For models:** | BE50T, C44dgt, C44dgt-elt, C66dgt, C66dgt-elt, CE24, D36, D45, ES12, ESD12, ST12, ST12+12, ST7, ST7+7 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 380717 | **Ref. No.** | 25130038 |
| **description** | power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF1801A230 | | |
| **For models:** | D36, D45, ES12, ES20, ESD12, ESD20, ST12, ST12+12 | | |

## TELEMECANIQUE (Schneider Electric)

### power contactors

1

| | | | |
|---|---|---|---|
| **No.** | 380820 | **Ref. No.** | 00000628<br>00006280 |
| **description** | power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D0900M7 | | |
| **For models:** | 120, 160, 240, 882, 885, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, EB12, EB12+12, EB8, EG140S, EM12, EM12+12, EM20, EM20+20, ES12, ES20, ESD12, ESD20, ETS15, FE12, FE20, FE20+20, FE30...(Other models you can see in the webshop) | | |

1

| | | | |
|---|---|---|---|
| **No.** | 380617 | **Ref. No.** | 00060670 |
| **description** | power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09B7 | | |
| **For models:** | Cybergel, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 380976 | **Ref. No.** | 00000627<br>00006270 |
| **description** | power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection | | |
| **For models:** | C44dgt, C44dgt-elt, C66dgt, C66dgt-elt, D120dgt, D36, D45, D85, EB12, EB12+12, EM12, EM12+12, EM20, EM20+20, ES12, ES20, ESD12, ESD20, ETS15, FE20, FE20+20, FE30, FE30+30, KES20, KESD20, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

### auxiliary contacts

1

| | | | |
|---|---|---|---|
| **No.** | 380821 | **Ref. No.** | 00000627 (old version)<br>00006270 (old version) |
| **description** | auxiliary contact contacts 1NO/1NC AC15 10A connection screw type LA1DN11 | | |

MAG-PRO

# relays

## power relays

### with DIN rail mounting

#### lateral

1

| | | | |
|---|---|---|---|
| **No.** | 380629 | **Ref. No.** | 25240004 |
| **description** | power relays FINDER 24VAC 16A 3CO connection male faston 4.8mm DIN rail manuf. no. 60.33.8.024.0008 | | |
| **For models:** | D120, EN, ET, ET020, ETA, LP60, LP70, LPE100, LPE145 | | |
| **accessories for** | 380629 | | |

| | | | | |
|---|---|---|---|---|
| | No. | 380703 | Ref. No. | — |
| | adapter for flange mounting suitable for Finder relay 62 series. | | | |
| | No. | 380811 | Ref. No. | — |
| | adapter with bracket mounting suitable for Finder relay 62 series. | | | |
| | No. | 380954 | Ref. No. | — |
| | adapter hole distance 54mm bracket mounting suitable for Finder relay 62 series. L 41mm W 39mm H 49mm | | | |
| | No. | 381003 | Ref. No. | — |
| | adapter for DIN rail mounting suitable for Finder relay 62 series. | | | |
| | No. | 381039 | Ref. No. | — |
| | adapter for DIN rail mounting suitable for Finder relay 62 series. | | | |

#### with bracket mounting

1

| | | | |
|---|---|---|---|
| **No.** | 380626 | **Ref. No.** | 25130101<br>25130102 |
| **description** | power relays FINDER 230VAC 10A 2CO connection male faston 4.8mm bracket mounting manuf. no. 62.62.8.230.0000 | | |
| **For models:** | C44, C66, C77, D120, D80, D80F, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 380139 | **Ref. No.** | 25130100 |
| **description** | power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000 | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 882, 885, B11, B15, BD46, BD50, BE35, BE40, BE50, BE50T, C34, C34dgt, C44dgt, C44dgt-elt, C66dgt, C66dgt-elt, CE24, D120dgt, D30, D36, D45, D85, LP70 | | |

# transformers

## encapsulated transformers

### PMA

1

| | | | |
|---|---|---|---|
| **No.** | 379054 | **Ref. No.** | 22192006 |
| **description** | transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M | | |
| **For models:** | ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

# electronic controllers

## EVCO - EVERY CONTROL

### universal controllers

#### built-in version

1

| | | | |
|---|---|---|---|
| **No.** | 378270 | **Ref. No.** | 22192001 |
| **description** | electronic controller EVERY CONTROL mounting measurements 71x29mm built-in depth 59mm 12/24V voltage AC/DC PTC relay outputs 1 relay with probe protection IP65 -50 up to +150°C display 4 digits cable length 1430mm 16 type EVK411 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 378280 | Ref. No. | 22192002<br>22192005+22192006<br>22192009 |
| description | electronic controller EVERY CONTROL mounting measurements 71x29mm built-in depth 59mm 12V voltage AC/DC PTC with probe protection IP65 -50 up to +150°C display 4 digits cable length 1430mm probe ø 6mm 16 type EVK411 | | |
| For models: | ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

## electronic thermometers

### built-in version

1

| | | | |
|---|---|---|---|
| No. | 379900 | Ref. No. | 22191001<br>22192001 |
| description | thermometer EVERY CONTROL type TM103T N4 mounting measurements 58x25.5mm 24V voltage AC -40 up to +110°C measuring input NTC display 2½ digit front measurements 31x64mm protection IP54 accuracy 1% | | |

## SHANGFANG

### accessories

1

| | | | |
|---|---|---|---|
| No. | 379054 | Ref. No. | 22192006 |
| description | transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M | | |
| For models: | ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

# probes

## universal probes

### temperature probes

1

| | | | |
|---|---|---|---|
| No. | 379142 | Ref. No. | 22192003 |
| description | temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire | | |
| For models: | ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

## producer-specific probes

### probes

1

| | | | |
|---|---|---|---|
| No. | 378361 | Ref. No. | 00590021 |
| description | temperature probe GCPTP-51F cable PTFE probe°C cable -40 up to +250°C connection male faston 6.3mm thread probe 20mm cable length 24.5m | | |
| For models: | BD47, C44dgt, C44dgt-elt, C66dgt, C66dgt-elt, Cybergel, D120dgt, D36, D45, D85 | | |

1

| | | | |
|---|---|---|---|
| No. | 378343 | Ref. No. | 25192400 |
| description | temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection 2-wire thread probe ø7x30mm cable length 1m | | |
| For models: | BD47, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D40, D40ELT-BT-BA, D40i-ELT-BT-BA, D45, D85 | | |

# electronics

## PCBs

1

| | | | |
|---|---|---|---|
| No. | 403775 | Ref. No. | 25192030 |
| description | control PCB warewashing D35/36/45/46/47 L 170mm W 28mm connection coded plug suitable for ELFRAMO | | |
| For models: | BD46, BD47, C34, C34dgt, C44dgt, C44dgt-elt, C66dgt, C66dgt-elt, D120dgt, D36, D45, D85 | | |

1

| | | | |
|---|---|---|---|
| No. | 403919 | Ref. No. | 25192041 |
| description | PCB | | |
| For models: | BD46, BD47 | | |



MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 403163 | **Ref. No.** | 25192040 |
| **description** | PCB dishwasher C34/C44/C66 230V 50/60A | | |
| **For models:** | C34, C34dgt, C44dgt, C44dgt-elt, C66dgt, C66dgt-elt, D120dgt, D36, D45, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 402990 | **Ref. No.** | 25192020 |
| **description** | PCB dishwasher D35/40 | | |
| **For models:** | D35, D40i, D40i-BT-BA | | |

# keypads

## control panel

1

| | | | |
|---|---|---|---|
| **No.** | 109182 | **Ref. No.** | 00038675 |
| **description** | control panel fryer GW ELT/GWD ELT W 223mm H 70mm D 20mm | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35T, GW12ELT, GW209T, GW20ELT, GWD12ELT, GWD209T, GWD20ELT, GWDT12, GWDT20, GWT12, GWT20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 403262 | **Ref. No.** | 00222433 |
| **description** | control panel warewashing BE35 W 178mm H 48mm D 58mm suitable for ELFRAMO | | |
| **For models:** | BD50, BE35, BE40, BE50 | | |

# solenoid valves

## solenoid valves (water)

### ELBI

1

| | | | |
|---|---|---|---|
| **No.** | 370257 | **Ref. No.** | 23120003 |
| **description** | solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C ELBI plastic output B 2.5l/min flow regulating valve outlet B orange | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, B11, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45 | | |

### RPE

1

| | | | |
|---|---|---|---|
| **No.** | 374017 | **Ref. No.** | 23120021 |
| **description** | solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar | | |

### TP

1

| | | | |
|---|---|---|---|
| **No.** | 370021 | **Ref. No.** | 00003120<br>23120001 |
| **description** | solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, BD14, BD14alt, BD22, BD46, BD47, D40, D40ELT, SQ885, SQT80 | | |
| **spare parts for** | 370021 | | |

| | | | | |
|---|---|---|---|---|
| | No. | 371013 | Ref. No. | — |
| | solenoid coil TP 230VAC 50/60Hz | | | |
| **accessories for** | 370021 | | | |
| | No. | 371220 | Ref. No. | — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | | |
| | No. | 371221 | Ref. No. | — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | | |
| | No. | 371222 | Ref. No. | — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | | |
| | No. | 371223 | Ref. No. | — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | | |
| | No. | 371224 | Ref. No. | — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | | |
| | No. | 371225 | Ref. No. | — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | | |
| | No. | 371226 | Ref. No. | — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | | |
| | No. | 371230 | Ref. No. | — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | | |
| | No. | 371231 | Ref. No. | — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | | |
| | No. | 371232 | Ref. No. | — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | | |

MAG-PRO

| | | | | |
|---|---|---|---|---|
| **accessories for** | 370021 | | | |
| | No. | 371233 | Ref. No. | — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | | |
| | No. | 371234 | Ref. No. | — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | | |
| | No. | 371235 | Ref. No. | — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | | |
| | No. | 371236 | Ref. No. | — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | | |
| | No. | 371237 | Ref. No. | — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | | |
| | No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 370111 | **Ref. No.** | 00003090<br>23120002 |
| **description** | solenoid valve double straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP | | |
| **For models:** | SQ885, SQT80 | | |
| **spare parts for** | 370111 | | |
| | No. | 371035 | Ref. No. — |
| | solenoid coil 24VAC | | |
| **accessories for** | 370111 | | |
| | No. | 371220 | Ref. No. — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | |
| | No. | 371221 | Ref. No. — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | |
| | No. | 371222 | Ref. No. — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | |
| | No. | 371223 | Ref. No. — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | |
| | No. | 371224 | Ref. No. — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | |
| | No. | 371225 | Ref. No. — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | |

| | | | | |
|---|---|---|---|---|
| **accessories for** | 370111 | | | |
| | No. | 371226 | Ref. No. | — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | | |
| | No. | 371230 | Ref. No. | — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | | |
| | No. | 371231 | Ref. No. | — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | | |
| | No. | 371232 | Ref. No. | — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | | |
| | No. | 371233 | Ref. No. | — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | | |
| | No. | 371234 | Ref. No. | — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | | |
| | No. | 371235 | Ref. No. | — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | | |
| | No. | 371236 | Ref. No. | — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | | |
| | No. | 371237 | Ref. No. | — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | | |
| | No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 370017 | **Ref. No.** | 23120021 |
| **description** | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar | | |
| **spare parts for** | 370017 | | |
| | No. | 371013 | Ref. No. — |
| | solenoid coil TP 230VAC 50/60Hz | | |
| **accessories for** | 370017 | | |
| | No. | 371220 | Ref. No. — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | |
| | No. | 371221 | Ref. No. — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | |

Table continues overleaf

MAG-PRO

| | | | | |
|---|---|---|---|---|
| accessories for | 370017 | | | |
| | No. | 371222 | Ref. No. | — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | | |
| | No. | 371223 | Ref. No. | — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | | |
| | No. | 371224 | Ref. No. | — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | | |
| | No. | 371225 | Ref. No. | — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | | |
| | No. | 371226 | Ref. No. | — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | | |
| | No. | 371230 | Ref. No. | — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | | |
| | No. | 371231 | Ref. No. | — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | | |
| | No. | 371232 | Ref. No. | — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | | |
| | No. | 371233 | Ref. No. | — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | | |
| | No. | 371234 | Ref. No. | — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | | |
| | No. | 371235 | Ref. No. | — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | | |
| | No. | 371236 | Ref. No. | — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | | |
| | No. | 371237 | Ref. No. | — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | | |
| | No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

## metal

## SIRAI

## 2-way

### L140-B series

1

| | | | |
|---|---|---|---|
| **No.** | 370239 | **Ref. No.** | 23140006 |
| **description** | solenoid valve 2-ways 230VAC connection 1/2" L 41mm DN 10mm slide-on receptacle compact -10 up to +90°C SIRAI type series L140-B coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar | | |
| **For models:** | CW650-15, CW650-16, CW650-35, CW650-36, ETS15, LP130, LP70 | | |
| **spare parts for** | 370239 | | |
| | No. 371085 | Ref. No. | — |
| | solenoid coil 230VAC 4VA SIRAI coil type ZB10A seat ø 10mm 50/60Hz | | |
| | No. 371163 | Ref. No. | — |
| | membrane connection 1/2" series L140-B membrane type NBR (water) | | |
| **accessories for** | 370239 | | |
| | No. 371091 | Ref. No. | — |
| | power socket plug type DIN 43650B cable lengthmm small | | |

1

| | | | |
|---|---|---|---|
| **No.** | 370472 | **Ref. No.** | 23140004 |
| **description** | solenoid valve 2-ways 24VAC inlet 1/2" connection 1/2" L 41mm DN 10mm -10 up to +90°C SIRAI coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar 24V voltage AC | | |
| **For models:** | EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LPE100, LPE145 | | |

### L180-B series

1

| | | | |
|---|---|---|---|
| **No.** | 370391 | **Ref. No.** | 00056800<br>23150002 |
| **description** | solenoid valve 2-ways 24VAC connection 3/4" L 79mm DN 18mm -10 up to +90°C coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar | | |
| **accessories for** | 370391 | | |
| | No. 371091 | Ref. No. | — |
| | power socket plug type DIN 43650B cable lengthmm small | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 370329 | **Ref. No.** | 00005692<br>23140003 |
| **description** | solenoid valve 2-ways 24VAC inlet 1/2" outlet 1/2" connection 1/2" L 66mm DN 13.5mm slide-on receptacle compact -10 up to +90°C SIRAI type series L180-B coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar | | |
| **For models:** | ET, ETA | | |
| **spare parts for** | 370329 | | |
| | No. 371070 | Ref. No. | 00005661<br>23160001 |
| | solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm | | |
| | No. 371171 | Ref. No. | — |
| | membrane series L180-B membrane type NBR (water) | | |
| **accessories for** | 370329 | | |
| | No. 371091 | Ref. No. | — |
| | power socket plug type DIN 43650B cable lengthmm small | | |

1

| | | | |
|---|---|---|---|
| **No.** | 370252 | **Ref. No.** | 00005680<br>23150002 |
| **description** | solenoid valve 2-ways 24VAC inlet 3/4" outlet 3/4" L 79mm DN 18mm slide-on receptacle compact -10 up to +90°C SIRAI type series L180-B coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar | | |
| **spare parts for** | 370252 | | |
| | No. 371070 | Ref. No. | 00005661<br>23160001 |
| | solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm | | |
| | No. 371172 | Ref. No. | — |
| | membrane connection 3/4" series L180-B membrane type NBR (water) | | |
| **accessories for** | 370252 | | |
| | No. 371091 | Ref. No. | — |
| | power socket plug type DIN 43650B cable lengthmm small | | |

1

| | | | |
|---|---|---|---|
| **No.** | 370047 | **Ref. No.** | 23140006 |
| **description** | solenoid valve brass 2-ways 230VAC inlet 1/2" outlet 1/2" connection 1/2" L 66mm DN 13.5mm slide-on receptacle compact -10 up to +90°C SIRAI type series L180-B coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar 50/60Hz | | |
| **spare parts for** | 370047 | | |
| | No. 371085 | Ref. No. | — |
| | solenoid coil 230VAC 4VA SIRAI coil type ZB10A seat ø 10mm 50/60Hz | | |
| | No. 371171 | Ref. No. | — |
| | membrane series L180-B membrane type NBR (water) | | |
| **accessories for** | 370047 | | |
| | No. 371091 | Ref. No. | — |
| | power socket plug type DIN 43650B cable lengthmm small | | |

## solenoid valves steam (water)

### 2-way

### L145-R series

1

| | | | |
|---|---|---|---|
| **No.** | 370318 | **Ref. No.** | 00056600<br>23150001<br>23160001 |
| **description** | solenoid valve 2-ways 24VAC inlet 1/2" outlet 1/2" connection 1/2" L 66mm DN 10mm slide-on receptacle compact -60 up to +170°C SIRAI type series L145-R coil type Z614A membranes PTFE (steam) p max 8bar p min 0.4bar | | |
| **spare parts for** | 370318 | | |
| | No. 371158 | Ref. No. | — |
| | solenoid coil 24VAC 10VA SIRAI coil type Z614A seat ø 10mm | | |
| | No. 371164 | Ref. No. | — |
| | membrane connection 3/8"-1/2" series L145-R membrane type PTFE | | |
| **accessories for** | 370318 | | |
| | No. 371091 | Ref. No. | — |
| | power socket plug type DIN 43650B cable lengthmm small | | |

MAG-PRO

## L153-D series

1

| | | | |
|---|---|---|---|
| **No.** | 370264 | **Ref. No.** | 23150003 |
| **description** | solenoid valve 2-ways 230VAC inlet 1/2" outlet 1/2" connection 1/2" L 66mm DN 11.5mm slide-on receptacle DIN -10 up to 140°C SIRAI type series L153-D coil type Z134A membranes EPDM (steam/water) p max 8bar p min 0.1bar | | |
| **For models:** | LP130 | | |
| **spare parts for** | 370264 | | |
| | No. 371077 | Ref. No. | — |
| | solenoid coil 230VAC 24VA SIRAI coil type Z110A/Z114A/Z134A seat ø 14mm | | |
| | No. 371167 | Ref. No. | — |
| | membrane connection 1/2" series L153-D membrane type EPDM | | |
| **accessories for** | 370264 | | |
| | No. 371090 | Ref. No. | — |
| | power socket plug type DIN 43650A screw | | |

1

| | | | |
|---|---|---|---|
| **No.** | 370327 | **Ref. No.** | 23150004 |
| **description** | solenoid valve 2-ways 24VAC connection 1" L 105mm DN 22mm -10 up to 140°C SIRAI coil type Z923A membranes EPDM (steam/water) p max 8bar p min 0.1bar | | |

1

| | | | |
|---|---|---|---|
| **No.** | 370325 | **Ref. No.** | 00005660<br>23150001 |
| **description** | solenoid valve 2-ways 24VAC inlet 3/4" outlet 3/4" connection 3/4" L 79mm DN 17mm slide-on receptacle DIN -10 up to 140°C SIRAI type series L153-D coil type Z134A membranes EPDM (steam/water) p max 8bar p min 0.1bar 50Hz | | |
| **For models:** | EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, LPE100, LPE145 | | |

## spare parts and accessories

### solenoid coils

1

| | | | |
|---|---|---|---|
| **No.** | 371070 | **Ref. No.** | 00005661<br>23160001 |
| **description** | solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm | | |
| **For models:** | ET, ETA, LPE100, LPE145 | | |
| **accessories for** | 371070 | | |
| | No. 371091 | Ref. No. | — |
| | power socket plug type DIN 43650B cable lengthmm small | | |

### solenoid valves (various)

1

| | | | |
|---|---|---|---|
| **No.** | 370738 | **Ref. No.** | 00065310 |
| **description** | solenoid valve 230VAC inlet 3/4" ET outlet 1" ET L 225mm with in-line particle filter SIRAI coil type Z610A 230V brass warewashing voltage AC | | |
| **For models:** | LP130, LP70 | | |

# pressure switches

## for warewashing

### ø 58mm with male faston 6.3mm

### with connection horizontal

1

| | | | |
|---|---|---|---|
| **No.** | 541314 | **Ref. No.** | 27100002 |
| **description** | pressure control pressure range 46/26mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, D30, D35, D36, D40, D40ELT, D40i, D40i-BT-BA, D45, D80, D80F | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 541006 | **Ref. No.** | 27100001 |
| **description** | pressure control pressure range 60/20mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 541019 | **Ref. No.** | 00005960 |
| **description** | pressure control pressure range 70/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm | | |

## electrodes

1

| | | | |
|---|---|---|---|
| **No.** | 403264 | **Ref. No.** | 00013897 |
| **description** | level electrode total length 125mm angled ø 4mm | | |
| **For models:** | BD47, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D40, D40ELT, D40ELT-BT-BA, D40i-BT-BA, D40i-ELT-BT-BA, D45, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 403263 | **Ref. No.** | 00014133 |
| **description** | level electrode total length 75mm angled ø 4mm | | |
| **For models:** | BD47, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D40, D40ELT, D40ELT-BT-BA, D40i-ELT-BT-BA, D45, D85 | | |

## pumps

### wash and rinse pumps

### FIR

### pumps

1

| | | | |
|---|---|---|---|
| **No.** | 500927 | **Ref. No.** | 00002501 |
| **description** | pump inlet ø 53mm outlet ø 44mm type 0213.1600 230V 50/60Hz 1 phase 1kW 1.36HP L 290mm rotation direction right capacitor 12.5µF FIR | | |
| **spare parts for** | 500927 | | |

| | | | |
|---|---|---|---|
| No. | 365014 | Ref. No. | 00002630 |
| operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection | | | |

| | | | |
|---|---|---|---|
| No. | 509010 | Ref. No. | 00002860 |
| impellor ø 105mm H 20mm M10L rotation direction right blades 4 | | | |

| | | | |
|---|---|---|---|
| No. | 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | | |

| | | | |
|---|---|---|---|
| No. | 521543 | Ref. No. | 00002700 |
| pump cover ELFRAMO inlet ø 53mm outlet ø 44mm turn direction right ø 160mm ID ø 136mm inner hight 34mm | | | |

| | | | |
|---|---|---|---|
| No. | 521717 | Ref. No. | 00000290<br>00002900<br>06140008<br>06140140 |
| O-ring EPDM thickness 1.78mm ID ø 120.37mm Qty 1 pcs | | | |



MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 500098 | **Ref. No.** | 00002520<br>00002521<br>00002529<br>00071930<br>00071960 |
| **description** | pump inlet ø 62mm outlet ø 49mm type B215.2500 230/400V 50/60Hz 3 phase 1.5kW 2HP L 332mm rotation direction right FIR | | |
| **For models:** | 120, 160, 906, 908, C44, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, ET, ETA, ETS15 | | |
| **spare parts for** | 500098 | | |
| | No. 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | |
| | No. 511148 | Ref. No. | 00000287<br>00002870 |
| | impellor ø 118mm H 20mm M10L | | |
| | No. 521544 | Ref. No. | 00002710 |
| | pump cover inlet ø 63mm outlet ø 50mm turn direction right ø 180mm ID ø 165mm inner hight 42mm | | |
| | No. 521718 | Ref. No. | 00002910<br>06140010 |
| | O-ring EPDM thickness 3.53mm ID ø 164.7mm Qty 1 pcs | | |

1

| | | | |
|---|---|---|---|
| **No.** | 499051 | **Ref. No.** | 00002513 |
| **description** | pump inlet ø 62mm outlet ø 50mm type B214 230V 50/60Hz 1 phase 1kW rotation direction right capacitor 12.5µF FIR | | |
| **For models:** | 120, 160, 906, 908, C44, C44dgt, C44dgt-elt, C66, C77, D120 | | |
| **spare parts for** | 499051 | | |
| | No. 365014 | Ref. No. | 00002630 |
| | operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection | | |
| | No. 509010 | Ref. No. | 00002860 |
| | impellor ø 105mm H 20mm M10L rotation direction right blades 4 | | |
| | No. 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | |
| | No. 517174 | Ref. No. | 03100008 |
| | nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs | | |
| | No. 521544 | Ref. No. | 00002710 |
| | pump cover inlet ø 63mm outlet ø 50mm turn direction right ø 180mm ID ø 165mm inner hight 42mm | | |
| | No. 521718 | Ref. No. | 00002910<br>06140010 |
| | O-ring EPDM thickness 3.53mm ID ø 164.7mm Qty 1 pcs | | |
| | No. 560312 | Ref. No. | — |
| | plain washer ID ø 10.5mm ED ø 20mm thickness 2mm SS Qty 1 pcs DIN 125A for thread M10 | | |

MAG-PRO

## INSERT STAR

### pumps

1

| | | | |
|---|---|---|---|
| **No.** | 499270 | **Ref. No.** | 20160040 |
| **description** | pump inlet ø 38mm outlet ø 38mm type 2/102FA15 220/240V 50/60Hz 1 phase 0.26kW L 200mm rotation direction right INSERT-STAR | | |
| **For models:** | BE40 | | |
| **spare parts for** | 499270 | | |
| | No. 504578 | Ref. No. | — |
| | O-ring EPDM thickness 3.53mm ID ø 94.84mm Qty 1 pcs | | |
| | No. 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | |
| | No. 650239 | Ref. No. | — |
| | impellor ø 75mm H 27mm pump type 2/102FA15 shaft intake ø 8mm rotation direction right thread M8L suitable for INSERTSTAR blades 6 | | |
| **accessories for** | 499270 | | |
| | No. 365093 | Ref. No. | — |
| | operating capacitor capacity 6µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection | | |



1

| | | | |
|---|---|---|---|
| **No.** | 500320 | **Ref. No.** | 20160042 |
| **description** | pump inlet ø 38mm outlet ø 38mm type 2/123/FA30 230V 50Hz 1 phase 0.59kW 0.8HP L 235mm rotation direction right capacitor 10µF INSERTSTAR | | |
| **For models:** | BD50, BE50, BE50T | | |
| **spare parts for** | 500320 | | |
| | No. 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | |
| | No. 521000 | Ref. No. | — |
| | pump cover FAGOR inlet ø 38mm outlet ø 38mm | | |
| | No. 521255 | Ref. No. | — |
| | impellor ø 88mm H 33mm M8L pump type 2/123/FA30 shaft ø 12mm | | |

| | | | | |
|---|---|---|---|---|
| **spare parts for** | 500320 | | | |
| | No. | 532491 | Ref. No. | — |
| | O-ring EPDM thickness 3.53mm ID ø 120.2mm Qty 1 pcs | | | |
| **accessories for** | 500320 | | | |
| | No. | 365015 | Ref. No. | 24100009 |
| | operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection | | | |
| | No. | 551227 | Ref. No. | — |
| | female faston size 6.3x0.8mm 1.0-2.5mm² straight CuZn gal Sn t.max. 110°C Qty 10 pcs | | | |

## LAFERT

### pumps

1

| | | | |
|---|---|---|---|
| **No.** | 500088 | **Ref. No.** | 00002510<br>00025190<br>00071800 |
| **description** | pump inlet ø 62mm outlet ø 50mm type AMEE 71Z AA2 230/400V 50/60Hz 3 phase 0.75kW 1HP L 310mm rotation direction right Lafert | | |
| **For models:** | C44, C44dgt, C44dgt-elt, C66, C77, D120, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27 | | |
| **spare parts for** | 500088 | | |
| | No. 509010 | Ref. No. | 00002860 |
| | impellor ø 105mm H 20mm M10L rotation direction right blades 4 | | |
| | No. 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | |
| | No. 511132 | Ref. No. | 00002770 |
| | pump cover bottom part | | |
| | No. 517174 | Ref. No. | 03100008 |
| | nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs | | |
| | No. 521544 | Ref. No. | 00002710 |
| | pump cover inlet ø 63mm outlet ø 50mm turn direction right ø 180mm ID ø 165mm inner hight 42mm | | |
| | No. 521718 | Ref. No. | 00002910<br>06140010 |
| | O-ring EPDM thickness 3.53mm ID ø 164.7mm Qty 1 pcs | | |
| | No. 560312 | Ref. No. | — |
| | plain washer ID ø 10.5mm ED ø 20mm thickness 2mm SS Qty 1 pcs DIN 125A for thread M10 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 500097 | **Ref. No.** | 00002523 |
| **description** | pump inlet ø 62mm outlet ø 50mm type AMM80Z 230V 50Hz 1 phase 1.5kW 2HP L 320mm rotation direction right capacitor 25µF Lafert | | |
| **For models:** | 120, 160, 906, 908, C44, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt | | |
| **spare parts for** | 500097 | | |
| | No. 511148 | Ref. No. | 00000287<br>00002870 |
| | impellor ø 118mm H 20mm M10L | | |
| | No. 521544 | Ref. No. | 00002710 |
| | pump cover inlet ø 63mm outlet ø 50mm turn direction right ø 180mm ID ø 165mm inner hight 42mm | | |

## LGB

1

| | | | |
|---|---|---|---|
| **No.** | 499204 | **Ref. No.** | 20160048 |
| **description** | pump inlet ø 28mm outlet ø 26mm type ZF119SX 230V 50Hz 1 phase 0.15kW 0.2HP L 195mm rotation direction right capacitor 5µF auxiliary pressure connection 12mm LGB | | |
| **For models:** | C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D80, D85, LP61, LP61H | | |
| **spare parts for** | 499204 | | |
| | No. 365017 | Ref. No. | — |
| | operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection | | |
| | No. 510703 | Ref. No. | 06150006 |
| | mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm | | |
| | No. 521057 | Ref. No. | 20161002 |
| | pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm supporting pressure open turn direction right ø 102mm ID ø 77mm inner hight 31mm | | |
| | No. 521114 | Ref. No. | — |
| | impellor ø 48mm H 17mm pump type ZF119SX shaft ø 13mm shaft length 12mm | | |
| | No. 528800 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs | | |

1

| | | | |
|---|---|---|---|
| **No.** | 501556 | **Ref. No.** | 20160027 |
| **description** | pump inlet ø 28mm outlet ø 26mm type ZF119SX 230V 50Hz 1 phase 0.2kW 0.27HP L 186mm rotation direction right capacitor 5µF LGB | | |
| **For models:** | BE35 | | |
| **spare parts for** | 501556 | | |
| | No. 521057 | Ref. No. | 20161002 |
| | pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm supporting pressure open turn direction right ø 102mm ID ø 77mm inner hight 31mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 500094 | **Ref. No.** | 20160025 |
| **description** | pump inlet ø 28mm outlet ø 26mm type ZF131SX 230V 50Hz 1 phase 0.2kW 0.15HP L 195mm rotation direction left capacitor 6.3µF LGB | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, B11, BD11 | | |
| **spare parts for** | 500094 | | |
| | No. 365012 | Ref. No. | 24100001 |
| | operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection | | |
| | No. 502266 | Ref. No. | 20161000 |
| | pump cover inlet ø 28mm outlet ø 26mm | | |
| | No. 510703 | Ref. No. | 06150006 |
| | mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm | | |
| | No. 521085 | Ref. No. | — |
| | impellor ø 72mm H 17mm thread M7L shaft ø 13mm shaft length 12mm blades 3 | | |
| | No. 528800 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 500539 | **Ref. No.** | 00202481 |
| **description** | pump inlet ø 28mm outlet ø 26mm type ZF170SX 230V 50Hz 1 phase 0.32kW 0.44HP L 200mm rotation direction right capacitor 8µF LGB | | |
| **For models:** | B15, BD13, BD14, BD14alt, BD46, BD47 | | |
| **spare parts for** | 500539 | | |
| | No. 509004 | Ref. No. | 00210036 |
| | impellor ø 71mm H 16mm M7L rotation direction right shaft ø 13mm shaft length 13mm blades 8 | | |
| | No. 510703 | Ref. No. | 06150006 |
| | mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm | | |
| | No. 521057 | Ref. No. | 20161002 |
| | pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm supporting pressure open turn direction right ø 102mm ID ø 77mm inner hight 31mm | | |
| | No. 528800 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs | | |
| **accessories for** | 500539 | | |
| | No. 365013 | Ref. No. | — |
| | operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection | | |

1

| | | | |
|---|---|---|---|
| **No.** | 500092 | **Ref. No.** | 00202480 |
| **description** | pump inlet ø 50mm outlet ø 44mm type W300SX 230V 50Hz 1 phase 0.3kW 0.5HP L 170mm rotation direction right capacitor 10µF LGB | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, BD22 | | |
| **spare parts for** | 500092 | | |
| | No. 365015 | Ref. No. | 24100009 |
| | operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection | | |

| | | | |
|---|---|---|---|
| **spare parts for** | 500092 | | |
| | No. 510554 | Ref. No. | — |
| | O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs | | |
| | No. 510607 | Ref. No. | 00210029<br>00210032 |
| | impellor ø 85mm H 29mm shaft intake ø 9x8mm rotation direction right blades 6 | | |
| | No. 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | |
| | No. 511178 | Ref. No. | 00202460 |
| | pump cover bottom part | | |
| | No. 521564 | Ref. No. | 00210028 |
| | pump cover | | |

1

| | | | |
|---|---|---|---|
| **No.** | 500093 | **Ref. No.** | 00202485<br>00202486<br>20160062 |
| **description** | pump inlet ø 50mm outlet ø 44mm type W500SX 230V 50Hz 1 phase 0.5kW 0.7HP L 200mm rotation direction right capacitor 16µF LGB | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45 | | |
| **spare parts for** | 500093 | | |
| | No. 365021 | Ref. No. | 24100004 |
| | operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection | | |
| | No. 510607 | Ref. No. | 00210029<br>00210032 |
| | impellor ø 85mm H 29mm shaft intake ø 9x8mm rotation direction right blades 6 | | |
| | No. 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | |
| | No. 521564 | Ref. No. | 00210028 |
| | pump cover | | |
| | No. 521717 | Ref. No. | 00000290<br>00002900<br>06140008<br>06140140 |
| | O-ring EPDM thickness 1.78mm ID ø 120.37mm Qty 1 pcs | | |



MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 499225 | **Ref. No.** | 00002591<br>20160053 |
| **description** | pump inlet ø 50mm outlet ø 50mm type ZF400VSX 230V 50Hz 1 phase 0.81kW 1.1HP L 245mm rotation direction right capacitor 16µF C 34 dgt / C 44 dgt LGB | | |
| **For models:** | C34, C44dgt, CE24 | | |
| **spare parts for** | 499225 | | |

| | | | | |
|---|---|---|---|---|
| | No. | 365021 | Ref. No. | 24100004 |
| | operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection | | | |
| | No. | 510703 | Ref. No. | 06150006 |
| | mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm | | | |
| | No. | 520454 | Ref. No. | 00004072<br>0000407B<br>05100008 |
| | hose clamp ø 70-90mm width 9mm Qty 5 pcs DIN 3017 | | | |
| | No. | 521090 | Ref. No. | — |
| | impellor ø 101mm H 32mm thread M8L shaft ø 13mm shaft length 12mm | | | |
| | No. | 521548 | Ref. No. | — |
| | pump cover LGB inlet ø 50mm outlet ø 50mm | | | |
| | No. | 532623 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs | | | |

## OLYMPIA

### pumps

1

| | | | |
|---|---|---|---|
| **No.** | 499217 | **Ref. No.** | 20160063 |
| **description** | pump inlet ø 50mm outlet ø 40mm type L80.T7_5040 230V 50Hz 1 phase 0.6kW 0.8HP L 205mm rotation direction right capacitor 12.5µF D 85 dgt OLYMPIA | | |
| **spare parts for** | 499217 | | |

| | | | | |
|---|---|---|---|---|
| | No. | 365014 | Ref. No. | 00002630 |
| | operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection | | | |
| | No. | 510554 | Ref. No. | — |
| | O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs | | | |
| | No. | 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | | |
| | No. | 512415 | Ref. No. | 20161004 |
| | pump cover OLYMPIA inlet ø 50mm outlet ø 40mm | | | |
| | No. | 517368 | Ref. No. | — |
| | impellor ø 102mm H 21mm rotation direction right thread M10L suitable for Dihr blades 8 | | | |

MAG-PRO

1

| No. | 499314 | Ref. No. | 20160062 |
|---|---|---|---|
| description | pump inlet ø 50mm outlet ø 41mm type L71T5_5040 230V 50Hz 1 phase 0.38kW L 200mm rotation direction right capacitor 10µF OLYMPIA | | |
| spare parts for | 499314 | | |

| No. | 365015 | Ref. No. | 24100009 |
|---|---|---|---|
| operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection | | | |

| No. | 510554 | Ref. No. | — |
|---|---|---|---|
| O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs | | | |

| No. | 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
|---|---|---|---|
| mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | | |

GEV Image not available

| No. | 512415 | Ref. No. | 20161004 |
|---|---|---|---|
| pump cover OLYMPIA inlet ø 50mm outlet ø 40mm | | | |

| No. | 521157 | Ref. No. | 20161501 |
|---|---|---|---|
| impellor ø 82mm H 22mm thread M10L | | | |

1

| No. | 499338 | Ref. No. | 20160072 |
|---|---|---|---|
| description | pump inlet ø 62mm outlet ø 50mm type MEC71.T120SX 220-240/380-415V 50Hz 3 phase 0.88kW 1.2HP L 310mm rotation direction right OLYMPIA | | |
| spare parts for | 499338 | | |

| No. | 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
|---|---|---|---|
| mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | | |

| No. | 521152 | Ref. No. | 20161100 |
|---|---|---|---|
| pump cover OLYMPIA inlet 62 ø 190mm | | | |

| No. | 521153 | Ref. No. | 20161003 |
|---|---|---|---|
| pump casing OLYMPIA outlet ø 52mm | | | |

| No. | 521154 | Ref. No. | 06140046 |
|---|---|---|---|
| O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs | | | |

1

| No. | 542117 | Ref. No. | 20160066 |
|---|---|---|---|
| description | pump inlet ø 62mm outlet ø 52mm type L80.T200SX 230V 50Hz 1 phase 1.5kW L 340mm rotation direction right capacitor 17/17µF OLYMPIA | | |
| spare parts for | 542117 | | |

| No. | 521152 | Ref. No. | 20161100 |
|---|---|---|---|
| pump cover OLYMPIA inlet 62 ø 190mm | | | |

| No. | 521153 | Ref. No. | 20161003 |
|---|---|---|---|
| pump casing OLYMPIA outlet ø 52mm | | | |

MAG-PRO

| | | | | |
|---|---|---|---|---|
| **spare parts for** | 542117 | | | |
| | No. | 521154 | Ref. No. | 06140046 |
| | O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs | | | |
| | No. | 521155 | Ref. No. | 20161500<br>20161506 |
| | impellor ø 107mm H 34mm pump type OLYMPIA thread M8L blades 6 | | | |
| **accessories for** | 542117 | | | |
| | No. | 542157 | Ref. No. | 00018280 |
| | bracket for wash pump L 267mm W 132mm H 43mm | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 499226 | **Ref. No.** | 20160061 |
| **description** | pump inlet ø 62mm outlet ø 52mm type MEC80.T200SX 230/400V 50Hz 3 phase 1.5kW 2HP L 340mm rotation direction right OLYMPIA | | |
| **For models:** | C66dgt | | |
| **spare parts for** | 499226 | | |
| | No. 510693 | Ref. No. | 00000300<br>00003000<br>06150001 |
| | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm | | |
| | No. 521152 | Ref. No. | 20161100 |
| | pump cover OLYMPIA inlet 62 ø 190mm | | |
| | No. 521153 | Ref. No. | 20161003 |
| | pump casing OLYMPIA outlet ø 52mm | | |
| | No. 521154 | Ref. No. | 06140046 |
| | O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs | | |
| | No. 521155 | Ref. No. | 20161500<br>20161506 |
| | impellor ø 107mm H 34mm pump type OLYMPIA thread M8L blades 6 | | |
| **accessories for** | 499226 | | |
| | No. 542157 | Ref. No. | 00018280 |
| | bracket for wash pump L 267mm W 132mm H 43mm | | |

## booster pumps I

1

| | | | |
|---|---|---|---|
| **No.** | 500540 | **Ref. No.** | 20160001<br>20160054 |
| **description** | pump inlet ø 1" IT outlet ø 1" IT type PKM60 230V 50Hz 1 phase 0.37kW PEDRELLO 0.5HP | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D80, D80F, D85, LP130, LP60, LP60H, LP61, LP61H, LP70, SQ885, SQT80 | | |
| **accessories for** | 500540 | | |
| | No. 365015 | Ref. No. | 24100009 |
| | operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection | | |

1

| | | | |
|---|---|---|---|
| **No.** | 499067 | **Ref. No.** | 20160003 |
| **description** | pump inlet ø 1" IT outlet ø 1" IT type PKM60 230V 60Hz 1 phase 0.37kW 0.5HP L 247mm rotation direction left capacitor 10µF PEDRELLO | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D80, D85, LP130, LP60, LP60H, LP61, LP61H, LP70, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 499308 | **Ref. No.** | 20160056 |
| **description** | pump inlet ø 1" IT outlet ø 1" IT type PQM60 220V 60Hz 1 phase 0.37kW 0.5HP L 195mm rotation direction left capacitor 10µF PEDRELLO | | |
| **For models:** | C34, C44dgt, C66dgt | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 499145 | Ref. No. | 00047030<br>20160004<br>20160055 |
| description | pump inlet ø 1" outlet ø 1" type PQ60 230/400V 50Hz 3 phase 0.37kW PEDRELLO | | |
| For models: | EN, ET, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LPE100, LPE145 | | |

1

| | | | |
|---|---|---|---|
| No. | 500395 | Ref. No. | 20160011<br>20160016 |
| description | pump inlet ø 3/8" IT outlet ø 3/8" IT type PS45DX 230V 50Hz 0.35kW capacitor 8µF LGB | | |
| For models: | B11, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE50, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, LP60, LP60H | | |
| spare parts for | 500395 | | |
| | No. 365013 | Ref. No. | — |
| | operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection | | |
| | No. 698400 | Ref. No. | — |
| | pump cover gasket pump type PS46 thickness 2mm ID ø 66mm Qty 1 pcs | | |

## drain pumps

### HANNING

1

| | | | |
|---|---|---|---|
| No. | 500082 | Ref. No. | 00002570 |
| description | drain pump 230V 100W | | |
| For models: | 882, 885, C33, C44, C66, C77, D30, D40, D80, D80F | | |

### PLASET

1

| | | | |
|---|---|---|---|
| No. | 500083 | Ref. No. | 20160014 |
| description | drain pump inlet ø 30mm outlet ø 23mm 220-240V 34W 50Hz PLASET | | |
| For models: | 42, 42E, 48, 48E, 55, 55E, 60, B11, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45 | | |

### miscellaneous

1

| | | | |
|---|---|---|---|
| No. | 499001 | Ref. No. | 20160013 |
| description | drain pump inlet ø 30mm outlet ø 22mm 220V 34W 60Hz PLASET | | |
| For models: | BD13, BD14, BD50, BE35, BE40, BE50, BE50T, D35, D36, D40, D40i, D40i-ELT-BT-BA, D45 | | |

## booster pumps II

### accessories

1

| | | | |
|---|---|---|---|
| No. | 365015 | Ref. No. | 24100009 |
| description | operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection | | |

1

| | | | |
|---|---|---|---|
| No. | 365012 | Ref. No. | 24100001 |
| description | operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection | | |



MAG-PRO

# condensators & interference suppression filters

## operating capacitors

### plastic

1

| | | | |
|---|---|---|---|
| **No.** | 365015 | **Ref. No.** | 24100009 |
| **description** | operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection | | |

1

| | | | |
|---|---|---|---|
| **No.** | 365014 | **Ref. No.** | 00002630 |
| **description** | operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection | | |
| **For models:** | 120, 160, 882, 885, C44, C66 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 365021 | **Ref. No.** | 24100004 |
| **description** | operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, BD22, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C77, CW650-15, CW650-16, CW650-35, CW650-36, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 365012 | **Ref. No.** | 24100001 |
| **description** | operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection | | |

## filters

### interference suppression filters

1

| | | | |
|---|---|---|---|
| **No.** | 365026 | **Ref. No.** | 00002650<br>24100100 |
| **description** | interference suppression filter capacity 0.47µF(X2)+2x0.01µF(Y2) 0.68MOhm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 365044 | **Ref. No.** | 00002650<br>24100100 |
| **description** | interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs | | |

1

| | | | |
|---|---|---|---|
| **No.** | 365089 | **Ref. No.** | 24100102 |
| **description** | interference suppression filter type X1+100R 250V capacity 0.24µF | | |
| **For models:** | 120, 885, 906, 908, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D35, D36, D40, D40i, D40i-ELT-BT-BA, D45, D80, D85, EM20, EM20+20, ES20, ESD20 | | |

# fuses

## fine fuses

1

| | | | |
|---|---|---|---|
| **No.** | 358041 | **Ref. No.** | 00060970 |
| **description** | fine fuse size ø10x38mm 20A slow-acting rated 400V type aM Qty 1 pcs | | |
| **For models:** | EN, ET, ET020, ETA, LPE100, LPE145 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 358030 | **Ref. No.** | 00060980 |
| **description** | fine fuse size ø10x38mm 32A slow-acting rated 400V type aM Qty 1 pcs | | |
| **For models:** | EN, ET, ET020, ETA, LPE100, LPE145 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 358038 | Ref. No. | 00060960<br>37130999 |
| description | fine fuse size ø10x38mm 10A slow-acting rated 500V type aM Qty 1 pcs | | |
| For models: | 120, 160, 240, 882, 885, 904, 906, 908, 912, CW650-15, CW650-16, CW650-35, CW650-36, Cybergel, EB12, EB12+12, EG140S, EM240, EM360, EM480, EM612, EM-HT, EN, ES12, ESD12, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LPE100, LPE145, SQ885, SQT80 | | |

2

| | | | |
|---|---|---|---|
| No. | 358040 | Ref. No. | 00006261 |
| description | fine fuse size ø10x38mm 16A slow-acting rated 500V type aM Qty 1 pcs | | |

## fine fuse holders

1

| | | | |
|---|---|---|---|
| No. | 358075 | Ref. No. | 00006121<br>37170001 |
| description | fuse holder for for fuse ø10x38mm suitable fuse ø10x38mm 1-pole 32A rated 690V for DIN rail 35mm cross section 10mm² suitable for for fuse ø10x38mm | | |
| For models: | 120, 160, 240, 882, 885, 904, 906, 908, 912, Cybergel, EM240, EM360, EM480, EM612, EM-HT, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LPE100, LPE145, SQ885, SQT80 | | |

# electric accessories

## cables

### ribbon cables

#### group 1

1

| | | | |
|---|---|---|---|
| No. | 403776 | Ref. No. | 25190105 |
| description | ribbon cable 10-pole L 2600mm plug type FC-10P raster size 2.54mm | | |
| For models: | BD46, BD47, C34, C34dgt, C44dgt, C44dgt-elt, C66dgt, C66dgt-elt, D120dgt, D36, D45, D85 | | |

## terminals

### rail-mounted terminals

#### miscellaneous

1

| | | | |
|---|---|---|---|
| No. | 358505 | Ref. No. | 00006260 |
| description | rail-mounted terminal 6-10mm² 1-pole | | |

# gas thermostats

## SIT

### 710 Minisit series

1

| | | | |
|---|---|---|---|
| No. | 107543 | Ref. No. | 00034620 |
| description | gas thermostat kit SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" IT gas outlet 3/8" IT thermocouple connection M9x1 probe ø 6mm probe L 105mm capillary pipe 1050mm pressure controller no | | |
| For models: | FG125, FG157, FG159, FG307, FG309, GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM25-900, GM35, GM50-900, GW-MO-DULARI | | |
| spare parts for | 107543 | | |

| | | | |
|---|---|---|---|
| No. | 101135 | Ref. No. | 00038639<br>16100006 |
| gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller no pressure regulatormbar gland nut | | | |

| | | | |
|---|---|---|---|
| No. | 390730 | Ref. No. | 161142<br>22170003 |
| safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 4mm probe L 125mm capillary pipe 1550mm capillary pipe isolated 1410mm gland nut probe | | | |



MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 101135 | **Ref. No.** | 00038639<br>16100006 |
| **description** | gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller no pressure regulatormbar gland nut | | |
| **For models:** | GVM35, GW12, GW20, GWD12, GWD20 | | |
| **spare parts for** | 101135 | | |
| | No. 101053 | Ref. No. | — |
| | magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | |
| | No. 102118 | Ref. No. | — |
| | probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710 | | |
| **accessories for** | 101135 | | |
| | No. 100809 | Ref. No. | — |
| | O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs | | |
| | No. 100820 | Ref. No. | — |
| | gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22 | | |
| | No. 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | |
| | No. 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | |
| | No. 101054 | Ref. No. | — |
| | magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | |
| | No. 101136 | Ref. No. | 00032410 |
| | piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8 | | |
| | No. 101137 | Ref. No. | — |
| | cover cap without piezoelectric igniter | | |
| | No. 101267 | Ref. No. | — |
| | reducer IT 3/8" ET 1/2" L 21mm | | |
| | No. 101268 | Ref. No. | — |
| | gas connection thread 3/8" angled with O-ring MINISIT 710 | | |
| | No. 101269 | Ref. No. | — |
| | gas connection thread 1/2" angled with O-ring MINISIT 710 | | |
| | No. 101270 | Ref. No. | — |
| | screw connection IT 3/8" ET 3/8" L 28mm | | |
| | No. 101272 | Ref. No. | — |
| | screw connection IT 1/2" ET 3/8" L 57mm | | |

| | | | |
|---|---|---|---|
| **accessories for** | 101135 | | |
| | No. 101273 | Ref. No. | — |
| | olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal | | |
| | No. 101274 | Ref. No. | — |
| | olive for pipe ø 16mm Qty 1 pcs | | |
| | No. 101275 | Ref. No. | — |
| | union screw thread 1/2" for pipe ø 16mm Qty 1 pcs | | |
| | No. 101276 | Ref. No. | — |
| | union screw thread 3/8" tube ø 12mm Qty 1 pcs | | |
| | No. 110068 | Ref. No. | 16100003 |
| | knob suitable for Minisit ø 37mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 101434 | **Ref. No.** | 00032390 |
| **description** | gas thermostat without accessories SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 102mm capillary pipe 1200mm probe type type G1 pressure controller no pressure regulatormbar gland nut | | |
| **For models:** | FG125, FG157, FG159, FG307, FG309, GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM2532, GM2542, GM25-900, GM35, GM50-900, GMD2532, GMD2542, GW12, GW20, GWD12, GWD20, GW-MODULARI | | |
| **spare parts for** | 101434 | | |
| | No. 101053 | Ref. No. | — |
| | magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | |
| | No. 102105 | Ref. No. | 16100030 |
| | probe 110-200°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 200°C fryer probe type type G1 suitable for MINISIT 710 | | |
| **accessories for** | 101434 | | |
| | No. 100809 | Ref. No. | — |
| | O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs | | |
| | No. 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | |
| | No. 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | |
| | No. 101054 | Ref. No. | — |
| | magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | |
| | No. 101136 | Ref. No. | 00032410 |
| | piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8 | | |

Table continues overleaf

MAG-PRO

| | | | | |
|---|---|---|---|---|
| accessories for | 101434 | | | |
| | No. | 101137 | Ref. No. | — |
| | cover cap without piezoelectric igniter | | | |
| | No. | 101267 | Ref. No. | — |
| | reducer IT 3/8" ET 1/2" L 21mm | | | |
| | No. | 101268 | Ref. No. | — |
| | gas connection thread 3/8" angled with O-ring MINISIT 710 | | | |
| | No. | 101269 | Ref. No. | — |
| | gas connection thread 1/2" angled with O-ring MINISIT 710 | | | |
| | No. | 101270 | Ref. No. | — |
| | screw connection IT 3/8" ET 3/8" L 28mm | | | |
| | No. | 101272 | Ref. No. | — |
| | screw connection IT 1/2" ET 3/8" L 57mm | | | |
| | No. | 101273 | Ref. No. | — |
| | olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal | | | |
| | No. | 101274 | Ref. No. | — |
| | olive for pipe ø 16mm Qty 1 pcs | | | |
| | No. | 101275 | Ref. No. | — |
| | union screw thread 1/2" for pipe ø 16mm Qty 1 pcs | | | |
| | No. | 101276 | Ref. No. | — |
| | union screw thread 3/8" tube ø 12mm Qty 1 pcs | | | |
| | No. | 110068 | Ref. No. | 16100003 |
| | knob suitable for Minisit ø 37mm | | | |

## accessories

### probes

1

| | | | |
|---|---|---|---|
| **No.** | 102105 | **Ref. No.** | 16100030 |
| **description** | probe 110-200°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 200°C fryer probe type type G1 suitable for MINISIT 710 | | |
| **For models:** | GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM25-900, GM35, GM50-900 | | |

# gas valves and ignition boxes

## gas control valves

### SIT

### NOVASIT



1

| | | | | |
|---|---|---|---|---|
| **No.** | 101187 | **Ref. No.** | 16100005 | |
| **description** | gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurembar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt | | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | | |
| **spare parts for** | 101187 | | | |
| | No. | 101065 | Ref. No. | — |
| | magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT | | | |
| **accessories for** | 101187 | | | |
| | No. | 100110 | Ref. No. | — |
| | pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm | | | |
| | No. | 101305 | Ref. No. | — |
| | gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm | | | |
| | No. | 101306 | Ref. No. | — |
| | gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL | | | |
| | No. | 101307 | Ref. No. | — |
| | gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL | | | |
| | No. | 101308 | Ref. No. | — |
| | gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL | | | |
| | No. | 102116 | Ref. No. | 17100002 |
| | thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16" | | | |



MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 101956 | **Ref. No.** | 16100020 |
| **description** | gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurembar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.031 | | |
| **spare parts for** | 101956 | | |
| | No. 101065 | Ref. No. | — |
| | magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT | | |
| | No. 101313 | Ref. No. | — |
| | solenoid coil 230V 50Hz | | |
| **accessories for** | 101956 | | |
| | No. 100006 | Ref. No. | — |
| | piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm | | |
| | No. 101305 | Ref. No. | — |
| | gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm | | |
| | No. 101306 | Ref. No. | — |
| | gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL | | |
| | No. 101307 | Ref. No. | — |
| | gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL | | |
| | No. 101308 | Ref. No. | — |
| | gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL | | |
| | No. 101312 | Ref. No. | — |
| | microswitch | | |
| | No. 101314 | Ref. No. | — |
| | solenoid coil 24V 50Hz | | |
| | No. 101317 | Ref. No. | — |
| | plug with cable L 1000mm suitable for NOVASIT | | |
| | No. 101318 | Ref. No. | — |
| | cover cap for solenoid coil suitable for NOVASIT | | |

# ignition parts

## pilot burners

### SIT

#### 100 series

1

| | | | |
|---|---|---|---|
| **No.** | 106906 | **Ref. No.** | 33120005 |
| **description** | pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm | | |
| **For models:** | FG125, FG157, FG159, FG307, FG309, GM2532, GM2542, GMD2532, GMD2542, GW12, GW20, GWD12, GWD20 | | |
| **spare parts for** | 106906 | | |
| | No. 100245 | Ref. No. | — |
| | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | |
| | No. 100855 | Ref. No. | — |
| | pilot burner bracket triple | | |
| | No. 100885 | Ref. No. | — |
| | air mixing sleeve for pilot burner Qty 1 pcs | | |
| | No. 100916 | Ref. No. | — |
| | compression spring for pilot burner Qty 1 pcs | | |
| | No. 100917 | Ref. No. | — |
| | gasket for pilot burner Qty 1 pcs aluminium | | |
| | No. 100918 | Ref. No. | — |
| | screw for pilot burner | | |
| | No. 107162 | Ref. No. | — |
| | pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs | | |
| | No. 107701 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.2mm | | |
| **accessories for** | 106906 | | |
| | No. 100245 | Ref. No. | — |
| | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | |
| | No. 100246 | Ref. No. | — |
| | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | |
| | No. 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | |
| | No. 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | |
|  | No. 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | |

Table continues overleaf

MAG-PRO

| | | | | |
|---|---|---|---|---|
| accessories for | 106906 | | | |
| | No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |
| | No. | 107171 | Ref. No. | — |
| | pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs | | | |
| | No. | 107700 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.25mm | | | |
| | No. | 107702 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.35mm | | | |

## accessories

### ignition electrodes




1

| | | | |
|---|---|---|---|
| **No.** | 100706 | **Ref. No.** | 33110002 |
| **description** | ignition electrode connection M4 Qty 1 pcs | | |
| **For models:** | FG125, FG12M, FG157, FG159, FG24M, FG307, FG309, GB10, GBD10, GM2532, GM2542, GMD2532, GMD2542, GW12, GW12ELT, GW20, GW20ELT, GWD12, GWD12ELT, GWD20, GWD20ELT, GW-MODULARI | | |

### 160 series

1

| | | | |
|---|---|---|---|
| **No.** | 100049 | **Ref. No.** | 00032790 |
| **description** | pilot burner SIT type 160 series 2 flames nozzle ømm gas connection ømm | | |
| **For models:** | GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM25-900, GM35, GM50-900, GVM35 | | |
| **spare parts for** | 100049 | | |
| | No. | 100907 | Ref. No. | 33120009 |
| | screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple | | | |
| **accessories for** | 100049 | | | |
| | No. | 100202 | Ref. No. | — |
| | pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm | | | |
| | No. | 100203 | Ref. No. | — |
| | pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm | | | |
| | No. | 100701 | Ref. No. | 33110001 |
| | ignition electrode connection M4 Qty 1 pcs | | | |
| | No. | 100869 | Ref. No. | — |
| | pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm | | | |

| | | | | |
|---|---|---|---|---|
| accessories for | 100049 | | | |
| | No. | 100906 | Ref. No. | 33120004 |
| | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | | |
| | No. | 100908 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | No. | 100909 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | No. | 101282 | Ref. No. | — |
| | olive for pipe ø 4mm L 7.4mm Qty 1 pcs | | | |
| | No. | 101287 | Ref. No. | — |
| | olive for pipe ø 6mm Qty 1 pcs | | | |
| | No. | 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | |
| | No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |
| | No. | 107650 | Ref. No. | 00032680 |
| | pilot burner nozzle SIT LPG code 30 Qty 1 pcs | | | |

### 190 series

1

| | | | |
|---|---|---|---|
| **No.** | 106722 | **Ref. No.** | 00038491 |
| **description** | pilot burner SIT type 190 series 3 flames natural/liquid gas nozzle 35/51 nozzle ø 0.35/0.51mm gas connection 6mm complete with nozzle | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

## POLIDORO

### pilot burners

1

| | | | |
|---|---|---|---|
| **No.** | 104485 | **Ref. No.** | 33120030 |
| **description** | pilot burner POLIDORO 2 flames natural gas code 29.2 gas connection 6mm | | |
| **For models:** | FG12M, FG24M, GB10, GBD10 | | |

MAG-PRO

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 106966 | **Ref. No.** | 00038531 |
| **description** | pilot burner 2 flames natural/liquid gas nozzle ø 0.45mm gas connection 6mm | | |
| **For models:** | GW12, GW12ELT, GW20, GW20ELT, GWD12, GWD12ELT, GWD20, GWD20ELT, GW-MODULARI | | |
| **spare parts for** | 106966 | | |

| | | | |
|---|---|---|---|
| No. | 100855 | Ref. No. | — |
| pilot burner bracket triple | | | |

| | | | |
|---|---|---|---|
| No. | 100885 | Ref. No. | — |
| air mixing sleeve for pilot burner Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| No. | 102742 | Ref. No. | — |
| pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| No. | 102973 | Ref. No. | 18100093 |
| pilot burner nozzle natural gas bore ø 0.45mm Qty 1 pcs | | | |

## electrodes




1

| | | | |
|---|---|---|---|
| **No.** | 100701 | **Ref. No.** | 33110001 |
| **description** | ignition electrode connection M4 Qty 1 pcs | | |
| **For models:** | GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM25-900, GM35, GM50-900, GVM35 | | |
| **accessories for** | 100701 | | |

| | | | |
|---|---|---|---|
| No. | 100906 | Ref. No. | 33120004 |
| screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 100706 | **Ref. No.** | 33110002 |
| **description** | ignition electrode connection M4 Qty 1 pcs | | |
| **For models:** | FG125, FG12M, FG157, FG159, FG24M, FG307, FG309, GB10, GBD10, GM2532, GM2542, GMD2532, GMD2542, GW12, GW12ELT, GW20, GW20ELT, GWD12, GWD12ELT, GWD20, GWD20ELT, GW-MODULARI | | |




1

| | | | |
|---|---|---|---|
| **No.** | 102871 | **Ref. No.** | 33110003 |
| **description** | ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 8mm BL1 18mm BL2 3mm BL3 23mm to clip | | |
| **For models:** | FG12M, FG24M, GB10, GBD10, GSDT12, GSDT20, GST12, GST20, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 100906 | **Ref. No.** | 33120004 |
| **description** | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

## ignition cables

### pre-assembled cables

1

| | | | |
|---|---|---|---|
| **No.** | 100015 | **Ref. No.** | 30140002 |
| **description** | ignition cable cable length 600mm connection ø2.4mm / ø2.4mm | | |
| **For models:** | FG12M, FG24M, GB10, GBD10, GM2532, GM2542, GMD2532, GMD2542, GW12, GW20, GWD12, GWD20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 100025 | **Ref. No.** | 30140001 |
| **description** | ignition cable cable length 600mm connection ø4mm / F6.3mm | | |
| **For models:** | GVM35T, GW12ELT, GW209T, GW20ELT, GWD12ELT, GWD209T, GWD20ELT, GWDT12, GWDT20, GWT12, GWT20 | | |

## piezoelectric igniters

### mounting diameter 22mm

1

| | | | |
|---|---|---|---|
| **No.** | 100005 | **Ref. No.** | 33100003 |
| **description** | piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm SIT | | |
| **For models:** | FG12M, FG24M, GB10, GBD10, GM2532, GM2542, GMD2532, GMD2542, GW12, GW20, GW209T, GWD12, GWD20, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

MAG-PRO

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | nla[1] | **Ref. No.** | 00032460<br>00038700<br>33100001 |
| **description** | piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm | | |
| **For models:** | FG125, FG157, FG159, FG307, FG309, GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM25-900, GM35, GM50-900, GSDT12, GSDT20, GST12, GST20, GVM35, GVM35T, GW12, GW12ELT, GW20, GW209T, GW20ELT, GWD12, GWD12ELT, GWD20, GWD209T, GW-D20ELT, GWDT12, GWDT20, GW-MODULARI, GWT12, GWT20 | | |

[1]no longer available

1

| | | | |
|---|---|---|---|
| **No.** | nla[1] | **Ref. No.** | 00032410 |
| **description** | piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8 | | |
| **For models:** | GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM25-900, GM35, GM50-900 | | |
| **spare parts for** | 101136 | | |
| | No. 100001 | Ref. No. | 00032460<br>00038700<br>33100001 |
| | piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm | | |

[1]no longer available

## thermocouples

### plug-in thermocouples

#### plug-in thermocouples with interruption




1

| | | | |
|---|---|---|---|
| **No.** | 107234 | **Ref. No.** | 159023<br>17100003 |
| **description** | thermocouple SIT with interrupter M9x1 L 400mm plug connection ø6.0mm soldering connection | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35T, GWDT12, GWDT20, GWT12, GWT20 | | |




1

| | | | |
|---|---|---|---|
| **No.** | 107177 | **Ref. No.** | 00032580<br>17100001 |
| **description** | thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm | | |
| **For models:** | FG125, FG12M, FG157, FG159, FG24M, FG307, FG309, GB10, GBD10, GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM2532, GM2542, GM25-900, GM35, GM50-900, GMD2532, GMD2542, GVM35, GW12, GW12ELT, GW20, GW209T, GW20ELT, GWD12, GWD12ELT, GWD20, GWD209T, GWD20ELT, GW-MODULARI | | |

## thermopiles




1

| | | | |
|---|---|---|---|
| **No.** | 102116 | **Ref. No.** | 17100002 |
| **description** | thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16" | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

# gas burners

## bar burners

### bar burners

1

| | | | |
|---|---|---|---|
| **No.** | 105384 | **Ref. No.** | 15100004 |
| **description** | bar burner 2 row L 450mm W 240mm ømm H 310mm fryer | | |
| **For models:** | FG157, FG159, FG307, FG309, GM2542, GMD2542 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 104483 | **Ref. No.** | 15100010 |
| **description** | bar burner ø 40mm Wmm Hmm L 340mm flange width 50mm flange length 62mm fryer | | |
| **For models:** | FG12M, FG24M, GB10, GBD10 | | |



MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 105430 | **Ref. No.** | 15100008 |
| **description** | bar burner ø 40mm Wmm Hmm L 340mm flange width 60mm flange length 76mm fryer | | |

# gas nozzles

## main nozzles

### gas nozzles M10x1

1

| | | | |
|---|---|---|---|
| **No.** | 100067 | **Ref. No.** | 18110093<br>18110121 |
| **description** | gas injector thread M10x1 WS 12 bore ø 1.1mm G30 gas pressure 30mbar | | |
| **For models:** | FG12M, FG24M, GB10, GBD10, GSDT12, GSDT20, GST12, GST20, GW12, GW12ELT, GW209T, GW20ELT, GWD12, GWD12ELT, GWD209T, GWD20ELT, GWDT12, GWDT20, GW-MODULARI, GWT12, GWT20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 107343 | **Ref. No.** | 18110111<br>18110130 |
| **description** | gas injector thread M10x1 WS 12 bore ø 1.2mm LPG gas pressure 30mbar | | |
| **For models:** | FG12M, FG24M, GB10, GBD10, GSDT12, GSDT20, GST12, GST20, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 106290 | **Ref. No.** | 18110090<br>18110095<br>18110110 |
| **description** | gas injector thread M10x1 WS 12 bore ø 1.85mm inner peaked | | |
| **For models:** | FG157, FG159, FG307, FG309, GM2532, GM2542, GMD2532, GMD2542, GW20, GWDT12, GWDT20, GW-MODULARI, GWT12, GWT20 | | |

## pilot burner nozzles

### pilot burner nozzles POLIDORO

1

| | | | |
|---|---|---|---|
| **No.** | 100000 | **Ref. No.** | 18100060 |
| **description** | pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs | | |
| **For models:** | FG12M, FG24M, GB10, GBD10 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 104486 | **Ref. No.** | 18100061 |
| **description** | pilot burner nozzle POLIDORO natural gas code 29.2 bore ø 2x0.29mm Qty 1 pcs | | |
| **For models:** | FG12M, FG24M, GB10, GBD10 | | |

### pilot burner nozzles SIT

#### 100 series

1

| | | | |
|---|---|---|---|
| **No.** | 102973 | **Ref. No.** | 18100093 |
| **description** | pilot burner nozzle natural gas bore ø 0.45mm Qty 1 pcs | | |
| **For models:** | GW12, GW12ELT, GW20, GW20ELT, GWD12, GWD20 | | |

#### 160 series

1

| | | | |
|---|---|---|---|
| **No.** | 107172 | **Ref. No.** | 18100094 |
| **description** | pilot burner nozzle SIT LPG code 25 Qty 1 pcs | | |
| **For models:** | GW12, GW12ELT, GW20, GW20ELT, GWD12, GWD20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 107650 | **Ref. No.** | 00032680 |
| **description** | pilot burner nozzle SIT LPG code 30 Qty 1 pcs | | |
| **For models:** | GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM25-900, GM35, GM50-900 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 107173 | **Ref. No.** | 18100095 |
| **description** | pilot burner nozzle SIT natural gas code 35 Qty 1 pcs suitable for 160 series nozzle ø 0.35mm | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 107175 | **Ref. No.** | 00032690 |
| **description** | pilot burner nozzle SIT natural gas code 51 Qty 1 pcs suitable for 160 series | | |
| **For models:** | GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM25-900, GM35, GM50-900, GSDT12, GSDT20, GST12, GST20, GVM35, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

# auxiliary gas parts

## screw connections

### union screws

1

| | | | |
|---|---|---|---|
| **No.** | 100906 | **Ref. No.** | 33120004 |
| **description** | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 100907 | **Ref. No.** | 33120009 |
| **description** | screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |

### angle pieces

1

| | | | |
|---|---|---|---|
| **No.** | 104484 | **Ref. No.** | 12355007 |
| **description** | angle piece T1: 1/2" ET T2: 1/2" ET | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35T, GW12ELT, GW209T, GW20ELT, GWD12ELT, GWD209T, GWD20ELT, GWDT12, GWDT20, GWT12, GWT20 | | |

# equipment-specific units

## for deep fryers

### lids

1

| | | | |
|---|---|---|---|
| **No.** | 695603 | **Ref. No.** | 00030660 |
| **description** | lid suitable for fryer L 305mm W 210mm with handle | | |
| **For models:** | EB12+12, EB6, EB6+6 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 695606 | **Ref. No.** | 00030690 |
| **description** | lid suitable for fryer L 340mm W 270mm | | |
| **For models:** | EB12, EB12+12, EB8, EM12, EM12+12, ES12, ESD12, FE12, FG125, FG12M, FG24M, GB10, GBD10, GM12+12, GM2532, GMD2532, GST12, GW12, GW12ELT, GWD12, GWD12ELT, GWDT12, GWT12 | | |

### basket holders

1

| | | | |
|---|---|---|---|
| **No.** | 970736 | **Ref. No.** | 00038567 |
| **description** | basket support for fryer W 265mm H 220mm suitable for ELFRAMO GW | | |
| **For models:** | FG12M, FG24M, GB10, GBD10, GSDT12, GSDT20, GST12, GST20, GVM35, GVM35T, GW12ELT, GW209T, GW20ELT, GWD12, GWD20, GWD209T, GWDT12, GWDT20, GWT12, GWT20 | | |



MAG-PRO

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 550268 | **Ref. No.** | 00032290 |
| **description** | cover cap for push-button | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, ES12, ES20, ESD12, ESD20, FE12, FE20, FE20+20, FE30, FE30+30, KES20, KESD20 | | |

# for dishwashers

## drain and intake components

### ELFRAMO

### drain /intake bodies

1

| | | | |
|---|---|---|---|
| **No.** | 517804 | **Ref. No.** | 00014169<br>00018351 |
| **description** | connection angle thread 1/2" hose ø 13mm | | |
| **For models:** | BD50, BE35, BE40, BE50, BE50T, C34, C44, C44dgt, C66, C66dgt, C77, D120, D35, D36, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511843 | **Ref. No.** | 00012701 |
| **description** | drain connection | | |
| **For models:** | BD14, BD14alt, BD47, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D40, D80, D80F, D85, ETE20, ETE21, ETE25, ETE27, LP60, LP60H, LP61, LP61H | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511830 | **Ref. No.** | 00211035 |
| **description** | drain connection thread 1¾" hose ø 28.5mm | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD22, BD47, BD50, BE35, BE40, BE50, BE50T, C44, C66, C77, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511838[1] | **Ref. No.** | 00211026 |
| **description** | drain connection thread 1¾" hose ø 28mm | | |
| **For models:** | B11, BD11, BD13, BD14, BD46, BD50, BE35, BE40, BE50, C34, C34dgt, C44dgt, C44dgt-elt, C66dgt, C66dgt-elt, D85, LP61, LP61H | | |

[1]for drain pump

1

| | | | |
|---|---|---|---|
| **No.** | 511853 | **Ref. No.** | 00012702 |
| **description** | drain fitting | | |
| **For models:** | BD22, C33, C44, C66, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, ETE20, ETE21, ETE25, ETE27 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511070 | **Ref. No.** | 00002130 |
| **description** | drain fitting complete | | |
| **For models:** | ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511836 | **Ref. No.** | 00012715 |
| **description** | drain fitting complete thread 1¾" ED ø 65mm ID ø 43mm hose ø 37mm | | |
| **For models:** | C44, C66, D30, D80, LP60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 512409 | **Ref. No.** | 00012703+00211035+06140018<br>00012741 |
| **description** | drain fitting complete thread 1¾" ED ø 70.5mm ID ø 52mm hose ø 28.5mm | | |
| **spare parts for** | 512409 | | |

| | | | |
|---|---|---|---|
| No. | 511826 | Ref. No. | 00012703 |
| mounting ring thread 1¾" ID ø 44mm | | | |

| | | | |
|---|---|---|---|
| No. | 511828 | Ref. No. | 06140018 |
| O-ring EPDM thickness 3.53mm ID ø 56.74mm Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| No. | 511830 | Ref. No. | 00211035 |
| drain connection thread 1¾" hose ø 28.5mm | | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511835 | **Ref. No.** | 00211036 |
| **description** | drain unit complete | | |
| **For models:** | B11, B15 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511827 | **Ref. No.** | 00012704 |
| **description** | flange ED ø 115mm ID ø 55mm | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD46, BD47, BE35, BE40 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511085 | **Ref. No.** | 00002103 |
| **description** | gasket suitable for ELFRAMO equiv. no. 00002103 outflow | | |
| **For models:** | 120, 160, 240, 882, 885, 906, 908, C44, C66, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511851 | **Ref. No.** | 00012728 |
| **description** | intake body complete | | |
| **For models:** | D80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511846[1] | **Ref. No.** | 00018303 |
| **description** | intake body complete thread 1¾" | | |
| **For models:** | C44, C66, D120, ETE20, ETE21, ETE25, ETE27, LP60, LP60H, LP61, LP61H | | |

[1]for drain pump

1

| | | | |
|---|---|---|---|
| **No.** | 511092 | **Ref. No.** | 00002110 |
| **description** | intake body ED ø 125mm H 100mm ID ø 62mm hose ø 70mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511079 | **Ref. No.** | 00202120 |
| **description** | intake/drain body | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511094 | **Ref. No.** | 00002100<br>00011120 |
| **description** | intake/drain body | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511096 | **Ref. No.** | 00011130 |
| **description** | intake/drain body | | |
| **For models:** | 120, 160, 240, 906, 908, C44, C66 | | |
| **accessories for** | 511096 | | |

| | | | |
|---|---|---|---|
| No. | 511463 | Ref. No. | 00003600 |

hose connector thread 1¼" ø 28mm

1

| | | | |
|---|---|---|---|
| **No.** | 511837 | **Ref. No.** | 00012712 |
| **description** | mounting ring thread 1¾" ED ø 65mm | | |
| **For models:** | B11, BD11, BD13, BD14, BD46 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511826 | **Ref. No.** | 00012703 |
| **description** | mounting ring thread 1¾" ID ø 44mm | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, ETE20, ETE21, ETE25, ETE27, LP60, LP60H...(Other models you can see in the webshop) | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511828 | **Ref. No.** | 06140018 |
| **description** | O-ring EPDM thickness 3.53mm ID ø 56.74mm Qty 1 pcs | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, ETE20, ETE21, ETE25, ETE27, ETS15, LP60...(Other models you can see in the webshop) | | |

## filters

1

| | | | |
|---|---|---|---|
| **No.** | 507384 | **Ref. No.** | 00071600<br>00085810 |
| **description** | filter | | |
| **For models:** | EN, ET, ET020, ETA, LP130, LP70, LPE100, LPE145 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511120 | **Ref. No.** | 00011020 |
| **description** | flat filter | | |
| **For models:** | 120, 160, 904, 906, 908, 912 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511121 | **Ref. No.** | 00011230 |
| **description** | flat filter | | |
| **For models:** | 120, 160, 240, 904, 906, 908, 912, D120, D36, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511122 | **Ref. No.** | 00010930 |
| **description** | flat filter | | |
| **For models:** | 120, 160 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511852 | **Ref. No.** | 00010580 |
| **description** | flat filter | | |
| **For models:** | 882, 885, 904, 906, 908, 912 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511590 | **Ref. No.** | 00065523<br>00067144 |
| **description** | flat filter H 15mm stainless steel L 318mm W 242mm | | |
| **For models:** | D120, D120dgt, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517491 | **Ref. No.** | 00065750 |
| **description** | flat filter H 27mm SS L 365mm W 270mm | | |
| **For models:** | LP130 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517493 | **Ref. No.** | 00079360 |
| **description** | flat filter H 35mm SS L 577mm W 225mm | | |
| **For models:** | ETE20, ETE21, ETE25, ETE27 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511583 | **Ref. No.** | 00018042 |
| **description** | flat filter L 257mm W 294mm | | |
| **For models:** | C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517492 | **Ref. No.** | 00065288 |
| **description** | intake filter H 142mm SS L 130mm W 93mm | | |
| **For models:** | LP130, LP70 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511850 | **Ref. No.** | 00012735 |
| **description** | intake filter ø 225mm | | |
| **For models:** | C33, CW650-15, CW650-16, CW650-35, CW650-36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D80 | | |



1

| | | | |
|---|---|---|---|
| **No.** | 511847 | **Ref. No.** | 00222030 |
| **description** | intake filter suction ø 205mm | | |
| **For models:** | BD14, BD14alt | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511825 | **Ref. No.** | 00200500 |
| **description** | round filters ø 115mm H 55mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, B11, B15, BD11, BD13, BD14, BD46, BD47, BE35, BE40 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511849 | **Ref. No.** | 00013773 |
| **description** | round filters ø 145mm H 107mm | | |
| **For models:** | D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511845 | **Ref. No.** | 00018301 |
| **description** | round filters ø 145mm H 150mm | | |
| **For models:** | C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511089 | **Ref. No.** | 00002060 |
| **description** | round filters ø 160mm | | |
| **For models:** | 120, 160, 240, 885, 906, 908, C44, C66 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517485 | **Ref. No.** | 00222665 |
| **description** | round filters ø 167mm H 112mm | | |
| **For models:** | BD50, BE50, BE50T | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517484 | **Ref. No.** | 00065570 |
| **description** | round filters ø 235mm H 180mm hole ø 56mm | | |
| **For models:** | C77, D120, D120dgt, LP60, LP60H, LP61, LP61H | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511848 | **Ref. No.** | 00012724 |
| **description** | round filters ø 81mm H 67mm | | |
| **For models:** | B11, BD11, BD13, BD14, BD46 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511090 | **Ref. No.** | 00002000 |
| **description** | round filters outflow | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511087 | **Ref. No.** | 00002010 |
| **description** | round filters suction | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511091 | **Ref. No.** | 00002070 |
| **description** | round filters suction | | |

## overflow pipes

1

| | | | |
|---|---|---|---|
| **No.** | 511209 | **Ref. No.** | 06160004 |
| **description** | gasket ED ø 32mm ID ø 22mm thickness 5.5mm Qty 1 pcs | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 906, 908, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511834 | **Ref. No.** | 06160041 |
| **description** | gasket ø 33mm | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15...(Other models you can see in the webshop) | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511093 | **Ref. No.** | 00002113<br>0000211C |
| **description** | gasket with 4 screw holes ID ø 74mm ED ø 116mm thickness 3mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 503186 | **Ref. No.** | 00211052 |
| **description** | overflow pipe L 130mm ø 43mm | | |
| **For models:** | B11, BD11, BD13, BD14, BD46, BE35, BE40 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511831 | **Ref. No.** | 00210937 |
| **description** | overflow pipe L 140mm ø 43mm | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD46, BE35, BE40 | | |
| **spare parts for** | 511831 | | |
| | No. 511834 | Ref. No. | 06160041 |
| | gasket ø 33mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511833[1] | **Ref. No.** | 00222045 |
| **description** | overflow pipe L 180mm ø 43mm | | |
| **For models:** | BD14, BD14alt, BD47 | | |

[1]for drain pump

1

| | | | |
|---|---|---|---|
| **No.** | 511832 | **Ref. No.** | 00222035 |
| **description** | overflow pipe L 185mm ø 43mm | | |
| **For models:** | BD14, BD14alt, BD47 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511840[1] | **Ref. No.** | 00013839 |
| **description** | overflow pipe L 190mm ø 43mm | | |
| **For models:** | BD22, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45 | | |
| **accessories for** | 511840 | | |

| | | | |
|---|---|---|---|
| No. | 511834 | Ref. No. | 06160041 |
| gasket ø 33mm | | | |

[1]for drain pump

1

| | | | |
|---|---|---|---|
| **No.** | 511839 | **Ref. No.** | 00012718 |
| **description** | overflow pipe L 195mm ø 43mm | | |
| **For models:** | BD22, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45 | | |
| **accessories for** | 511839 | | |

| | | | |
|---|---|---|---|
| No. | 511834 | Ref. No. | 06160041 |
| gasket ø 33mm | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511841 | **Ref. No.** | 00013994 |
| **description** | overflow pipe L 225mm ø 43mm | | |
| **For models:** | D80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511842 | **Ref. No.** | 00013997 |
| **description** | overflow pipe L 225mm ø 43mm | | |
| **For models:** | D80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511059 | **Ref. No.** | 00202132 |
| **description** | overflow pipe L 230mm ø 37mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511061 | **Ref. No.** | 00001950 |
| **description** | overflow pipe L 230mm ø 37mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511062 | **Ref. No.** | 00001960 |
| **description** | overflow pipe L 230mm ø 37mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511063 | **Ref. No.** | 00013110 |
| **description** | overflow pipe L 230mm ø 37mm | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511060 | **Ref. No.** | 00202136 |
| **description** | overflow pipe L 230mm ø 37mm for drain pump | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511064 | **Ref. No.** | 00013115 |
| **description** | overflow pipe L 230mm ø 37mm for drain pump | | |
| **For models:** | 120, 882, 885 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511387 | **Ref. No.** | 00014074 |
| **description** | overflow pipe L 240mm ø 43mm | | |
| **For models:** | BD50, BE50, BE50T, C33, CW650-15, CW650-16, CW650-35, CW650-36, D80, D80F, D85 | | |
| **spare parts for** | 511387 | | |
| | No. 511834 | Ref. No. | 06160041 |
| | gasket ø 33mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517499 | **Ref. No.** | 00222670 |
| **description** | overflow pipe L 240mm ø 43mm | | |
| **For models:** | BD50, BE50, BE50T | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511844 | **Ref. No.** | 00018271 |
| **description** | overflow pipe L 315mm ø 43mm | | |
| **For models:** | C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, CE24 | | |
| **spare parts for** | 511844 | | |
| | No. 511834 | Ref. No. | 06160041 |
| | gasket ø 33mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517489 | **Ref. No.** | 00065554 |
| **description** | overflow pipe L 350mm ø 43mm | | |
| **For models:** | C44, C66, C77, D120, D120dgt, LP60, LP60H, LP61, LP61H | | |

1

| | | | |
|---|---|---|---|
| **No.** | 518625 | **Ref. No.** | 00065375 |
| **description** | overflow pipe L 390mm ø 38mm | | |
| **For models:** | LP130, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511065 | **Ref. No.** | 00013100 |
| **description** | overflow pipe ø 37mm | | |
| **For models:** | 120, 160, 240, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511066 | **Ref. No.** | 00013105 |
| **description** | overflow pipe ø 37mm | | |
| **For models:** | 120, 906, 908 | | |

## containers

### dosing containers

1

| | | | |
|---|---|---|---|
| **No.** | 511162 | **Ref. No.** | 00003730 |
| **description** | drawer for rinse aid | | |
| **accessories for** | 511162 | | |
| | No. 511163 | Ref. No. | 00003731 373A |
| | screw for rinse aid container | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 361739 | **Ref. No.** | 00003740 |
| **description** | rinse aid container | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511126 | **Ref. No.** | 00011060 |
| **description** | rinse aid container | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912 | | |

## salt tanks

1

| | | | |
|---|---|---|---|
| **No.** | 511895 | **Ref. No.** | 12145002 |
| **description** | salt tank | | |
| **For models:** | 42, 42E, 48, 48E, 55, 60 | | |

## accessories

1

| | | | |
|---|---|---|---|
| **No.** | 511487 | **Ref. No.** | 00011053 |
| **description** | funnel | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511163 | **Ref. No.** | 00003731<br>373A |
| **description** | screw for rinse aid container | | |
| **For models:** | ES400, ES400-alt, ES400-sehr-alt, MRS400, MRS400-alt | | |

## boilers

### boilers for dishwashers

1

| | | | |
|---|---|---|---|
| **No.** | 511899 | **Ref. No.** | 00013771 |
| **description** | boiler | | |
| **For models:** | CE24, D30, D80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511901 | **Ref. No.** | 00003440 |
| **description** | boiler | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511896 | **Ref. No.** | 00211009 |
| **description** | boiler ø 120mm L 270mm | | |
| **For models:** | B11, B15, BD11, BE35, BE40 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511898 | **Ref. No.** | 00210410 |
| **description** | boiler ø 140mm L 270mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511897 | **Ref. No.** | 00222040 |
| **description** | boiler ø 140mm L 270mm flange 4 hole inlet ø 50 | | |
| **For models:** | BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE50, BE50T | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511900 | **Ref. No.** | 00010500<br>00065312 |
| **description** | boiler ø 170mm L 440mm | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, D80F, D85, LP60, LP60H, LP61, LP61H, LP70 | | |

## accessories

1

| | | | |
|---|---|---|---|
| **No.** | 699274 | **Ref. No.** | 00010514 |
| **description** | connecting fitting for boiler thread 1/2" L 75mm W 32mm hose ø 14/5mm | | |
| **For models:** | BD46, BD47, BE35, BE40, BE50, BE50T, C34, C44dgt, C44dgt-elt, C66d-gt, C66dgt-elt, CE24, D120dgt, D36, D45, D85, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511817 | **Ref. No.** | 00010502 |
| **description** | T-piece connection 1/4" ET - 1/2" IT hose ø 13mm 1/4" ET - 1/2" IT hose ø 13mm | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, C33, C34, C34dgt, C44, C44dgt, C66, C66dgt, C77, D120, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, D80F, D85, LP60, LP60H, LP61, LP61H, SQ885, SQT80 | | |

## rotation plates

### rotation plate bearings

1

| | | | |
|---|---|---|---|
| **No.** | 519419 | **Ref. No.** | 00005491 |
| **description** | spindle for rotation plate ø 47mm | | |
| **For models:** | 120, 160, 240, 882, 885, 908 | | |

## softener cartridges

### softening columns

1

| | | | |
|---|---|---|---|
| **No.** | 530000 | **Ref. No.** | 12145001 |
| **description** | softener 4-fold L 380mm W 180mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 530001 | **Ref. No.** | 12145001 |
| **description** | softener 4-fold L 380mm W 180mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, B11, BD11, BD13, BD14, BD14alt, BD22, BD50, BE35, BE40, BE50, BE50T, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45 | | |

## housing and bezels

### fascias

1

| | | | |
|---|---|---|---|
| **No.** | 403262 | **Ref. No.** | 00222433 |
| **description** | control panel warewashing BE35 W 178mm H 48mm D 58mm suitable for ELFRAMO | | |
| **For models:** | BD50, BE35, BE40, BE50 | | |

MAG-PRO

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 692476 | **Ref. No.** | 00222460 |
| **description** | spacer for lid L 43mm ID ø 5mm ED ø 24.6mm thickness 2.7mm | | |
| **For models:** | BD50, BE35, BE40, BE50 | | |

## hood mechanics for dishwashers

### bolts

1

| | | | |
|---|---|---|---|
| **No.** | 511888 | **Ref. No.** | 00018051 |
| **description** | screw bolt hood mechanics | | |
| **For models:** | C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36 | | |

### springs

1

| | | | |
|---|---|---|---|
| **No.** | 511623 | **Ref. No.** | 00002320 |
| **description** | spring for hood mechanics | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511625 | **Ref. No.** | 00002330 |
| **description** | spring for hood mechanics | | |

## hood handles

1

| | | | |
|---|---|---|---|
| **No.** | 701464 | **Ref. No.** | 00018661 |
| **description** | hood handle L 870mm W 705mm | | |
| **For models:** | C34, C34dgt, C44dgt, C44dgt-elt, C66dgt, C66dgt-elt, CE24 | | |

## hood handle supports

1

| | | | |
|---|---|---|---|
| **No.** | 511560 | **Ref. No.** | 00018030<br>00018049<br>00018165 |
| **description** | handle holder hood mechanics H 42mm ø 90mm | | |
| **For models:** | C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36 | | |

## rollers

1

| | | | |
|---|---|---|---|
| **No.** | 511876 | **Ref. No.** | 00013784 |
| **description** | roller ED ø 40mm ID ø 11mm | | |
| **For models:** | BD14, BD14alt, BD22, BD46, BD47, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511595 | **Ref. No.** | 00065842 |
| **description** | roller set ø 30mm H 24mm for dishwasher hole ø 15mm | | |
| **For models:** | LP130 | | |

MAG-PRO

## cable controls

1

| | | | |
|---|---|---|---|
| **No.** | 511118 | **Ref. No.** | 00000235<br>00002350 |
| **description** | cable control foot switch for hood | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511152 | **Ref. No.** | 00002370 |
| **description** | hauling cable L 900mm hood mechanics | | |

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 511887 | **Ref. No.** | 00018050 |
| **description** | bush hood mechanics | | |
| **For models:** | C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511885 | **Ref. No.** | 00018026 |
| **description** | handle holder hood mechanics | | |
| **For models:** | C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511886 | **Ref. No.** | 00018021 |
| **description** | roller hood mechanics | | |
| **For models:** | C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, GFP25, GFP25AC, GFU25, GFU25AC | | |

## basket guides

### guide bars

1

| | | | |
|---|---|---|---|
| **No.** | 699273 | **Ref. No.** | 00073240 |
| **description** | guide for rack conveyor dishwashing machine L 50mm W 45mm H 80mm with rollers | | |
| **For models:** | ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27 | | |

## basket holders



1

| | | | |
|---|---|---|---|
| **No.** | 971059 | **Ref. No.** | 00018060<br>00018404 |
| **description** | basket support L 640m W 560mm H 110mm | | |
| **For models:** | C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, CE24 | | |

## air traps

### air traps

1

| | | | |
|---|---|---|---|
| **No.** | 511067 | **Ref. No.** | 00002180<br>00011350<br>00205750 |
| **description** | air trap | | |
| **For models:** | 120, 160, 240, 904, 906, 908, 912, C34, C34dgt, C44, C44dgt, C44d-gt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70, LPE100, LPE145 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 511069 | Ref. No. | 00205750 |
| description | air trap | | |
| For models: | 42, 42E, 48, 48E, 55, 55E, 60, B11, B15 | | |

1

| | | | |
|---|---|---|---|
| No. | 511820 | Ref. No. | 00012716 |
| description | air trap | | |
| For models: | BD14alt, D30, D40 | | |

1

| | | | |
|---|---|---|---|
| No. | 511821 | Ref. No. | 00013984 |
| description | air trap | | |

1

| | | | |
|---|---|---|---|
| No. | 511824 | Ref. No. | 00013984<br>00014098<br>00014099 |
| description | air trap | | |
| For models: | B11, BD11, BD13, BD14, BD22, BD46, BD47, BE35, BE40, D30, D35, D36, D40, D40i, D40i-BT-BA, D45, D80 | | |

1

| | | | |
|---|---|---|---|
| No. | 519465 | Ref. No. | 00014086<br>00014087 |
| description | air trap ø 45mm H 160mm thread 3/8" hose ø 6mm | | |
| For models: | C33, D80, D80F, D85 | | |

## air trap accessories

1

| | | | |
|---|---|---|---|
| No. | 511823 | Ref. No. | 00012719 |
| description | hose connector | | |
| For models: | BD14alt, D30, D40 | | |

## mechanics for flight type dishwashers

1

| | | | |
|---|---|---|---|
| No. | 532687 | Ref. No. | 00049050 |
| description | tappet L 115mm W 68mm hole ø 8.5mm | | |

## backflow preventers

### backflow preventers

1

| | | | |
|---|---|---|---|
| No. | 504140 | Ref. No. | 23180203 |
| description | backflow preventer | | |

1

| | | | |
|---|---|---|---|
| No. | 511124 | Ref. No. | 23180200<br>23180202 |
| description | backflow preventer dishwasher | | |
| For models: | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, B15, BD14alt, C33, C44, C66, D120, D30, D40, D80, LP130, LP60, LP70 | | |

1

| | | | |
|---|---|---|---|
| No. | 516101 | Ref. No. | 23180203 |
| description | backflow preventer dishwasher hose ø 12mm | | |
| For models: | B11, BD13, BD14, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D85, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |
| spare parts for | 516101 | | |

| | | | |
|---|---|---|---|
| No. | 506367 | Ref. No. | — |
| flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs | | | |

MAG-PRO

## door mechanics

### springs

#### roller springs

1

| | | | |
|---|---|---|---|
| **No.** | 519550 | **Ref. No.** | 00079740 |
| **description** | roller spring W 25.35mm | | |
| **For models:** | ETE20, ETE21, ETE25, ETE27 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 519491 | **Ref. No.** | 00079730 |
| **description** | roller spring W 26mm | | |
| **For models:** | ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60H, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 519543 | **Ref. No.** | 00065816 |
| **description** | roller spring with holder W 46mm ID ømm lug lengthmm | | |
| **For models:** | LP130, LP60, LP60H, LP61, LP61H | | |

## linkage

1

| | | | |
|---|---|---|---|
| **No.** | 698783 | **Ref. No.** | 00073630 |
| **description** | door pin | | |
| **For models:** | ET, ET020, ETA | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511906 | **Ref. No.** | 00210993 |
| **description** | door pin L 210mm tie bar | | |
| **For models:** | B11 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511881 | **Ref. No.** | 00210366 |
| **description** | door pin mounting pos. left complete tie bar | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 698784 | **Ref. No.** | 00073640 |
| **description** | door pin mounting pos. upper | | |
| **For models:** | ET, ET020, ETA | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511872 | **Ref. No.** | 00210940 |
| **description** | tie bar | | |
| **For models:** | B15, BD11, BD13, BD14, BD14alt, BD22, D120, D30, D40, D80, D80F | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511884 | **Ref. No.** | 00001710 |
| **description** | tie bar complete | | |
| **For models:** | 120, 160, 885, 904, 906, 908, 912, SQ885, SQT80 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 511871 | Ref. No. | 00210983 |
| description | tie bar L 260mm | | |
| For models: | B11, BD13, BD14, BD22, BD50, BE50, BE50T, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D85 | | |

2

| | | | |
|---|---|---|---|
| No. | 511883 | Ref. No. | 00010730 |
| description | tie bar mounting pos. left complete | | |
| For models: | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885 | | |

1

| | | | |
|---|---|---|---|
| No. | 511880 | Ref. No. | 00210361 |
| description | tie bar mounting pos. right complete | | |
| For models: | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| No. | 511882 | Ref. No. | 00010720 |
| description | tie bar mounting pos. right complete | | |
| For models: | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885 | | |

## threaded shafts

1

| | | | |
|---|---|---|---|
| No. | 511879 | Ref. No. | 00210939 |
| description | threaded part threaded part | | |
| For models: | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD50, BE50, BE50T, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

## sliding plates

1

| | | | |
|---|---|---|---|
| No. | 511907 | Ref. No. | 00013777 |
| description | sliding plate | | |
| For models: | BD14, BD14alt, D120, D120dgt, D30, D40, D80 | | |

1

| | | | |
|---|---|---|---|
| No. | 511878 | Ref. No. | 00013780 |
| description | sliding plate sliding plate | | |
| For models: | BD14, BD14alt, D30, D40, D80 | | |

## rollers

1

| | | | |
|---|---|---|---|
| No. | 501445 | Ref. No. | 00041907 |
| description | roller ED ø 23.7mm for door shaft diameter 8mm | | |
| For models: | EN, ET, ET020, ETA, LPE100, LPE145 | | |

1

| | | | |
|---|---|---|---|
| No. | 501431 | Ref. No. | 00013907 |
| description | roller ED ø 9mm for door mechanism shaft diameter 3.5mm W 5mm | | |
| For models: | BD14, BD14alt, BD22, BD46, BD47, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, ET, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

## hinges

1

| | | | |
|---|---|---|---|
| No. | 519417 | Ref. No. | 00065309 |
| description | door hinge | | |
| For models: | D120, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| No. | 511866 | Ref. No. | 00210902 |
| description | door hinge door hinge left mounting pos. left | | |
| For models: | B11, B15 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511874 | **Ref. No.** | 00013744 |
| **description** | door hinge door hinge left mounting pos. left | | |
| **For models:** | BD14, BD14alt, BD22, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511865 | **Ref. No.** | 00210903 |
| **description** | door hinge door hinge right mounting pos. right | | |
| **For models:** | B11, B15 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511873 | **Ref. No.** | 00013743 |
| **description** | door hinge door hinge right mounting pos. right | | |
| **For models:** | BD14, BD14alt, BD22, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 504647 | **Ref. No.** | 00002509 |
| **description** | door hinge hinge lever left mounting pos. left | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517781 | **Ref. No.** | 00222629 |
| **description** | hinge for door mounting pos. left dishwasher L 130mm ELFRAMO W 32mm | | |
| **For models:** | BD50, BE35, BE40, BE50, BE50T | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517780 | **Ref. No.** | 00222626 |
| **description** | hinge for door mounting pos. right for dishwasher L 130mm H 32mm | | |
| **For models:** | BD50, BE35, BE40, BE50, BE50T | | |

## door guides

1

| | | | |
|---|---|---|---|
| **No.** | 517496 | **Ref. No.** | 00065245 |
| **description** | door guides L 460mm W 34mm H 25mm mounting pos. left/right | | |
| **For models:** | LP130, LP60, LP60H, LP61, LP70 | | |

## door magnets

1

| | | | |
|---|---|---|---|
| **No.** | 694539 | **Ref. No.** | 25110108 |
| **description** | door magnet L 63mm W 7.5mm H 19mm mounting distance 52mm | | |
| **For models:** | D120dgt | | |

## door bumpers

1

| | | | |
|---|---|---|---|
| **No.** | 511869 | **Ref. No.** | 00013791 |
| **description** | door bumper end stop | | |
| **For models:** | B11, B15, BD14, BD14alt, D120, D30, D40, D80 | | |

MAG-PRO

## locks

1

| | | | |
|---|---|---|---|
| **No.** | 511083 | **Ref. No.** | 00011040 |
| **description** | counterpart door catch | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, B15, BD11, BD13, D120, D120dgt, D30, D35, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511105 | **Ref. No.** | 00001670<br>00001680 |
| **description** | counterpart door catch | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511104 | **Ref. No.** | 00001630<br>00001640 |
| **description** | door catch | | |
| **accessories for** | 511104 | | |
| | No. 511105 | Ref. No. | 00001670<br>00001680 |
| | counterpart door catch | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511082 | **Ref. No.** | 00011028 |
| **description** | door catch complete catch | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, B15, BD11, BD13, D120, D120dgt, D30, D35, SQ885, SQT80 | | |
| **accessories for** | 511082 | | |
| | No. 511083 | Ref. No. | 00011040 |
| | counterpart door catch | | |

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 504648 | **Ref. No.** | 00013152 |
| **description** | bush bush | | |

1

| | | | |
|---|---|---|---|
| **No.** | 530847 | **Ref. No.** | 00065595 |
| **description** | cap for door handle ID ø 5mm D1 ø 21.7mm D2 ø 12.7mm | | |
| **For models:** | ETE20, ETE21, ETE25, ETE27, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 524047 | **Ref. No.** | 00013786 |
| **description** | hauling cable for door mechanism ø 1.5mm L 475mm | | |
| **For models:** | BD22, BD46, BD47, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511877 | **Ref. No.** | 00222059 |
| **description** | hauling cable hauling cable | | |
| **For models:** | BD14, BD14alt, D80, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511868 | **Ref. No.** | 00013829 |
| **description** | hinge complete hinge | | |
| **For models:** | D120, D120dgt, D30 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511594 | **Ref. No.** | 00220340 |
| **description** | hinge for dishwasher door set D1 ø 20mm D2 ø 12mm | | |
| **For models:** | B11, BD11, BD13, BD22, D30, D35 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 519408 | **Ref. No.** | 00013909 |
| **description** | linkage guide for tie bar complete | | |
| **For models:** | B11, BD11, BD13, BD14, BD22, BD50, BE50, BE50T, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517782 | **Ref. No.** | 00001672 |
| **description** | spring L 16.5mm mounting pos. for door guides D1 ø 9mm wire gauge ø 1.2mm | | |
| **For models:** | BD50, BE35, BE40, BE50 | | |

## screw connections

1

| | | | |
|---|---|---|---|
| **No.** | 519409 | **Ref. No.** | 00013785 |
| **description** | screw | | |
| **For models:** | BD14, BD14alt, BD22, BD46, BD47, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

## curtains

### curtains



1

| | | | |
|---|---|---|---|
| **No.** | 533013 | **Ref. No.** | 00076010 |
| **description** | curtain W 620mm H 550mm warewashing | | |
| **For models:** | EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 533021 | **Ref. No.** | 00062000<br>00062030 |
| **description** | curtain W 650mm H 450mm plastic thickness 1.5mm | | |
| **For models:** | EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

## washing and rinsing systems

1

| | | | |
|---|---|---|---|
| **No.** | 511716 | **Ref. No.** | 00222102 |
| **description** | null | | |
| **For models:** | BD14, BD14alt, BD47, C33, CW650-15, CW650-16, CW650-35, CW650-36, D80, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511781 | **Ref. No.** | 00202632 |
| **description** | rinse arm support mounting pos. upper | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, B11, B15, BD11, BE35 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511728 | **Ref. No.** | 00018077 |
| **description** | rinse pipe | | |
| **For models:** | C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D30, D40 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511730 | **Ref. No.** | 00014042 |
| **description** | rinse pipe | | |
| **For models:** | BD50, BE50, BE50T, C33, C34, C34dgt, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511732 | **Ref. No.** | 00013779 |
| **description** | rinse pipe | | |
| **For models:** | D30, D35, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 517503 | Ref. No. | 00018038<br>00018261<br>00018352 |
| description | rinse pipe L 770mm | | |
| For models: | C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt | | |

1

| | | | |
|---|---|---|---|
| No. | 511720 | Ref. No. | 00211015 |
| description | rinse pipe mounting pos. lower | | |
| For models: | B11, B15, BD11, BD13, BD14, BD22, BD46, BE35, BE40 | | |

1

| | | | |
|---|---|---|---|
| No. | 511714 | Ref. No. | 00222103 |
| description | rinse pipe mounting pos. upper | | |
| For models: | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BE35, BE40 | | |

1

| | | | |
|---|---|---|---|
| No. | 511624 | Ref. No. | 00005080 |
| description | rinse pipe ø 10mm L 400mm connection 3/8“ | | |
| For models: | 120, 240, C44, C66, C77, D120, D120dgt, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| No. | 511016 | Ref. No. | 00005010 |
| description | screw connection | | |
| For models: | 882, 885, LPE100, LPE145, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| No. | 511741 | Ref. No. | 02120040 |
| description | throttle disc | | |
| For models: | C34, C34dgt, C44, C66, CE24, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| No. | 511704 | Ref. No. | 00018076 |
| description | Thumb screw | | |
| For models: | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BE35, BE40, BE50, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66d-gt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D36, D40, D40ELT, D40ELT-BT-BA, D45, D80, D80F, D85, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| No. | 511484 | Ref. No. | 00000395<br>00003950 |
| description | T-piece thread 1¼“ H 82mm L 120mm | | |
| For models: | SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| No. | 511713 | Ref. No. | 00222111 |
| description | wash arm bearing | | |
| For models: | BD13, BD14, BD14alt, BD22, BD46, BD47, BE40 | | |

1

| | | | |
|---|---|---|---|
| No. | 511729 | Ref. No. | 00014041 |
| description | wash arm bearing | | |
| For models: | BD50, BE50, BE50T, C33, C34, C34dgt, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| No. | 511592 | Ref. No. | 00011858<br>00014286 |
| description | wash pipe L 730mm suitable for ELFRAMO | | |
| For models: | BD50, BE50, BE50T, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 517505 | **Ref. No.** | 00018260 |
| **description** | wash pipe L 870mm SS | | |
| **For models:** | C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, D120 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511492 | **Ref. No.** | 00000511<br>00005110 |
| **description** | wash pipe mounting pos. lower ø 34mm L 153mm | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511493 | **Ref. No.** | 00000512<br>00005120 |
| **description** | wash pipe mounting pos. lower ø 38mm L 176mm | | |
| **For models:** | 120, 160, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511489 | **Ref. No.** | 00000514<br>00005140 |
| **description** | wash pipe mounting pos. lower ø 39mm L 233mm | | |
| **For models:** | 240, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, LP60, LP60H, LP61, LP61H | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511491 | **Ref. No.** | 00000513<br>00005130 |
| **description** | wash pipe ø 38mm L 214mm | | |
| **For models:** | 120, 160, 906, 908 | | |

## washing and rinsing systems (sorted by producer)

### ELFRAMO

1

| | | | |
|---|---|---|---|
| **No.** | 511744 | **Ref. No.** | 00004570 |
| **description** | wash arm L 190mm nozzles 1 thread 1“ | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511745 | **Ref. No.** | 00004580 |
| **description** | wash arm L 190mm nozzles 1 thread 1“ | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510207 | **Ref. No.** | 00004930 |
| **description** | wash jet complete | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511747 | **Ref. No.** | 00004610 |
| **description** | wash arm L 220mm nozzles 1 thread 1“ | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511746 | **Ref. No.** | 00004590 |
| **description** | wash arm nozzles 1 thread 1“ | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510207 | **Ref. No.** | 00004930 |
| **description** | wash jet complete | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511028 | **Ref. No.** | 00202710 |
| **description** | wash arm L 320mm nozzles 4 mounting ø 15/59mm mounting pos. lower | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |
| **spare parts for** | 511028 | | |

| | | | |
|---|---|---|---|
| No. | 511757 | Ref. No. | 00202670 |
| wash arm L 135mm nozzles 1 mounting ø 19mm | | | |

| | | | |
|---|---|---|---|
| No. | 511758 | Ref. No. | 00202680 |
| wash arm L 135mm nozzles 1 mounting ø 19mm | | | |

| | | | |
|---|---|---|---|
| No. | 511759 | Ref. No. | 00202690 |
| wash arm L 135mm nozzles 1 mounting ø 19mm | | | |

| | | | |
|---|---|---|---|
| No. | 511760 | Ref. No. | 00202700 |
| wash arm L 135mm nozzles 1 mounting ø 19mm | | | |

| | | | |
|---|---|---|---|
| No. | 511770 | Ref. No. | 00202530 |
| spring | | | |

| | | | |
|---|---|---|---|
| No. | 511772 | Ref. No. | — |
| wash jet | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511770 | **Ref. No.** | 00202530 |
| **description** | spring | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511757 | **Ref. No.** | 00202670 |
| **description** | wash arm L 135mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511758 | **Ref. No.** | 00202680 |
| **description** | wash arm L 135mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511759 | **Ref. No.** | 00202690 |
| **description** | wash arm L 135mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511760 | **Ref. No.** | 00202700 |
| **description** | wash arm L 135mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511770 | **Ref. No.** | 00202530 |
| **description** | spring | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511761 | **Ref. No.** | 00202540 |
| **description** | wash arm L 165mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511762 | **Ref. No.** | 00202550 |
| **description** | wash arm L 165mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |
| **spare parts for** | 511762 | | |

| | | | |
|---|---|---|---|
| No. | 511772 | Ref. No. | — |
| wash jet | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511763 | **Ref. No.** | 00202560 |
| **description** | wash arm L 165mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511029 | **Ref. No.** | 00202830 |
| **description** | wash arm L 450mm nozzles 4 mounting ø 15/59mm mounting pos. lower | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |
| **spare parts for** | 511029 | | |

| | | | |
|---|---|---|---|
| No. | 511766 | Ref. No. | 00202800 |
| wash arm L 200mm nozzles 1 mounting ø 19mm | | | |

| | | | |
|---|---|---|---|
| No. | 511767 | Ref. No. | 00202810 |
| wash arm L 200mm nozzles 1 mounting ø 19mm | | | |

| | | | |
|---|---|---|---|
| No. | 511768 | Ref. No. | 00202820 |
| wash arm L 200mm nozzles 1 mounting ø 19mm | | | |

| | | | |
|---|---|---|---|
| No. | 511770 | Ref. No. | 00202530 |
| spring | | | |

| | | | |
|---|---|---|---|
| No. | 511772 | Ref. No. | — |
| wash jet | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511770 | **Ref. No.** | 00202530 |
| **description** | spring | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511766 | **Ref. No.** | 00202800 |
| **description** | wash arm L 200mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511767 | **Ref. No.** | 00202810 |
| **description** | wash arm L 200mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511768 | **Ref. No.** | 00202820 |
| **description** | wash arm L 200mm nozzles 1 mounting ø 19mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511791 | **Ref. No.** | 00011208 |
| **description** | wash arm L 180mm nozzles 1 mounting ø 27mm | | |
| **For models:** | 120, 160, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511792 | **Ref. No.** | 00011209 |
| **description** | wash arm L 180mm nozzles 1 mounting ø 27mm | | |
| **For models:** | 120, 160, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511793 | **Ref. No.** | 00011210 |
| **description** | wash arm L 180mm nozzles 1 mounting ø 27mm | | |
| **For models:** | 120, 160, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511794 | **Ref. No.** | 00011211 |
| **description** | wash arm L 180mm nozzles 1 mounting ø 27mm | | |
| **For models:** | 120, 160, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511074 | **Ref. No.** | 00011340 |
| **description** | wash jet | | |
| **For models:** | 120, 160, 240, 906, 908, ET, ETA, ETE20, ETE21, ETE25, ETE27 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 510004 | **Ref. No.** | 00004940 |
| **description** | wash jet thread 1" ø 59mm H 27mm | | |
| **For models:** | 120, 160, 240, 882, 885, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511022 | **Ref. No.** | 00011222 |
| **description** | wash arm mounting pos. lower | | |
| **For models:** | 120, 160, 240, 906, 908 | | |
| **spare parts for** | 511022 | | |
| | No. 511074 | Ref. No. | 00011340 |
| | wash jet | | |
| | No. 511795 | Ref. No. | 00011180 |
| | wash arm L 200mm nozzles 1 mounting ø 27mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511021 | **Ref. No.** | 00011221 |
| **description** | wash arm mounting pos. upper | | |
| **For models:** | 120, 160, 906, 908 | | |
| **spare parts for** | 511021 | | |
| | No. 511074 | Ref. No. | 00011340 |
| | wash jet | | |
| | No. 511795 | Ref. No. | 00011180 |
| | wash arm L 200mm nozzles 1 mounting ø 27mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511795 | **Ref. No.** | 00011180 |
| **description** | wash arm L 200mm nozzles 1 mounting ø 27mm | | |
| **For models:** | 120, 160, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511074 | **Ref. No.** | 00011340 |
| **description** | wash jet | | |
| **For models:** | 120, 160, 240, 906, 908, ET, ETA, ETE20, ETE21, ETE25, ETE27 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510004 | **Ref. No.** | 00004940 |
| **description** | wash jet thread 1" ø 59mm H 27mm | | |
| **For models:** | 120, 160, 240, 882, 885, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511800 | **Ref. No.** | 00011259 |
| **description** | wash arm L 220mm nozzles 1 mounting ø 27mm | | |
| **For models:** | 240 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511802 | **Ref. No.** | 00011261 |
| **description** | wash arm L 220mm nozzles 1 mounting ø 27mm | | |
| **For models:** | 240 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511799 | **Ref. No.** | 00011258 |
| **description** | wash arm L 220mm nozzles 2 mounting ø 27mm | | |
| **For models:** | 240 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511801 | **Ref. No.** | 00011260 |
| **description** | wash arm L 220mm nozzles 2 mounting ø 27mm | | |
| **For models:** | 240 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511074 | **Ref. No.** | 00011340 |
| **description** | wash jet | | |
| **For models:** | 120, 160, 240, 906, 908, ET, ETA, ETE20, ETE21, ETE25, ETE27 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510004 | **Ref. No.** | 00004940 |
| **description** | wash jet thread 1" ø 59mm H 27mm | | |
| **For models:** | 120, 160, 240, 882, 885, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511800 | **Ref. No.** | 00011259 |
| **description** | wash arm L 220mm nozzles 1 mounting ø 27mm | | |
| **For models:** | 240 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511802 | **Ref. No.** | 00011261 |
| **description** | wash arm L 220mm nozzles 1 mounting ø 27mm | | |
| **For models:** | 240 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511799 | **Ref. No.** | 00011258 |
| **description** | wash arm L 220mm nozzles 2 mounting ø 27mm | | |
| **For models:** | 240 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511074 | **Ref. No.** | 00011340 |
| **description** | wash jet | | |
| **For models:** | 120, 160, 240, 906, 908, ET, ETA, ETE20, ETE21, ETE25, ETE27 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510004 | **Ref. No.** | 00004940 |
| **description** | wash jet thread 1" ø 59mm H 27mm | | |
| **For models:** | 120, 160, 240, 882, 885, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511813 | **Ref. No.** | 00004520 |
| **description** | wash arm L 170mm nozzles 1 thread 3/4" | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511814 | **Ref. No.** | 00004530 |
| **description** | wash arm L 195mm nozzles 1 thread 3/4" | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511811 | **Ref. No.** | 00004500 |
| **description** | wash arm L 200mm nozzles 1 thread 3/4" | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511812 | **Ref. No.** | 00004510 |
| **description** | wash arm L 200mm nozzles 1 thread 3/4" | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511810 | **Ref. No.** | 00004320 |
| **description** | wash arm boss | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510207 | **Ref. No.** | 00004930 |
| **description** | wash jet complete | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 510163 | Ref. No. | ALT siehe 511.075/76 |
| description | rinse jet | | |

1

| | | | |
|---|---|---|---|
| No. | 511756 | Ref. No. | 00004950 |
| description | rinse jet | | |
| For models: | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| No. | 511805 | Ref. No. | 00004820<br>00011186 |
| description | rinse arm L 215mm nozzles 2 thread 1/4“ | | |
| For models: | 120, 160, 882, 885, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| No. | 511806 | Ref. No. | 00004770<br>00011187 |
| description | rinse arm L 215mm nozzles 2 thread 1/4“ | | |
| For models: | 120, 160, 882, 885, 906, 908, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| No. | 510163 | Ref. No. | ALT siehe 511.075/76 |
| description | rinse jet | | |

1

| | | | |
|---|---|---|---|
| No. | 511756 | Ref. No. | 00004950 |
| description | rinse jet | | |
| For models: | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| No. | 510163 | Ref. No. | ALT siehe 511.075/76 |
| description | rinse jet | | |

1

| | | | |
|---|---|---|---|
| No. | 511756 | Ref. No. | 00004950 |
| description | rinse jet | | |
| For models: | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| No. | 511773 | Ref. No. | 00202720 |
| description | rinse arm L 315mm nozzles 4 mounting ø 14mm mounting pos. upper/lower | | |
| For models: | 42, 42E, 48, 48E, 55, 55E | | |
| spare parts for | 511773 | | |

| | | | |
|---|---|---|---|
| No. | 511039 | Ref. No. | 00011166 |
| rinse arm shaft | | | |

| | | | |
|---|---|---|---|
| No. | 511775 | Ref. No. | 00202730 |
| rinse arm L 130mm nozzles 2 thread 1/4“ | | | |

1

| | | | |
|---|---|---|---|
| No. | 511775 | Ref. No. | 00202730 |
| description | rinse arm L 130mm nozzles 2 thread 1/4“ | | |
| For models: | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| No. | 510163 | Ref. No. | ALT siehe 511.075/76 |
| description | rinse jet | | |

1

| | | | |
|---|---|---|---|
| No. | 511756 | Ref. No. | 00004950 |
| description | rinse jet | | |
| For models: | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| No. | 511774 | Ref. No. | 00202600 |
| description | rinse arm L 375mm nozzles 4 mounting ø 14mm mounting pos. upper | | |
| For models: | 42, 42E, 48, 48E, 55, 55E | | |
| spare parts for | 511774 | | |

| | | | |
|---|---|---|---|
| No. | 511039 | Ref. No. | 00011166 |
| rinse arm shaft | | | |

Table continues overleaf

MAG-PRO

| | | | |
|---|---|---|---|
| spare parts for | 511774 | | |
| | No. | 511777 | Ref. No. 00202610 |
| | rinse arm L 163mm nozzles 2 thread 1/4“ | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511777 | **Ref. No.** | 00202610 |
| **description** | rinse arm L 163mm nozzles 2 thread 1/4“ | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511778 | **Ref. No.** | 00202620 |
| **description** | rinse arm L 163mm nozzles 2 thread 1/4“ | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510163 | **Ref. No.** | ALT siehe 511.075/76 |
| **description** | rinse jet | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511756 | **Ref. No.** | 00004950 |
| **description** | rinse jet | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510163 | **Ref. No.** | ALT siehe 511.075/76 |
| **description** | rinse jet | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511756 | **Ref. No.** | 00004950 |
| **description** | rinse jet | | |
| **For models:** | 882, 885, SQSQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511805 | **Ref. No.** | 00004820<br>00011186 |
| **description** | rinse arm L 215mm nozzles 2 thread 1/4“ | | |
| **For models:** | 120, 160, 882, 885, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511806 | **Ref. No.** | 00004770<br>00011187 |
| **description** | rinse arm L 215mm nozzles 2 thread 1/4“ | | |
| **For models:** | 120, 160, 882, 885, 906, 908, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510163 | **Ref. No.** | ALT siehe 511.075/76 |
| **description** | rinse jet | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511756 | **Ref. No.** | 00004950 |
| **description** | rinse jet | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511026 | **Ref. No.** | 00011241 |
| **description** | rinse arm L 545mm nozzles 4 mounting ø 14mm complete | | |
| **For models:** | 240 | | |
| **spare parts for** | 511026 | | |
| | No. 511039 | Ref. No. | 00011166 |
| | rinse arm shaft | | |

1

| | | | |
|---|---|---|---|
| **No.** | 510163 | **Ref. No.** | ALT siehe 511.075/76 |
| **description** | rinse jet | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511756 | **Ref. No.** | 00004950 |
| **description** | rinse jet | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511041 | **Ref. No.** | 00210015 |
| **description** | wash arm L 328mm nozzles 3 mounting pos. upper thread 3/4“ | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |
| **spare parts for** | 511041 | | |
| | No. 505073 | Ref. No. | 06140005 |
| | O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs | | |
| | No. 511772 | Ref. No. | — |
| | wash jet | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511042 | **Ref. No.** | 00210016 |
| **description** | wash arm L 365mm nozzles 3 mounting pos. upper thread 3/4“ | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |
| **spare parts for** | 511042 | | |
| | No. 505073 | Ref. No. | 06140005 |
| | O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs | | |
| | No. 511772 | Ref. No. | — |
| | wash jet | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511701 | **Ref. No.** | 00220395 |
| **description** | rinse arm L 325mm nozzles 4 mounting ø 12mm mounting pos. upper/lower | | |
| **For models:** | B11, BE35 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511496 | **Ref. No.** | 00220398 |
| **description** | rinse arm L 325mm nozzles 4 W 35mm | | |
| **For models:** | BE35 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511703 | **Ref. No.** | 00222083<br>00222122<br>00222127 |
| **description** | rinse arm L 380mm nozzles 4 mounting ø 12mm mounting pos. upper/lower | | |
| **For models:** | BD13, BD14, BD14alt, BD46, BD47, BE40 | | |
| **spare parts for** | 511703 | | |
| | No. 511704 | Ref. No. | 00018076 |
| | Thumb screw | | |
| | No. 511705 | Ref. No. | 00018106 |
| | disc | | |
| | No. 511706 | Ref. No. | 00018228 |
| | knurled nut | | |
| | No. 511707 | Ref. No. | 00014555<br>00018083<br>00018084 |
| | rinse jet ø 8mm H 10mm WS | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511480 | **Ref. No.** | 00014194 |
| **description** | rinse arm L 500mm nozzles 6 | | |
| **For models:** | C33, C44, C44dgt, C66, C66dgt, C77, D35, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D80 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511909 | **Ref. No.** | 00011214 |
| **description** | wash and rinse arm conversion kit for ELFRAMO Mod. 120 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511700 | **Ref. No.** | 00211010 |
| **description** | wash arm L 350mm nozzles 7 mounting ø 14/39.5mm mounting pos. upper/lower | | |
| **For models:** | B11, B15, BD11, BE35 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511702 | **Ref. No.** | 00222000 |
| **description** | wash arm L 400mm nozzles 8 mounting ø 15/39.5mm mounting pos. upper/lower | | |
| **For models:** | BD13, BD14, BD14alt, BD46, BD47, BE40 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511723 | **Ref. No.** | 00014045<br>00018287 |
| **description** | wash arm L 484mm nozzles 8 mounting ø 15/46mm mounting pos. upper/lower | | |
| **For models:** | BD50, BE50, BE50T, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511724 | **Ref. No.** | 00014048 |
| **description** | wash arm L 485mm nozzles 11 mounting ø 15/46mm mounting pos. upper/lower | | |
| **For models:** | BD50, BE50, C33, C34, C34dgt, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511588 | **Ref. No.** | 00018286 |
| **description** | wash arm L 485mm nozzles 11 mounting ø 15/60mm mounting pos. upper/lower | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511737 | **Ref. No.** | 00016851<br>00018190 |
| **description** | wash arm L 535mm nozzles 10 mounting ø 15/60mm mounting pos. upper/lower | | |
| **For models:** | C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511921 | **Ref. No.** | 00052010 |
| **description** | wash arm L 655mm nozzles 24 mounting ø 15/80mm mounting pos. upper/lower | | |
| **For models:** | LP130, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511924 | **Ref. No.** | 00011216 |
| **description** | wash arm mounting pos. upper and bottom conversion kit for ELFRAMO Mod. 160 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517497 | **Ref. No.** | 00222005 |
| **description** | wash arm mounting pos. upper/lower L 460mm nozzles 10 | | |
| **For models:** | BD22 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 517500 | **Ref. No.** | 00065336 |
| **description** | wash arm boss mounting pos. upper/lower ø 99mm H 74mm | | |
| **For models:** | LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511725 | **Ref. No.** | 00018406 |
| **description** | rinse arm complete | | |
| **For models:** | C33, C44, C66, C77, D30, D40, D40ELT, D40ELT-BT-BA, D80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511551 | **Ref. No.** | 00018155<br>00222295 |
| **description** | rinse arm L 480mm nozzles 6 mounting ø 12mm mounting pos. upper/lower | | |
| **For models:** | BD22, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D30, D36, D40, D45, D80, D80F, D85 | | |
| **spare parts for** | 511551 | | |

| | | | | |
|---|---|---|---|---|
| | No. | 511704 | Ref. No. | 00018076 |
| | Thumb screw | | | |
| | No. | 511705 | Ref. No. | 00018106 |
| | disc | | | |
| | No. | 511706 | Ref. No. | 00018228 |
| | knurled nut | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517486 | **Ref. No.** | 00079318<br>00090793<br>00090821<br>00095071 |
| **description** | rinse arm L 580mm nozzles 4 | | |
| **For models:** | ETE20, ETE21, ETE25, ETE27, ETS15 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 519490 | **Ref. No.** | 00065294<br>00065435 |
| **description** | rinse arm L 665mm nozzles 7 mounting ø 12mm mounting pos. upper/lower W 29mm | | |
| **For models:** | LP130, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517487 | **Ref. No.** | 00065625 |
| **description** | rinse arm mounting pos. upper/lower L 550mm nozzles 6 thread M10x1.5 | | |
| **For models:** | C77, D120, D120dgt, LP60, LP60H, LP61, LP61H | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511707 | **Ref. No.** | 00014555<br>00018083<br>00018084 |
| **description** | rinse jet ø 8mm H 10mm WS | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD50, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D36, D40, D40ELT, D40ELT-BT-BA, D45, D80, D80F, D85, EN, ET, ET020, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H...(Other models you can see in the webshop) | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511586 | **Ref. No.** | 00072360 |
| **description** | rinse arm L 636mm nozzles 7 mounting pos. upper/lower thread 3/4" | | |
| **For models:** | EN, ET, ETA | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511587 | **Ref. No.** | 00052150<br>00072350 |
| **description** | rinse arm L 638mm nozzles 7 mounting pos. left thread 3/4" | | |
| **For models:** | EN, ET, ET020, ETA | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511072 | **Ref. No.** | 00004960 old version |
| **description** | rinse jet | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511621 | **Ref. No.** | 00000496<br>00004960<br>00007237<br>00072370 |
| **description** | rinse jet rinse jet ID ø 2.5mm | | |
| **For models:** | 120, 160, 240, 882, 885, 908, EN, ET, ETA, ETE20, ETE21, ETE25, ETE27, LPE100, LPE145 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 512408 | **Ref. No.** | 00082549 |
| **description** | wash arm L 625mm nozzles 4 mounting ø 41mm mounting pos. upper/lower with pin for pre-washing ELFRAMO | | |
| **For models:** | EN, ET, ET020 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517501 | **Ref. No.** | 00079102 |
| **description** | wash jet mounting pos. upper/lower H 18mm ø 24.4mm | | |
| **For models:** | EN, ET, ET020, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511077 | **Ref. No.** | 00004931 |
| **description** | wash jet | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511640 | **Ref. No.** | 00011839 |
| **description** | wash jet holder ø 40mm thread M32x2.5 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511715 | **Ref. No.** | 00222104 |
| **description** | opposite support mounting pos. lower for wash arm support | | |
| **For models:** | BD13, BD14, BD14alt, BD22, BD46, BD47, BE40 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511719 | **Ref. No.** | 00012710 |
| **description** | opposite support mounting pos. lower for wash arm support | | |
| **For models:** | B11, B15, BD11, BD50, BE35, BE50, BE50T, C33, CW650-15, CW650-16, CW650-35, CW650-36, D120, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511785 | **Ref. No.** | 00202781 |
| **description** | opposite support mounting pos. lower for wash arm support | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511461 | **Ref. No.** | 00004260 old version |
| **description** | wash arm support | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511717 | **Ref. No.** | 00222101 |
| **description** | wash arm support | | |
| **For models:** | BD14, BD14alt, BD47 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511735 | **Ref. No.** | 00014040 |
| **description** | wash arm support | | |
| **For models:** | D30, D35, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511736 | **Ref. No.** | 00014055 |
| **description** | wash arm support | | |
| **For models:** | BD50, BE50, BE50T, D36, D45, D80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511036 | **Ref. No.** | 00004260<br>00011152 |
| **description** | wash arm support mounting pos. lower | | |
| **For models:** | 882, 885, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511038 | **Ref. No.** | 00011195 |
| **description** | wash arm support mounting pos. lower | | |
| **For models:** | 120, 160, 240, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511721 | **Ref. No.** | 00211014 |
| **description** | wash arm support mounting pos. lower | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD22, BD46, BE35, BE40 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511740 | **Ref. No.** | 00018063 |
| **description** | wash arm support mounting pos. lower | | |
| **For models:** | C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511710 | **Ref. No.** | 00011851 |
| **description** | wash arm support mounting pos. upper | | |
| **For models:** | BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE40, BE50, BE50T, C33, CW650-15, CW650-16, CW650-35, CW650-36, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511738 | **Ref. No.** | 00018062 |
| **description** | wash arm support mounting pos. upper | | |
| **For models:** | C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511784 | **Ref. No.** | 00014020<br>00014021 |
| **description** | wash arm support mounting pos. upper | | |
| **For models:** | 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511037 | **Ref. No.** | 00011194 |
| **description** | wash arm support mounting pos. upper thread 1½" | | |
| **For models:** | 240, 906, 908 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511035 | **Ref. No.** | 00004270 |
| **description** | wash arm support thread 1¼" mounting pos. upper | | |

MAG-PRO

## rinse arm shafts

1

| | | | |
|---|---|---|---|
| **No.** | 511032 | **Ref. No.** | 00005000 |
| **description** | rinse arm shaft | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511039 | **Ref. No.** | 00011166 |
| **description** | rinse arm shaft | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 906, 908 | | |

# knobs

## producer-specific knobs

### ELFRAMO

1

| | | | |
|---|---|---|---|
| **No.** | 112684 | **Ref. No.** | 00038683 |
| **description** | knob gas thermostat 1-8 ø 55.5mm shaft ø 6x4.6mm shaft flat upper black | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20, GVM35T, GWDT12, GWDT20, GWT12, GWT20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 110878 | **Ref. No.** | 00035809<br>00035813 |
| **description** | knob gas thermostat 1-8 t.max.°C°C ø 52mm shaft ømm shaft flat Minisit black shaft special | | |
| **For models:** | GM2532, GM2542, GMD2532, GMD2542, GW12, GW20, GWD12, GWD20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 111220 | **Ref. No.** | 00033270 |
| **description** | knob switch zero mark | | |

1

| | | | |
|---|---|---|---|
| **No.** | 110056 | **Ref. No.** | 00006500 |
| **description** | knob switch zero mark ø 55mm shaft ø 5x5mm shaft flat horizontal black | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, ES12, ES20, ESD12, ESD20, FE12, FE20, FE20+20, FE30, FE30+30, KES20, KESD20, ST12, ST12+12, ST7, ST7+7 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 110005 | **Ref. No.** | 00033241 |
| **description** | knob switch zero mark ø 55mm shaft ø 6x4.6mm shaft flat upper black | | |
| **For models:** | EB6, EB6+6 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 110006 | **Ref. No.** | 00033250 |
| **description** | knob switch zero mark ø 55mm shaft ø 6x4.6mm shaft flat upper black | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, ES12, ES20, ESD12, ESD20, FE12, FE20, FE20+20, FE30, FE30+30, GSDT12, GSDT20, GST12, GST20, GVM35T, GW209T, GWD209T, GWDT12, GWDT20, GWT12, GWT20, KES20, KESD20, ST12, ST12+12, ST7, ST7+7 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 110055 | **Ref. No.** | 00006520 |
| **description** | knob switch zero mark ø 60mm shaft ø 5x5mm black | | |
| **For models:** | LPE100, LPE145 | | |

MAG-PRO

# handles and hand wheels

## bracket handles

1

| | | | |
|---|---|---|---|
| **No.** | 511100 | **Ref. No.** | 00001510<br>00009200 |
| **description** | pull handle | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511115 | **Ref. No.** | 00001530<br>00009220 |
| **description** | pull handle L 445mm H 62mm mounting distance 425mm | | |

## recessed handles

1

| | | | |
|---|---|---|---|
| **No.** | 511889 | **Ref. No.** | 00205530 |
| **description** | recessed handle | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, B11, B15, BD11, BD13, BD14, BD14alt, BD46, BD47, BE35, BE40, EM12, EM12+12, EM20, EM20+20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511890 | **Ref. No.** | 00010610 |
| **description** | recessed handle | | |
| **For models:** | 120, 160, 240, 882, 885, BD22, BD50, BE50, BE50T, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

# fittings for catering equipment

## outlet taps

### universal




1

| | | | |
|---|---|---|---|
| **No.** | 541609 | **Ref. No.** | 00030401 |
| **description** | outlet tap chrome-plated brass W 46mm H 40mm thread 1" IT | | |
| **For models:** | EB12, EB12+12, EB6, EB6+6, EB8, FG12M, FG24M, GB10, GBD10 | | |
| **spare parts for** | 541609 | | |

| | | | |
|---|---|---|---|
| No. | 540747 | Ref. No. | — |
| outlet tap chrome-plated brass angled W 30mm H 40mm thread 1/2" IT | | | |

## drain taps

### brass

### drain taps

1

| | | | |
|---|---|---|---|
| **No.** | 540260 | **Ref. No.** | 00030400 |
| **description** | drain tap | | |
| **For models:** | EB12, EB12+12, EB18P, EB6, EB6+6, EB8 | | |

# equipment feet and end caps

## screw-in feet

1

| | | | |
|---|---|---|---|
| **No.** | 695604 | **Ref. No.** | 00000970<br>00000980<br>00013783 |
| **description** | equipment foot thread M10 thread L 32mm ø 50mm H 14mm | | |
| **For models:** | 882, 885, BD14, BD14alt, BD22, BD46, BD47, C33, C44, C66, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, EB12, EB12+12, EB18P, EB6, EB6+6, EB8, EM12, EM12+12, EM20, EM20+20, EM20+20-900, EM20-900, EM35, EM40-900, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM25-900, GM35...(Other models you can see in the webshop) | | |

1

| | | | |
|---|---|---|---|
| **No.** | 695601 | **Ref. No.** | 00206960 |
| **description** | equipment foot thread M17 thread L 23mm ø 24mm H 11mm plastic WS 24 Qty 1 pcs | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, B11, B15, BD11, BD13, BD50, BE35, BE40, BE50, BE50T, EB12, EB12+12, EB6, EB6+6, EB8 | | |

MAG-PRO

# baskets

## fryer baskets

### ELFRAMO

1

| | | | |
|---|---|---|---|
| **No.** | 970190 | **Ref. No.** | 00030560 |
| **description** | fryer basket L1 265mm W1 180mm H1 120mm L2 480mm H2 215mm chrome-plated steel | | |
| **For models:** | EB6, EB6+6, EM12 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970193 | **Ref. No.** | 00030581<br>00030581neu,o.Griffe |
| **description** | fryer basket L1 288mm W1 107mm H1 120mm | | |
| **For models:** | EB12, EB12+12, EM12, EM12+12, GM12+12 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970277 | **Ref. No.** | 00035842 |
| **description** | fryer basket L1 290mm W1 105mm H1 120mm L2 230mm H2 235mm chrome-plated steel | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970191 | **Ref. No.** | 00030570<br>00030570 o.Griffe |
| **description** | fryer basket L1 290mm W1 180mm H1 120mm L2 520mm H3 230mm chrome-plated steel | | |
| **For models:** | EB12, EB8 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970278 | **Ref. No.** | 00035805 |
| **description** | fryer basket L1 290mm W1 215mm H1 120mm L2 410mm H3 240mm chrome-plated steel | | |
| **For models:** | ES12, ESD12, FG125, FG12M, FG24M, GB10, GBD10, GM2532, GMD2532, GST12, GW12, GW12ELT, GWD12, GWD12ELT, GWDT12, GWT12 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970192 | **Ref. No.** | 00030580<br>00030580 no Man.Cest |
| **description** | fryer basket L1 290mm W1 235mm H1 120mm chrome-plated steel | | |
| **For models:** | EB12, EB12+12, EB8, EM12, EM12+12, EM20, EM20+20, FE12, GM12+12 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970286 | **Ref. No.** | 00030611 |
| **description** | fryer basket L1 365mm W1 265mm H1 120mm chrome-plated steel | | |
| **For models:** | EM35, GM35, GVM35, GVM35T | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970284 | **Ref. No.** | 00003059<br>00030590 |
| **description** | fryer basket L1 370mm W1 240mm H1 120mm L2 230mm H2 232mm H3 232mm chrome-plated steel | | |
| **For models:** | EM12, EM12+12, EM20, EM20+20, FE20, FE20+20, FE30, FE30+30, GM20+20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970279 | **Ref. No.** | 00030591<br>00035843<br>3059A |
| **description** | fryer basket L1 375mm W1 105mm H1 120mm chrome-plated steel | | |
| **For models:** | EM20, EM20+20, ES20, ESD20, FE20, FE20+20, FE30, FE30+30, FG157, FG159, FG307, FG309, GM20+20, GM2542, GMD2542, GST20, GW20, GW209T, GW20ELT, GWD20, GWD209T, GWD20ELT, GWDT20, GW-MODULARI, GWT20, KES20, KESD20 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970281 | **Ref. No.** | 00035806 |
| **description** | fryer basket L1 375mm W1 215mm H1 120mm chrome-plated steel | | |
| **For models:** | ES20, ESD20, FG157, FG159, FG307, FG309, GM2532, GM2542, GMD2542, GST20, GW20, GW209T, GW20ELT, GWD20, GWD209T, GWD20ELT, GWDT20, GW-MODULARI, GWT20, KES20, KESD20 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 970590 | Ref. No. | 00030610 |
| description | fryer basket L1 540mm W1 365mm H1 120mm chrome-plated steel | | |
| For models: | EM35, GM35, GVM35, GVM35T | | |

1

| | | | |
|---|---|---|---|
| No. | 970591 | Ref. No. | BFR0005 |
| description | fryer basket L1 620mm W1 360mm H1 65mm | | |

## warewashing baskets

### steel wire baskets round

#### mix baskets

1

| | | | |
|---|---|---|---|
| No. | 970514 | Ref. No. | 00206731 |
| description | mix basket ED ø 330mm H 145mm | | |
| For models: | 42, 42E, 48, 48E, 55, 55E, B11, BD11, BE35 | | |

1

| | | | |
|---|---|---|---|
| No. | 970515 | Ref. No. | 00007400 |
| description | mix basket ED ø 440mm H 145mm seat ø 445mm | | |
| For models: | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 882, 885, 904, 906, 908, 912, BD22, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| No. | 970516 | Ref. No. | 00007420 |
| description | mix basket ED ø 500mm H 125mm seat ø 445mm | | |
| For models: | 120, 160, 240, 882, 885, 904, 906, 908, 912 | | |

#### plate baskets

1

| | | | |
|---|---|---|---|
| No. | 970513 | Ref. No. | 00007320 |
| description | plate basket ED ø 495mm H 120mm seat ø 445mm plates 18 | | |
| For models: | 120, 160, 240, 882, 885, 904, 906, 908, 912 | | |

### steel wire baskets square

#### glass basket

1

| | | | |
|---|---|---|---|
| No. | 971052 | Ref. No. | 00206720 |
| description | glass basket L 470mm W 470mm H 150mm number of rows 3 rows spacing 145mm | | |
| For models: | 42, 42E, 48, 48E, 55, 55E, 60, BD22 | | |

#### mix baskets

1

| | | | |
|---|---|---|---|
| No. | 970078[1] | Ref. No. | 00007100 |
| description | mix basket | | |
| For models: | 120, 160, 240, 882, 885, 904, 906, 908, 912 | | |

[1]wide-meshed

1

| | | | |
|---|---|---|---|
| No. | 971006[1] | Ref. No. | 00206711 |
| description | mix basket L 345mm W 345mm H 120mm mesh type wide-meshed | | |
| For models: | 42, 42E, 48, 48E, 55, 55E, B11, BD11 | | |

[1]wide-meshed

1

| | | | |
|---|---|---|---|
| No. | 970068[1] | Ref. No. | 00206712 |
| description | mix basket L 400mm W 400mm H 170mm | | |
| For models: | 42, 42E, 48, 48E, 55, 55E, B15, BD13, BD14, BD46, BD47 | | |
| spare parts for | 970068 | | |
| | No. 970001 | Ref. No. | — |
| | sliding corner wire gauge ø 5mm L 120mm W 120mm H 12mm L-shape | | |

[1]wide-meshed

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 971049[1] | **Ref. No.** | 00206713<br>X098E006/710 |
| **description** | mix basket L 460mm W 460mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, BD22 | | |

[1]wide-meshed

1

| | | | |
|---|---|---|---|
| **No.** | 970074[1] | **Ref. No.** | 00007120 |
| **description** | mix basket L 500mm W 500mm H 130mm mesh type close-meshed | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, BD50, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, CE24, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D85, SQ885, SQT80 | | |

[1]fine-meshed

1

| | | | |
|---|---|---|---|
| **No.** | 970027[1] | **Ref. No.** | 00007140 |
| **description** | mix basket L 550mm W 550mm H 125mm mesh type close-meshed | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, C77, D120, D120dgt | | |

[1]fine-meshed

## plate baskets

1

| | | | |
|---|---|---|---|
| **No.** | 971051 | **Ref. No.** | 00007000 |
| **description** | plate basket L 470mm W 470mm H 100mm plates 16 plate ø 240mm | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, BD22 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 971043 | **Ref. No.** | 00007020<br>00007040 |
| **description** | plate basket L 500mm W 500mm H 130mm plates 20 plate ø 240mm | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, BD50, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, CE24, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D85, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 970026 | **Ref. No.** | 00007060<br>X098E012/706 |
| **description** | plate basket L 550mm W 550mm H 130mm plates 24 plate ø 270mm | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, C77, D120, D120dgt | | |

## plastic baskets square

### mix baskets

1

| | | | |
|---|---|---|---|
| **No.** | 971058 | **Ref. No.** | 00206701 |
| **description** | mix basket L 350mm W 350mm H 150mm | | |
| **For models:** | BE35 | | |

## system baskets GIADOS 500x500mm

### universal baskets

1

| | | | |
|---|---|---|---|
| **No.** | 976030 | **Ref. No.** | FAA028 |
| **description** | tray rack L 500mm W 500mm H 116mm tablets 9 | | |
| **For models:** | 160, 882, 885 | | |

## accessories

### cutlery inserts

1

| | | | |
|---|---|---|---|
| **No.** | 976016 | **Ref. No.** | 00206721 |
| **description** | cutlery insert L 110mm W 110mm ømm H 130mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 976011 | **Ref. No.** | 00206721 |
| **description** | cutlery insert Lmm Wmm ø 110mm H 130mm | | |

MAG-PRO

## plate inserts

1

| | | | |
|---|---|---|---|
| No. | 970047 | Ref. No. | 00007200<br>00206751<br>00206752 |
| description | plate insert L 308mm W 100mm plates 15 | | |
| For models: | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, B15, BD11, BD13, BD14, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA...(Other models you can see in the webshop) | | |

# gaskets

## O-rings

### EPDM




1

| | | | |
|---|---|---|---|
| No. | 521717 | Ref. No. | 00000290<br>00002900<br>06140008<br>06140140 |
| description | O-ring EPDM thickness 1.78mm ID ø 120.37mm Qty 1 pcs | | |
| For models: | 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, BD22, C33, C34, C34dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, SQ885, SQT80 | | |




1

| | | | |
|---|---|---|---|
| No. | 529412 | Ref. No. | 06140003 |
| description | O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs | | |




1

| | | | |
|---|---|---|---|
| No. | 507313 | Ref. No. | 06140002 |
| description | O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs | | |
| For models: | BD14, BD14alt, C33, D30, D40, D80 | | |




1

| | | | |
|---|---|---|---|
| No. | 528919 | Ref. No. | 00004480<br>06140005 |
| description | O-ring EPDM thickness 2.62mm ID ø 20.24mm Qty 1 pcs | | |
| For models: | 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, B11, BD11, BE35, SQ885, SQT80 | | |




1

| | | | |
|---|---|---|---|
| No. | 505073 | Ref. No. | 06140005 |
| description | O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs | | |




1

| | | | |
|---|---|---|---|
| No. | 510769 | Ref. No. | 06140004 |
| description | O-ring EPDM thickness 2.62mm ID ø 25.07mm Qty 1 pcs | | |
| For models: | B11, B15, BD13, BD14, BD14alt, BD46, BD47, BE35, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D40, D40ELT, D40ELT-BT-BA, D40i-ELT-BT-BA, D45 | | |




1

| | | | |
|---|---|---|---|
| No. | 521718 | Ref. No. | 00002910<br>06140010 |
| description | O-ring EPDM thickness 3.53mm ID ø 164.7mm Qty 1 pcs | | |
| For models: | 120, 160, 906, 908, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15 | | |




1

| | | | |
|---|---|---|---|
| No. | 532451 | Ref. No. | 06140028 |
| description | O-ring EPDM thickness 3.53mm ID ø 53.98mm Qty 1 pcs | | |
| For models: | ETE20, ETE21, ETE25, ETE27, ETS15 | | |

MAG-PRO




1

| | | | |
|---|---|---|---|
| **No.** | 511828 | **Ref. No.** | 06140018 |
| **description** | O-ring EPDM thickness 3.53mm ID ø 56.74mm Qty 1 pcs | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, ETE20, ETE21, ETE25, ETE27, ETS15, LP60...(Other models you can see in the webshop) | | |




2

| | | | |
|---|---|---|---|
| **No.** | 511711 | **Ref. No.** | 06140026 |
| **description** | O-ring EPDM thickness 3.53mm ID ø 78.97mm Qty 1 pcs | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |




1

| | | | |
|---|---|---|---|
| **No.** | 505178 | **Ref. No.** | 06140035 |
| **description** | O-ring EPDM thickness 5.34mm ID ø 85.09mm Qty 1 pcs | | |
| **For models:** | ETE20, ETE21, ETE25, ETE27, ETS15 | | |




1

| | | | |
|---|---|---|---|
| **No.** | 521154 | **Ref. No.** | 06140046 |
| **description** | O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs | | |
| **For models:** | C66dgt | | |

## sealing washers

### fibre gaskets

1

| | | | |
|---|---|---|---|
| **No.** | 506042 | **Ref. No.** | 06110006<br>06120004 |
| **description** | flat gasket FIBER ED ø 27mm ID ø 17mm thickness 2mm Qty 1 pcs | | |
| **For models:** | C34dgt, C44, C44dgt, C66, C66dgt, C77, CE24, D120, D120dgt, LP130 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511490 | **Ref. No.** | 06120001 |
| **description** | flat gasket fibre ED ø 15mm ID ø 8mm thickness 2mm Qty 1 pcs | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD47, BE35, BE40, BE50, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D30, D40, D40ELT, D40ELT-BT-BA, D40i-BT-BA, D40i-ELT-BT-BA, D80, D80F, D85, LP130 | | |

### plastic gaskets

1

| | | | |
|---|---|---|---|
| **No.** | 696557 | **Ref. No.** | 06113001 |
| **description** | flat gasket polyoxymethylene ED ø 14mm ID ø 10mm thickness 1.5mm Qty 1 pcs | | |
| **For models:** | BD46, BD47, BD50, BE50, BE50T, C44dgt, C44dgt-elt, C66dgt, C66d-gt-elt, D120, D120dgt, D35, D36, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 696375 | **Ref. No.** | 00010504 |
| **description** | gasket plastic ED ø 19mm ID ø 10.5mm thickness 6mm for boiler Qty 1 pcs | | |
| **For models:** | B11, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, D80F, D85, GFP25, GFP25AC, GFU25, GFU25AC, LP130, LP61, LP61H, LP70 | | |

### copper gaskets

#### DIN-7603-A

1

| | | | |
|---|---|---|---|
| **No.** | 560523 | **Ref. No.** | 02150006 |
| **description** | flat gasket nickel-plated copper ED ø 18.5mm ID ø 12.2mm thickness 2mm Qty 1 pcs | | |
| **For models:** | BD46, BD47, BD50, BE40, BE50, C33, C34, C34dgt, C44, C66, C77, D120, D35, D36, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D85 | | |

### PTFE gaskets

1

| | | | |
|---|---|---|---|
| **No.** | 511589 | **Ref. No.** | 06112001 |
| **description** | flat gasket PTFE ED ø 11mm ID ø 4.5mm thickness 2mm Qty 1 pcs | | |
| **For models:** | BD13, BD14, BD46, BD47, BD50, BE35, BE40, BE50, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D35, D36, D40, D40i, D40i-ELT-BT-BA, D45, D80, D85, GFP25, GFP25AC, GFU25, GFU25AC | | |

MAG-PRO

## shaft gaskets

### v-rings

1

| | | | |
|---|---|---|---|
| No. | 511213 | Ref. No. | 00530523 |
| description | V-ring | | |
| For models: | Cybergel, EM240, EM360, EM480, EM612, EM-HT | | |

## special gaskets

### miscellaneous

1

| | | | |
|---|---|---|---|
| No. | 511106 | Ref. No. | 00000147<br>00001470 |
| description | window gasket | | |

# springs

## compression springs

1

| | | | |
|---|---|---|---|
| No. | 511117 | Ref. No. | 0000235A<br>00073718 |
| description | compression spring ø 14.2/8.1mm L 53mm wire gauge ø 1.2mm cone-shaped | | |

## roller springs

### roller springs

1

| | | | |
|---|---|---|---|
| No. | 511116 | Ref. No. | 00002301<br>0000230A |
| description | roller spring mounting pos. left complete | | |
| spare parts for | 511116 | | |

| | | | |
|---|---|---|---|
| No. | 511622 | Ref. No. | 00002310 |
| roller spring mounting pos. right/left W 40mm | | | |

1

| | | | |
|---|---|---|---|
| No. | 511127 | Ref. No. | 00002300 |
| description | roller spring mounting pos. right complete | | |
| spare parts for | 511127 | | |

| | | | |
|---|---|---|---|
| No. | 511622 | Ref. No. | 00002310 |
| roller spring mounting pos. right/left W 40mm | | | |

1

| | | | |
|---|---|---|---|
| No. | 511622 | Ref. No. | 00002310 |
| description | roller spring mounting pos. right/left W 40mm | | |

1

| | | | |
|---|---|---|---|
| No. | 519550 | Ref. No. | 00079740 |
| description | roller spring W 25.35mm | | |
| For models: | ETE20, ETE21, ETE25, ETE27 | | |

1

| | | | |
|---|---|---|---|
| No. | 519491 | Ref. No. | 00079730 |
| description | roller spring W 26mm | | |
| For models: | ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60H, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| No. | 519543 | Ref. No. | 00065816 |
| description | roller spring with holder W 46mm ID ømm lug lengthmm | | |
| For models: | LP130, LP60, LP60H, LP61, LP61H | | |

MAG-PRO

## tension springs

1

| | | | |
|---|---|---|---|
| **No.** | 361593 | **Ref. No.** | 00000812 |
| **description** | spring | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511875 | **Ref. No.** | 00013717<br>00013719 |
| **description** | tension spring | | |
| **For models:** | BD14, BD14alt, BD22, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D80, D80F | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511904 | **Ref. No.** | 00013717 |
| **description** | tension spring ø 15.1mm total length 148mm wire gauge ø 1.7mm | | |
| **For models:** | BD14, BD46, BD47, D36, D40, D40i, D40i-ELT-BT-BA, D45, D80, D85, ET, ETE20, ETE21, ETE25, ETE27, ETS15 | | |



1

| | | | |
|---|---|---|---|
| **No.** | 511216 | **Ref. No.** | 00018056 |
| **description** | tension spring ø 25mm total length 790mm wire gauge ø 5mm L1 120mm L2 580mm D1 ø 23mm thread M8 thread L 90mm mounting pos. left/right for hood | | |
| **For models:** | C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24 | | |

# dosing pumps

## peristaltic dosing pumps

### SEKO

#### built-in version

#### with frequency control

1

| | | | |
|---|---|---|---|
| **No.** | 362025 | **Ref. No.** | 20155111 |
| **description** | dosing pump SEKO frequency control 0.3-3.0l/h 230VAC detergent hose ø 4x6mm hose Santoprene type NBR 3 with accessories angled 90° | | |
| **For models:** | B11, BD11, BD13, BD14, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, D80F, D85, EN, ET, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 361215 | **Ref. No.** | 20155100<br>20155111 old version |
| **description** | dosing pump SEKO frequency control 0.3-3.0l/h 230VAC detergent hose ø 4x6mm hose type K hose Santoprene suction level 1.5m type PBR protection IP55 dimensions 100x67x68mm power input 3.5W | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, B11, B15, BD11, BD13, BD14, BD14alt, BD22, C33, C44, C66, D120, D30, D40, D80, D80F, LP130, LP60, LP70 | | |
| **spare parts for** | 361215 | | |

| | | | |
|---|---|---|---|
| No. | 361136 | Ref. No. | — |
| roller assembly for dosing pump hole ø 4.8x4mm | | | |

| | | | |
|---|---|---|---|
| No. | 361226 | Ref. No. | — |
| PCB L 59mm W 26mm electronic control | | | |



| | | | |
|---|---|---|---|
| No. | 361815 | Ref. No. | 20155112 |
| pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO | | | |
| **accessories for** | 361215 | | |

| | | | |
|---|---|---|---|
| No. | 361142 | Ref. No. | — |
| mounting set detergent hose type 4x6mm hose length 2m PVC 2x hose/container filter/tank intake transparent | | | |



| | | | |
|---|---|---|---|
| No. | 520090 | Ref. No. | 07125002 |
| PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent | | | |



| | | | |
|---|---|---|---|
| No. | 520091 | Ref. No. | 20155110 |
| nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent | | | |

#### with time control

1

| | | | |
|---|---|---|---|
| **No.** | 361768[1] | **Ref. No.** | 00220423 old version<br>20155104 old version |
| **description** | dosing pump SEKO time control 0.4l/h 230VAC rinse aid hose ø 4x6mm hose type D hose Sekobril suction level 1.5m type NBM 0.4 8W with accessories 8VA dosing time 0-30s | | |
| **spare parts for** | 361768 | | |



| | | | |
|---|---|---|---|
| No. | 361135 | Ref. No. | 20155109 |
| pump hose SEKO rinse aid hose ø 3x8mm hose ø 4x6mm hose type D hose Sekobril | | | |

| | | | |
|---|---|---|---|
| No. | 361141 | Ref. No. | 20155105 |
| container filter with weight ceramic hose ø 4mm | | | |

[1] with accessories

Table continues overleaf

MAG-PRO

| | | | | |
|---|---|---|---|---|
| spare parts for | 361768 | | | |
| | No. | 361821 | Ref. No. | 00220419 |
| | non-return valve inlet 4x6mm outlet 1/4" L 45mm | | | |
|  | No. | 520091 | Ref. No. | 20155110 |
| | nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent | | | |
|  | No. | 520242 | Ref. No. | — |
| | silicone hose for peristaltic pump ID ø 4mm ED ø 7mm L 5m thickness 1.5mm t.max. 200°C Shore A 55° transparent dosing Qty 5m | | | |

1

| | | | |
|---|---|---|---|
| No. | 362024 | Ref. No. | 20155104<br>20155104 new version |
| description | dosing pump SEKO time control 0.4l/h 230VAC rinse aid hose ø 4x6mm hose type Sekobril type NBM 0.4 with accessories angled 90° | | |
| For models: | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, C33, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D36, D40, D40ELT, D45, D80, D80F, D85, LP130, LP60, LP60H, LP70 | | |

## spare parts

1

| | | | |
|---|---|---|---|
| No. | 361815 | Ref. No. | 20155112 |
| description | pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO | | |
| For models: | B11, BD11, BD13, BD14, BD22, BD46, BD47, BD50, BE35, BE40, BE50, C33, C34, C34dgt, C44, C44dgt, C66, C66dgt, C77, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, D80F, D85, EN, ET, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| No. | 361135 | Ref. No. | 20155109 |
| description | pump hose SEKO rinse aid hose ø 3x8mm hose ø 4x6mm hose type D hose Sekobril | | |
| For models: | B11, BD11, BD13, BD14, BD22, BD46, BD47, C33, C34, C34dgt, C44, C44dgt, C66, C66dgt, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D45, D80, D80F, D85, EN, ET, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP70 | | |
| spare parts for | 361135 | | |
| | No. 361866 | Ref. No. | — |
| | union nut for hose connector ø 17mm | | |

# membrane dosing pumps

## self-priming

## LANG

### accessories

1

| | | | |
|---|---|---|---|
| No. | 361083 | Ref. No. | 00220413 |
| description | union nut T1: M10x1 for hose 6mm | | |

## SEKO

1

| | | | |
|---|---|---|---|
| No. | 361594 | Ref. No. | 20155108 |
| description | dosing pump type DIB3E rinse aid pump rate 0-3cm³ per stroke pressure connection ø 4x6mm suction connection ø 4x6mm | | |
| For models: | BD13, BD14, BD46, BD47, BD50, BE35, BE40, BE50, C33, C34, C34dgt, C44, C44dgt, C66, C66dgt, C77, D120, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, D85, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |
| spare parts for | 361594 | | |
| | No. 361240 | Ref. No. | — |
| | hose connector 1-way hose ø 6mm plastic connection M10x1 | | |
| | No. 361301 | Ref. No. | — |
| | hose connector for type DIB3E/DIB5E | | |
| | No. 361302 | Ref. No. | — |
| | valve bush for type DIB3E/DIB5E | | |
| | No. 361304 | Ref. No. | — |
| | O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E | | |
| | No. 361305 | Ref. No. | — |
| | valve disc for type DIB3E/DIB5E DIB3P/DIB5P | | |
| | No. 361306 | Ref. No. | — |
| | membrane for type DIB3E/DIB5E ø 49mm hole ø 5mm | | |
| | No. 361481 | Ref. No. | — |
| | lip valve for type DIB3P/DIB5P DIB3E/DIB5E | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 361837[1] | **Ref. No.** | 2015511+00019656 20155117 |
| **description** | dosing pump type DIB5E conversion kit rinse aid pump rate 0-5cm³ per stroke pressure connection ø 4x6mm suction connection ø 6mm SEKO | | |
| **For models:** | BD46, BD47, BE35, BE40, BE50, BE50T, C34, C44dgt, C44dgt-elt, C66d-gt, C66dgt-elt, CE24, D120dgt, D36, D45, LP61, LP61H | | |
| **spare parts for** | 361837 | | |
| | No. 361301 | Ref. No. | — |
| | hose connector for type DIB3E/DIB5E | | |
| | No. 361302 | Ref. No. | — |
| | valve bush for type DIB3E/DIB5E | | |
| | No. 361304 | Ref. No. | — |
| | O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E | | |
| | No. 361305 | Ref. No. | — |
| | valve disc for type DIB3E/DIB5E DIB3P/DIB5P | | |
| | No. 361306 | Ref. No. | — |
| | membrane for type DIB3E/DIB5E ø 49mm hole ø 5mm | | |
| | No. 361307 | Ref. No. | — |
| | membrane dosing pump ø 68mm hole ø 6mm for type DIB3P/DIB5P | | |
| | No. 361481 | Ref. No. | — |
| | lip valve for type DIB3P/DIB5P DIB3E/DIB5E | | |
| **accessories for** | 361837 | | |
| | No. 361240 | Ref. No. | — |
| | hose connector 1-way hose ø 6mm plastic connection M10x1 | | |
| | No. 361241 | Ref. No. | — |
| | hose connector 1-way hose ø 9mm plastic connection M10x1 | | |

[1]auxiliary pressure connection closed

## accessories

1

| | | | |
|---|---|---|---|
| **No.** | 361141 | **Ref. No.** | 20155105 |
| **description** | container filter with weight ceramic hose ø 4mm | | |
| **For models:** | B11, BD11, BD13, BD14, BD22, C33, C44, C66, CW650-15, CW650-16, CW650-35, CW650-36, D120, D30, D40, D40ELT, D80, D80F | | |

## non-return valves

1

| | | | |
|---|---|---|---|
| **No.** | 361821 | **Ref. No.** | 00220419 |
| **description** | non-return valve inlet 4x6mm outlet 1/4" L 45mm | | |
| **For models:** | B11, BD13, BD22, BD46, BD47, C33, C34, C34dgt, C44, C44dgt, C44d-gt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D45, D80, D85, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 361147 | **Ref. No.** | 20155106 |
| **description** | non-return valve inlet 4x6mm outlet 1/8" L 50mm Qty 1 pcs | | |
| **For models:** | B11, BD11, BD13, BD14, BD22, C33, C44, C66, CW650-15, CW650-16, CW650-35, CW650-36, D120, D30, D40, D40ELT, D80, D80F, LP130, LP70 | | |

## hoses

### dosing hoses

1

| | | | |
|---|---|---|---|
| **No.** | 511164 | **Ref. No.** | 00003780 |
| **description** | dosing hose ED ø 10mm ID ø 6mm L 1800mm dosing | | |

### PVC hoses

1

| | | | |
|---|---|---|---|
| **No.** | 520090 | **Ref. No.** | 07125002 |
| **description** | PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD50, BE35, BE40, BE50, C33, C34, C34dgt, C44, C66, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D30, D35, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D80, D80F, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |
| **accessories for** | 520090 | | |
| | No. 361058 | Ref. No. | — |
| | container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm | | |
| | No. 361066 | Ref. No. | — |
| | container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve | | |
| | No. 361106 | Ref. No. | — |
| | container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve | | |
| | No. 361141 | Ref. No. | 20155105 |
| | container filter with weight ceramic hose ø 4mm | | |

Table continues overleaf

MAG-PRO

| | | | | |
|---|---|---|---|---|
| accessories for | 520090 | | | |
| | No. | 361230 | Ref. No. | — |
| | container filter with weight stainless steel hose ø 4x6mm | | | |
| | No. | 361462 | Ref. No. | — |
| | container filter with weight SS hose ø 4x6mm | | | |
| | No. | 361728 | Ref. No. | — |
| | container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm | | | |

## hose couplings

### plastic

1

| | | | |
|---|---|---|---|
| No. | 511593 | Ref. No. | 00220440 |
| description | hose connector T-shape plastic thread 1/2" ø 13mm for dosing pump | | |
| spare parts for | 511593 | | |
| | No. | 361083 | Ref. No. 00220413 |
| | union nut T1: M10x1 for hose 6mm | | |

### tank inlets

1

| | | | |
|---|---|---|---|
| No. | 361416 | Ref. No. | 20155114 |
| description | tank inlet SS M12 hose ø 6mm | | |
| For models: | B11, BD13, BD14, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80, D85, EN, ET, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |

# hoses

## supply hoses

### stainless steel flexi hoses

### universal hoses

1 

| | | | |
|---|---|---|---|
| No. | 520627 | Ref. No. | 00053360 |
| description | flex hose SS braid straight-straight DN12 connections 3/4" L 2000mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar | | |
| For models: | EN, ET, ETA | | |

1 

| | | | |
|---|---|---|---|
| No. | 520395 | Ref. No. | 00000354<br>00003540 |
| description | flex hose SS braid straight-straight DN8 connections 3/8"-1/2" L 230mm Qty 2 pcs | | |

1 

| | | | |
|---|---|---|---|
| No. | 520459 | Ref. No. | 00003530 |
| description | flex hose SS braid straight-straight DN8 connections 3/8"-1/2" L 740mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar | | |
| For models: | CW650-15, CW650-16, CW650-35, CW650-36, LP70 | | |

1 


| | | | |
|---|---|---|---|
| No. | 520008 | Ref. No. | 00053060<br>00053090<br>00053100<br>00053120<br>00053130 |
| description | flex hose SS braid straight-curved DN12 connection 1: 3/4" connection 2: 3/4" L 1500mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar | | |
| accessories for | 520008 | | |
| | No. | 520054 | Ref. No. — |
| | flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs | | |

MAG-PRO




| | | | |
|---|---|---|---|
| **No.** | 520007 | **Ref. No.** | 336A |
| **description** | flex hose SS braid straight-curved DN15 connection 1: 3/4" connection 2: 3/4" L 2500mm approval operating p. 10bar test pressure 32bar burst p. 95bar | | |




| | | | |
|---|---|---|---|
| **No.** | 520468 | **Ref. No.** | 12160008 |
| **description** | flex hose SS braid straight-curved DN8 connection 1: 1/2" connection 2: 3/8" L 350mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar | | |
| **For models:** | BE35, BE40 | | |




| | | | |
|---|---|---|---|
| **No.** | 520396 | **Ref. No.** | 00000355<br>00003550 |
| **description** | flex hose SS straight-curved L 170mm connections 3/8"-1/2" | | |

## PVC supply hoses




| | | | |
|---|---|---|---|
| **No.** | 520010 | **Ref. No.** | 00200720<br>07130001<br>07130002 |
| **description** | supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i...(Other models you can see in the webshop) | | |
| **accessories for** | 520010 | | |

| | | | |
|---|---|---|---|
| No. | 520053 | Ref. No. | — |
| screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm | | | |

| | | | |
|---|---|---|---|
| No. | 520054 | Ref. No. | — |
| flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs | | | |

## pre-rinse hoses

### stainless steel flexi hoses

| | | | |
|---|---|---|---|
| **No.** | 542859 | **Ref. No.** | 00980050 |
| **description** | shower hose connections 1/2" L 1200mm SS operating p. 10bar burst p. 90bar t.max. 90°C for pre-rinse units suitable for drinking water rotary with flexible fabric | | |
| **For models:** | C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, ET, ETA | | |

## drain hoses




| | | | |
|---|---|---|---|
| **No.** | 511206 | **Ref. No.** | 07130157 |
| **description** | drain hose | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, B11, BD11, BD13, BD14, BD22, BD50, BE35, BE40, BE50, BE50T, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D45, D80 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| No. | 513718 | Ref. No. | 00003630<br>00003640<br>00200652<br>00200653 |
| description | drain hose DN19 L 1500mm straight ø inside 24mm straight ext. ø 28mm outer hose ø 23mm | | |

1

| | | | |
|---|---|---|---|
| No. | 511205 | Ref. No. | 00000364<br>07130156 |
| description | drain hose DN19 L 1500mm A int. ø 23mm A ext. ø 29mm B int. ø 29mm outer hose ø 29mm B ext. ø 35mm | | |

1

| | | | |
|---|---|---|---|
| No. | 530608 | Ref. No. | 00003630<br>00003640<br>00200652<br>00200653<br>07130155<br>07130156 |
| description | drain hose DN24 L 1500mm A int. ø 24mm A ext. ø 28mm B int. ø 28mm B ext. ø 35mm outer hose ø 29mm temp.-resist. 90°C | | |
| For models: | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 906, 908, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45...(Other models you can see in the webshop) | | |

1

| | | | |
|---|---|---|---|
| No. | 530399 | Ref. No. | 07130158 |
| description | drain hose DN31 L 2000mm A int. ø 33mm A ext. ø 39mm B int. ø 33mm B ext. ø 39mm outer hose ø 35mm | | |
| For models: | C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D40, D80, D80F, D85, LP60, LP60H, LP61, LP61H | | |

# industrial hoses

## nylon hoses

1

| | | | |
|---|---|---|---|
| No. | 520091 | Ref. No. | 20155110 |
| description | nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent | | |
| For models: | B11, BD11, BD13, BD14, BD22, C33, C44, C66, CW650-15, CW650-16, CW650-35, CW650-36, D120, D30, D40, D40ELT, D80, D80F | | |

## PVC hoses

### PVC hoses without fabric

1

| | | | |
|---|---|---|---|
| No. | 520090 | Ref. No. | 07125002 |
| description | PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent | | |
| For models: | B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD50, BE35, BE40, BE50, C33, C34, C34dgt, C44, C66, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D30, D35, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-ELT-BT-BA, D80, D80F, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LP130, LP60, LP60H, LP61, LP61H, LP70 | | |
| accessories for | 520090 | | |

| | | | |
|---|---|---|---|
| No. | 361058 | Ref. No. | — |
| container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm | | | |

| | | | |
|---|---|---|---|
| No. | 361066 | Ref. No. | — |
| container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve | | | |

| | | | |
|---|---|---|---|
| No. | 361106 | Ref. No. | — |
| container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve | | | |

| | | | |
|---|---|---|---|
| No. | 361141 | Ref. No. | 20155105 |
| container filter with weight ceramic hose ø 4mm | | | |

| | | | |
|---|---|---|---|
| No. | 361230 | Ref. No. | — |
| container filter with weight stainless steel hose ø 4x6mm | | | |

| | | | |
|---|---|---|---|
| No. | 361462 | Ref. No. | — |
| container filter with weight SS hose ø 4x6mm | | | |

| | | | |
|---|---|---|---|
| No. | 361728 | Ref. No. | — |
| container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm | | | |

MAG-PRO

## silicone hoses

### without fabric

1

| | | | |
|---|---|---|---|
| **No.** | 530410 | **Ref. No.** | 00003750<br>00011065 |
| **description** | silicone hose ID ø 4mm ED ø 7mm L 2m thickness 1.5mm t.max. 200°C transparent | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, BD11, BD13, BD14, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D45, D80...(Other models you can see in the webshop) | | |

## formed hoses

### straight

1

| | | | |
|---|---|---|---|
| **No.** | 511048 | **Ref. No.** | 00004060<br>00072970<br>00200671<br>00200676<br>00200678 |
| **description** | formed hose dishwasher straight equiv. no. 00004060 | | |
| **For models:** | 120, 160, 42, 42E, 48, 48E, 55, 55E, 906, 908, C34, C44, C44dgt, C44d-gt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511858 | **Ref. No.** | 00013827<br>00222217 |
| **description** | formed hose dishwasher straight equiv. no. 00013827 | | |
| **For models:** | BD22, C33, CW650-15, CW650-16, CW650-35, CW650-36, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

### form L

1

| | | | |
|---|---|---|---|
| **No.** | 511050 | **Ref. No.** | 00004070<br>00065552 |
| **description** | formed hose end piece A int. ø 50mm ø end piece B 70mm L 190mm warewashing L-shape equiv. no. 00004070 | | |
| **For models:** | 240, LP60, LP60H, LP61, LP61H | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511140 | **Ref. No.** | 00010540 |
| **description** | formed hose warewashing L-shape equiv. no. 00010540 | | |
| **For models:** | 120, 160 | | |

### with branch

1

| | | | |
|---|---|---|---|
| **No.** | 511859 | **Ref. No.** | 00013718 |
| **description** | formed hose warewashing equiv. no. 00013718 with piggyback | | |
| **For models:** | BD50, BE50, BE50T, C33, CW650-15, CW650-16, CW650-35, CW650-36, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511056 | **Ref. No.** | 00206911 |
| **description** | formed hose warewashing with piggyback | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 511057 | **Ref. No.** | 00206912 |
| **description** | formed hose warewashing with piggyback | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511058 | **Ref. No.** | 00206909 |
| **description** | formed hose warewashing with piggyback | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511855 | **Ref. No.** | 00210956 |
| **description** | pressure hose | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511857 | **Ref. No.** | 00210956<br>00222108 |
| **description** | pressure hose | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD14alt, BD46, BD47, BE35 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511863 | **Ref. No.** | 00206901 |
| **description** | pressure hose | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

## form S

1

| | | | |
|---|---|---|---|
| **No.** | 517498 | **Ref. No.** | 00018312 |
| **description** | formed hose hose ext. ø 78mm hose int. ø 63mm L 310mm S-shape | | |
| **For models:** | C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511856 | **Ref. No.** | 00222109 |
| **description** | formed hose S-shape warewashing equiv. no. 00222109 | | |
| **For models:** | BD14, BD14alt, BD47, BE35 | | |

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 511047 | **Ref. No.** | 00004110 |
| **description** | formed hose warewashing equiv. no. 00004110 | | |

MAG-PRO

## for dishwashers

### miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 511468 | **Ref. No.** | 00200691 |
| **description** | pressure hose | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511467 | **Ref. No.** | 00003520<br>00013411 |
| **description** | pressure hose L 1000mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511464 | **Ref. No.** | 00013340 |
| **description** | pressure hose L 480mm ø 18mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511465 | **Ref. No.** | 00200641 |
| **description** | pressure hose L 690mm ø 25mm | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60 | | |

# fittings, hose and pipe connectors

## fittings

### T-pieces

#### miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 511499 | **Ref. No.** | 00000350 |
| **description** | T-piece thread 3/8" brass L 58mm | | |

## hose connectors

### producer-specific

1

| | | | |
|---|---|---|---|
| **No.** | 511071 | **Ref. No.** | 00002140 |
| **description** | hose connector for drain | | |

# valves and tank inlets

## ball valves

### producer-specific

#### ELFRAMO

1

| | | | |
|---|---|---|---|
| **No.** | 514429 | **Ref. No.** | 13110004 |
| **description** | ball valve connection 1" IT - 1" ET total length 71mm | | |
| **For models:** | GSDT12, GSDT20, GST12, GST20 | | |
| **accessories for** | 514429 | | |

| | | | |
|---|---|---|---|
| No. | 540752 | Ref. No. | 00030450 |
| extension for outlet tap L 165mm | | | |



| | | | |
|---|---|---|---|
| No. | 694062 | Ref. No. | 00030470 |
| extension for outlet tap L 400mm | | | |

1

| | | | |
|---|---|---|---|
| **No.** | 542254 | **Ref. No.** | 131110001 |
| **description** | ball valve connection 1" IT - tube ø25mm handle length without handlemm L 67mm | | |

1

| | | | |
|---|---|---|---|
| **No.** | 540751 | **Ref. No.** | 00003041<br>13110001 (old version) |
| **description** | ball valve connection 1" IT - tube ø25mm total length 59mm | | |
| **accessories for** | 540751 | | |

| | | | |
|---|---|---|---|
| No. | 540752 | Ref. No. | 00030450 |
| extension for outlet tap L 165mm | | | |



| | | | |
|---|---|---|---|
| No. | 540753 | Ref. No. | — |
| handle L 400mm for outlet tap | | | |



| | | | |
|---|---|---|---|
| No. | 694062 | Ref. No. | 00030470 |
| extension for outlet tap L 400mm | | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 540752 | **Ref. No.** | 00030450 |
| **description** | extension for outlet tap L 165mm | | |
| **For models:** | EM12, EM12+12, EM20, EM20+20, EM35 | | |



1

| | | | |
|---|---|---|---|
| **No.** | 694062 | **Ref. No.** | 00030470 |
| **description** | extension for outlet tap L 400mm | | |
| **For models:** | EM20+20-900, FE20, FE20+20, FE30, FE30+30, FG159, FG309, GM20+20-900, GW-MODULARI | | |

## shut-off valves

### universal

1

| | | | |
|---|---|---|---|
| **No.** | 693107 | **Ref. No.** | 00003770<br>13100001 |
| **description** | shut-off valve connection 1/2" 1/2" cold total length 54mm L1 27mm L2 30mm marking blue rosette thread G2 26x19G connection ø M4x0.7 ITmm | | |
| **For models:** | Cybergel, EM240, EM360, EM480, EM612, EM-HT | | |
| **spare parts for** | 693107 | | |

| | | | |
|---|---|---|---|
| No. | 514085 | Ref. No. | — |

rosette connection 26x19G chrome-plated total lengthmm mounting pos.

| | | | |
|---|---|---|---|
| No. | 514086 | Ref. No. | — |

hexagonal nut connection 26x19G brass total lengthmm mounting pos. H 6mm WS 34 Qty 1 pcs

| | | | |
|---|---|---|---|
| No. | 540672 | Ref. No. | — |

gasket suitable for tap head

| | | | |
|---|---|---|---|
| No. | 547711 | Ref. No. | — |

hood handle shaft intake ø 8mm marking blue metal H2 21mm D1 ø 33mm type D suitable for MONOLITH shaft length H1 8mm

| | | | |
|---|---|---|---|
| No. | 548168 | Ref. No. | — |

star handle connection hot total lengthmm mounting pos. ø 57mm marking red

| | | | |
|---|---|---|---|
| No. | 548169 | Ref. No. | — |

star handle connection cold total lengthmm mounting pos. chrome-plated ø 57mm

| | |
|---|---|
| **accessories for** | 693107 |

| | | | |
|---|---|---|---|
| No. | 514086 | Ref. No. | — |

hexagonal nut connection 26x19G brass total lengthmm mounting pos. H 6mm WS 34 Qty 1 pcs

# water cycle components

## pressure reduction valves

### pressure reduction valves

#### universal

1

| | | | |
|---|---|---|---|
| **No.** | 520871 | **Ref. No.** | 00074380<br>23200001<br>23200002 |
| **description** | pressure reduction valve MALGORANI series Eurobrass 143 connection 1/2" default settingbar setting range 0.5-6bar p max 25bar t.max. 80°C brass | | |
| **For models:** | EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

## supply filters

1

| | | | |
|---|---|---|---|
| **No.** | 511485 | **Ref. No.** | 00000348<br>00003480<br>00003481 |
| **description** | T-piece thread 1/2" -3/4" brass with filter H 100mm L 175mm | | |

# ancillary products

## clamps

### hose clamps

#### DIN 3017 - W2

1

| | | | |
|---|---|---|---|
| **No.** | 520115 | **Ref. No.** | 00003621<br>05100005<br>362A |
| **description** | hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017 | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 520116 | **Ref. No.** | 05100011 |
| **description** | hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017 | | |
| **For models:** | D30, D80, ET, ET020, ETA | | |

1

| | | | |
|---|---|---|---|
| **No.** | 520118 | **Ref. No.** | 00004051<br>05100002<br>05100004 |
| **description** | hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017 | | |
| **For models:** | 120, 160, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 906, 908, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA...(Other models you can see in the webshop) | | |

1

| | | | |
|---|---|---|---|
| **No.** | 520454 | **Ref. No.** | 00004072<br>0000407B<br>05100008 |
| **description** | hose clamp ø 70-90mm width 9mm Qty 5 pcs DIN 3017 | | |
| **For models:** | 120, 160, 240, 908, BD13, BD14, BD46, BD47, BE50, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, D35, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D80, EN, ET, ET020, ETA, LP130, LP60, LP60H, LP61, LP61H, LP70, LPE100, LPE145 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 520110 | **Ref. No.** | 05100006<br>376A |
| **description** | hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017 | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, C33, C44, C66, D30, E1200, E500, E700, EC1200, EC800, ES400, ES400-alt, ES400-sehr-alt, LP60, MR1200, MR600, MR800, MRC1100, MRC1400, MRC800, MRS400, MRS400-alt, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 520117 | **Ref. No.** | 05100003 |
| **description** | hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017 | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, B11, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, CW650-15, CW650-16, CW650-35, CW650-36, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

## DIN 3017 - W4

1

| | | | |
|---|---|---|---|
| **No.** | 520120 | **Ref. No.** | 05100007 |
| **description** | hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017 | | |

## double wire clamps

1

| | | | |
|---|---|---|---|
| **No.** | 520872 | **Ref. No.** | 00003751<br>05110001 |
| **description** | hose clamp ø 7mm wire gauge ø 1mm Qty 1 pcs | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40i, D40i-BT-BA, D45...(Other models you can see in the webshop) | | |

# measuring equipment

## thermometers

### built-in thermometers

1

| | | | |
|---|---|---|---|
| **No.** | 541086 | **Ref. No.** | 32110003 |
| **description** | thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 2000mm probe ø 6mm probe L 23mm | | |
| **For models:** | C44, C66, C77, D120, D40, D40i, D40i-BT-BA, D80, D80F | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 541095 | **Ref. No.** | 00057200<br>32110001 |
| **description** | thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 3000mm probe ø 6.5mm probe L 20mm | | |

## ø40mm

1

| | | | |
|---|---|---|---|
| **No.** | 541037 | **Ref. No.** | 32110002 |
| **description** | thermometer mounting ø 40mm t.max. 120°C 0 up to +120°C probe ø 6.5mm probe L 25mm capillary pipe 2000mm | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, C44, C66, LP130, LP60, LP60H, LP61, LP61H, LP70, SQ885, SQT80 | | |

## ø52mm

1

| | | | |
|---|---|---|---|
| **No.** | 541065 | **Ref. No.** | 00006010<br>32100001 |
| **description** | thermometer mounting ø 52mm t.max. 120°C 0 up to +120°C probe ø 6.5mm probe L 28mm capillary pipe 1500mm | | |
| **For models:** | E1200, E500, E700, EC1200, EC800, LP100, LP145, LPE100, LPE145, MR1200, MR600, MR800, MRC1100, MRC1400, MRC800 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 541303 | **Ref. No.** | 00003053<br>32100002 |
| **description** | thermometer mounting ø 52mm t.max. 200°C +150 up to +200°C probe ø 4mm probe L 75mm capillary pipe 1370mm | | |
| **For models:** | GM12, GM12+12, GM20+20, GM20+20-900, GM25+25-900, GM2532, GM2542, GM25-900, GM35, GM50-900, GMD2532, GMD2542, GSDT12, GSDT20, GST12, GST20, GVM35, GVM35T, GW12, GW20, GWD12, GWD20, GWDT12, GWDT20, GW-MODULARI, GWT12, GWT20 | | |

## ø60mm

1

| | | | |
|---|---|---|---|
| **No.** | 541791 | **Ref. No.** | 00074420<br>32100003 |
| **description** | thermometer mounting ø 60mm t.max. 120°C 0-120°C probe ø 6mm probe L 39mm capillary pipe 1500mm | | |
| **For models:** | EN, ET, ET020, ETA | | |

# fastening material

## screws

### countersunk screws

1

| | | | |
|---|---|---|---|
| **No.** | 560337 | **Ref. No.** | 01350001 |
| **description** | countersunk screw thread M6 L 20mm WS 4 SS DIN 7991/ISO 10642 Qty 1 pcs intake hexagonal | | |
| **For models:** | BD14, BD14alt, BD22, BD46, BD47, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

### miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 511494 | **Ref. No.** | 00000216<br>00002160 |
| **description** | flat-headed bolt thread M5x0.8 thread L 7.8mm head ø 18mm intake slotted | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, EG140S, EM-HT, EN, ET, ET020, ETA, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 519409 | **Ref. No.** | 00013785 |
| **description** | screw | | |
| **For models:** | BD14, BD14alt, BD22, BD46, BD47, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85 | | |

MAG-PRO

# nuts

## hexagonal nuts

### DIN 934 / ISO 4032/8673

1

| | | | |
|---|---|---|---|
| **No.** | 511212 | **Ref. No.** | 03100006 |
| **description** | hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, BD22, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, FG12M, FG24M, GB10, GBD10 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 517174 | **Ref. No.** | 03100008 |
| **description** | nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs | | |
| **For models:** | 120, 160, 882, 885, 906, 908, C33, C34, C34dgt, C44, C44dgt, C44d-gt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D80, D80F, D85, EN, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

# washers

## washers

### DIN 125A

1

| | | | |
|---|---|---|---|
| **No.** | 560113 | **Ref. No.** | 02120006 |
| **description** | plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 20 pcs DIN 125A for thread M6 | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, BD14, BD14alt, BD22, D120, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 511481 | **Ref. No.** | 02120008 |
| **description** | plain washer ID ø 8.4mm ED ø 16mm thickness 1.6mm zinc-coated steel Qty 1 pcs DIN 125A for thread M8 | | |
| **For models:** | B11, B15, BD11, BD13, BD14, BD22, C33, C34, C34dgt, D120, D120dgt, D30, D35, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D80, D80F, D85, EN, ETS15 | | |

## miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 511591 | **Ref. No.** | 02160100 |
| **description** | disc ID ø 16mm ED ø 20mm thickness 1.5mm brass Qty 1 pcs | | |
| **For models:** | BD14, BD46, BD47, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, ETS15 | | |

# fasteners

## clamps

### hose clamps

### DIN 3017 - W2

1

| | | | |
|---|---|---|---|
| **No.** | 520115 | **Ref. No.** | 00003621<br>05100005<br>362A |
| **description** | hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 520116 | **Ref. No.** | 05100011 |
| **description** | hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017 | | |
| **For models:** | D30, D80, ET, ET020, ETA | | |

1

| | | | |
|---|---|---|---|
| **No.** | 520118 | **Ref. No.** | 00004051<br>05100002<br>05100004 |
| **description** | hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017 | | |
| **For models:** | 120, 160, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 906, 908, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, CW650-15, CW650-16, CW650-35, CW650-36, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA...(Other models you can see in the webshop) | | |

MAG-PRO

1

| | | | |
|---|---|---|---|
| **No.** | 520454 | **Ref. No.** | 00004072<br>0000407B<br>05100008 |
| **description** | hose clamp ø 70-90mm width 9mm Qty 5 pcs DIN 3017 | | |
| **For models:** | 120, 160, 240, 908, BD13, BD14, BD46, BD47, BE50, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, CE24, D120, D120dgt, D35, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D80, EN, ET, ET020, ETA, LP130, LP60, LP60H, LP61, LP61H, LP70, LPE100, LPE145 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 520110 | **Ref. No.** | 05100006<br>376A |
| **description** | hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017 | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, C33, C44, C66, D30, E1200, E500, E700, EC1200, EC800, ES400, ES400-alt, ES400-sehr-alt, LP60, MR1200, MR600, MR800, MRC1100, MRC1400, MRC800, MRS400, MRS400-alt, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 520117 | **Ref. No.** | 05100003 |
| **description** | hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017 | | |
| **For models:** | 42, 42E, 48, 48E, 55, 55E, 60, B11, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, CW650-15, CW650-16, CW650-35, CW650-36, D30, D35, D36, D40, D40ELT, D40ELT-BT-BA, D40i, D40i-BT-BA, D40i-ELT-BT-BA, D45, D80, D80F, D85, ETE20, ETE21, ETE25, ETE27, ETS15 | | |

## DIN 3017 - W4

1

| | | | |
|---|---|---|---|
| **No.** | 520120 | **Ref. No.** | 05100007 |
| **description** | hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017 | | |

## double wire clamps

1

| | | | |
|---|---|---|---|
| **No.** | 520872 | **Ref. No.** | 00003751<br>05110001 |
| **description** | hose clamp ø 7mm wire gauge ø 1mm Qty 1 pcs | | |
| **For models:** | 120, 160, 240, 42, 42E, 48, 48E, 55, 55E, 60, 882, 885, 904, 906, 908, 912, B11, B15, BD11, BD13, BD14, BD14alt, BD22, BD46, BD47, BD50, BE35, BE40, BE50, BE50T, C33, C34, C34dgt, C44, C44dgt, C44dgt-elt, C66, C66dgt, C66dgt-elt, C77, D120, D120dgt, D30, D35, D36, D40, D40ELT, D40i, D40i-BT-BA, D45...(Other models you can see in the webshop) | | |

# consumables

## fuses

### fine fuses

#### ø10x38mm 400V

1

| | | | |
|---|---|---|---|
| **No.** | 358041 | **Ref. No.** | 00060970 |
| **description** | fine fuse size ø10x38mm 20A slow-acting rated 400V type aM Qty 1 pcs | | |
| **For models:** | EN, ET, ET020, ETA, LPE100, LPE145 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 358030 | **Ref. No.** | 00060980 |
| **description** | fine fuse size ø10x38mm 32A slow-acting rated 400V type aM Qty 1 pcs | | |
| **For models:** | EN, ET, ET020, ETA, LPE100, LPE145 | | |

#### ø10x38mm 500V

1

| | | | |
|---|---|---|---|
| **No.** | 358038 | **Ref. No.** | 00060960<br>37130999 |
| **description** | fine fuse size ø10x38mm 10A slow-acting rated 500V type aM Qty 1 pcs | | |
| **For models:** | 120, 160, 240, 882, 885, 904, 906, 908, 912, CW650-15, CW650-16, CW650-35, CW650-36, Cybergel, EB12, EB12+12, EG140S, EM240, EM360, EM480, EM612, EM-HT, EN, ES12, ESD12, ET, ET020, ETA, ETE20, ETE21, ETE25, ETE27, ETS15, LPE100, LPE145, SQ885, SQT80 | | |

1

| | | | |
|---|---|---|---|
| **No.** | 358040 | **Ref. No.** | 00006261 |
| **description** | fine fuse size ø10x38mm 16A slow-acting rated 500V type aM Qty 1 pcs | | |

MAG-PRO