

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

ELVIOMEX-ALFA

heating elements

immersion heating elements

with compression flange (miscellaneous)



No.	416251	Ref. No.	003.40.00011 HLE.EU.00011
description	heating element 2500W 230V heating circuits 1 flange ø 60mm L 290mm W 285mm H 45mm connection male faston 6.3mm tube ø 8.5mm immersion heater connection length 34mm thread M6		
For models:	Euroline-40F		

with round flange ø47.5mm



No.	416254	Ref. No.	003.35.00009 HLE.BL.00009
description	heating element 2400W 230V heating circuits 1 mounting ø 47.5mm L 295mm W 40mm H 46mm round flange connection male faston 6.3mm immersion heater tube ø 9.1mm		
For models:	Barline-35F		

spare parts for	416254		
-----------------	--------	--	--

No.	510408	Ref. No.	—
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

accessories for	416254		
-----------------	--------	--	--

No.	510408	Ref. No.	—
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

No.	510562	Ref. No.	—
description	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

No.	520235	Ref. No.	—
description	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		

No.	520236	Ref. No.	—
description	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		

No.	550002	Ref. No.	—
description	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

No.	550362	Ref. No.	—
description	blind flange ø 64mm mounting ø 47.5mm		



No.	416255	Ref. No.	003.40.00006 HLE.EU.00006
-----	--------	----------	------------------------------

description	heating element 2500W 230V heating circuits 1 L 230mm W 34mm H 27mm tube ø 8.5mm connection length 58mm		
-------------	---	--	--

For models:	Euroline-40F		
-------------	--------------	--	--

spare parts for	416255		
-----------------	--------	--	--

No.	510408	Ref. No.	—
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

accessories for	416255		
No.	510562	Ref. No.	—
description	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
No.	520235	Ref. No.	—
description	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
No.	520236	Ref. No.	—
description	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
No.	550002	Ref. No.	—
description	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
No.	550362	Ref. No.	—
description	blind flange ø 64mm mounting ø 47.5mm		



No.	418216	Ref. No.	003.50.00005 HLE.VK.00005
-----	--------	----------	------------------------------

description	heating element 3000W 230V heating circuits 1 mounting ø 47.5mm L 370mm W 40mm H 38mm round flange connection M4 immersion heater tube ø 8.7mm connection length 31mm		
-------------	---	--	--

For models:	Vergina-50SF		
-------------	--------------	--	--

accessories for	418216		
-----------------	--------	--	--

No.	510408	Ref. No.	—
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

No.	510562	Ref. No.	—
description	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

No.	520235	Ref. No.	—
description	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		

No.	520236	Ref. No.	—
description	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		

No.	550002	Ref. No.	—
description	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

No.	550362	Ref. No.	—
description	blind flange ø 64mm mounting ø 47.5mm		



No.	416258	Ref. No.	003.00.00351 HLE.00.00351
-----	--------	----------	------------------------------

description	heating element 4000W 230V heating circuits 3 mounting ø 47.5mm L 363mm W 33mm H 33mm round flange connection M4 immersion heater tube ø 8.5mm		
-------------	--	--	--

For models:	Turbo-1500		
-------------	------------	--	--

spare parts for	416258		
-----------------	--------	--	--

No.	510408	Ref. No.	—
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

accessories for	416258		
-----------------	--------	--	--

No.	510562	Ref. No.	—
description	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

accessories for 416258				
	No.	520235	Ref. No.	—
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm				
	No.	520236	Ref. No.	—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	550002	Ref. No.	—
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				
	No.	550362	Ref. No.	—
blind flange ø 64mm mounting ø 47.5mm				

1



No.	416257	Ref. No.	003.00.00411 HLE.00.00411 HLE.VK.00411	
description heating element 6000W 230/400V heating circuits 3 mounting ø 47.5mm L 360mm W 37mm H 33mm connection male faston 6.3mm immersion heater tube ø 8.5mm				
spare parts for 416257				
	No.	510408	Ref. No.	—
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
accessories for 416257				
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	520235	Ref. No.	—
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm				
	No.	520236	Ref. No.	—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	550002	Ref. No.	—
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				
	No.	550362	Ref. No.	—
blind flange ø 64mm mounting ø 47.5mm				

with round flange ø60.0mm			
1 			
No.	417573	Ref. No.	003.10.00000 HLE.10.00000 HLE.10.00024
description	heating element 3990W 230V heating circuits 3 mounting ø 60mm L 320mm W 120mm H 40mm connection male faston 6.3mm tube ø 8.5mm		

1 1/4"

1




No.	416253	Ref. No.	003.15.00095 HLE.15.00095	
description	heating element 6000W 230V heating circuits 3 thread 1 1/4" L 360mm W 115mm H 50mm L1 180mm L2 10mm W1 41mm W2 32mm H1 24mm H2 30mm tube ø 8.5mm connection M4 flange with thread immersion heater			
For models:	Turbo-1500			
spare parts for	416253			
	No.	510405	Ref. No.	—
flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs				
	No.	520232	Ref. No.	—
nut thread 1 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs				
accessories for	416253			
	No.	528021	Ref. No.	—
flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega				

1"



1

No.	416250	Ref. No.	003.30.00000 HLE.B3.00000	
description	heating element 2000W 230V heating circuits 1 thread 1" L 250mm W 25mm H 26mm tube ø 8.5mm connection M4 immersion heater flange with thread			
For models:	Barline-35F			
spare parts for	416250			
	No.	510404	Ref. No.	—
flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs				
	No.	520233	Ref. No.	—
nut thread 1" H 6mm brass WS 47 Qty 1 pcs				
accessories for	416250			
	No.	510422	Ref. No.	—
gasket copper ED ø 37.7mm ID ø 32.5mm thickness 2.7mm for thread 1"				

			
1			
No.	416252	Ref. No.	003.50.00008 003.70.00003 HLE.70.00003 HLE.VK.00008
description	heating element 2800W 230V heating circuits 1 L 370mm W 240mm H 30mm thread M14x1.5 mounting distance 50mm tube ø 8.5mm connection M4 flange with thread immersion heater W1 115mm W2 53mm		
For models:	Vergina-50SF		
spare parts for	416252		
	No.	521101	Ref. No.
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		
	No.	532103	Ref. No.
	O-ring EPDM thickness 3.53mm ID ø 13.87mm Qty 10 pcs		

accessories

protection caps

			
1			
No.	520560	Ref. No.	003.00.00004 HLE.00.00004
description	protection cap for heating element ø 48mm plastic L 48mm		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

thermostats

bi-metal thermostats

safety bi-metal thermostats


			
1			
No.	390758	Ref. No.	003.00.00180 HLE.00.00180
description	bi-metal safety thermostat hole distance 23.5mm switch-off temp. 105°C 1NC 1-pole 16A connection F6.3		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

			
1			
No.	390759	Ref. No.	003.00.00168 HLE.00.00168
description	bi-metal safety thermostat hole distance 23.5mm switch-off temp. 90°C 1NC 1-pole 16A connection F6.3		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

control and safety thermostats

CAMPINI

control thermostats

			
1			
No.	390465	Ref. No.	003.00.00213 HLE.00.00213
description	thermostat t.max. 90°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 87mm capillary pipe 1470mm capillary pipe isolated 1450mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper 95 CAMPINI		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

switches and momentary switches

push/momentary push switches

28.5x28.5mm

			
1			
No.	301178	Ref. No.	003.00.00399 HLE.00.00399
description	momentary push switch mounting measurements 28.5x28.5mm green 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	Barline-35F, Euroline-40F, Vergina-50SF		

			
1			
No.	301177	Ref. No.	003.00.00247 HLE.00.00247
description	push switch mounting measurements 28.5x28.5mm green 1CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	Vergina-50SF		



1

No.	301179	Ref. No.	003.00.00137 HLE.00.00137
description	push switch mounting measurements 28.5x28.5mm grey/red 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator		
For models:	Euroline-40F, Vergina-50SF		



1

No.	301176	Ref. No.	003.00.00009 HLE.00.00009
description	push switch mounting measurements 28.5x28.5mm blue/green 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator		
For models:	Barline-35F, Euroline-40F, Vergina-50SF		

ø22.3mm



1

No.	347580	Ref. No.	003.15.00019 HLE.15.00019
description	push switch mounting ø 22.3mm green 1CO 250V 10A connection screw ambient temperature max. 85°C protection IP40		


microswitches

lever actuated



1

No.	345813	Ref. No.	003.00.00069 HLE.00.00069
description	microswitch with lever 250V 10A 1CO connection male faston 6.3mm ambient temperature max. 85°C		



1

No.	347583	Ref. No.	003.00.00426 HLE.00.00426
description	microswitch with lever 250V 15A 1CO connection male faston 6.3mm ambient temperature max. 85°C door switch lever length 28mm		
For models:	Barline-35F, Euroline-40F, Vergina-50SF		
spare parts for	347583		



No.	345813	Ref. No.	003.00.00069 HLE.00.00069
description	microswitch with lever 250V 10A 1CO connection male faston 6.3mm ambient temperature max. 85°C		

non-standard



1

No.	345814	Ref. No.	003.00.00231 HLE.00.00231
description	microswitch		
For models:	Barline-35F, Euroline-40F, Vergina-50SF		

position switches

LOVATO



1

No.	347579	Ref. No.	003.15.00003 HLE.15.00003
description	position switch plastic 1NO/1NC 400V 3A L 110mm W 30mm H 44mm protection IP66/67 actuating force: 380g screw connection M16 mounting distance 22mm type ZCP21		

TELEMECANIQUE (EFA)



1

No.	347579	Ref. No.	003.15.00003 HLE.15.00003
description	position switch plastic 1NO/1NC 400V 3A L 110mm W 30mm H 44mm protection IP66/67 actuating force: 380g screw connection M16 mounting distance 22mm type ZCP21		

control equipment

RENY

switches (complete)



1

No.	347581	Ref. No.	003.00.00008 HLE.00.00008
description	rotary selector mounting measurements ø22mm green sequence 0-1 latching		
For models:	Turbo-1500		

			
1			
No.	347582	Ref. No.	003.00.00509 HLE.00.00509
description	rotary selector mounting measurements ø22mm green sequence 1-0-2 latching		

lamps

indicator lights

indicator lights (complete)

ø10mm

with plug-in socket

			
1			
No.	359361	Ref. No.	003.00.00176 HLE.00.00176
description	indicator light ø 10mm 230V green		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

			
1			
No.	359360	Ref. No.	003.00.00028 HLE.00.00028
description	indicator light ø 10mm 230V yellow with cable		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

timers

programme timers

			
1			
No.	360518	Ref. No.	003.00.00448 HLE.00.00448
description	timer CDC 7803F1 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm voltage AC		
For models:	Barline-35F, Euroline-40F		

			
1			
No.	360274 ¹	Ref. No.	003.00.00215 HLE.00.00215
description	timer FIBER P26 engines 1 chambers 3 operation time 120s 230V shaft ø 6x4.6mm shaft L 18mm manif. no. P265J03H358 motor type M61B40L6400		
For models:	Turbo-1500		

¹incl. knob

contactors

LS Industrial Systems

overload switches

1

No.	381118	Ref. No.	003.15.00010 HLE.15.00010
description	overload switch setting range 2.5-4A type GTK-12M LS Industrial Systems		
For models:	Turbo-1500		
accessories for	381118		

No.	380238	Ref. No.	003.00.00056 HLE.00.00056
-----	--------	----------	------------------------------

power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW
main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A

GENERAL ELECTRIC (AEG)

power contactors

			
1			
No.	380238	Ref. No.	003.00.00056 HLE.00.00056
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		
For models:	Turbo-1500, Vergina-50SF		



relays

power relays

with bracket mounting



1

No.	380815	Ref. No.	003.00.00306
description	power relays 230VAC 16A 2NO connection male faston 6.3mm flange dimensions 36x38x68mm		
For models:	Euroline-40F		



1

No.	380808	Ref. No.	003.00.00082
description	power relays FINDER 230VAC 16A 3CO connection male faston 6.3mm bracket mounting manuf. no. 62.83.8.230.0000		

with male contacts

bullet connectors, 11 contacts



1

No.	380132	Ref. No.	003.15.00098 HLE.15.00098
description	power relays Italiana Relè 230VAC 10A 3CO connection plug-in connection round 11-pole manuf. no. C43-230AC ZVE11 250V 11-pole		
For models:	Turbo-1500		
accessories for	380132		
	No.	380136	Ref. No. 003.15.00099 HLE.15.00099
relay socket 11-pole connection plug-in connection round 11-pole dimensions 65x28x40mm 250V voltage AC 10A Italiana Relè manuf. no. ZVE11			

bullet connectors, 8 contacts



1

No.	380134	Ref. No.	003.00.00055 HLE.00.00055
description	power relays Italiana Relè 230VAC 10A 2CO connection plug-in connection round 8-pole manuf. no. C42-230VAC 90.26/ZVE8 250V		
accessories for	380134		
	No.	380137	Ref. No. 003.00.00034 HLE.00.00034
relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8			
	No.	380638	Ref. No. —
relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26			

relay sockets



1

No.	380136	Ref. No.	003.15.00099 HLE.15.00099
description	relay socket 11-pole connection plug-in connection round 11-pole dimensions 65x28x40mm 250V voltage AC 10A Italiana Relè manuf. no. ZVE11		
For models:	Turbo-1500		
accessories for	380136		
	No.	380805	Ref. No. —
support bracket			



1

No.	380137	Ref. No.	003.00.00034 HLE.00.00034
description	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8		
accessories for	380137		
	No.	380805	Ref. No. —
support bracket			

keypads

front foils

			
1			
No.	401134	Ref. No.	003.35.00000 HLE.BL.00000
description	front foil		

solenoid valves

solenoid valves (water)

ELBI			
			
1			
No.	370251	Ref. No.	003.00.00031 HLE.00.00031
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm input 10l/min t.max. 90°C ELBI plastic flow regulating valve inlet red		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal

			
1			
No.	541019	Ref. No.	003.00.00033 HLE.00.00033
description	pressure control pressure range 70/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

pumps

wash and rinse pumps

FIR

pumps

1

No.	500387	Ref. No.	003.00.00060 HLE.00.00060	
description	pump inlet ø 28mm outlet ø 26mm type 2211.1408 220V 50Hz 1 phase 0.074kW 0.1HP L 190mm rotation direction left capacitor 5µF FIR 2600rpm			
For models:	Barline-35F			
spare parts for	500387			
	No.	365017	Ref. No.	—
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	No.	510384	Ref. No.	003.00.00477 HLE.00.00477
	pump cover inlet ø 28mm outlet ø 26mm ø 100mm ID ø 76mm			
	No.	510695	Ref. No.	—
	mechanical shaft seal height counter ring 5.5mm ID ø 11mm			
	No.	521203	Ref. No.	003.35.00010 HLE.BL.00010
	impellor ø 72mm H 18mm thread M7 shaft ø 11mm shaft length 32mm blades 3			
	No.	521703	Ref. No.	—
	pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs			



1

No.	500388	Ref. No.	003.40.00005 HLE.EU.00005
description	pump inlet ø 33mm outlet ø 30mm type B265.1500 230V 50Hz 1 phase 0.22kW 0.3HP L 265mm rotation direction left capacitor 6.3µF FIR		
For models:	Euroline-40F		
spare parts for	500388		
	No.	365012	Ref. No. —
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			
	No.	501309	Ref. No. 003.40.00007
impellor ø 80mm H 19mm M7R pump type type D1			
	No.	510702	Ref. No. —
mechanical shaft seal height counter ring 5.5mm ID ø 12mm			
	No.	521500	Ref. No. 003.00.00134 HLE.00.00134
pump cover			
	No.	521700	Ref. No. —
pump cover gasket			




1

No.	500710	Ref. No.	003.00.00350 old version HLE.00.00350 old version
description	pump inlet ø 45mm outlet ø 40mm type 1217/A 230V 50Hz 1 phase 0.56kW 0.75HP L 295mm rotation direction right capacitor 12.5µF FIR		



1

No.	500389	Ref. No.	003.00.00083 HLE.00.00083
description	pump inlet ø 45mm outlet ø 40mm type 3911 230V 50Hz 1 phase 0.55kW 0.75HP rotation direction right FIR		



1

No.	500111	Ref. No.	003.00.00063 HLE.00.00063 HLE.VK.00063
description	pump inlet ø 63mm outlet ø 53mm type 1241.2500 230/400V 50Hz 3 phase 1.1kW 1.5HP L 330mm rotation direction left FIR		
For models:	Turbo-1500		
spare parts for	500111		
	No.	510531	Ref. No. 003.00.00480 HLE.00.00480
pump cover FIR inlet ø 63mm outlet ø 53mm auxiliary pressure connection M16x1.5mm supporting pressure open turn direction left ø 185mm ID ø 150mm inner height 37mm			
	No.	510612	Ref. No. 003.15.00029 HLE.15.00029
impellor ø 110mm H 34mm M8R			
	No.	510693	Ref. No. —
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	524416	Ref. No. —
pump cover gasket thickness 4x4mm Qty 1 pcs			

OLYMPIA
pumps


1

No.	499322	Ref. No.	003.40.00005
description	pump inlet ø 33mm outlet ø 30/28mm type L63.T33DX 230V 50Hz 1 phase 0.26kW 0.33HP L 260mm rotation direction left capacitor 5µF OLYMPIA		
spare parts for	499322		
	No.	365017	Ref. No. —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510693	Ref. No. —
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521258	Ref. No. —
	impellor ø 80mm H 13mm thread M10R shaft ø 12mm shaft length 7.5mm blades 6		
	No.	521551	Ref. No. 003.00.00478 HLE.00.00478
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm outlet 2 ø 28 turn direction left ø 103mm ID ø 93mm inner height 30mm		
	No.	521723	Ref. No. —
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		



1

No.	499050	Ref. No.	003.00.00350 HLE.00.00350
description	pump inlet ø 45mm outlet ø 40mm type MEC71.T75SX 230V 50Hz 1 phase 0.55kW 0.75HP L 283mm rotation direction right capacitor 12.5µF OLYMPIA		
For models:	Vergina-50SF		
spare parts for	499050		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510554	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	No.	510693	Ref. No. —
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	517368	Ref. No. —
	impellor ø 102mm H 21mm rotation direction right thread M10L suitable for Dühr blades 8		
	No.	521158	Ref. No. —
	pump cover OLYMPIA inlet 45 inlet ø 40mm pump type MEC71. T75SX		



drain pumps

HANNING



1

No.	499339	Ref. No.	003.00.00184 HLE.00.00184
description	drain pump 65W 230V inlet ø 24mm outlet ø 24mm 50Hz type BE20B2-017 HANNING		
For models:	Euroline-40F, Vergina-50SF		



1

No.	499133	Ref. No.	003.00.00635				
description	drain pump 65W 230V inlet ø 24mm outlet ø 24mm 50Hz type BE20B2-017 HANNING kit						
spare parts for	499133						
	<table><tr><th>No.</th><td>499339</td><th>Ref. No.</th><td>003.00.00184 HLE.00.00184</td></tr></table>	No.	499339	Ref. No.	003.00.00184 HLE.00.00184	drain pump 65W 230V inlet ø 24mm outlet ø 24mm 50Hz type BE20B2-017 HANNING	
No.	499339	Ref. No.	003.00.00184 HLE.00.00184				

accessories

pump cover gaskets



1

No.	501312	Ref. No.	002.00.00262
description	O-ring EPDM thickness 1.78mm ID ø 88.62mm Qty 1 pcs		



1

No.	521715	Ref. No.	002.00.00232 YDR.00.00232
description	pump cover gasket		

fuses

thermal fuses



1

No.	390734	Ref. No.	003.00.00168 old version HLE.00.00168 old version
description	thermal fuse switch-off temp. 90°C 1NC 1-pole 15A 250V connection male faston 6.3mm hole distance 24mm		

electric accessories

terminals

connection terminals with screw/faston connections



1

No.	550278	Ref. No.	003.00.00392 HLE.00.00392
description	power terminal block 3-pole max. 40A max 400V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	Barline-35F, Euroline-40F		



1

No.	550411	Ref. No.	003.00.00030 HLE.00.00030
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		

rail-mounted terminals

WEIDMÜLLER

feed-through terminals



1

No.	551094	Ref. No.	003.00.00023 HLE.00.00023
description	rail-mounted terminal 10mm ² for DIN rail 35mm grey 1-pole		
For models:	Turbo-1500		
accessories for	551094		
	No.	551095	Ref. No. 003.00.00024 HLE.00.00024
isolation barrier clamps 2.5-10mm ² grey for DIN rail 35mm			

accessories



1

No.	551095	Ref. No.	003.00.00024 HLE.00.00024
description	isolation barrier clamps 2.5-10mm ² grey for DIN rail 35mm		
For models:	Turbo-1500		

equipment-specific units

for dishwashers

drain and intake components

ELVIOMEX-ALFA

drain /intake bodies



1

No.	503323	Ref. No.	002.00.00084 YDR.00.00084
description	drain fitting		
For models:	Barline-35F, Euroline-40F, Vergina-50SF		



1

No.	524613	Ref. No.	002.00.00257
description	drain fitting complete thread M36x1.5 ED ø 60mm H 42mm ID ø 30mm hose ø 30mm		



1

No.	503325	Ref. No.	002.15.00017 YDR.15.00017
description	drain fitting thread 1½" ED ø 60mm H 49mm ID ø 40mm		
For models:	Turbo-1500		



1

No.	503329	Ref. No.	002.00.00081 YDR.00.00081
description	intake body		
For models:	Vergina-50SF		

filters



1

No.	524593	Ref. No.	002.15.00012 YDR.15.00012
description	filter support for drain filter ø 117mm thread M6		
For models:	Turbo-1500		



1

No.	517392	Ref. No.	001.40.00045
description	round filters for drain pump ø 106mm H 95mm		



1

No.	517391	Ref. No.	001.50.00040 ANO.VK.00040
description	round filters for drain pump ø 145mm H 90mm		

			
1			
No.	503326	Ref. No.	001.30.00030 ANO.30.00030 ANO.B3.00000
description			
round filters suction ø 110mm			
For models:			
Barline-35F, Euroline-40F			

			
1			
No.	503328	Ref. No.	001.70.00000 ANO.7V.00000
description			
round filters suction ø 140mm			
For models:			
Vergina-50SF			

			
1			
No.	503327	Ref. No.	001.15.00078 ANO.00.00042 ANO.15.00078
description			
round filters suction ø 180mm H 85mm			
For models:			
Turbo-1500			

			
1			
No.	518134	Ref. No.	001.00.00017 ANO.00.00017
description			
Thumb screw for filter fixing ø 20mm thread M6/M10			

overflow pipes			
			
1			
No.	503320	Ref. No.	002.30.00007 YDR.BA.00007
description			
overflow pipe L 100mm ø 29mm			
For models:			
Barline-35F, Euroline-40F			

			
1			
No.	503321	Ref. No.	002.30.00009 YDR.30.00009
description			
overflow pipe L 120mm ø 29mm			

			
1			
No.	503322	Ref. No.	002.70.00013 YDR.70.00013
description			
overflow pipe L 145mm ø 29mm			
For models:			
Vergina-50SF			

			
1			
No.	503324	Ref. No.	002.15.00031 YDR.15.00031
description			
overflow pipe L 165mm ø 39mm			
For models:			
Turbo-1500			

boilers

boilers for dishwashers



1

No.	524603	Ref. No.	001.40.00026 ANO.EU.00026
description	boiler ø 143mm L 270mm flange 3 hole flange inlet ø 10mm		
For models:	Euroline-40F		



1

No.	524600	Ref. No.	001.50.00017 ANO.VE.00017
description	boiler ø 143mm L 400mm flange 3 hole flange inlet ø 10mm		
For models:	Vergina-50SF		



1

No.	524599	Ref. No.	001.15.00027 ANO.15.00027
description	boiler ø 200mm L 453mm flange 3 hole flange inlet ø 10mm		
For models:	Turbo-1500		



1

No.	524592	Ref. No.	001.35.00055 ANO.BL.00055
description	boiler ø 96mm L 325mm flange 3 hole flange inlet ø 10mm		
For models:	Barline-35F		

accessories



1

No.	524614	Ref. No.	002.50.00001 YDR.VE.00001
description	connecting fitting for boiler thread 1/4"-1/2" ø 30mm L 50mm W 56mm WS 30 hose ø 10mm		
For models:	Vergina-50SF		

hood mechanics for dishwashers

miscellaneous



1

No.	511967	Ref. No.	002.15.00044
description	guide for hood linkage ID ø 31mm L 66mm plastic mounting pos. left/right H 24mm black W 51mm		
For models:	Turbo-1500		

air traps

air traps



1

No.	503337	Ref. No.	003.00.00014 HLE.00.00014
description	air trap		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		



1

No.	524607	Ref. No.	003.00.00552
description	air trap ø 49mm H 74mm thread M10x1.5 hose ø 6mm plastic		

backflow preventers

backflow preventers



1

No.	516101	Ref. No.	003.00.00269 HLE.00.00269
description	backflow preventer dishwasher hose ø 12mm		
For models:	Vergina-50SF		
spare parts for	516101		
	No.	506367	Ref. No. —
flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs			

miscellaneous



1

No.	524620	Ref. No.	002.00.00230 YDR.00.00230
description	bush PTFE H 6mm D1 ø 18mm D2 ø 13mm ID ø 10mm for ELVIOMEX ALFA		



1

No.	524598	Ref. No.	002.00.00229 YDR.00.00229
description	bush PTFE H 9.4mm D1 ø 22mm D2 ø 8.5mm ID ø 15mm for ELVIO-MEX ALFA		



1

No.	524623	Ref. No.	002.35.00026
description	bush PTFE H 9mm D1 ø 18mm D2 ø 14mm ID ø 10mm for ELVIOMEX ALFA		
For models:	Turbo-1500		

door mechanics

springs

tension springs



1

No.	519518	Ref. No.	001.15.00037 ANO.15.00037
description	tension spring ø 39mm wire gauge ø 5mm total length 510mm for door		
For models:	Turbo-1500		

locks



1

No.	518133	Ref. No.	001.00.00051 ANO.00.00051
description	snap lock mounting pos. upper for door		
For models:	Barline-35F, Euroline-40F, Vergina-50SF		

screw connections



1

No.	524617	Ref. No.	002.00.00224 YDR.00.00224
description	cap thread 1/2" H 21mm metal Qty 1 pcs		
For models:	Turbo-1500		

washing and rinsing systems



1

No.	524620	Ref. No.	002.00.00230 YDR.00.00230
description	bush PTFE H 6mm D1 ø 18mm D2 ø 13mm ID ø 10mm for ELVIOMEX ALFA		

			
1			
No.	524623	Ref. No.	002.35.00026
description	bush PTFE H 9mm D1 ø 18mm D2 ø 14mm ID ø 10mm for ELVIOMEX ALFA		
For models:	Turbo-1500		

			
1			
No.	524597	Ref. No.	002.00.00223 YDR.00.00223
description	gasket for wash arm support rubber ø 109mm ID ø 54mm thickness 3mm		
For models:	Turbo-1500		

			
1			
No.	524622	Ref. No.	002.00.00105
description	gasket rubber ø 103mm ID ø 58mm thickness 3mm		

			
1			
No.	517393	Ref. No.	002.00.00083 YDR.00.00083
description	rinse arm support H 60mm thread 1/2" W5 30 hose ø 10mm		

			
1			
No.	503345	Ref. No.	002.15.00011 YDR.15.00011
description	rinse pipe		

			
1			
No.	518131	Ref. No.	002.50.00016 YDR.VK.00016
description	throttle disc ED ø 45mm ID ø 13mm thickness 1mm		

			
1			
No.	518132	Ref. No.	002.15.00103 YDR.15.00103
description	throttle disc L 32mm W 32mm ID ø 14mm thickness 1mm		

			
1			
No.	524624	Ref. No.	002.50.00004 YDR.VK.00004
description	Thumb screw thread M6x1 thread L 8mm ø 19mm H 3.5mm SS Qty 1 pcs		
For models:	Barline-35F, Euroline-40F, Vergina-50SF		

			
1			
No.	524608	Ref. No.	002.50.00017 YDR.VK.00017
description	wash pipe L 143mm plastic		
For models:	Vergina-50SF		

washing and rinsing systems (sorted by producer)

ELVIOMEX-ALFA

			
1			
No.	524601	Ref. No.	001.15.00012 ANO.15.00012
description	flat filter H 21mm SS L 275mm W 231mm		
For models:	Turbo-1500		

			
1			
No.	503304	Ref. No.	002.40.00013 YDR.EU.00013
description	wash and rinse arm mounting pos. upper/lower 2 wash arms/ 2 rinse arms		
For models:	Euroline-40F		

1



No.	503300	Ref. No.	002.35.00035 YDR.BL.00035
description	wash and rinse arm wash arm L 350mm rinse arm L 350mm w. jets 10 r. jets 5 mounting ø 10/32mm mounting pos. lower 2 wash arms/ 2 rinse arms		
For models:	Barline-35F		

1



No.	503317	Ref. No.	002.11.00008 YDR.11.00008
description	rinse jet H 13mm thread M6x1 WS 10 conical seal		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

1



No.	524612	Ref. No.	002.35.00018 002.40.00011 YDR.BL.00018 YDR.EU.00011
description	wash arm boss L 80mm W 64mm H 40mm		
For models:	Barline-35F, Euroline-40F		

1

No.	503312	Ref. No.	002.15.00015 YDR.15.00015
description	rinse arm mounting pos. lower		

1

No.	503311	Ref. No.	002.15.00016 YDR.15.00016
description	wash and rinse arm mounting pos. lower		

1



No.	503339	Ref. No.	002.15.00091 YDR.15.00091
description	wash and rinse arm wash arm L 550mm rinse arm L 545mm w. jets 10 r. jets 6 mounting ø 10/55mm mounting pos. upper/lower		
For models:	Turbo-1500		
spare parts for	503339		
	No.	503317	Ref. No. 002.11.00008 YDR.11.00008
	rinse jet H 13mm thread M6x1 WS 10 conical seal		
	No.	524596	Ref. No. 002.15.00085 YDR.15.00085
	wash arm boss ø 61mm L 120mm W 90mm H 51mm		
	No.	524623	Ref. No. 002.35.00026
	bush PTFE H 9mm D1 ø 18mm D2 ø 14mm ID ø 10mm for ELVIOMEX ALFA		
	No.	524927	Ref. No. 002.15.00089 YDR.15.00089
	wash arm mounting pos. upper/lower L 248mm nozzles 5 mounting ø 28mm ø 30mm		
accessories for	503339		
	No.	524610	Ref. No. 002.15.00082 YDR.15.00082
	rinse arm shaft mounting pos. lower ø 20mm H 76mm thread 1/4"/ M8		

1

No.	503313	Ref. No.	002.15.00091 YDR.15.00004 YDR.15.00091
description	wash arm mounting pos. lower		

1



No.	503317	Ref. No.	002.11.00008 YDR.11.00008
description	rinse jet H 13mm thread M6x1 WS 10 conical seal		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

1



No.	524927	Ref. No.	002.15.00089 YDR.15.00089
description	wash arm mounting pos. upper/lower L 248mm nozzles 5 mounting ø 28mm ø 30mm		
For models:	Turbo-1500		

1 			
No.	524596	Ref. No.	002.15.00085 YDR.15.00085
description	wash arm boss ø 61mm L 120mm W 90mm H 51mm		

1 			
No.	503301	Ref. No.	002.35.00023 YDR.BL.00023
description	rinse arm L 370mm nozzles 5 mounting ø 10mm mounting pos. upper		
For models:	Barline-35F		

1 			
No.	503308	Ref. No.	002.50.00005 002.50.00026 YDR.VE.00026 YDR.VK.00006
description	rinse arm L 465mm nozzles 6 mounting ø 10mm mounting pos. upper/lower		
For models:	Vergina-50SF		

1 			
No.	503317	Ref. No.	002.11.00008 YDR.11.00008
description	rinse jet H 13mm thread M6x1 WS 10 conical seal		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		

1 			
No.	503307	Ref. No.	002.50.00006 YDR.VE.00006
description	wash arm L 510mm nozzles 6 mounting ø 15/62mm mounting pos. lower		
For models:	Vergina-50SF		

1 			
No.	503343	Ref. No.	002.15.00018_3 YDR.15.00018_3
description	wash arm H 105mm L 198mm nozzles 3 mounting pos. upper right		

1 			
No.	503341	Ref. No.	002.15.00018_1 YDR.15.00018_1
description	wash arm H 200mm L 105mm nozzles 3 mounting pos. upper left		

1 			
No.	503342	Ref. No.	002.15.00018_2 YDR.15.00018_2
description	wash arm H 200mm L 160mm nozzles 3 mounting pos. upper left		

1 			
No.	503344	Ref. No.	002.15.00018_4 YDR.15.00018_4
description	wash arm H 200mm L 160mm nozzles 3 mounting pos. upper right		

1 			
No.	503316	Ref. No.	002.15.00021 YDR.15.00021
description	wash jet		

			
1			
No.	503340	Ref. No.	002.15.00035 YDR.15.00035
description	rinse arm H 225mm L 520mm nozzles 10 mounting pos. upper		

			
1			
No.	503318	Ref. No.	002.15.00026 YDR.15.00008 YDR.15.00026
description	rinse jet		

			
1			
No.	503306	Ref. No.	002.50.00007 YDR.VE.00007
description	wash arm H 555mm L 485mm nozzles 8 mounting pos. upper		

			
1			
No.	503314	Ref. No.	002.50.00003 YDR.VE.00003
description	wash jet		

			
1			
No.	503315	Ref. No.	002.50.00030 YDR.VK.00014
description	wash jet		
For models:	Vergina-50SF		

miscellaneous			
			
1			
No.	524621	Ref. No.	002.00.00145 YDR.00.00145
description	end cap for rinse arm thread M11x1 ø 12mm H 6mm suitable for ELVIOMEX ALFA		

			
1			
No.	524594	Ref. No.	002.35.00047
description	end cap for rinse arm thread M9x1 ø 10mm H 6mm		

			
1			
No.	503156	Ref. No.	002.1500093 A YDR.15.00093 A
description	rinse arm mounting pos. A L 247mm nozzles 3		

			
1			
No.	503157	Ref. No.	002.1500093 B YDR.15.00093 B
description	rinse arm mounting pos. B L 274mm nozzles 3 tube ø 12mm		

			
1			
No.	503319	Ref. No.	002.15.00022 YDR.15.00022
description	rinse jet		

1

				
No.	503346	Ref. No.	002.15.00018 YDR.15.00018	
description	wash arm 6-piece			
spare parts for	503346			
	No.	503341	Ref. No.	002.15.00018_1 YDR.15.00018_1
	wash arm H 200mm L 105mm nozzles 3 mounting pos. upper left			
	No.	503342	Ref. No.	002.15.00018_2 YDR.15.00018_2
	wash arm H 200mm L 160mm nozzles 3 mounting pos. upper left			
	No.	503343	Ref. No.	002.15.00018_3 YDR.15.00018_3
	wash arm H 105mm L 198mm nozzles 3 mounting pos. upper right			
	No.	503344	Ref. No.	002.15.00018_4 YDR.15.00018_4
	wash arm H 200mm L 160mm nozzles 3 mounting pos. upper right			

1			
No.	503303	Ref. No.	002.35.00029 YDR.BL.00029
description	rinse arm support mounting pos. upper		
For models:	Barline-35F, Vergina-50SF		

1			
No.	503309	Ref. No.	002.50.00027 YDR.VE.00010 YDR.VE.00027
description	rinse arm support mounting pos. upper until year of construction 2002		

1			
No.	503302	Ref. No.	002.35.00041 YDR.BL.00041
description	wash arm support mounting pos. lower		
For models:	Barline-35F		

1			
No.	503310	Ref. No.	002.00.00080 002.50.00036 YDR.00.00080 YDR.VE.00080
description	wash arm support mounting pos. lower		
For models:	Vergina-50SF		

1			
No.	524595	Ref. No.	002.35.00019 YDR.BL.00019
description	wash arm support mounting pos. lower H 53mm		
For models:	Barline-35F, Euroline-40F		

1			
No.	524604	Ref. No.	002.15.00084 YDR.15.00084
description	wash arm support mounting pos. lower ø 52mm H 252mm ID ø 44mm		
For models:	Turbo-1500		



1

No.	524605	Ref. No.	002.40.00012 YDR.EU.00012
description	wash arm support mounting pos. lower thread M6 ø 30mm H 280mm ID ø 28mm		
For models:	Euroline-40F		



1

No.	503305	Ref. No.	002.40.00014 YDR.EU.00014
description	wash arm support mounting pos. upper		
For models:	Euroline-40F		



1

No.	524606	Ref. No.	002.15.00086 YDR.15.00086
description	wash arm support mounting pos. upper H 60mm		
For models:	Turbo-1500		

rinse arm shafts



1

No.	524625	Ref. No.	002.35.00016 YDR.BL.00016
description	rinse arm shaft mounting pos. lower ø 16mm H 55mm thread M6		
For models:	Barline-35F, Euroline-40F		



1

No.	524611	Ref. No.	002.11.00002 YDR.11.00002
description	rinse arm shaft mounting pos. lower ø 20mm H 75mm thread 1/4"/ M6		
For models:	Vergina-50SF		



1

No.	524610	Ref. No.	002.15.00082 YDR.15.00082	
description	rinse arm shaft mounting pos. lower ø 20mm H 76mm thread 1/4"/M8			
For models:	Turbo-1500			
accessories for	524610			
	No.	524619	Ref. No.	002.15.00083 YDR.15.00083
	knurled nut thread M8 ø 25mm H 7mm SS			



1

No.	524618	Ref. No.	002.50.00012 YDR.VK.00012
description	rinse arm shaft mounting pos. upper ø 10mm H 31mm thread M10		
For models:	Vergina-50SF		



1

No.	524609	Ref. No.	002.40.00001 YDR.EU.00001
description	rinse arm shaft mounting pos. upper ø 16mm H 54mm thread M6/ M10		
For models:	Euroline-40F		



1

No.	524615	Ref. No.	002.35.00015 YDR.BL.00015
description	rinse arm shaft ø 12mm H 101mm thread M10		
For models:	Barline-35F		

1 			
No.	524616	Ref. No.	002.40.00004
description	rinse arm shaft ø 12mm H 122mm thread M10		
For models:	Euroline-40F		

handles and hand wheels

bracket handles

1 			
No.	503338	Ref. No.	001.00.00119 ANO.00.00119
description	pull handle		
For models:	Barline-35F, Euroline-40F		

1 			
No.	503160	Ref. No.	001.00.00118 ANO.00.00118
description	pull handle L 418mm H 35mm mounting distance 378mm thread M8x1.25 W 25mm complete grey		
For models:	Vergina-50SF		

equipment feet and end caps

screw-in feet

1 			
No.	701048	Ref. No.	001.00.00016 ANO.00.00016
description	equipment foot thread M10 thread L 26mm ø 40mm H 46mm Qty 1 pcs		
For models:	Barline-35F, Euroline-40F, Vergina-50SF		

baskets

warewashing baskets

accessories

plate inserts


1 			
No.	972036	Ref. No.	003.00.00517 HLE.00.00517
description	plate insert L 290mm W 90mm H 75mm plates 12		


1 			
No.	971147	Ref. No.	003.40.00015 HLE.EU.00015
description	plate insert L 370mm W 380mm H 75mm plates 8 plastic-coated steel		

gaskets

O-rings

EPDM

1 			
No.	501312	Ref. No.	002.00.00262
description	O-ring EPDM thickness 1.78mm ID ø 88.62mm Qty 1 pcs		

1 			
No.	510551	Ref. No.	002.00.00261
description	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		



special gaskets

gaskets for wash arm support



1

No.	524622	Ref. No.	002.00.00105
description	gasket rubber ø 103mm ID ø 58mm thickness 3mm		

industrial hoses

Niplaflex hoses



1

No.	530561	Ref. No.	002.15.00099 YDR.15.00099
description	pressure hose ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 10bar burst p. 30bar t.max. 110°C		
For models:	Turbo-1500		

dosing pumps

membrane dosing pumps

self-priming

various



1

No.	361370	Ref. No.	003.00.00268 HLE.00.00268
description	dosing pump type model 2 rinse aid inlet 4x6mm outlet 4x6mm pressure connection ø 4x6mm suction connection ø 4x6mm		
For models:	Barline-35F, Euroline-40F, Turbo-1500, Vergina-50SF		
spare parts for	361370		
	No.	361307	Ref. No. —
membrane dosing pump ø 68mm hole ø 6mm for type DIB3P/DIB5P			
	No.	361459	Ref. No. —
hose connector ø 6mm for dosing pump			

formed hoses

straight



1

No.	503332	Ref. No.	002.00.00178 YDR.00.00178
description	formed hose dishwasher straight equiv. no. YDR.00.00178		
For models:	Euroline-40F		



1

No.	503336	Ref. No.	002.15.00029 YDR.15.00029
description	formed hose dishwasher straight equiv. no. YDR.15.00029		



1

No.	503331	Ref. No.	002.35.00025 YDR.BL.00025
description	formed hose dishwasher straight equiv. no. YDR.BL.00025		
For models:	Barline-35F		

hoses

drain hoses



1

No.	530572	Ref. No.	002.00.00234 YDR.00.00234
description	drain hose DN24 L 2000mm straight ø inside 24mm straight ext. ø 29mm elbow ø inside 29mm elbow ext. ø 35mm outer hose ø 29mm		
For models:	Vergina-50SF		

form L

			
1			
No.	524629	Ref. No.	002.50.00014 YDR.VE.00014
description	formed hose end piece A ext. ø 41mm end piece A int. ø 26mm AD2 ø 41mm ø end piece B 26mm L 62mm plastic Qty 1 warewashing L-shape for drain pump mounting pos. supply		
For models:	Vergina-50SF		

			
1			
No.	524628	Ref. No.	002.35.00048
description	formed hose end piece A ext. ø 41mm end piece A int. ø 27mm AD2 ø 41mm ø end piece B 30/27mm L 100mm plastic Qty 1 warewashing L-shape supply		
For models:	Barline-35F		

			
1			
No.	524627	Ref. No.	002.40.00024
description	formed hose end piece A ext. ø 41mm end piece A int. ø 27mm AD2 ø 41mm ø end piece B 30/27mm L 96mm plastic Qty 1 warewashing L-shape supply		
For models:	Euroline-40F		

			
1			
No.	524626	Ref. No.	002.40.00025
description	formed hose end piece A ext. ø 41mm end piece A int. ø 30mm AD2 ø 41mm ø end piece B 26mm L 90mm plastic Qty 1 warewashing L-shape supply		
For models:	Euroline-40F		

			
1			
No.	517390	Ref. No.	002.15.00027 YDR.15.00027
description	formed hose end piece A ext. ø 51mm end piece A int. ø 41mm AD2 ø 46mm ø end piece B 36mm L 490mm Qty 1 warewashing L-shape		
For models:	Turbo-1500		

			
1			
No.	503333	Ref. No.	002.00.00127 YDR.00.00127
description	formed hose end piece A int. ø 44mm ø end piece B 41mm L 130mm L1 130mm warewashing L-shape equiv. no. YDR.00.00027		
For models:	Vergina-50SF		

			
1			
No.	503330	Ref. No.	002.00.00126 YDR.00.00126
description	formed hose warewashing L-shape equiv. no. YDR.00.00126		

			
1			
No.	503335	Ref. No.	002.15.00058 YDR.15.00058
description	formed hose warewashing L-shape equiv. no. YDR.15.00058		
For models:	Turbo-1500		

			
1			
No.	503334	Ref. No.	002.50.00032 YDR.VK.00013
description	formed hose warewashing L-shape equiv. no. YDR.VK.00013		
For models:	Vergina-50SF		

form U



1

No.	517389	Ref. No.	002.40.00023
description	formed hose D1 ø 38mm D2 ø 28mm L 590mm warewashing black Qty 1		
For models:	Euroline-40F		

fittings, hose and pipe connectors

fittings

double nipples



1

No.	520168	Ref. No.	002.00.00030
description	double nipple nickel-plated brass thread 1/2" - 1/2" Qty 1 pcs		

angle pieces



1

No.	541493	Ref. No.	002.00.00225 002.00.00226 YDR.00.00225 YDR.00.00226
description	angle piece thread 1/2" IT - 1/2" ET chrome-plated brass		
For models:	Turbo-1500		

measuring equipment

thermometers

built-in thermometers



1

No.	541306	Ref. No.	003.00.00019 003.00.00505 HLE.00.00019 HLE.00.00505
description	thermometer mounting measurements 62x11mm 0 up to +120°C capillary pipe 3000mm probe ø 6mm probe L 27mm		
For models:	Turbo-1500, Vergina-50SF		

fastening material

screws

knurled screws



1

No.	524624	Ref. No.	002.50.00004 YDR.VK.00004
description	Thumb screw thread M6x1 thread L 8mm ø 19mm H 3.5mm SS Qty 1 pcs		
For models:	Barline-35F, Euroline-40F, Vergina-50SF		

nuts

knurled nuts



1

No.	524619	Ref. No.	002.15.00083 YDR.15.00083
description	knurled nut thread M8 ø 25mm H 7mm SS		
For models:	Turbo-1500		

union nuts



1

No.	520559	Ref. No.	002.00.00144 YDR.00.00144
description	union nut chrome-plated thread 1/2" H 13mm WS 26 Qty 1 pcs for pipe ø 12mm		
For models:	Vergina-50SF		

consumables

fuses

thermal fuses



No.	390734	Ref. No.	003.00.00168 old version HLE.00.00168 old version
description	thermal fuse switch-off temp. 90°C 1NC 1-pole 15A 250V connection male faston 6.3mm hole distance 24mm		