

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

EVERLASTING



thermostats

refrigeration thermostats

RANCO

K22 series

RANCO



1

No.	390589	Ref. No.	N/A
description	thermostat RANCO type K22L1083 probe ø 2mm probe Lmm capillary pipe 2300mm		

switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

No.	301019	Ref. No.	25793
description	momentary rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/250°C protection IP65		
accessories for	301019		
	No.	301036	Ref. No.
			—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

relays

power relays

with bracket mounting



1

No.	380185	Ref. No.	35346
description	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A10-230AC-FA		

supervisory relays



1

No.	401610	Ref. No.	N/A
description	supervisory relay revolutions		

electronic controllers

EVCO - EVERY CONTROL

refrigeration controllers

built-in version



1

No.	379649	Ref. No.	61214
description	electronic controller EVERY CONTROL type EVKB33N7VXXS mounting measurements 71x29mm 230V voltage AC NTC relay outputs 3 NO-30A(12) CO-8A(4) NO-8A(4) NTC NTC DI front measurementsmm built-in depth 59mm protection IP65 -40 up to +105°C display 3½ digits		
accessories for	379649		
	No.	379053	Ref. No.
			—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379064	Ref. No.
			—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379161	Ref. No.
			—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379782	Ref. No.
			—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		



probes

universal probes


temperature probes




No.	381383	Ref. No.	28575
description	temperature probe PTC cable PVC probe -40 up to +150°C cable -50 up to +180°C probe ø6x30mm cable length 4m 2-wire		

producer-specific probes

core probes



No.	378516	Ref. No.	35826
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C connection 2-wire probe ø5/8x-200mm thread cable length 3.5m handle ø 13mm handle length 110mm		



No.	378663	Ref. No.	61723 64200
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C connection 2-wire probe ø5x70mm thread M12x1 cable length 2/4m handle ø 15mm handle length 125mm		

compressors

EMBRACO / ASPERA

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



No.	605081	Ref. No.	27947
description	compressor coolant R404a/R507 type NJ2212GK 220-240V 50Hz LBP fully hermetic 21.5kg 1 1/2HP power input 1150W cylinder capacity 34cm³ CSR H 277mm 880W 1269W 1738W 2289W 2921W 2921WWWW test method ASHRAE		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



No.	605162	Ref. No.	28983
description	compressor coolant R404a/R507 type NEK6181GK 220-240V 50Hz HMBP 10.4kg 1/4HP cylinder capacity 7.28cm³ CSIR H 190mmWW 454W 533W 677W 826W 1000W 1198W 1422W		

fans

refrigeration fans

refrigeration motors universal

ELCO

BT series - capacitor motors



1

No.	601420 ¹	Ref. No.	N/A
description	fan motor 45W 230V 50Hz L1 53mm L2 18mm L3 120mm W 103mm cable length 500mm 1300rpm ELCO 3FBT 50-40/15 3 mounting options bearing slide bearing		

¹incl. capacitor


pumps

pumps for ice machines



1

	No.	500590	Ref. No.	N/A
description	pump FIR type 4240.2300 120W 230V 50/60Hz inlet ø 22mm outlet ø 22mm L 240mm rotation direction right for ice-cube maker capacitor 5µF			
spare parts for	500590			
	No.	601412	Ref. No.	—
fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic				
	No.	601413	Ref. No.	—
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm				



1

No.	500165	Ref. No.	N/A	
description	pump REBO type 63/35 120W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 180mm rotation direction right for ice-cube maker capacitor 5µF			
spare parts for	500165			
	No.	365017	Ref. No.	—
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 p			

spare parts for		500165		
	No.	601412	Ref. No.	—
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic			
	No.	601413	Ref. No.	—
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			



1

No.	500166	Ref. No.	N/A	
description	pump REBO type 63/45 150W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 200mm rotation direction right capacitor 5µF			
spare parts for	500166			
	No.	365017	Ref. No.	—
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection				
	No.	601412	Ref. No.	—
fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic				
	No.	601413	Ref. No.	—
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm				



1

No.	500161	Ref. No.	N/A	
description	pump REBO type NR40 55W 230V 50Hz outlet ø 17mm L 110mm rotation direction left for ice-cube maker			
spare parts for	500161			
	No.	500970	Ref. No.	N/A
	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker			



1

No.	500970	Ref. No.	N/A
description	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker		



equipment-specific units

for ice-cube maker

pan mechanics

spare parts and accessories



1

No.	695013	Ref. No.	N/A
description	paddle with spindle		



1

No.	695012	Ref. No.	N/A
description	paddle with spindle ø 95mm shaft ø 6mm shaft length 350mm		

handles and hand wheels

bracket handles



1

No.	690451	Ref. No.	21635
description	pull handle L 426mm H 40mm mounting distance 376mm black		

locks

snap locks

producer-specific

EVERLASTING



1

No.	691981	Ref. No.	21642 ETA180
description	snap lock L 86mm W 48mm H 53mm mounting distance 36mm type EVERLASTING		

hinges

spring assisted hinges

producer-specific

EVERLASTING



1

No.	701128	Ref. No.	22329
description	spring assisted hinge L 75mm W 25mm H 103mm A 5mm B 13mm shaft length 9mm refrigeration units mounting distance 25.4mm mounting measurements 22x22x100mm intake 7.5x7.5		

door bearing

1

No.	691946	Ref. No.	20035
description	bush L 12mm ø 12mm ID ø 8mm for hinge		

1

No.	691944	Ref. No.	22328
description	door hinge L 180mm W 48mm H 22mm mounting pos. lower		

1


No.	691945	Ref. No.	28378
description	door hinge L 58mm W 30mm H 60mm mounting pos. centre		

pullouts

drawer slides

universal

compeX



No.	690753 ¹	Ref. No.	32325
description	telescopic slide pair L 550mm pull-out length 610mm total length 1160mm Qty 1 pair capacity 50kg H 60mm SS telescopic		
spare parts for	690753		
	No.	690750	Ref. No. —
	stop for telescopic rail L 20mm plastic H 12mm D 9mm		
	No.	696333	Ref. No. —
	stop for telescopic rail L 20mm plastic H 15mm D 8mm		


¹multiple slide (60mm more than nominal length)

shelves and shelf rails

grates

universal

without upstand



No.	970892	Ref. No.	21467
description	grate W 550mm D 625mm plastic-coated steel		


gaskets

refrigeration gaskets

plug-in gaskets

profile 9773


We offer custom-made gaskets for this profile




No.	902305	Ref. No.	N/A
description	refrigeration gasket profile 9773 Wmm L 2500mm		

profile 9704


We offer custom-made gaskets for this profile




No.	901960	Ref. No.	35748
description	blast freezer gasket profile 9704 W 410mm L 715mm for blast chiller suitable for EVERLASTING		





No.	901031	Ref. No.	021G423295 32300
description	refrigeration gasket profile 9704 W 295mm L 423mm plug size L1 414mm W1 286mm external size		




No.	901027	Ref. No.	N/A
description	refrigeration gasket profile 9704 W 388mm L 625mm plug size magnet 3-sided L1 616mm W1 379mm external size		

			
No.	901030	Ref. No.	021G620423 32281
description	refrigeration gasket profile 9704 W 423mm L 620mm plug size L1 611mm W1 414mm external size		


			
No.	901029	Ref. No.	32286 N/A
description	refrigeration gasket profile 9704 W 498mm L 620mm plug size L1 611mm W1 489mm external size		


			
No.	901025	Ref. No.	N/A
description	refrigeration gasket profile 9704 W 601mm L 1561mm plug size		


			
No.	901023	Ref. No.	28067
description	refrigeration gasket profile 9704 W 651mm L 1551mm plug size L1 1542mm W1 642mm external size		


profile 9753


We offer custom-made gaskets for this profile

			
No.	901032	Ref. No.	N/A
description	refrigeration gasket profile 9753 W 186mm L 423mm plug size		

			
No.	901028	Ref. No.	N/A
description	refrigeration gasket profile 9753 W 300mm L 390mm plug size		


			
No.	901026	Ref. No.	N/A
description	refrigeration gasket profile 9753 W 610mm L 770mm plug size		

			
No.	901024	Ref. No.	28068 N/A
description	refrigeration gasket profile 9753 W 651mm L 741mm plug size		

			
No.	900875	Ref. No.	N/A
description	refrigeration gasket profile 9753 Wmm L 2500mm		

profile 9333


We offer custom-made gaskets for this profile


			
No.	902167	Ref. No.	N/A
description	refrigeration gasket profile 9333 Wmm L 2500mm		


screw-in gaskets


profile 9140


We offer custom-made gaskets for this profile

			
No.	901037	Ref. No.	N/A
description	refrigeration gasket profile 9140 W 308mm L 388mm external size magnet 3-sided		

			
No.	901036	Ref. No.	N/A
description	refrigeration gasket profile 9140 W 388mm L 636mm external size magnet 3-sided		

			
No.	901034	Ref. No.	N/A
description	refrigeration gasket profile 9140 W 610mm L 1400mm external size magnet 3-sided		

			
No.	901035	Ref. No.	N/A
description	refrigeration gasket profile 9140 W 610mm L 670mm external size magnet 3-sided		

			
No.	901033	Ref. No.	N/A
description	refrigeration gasket profile 9140 W 620mm L 1530mm external size magnet 3-sided		

evaporation and condensing trays

unheated condensing trays

			
No.	750316	Ref. No.	—
description	condensing tray L 160mm W 80mm H 85mm		