

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS

Spare parts suitable for


FABA


heating elements


heating elements for crepes makers


			
1			
No.	416636	Ref. No.	PR30001
description	heating element 2000W 230V L 280mm Wmm H 34mm tube ø 9mm connection M4 dry heating element heating circuits 1 ED ø 305mm crepes maker		


heating elements for contact grills

			
1			
No.	416145	Ref. No.	PR10003
description	heating element 1000W 230V L 177mm W 180mm H 18mm W1 46mm W2 88mm tube ø 6.3mm windings 3 connection M4 dry heating element		


			
1			
No.	416146	Ref. No.	PR103/1
description	heating element 1200W 230V L 180mm W 228mm H 20mm W1 55mm W2 118mm connection length 23mm tube ø 6.3mm windings 4 connection M4 dry heating element		


			
1			
No.	416147	Ref. No.	PR103/2
description	heating element 1500W 230V L 180mm W 175mm H 15mm W1 52mm W2 71mm connection length 22mm tube ø 6.3mm windings 5 connection M4 dry heating element		


			
1			
No.	416148	Ref. No.	PR10013
description	heating element 800W 230V heating circuits 1 L 175mm W 180mm H 20mm W1 46mm W2 118mm connection length 23mm tube ø 6.3mm windings 3 connection M4 dry heating element		

			
1			
No.	416173	Ref. No.	PR13007
description	heating element 850W 230V heating circuits 1 L 254mm W 202mm H 25mm W1 68mm W2 66mm connection length 23mm tube ø 6.3mm windings 5 connection M4 number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 195mm bridge length 240mm dry heating element		

quartz heating elements

			
1			
No.	416144	Ref. No.	PR4G015
description	quartz heating element 300W 115V L 440mm		

			
1			
No.	416142	Ref. No.	P40004
description	quartz heating element L 285mm ø 11mm 800W 230V W 110mm connection eye		

			
1			
No.	416143	Ref. No.	P404/1
description	quartz heating element L 390mm ø 11mm 1000W 230V W 110mm connection eye		
spare parts for	416143		
	No.	416493	Ref. No.
	quartz tube WV L 390mm ID ø 8.5mm ED ø 11mm		



accessories

capillary tube clips



1

No.	550491	Ref. No.	PR70044
description	capillary tube clip for pipe ø 8.5mm for circular tube heating elements		

spring clips



1

No.	550419	Ref. No.	PR70042
description	probe clip for pipe ø 8.5mm for probe ø 6mm Qty 1 pcs		

1

No.	693048	Ref. No.	PR405/7
description	insulator		




1

No.	693047	Ref. No.	PR405/6+PR405/7
description	insulator complete hole ø 5.3mm ø 16mm		

thermostats

bi-metal thermostats

safety bi-metal thermostats



1

No.	390187	Ref. No.	PR10015
description	bi-metal safety thermostat hole distance 40mm switch-off temp. 180°C 2NC 2-pole 16A connection F6.3 2 hole fixing		

bi-metal thermostats



1

No.	390096	Ref. No.	PR40026
description	bi-metal thermostat hole distance 40mm switch-off temp. 200°C 1NC 1-pole 16A 250V connection F6.3 M4		

control and safety thermostats

EGO

control thermostats

55.10/19_ series



1

No.	375264	Ref. No.	PR70009
description	thermostat t.max. 190°C temperature range 80-190°C 1-pole 1NO 16A probe ø 6mm probe L 87mm capillary pipe 570mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position lower rotation 270°		



1

No.	375002	Ref. No.	PR10009
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		

 			
1			
No.	375253	Ref. No.	PR13012
description	thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

safety thermostats

56_ series


 			
1			
No.	390610	Ref. No.	PR70008
description	safety thermostat switch-off temp. 235°C 1-pole 16A probe ø 3mm probe L 190mm capillary pipe 1000mm capillary pipe isolated 640mm gland nut probe SS		

accessories


probe clips

spring clips

for thermostat

			
1			
No.	550419	Ref. No.	PR70042
description	probe clip for pipe ø 8.5mm for probe ø 6mm Qty 1 pcs		


capillary tube clips



			
1			
No.	550491	Ref. No.	PR70044
description	capillary tube clip for pipe ø 8.5mm for circular tube heating elements		


switches and momentary switches

rocker/momentary rocker switches

30x22mm

			
1			
No.	347791	Ref. No.	PR60008
description	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		


				
1				
No.	345647	Ref. No.	PR4G026	
description	rocker switch mounting measurements 30x22mm red/red 1NO/NO 250V 16A illuminated I/II connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40			
accessories for	345647			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

			
1			
No.	345646	Ref. No.	PR40027
description	rocker switch mounting measurements 30x22mm black/orange 1NO/indicator light 250V 16A I-II connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		

microswitches

pin-plunger actuated


M10

			
1			
No.	345032	Ref. No.	PR70011
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		



cam switches

on/off



1

No.	300124	Ref. No.	PR10007
description	cam switch ON-OFF connection male faston		

lamps

indicator lights

indicator lights (complete)

ø10mm

with plug-in socket



1

No.	359139	Ref. No.	PR10006
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		



1

No.	359140	Ref. No.	PR10010
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

timers

mechanical timers



1

No.	360149	Ref. No.	PR40014
description	timer IT 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 7x5mm shaft 7x5mm shaft L 15mm mounting distance 28mm connection lateral		

contactors

ISKRA (FANAL)

power contactors



1

No.	380213	Ref. No.	PR70015
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		

gas thermostats

SABAF



1

No.	101687	Ref. No.	PR3G044
description	gas thermostat SABAF t.max. 300°C gas inlet pipe flange ø16mm bypass nozzle ø 0.37mm gas outlet M13x1 IT (tube ø 8mm) gas outlet 2 thermocouple connection M8x1 pilot connection capillary pipe 850mm probe ø 4mm probe L 140mm shaft ø 8x6.5mm shaft L 17/12mm shaft flat lower		
accessories for	101687		
	No.	101277	Ref. No. —
	olive ID ø 8mm Qty 1 pcs		
	No.	101376	Ref. No. —
	gasket ID ø 8mm ED ø 12mm H 3/5mm		
	No.	101477	Ref. No. —
	union screw thread M13x1 tube ø 8mm Qty 1 pcs		
	No.	101751	Ref. No. PR3G046
	bracket		

ignition parts

electrodes

No.	100167	Ref. No.	PR3G033
description	ignition electrode D1 ø6mm cable length 700mm connection F 2.8x0.8mm D2 ø8.5mm BL1 14mm BL2 2mm BL3 13mm to clip		

piezoelectric igniters

mounting diameter 18mm



1



No.	100009	Ref. No.	PR3G047
description	piezoelectric igniter body plastic blowing mounting ø 18mm connection ø2.4mm front measurements 26mm M18x1.5		
accessories for	100009		
	No.	101339	Ref. No. —
cover cap for piezoelectric igniter			
	No.	106869	Ref. No. —
cover cap for piezoelectric igniter ID ø 22mm ED ø 35mm H 25mm			
	No.	107931	Ref. No. —
cover cap for piezoelectric igniter ID ø 21mm ED ø 36mm			

thermocouples

threaded thermocouples

threaded thermocouples standard

threaded thermocouples (miscellaneous)

				
No.	102121	Ref. No.	PR3G034	
description	thermocouple M8x1 L 600mm M6x0.5			
accessories for	102121			
	No.	100892	Ref. No.	—
thermocouple nut thread M6x0.5 H 6.5mm WS 8 brass Qty 1 pcs				

gas burners

hob burners

universal hob burners

SABAF

1 series




1

No.	104288	Ref. No.	PR3G029	
description	burner cap 3.6kW ø 120mm			
accessories for	104288			
	No.	104289	Ref. No.	PR3G032
	burner lower part 3/3.6kW for burner cap ø 90/120mm			
	No.	105086	Ref. No.	PR3G030
	burner ring 3.6kW for burner cap ø 120mm			
	No.	105087	Ref. No.	PR3G031
	burner head 3.6kW for burner cap ø 120mm			



1

No.	105087	Ref. No.	PR3G031	
description	burner head 3.6kW for burner cap ø 120mm			
accessories for	105087			
	No.	104288	Ref. No.	PR3G029
	burner cap 3.6kW ø 120mm			
	No.	105085	Ref. No.	—
	burner cap ø 120mm			
	No.	105086	Ref. No.	PR3G030
	burner ring 3.6kW for burner cap ø 120mm			
	No.	105088	Ref. No.	—
	burner cap A ø 110mm with central hole			
	No.	105089	Ref. No.	—
	burner ring 3kW for burner cap ø 90mm			









1

No.	104289	Ref. No.	PR3G032
description	burner lower part 3/3.6kW for burner cap ø 90/120mm		
accessories for	104289		
	No.	104286	Ref. No.
	burner cap 3kW ø 90mm		

Table continues overleaf




accessories for 104289				
	No.	104288	Ref. No.	PR3G029
burner cap 3.6kW ø 120mm				
	No.	105086	Ref. No.	PR3G030
burner ring 3.6kW for burner cap ø 120mm				
	No.	105087	Ref. No.	PR3G031
burner head 3.6kW for burner cap ø 120mm				
	No.	105089	Ref. No.	—
burner ring 3kW for burner cap ø 90mm				
	No.	105090	Ref. No.	—
burner head 3kW for burner cap ø 90mm				
	No.	106482	Ref. No.	—
gas injector thread M6x0.75 WS 7 bore ø 1.1mm				
	No.	106485	Ref. No.	—
gas injector thread M6x0.75 WS 7 bore ø 1.6mm				


	No.	105086	Ref. No.	PR3G030
burner ring 3.6kW for burner cap ø 120mm				
accessories for 105086				
	No.	105085	Ref. No.	—
burner cap ø 120mm				
	No.	105087	Ref. No.	PR3G031
burner head 3.6kW for burner cap ø 120mm				
	No.	105088	Ref. No.	—
burner cap A ø 110mm with central hole				
	No.	105089	Ref. No.	—
burner ring 3kW for burner cap ø 90mm				


knobs

producer-specific knobs

FABA

	No.	110377	Ref. No.	PR3G048
knob switch zero mark ø 40mm shaft ø 8x6.5mm shaft flat upper black				
description		knob switch zero mark ø 40mm shaft ø 8x6.5mm shaft flat upper black		


	No.	110374	Ref. No.	PR10008
knob switch zero mark t.max.°C ø 40mm shaft ø 6x4.6mm shaft flat upper black				
description		knob switch zero mark t.max.°C ø 40mm shaft ø 6x4.6mm shaft flat upper black		

	No.	110889	Ref. No.	PR40016
knob time 15min ø 44mm black				
description		knob time 15min ø 44mm black		

fittings for catering equipment

outlet taps

universal

	No.	540747	Ref. No.	PR70014
outlet tap chrome-plated brass angled W 30mm H 40mm thread 1/2" IT				
description		outlet tap chrome-plated brass angled W 30mm H 40mm thread 1/2" IT		

baskets


fryer baskets


FABA

	No.	970236	Ref. No.	PR70005
fryer basket L1 280mm W1 210mm H1 110mm				
description		fryer basket L1 280mm W1 210mm H1 110mm		

springs

torsion springs

			
1			
No.	700171	Ref. No.	PR13032
description	torsion spring ø 21.4mm L2 40mm wire gauge ø 3.3mm L1 100mm L3 34mm		

			
1			
No.	700170	Ref. No.	PR10012
description	torsion spring ø 22.3mm L2 40mm wire gauge ø 4.1mm L1 131mm		