

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

FOEM

hot plates


square & rectangular

tiltable



1

No.	490085	Ref. No.	05010080750
description	hot plate dimensions 300x300mm 2500W 230V with cast edge tilt boiling plate connection 3 screw clamps H 43mm square		



1

No.	490089	Ref. No.	05010080850
description	hot plate dimensions 300x300mm 4000W 230V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		

thermostats

control and safety thermostats

EGO

control thermostats

51._ series



1

No.	390070	Ref. No.	390070
description	thermostat t.max. 265°C temperature range 55-265°C 1-pole 1NO 15A probe ø 3mm probe L 219mm capillary pipe 2000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° probe material SS		

55.10/19_ series



1

No.	375004	Ref. No.	05000087150
description	thermostat t.max. 211°C temperature range 35-200°C 1-pole 1CO 16A probe ø 6mm probe L 74mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS		


55.13_ series



1

No.	375505	Ref. No.	03051500140
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.34_ series



1

No.	375410	Ref. No.	05050033650
description	thermostat t.max. 180°C temperature range 95-180°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 1780mm capillary pipe isolated 1400mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




No.	375412	Ref. No.	05000087350
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		




No.	375411	Ref. No.	05000087250
description	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3NO 16A probe ø 6mm probe L 129mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

safety thermostats

55.10/19_series




No.	390060	Ref. No.	05750107250	
description	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe SS probe ø 6mm probe L 77mm capillary pipe 870mm capillary pipe isolated- mm gland nut			
accessories for	390060			
	No.	551083	Ref. No.	—
	cap for safety thermostat thread M8x1			

switches and momentary switches

cam switches




4-position




No.	300103	Ref. No.	05010049940 05010078050
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

7-position



No.	300025	Ref. No.	05000083150	
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic			
accessories for	300025			
	No.	112172	Ref. No.	—
	knob universal ø 70mm black without adaptor/dial plate			
	No.	112213	Ref. No.	—
	knob dial plate silver switch 7-position t.max.°C° ED ø 63mm ID ø 45.5mm			
	No.	112311	Ref. No.	—
	knob adapter shaft ø 6x4.6mm L 0mm with spring			



No.	300106	Ref. No.	05010076150
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		


timers

mechanical timers

			
1			
No.	350049	Ref. No.	305000080050
description	timer M2 with bell 2-pole operation time 30min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350049		
	No.	110366	Ref. No. —
	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	No.	111205	Ref. No. —
	dial plate graduation 30min permanent position yes rotation 30-300° ø 60mm		

spare parts and accessories




knobs

			
1			
No.	110365	Ref. No.	30500004050
description	knob switch zero mark t.max.°C ø 44mm shaft ø 3.5x3.5mm shaft flat black		

gas taps

PEL

20S series

			
1			
No.	101068	Ref. No.	05010014700
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.2mm gas outlet 1/4" (tube ø 6mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper conversion kit tube ø 10mm		
spare parts for	101068		
	No.	101060	Ref. No. —
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	101205	Ref. No. —
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20		

spare parts for	101068		
	No.	101230	Ref. No. —
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
	No.	101278	Ref. No. —
	olive for pipe ø 10mm Qty 1 pcs		
	No.	101300	Ref. No. —
	union nut thread M16x1.5 tube ø 10mm		
accessories for	101068		
	No.	110081	Ref. No. —
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		
	No.	110083	Ref. No. —
	knob dial plate gas tap without ignition flame silver		

22S/V series

			
1			
No.	101087	Ref. No.	05000070930
description	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper		
spare parts for	101087		
	No.	100259	Ref. No. —
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	No.	101058	Ref. No. —
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard		
	No.	101201	Ref. No. —
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22		
	No.	101231	Ref. No. —
	thermocouple nut T1: M9x1 T2: M18x1		
	No.	101241	Ref. No. —
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical		
	No.	101460	Ref. No. —
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22		
	No.	101461	Ref. No. —
	screw kit suitable for PEL22 Qty 4 pcs		
accessories for	101087		
	No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		









accessories for 101087				
	No.	101240	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

23S/O series



1



No.	101092	Ref. No.	05030043730
description gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper			
spare parts for 101092			
	No.	100455	Ref. No.
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101059	Ref. No.
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1			
	No.	101204	Ref. No.
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S			
	No.	101244	Ref. No.
gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps			
	No.	101463	Ref. No.
screw suitable for PEL23S Qty 4 pcs			
	No.	528455	Ref. No.
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs			

accessories for 101092				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101252	Ref. No.	—
union nut thread M24x1.5 for pipe ø 12mm				
	No.	101253	Ref. No.	—
union nut thread M24x1.5 PEL for pipe ø 16mm				
	No.	101254	Ref. No.	—
union nut thread M28x1.5 tube ø 20mm				
	No.	101255	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs				
	No.	101256	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	—
olive for pipe ø 20mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

JUNKERS












1

No.	nla ¹	Ref. No.	05000029000
description gas tap JUNKERS type CH110 gas inlet M20x1.5 bypass nozzle ø 0.35mm gas outlet M20x1.5 thermocouple connection M8x1 pilot connection M10x1 shaft ø 10mm shaft L 20.7mm shaft flat pipe outlet ø 12/10mm			
spare parts for 101096			
	No.	101060	Ref. No.
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101230	Ref. No.
thermocouple nut T1: M8x1 T2: M18x1 aluminium			

¹no longer available
Table continues overleaf






accessories for 101096				
	No.	100945	Ref. No.	—
roll pin ø 3.2mm L 10mm				
	No.	101219	Ref. No.	—
shaft extension L 25mm JUNKERS				
	No.	101233	Ref. No.	—
union nut thread M10x1 JUNKERS				
	No.	101281	Ref. No.	—
olive for pipe ø 4mm L 8.7mm Qty 1 pcs suitable for CB 502/503				
	No.	101284	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101285	Ref. No.	—
union screw thread M8x1 for pipe ø 4mm Qty 1 pcs JUNKERS				
	No.	110064	Ref. No.	—
knob				
	No.	110066	Ref. No.	—
knob screw				
	No.	550396	Ref. No.	—
shaft extension L 25mm JUNKERS				

gas thermostats

SIT

710 Minisit series

				
1 				
No.	101132	Ref. No.	05010014700	
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no			
spare parts for	101132			
	No.	101053	Ref. No.	—
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102102	Ref. No.	—
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710				
accessories for	101132			
	No.	100809	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				

accessories for 101132				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	—
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	05010014700
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	—
knob suitable for Minisit ø 37mm				



gas valves and ignition boxes









gas control valves

SIT

ELETTROSIT



1

No.	101126	Ref. No.	305150036150
description	gas valve SIT type ELETTROSIT 230V gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.136		
spare parts for	101126		
	No.	101312	Ref. No. —
microswitch			
	No.	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETTROSIT			
accessories for	101126		
	No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101301	Ref. No. —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	No.	101303	Ref. No. —
gas connection straight thread 3/4" ELETTROSIT			
	No.	101309	Ref. No. —
extension			

ignition parts










pilot burners

SIT

100 series




1

No.	106901	Ref. No.	05019906800
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm		
spare parts for	106901		
	No.	100854	Ref. No. —
pilot burner bracket double			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
accessories for	106901		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	102742	Ref. No. —
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs			




1

No.	106906	Ref. No.	05000010100 05000027300
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			

spare parts for 106906				
	No.	100855	Ref. No.	—
pilot burner bracket triple				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for 106906				
	No.	100245	Ref. No.	—
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				

accessories

ignition electrodes



No.	100706	Ref. No.	05000078750
description	ignition electrode connection M4 Qty 1 pcs		




JUNKERS

CB 503 series

pilot burners



No.	100101	Ref. No.	05010055800
description	pilot burner JUNKERS type CB503003 LPG nozzle no.2 gas connection 4mm with primary air		

spare parts for 100101				
	No.	100224	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 26 Qty 1 pcs suitable for JUNKERS CB503_				
	No.	101281	Ref. No.	—
olive for pipe ø 4mm L 8.7mm Qty 1 pcs suitable for CB 502/503				
	No.	101283	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				













accessories for 100101				
	No.	100220	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB503_				
	No.	100221	Ref. No.	—
pilot burner nozzle LPG gas pressure 30mbar code 29 Qty 1 pcs suitable for JUNKERS CB50203_				
	No.	100222	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 5 Qty 1 pcs suitable for JUNKERS CB50203_				
	No.	100223	Ref. No.	—
pilot burner nozzle natural gas gas pressure 20mbar code 3 Qty 1 pcs suitable for JUNKERS CB503_				
	No.	100226	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 15 suitable for JUNKERS				
	No.	100227	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 6 Qty 1 pcs suitable for JUNKERS CB50203_				

Table continues overleaf




accessories for 100101				
	No.	100228	Ref. No.	—
pilot burner nozzle town gas gas pressure 8mbar code 4 Qty 1 pcs suitable for JUNKERS CB50203_				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				

electrodes

	No.	100706	Ref. No.	05000078750
description ignition electrode connection M4 Qty 1 pcs				


ignition cables

pre-assembled cables

	No.	100026	Ref. No.	05000080350
description ignition cable cable length 1000mm connection ø4mm / F6.3mm				

piezoelectric igniters

mounting diameter 18mm

	No.	100003	Ref. No.	05000080200
description piezoelectric igniter body metal blowing mounting ø 18mm connection F2.8x0.8				


thermocouples


plug-in thermocouples


plug-in thermocouples standard


with barrel socket ø6(6.5)mm


thermocouples SIT

	No.	107619	Ref. No.	05050103900
description thermocouple SIT M10x1 L 1000mm plug connection ø6.0(6.5)mm				

	No.	107613	Ref. No.	05000097100
description thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm				

	No.	107614	Ref. No.	05000026900
description thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm				

	No.	107606	Ref. No.	05021300200
description thermocouple SIT M9x1 L 320mm plug connection ø6.0(6.5)mm				





gas burners

hob burners

producer-specific hob burners

FOEM


universal



knobs




producer-specific knobs

FOEM




hinges

oven hinges



accessories for 700006			
No.	700007	Ref. No.	05010001201
oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm			



No.	700007	Ref. No.	05010001201
description oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm			
accessories for 700007			
No.	700001	Ref. No.	—
opposite support L 118mm W 17mm mounting distance 94mm			
No.	700006	Ref. No.	0501001101
oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm			

fittings for catering equipment

aerators and air bleeders

No.	540827	Ref. No.	05030032301
description aerator and air bleeder thread 3/4" ET chrome-plated L 45mm ø 36mm			

safety fittings

safety fittings



No.	540744	Ref. No.	05030033801
description safety fitting thread 1 1/4" 0.5bar with manometer 3kg H 269mm			
spare parts for 540744			
No.	514121	Ref. No.	—
safety valve triggering pressure 0.5bar with CE approval M88 thread 1 1/4"			
No.	540821	Ref. No.	—
fitting support thread 1 1/4"			
No.	540827	Ref. No.	05030032301
aerator and air bleeder thread 3/4" ET chrome-plated L 45mm ø 36mm			
No.	540829	Ref. No.	—
manometer siphon thread 1/2"			
No.	540830	Ref. No.	05030034401
pressure gauge tap IT 1/4" ET 1/4"			
No.	541062	Ref. No.	05030033701
manometer ø 63mm pressure range 0 up to 1bar connection marking adjustable kettle thread 1/4"			

accessories



No.	540836	Ref. No.	05030031601
description funnel thread 1/2" with shut-off valve			
No.	540830	Ref. No.	05030034401
description pressure gauge tap IT 1/4" ET 1/4"			

safety valves



1


No.	540721	Ref. No.	05030032201
description	safety valve triggering pressure 0.5bar M88 thread 1¼"		
accessories for	540721		



No.	541501	Ref. No.	—
reducer for safety fitting IT 1¼" ET 3/4"			

manometers

1


No.	541062	Ref. No.	05030033701	
description	manometer ø 63mm pressure range 0 up to 1bar connection marking adjustable kettle thread 1/4"			
spare parts for	541062			
	No.	541130	Ref. No.	—
glass panel ø 58mm thickness 2mm				

measuring equipment

thermometers

built-in thermometers

ø60mm

			
1			
No.	379593	Ref. No.	05159905800
description	thermometer mounting ø 60mm t.max. 300°C 50-300°C probe ø 4mm probe L 135mm capillary pipe 1050mm		