

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS

Spare parts suitable for

FORCAR

heating elements


heating elements for bain maries


			
No.	417748	Ref. No.	SL0006
description	heating element 1200W 230V heating circuits 1 L 365mm W 190mm connection cable 500mm tube ø 6.3mm		
For models:	BM11, BM21, BM31, BMV11, BMV21, BMV31, CT1758TD, CT1760TD, CT1765, CT1765A700, CT1766, CT1766A700, CT1770, CT1770A700, CT1771, CT1771A700		

heating elements for refrigeration

heating elements for defrosting

			
No.	420150	Ref. No.	GN650BT.01 RC0136
description	heating element 400W 230V L 290mm W 75mm H 90mm L1 60mm L2 230mm W1 16mm W2 43mm connection spate terminal M4 cable length 1200mm tube ø 10mm refrigeration for evaporator		
For models:	GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM		

			
No.	420523	Ref. No.	RC0234
description	heating element 450W 220V L 400mm W 75mm H 135mm cable length 1480mm tube ø 9.6mm		

			
No.	420153	Ref. No.	GN140BT.02 GN1410BT.01 PA800BT.01 RC0062
description	heating element 700W L 590mm W 75mm H 115mm L1 60mm L2 530mm W1 13.5mm W2 48mm connection spate terminal M4 cable length 1700mm tube ø 10mm immersion heater refrigeration		
For models:	GE800BT, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, PA800BT, PA800TN		

immersion heating elements

with expansion flange 70 x 18mm

			
No.	420058	Ref. No.	SL0560
description	heating element 1950W 230V heating circuits 1 flange 70x18mm L 238mm W 64mm connection male faston 6.3mm tube ø 8.5mm		

			
No.	417618	Ref. No.	SL0004
description	heating element 2000W		
For models:	BM1780, BM1782, BM1784, BM1786, CL2772, CL2774, CL2774W, CL2777, CL2777W, CL2778, CL2778W, CS1751, CS1753, CS1755, CT1756, CT1758, CT1760, CT1762, DC1703, DC1704, ELC2828, ELC2828W, ELC2832, ELC2832W, ELC2834, ELC2834W, ELS2830		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

			
No.	347791	Ref. No.	S900.01 SL0621
description	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		
For models:	BC2PS, BC3PS, BI4719, BM11, BM1780, BM1782, BM1784, BM1786, BM21, BM31, BMS1781, BMS1783, BMS1785, BMV11, BMV21, BMV31, CA1439R, CA1439RG, CA1440AC, CA1440ACG, CAR2779, CAR2780, CAR2780BT, CL2772, CL2774, CL2774W, CL2775, CL2775W, CL2776, CL2776W, CL2777, CL2777W, CL2778, CL2778W, CL2781, CL2781W, CLR2782, CLR2782W, CLR2784, CLR2786, CLR2786W, CLR2787, CLR2787BT, CLR2787BTW, CLR2787W, CLR2788, CLR2788BT, CLR2788BTW, CLR2788W, CS1751...(Other models you can see in the webshop)		



microswitches

with push button

switches with snap-fit



1

No.	346772	Ref. No.	GN650TN.48 RC0228
description	microswitch with push button 250V 5A 1CO connection male faston 4.8mm L 24x27mm ambient temperature max. 85°C actuating force: 160g		
For models:	GE800BT, GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN600BT, GN600DTV, GN600TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNB1200BT, GNB1200TN, GNB600BT, GNV1200DT, GNV600DT, PA800BT, PA800TN, SNACK400BT, SNACK400SBT, SNACK400STN, SNACK400TN		

lamps

indicator lights

indicator lights (complete)

30x22mm



1

No.	346965	Ref. No.	GN650BT.08 RC0109
description	indicator light mounting measurements 30x22mm 230V yellow		

electronic controllers

DIXELL

refrigeration controllers

built-in version



1

No.	378256	Ref. No.	S900.02
description	electronic controller DIXELL XR02CX-5N0C0 mounting measurements 71x29mm built-in depth 56mm 230V voltage AC NTC relay outputs 1 CO-8A(4) NTC protection IP54 defrosting function/time control -40 up to +110°C display 2½ digit		
For models:	BC2PS, GN1200BT, GN1200DT, GN1200TN, GN2200TN, GN600BT, GN600TN, GNB600BT, PS200, PS300, PS900, S900, S901TOP, S902STD, S903, S903PZ, S903TOP, SNACK340, SNACK400SBT, SNACK400STN, SNACK400TN, SNACK638, SS45BT, VRX1200-330, VRX1200-380, VRX1400-330, VRX1500-330, VRX1500-380, VRX1800-330, VRX1800-380, VRX2000-330, VRX2000-380		
spare parts for	378256		
	No.	379161	Ref. No. RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		

accessories for	378256		
	No.	378194	Ref. No. —
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire		
	No.	379057	Ref. No. —
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	No.	379160	Ref. No. —
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379161	Ref. No. RC0321 S900.32
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379343	Ref. No. —
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
	No.	379458	Ref. No. —
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		



1

No.	378273	Ref. No.	GN650BT.16 GN650TN.47 SL0050
description	electronic controller DIXELL XR06CX-5N0C1 mounting measurements 71x29mm 230V voltage AC NTC -40 up to +110°C display 2½ digit DEF Relay 8A fan relay 8A compressor relay 20A		
For models:	GE800BT, GN1200DTV, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN2100BT, GN2100TN, GN2100TNG, GN3100BT, GN3100TN, GN3100TNG, GN3200BT, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, GN600DTV, GN650BT, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNV1200DT, GNV600DT, PA2100TN, PA3100TN, PA800BT, PA800TN, PZ2600TN, PZ2610TN, PZ3600TN, SNACK2100TN, SNACK3100TN, SNACK4100TN, U-GN2100TN, U-GN3100TN, U-GN4100TN		

EKTRON

refrigeration controllers

built-in version



71 x 29mm



1

No.	378034	Ref. No.	CO0862 SL0531
description	electronic controller EKTRON type REK31ED-0021 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 CO-8A(4) NTC/PTC NTC/PTC built-in depth 71mm defr. funct. yes -50 up to +95°C display 3 digits		
For models:	CA1439RG, CAR2779, CAR2780, CAR2780BT, CLR2782, CLR2782W, CLR2786, CLR2786W, CLR2787, CLR2787BT, CLR2787BTW, CLR2787W, CLR2788, CLR2788BT, CLR2788BTW, CLR2788W, ELR2825, ELR2825W, ELR2826, ELR2826W, ELR2827, ELR2827W, ELS2830, GN1200BT, GN1200TN, GN600BT, GN600TN, GNB1200BT, GNB1200TN, PS200, PS300, PS900, RI330, RI380, S900, S901, S902, S903, S903PZ, S903TOP, SNACK340, SNACK400BT, SNACK400TN, SNACK638, SS45		
accessories for	378034		
	No.	379053	Ref. No.
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379782	Ref. No.
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		



1

No.	378118	Ref. No.	CO0019
description	electronic controller EKTRON type REK33-1021 mounting measurements 71x29mm 230V voltage AC PTC relay outputs 3 NO-16A NO-8A(4) NO-8A(4) PTC PTC built-in depth 71mm -50 up to +95°C display 3½ digits		
accessories for	378118		
	No.	379052	Ref. No.
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		

probes

universal probes

temperature probes



1

No.	379161	Ref. No.	RC0321 S900.32
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
For models:	BC2PS, BC3PS, EF400, EF600, ER400, ER400G, ER600, ER600G, GN1200BT, GN1200TN, GN600BT, GN600TN, GNB1200BT, GNB1200TN, PS200, PS300, PS900, RI330, RI380, S900, S901, S901TOP, S902, S902STD, S903, S903PZ, S903TOP, SNACK400BT, SNACK400TN, SS45, SS45BT		

electronics

PCBs



1

No.	402813	Ref. No.	HR600.07 RC0419
description	display PCB for fridge L 150mm W 37mm suitable for ER400/600 with potentiometer with thermostat type LTC-20HT		
For models:	ER400, ER400G, ER600, ER600G		



1

No.	402812	Ref. No.	HF600.07 RC0429
description	display PCB refrigerator EF400/600 L 150mm W 38mm with potentiometer with thermostat type LTC-24HT		
For models:	EF600		

compressors

ACC/ZEL

R134A

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605126	Ref. No.	RC0047 S900.41
description	compressor coolant R134a type OF1350A 220-240V 50Hz LBPkg 1/4HP power input 158W cylinder capacity 7.5cm ³ RSIR H 183mmWWWWWWWWWW ZEL		
For models:	BC3PS, ER600, ER600G, GN1200DT, GN1200DTV, GN2100TN, GN2100TNG, GN2200TN, GN3100TN, GN3100TNG, GN600DTV, GN600TN, GNV1200DT, GNV600DT, PA2100TN, PS200, PS300, PS900, PZ2600TN, PZ2610TN, S900, S901, S901TOP, S902, S902STD, SNACK176, SNACK2100TN, SNACK251, SNACK290, SNACK3100TN, SNACK340, SNACK400STN, SNACK400TN, U-GN2100TN, U-GN3100TN, VRX2000-330, VRX2000-380		

EMBRACO / ASPERA

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605244	Ref. No.	GN1410TN.11 NE1130Z RC0564
description	compressor coolant R134a type FFI12HBK 220-240V 50Hz HMBP 10.8kg 1/3HP cylinder capacity 11.15cm ³ CSIR H 180mm 223W 304W 405W 527W 671W 836W 1024W 1236W 1471W test method EN 12900		
For models:	EF600, GN1200TN, GN1410TN, GN1410TNG, GN1410TNM, SNACK638, SS45BT		

fans

axial fans

import



1

No.	601604 ¹	Ref. No.	RC0011 RC0654 S900.34
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bearing slide bearing manuf. no. AA1282HS-AT connection cable 300mm fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m ³ /h 2600rpm		
For models:	BC2PS, BC3PS, EF400, EF600, ER400, ER400G, ER600, ER600G, GN1200BT, GN1200DT, GN1200TN, GN600BT, GN600TN, GNB1200BT, GNB1200TN, GNB600BT, PS200, PS300, PS900, RI330, RI380, S900, S901, S902, S902STD, S903, S903PZ, S903TOP, SNACK176, SNACK251, SNACK290, SNACK340, SNACK400BT, SNACK400SBT, SNACK400STN, SNACK400TN, SNACK638, SS45, SS45BT, VRX1200-330, VRX1200-380, VRX1400-330, VRX1500-330, VRX1500-380, VRX1800-330, VRX1800-380, VRX2000-330, VRX2000-380		

¹with slide bearings



1

No.	601055 ¹	Ref. No.	GN2100TN.35	
description	axial fan L 92mm W 92mm H 25mm 230VAC 50/60Hz 14.5/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 85mm temp.-resist. 70°C			
For models:	GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, PA2100TN, PA3100TN, PZ2600TN, PZ2610TN, PZ3600TN, SNACK2100TN, SNACK3100TN, SNACK340, SNACK4100TN, SNACK638			
accessories for	601055			
	No.	550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	No.	691103	Ref. No.	—
	guard ø 90mm mounting distance 83mm for axial fan 92mm			

¹with ball bearings

refrigeration fans

refrigeration motors universal

ebm-papst

miscellaneous



1

No.	601783	Ref. No.	GN650TN.34 S900.37
description	fan motor 10W 230V 50/60Hz L3 87mm W 67mm cable length 400mm 1300rpm ebm-papst M4Q045-CA03-51/C18 3 mounting options bearing slide bearing for refrigerated counters		
For models:	GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN3200BT, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, GN600DTV, GN600TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNV1200DT, GNV600DT, PA2100TN, PA3100TN, PA800TN, PS200, PS300, PS900, PZ2600TN, PZ2610TN, PZ3600TN, S900, S901TOP, S902STD, S903, S903PZ, S903TOP, SNACK2100TN, SNACK3100TN, SNACK340, SNACK400SBT... (Other models you can see in the webshop)		
spare parts for	601783		
	No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		
accessories for	601783		
	No.	601385	Ref. No. —
	fan wheel sucking ø 172mm fan wheel mounting 25.4mm blade angle 34° W 42mm aluminium		

accessories

fan guards



1

No.	601738	Ref. No.	RC0219 S900.38
description	guard for fan wheel ø 170mm ø 216mm H 30mm mounting distance 1 224 up to 254mm mounting distance 2 94.5mm		
For models:	PS200, PS900, S901TOP, S902STD, SNACK3100TN, SNACK638, SS45BT, U-GN2100TN, U-GN3100TN, U-GN4100TN		

cooling motors (complete)



1

No.	601739	Ref. No.	GN650BT.11 RC0229
description	fan 230V 10W 50Hz fan wheel ø 230mm shaft L 20mm L 86mm W 67mm blade angle 34° connection spate terminal M4 cable length 1100mm		
For models:	GE800BT, GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN600BT, GN600DTV, GN600TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNB1200BT, GNB1200TN, GNB600BT, GNV1200DT, GNV600DT, PA800BT, PA800TN, PS200, PS300, PS900, S900, S901, S902, S903, S903PZ, S903TOP, SNACK340, SNACK400BT, SNACK400TN, SNACK638, SS45		
spare parts for	601739		
	No.	601172	Ref. No. —
	fan wheel sucking ø 230mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		
	No.	601757	Ref. No. —
	fan motor 10W 230V 50/60Hz L1 43.5mm L3 82mm W 67mm cable length 1500mm 1300/1550rpm ebm-papst M4Q045-CA03-75 5 mounting options bearing slide bearing		
	No.	601783	Ref. No. GN650TN.34 S900.37
	fan motor 10W 230V 50/60Hz L3 87mm W 67mm cable length 400mm 1300rpm ebm-papst M4Q045-CA03-51/C18 3 mounting options bearing slide bearing for refrigerated counters		



1

No.	602042	Ref. No.	RC1184
description	fan 240V 7.5W 50/60Hz fan wheel ø 100mm mounting distance 95mm ø 150mm		



electric accessories

cables

power supply cables



No.	551085	Ref. No.	SL0130
description	cable CEE7/7 type E+F 3-pole contacts P+N+E 1.5mm ² max. 16A max 230V 2m with plug H05VV-F 3G1.5		
For models:	BI4719, BM11, BM1780, BM1782, BM1784, BM1786, BM21, BM31, BMS1781, BMS1783, BMS1785, BMV11, BMV21, BMV31, CA1439R, CA1439RG, CA1440AC, CA1440ACG, CAR2779, CAR2780, CAR2780BT, CL2772, CL2774, CL2774W, CL2775, CL2775W, CL2776, CL2776W, CL2777, CL2777W, CL2778, CL2778W, CL2781, CL2781W, CLR2782, CLR2782W, CLR2784, CLR2786, CLR2786W, CLR2787, CLR2787BT, CLR2787BTW, CLR2787W, CLR2788, CLR2788BT, CLR2788BTW, CLR2788W, CS1751, CS1753, CS1755...(Other models you can see in the webshop)		

terminal boxes



No.	551214	Ref. No.	S900.48
description	terminal box 4-pole L 90mm W 52mm H 28mm with strain relief Qty 1 pcs		
For models:	PS200, PS300, PS900, S900, S901TOP, S902STD, S903, S903PZ, S903TOP, SNACK176, SNACK251, SNACK290, SS45BT, VRX1200-330, VRX1200-380, VRX1400-330, VRX1500-330, VRX1500-380, VRX1800-330, VRX1800-380, VRX2000-330, VRX2000-380		



No.	551090	Ref. No.	GN650TN.16 RC0235
description	terminal box 5-pole L 95mm W 63mm H 27mm		
For models:	EF400, EF600, ER400, ER400G, ER600, ER600G, GE800BT, GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN3200BT, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, GN600BT, GN600DTV, GN600TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNB1200BT, GNB1200TN, GNB600BT, GNV1200DT, GNV600DT, PA2100TN, PA3100TN, PA800BT, PA800TN, PZ2600TN, PZ2610TN, RI330, RI380...(Other models you can see in the webshop)		

equipment-specific units

for fridges

housing and bezels

caps



No.	692372	Ref. No.	PS900.03 RC0736
description	cap grey ø 16.5mm mounting ø 12.5mm H 7mm Qty 1 pcs		
For models:	PS200, PS300, PS900, RI330, RI380, S900, S901, S901TOP, S902, S902STD, S903, S903PZ, S903TOP, SNACK340, SNACK400SBT, SNACK400STN, SNACK638, SS45, SS45BT, VRX1200-330, VRX1200-380, VRX1400-330, VRX1500-330, VRX1500-380, VRX1800-330, VRX1800-380, VRX2000-330, VRX2000-380		

miscellaneous



No.	696413	Ref. No.	GN650TN.01 RC0316
description	screw thread M6 L 18mm		
For models:	GN1200BT, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN600BT, GN600TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNB600BT, SNACK400SBT, SNACK400STN, SNACK400TN		

for refrigerated counters

spare parts and accessories



No.	697917	Ref. No.	CO0140 S900.29	
description	fixing plate with opposite support thread M5			
For models:	PS200, PS300, S900, S902STD, S903			
accessories for	697917			
	No.	697916	Ref. No.	CO0139 S900.28
	screw bolt with nut L 8mm thread M5 ø 6mm			



1

No.	697916	Ref. No.	CO0139 S900.28	
description	screw bolt with nut L 8mm thread M5 ø 6mm			
For models:	PS200, PS300, PZ2610TN, S900, S902STD, S903			
accessories for	697916			
	No.	697917	Ref. No.	CO0140 S900.29
fixing plate with opposite support thread M5				

for saladettes

spare parts and accessories



1

No.	697917	Ref. No.	CO0140 S900.29	
description	fixing plate with opposite support thread M5			
For models:	PS200, PS300, S900, S902STD, S903			
accessories for	697917			
	No.	697916	Ref. No.	CO0139 S900.28
screw bolt with nut L 8mm thread M5 ø 6mm				



1

No.	697916	Ref. No.	CO0139 S900.28	
description	screw bolt with nut L 8mm thread M5 ø 6mm			
For models:	PS200, PS300, PZ2610TN, S900, S902STD, S903			
accessories for	697916			
	No.	697917	Ref. No.	CO0140 S900.29
fixing plate with opposite support thread M5				

for dishwashers

hood mechanics for dishwashers

rollers

			
1			
No.	694774	Ref. No.	RC1207
description roller for vitrine L 42mm			

locks

locking devices

producer-specific

FORCAR

			
1			
No.	692338	Ref. No.	RC0725
description hook H 25mm L 44mm W 30mm hole ø 3.5mm for catch			

			
1			
No.	692188	Ref. No.	RC0128
description key cylinder with lever ø 17.3mm rotation 90° cam length 49mm cam width 13mm			
For models: GN1200BT, GN1200TN, GN600BT, GN600TN, GNB1200BT, GNB1200TN, SNACK340, SNACK400BT, SNACK400TN, SNACK638			
accessories for 692188			
			
No.	692338	Ref. No.	RC0725
hook H 25mm L 44mm W 30mm hole ø 3.5mm for catch			

			
1			
No.	692148	Ref. No.	GN2100TN.02 GN650TN.86 RC0243 RC0425
description key cylinder with lever ø 17.5mm			
For models: EF400, EF600, ER400, ER400G, ER600, ER600G, GE800BT, GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN3200BT, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, GN600BT, GN600DTV, GN600TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNB600BT, GNV1200DT, GNV600DT, PA2100TN, PA3100TN, PA800BT, PA800TN, PZ2600TN, PZ2610TN, PZ3600TN, SNACK176, SNACK2100TN, SNACK251...(Other models you can see in the webshop)			



hinges

spring assisted hinges


universal

INTERKLIMAT

hinges



1



No.	690622	Ref. No.	GN650TN.14 RC0089
description	spring assisted hinge series 28L mounting pos. left/right L 75mm W 25mm H 103mm A 13mm B 18mm mounting measurements 22x22mm intake 7.5x7.5 refrigeration units		
For models:	GE800BT, GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN3200BT, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, GN600BT, GN600DTV, GN600TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNB1200BT, GNB1200TN, GNB600BT, GNV1200DT, GNV600DT, PA2100TN, PA3100TN, PA800BT, PA800TN, PZ2600TN, PZ2610TN, SNACK2100TN, SNACK3100TN, SNACK340, SNACK400BT, SNACK400SBT, SNACK400STN, SNACK400TN, SNACK4100TN...(Other models you can see in the webshop)		

door bearing



1

No.	700975	Ref. No.	HF600.19 RC0536
description	bolt L 20mm mounting pos. upper/lower thread M5 ø 7mm for hinge		
For models:	EF400, EF600, ER400, ER400G, ER600, ER600G		



1

No.	701257	Ref. No.	S900.06
description	bolt L 25mm mounting pos. upper thread M5 ø 7mm complete for door hinge Qty 1 pcs		
For models:	GE800BT, GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN600BT, GN600DTV, GN600TN, GN650BT, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNB600BT, GNV1200DT, PA800BT, PA800TN, PS200, PS300, PS900, S900, S901TOP, S902STD, S903, S903PZ, S903TOP, SNACK400TN, SS45BT		



1

No.	701032	Ref. No.	GN2100TN.03 GN2100TN.05 GN2100TN.06 RC0175 RC0652
description	bolt L 32.4mm mounting pos. upper thread M8x1.25 ø 5/7mm with nut for door		
For models:	GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, PA2100TN, PA3100TN, PS200, PS300, PS900, PZ2600TN, PZ2610TN, PZ3600TN, S900, S901, S902, S903, S903PZ, S903TOP, SNACK2100TN, SNACK3100TN, SNACK4100TN, SS45, U-GN2100TN, U-GN3100TN, U-GN4100TN		



1

No.	700976	Ref. No.	GN2100TN.070 RC0176
description	bush L 20mm ø 9mm ID ø 7.1mm for hinge		
For models:	PS200, PS300, PS900, S900, S901, S902, S903, S903PZ, S903TOP, SNACK340, SNACK638, SS45		



1

No.	692258	Ref. No.	S900.55
description	hinge L 30mm W 30mm H 45mm mounting pos. bottom left thickness 3mm		

1 			
No.	692374	Ref. No.	S900.05
description	hinge L 30mm W 30mm H 45mm mounting pos. bottom right thickness 3mm Qty 1 pcs		
For models:	PS200, PS300, PS900, S900, S901TOP, S902STD, S903, S903PZ, S903TOP, SS45BT		

2 			
No.	700974	Ref. No.	HF600.08 RC0535
description	hinge L 49mm W 40mm H 43mm mounting pos. lower thickness 4mm		
For models:	EF400, EF600, ER400, ER400G, ER600, ER600G		

1 			
No.	700973	Ref. No.	HF600.01 RC0534
description	hinge L 51mm W 40mm mounting pos. upper thickness 3mm		
For models:	EF400, EF600, ER400, ER400G, ER600, ER600G		

1 			
No.	701034	Ref. No.	RC0064
description	hinge camp mounting pos. bottom right L 86mm W 46mm H 17mm hole distance 25mm shaft diameter 8x8mm		

1 			
No.	701033	Ref. No.	GN2100TN.28 RC0063
description	hinge camp mounting pos. left bottom L 86mm W 44mm H 19mm hole distance 25mm shaft diameter 8x8mm		

1 			
No.	701035	Ref. No.	GN650TN.51 RC0088
description	hinge camp mounting pos. upper left L 100mm W 63mm H 30mm hole distance 60mm shaft diameter 8x8mm		

1 			
No.	701038	Ref. No.	GN650TN.15 RC0087
description	hinge camp mounting pos. upper right L 99mm W 64mm H 30mm hole distance 60mm shaft diameter 8x8mm		
For models:	GE800BT, GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN600BT, GN600DTV, GN600TN, GN650BT, GN650BTM, GN650TN, GN650TNM, GNB1200BT, GNB1200TN, GNB600BT, GNV1200DT, PA800BT, PA800TN, SNACK400BT, SNACK400SBT, SNACK400STN, SNACK400TN		

equipment feet and end caps

screw-in feet

1 			
No.	700972	Ref. No.	S900.13 SL0494
description	equipment foot thread M10 thread L 16mm ø 29mm H 11.5mm Qty 1 pcs for fridge		
For models:	BM11, BM21, BM31, CA1439B, CA1439BG, CA1440B, CA1440BG, EF400, EF600, ER400, ER400G, ER600, ER600G, GE800BT, GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3200BT, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, PA2100TN, PA3100TN, PA800BT, PA800TN, PS200, PS300, PS900, PZ2600TN, S900, S901, S901TOP, S902, S902STD, S903, S903PZ, S903TOP, SNACK2100TN, SNACK340, SNACK4100TN, SNACK638... (Other models you can see in the webshop)		

baskets

warewashing baskets

accessories

cutlery inserts

1 			
No.	972032	Ref. No.	CP8
description	cutlery insert L 430mm W 205mm ømm H 150mm		




shelves and shelf rails

grates

universal

without upstand



No.	970123	Ref. No.	GN650TN.08 GRI21
description	grate W 650mm D 530mm GN 2/1 stainless steel wire gauge frame 7.8mm lengthwise wires gauge 3.8mm crossing wires 2 suitable for refrigerator		
For models:	GN1200DTV, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN600DTV, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNV1200DT, GNV600DT		
accessories for	970123		
	No.	690330	Ref. No.
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	No.	694700	Ref. No.
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	No.	694701	Ref. No.
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		

with upstand



No.	970772	Ref. No.	GRP600
description	grate W 650mm D 530mm GN 2/1 H 40mm plastic-coated steel with hinge camp crossing wires 4		

shelf rails and supports

producer-specific



No.	696443	Ref. No.	S900.10.1
description	pair of setting bar U-shape L 548mm W 20mm inner height 13mm mounting pos. left/right		

SHELVES AND SHELF RAILS/GASKETS FORCAR



No.	696388	Ref. No.	CG11 GN2100TN.31 S900.10
description	pair of setting bar U-shape L 550mm W 20mm H 17mm mounting pos. left/right		
For models:	GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN3200BT, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, PS200, PS300, PS900, S900, S901, S901TOP, S902, S902STD, S903, S903PZ, S903TOP, SS45, SS45BT, U-GN2100TN, U-GN3100TN, U-GN4100TN		



No.	694507	Ref. No.	AG G350.08 RC0361
description	shelf support L 38/26mm W 22mm H 24mm SS Qty 4 pcs		
For models:	BC2PS, BC3PS, SNACK176, SNACK251, SNACK290, SNACK340, SNACK638		

gaskets


refrigeration gaskets


plug-in gaskets

profile 9153


We offer custom-made gaskets for this profile

No.	902266	Ref. No.	N/A
description	refrigeration gasket profile 9153 Wmm L 2500mm		




profile 9150



No.	901279	Ref. No.	RC0072 S900.08
description	refrigeration gasket profile 9150 W 395mm L 490mm plug size		
For models:	PS200, PS300, PS900, S900, S901, S901TOP, S902, S902STD, S903, S903PZ, S903TOP, SS45		

profile 9157



No.	901281	Ref. No.	HF400.03 RC0421
description	refrigeration gasket profile 9157 W 570mm L 1650mm plug size Qty 1		
For models:	EF400, ER400, ER400G		




No.	901975	Ref. No.	RC0199 SNACK400TN.06
description	refrigeration gasket profile 9157 W 615mm L 1445mm plug size		
For models:	GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN600BT, GN600DTV, GN600TN, GNB600BT, GNV1200DT, SNACK400SBT, SNACK400STN, SNACK400TN		




No.	901333	Ref. No.	GN650TN.13 RC0153
description	refrigeration gasket profile 9157 W 695mm L 1477mm plug size L1 1467mm W1 685mm external size		
For models:	GE800BT, GN1410BT, GN1410TN, GN4100TN, GN4100TNG, GN4200TN, GN650BT, GN650BTG, GN650TN, PA800BT, PA800TN, PZ3600TN, SNACK4100TN		




No.	901282	Ref. No.	HF600.06 RC0426
description	refrigeration gasket profile 9157 W 750mm L 1700mm plug size		
For models:	EF600, ER600, ER600G		

profile 9041


No.	901957	Ref. No.	GN2100TN.33 RC0041
description	refrigeration gasket profile 9041 W 385mm L 595mm plug size		
For models:	GN2100BT, GN2100TN, GN2200TN, GN3100BT, GN3100TN, GN4100BT, GN4100TN, GN4200TN, SNACK2100TN, SNACK3100TN, SNACK4100TN		



No.	901958	Ref. No.	PA2100TN.9 RC0162
description	refrigeration gasket profile 9041 W 460mm L 592mm plug size		
For models:	PA2100TN, PA3100TN, PZ2600TN, PZ2610TN, PZ3600TN		

profile 9326


No.	901959	Ref. No.	RC0770
description	refrigeration gasket profile 9326 W 535mm L 1155mm plug size		



refrigeration cycle components

valves

Schrader valves

Schrader valves (complete)



1

No.	750101	Ref. No.	S900.42
description	Schrader valve complete connection 1/4" SAE L 130mm		

filter driers

miscellaneous



1

No.	750618	Ref. No.	GN1410TN.14
description	dryer size 15g ø 19mm L 114mm connection 2,7/6,5mm type XH9 Qty 1 pcs		
For models:	GE800BT, GN1200BT, GN1200DTV, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN2100BT, GN2100TNG, GN3100BT, GN3200BT, GN4100BT, GN4100TNG, GN600BT, GN600TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNB600BT, GNV600DT, PA2100TN, PA3100TN, PA800BT, PA800TN, PZ2600TN, PZ3600TN, SNACK400SBT, SNACK400STN, SNACK400TN		



1

No.	750324	Ref. No.	RC0066 S900.44
description	dryer size 20g ø 23mm L 117mm connection 4,8/8,3mm		
For models:	GN1200BT, GN1200TN, GN2100TN, GN2200TN, GN3100TN, GN3100TNG, GN4100TN, GN4200TN, GN600BT, GN600TN, GNB1200BT, GNB1200TN, PS200, PS300, PS900, PZ2610TN, RI330, RI380, S900, S901, S901TOP, S902, S902STD, S903, S903PZ, S903TOP, SNACK2100TN, SNACK3100TN, SNACK340, SNACK400BT, SNACK400TN, SNACK4100TN, SNACK638, SS45, SS45BT, U-GN2100TN, U-GN3100TN, U-GN4100TN, VRX1200-330, VRX1200-380, VRX1400-330, VRX1500-330, VRX1500-380, VRX1800-330, VRX1800-380, VRX2000-330, VRX2000-380		



1

No.	750619	Ref. No.	RC0768
description	dryer size 30g ø 24mm L 140mm connection 2,6/6,5mm Qty 1 pcs		

refrigeration pipes

capillary pipes



1

No.	694442	Ref. No.	RC0523 S900.43
description	capillary pipe ID ø 1.15mm copper Qty 1m L 300mm refrigeration ED ø 2.1mm		
For models:	BC2PS, BC3PS, GN1200BT, GN1200TN, GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN3200BT, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, GN600BT, GN600TN, GNB600BT, PA2100TN, PA3100TN, PS200, PS300, PS900, PZ2600TN, PZ2610TN, PZ3600TN, S900, S901TOP, S902STD, S903, S903PZ, S903TOP, SNACK2100TN, SNACK3100TN, SNACK340, SNACK400STN, SNACK400TN, SNACK4100TN, SNACK638, SS45BT, U-GN2100TN, U-GN3100TN, U-GN4100TN		



1

No.	694443	Ref. No.	GN1410BT.05
description	capillary pipe ID ø 1.4mm copper Qty 1m L 2500mm refrigeration ED ø 2.8mm		
For models:	GN1410BT, GN1410BTM		



1

No.	694444	Ref. No.	GN1410TN.13
description	capillary pipe ID ø 1.4mm copper Qty 1m L 3000mm refrigeration ED ø 2.8mm		
For models:	GN1410TN, GN1410TNG, GN1410TNM		

copper pipes uninsulated



1

No.	694452	Ref. No.	GN2100TN.09
description	refrigeration pipe copper ED ø 6mm L 0.5m Qty 1m for evaporator		
For models:	GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN3200BT, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, PA2100TN, PA3100TN, PZ2600TN, PZ2610TN, PZ3600TN, U-GN2100TN, U-GN3100TN, U-GN4100TN		



1

No.	694441	Ref. No.	GN650TN.40
description	refrigeration pipe insulated copper ID ø 7mm ED ø 8mm L 1.8m suction line		
For models:	GE800BT, GN1410TN, GN1410TNG, GN1410TNM, GN650TN, GN650TNG, GN650TNM, PA800BT, PA800TN, SNACK400TN		

evaporators

for fridges

producer-specific



1

No.	750300	Ref. No.	RC0589
description	condenser L 170mm W 85mm H 180mm suitable for ER600		



1

No.	750294	Ref. No.	HR400.07 RC0605
description	evaporator for fridge ER400 L 1000mm W 440mm		
For models:	ER400, ER400G		



1

No.	750295	Ref. No.	HR600.04 RC0606
description	evaporator for fridge ER600 L 1000mm W 580mm		
For models:	ER600, ER600G		



1

No.	750410	Ref. No.	GN650TN.21 RC0319
description	evaporator L 216mm W 130mm H 200mm total length 298mm overall width 130mm overall height 220mm		
For models:	GN650TN, GN650TNG, GN650TNM		

condensers


filters

1



No.	750317	Ref. No.	GN650BT.02 RC0283
description	evaporator L 298mm W 152mm H 220mm total length 518mm for fridge		
For models:	GN650BT, GN650BTG, GN650BTM		

1




No.	750322	Ref. No.	GN2100TN.18 GN2100TN21 RC0285
description	evaporator L 505mm W 95mm H 265mm suitable for ER400/ER400G/ER400SS		
For models:	GN2100BT, GN2100TN, GN2100TNG, GN2200TN, GN3100BT, GN3100TN, GN3100TNG, GN4100BT, GN4100TN, GN4100TNG, GN4200TN, PA2100TN, PA3100TN, PZ2600TN, PZ2610TN, PZ3600TN, SNACK2100TN, SNACK3100TN, SNACK4100TN		

1



No.	750318	Ref. No.	GN1410TN.01 RC0320
description	evaporator L 595mm W 130mm H 220mm for fridge		
For models:	GN1410TN, GN1410TNG, GN1410TNM		

1



No.	750321	Ref. No.	GN1410BT.08 RC0221
description	evaporator L 595mm W 130mm H 220mm for fridge		
For models:	GN1410BT, GN1410BTM		

1



No.	694587	Ref. No.	S900.04
description	air filter for condenser L 218mm W 194mm thickness 6mm Qty 1 pcs		
For models:	PS200, PS900, S900, S901TOP, S902STD, SS45BT		

1



No.	694446	Ref. No.	RC0122 S903.08
description	air filter for condenser L 218mm W 205mm thickness 6mm		
For models:	GN1200BT, GN1200DT, GN1200DTV, GN1200TN, GN600BT, GN600DTV, GN600TN, GN650TN, GN650TNG, GN650TNM, GN-B1200BT, GN-B1200TN, GNV1200DT, GNV600DT, PA800TN, PS200, PS300, PS900, S900, S901, S902, S903, S903PZ, S903TOP, SNACK400BT, SNACK400SBT, SNACK400STN, SNACK400TN, SS45		

1



No.	694445	Ref. No.	GN1410BT.07 RC0556
description	air filter for condenser L 245mm W 215mm thickness 6mm		
For models:	GN1410BT, GN1410BTM		



1



No.	694447	Ref. No.	GN2100TN.34
description	air filter for condenser W 175mm H 228mm thickness 6mm		
For models:	GN2100TN, GN2200TN, GN3100TN, GN4100TN, GN4200TN, SNACK2100TN, SNACK3100TN, SNACK4100TN		



condensors



fastening material

screws

hexagonal screws



1

No.	696413	Ref. No.	GN650TN.01 RC0316
description	screw thread M6 L 18mm		
For models:	GN1200BT, GN1200TN, GN1410BT, GN1410BTM, GN1410TN, GN1410TNG, GN1410TNM, GN600BT, GN600TN, GN650BT, GN650BTG, GN650BTM, GN650TN, GN650TNG, GN650TNM, GNB600BT, SNACK400SBT, SNACK400STN, SNACK400TN		