

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for


# FRIFRI


## heating elements


### heating elements for chip scuttles


|                                                                                   |                                                                                                                                                    |                 |          |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
|  |                                                                                                                                                    |                 |          |
| <b>No.</b>                                                                        | 418465                                                                                                                                             | <b>Ref. No.</b> | 1G592028 |
| <b>description</b>                                                                | heating element 800W 230V heating circuits 1 L 370mm W 95mm connection male faston 6.3mm tube ø 6.3mm dry heating element connection distance 89mm |                 |          |
| <b>For models:</b>                                                                | SILOFRIT-ASF1, SILOFRIT-BSF1                                                                                                                       |                 |          |


### heating elements for fryers


|                                                                                   |                                                                                                                                                                                                                                                                           |                 |                          |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------|
|  |                                                                                                                                                                                                                                                                           |                 |                          |
| <b>No.</b>                                                                        | 416426                                                                                                                                                                                                                                                                    | <b>Ref. No.</b> | 300950<br>300950 (10-09) |
| <b>description</b>                                                                | heating element 11400W 230/400V heating circuits 3 L 310mm W 215mm H 298mm rectangular flange immersion heater W1 66mm W2 60mm H1 260mm H2 32mm hole distance 95mm hole ø 6mm flange length 106mm flange width 52mm cable length 70mm tube ø 8.5mm connection length 33mm |                 |                          |
| <b>For models:</b>                                                                | FFE31, FFM31, FFS31, FFS41                                                                                                                                                                                                                                                |                 |                          |

|                                                                                     |                                                |                 |        |
|-------------------------------------------------------------------------------------|------------------------------------------------|-----------------|--------|
|  |                                                |                 |        |
| <b>No.</b>                                                                          | 416425                                         | <b>Ref. No.</b> | 100744 |
| <b>description</b>                                                                  | heating element 11400W 230V heating circuits 3 |                 |        |

|                                                                                     |                                                                                                                                                                                                                                                                 |                 |                                     |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------|
|  |                                                                                                                                                                                                                                                                 |                 |                                     |
| <b>No.</b>                                                                          | 415741                                                                                                                                                                                                                                                          | <b>Ref. No.</b> | 100299<br>101105<br>12-01<br>600644 |
| <b>description</b>                                                                  | heating element 7500W 230/400V heating circuits 3 L 310mm W 130mm H 295mm rectangular flange connection cable fryer heaters W1 26mm W2 78mm H1 261mm H2 34mm hole distance 95mm hole ø 6mm flange length 105mm flange width 52mm cable length 70mm tube ø 8.5mm |                 |                                     |
| <b>For models:</b>                                                                  | FF21, FF41, FF42, FFE21, FFE41, FFE41TWIN, FFE42, FFM21, FFM41, FFM41TWIN, FFM42, FFS21, FFS41, FFS42                                                                                                                                                           |                 |                                     |

|                                                                                    |                                                                                                                                                                                                                                                         |                 |                           |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------|
|  |                                                                                                                                                                                                                                                         |                 |                           |
| <b>No.</b>                                                                         | 415738                                                                                                                                                                                                                                                  | <b>Ref. No.</b> | 09-09<br>400361<br>400533 |
| <b>description</b>                                                                 | heating element 2000W 230V heating circuits 1 L 302mm W 51mm H 177mm L1 15mm L2 285mm H1 152mm H2 25mm windings 3 flange length 56mm flange width 18mm hole distance 18mm hole ø 4.9mm cable length 330mm tube ø 8.5mm rectangular flange fryer heaters |                 |                           |
| <b>For models:</b>                                                                 | D8                                                                                                                                                                                                                                                      |                 |                           |

|                                                                                    |                                                                                                                                                                                                                                                                              |                 |                           |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------|
|  |                                                                                                                                                                                                                                                                              |                 |                           |
| <b>No.</b>                                                                         | 415739                                                                                                                                                                                                                                                                       | <b>Ref. No.</b> | 09-10<br>400362<br>400534 |
| <b>description</b>                                                                 | heating element 3000W 230V heating circuits 1 L 298mm W 51mm H 190mm L1 18mm L2 280mm H1 150mm H2 40mm windings 4 flange length 57mm flange width 18mm hole distance 18mm hole ø 4mm cable length 250mm connection length 45mm tube ø 8.5mm rectangular flange fryer heaters |                 |                           |
| <b>For models:</b>                                                                 | D4                                                                                                                                                                                                                                                                           |                 |                           |

|                                                                                      |                                                                                                                                                                                                                                                                                 |                 |        |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                                                                                                                                                 |                 |        |
| <b>No.</b>                                                                           | 415742                                                                                                                                                                                                                                                                          | <b>Ref. No.</b> | 100947 |
| <b>description</b>                                                                   | heating element 2300W 230V heating circuits 1 L 280mm W 90mm H 180mm L1 25mm L2 257mm W1 35mm W2 20mm H1 150mm H2 30mm windings 4 flange length 50mm flange width 20mm hole distance 40mm hole ø 5mm connection male faston 6.3mm tube ø 8.5mm rectangular flange fryer heaters |                 |        |
| <b>For models:</b>                                                                   | FT10, FT4, FT4+4, FT6, FT8, PROFI10, PROFI6, PROFI6+6, PROFI8, PROFI8+8                                                                                                                                                                                                         |                 |        |

## heating elements for salamanders/toast-

1

| No.         | 419023                                                                                                      | Ref. No. | 300563 |
|-------------|-------------------------------------------------------------------------------------------------------------|----------|--------|
| description | heating element 400W 230V heating circuits 1 L 405mm tube ø 8.5mm dry heating element salamander/pizza oven |          |        |
| For models: | DUOFOUR, SALAMANDER                                                                                         |          |        |

## quartz heating elements



1

| No.         | 550346                                                    | Ref. No. | 25-07, 400.003 |
|-------------|-----------------------------------------------------------|----------|----------------|
| description | insulator ceramic for quartz heating element L 15mm ø 9mm |          |                |

1

| No.         | 415301                                                                        | Ref. No. | 13-01<br>23050001 |
|-------------|-------------------------------------------------------------------------------|----------|-------------------|
| description | quartz heating element 190W 230V L 450mm ø 10mm connection plug-in connection |          |                   |

1

| No.         | 415309                                                                        | Ref. No. | 12050000<br>14-01 |
|-------------|-------------------------------------------------------------------------------|----------|-------------------|
| description | quartz heating element 400W 230V L 340mm ø 10mm connection plug-in connection |          |                   |

1

| No.         | 415302                                                                        | Ref. No. | 14-04<br>400595<br>600005 |
|-------------|-------------------------------------------------------------------------------|----------|---------------------------|
| description | quartz heating element 400W 230V L 420mm ø 10mm connection plug-in connection |          |                           |
| For models: | DUOFOUR, SALAMANDER                                                           |          |                           |

1

| No.         | 415313                                                                        | Ref. No. | 14-03<br>25550001 |
|-------------|-------------------------------------------------------------------------------|----------|-------------------|
| description | quartz heating element 420W 230V L 460mm ø 10mm connection plug-in connection |          |                   |

|                    |                                                                                                                                                                                                                                                                                         |        |                 |        |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------|--------|
| 1                  | <b>No.</b>                                                                                                                                                                                                                                                                              | 416424 | <b>Ref. No.</b> | 300915 |
| <b>description</b> | heating element 3200W 230V heating circuits 1 L 297mm W 180mm H 161mm L1 28mm L2 269mm W1 81mm W2 18mm flange length 47mm flange width 25mm hole distance 34mm windings 3 tube ø 8mm connection length 29mm connection male faston 6.3mm hole ø 4mm rectangular flange immersion heater |        |                 |        |
| <b>For models:</b> | ECO6, ECO6+6                                                                                                                                                                                                                                                                            |        |                 |        |

|                    |                                                                                                                                                                                                                                                            |        |                 |       |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------|-------|
| 1                  | <b>No.</b>                                                                                                                                                                                                                                                 | 415719 | <b>Ref. No.</b> | 09-26 |
| <b>description</b> | heating element 3200W 230V heating circuits 1 L 290mm W 179mm H 148mm rectangular flange connection male faston 6.3mm fryer heaters L1 12mm L2 68mm L3 210mm W1 80mm W2 19mm hole distance 34mm windings 4 hole ø 4mm flange length 47mm flange width 24mm |        |                 |       |

|                    |                                                                                                                                                                                                                                                                                                |        |                 |        |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------|--------|
| 1                  | <b>No.</b>                                                                                                                                                                                                                                                                                     | 416423 | <b>Ref. No.</b> | 300914 |
| <b>description</b> | heating element 3200W 230V heating circuits 1 L 295mm W 127mm H 162mm rectangular flange connection male faston 6.3mm fryer heaters L1 25mm L2 20mm L3 250mm W1 55mm W2 18mm hole distance 34mm windings 3 hole ø 4.5mm flange length 46mm flange width 25mm tube ø 7mm connection length 30mm |        |                 |        |
| <b>For models:</b> | ECO4, ECO4+4                                                                                                                                                                                                                                                                                   |        |                 |        |

|                    |                                                                                                                                                                                                                                                                                |        |                 |                   |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------|-------------------|
| 1                  | <b>No.</b>                                                                                                                                                                                                                                                                     | 415743 | <b>Ref. No.</b> | 09-05<br>21550015 |
| <b>description</b> | heating element 3750W 230/400V heating circuits 3 L 284mm W 203mm H 164mm L1 19mm L2 265mm W1 55mm W2 75mm H1 140mm H2 24mm windings 9 flange length 65mm flange width 24mm hole distance 29mm hole ø 5mm connection cable cable length 100mm rectangular flange fryer heaters |        |                 |                   |



1

|                    |                                           |                 |                   |
|--------------------|-------------------------------------------|-----------------|-------------------|
| <b>No.</b>         | 550341                                    | <b>Ref. No.</b> | 25-01, 230.59.002 |
| <b>description</b> | socket ceramic for quartz heating element |                 |                   |

## foil heating elements



1

|                    |                                                                                           |                 |          |
|--------------------|-------------------------------------------------------------------------------------------|-----------------|----------|
| <b>No.</b>         | 418472                                                                                    | <b>Ref. No.</b> | 1G962947 |
| <b>description</b> | foil heating element L 400mm W 230mm 175W 230V aluminium cable length 490mm thickness 3mm |                 |          |
| <b>For models:</b> | SILOFRIT-ASF1, SILOFRIT-BSF1                                                              |                 |          |

## accessories

### various



1

|                    |                  |                 |                   |
|--------------------|------------------|-----------------|-------------------|
| <b>No.</b>         | 550343           | <b>Ref. No.</b> | 25-03, 230.59.004 |
| <b>description</b> | clamp for socket |                 |                   |



1

|                    |                          |                 |                   |
|--------------------|--------------------------|-----------------|-------------------|
| <b>No.</b>         | 550345                   | <b>Ref. No.</b> | 25-06, 230.59.005 |
| <b>description</b> | spring angled for socket |                 |                   |



1

|                    |                            |                 |                    |
|--------------------|----------------------------|-----------------|--------------------|
| <b>No.</b>         | 550344                     | <b>Ref. No.</b> | 140.59.007 (25-05) |
| <b>description</b> | spring straight for socket |                 |                    |



1

|                    |                                                           |                 |                |
|--------------------|-----------------------------------------------------------|-----------------|----------------|
| <b>No.</b>         | 550346                                                    | <b>Ref. No.</b> | 25-07, 400.003 |
| <b>description</b> | insulator ceramic for quartz heating element L 15mm ø 9mm |                 |                |



1

|                    |                                           |                 |                   |
|--------------------|-------------------------------------------|-----------------|-------------------|
| <b>No.</b>         | 550341                                    | <b>Ref. No.</b> | 25-01, 230.59.002 |
| <b>description</b> | socket ceramic for quartz heating element |                 |                   |

## thermostats

### control and safety thermostats

#### EGO

#### control thermostats

#### 55.13\_ series



1

|                    |                                                                                                                                                                                                                          |                 |        |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 375683                                                                                                                                                                                                                   | <b>Ref. No.</b> | 400374 |
| <b>description</b> | thermostat t.max. 175°C temperature range 95-175°C 1-pole 1NO 16A probe ø 4mm probe L 157mm capillary pipe 670mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |        |
| <b>For models:</b> | D4                                                                                                                                                                                                                       |                 |        |



1

|                    |                                                                                                                                                                                                                                            |                 |                  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|
| <b>No.</b>         | 375224                                                                                                                                                                                                                                     | <b>Ref. No.</b> | 400772<br>601034 |
| <b>description</b> | thermostat t.max. 184°C temperature range 35-184°C 1-pole 1NO 16A probe ø 3mm probe L 165mm capillary pipe 520mm capillary pipe isolated 270mm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position upper rotation 270° probe material SS |                 |                  |
| <b>For models:</b> | ECO4, ECO4+4, ECO6, ECO6+6                                                                                                                                                                                                                 |                 |                  |

E·G·O



| No.         | 375677                                                                                                                                                                                                      | Ref. No. | 400541 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | thermostat t.max. 195°C temperature range 103-195°C 1-pole 1NO 16A probe ø 4mm probe L 157mm capillary pipe 2250mm capillary pipe isolated 2020mm gland nut shaft L 18mm shaft position upper rotation 270° |          |        |
| For models: | FF21, FF31, FF41, FF42, FFS21, FFS31, FFS41, FFS42                                                                                                                                                          |          |        |

E·G·O




| No.         | 375512                                                                                                                                                                                                                          | Ref. No. | 400370 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | thermostat t.max. 185°C temperature range 95-185°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 2430mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |        |
| For models: | D6, D8                                                                                                                                                                                                                          |          |        |

E·G·O



| No.         | 375527                                                                                                                                                                                                   | Ref. No. | 100374 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | thermostat t.max. 200°C temperature range 60-200°C 1-pole 1NO 16A probe ø 6mm probe L 77mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft L 23mm shaft position upper rotation 270° |          |        |

E·G·O



| No.         | 375050                                                                                                                                                                                                  | Ref. No. | 100374 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | thermostat t.max. 200°C temperature range 60-200°C 3-pole 3NO 16A probe ø 3.1mm probe L 235mm capillary pipe 1480mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270° |          |        |

## 55.34\_series

E·G·O



| No.         | 375256                                                                                                                                                                                                                    | Ref. No. | 400369 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | thermostat t.max. 175°C temperature range 100-175°C 3-pole 3NO 16A probe ø 4mm probe L 157mm capillary pipe 850mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |        |
| For models: | D6, D8                                                                                                                                                                                                                    |          |        |

E·G·O



| No.         | 375043                                                                                                                                                                                                                       | Ref. No. | 09580111 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | thermostat t.max. 200°C temperature range 65-200°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 880mm capillary pipe isolated 800mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |          |

## safety thermostats

## 55.13\_ series



|                    |                                                                                                                                                                                                        |                 |          |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>No.</b>         | 390817                                                                                                                                                                                                 | <b>Ref. No.</b> | 09580134 |
| <b>description</b> | safety thermostat switch-off temp. 250°C 1-pole probe ø 6mm probe L 78mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe                                                                |                 |          |
| <b>For models:</b> | OPTIMA-E20, OPTIMA-E22, OPTIMA-E30, OPTIMA-E32, OPTIMA-E40, OPTIMA-E42, OPTIMA-E47, OPTIMA-E48, OPTIMA-EE20, OPTIMA-EE22, OPTIMA-EE30, OPTIMA-EE32, OPTIMA-EE40, OPTIMA-EE42, OPTIMA-EE47, OPTIMA-EE48 |                 |          |



|                    |                                                                                                                                                     |                 |        |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 375678                                                                                                                                              | <b>Ref. No.</b> | 400375 |
| <b>description</b> | safety thermostat switch-off temp. 290°C 1-pole 16A probe ø 4mm probe L 111mm capillary pipe 710mm capillary pipe isolated 450mm gland nut probe SS |                 |        |
| <b>For models:</b> | D4                                                                                                                                                  |                 |        |

## 55.31\_ series




|                    |                                                                                                                                              |                 |                 |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|
| <b>No.</b>         | 375127                                                                                                                                       | <b>Ref. No.</b> | 02-02<br>400189 |
| <b>description</b> | safety thermostat switch-off temp. 290°C 3-pole 20A probe ø 6mm probe L 220mm capillary pipe 840mm capillary pipe isolatedmm gland nut probe |                 |                 |



|                    |                                                                                                                                                     |                 |        |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 375679                                                                                                                                              | <b>Ref. No.</b> | 400364 |
| <b>description</b> | safety thermostat switch-off temp. 295°C 3-pole 20A probe ø 4mm probe L 157mm capillary pipe 670mm capillary pipe isolated 350mm gland nut probe SS |                 |        |
| <b>For models:</b> | D6, D8                                                                                                                                              |                 |        |

## 56\_ series



|                    |                                                                                                                                                    |                 |        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 375442                                                                                                                                             | <b>Ref. No.</b> | 601275 |
| <b>description</b> | safety thermostat capillary pipe 1760mm probe ø 4mm 1-pole probe L 100mm 16A capillary pipe isolated 1600mm gland nut switch-off temp. 320°C probe |                 |        |

## CAEM

## safety thermostats



|                    |                                                                                                                                                                          |                 |        |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 375899                                                                                                                                                                   | <b>Ref. No.</b> | 600381 |
| <b>description</b> | safety thermostat switch-off temp. 222°C 1-pole 16A probe ø 3mm probe L 160mm capillary pipe 900mm capillary pipe isolated 190mm gland nut probe material SS replace set |                 |        |

## JAEGER

## safety thermostats



|                    |                            |                 |        |
|--------------------|----------------------------|-----------------|--------|
| <b>No.</b>         | 375244                     | <b>Ref. No.</b> | 600709 |
| <b>description</b> | safety thermostat          |                 |        |
| <b>For models:</b> | ECO4, ECO4+4, ECO6, ECO6+6 |                 |        |



1

| No.         | 375248                                                                                                                                                                | Ref. No. | 600707 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | safety thermostat switch-off temp. 295°C 16A probe ø 3mm probe L 138mm capillary pipe 610mm capillary pipe isolated 440mm screw mounting complete auxiliary equipment |          |        |
| For models: | FT10, FT4, FT4+4, FT6, FT8                                                                                                                                            |          |        |

## various

### safety thermostats



1

| No.         | 375682                                          | Ref. No. | 400537<br>400674<br>400676<br>600383 |
|-------------|-------------------------------------------------|----------|--------------------------------------|
| description | safety thermostat switch-off temp. 285°C 1-pole |          |                                      |
| For models: | FF21, FF31, FF41, FF42                          |          |                                      |



1

| No.         | 375249                                                                                                  | Ref. No. | 600711 |
|-------------|---------------------------------------------------------------------------------------------------------|----------|--------|
| description | safety thermostat switch-off temp. 305°C probe ø 3mm probe L 140mm capillary pipe 2270mm screw mounting |          |        |
| For models: | FFS21, FFS31, FFS41, FFS42                                                                              |          |        |

## switches and momentary switches

### rocker/momentary rocker switches

#### 30x11mm



1

| No.         | 301012                                                                                                                                                             | Ref. No. | 400553 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | rocker switch mounting measurements 30x11mm green 1NO/ indicator light 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 |          |        |
| For models: | DUOFOUR                                                                                                                                                            |          |        |

#### 30x22mm



1

| No.             | 301003                                                                                                                                                        | Ref. No. | 400627          |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|
| description     | rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 |          |                 |
| For models:     | DUOFOUR, FF21, FF31, FF41, FF42, FT10, FT4, FT4+4, FT6, FT8, SALAMANDER                                                                                       |          |                 |
| accessories for | 301003                                                                                                                                                        |          |                 |
|                 | No.                                                                                                                                                           | 301036   | Ref. No. 400647 |
|                 | protective cover internal size 30x22mm for rocker switch mounting measurementsmm                                                                              |          |                 |



1

| No.         | 301036                                                                           | Ref. No. | 400647 |
|-------------|----------------------------------------------------------------------------------|----------|--------|
| description | protective cover internal size 30x22mm for rocker switch mounting measurementsmm |          |        |
| For models: | FF21, FF31, FF41, FF42, FT10, FT4, FT4+4, FT6, FT8                               |          |        |

### push/momentary push switches

#### 30x22mm



1

| No.         | 301036                                                                           | Ref. No. | 400647 |
|-------------|----------------------------------------------------------------------------------|----------|--------|
| description | protective cover internal size 30x22mm for rocker switch mounting measurementsmm |          |        |
| For models: | FF21, FF31, FF41, FF42, FT10, FT4, FT4+4, FT6, FT8                               |          |        |

### microswitches

#### pin-plunger actuated



1

| No.         | 345060                                                                                                                                                                   | Ref. No. | 400547 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | microswitch with plunger 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type BS1010 actuating force: 350g red stroke 9mm |          |        |
| For models: | ECO4, ECO4+4, ECO6, ECO6+6, FF21, FF31, FF41, FF42, FT10, FT4, FT4+4, FT6, FT8, PROF10, PROF16, PROF16+6, PROF18, PROF18+8                                               |          |        |



1

| No.         | 300092                                                                                                                                                                  | Ref. No. | 400358 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | microswitch with plunger 400V 16A 2NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type XTD22A21 actuating force: 150g fryer black |          |        |

### non-standard



1

| No.         | 345126                                                    | Ref. No. | 03-21<br>400358 |
|-------------|-----------------------------------------------------------|----------|-----------------|
| description | microswitch with plunger 2NO connection male faston 6.3mm |          |                 |
| For models: | D4                                                        |          |                 |

## cam switches

## on/off



1

| No.         | 300074                                                                                                                                  | Ref. No. | 1G960702 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic |          |          |
| For models: | SILOFRIT-ASF1, SILOFRIT-BSF1                                                                                                            |          |          |

## operation switches



1

| No.         | 300002                                                                                                                              | Ref. No. | 400371 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | cam switch 2 operating positions 4NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic |          |        |
| For models: | D6, D8                                                                                                                              |          |        |



1

| No.                                                                                 | 300080                                                                                                                                                                  | Ref. No. | 21558010 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description                                                                         | cam switch 2 operating positions 4NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C |          |          |
| accessories for                                                                     | 300080                                                                                                                                                                  |          |          |
|  | No.                                                                                                                                                                     | 551456   | Ref. No. |
|                                                                                     | gasket for switch ED $\varnothing$ 14mm ID $\varnothing$ 2.5mm thickness 3.5mm white                                                                                    |          |          |



1


| No.         | 300200                                                                                                                                                     | Ref. No. | 400372 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | operation switch 2 operating positions 2NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic |          |        |
| For models: | D4                                                                                                                                                         |          |        |

## magnetic switches

## 29x19mm




1



| No.         | 345808                                                                                                   | Ref. No. | 101418<br>400906 |
|-------------|----------------------------------------------------------------------------------------------------------|----------|------------------|
| description | magnetic switch L 29mm W 19mm 1CO 150V 0.5A P max. 10W connection cable cable length 1000mm              |          |                  |
| For models: | FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41, FFM41TWIN, FFM42, FFS21, FFS31, FFS41, FFS42 |          |                  |



1



|                    |                                                                                       |                 |        |
|--------------------|---------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 345217                                                                                | <b>Ref. No.</b> | 400857 |
| <b>description</b> | magnetic switch L 29mm W 19mm 1NO 125V 0.5A P max. 10W connection cable length 2000mm |                 |        |
| <b>For models:</b> | FFE21, FFE31, FFE41, FFE42, FFM31, FFM41, FFM42, FFS21, FFS41, FFS42                  |                 |        |

## encoders and potentiometers



1

|                    |                                                                                                                      |                 |        |
|--------------------|----------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 400849                                                                                                               | <b>Ref. No.</b> | 101336 |
| <b>description</b> | encoder KOhm rotation 360° shaft ø 5.9mm shaft L 214mm for fryer thread M10 plug type male faston cable length 300mm |                 |        |
| <b>For models:</b> | FFS21, FFS31, FFS41, FFS42                                                                                           |                 |        |

## lamps

### indicator lights

#### indicator lights (complete)

ø10mm

with plug-in socket



1

|                    |                                                                                            |                 |        |
|--------------------|--------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 359230                                                                                     | <b>Ref. No.</b> | 400543 |
| <b>description</b> | indicator light ø 10mm green 230V connection male faston 2.8mm Qty 1 pcs                   |                 |        |
| <b>For models:</b> | FF21, FF31, FF41, FF42, FFS18G, FFS21, FFS25G, FFS31, FFS41, FFS42, SIMPLY-S18, SIMPLY-S25 |                 |        |



1

|                    |                                                                                            |                 |        |
|--------------------|--------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 359231                                                                                     | <b>Ref. No.</b> | 400544 |
| <b>description</b> | indicator light ø 10mm yellow 230V connection male faston 2.8mm Qty 1 pcs                  |                 |        |
| <b>For models:</b> | FF21, FF31, FF41, FF42, FFS18G, FFS21, FFS25G, FFS31, FFS41, FFS42, SIMPLY-S18, SIMPLY-S25 |                 |        |



1

|                    |                                    |                 |        |
|--------------------|------------------------------------|-----------------|--------|
| <b>No.</b>         | 359258                             | <b>Ref. No.</b> | 400771 |
| <b>description</b> | indicator light ø 10mm 230V yellow |                 |        |
| <b>For models:</b> | ECO4, ECO4+4, ECO6, ECO6+6         |                 |        |

### 30x22mm



1

|                    |                                                                                                                        |                 |        |
|--------------------|------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 359156                                                                                                                 | <b>Ref. No.</b> | 400698 |
| <b>description</b> | indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm temp.-resist. 125/55°C type RL2 |                 |        |
| <b>For models:</b> | FT10, FT4, FT4+4, FT6, FT8                                                                                             |                 |        |

## timers

### mechanical timers



1

|                                                                                     |                                                                                                                                                                                               |                 |                   |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>No.</b>                                                                          | 350049                                                                                                                                                                                        | <b>Ref. No.</b> | 400765            |
| <b>description</b>                                                                  | timer M2 with bell 2-pole operation time 30min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral |                 |                   |
| <b>For models:</b>                                                                  | DUOFOUR, SALAMANDER                                                                                                                                                                           |                 |                   |
| <b>accessories for</b>                                                              | 350049                                                                                                                                                                                        |                 |                   |
|  | <b>No.</b>                                                                                                                                                                                    | 110366          | <b>Ref. No.</b> — |
|                                                                                     | knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black                                                                                                                  |                 |                   |
|  | <b>No.</b>                                                                                                                                                                                    | 111205          | <b>Ref. No.</b> — |
|                                                                                     | dial plate graduation 30min permanent position yes rotation 30-300° ø 60mm                                                                                                                    |                 |                   |

## contactors

### GENERAL ELECTRIC (AEG)

#### power contactors



1

|                    |                                                                                                                                                                                      |                 |        |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 380239                                                                                                                                                                               | <b>Ref. No.</b> | 400796 |
| <b>description</b> | power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A |                 |        |
| <b>For models:</b> | FFE21, FFE42, FFM42, FFS21, FFS42, FT10, FT6, FT8                                                                                                                                    |                 |        |



1

| No.         | 380238                                                                                                                                                                                | Ref. No. | 400796 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW<br>main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A |          |        |



1


| No.         | 380261                                                                                                                                                                     | Ref. No. | 400797 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW<br>main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310 |          |        |
| For models: | FF31, FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41, FFM41TWIN, FFS21, FFS31, FFS41, FFS42                                                                    |          |        |

## relays

### power relays

#### with DIN rail mounting

##### lateral



1

| No.         | 380376                                                                                    | Ref. No. | 400798 |
|-------------|-------------------------------------------------------------------------------------------|----------|--------|
| description | power relays FINDER 230VAC 30A 1NO connection male faston 6.3mm DIN rail manuf. no. 65.31 |          |        |
| For models: | FFE21, FFE31, FFE41, FFE42, FFM31, FFM41, FFM42, FFS21, FFS31, FFS41, FFS42               |          |        |

#### with bracket mounting



1

| No.         | 380185                                                                                                                         | Ref. No. | 400559 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A10-230AC-FA |          |        |
| For models: | FF21, FF31, FF41, FF42                                                                                                         |          |        |

#### with special fixing



1

| No.         | 380186           | Ref. No. | 04-06<br>400640 |
|-------------|------------------|----------|-----------------|
| description | power relays 3NO |          |                 |
| For models: | FT6, FT8         |          |                 |

#### with male contacts

##### bullet connectors, 8 contacts



1

|                                                                                     |                                                                                                                                        |          |          |   |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------|----------|---|
| No.                                                                                 | 380134                                                                                                                                 | Ref. No. | 400540   |   |
| description                                                                         | power relays Italiana Relè 230VAC 10A 2CO connection plug-in connection round 8-pole manuf. no. C42-230VAC 90.26/ZVE8 250V             |          |          |   |
| For models:                                                                         | FF21, FF41, FF42                                                                                                                       |          |          |   |
| accessories for                                                                     | 380134                                                                                                                                 |          |          |   |
|  | No.                                                                                                                                    | 380137   | Ref. No. | — |
|                                                                                     | relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8 |          |          |   |
|  | No.                                                                                                                                    | 380638   | Ref. No. | — |
|                                                                                     | relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26                                                             |          |          |   |



## probes

### producer-specific probes

#### probes



|                    |                                                                                                                                                                      |                 |        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 378311                                                                                                                                                               | <b>Ref. No.</b> | 214175 |
| <b>description</b> | temperature probe thermocouple K (NiCr-Ni) cable glass fibre probe -50 up to 1150°C cable -50 up to +350°C connection triple thread probe ø5x290mm cable length 1.5m |                 |        |



|                    |                                                                                                                                                                       |                 |                            |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------|
| <b>No.</b>         | 379909                                                                                                                                                                | <b>Ref. No.</b> | 214176<br>600463<br>600724 |
| <b>description</b> | temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C connection 3-wire thread probe ø5x120/300mm cable length 1.5m |                 |                            |
| <b>For models:</b> | FFE21, FFE31, FFE41, FFE42, FFM31, FFM41, FFM42                                                                                                                       |                 |                            |

#### core probes



|                    |                                                                                                                                                                                                                 |                 |        |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 379827                                                                                                                                                                                                          | <b>Ref. No.</b> | 601043 |
| <b>description</b> | temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø5x115/285mm thread cable length 1.5m handle ømm handle length-mm L1 280mm L2 115mm |                 |        |
| <b>For models:</b> | FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41TWIN, FFS21, FFS31, FFS41, FFS42                                                                                                                      |                 |        |

## electronics

### PCBs



|                    |                                                                                |                 |        |
|--------------------|--------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 403538                                                                         | <b>Ref. No.</b> | 101639 |
| <b>description</b> | control PCB EASY / PROFI L 120mm W 90mm suitable for FRIFRI edition since 2006 |                 |        |
| <b>For models:</b> | EASY211, EASY411, EASY422, PROFI10, PROFI6, PROFI6+6, PROFI8, PROFI8+8         |                 |        |



|                    |                                       |                 |        |
|--------------------|---------------------------------------|-----------------|--------|
| <b>No.</b>         | 400844                                | <b>Ref. No.</b> | 101335 |
| <b>description</b> | control PCB for fryer L 125mm W 125mm |                 |        |
| <b>For models:</b> | FFS21, FFS31, FFS41, FFS42            |                 |        |



|                    |                                                                                                                                                            |                 |        |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 402993                                                                                                                                                     | <b>Ref. No.</b> | 214113 |
| <b>description</b> | control PCB fryer ELLEGANCE L 140mm W 80mm with display                                                                                                    |                 |        |
| <b>For models:</b> | ELEGANCE-M211, ELEGANCE-M311, ELEGANCE-M411, ELEGANCE-M422, ELEGANCE-S211, ELEGANCE-S311, ELEGANCE-S411, ELEGANCE-S422, V05M211, V05M311, V05M411, V05M422 |                 |        |



|                    |                                                                |                 |        |
|--------------------|----------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 400650                                                         | <b>Ref. No.</b> | 101406 |
| <b>description</b> | control PCB fryer FFE 21/31/41                                 |                 |        |
| <b>For models:</b> | FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41TWIN |                 |        |



|                    |                                                                |                 |        |
|--------------------|----------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 400638                                                         | <b>Ref. No.</b> | 101386 |
| <b>description</b> | display for fryer                                              |                 |        |
| <b>For models:</b> | FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41TWIN |                 |        |

|                                                                                   |        |                 |        |
|-----------------------------------------------------------------------------------|--------|-----------------|--------|
|  |        |                 |        |
| 1                                                                                 |        |                 |        |
| <b>No.</b>                                                                        | 400852 | <b>Ref. No.</b> | 300917 |
| <b>description</b>                                                                | PCB    |                 |        |

|                                                                                   |                                                 |                 |        |
|-----------------------------------------------------------------------------------|-------------------------------------------------|-----------------|--------|
|  |                                                 |                 |        |
| 1                                                                                 |                                                 |                 |        |
| <b>No.</b>                                                                        | 401619                                          | <b>Ref. No.</b> | 300917 |
| <b>description</b>                                                                | PCB                                             |                 |        |
| <b>For models:</b>                                                                | FFE21, FFE31, FFE41, FFE42, FFM31, FFM41, FFM42 |                 |        |

|                                                                                    |                                                                                            |                 |        |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                            |                 |        |
| 1                                                                                  |                                                                                            |                 |        |
| <b>No.</b>                                                                         | 401836                                                                                     | <b>Ref. No.</b> | 402022 |
| <b>description</b>                                                                 | PCB                                                                                        |                 |        |
| <b>For models:</b>                                                                 | FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41TWIN, FFS21, FFS31, FFS41, FFS42 |                 |        |

|                                                                                     |                                       |                 |        |
|-------------------------------------------------------------------------------------|---------------------------------------|-----------------|--------|
|  |                                       |                 |        |
| 1                                                                                   |                                       |                 |        |
| <b>No.</b>                                                                          | 403146                                | <b>Ref. No.</b> | 101613 |
| <b>description</b>                                                                  | PCB fryer 2840/FFSE98 L 126mm W 126mm |                 |        |

|                                                                                     |                                                 |                 |        |
|-------------------------------------------------------------------------------------|-------------------------------------------------|-----------------|--------|
|  |                                                 |                 |        |
| 1                                                                                   |                                                 |                 |        |
| <b>No.</b>                                                                          | 400854                                          | <b>Ref. No.</b> | 300918 |
| <b>description</b>                                                                  | power PCB fryer FFE 21/31/41 edition since 1995 |                 |        |
| <b>For models:</b>                                                                  | FFE21, FFE31, FFE41, FFE42, FFM31, FFM41, FFM42 |                 |        |

## keypads

## front foils

|                                                                                    |             |                 |        |
|------------------------------------------------------------------------------------|-------------|-----------------|--------|
|  |             |                 |        |
| 1                                                                                  |             |                 |        |
| <b>No.</b>                                                                         | 400584      | <b>Ref. No.</b> | 300989 |
| <b>description</b>                                                                 | keypad foil |                 |        |
| <b>For models:</b>                                                                 | FFM31       |                 |        |

|                                                                                    |             |                 |        |
|------------------------------------------------------------------------------------|-------------|-----------------|--------|
|  |             |                 |        |
| 1                                                                                  |             |                 |        |
| <b>No.</b>                                                                         | 400586      | <b>Ref. No.</b> | 300990 |
| <b>description</b>                                                                 | keypad foil |                 |        |
| <b>For models:</b>                                                                 | FFM41       |                 |        |

|                                                                                    |             |                 |        |
|------------------------------------------------------------------------------------|-------------|-----------------|--------|
|  |             |                 |        |
| 1                                                                                  |             |                 |        |
| <b>No.</b>                                                                         | 400609      | <b>Ref. No.</b> | 300991 |
| <b>description</b>                                                                 | keypad foil |                 |        |
| <b>For models:</b>                                                                 | FFM42       |                 |        |

|                                                                                      |              |                 |        |
|--------------------------------------------------------------------------------------|--------------|-----------------|--------|
|  |              |                 |        |
| 1                                                                                    |              |                 |        |
| <b>No.</b>                                                                           | 400618       | <b>Ref. No.</b> | 301302 |
| <b>description</b>                                                                   | keypad foil  |                 |        |
| <b>For models:</b>                                                                   | FFE21, FFM21 |                 |        |

|                                                                                      |              |                 |        |
|--------------------------------------------------------------------------------------|--------------|-----------------|--------|
|  |              |                 |        |
| 1                                                                                    |              |                 |        |
| <b>No.</b>                                                                           | 400633       | <b>Ref. No.</b> | 301303 |
| <b>description</b>                                                                   | keypad foil  |                 |        |
| <b>For models:</b>                                                                   | FFE31, FFM31 |                 |        |

|                                                                                      |             |                 |        |
|--------------------------------------------------------------------------------------|-------------|-----------------|--------|
|  |             |                 |        |
| 1                                                                                    |             |                 |        |
| <b>No.</b>                                                                           | 400635      | <b>Ref. No.</b> | 301304 |
| <b>description</b>                                                                   | keypad foil |                 |        |
| <b>For models:</b>                                                                   | FFE41       |                 |        |

|                                                                                     |             |                 |        |
|-------------------------------------------------------------------------------------|-------------|-----------------|--------|
| 1  |             |                 |        |
| <b>No.</b>                                                                          | 400636      | <b>Ref. No.</b> | 301305 |
| <b>description</b>                                                                  | keypad foil |                 |        |
| <b>For models:</b>                                                                  | FFE42       |                 |        |

|                                                                                     |              |                 |        |
|-------------------------------------------------------------------------------------|--------------|-----------------|--------|
| 1  |              |                 |        |
| <b>No.</b>                                                                          | 400855       | <b>Ref. No.</b> | 300992 |
| <b>description</b>                                                                  | keypad foil  |                 |        |
| <b>For models:</b>                                                                  | FFE21, FFM31 |                 |        |

|                                                                                     |              |                 |        |
|-------------------------------------------------------------------------------------|--------------|-----------------|--------|
| 1  |              |                 |        |
| <b>No.</b>                                                                          | 400856       | <b>Ref. No.</b> | 300993 |
| <b>description</b>                                                                  | keypad foil  |                 |        |
| <b>For models:</b>                                                                  | FFE31, FFM41 |                 |        |

|                                                                                       |             |                 |        |
|---------------------------------------------------------------------------------------|-------------|-----------------|--------|
| 1  |             |                 |        |
| <b>No.</b>                                                                            | 400858      | <b>Ref. No.</b> | 300995 |
| <b>description</b>                                                                    | keypad foil |                 |        |
| <b>For models:</b>                                                                    | FFE42       |                 |        |

## keypad units

|                                                                                       |                                                                                                                                                                                                                                                                            |                 |        |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                                                                                                                                                                                                            |                 |        |
| <b>No.</b>                                                                            | 401695                                                                                                                                                                                                                                                                     | <b>Ref. No.</b> | 211090 |
| <b>description</b>                                                                    | keypad unit fryer BASIC211-422/BUSINESS211-422 L 140mm W 140mm                                                                                                                                                                                                             |                 |        |
| <b>For models:</b>                                                                    | BASIC211, BASIC311, BASIC411, BASIC422, BUSINESS211, BUSINESS311, BUSINESS411, BUSINESS422, VO3BASIC211, VO3BASIC311, VO3BASIC411, VO3BASIC422, VO3BUSINESS211, VO3BUSINESS311, VO3BUSINESS411, VO3BUSINESS422, VO3COMFORT211, VO3COMFORT311, VO3COMFORT411, VO3COMFORT422 |                 |        |

|                                                                                      |                                                                                        |                 |        |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                        |                 |        |
| <b>No.</b>                                                                           | 403120                                                                                 | <b>Ref. No.</b> | 216191 |
| <b>description</b>                                                                   | keypad unit fryer EASY PLUS L 93mm W 155mm suitable for FRIFRI mounting pos. buttons 4 |                 |        |

## electric accessories

### cables

### accessories

### cable glands

### threaded cable glands

### screw connections

|                                                                                      |                                                                                                          |                 |        |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                                          |                 |        |
| <b>No.</b>                                                                           | 551065                                                                                                   | <b>Ref. No.</b> | 400848 |
| <b>description</b>                                                                   | cable gland thread PG7 cable ø 5mm mounting ø 12.5mm Qty 1 plastic WS 15 L 29mm                          |                 |        |
| <b>For models:</b>                                                                   | FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41, FFM41TWIN, FFM42, FFS21, FFS31, FFS41, FFS42 |                 |        |

### fastening nuts

|                    |                                                                                                          |                 |        |
|--------------------|----------------------------------------------------------------------------------------------------------|-----------------|--------|
| 1                  |                                                                                                          |                 |        |
| <b>No.</b>         | 551066                                                                                                   | <b>Ref. No.</b> | 400849 |
| <b>description</b> | nut thread PG7 plastic mounting ømm Qty 1 cable ømm                                                      |                 |        |
| <b>For models:</b> | FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41, FFM41TWIN, FFM42, FFS21, FFS31, FFS41, FFS42 |                 |        |

### terminals

### connection terminals with faston connections

|                                                                                       |                                                                                                          |                 |        |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                                          |                 |        |
| <b>No.</b>                                                                            | 551064                                                                                                   | <b>Ref. No.</b> | 401019 |
| <b>description</b>                                                                    | rail-mounted terminal block 8-pole connection grip connection cross section 2.5mm <sup>2</sup>           |                 |        |
| <b>For models:</b>                                                                    | FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41, FFM41TWIN, FFM42, FFS21, FFS31, FFS41, FFS42 |                 |        |

## equipment-specific units

## for deep fryers

## lids



1

| No.         | 970808                                 | Ref. No. | 300938<br>301194 |
|-------------|----------------------------------------|----------|------------------|
| description | lid for fryer SS L 323mm W 173mm H 7mm |          |                  |
| For models: | ECO4, ECO4+4                           |          |                  |

## miscellaneous



1

| No.         | 694557                                           | Ref. No. | 101074 |
|-------------|--------------------------------------------------|----------|--------|
| description | guide bar for contol plastic L 79mm W 13mm H 8mm |          |        |
| For models: | ECO4, ECO4+4, ECO6, ECO6+6                       |          |        |



1

| No.         | 694341                                                                  | Ref. No. | 101011 |
|-------------|-------------------------------------------------------------------------|----------|--------|
| description | guide bar L 150mm W 20mm H 5mm                                          |          |        |
| For models: | FT10, FT4, FT4+4, FT6, FT8, PROFI10, PROFI6, PROFI6+6, PROFI8, PROFI8+8 |          |        |



1

| No.         | 694349                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Ref. No. | 214160<br>600675 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------|
| description | hose complete for draining silicone L 1500mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |                  |
| For models: | BASIC211, BASIC311, BASIC411, BASIC412, BASIC422, BUSINESS211, BUSINESS311, BUSINESS411, BUSINESS412, BUSINESS422, ELEGANCE-M211, ELEGANCE-M311, ELEGANCE-M411, ELEGANCE-M412, ELEGANCE-M422, ELEGANCE-S211, ELEGANCE-S311, ELEGANCE-S411, ELEGANCE-S412, ELEGANCE-S422, FFE21, FFE31, FFE41, FFE41TWIN, FFE42, FFM21, FFM31, FFM41, FFM41TWIN, FFM42, FFS21, FFS31, FFS41, FFS42, V05M211, V05M311, V05M411, V05M412, V05M422, VO3BASIC211, VO3BASIC311, VO3BASIC411, VO3BASIC412, VO3BASIC422, VO3BUSINESS211, VO3BUSINESS311, VO3BUSINESS411, VO3BUSINESS412, VO3BUSINESS422, VO3COMFORT211...(Other models you can see in the webshop) |          |                  |



1

| No.         | 550369              | Ref. No. | 998999 Polyamid P M6/6,1 |
|-------------|---------------------|----------|--------------------------|
| description | shim for thermostat |          |                          |

## knobs

## universal knobs



1

| No.         | 110163                                                             | Ref. No. | 09741069 |
|-------------|--------------------------------------------------------------------|----------|----------|
| description | knob switch zero mark ø 42mm shaft ø 6x4.6mm shaft flat left black |          |          |
| For models: | DUOFOUR, SALAMANDER                                                |          |          |

## producer-specific knobs

## FRIFRI

1

| No.         | 110881     | Ref. No. | 09741057 |
|-------------|------------|----------|----------|
| description | knob       |          |          |
| For models: | D4, D6, D8 |          |          |



1

| No.         | 110168      | Ref. No. | 32-09<br>400545 |
|-------------|-------------|----------|-----------------|
| description | knob ø 40mm |          |                 |



1

| No.         | 110879                                                             | Ref. No. | 400769 |
|-------------|--------------------------------------------------------------------|----------|--------|
| description | knob switch zero mark ø 40mm shaft ø 6x4.6mm shaft flat left black |          |        |
| For models: | ECO4, ECO4+4, ECO6, ECO6+6                                         |          |        |



1

| No.         | 110163                                                             | Ref. No. | 09741069 |
|-------------|--------------------------------------------------------------------|----------|----------|
| description | knob switch zero mark ø 42mm shaft ø 6x4.6mm shaft flat left black |          |          |
| For models: | DUOFOUR, SALAMANDER                                                |          |          |



1

| No.         | 110164                                                                                                     | Ref. No. | 400755 |
|-------------|------------------------------------------------------------------------------------------------------------|----------|--------|
| description | knob switch zero mark ø 45mm                                                                               |          |        |
| For models: | D4, D6, D8, OPTIMA-E20, OPTIMA-E22, OPTIMA-E30, OPTIMA-E32, OPTIMA-E40, OPTIMA-E42, OPTIMA-E47, OPTIMA-E48 |          |        |



1

| No.         | 110258                                                              | Ref. No. | 09741058<br>32-07 |
|-------------|---------------------------------------------------------------------|----------|-------------------|
| description | knob switch zero mark ø 45mm shaft ø 6x4.6mm shaft flat lower black |          |                   |



1

| No.         | 110880                                                                                                                 | Ref. No. | 400545 |
|-------------|------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | knob switch zero mark ø 54mm shaft ø 6x4.6mm shaft flat lower black                                                    |          |        |
| For models: | FF21, FF31, FF41, FF42, FFS18G, FFS21, FFS25G, FFS31, FFS41, FFS42, FT10, FT4, FT4+4, FT6, FT8, SIMPLY-S18, SIMPLY-S25 |          |        |



1

| No.         | 112884                                                               | Ref. No. | 400545-1 |
|-------------|----------------------------------------------------------------------|----------|----------|
| description | knob switch zero mark t.max.°C ø 50mm shaft ø 6.5mm shaft flat black |          |          |

## filters

### deep fryer filters



1

| No.         | 970782                                                                                                                                                                                                                                                                                                                                                                       | Ref. No. | 101159 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | oil filter W 190mm L 290mm for fryer H 170mm without handle suitable for FRIFRI                                                                                                                                                                                                                                                                                              |          |        |
| For models: | BASIC311, BASIC411, BASIC412, BUSINESS311, BUSINESS411, BUSINESS412, ELEGANCE-M311, ELEGANCE-M411, ELEGANCE-M412, ELEGANCE-S311, ELEGANCE-S411, ELEGANCE-S412, FFE31, FFE41, FFE41TWIN, FFM31, FFM41, FFM41TWIN, FFS31, FFS41, V05M311, V05M411, V05M412, VO3BASIC311, VO3BASIC411, VO3BASIC412, VO3BUSINESS411, VO3BUSINESS412, VO3COMFORT311, VO3COMFORT411, VO3COMFORT412 |          |        |



1

| No.         | 970738                             | Ref. No. | 600696 |
|-------------|------------------------------------|----------|--------|
| description | oil filter W 225mm L 280mm H 170mm |          |        |

## equipment feet and end caps

### bolting feet



1

| No.         | 692331                                                                              | Ref. No. | 400354 |
|-------------|-------------------------------------------------------------------------------------|----------|--------|
| description | equipment foot L 35mm W 35mm H 25mm bore ø 5mm mounting distance 14mm               |          |        |
| For models: | D4, D6, D8, FT10, FT4, FT4+4, FT6, FT8, PROF110, PROF16, PROF16+6, PROF18, PROF18+8 |          |        |

## baskets

## fryer baskets

## FRIFRI



1

| No.         | 970178                                                                            | Ref. No. | 101010 old version |
|-------------|-----------------------------------------------------------------------------------|----------|--------------------|
| description | fryer basket L1 250mm W1 130mm H1 100mm chrome-plated steel edition until 12/2006 |          |                    |



1

| No.         | 970179                                                                                 | Ref. No. | 300716 |
|-------------|----------------------------------------------------------------------------------------|----------|--------|
| description | fryer basket L1 250mm W1 215mm H1 105mm L2 500mm H2 160mm H3 220mm chrome-plated steel |          |        |
| For models: | D6, FT10, FT6, FT8, PROFI10, PROFI6, PROFI6+6                                          |          |        |



1

| No.         | 970176                                                      | Ref. No. | 300941 |
|-------------|-------------------------------------------------------------|----------|--------|
| description | fryer basket L1 260mm W1 130mm H1 100mm chrome-plated steel |          |        |



1

| No.         | 970287                                                                                 | Ref. No. | 300941 |
|-------------|----------------------------------------------------------------------------------------|----------|--------|
| description | fryer basket L1 260mm W1 140mm H1 100mm L2 220mm H2 165mm H3 190mm chrome-plated steel |          |        |
| For models: | ECO4, ECO4+4                                                                           |          |        |



1

| No.         | 970763                                                        | Ref. No. | 101010 |
|-------------|---------------------------------------------------------------|----------|--------|
| description | fryer basket L1 260mm W1 145mm H1 100mm edition since 01/2007 |          |        |
| For models: | D4, D8, FT4, FT4+4, FT8                                       |          |        |



1

| No.         | 970288                                                      | Ref. No. | 300942 |
|-------------|-------------------------------------------------------------|----------|--------|
| description | fryer basket L1 260mm W1 190mm H1 105mm chrome-plated steel |          |        |
| For models: | ECO6, ECO6+6                                                |          |        |



1

| No.         | 970481                                                             | Ref. No. | 300717 |
|-------------|--------------------------------------------------------------------|----------|--------|
| description | fryer basket L1 263mm W1 313mm H1 105mm L2 200mm H2 180mm H3 210mm |          |        |
| For models: | D8, FT10, FT8, PROFI8, PROFI8+8                                    |          |        |



1

| No.         | 970290                                                                                                                               | Ref. No. | 301093 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | fryer basket L1 275/345mm W1 108mm H1 155mm L2 585mm H2 280mm H3 315mm stainless steel                                               |          |        |
| For models: | BASIC311, BUSINESS311, ELEGANCE-M311, ELEGANCE-S311, FFE21, FFE31, FFM31, FFS31, V05M311, VO3BASIC311, VO3BUSINESS311, VO3COMFORT311 |          |        |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |        |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| 1                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |        |
| No.                                                                               | 970289                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Ref. No. | 100831 |
| description                                                                       | fryer basket L1 275/345mm W1 140mm H1 155mm L2 585mm H2 280mm H3 315mm stainless steel handle height 310mm                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |        |
| For models:                                                                       | BASIC211, BASIC411, BASIC412, BASIC422, BUSINESS211, BUSINESS411, BUSINESS412, BUSINESS422, EASY211, EASY411, EASY422, ELEGANCE-M211, ELEGANCE-M411, ELEGANCE-M412, ELEGANCE-M422, ELEGANCE-S211, ELEGANCE-S411, ELEGANCE-S412, ELEGANCE-S422, FF21, FF41, FF42, FFE21, FFE41, FFE41TWIN, FFE42, FFM21, FFM41, FFM41TWIN, FFM42, FFS21, FFS41, FFS42, V05M211, V05M411, V05M412, V05M422, VO3BASIC211, VO3BASIC411, VO3BASIC412, VO3BASIC422, VO3BUSINESS211, VO3BUSINESS411, VO3BUSINESS412, VO3BUSINESS422, VO3COMFORT211, VO3COMFORT411, VO3COMFORT412, VO3COMFORT422 |          |        |

|  |                                                                                                                                                      |          |        |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| 1                                                                                 |                                                                                                                                                      |          |        |
| No.                                                                               | 970180                                                                                                                                               | Ref. No. | 600216 |
| description                                                                       | fryer basket L1 275mm W1 160mm H1 135mm chrome-plated steel                                                                                          |          |        |
| For models:                                                                       | OPTIMA-E20, OPTIMA-E22, OPTIMA-E40, OPTIMA-E42, OPTIMA-E47, OPTIMA-E48, OPTIMA-EE20, OPTIMA-EE22, OPTIMA-EE40, OPTIMA-EE42, OPTIMA-EE47, OPTIMA-EE48 |          |        |

|  |                                                                                                                                     |          |        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| 1                                                                                   |                                                                                                                                     |          |        |
| No.                                                                                 | 970291                                                                                                                              | Ref. No. | 100761 |
| description                                                                         | fryer basket L1 345mm W1 220mm H1 155mm L2 585mm H2 280mm H3 315mm stainless steel                                                  |          |        |
| For models:                                                                         | BASIC311, BUSINESS311, ELEGANCE-M311, ELEGANCE-S311, FF31, FFE31, FFM31, FFS31, V05M311, VO3BASIC311, VO3BUSINESS311, VO3COMFORT311 |          |        |

## crumb screens

|  |                                                                        |          |        |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------|----------|--------|
| 1                                                                                  |                                                                        |          |        |
| No.                                                                                | 970670                                                                 | Ref. No. | 300820 |
| description                                                                        | crumb screen L 350mm W 152mm                                           |          |        |
| For models:                                                                        | EASY211, EASY422, FF21, FF42, FFE21, FFE42, FFM21, FFM42, FFS21, FFS42 |          |        |

## gaskets

### special gaskets

#### thermostat gaskets

|  |                                                                                                                                    |          |        |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| 1                                                                                 |                                                                                                                                    |          |        |
| No.                                                                               | 550490                                                                                                                             | Ref. No. | 400373 |
| description                                                                       | gasket for thermostat ED ø 18.5mm ID ø 12.5mm thickness 5.5mm equiv. no. 400373 suitable for FRIFRI                                |          |        |
| For models:                                                                       | D4, D6, D8, FF21, FF31, FF41, FF42, FFS18G, FFS21, FFS25G, FFS31, FFS41, FFS42, FT10, FT4, FT4+4, FT6, FT8, SIMPLY-S18, SIMPLY-S25 |          |        |