

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

# FRIGOMAT

## switches and momentary switches

## push/momentary push switches

28.5x52.6mm



1

No.	347780	Ref. No.	E07.37511
description	switch combination mounting measurements 28.5x52.6mm black 1NO/1CO 250V 16A with indicator connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

28.5x77.5mm




1


No.	347779	Ref. No.	E07.37980
description	switch combination mounting measurements 28.5x77.5mm black 2CO/2CO/1NO 250V 16A ON-OFF/refrigeration/double arrow connection male faston 6.3mm ambient temperature max. 85°C latching protection IP40		

## magnetic switches

65x20mm



1



No.	345116	Ref. No.	E07.37565
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
accessories for	345116		
	No.	345399	Ref. No.
			—
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

## timers

## mechanical timers



1


No.	350196 <sup>1</sup>	Ref. No.	D04.104
description	timer G 2-pole operation time 30min impulse mechanical 1NO/1NC at 250V 16A permanent position no shaft 4.5x4.5mm shaft L 17mm mounting distance 28mm mounting thread 29 connection male faston 6.3mm TEMPOMATIC		

<sup>1</sup>incl. knob and symbol

## relays

## power relays

## with bracket mounting




1


No.	380900	Ref. No.	E08.37600
description	power relays FINDER 230VAC 20A 1NO/1NC connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. 65.31.8.230.0000 2-pole		

## with male contacts



## female contact 2.0mm






1




No.	381166	Ref. No.	E08.37283
description	power relays CARLO GAVAZZI 24VAC 5A 4CO connection F2 raster size 5mm manuf. no. RMI-A-4-5-024AC 94.74/ZMD4		



<b>No.</b>	380504	<b>Ref. No.</b>	D03.105
<b>description</b>	power relays FINDER 230VAC 7A 4CO connection F2 plug-in connection manuf. no. 55.34.8.230.0000 94.74/ZMD4 250V connection 2mm		
<b>accessories for</b>	380504		
	<b>No.</b>	380341	<b>Ref. No.</b> —
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4		
	<b>No.</b>	380399	<b>Ref. No.</b> —
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3		




<b>No.</b>	532641	<b>Ref. No.</b>	P10.031
<b>description</b>	O-ring EPDM thickness 2.5mm ID ø 42mm Qty 1 pcs		




<b>No.</b>	532633	<b>Ref. No.</b>	P10.128
<b>description</b>	O-ring EPDM thickness 5mm ID ø 58mm Qty 1 pcs		

## silicone



<b>No.</b>	532195	<b>Ref. No.</b>	P10.019
<b>description</b>	O-ring silicone thickness 1.78mm ID ø 8.73mm Qty 10 pcs		

## Viton



<b>No.</b>	532583	<b>Ref. No.</b>	P10.105
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 17.86mm Qty 1 pcs		

## springs

### compression springs



<b>No.</b>	701456	<b>Ref. No.</b>	B11.042
<b>description</b>	spring ø 3.5mm L 30mm wire gauge ø 0.5mm		

## equipment-specific units

### for ice-cube maker

#### miscellaneous



<b>No.</b>	694810	<b>Ref. No.</b>	P02.167.01 Z82.38447
<b>description</b>	magnet holder L 33mm W 25mm H 27mm		

### for cream whipping machines

#### spare parts




<b>No.</b>	701456	<b>Ref. No.</b>	B11.042
<b>description</b>	spring ø 3.5mm L 30mm wire gauge ø 0.5mm		

## gaskets

### O-rings

#### EPDM



<b>No.</b>	502134	<b>Ref. No.</b>	P10.045
<b>description</b>	O-ring EPDM thickness 2.5mm ID ø 26mm Qty 1 pcs		

## dosing pumps

## membrane dosing pumps

## electric dosing pumps

## spare parts



1

No.	361950	Ref. No.	P02.37049
description	lip valve DELTA		