

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS




Spare parts suitable for




FUTURMAT


heating elements


heating elements for coffee machine


			
No.	417116	Ref. No.	N/A
description	heating element 1800W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 240mm W 36mm H 44mm L1 25mm L2 40mm L3 173mm H1 31mm H2 12mm hole ø 9mm tube ø 8.5mm thermostat sleeves ø 6mm length thermostat sleeves 205mm thermostat sleeve not clinging number of thermostat sleeves 1 connection M4 immersion heater 2 hole flange		

			
No.	417001	Ref. No.	02212439
description	heating element 2600W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 330mm W 30mm H 60mm L1 23mm L2 65mm L3 202mm H1 30mm H2 30mm hole ø 12mm tube ø 8.5mm thermostat sleeves ø 7mm length thermostat sleeves 195mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection M6 immersion heater 2 hole flange		
accessories for	417001		
	No.	528002	Ref. No. N/A
	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		
	No.	528488	Ref. No. —
	flat gasket fibre ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs		


			
No.	417008	Ref. No.	N/A
description	heating element 2600W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 360mm W 26mm H 155mm L1 49mm L2 51mm L3 260mm H1 130mm H2 25mm hole ø 9mm tube ø 8mm connection M4 immersion heater 2 hole flange		
spare parts for	417008		
	No.	528488	Ref. No. —
	flat gasket fibre ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs		
accessories for	417008		
	No.	528002	Ref. No. N/A
	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		

			
No.	417290	Ref. No.	08024804
description	heating element 3000W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 250mm W 28mm H 65mm L1 20mm L2 40mm L3 190mm H1 30mm H2 35mm hole ø 10mm tube ø 8.3mm thermostat sleeves ø 7mm length thermostat sleeves 210mm number of thermostat sleeves 1 connection M4 immersion heater 2 hole flange		

			
No.	417108	Ref. No.	08148002
description	heating element 3500W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 380mm W 30mm H 50mm L1 25mm L2 70mm L3 275mm H1 25mm H2 25mm hole ø 10mm tube ø 8.5mm thermostat sleeves ø 7mm length thermostat sleeves 190mm thermostat sleeve not clinging number of thermostat sleeves 1 connection M4 immersion heater 2 hole flange		

			
No.	417105	Ref. No.	02212538
description	heating element 3700W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 530mm W 28mm H 50mm L1 30mm L2 75mm L3 400mm H1 25mm H2 25mm hole ø 9mm tube ø 8.4mm thermostat sleeves ø 7.5mm length thermostat sleeves 185mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection M6 immersion heater 2 hole flange suitable for FAEMA		



			
No.	417187	Ref. No.	F..13
description	heating element 3700W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 570mm W 38mm H 48mm L1 25mm L2 60mm L3 485mm H1 26mm H2 12mm hole ø 10mm tube ø 8mm connection M4 immersion heater 2 hole flange		

			
No.	417110	Ref. No.	02212637
description	heating element 5000W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 525mm W 26mm H 45mm L1 25mm L2 80mm L3 420mm H1 30mm H2 15mm hole ø 10mm tube ø 8.5mm thermostat sleeves ø 7mm length thermostat sleeves 210mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection M6 immersion heater 2 hole flange windings 2		

accessories

sealing washers

PTFE gaskets

 			
No.	528002	Ref. No.	N/A
description	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		



thermostats

bi-metal thermostats

bi-metal thermostats



1

No.	390319	Ref. No.	08368400
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 80°C 1NC 1-pole 16A connection F6.3 2 hole fixing		

switches and momentary switches

microswitches

pin-plunger actuated



1

No.	345105	Ref. No.	N/A
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black		

rotary switches

accessories

symbol labels



1

No.	347265	Ref. No.	08283202
description	symbol label 0-1-heating off ø 53mm bore ø 7mm mounting distance 28mm		

electronics

PCBs



1

No.	402385	Ref. No.	08264301
description	display L 131mm W 47mm with keypad		

keypads

front foils



1

No.	401434	Ref. No.	08109600
description	keypad foil coffee machine Arianne/Arieta 1-2-3-4 gr. L 92mm W 26mm buttons 5		



1

No.	400442	Ref. No.	08274201
description	keypad foil L 80mm W 44mm buttons 5		

solenoïd valves

solenoïd valves (water)

metal







PARKER

spare parts and accessories

valve bodies




1

No.	370062	Ref. No.	FS03 FS09	
description	solenoid valve body PARKER 3-ways outer cone			
accessories for	370062			
	No.	371029	Ref. No.	—
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm			
	No.	371030	Ref. No.	—
	solenoid coil 24VDC 12VA coil type ZB12 seat ø 14mm			
	No.	371033	Ref. No.	—
	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm			
	No.	371036	Ref. No.	—
	solenoid coil 24VAC 9VA coil type ZB09 seat ø 14mm			
	No.	371095	Ref. No.	—
	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs			
	No.	371100	Ref. No.	—
	O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs			

flow meters and flow sensors

flow meters

accessories universal

			
1			
No.	400319	Ref. No.	N/A
description	adapter for flow meter		


pumps

booster pumps II

pump heads

FLUID-O-TECH

1

No.	500064	Ref. No.	07822109
description	pump head PO204 FLUID-O-TECH L 82mm 200l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm		
accessories for	500064		
	No.	520126	Ref. No.
	—		
clamp for pump/motor			

equipment-specific units


for espresso machines

filter holders


filter holders standard


filter holders (complete)

			
1			
No.	531173	Ref. No.	08485800
description	filter holder 1-way suitable for FUTURMAT complete number of wedges 2		

			
1			
No.	531174	Ref. No.	08485900
description	filter holder 2-way suitable for FUTURMAT complete number of wedges 2		


filter holders short


			
1			
No.	529124	Ref. No.	N/A
description	filter holder mounting ø 82mm outlet 3/8" ID ø 62mm handle M12x1.75 wedge height 10.5mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		

			
1			
No.	529150	Ref. No.	N/A
description	filter holder mounting ø 82mm outlet 3/8" ID ø 62mm handle M8x1.25 wedge height 10.5mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		

handles

with external thread

			
1			
No.	529121	Ref. No.	N/A
description	handle for filter holder ø 35mm thread M12 thread L 15mm L 125mm black plastic		

			
1			
No.	529116	Ref. No.	N/A
description	handle ø 35mm thread M12x1.75 thread L 15mm L 120mm		

filters

for 1 cup



1

No.	527631	Ref. No.	N/A
description	coffee filter ø 70mm mounting ø 60.7mm H 17mm cups 1 amount of coffee 8g		

brewing units

filter holder gaskets

flat

with bevel 45x2



1

No.	528042	Ref. No.	N/A
description	filter holder gasket with bevel 45x2 D1 ø 72mm D2 ø 56mm H 8mm		


steam/water taps

steam/water taps

steam/water taps



1

No.	529520	Ref. No.	N/A	
description	steam/water tap suitable for FUTURMAT			
spare parts for	529520			
	No.	529251	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 15.08mm Qty 1 pcs			

components

gaskets



1

No.	528648	Ref. No.	11181302
description	gasket D1 ø 12.2mm thickness 6mm		

steam/water pipes

steam pipes



1

No.	529521	Ref. No.	N/A
description	steam pipe complete		

water pipes



1

No.	529586	Ref. No.	N/A
description	water pipe L 130mm		

fine filters

fine filters



1

No.	529911	Ref. No.	02435808
description	fine filter flat ø 11mm H 0.25mm		

level glasses

level glasses

level glass pipes



1

No.	529367	Ref. No.	08181703
description	water level tube ø 11mm H 108mm		

knobs


steam/water taps

steam/water taps




1

No.	111063	Ref. No.	08185911
description	knob ø 50mm black		

			
1			
No.	111020	Ref. No.	07678709
description	knob zero mark white ø 38mm shaft ø 6x5mm shaft flat on both sides black		



knob dial plates

			
1			
No.	528760	Ref. No.	08185804
description	knob adapter ø 45mm L 43mm		



gaskets



O-rings

EPDM

 			
1			
No.	529412	Ref. No.	08291007
description	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs		

Viton


 			
1			
No.	528647	Ref. No.	02078004
description	O-ring Viton thickness 2.62mm ID ø 15.08mm Qty 1 pcs		

 			
1			
No.	528649	Ref. No.	02476703
description	O-ring Viton thickness 2mm ID ø 6mm Qty 1 pcs		


sealing washers


copper gaskets

DIN-7603-C

			
1			
No.	528520	Ref. No.	02455103
description	gasket copper ED ø 22mm ID ø 16mm thickness 2mm		

PTFE gaskets


			
1			
No.	528524	Ref. No.	N/A
description	flat gasket PTFE ED ø 36.5mm ID ø 30.5mm thickness 2mm Qty 1 pcs		

			
1			
No.	528002	Ref. No.	N/A
description	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		

special gaskets

group gaskets


			
1			
No.	528115	Ref. No.	N/A
description	group gasket L 79mm W 72mm thickness 2mm hole distance 55mm suitable for FAEMA/FUTURMAT fibre		

			
1			
No.	528113	Ref. No.	N/A
description	group gasket L 80mm W 23mm thickness 2mm suitable for FAEMA/FUTURMAT		



springs

compression springs



1

No.	528758	Ref. No.	08018707
description	compression spring \varnothing 29.6mm L 28mm wire gauge \varnothing 1.5mm		



1

No.	528668	Ref. No.	07507304
description	compression spring \varnothing 6.9mm L 28mm wire gauge \varnothing 1mm		

manometers



1

No.	541713	Ref. No.	08130600
description	manometer double scale \varnothing 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		



1

No.	541281	Ref. No.	N/A
description	manometer \varnothing 53mm pressure range 0 up to 20bar thread 1/4" connection on the backside		