

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS


Spare parts suitable for


GIGA

heating elements

heating elements for ovens

			
No.	416042	Ref. No.	X68203
description	heating element 1500W 230V heating circuits 1 L 365mm W 500mm L1 45mm L2 315mm W1 240mm W2 30mm flange length 100mm flange width 22mm hole distance 86mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm mounting pos. lower rectangular flange dry heating element oven		
For models:	C4FFCEP, C4FFLE, C4FFLEP, C4FZFCE, C4FZFCEP, C4FZSFCEP, C4PFCE, C4PFLE, C4PQFCE, C4VFCE, C4VFLE, C6FFCEP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6PFCE, C6PFCEV, C6PFLE, C6PFLEV, C6PQFCE, C6PQFCEV, CC120E, CC81E, CCG120CE, CCG120E, CCG81CE, CCG81E, CCQ120E, CCQ81E, CCV81E, K2FTPFCE, K4FSFCE, K4FZFCE, K4FZSFCE, K4PFCE, K4VFCE, K6FZFCE, K6PFCE, K8FZFCE, KTPFCE, SK4FZFCEP, SK4PFCE, SK4PQFCE, SK4VFCE, SK6FZFCEP...(Other models you can see in the webshop)		

			
No.	416041	Ref. No.	X68202
description	heating element 2600W 230V heating circuits 2 L 350mm W 355mm L1 36mm L2 314mm W1 147mm W2 60mm flange length 100mm flange width 22mm hole distance 80mm bridge length 480mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm mounting pos. upper rectangular flange dry heating element oven		
For models:	C4FFCEP, C4FFLE, C4FFLEP, C4FZFCE, C4FZFCEP, C4FZSFCEP, C4PFCE, C4PFLE, C4PQFCE, C4VFCE, C4VFLE, C6FFCEP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6PFCE, C6PFCEV, C6PFLE, C6PFLEV, C6PQFCE, C6PQFCEV, CC120E, CC81E, CCG120CE, CCG120E, CCG81CE, CCG81E, CCQ120E, CCQ81E, CCV81E, K2FTPFCE, K4FSFCE, K4FZFCE, K4FZSFCE, K4PFCE, K4VFCE, K6FZFCE, K6PFCE, K8FZFCE, KTPFCE, SK4FZFCEP, SK4PFCE, SK4PQFCE, SK4VFCE, SK6FZFCEP...(Other models you can see in the webshop)		

			
No.	416043	Ref. No.	0000X47000
description	heating element 990W 230V L 475mm W 106mm H 24mm lug length 55mm lug width 18mm hole distance 138mm hole ø 5mm tube ø 6.3mm connection M4 heating circuits 1 bracket mounting oven		
For models:	C2FTPFE, C2FTPFEP, C4FFE, C4FFEP, C4FZFE, C4FZFEP, C4FZSFEP, C4PFCE, C4PFE, C4PQFCE, C4PQFE, C4VFE, C6FFE, C6FFEP, C6FZFE, C6FZFEP, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6POFE, CCTPFE8, CN10FE, K2FTPFE, K4FFE, K4FS, K4FSFE, K4FZFE, K4FZSFE, K4PFE, K4VFE, K6FFE, K6FZFE, K6PFE, K8FFE, K8FZFE, KTPFE, M74FMPFE, M74FPFE, M76FMPFE, M76FPFE		

heating elements for bain maries

1

				
No.	416244	Ref. No.	Y19700	
description	heating element 1000W 230V heating circuits 1 L 258mm W 34mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing thread 1/8" immersion heater H 35mm mounting distance 26mm			
For models:	M6B4E, M7B4E			
accessories for	416244			
	No.	361181	Ref. No.	—
nut thread 1/8" H 4.5mm nickel-plated brass WS 14 Qty 1 pcs				
	No.	525780	Ref. No.	—
flat gasket copper ED ø 13mm ID ø 10.2mm thickness 1.5mm for thread 1/8" Qty 1 pcs				
	No.	560192	Ref. No.	—
tooth lock washer ID ø 10.4mm ED ø 18mm SS DIN/ISO DIN 6798A Qty 1 pcs for thread M10				


1			
No.	415130	Ref. No.	X45800
description	heating element 1500W 230V heating circuits 1 L 412mm W 50mm connection M3 tube ø 8.5mm 2 hole fixing thread 3/8" immersion heater mounting distance 42mm		
For models:	CBE4, CBE8, SKB40E, SKB80E, TB40E, TB60E, TB80E		
accessories for	415130		
	No.	361183	Ref. No. —
nut thread 3/8" H 6mm nickel-plated brass WS 20 Qty 1 pcs			
	No.	521137	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 18mm thickness 1.5mm for thread 3/8" Qty 1 pcs			
	No.	527169	Ref. No. —
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	No.	560110	Ref. No. —
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	No.	560130	Ref. No. —
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

				
1				
No.	416047	Ref. No.	Y10600	
description	heating element 1780W 230V L 650mm W 170mm connection length 24mm connection M4 tube ø 9mm 2 hole fixing thread M14x1 immersion heater L1 25mm L2 35mm L3 590mm H 19mm mounting distance 161mm			
For models:	KB4, KB8			
accessories for	416047			
	No.	510417	Ref. No.	N/A
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				

Table continues overleaf

accessories for 416047				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521133	Ref. No.	—
nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	550261	Ref. No.	N/A
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

1

				
No.	415844	Ref. No.	X45900	
description	heating element 2600W 230V heating circuits 1 L 410mm W 300mm connection length 10mm connection M4 tube ø 8.5mm 2 hole fixing thread 3/8" immersion heater L1 27mm L2 383mm W1 120mm W2 60mm mounting distance 50mm			
For models:	CBE6, SKB60E, TB40E, TB60E, TB80E			
spare parts for	415844			
	No.	521137	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 18mm thickness 1.5mm for thread 3/8" Qty 1 pcs				
accessories for	415844			
	No.	361183	Ref. No.	—
nut thread 3/8" H 6mm nickel-plated brass WS 20 Qty 1 pcs				

heating elements for chip scuttles

			
No.	416082	Ref. No.	X48400
description	heating element 350W 230V heating circuits 8.5 L 172mm W 74mm flange length 110mm flange width 22mm hole distance 94mm connection length 20mm connection male faston 6.3mm tube ø 8.5mm rectangular flange hole ø 6mm dry heating element		
For models:	CSP40E, M6SP4E, MC, SKP40E, TSP40E		


heating elements for fryers

off-center connection


with retaining rings





No.	416408	Ref. No.	0000Y17000	
description	heating element 12000W 230/400V heating circuits 3 mounting pos. left L 280mm W 225mm H 32mm flange length 45mm flange length 1 9.6mm flange length 2 35.4mm flange ø1 44.5mm flange ø2 39.5mm thermostat sleeves ø 7mm length thermostat sleeves 280mm number of thermostat sleeves 1 thermostat sleeve eccentric, non clinging windings 5 L1 10mm L2 270mm W1 13mm W2 31mm tube ø 8.5mm cable length 600mm rotation flange fryer connection length 50mm			
	For models: CFE15, CFE159, CFE15D, CFE15D9, KFE15, KFE159, KFE15D, KFE15D9, OPFE15, OPFE15D			
accessories for	416408			
	No.	510899	Ref. No.	X05400
	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs			
	No.	528155	Ref. No.	X05300
	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	532545	Ref. No.	X05000
	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	691621	Ref. No.	M29600
	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471			



No.	416407	Ref. No.	Y14400	
description	heating element 15000W 230/400V heating circuits 3 mounting pos. left L 355mm W 190mm H 32mm flange length 45mm flange length 1 9.6mm flange length 2 35.4mm flange ø1 44.5mm flange ø2 39.5mm thermostat sleeves ø 7mm length thermostat sleeves 280mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging windings 4 L1 15mm L2 340mm W1 13mm W2 32mm tube ø 8.5mm cable length 570mm rotation flange connection length 60mm			
	For models: KFE20, KFE20D, OPFE20, OPFE20D			
accessories for	416407			
	No.	510899	Ref. No.	X05400
	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs			
	No.	528155	Ref. No.	X05300
	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	532545	Ref. No.	X05000
	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	691621	Ref. No.	M29600
	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471			

			
No.	419154	Ref. No.	FZ211085
description	heating element 11000W 230V heating circuits 3 L 310mm W 125mm H 320mm rectangular flange connection M4 W2 93mm H1 280mm H2 45mm hole distance 95mm hole ø 5mm flange length 105mm flange width 35mm tube ø 8.5mm connection length 37mm		


			
No.	415257	Ref. No.	X46200
description	heating element 6000W 230/400V heating circuits 3 L 300mm W 182mm H 252mm L1 65mm L2 235mm W1 59mm W2 134mm W3 250mm H1 220mm H2 32mm windings 12 flange ø 40mm rotation flange cable length 380mm fryer heaters mounting ø 25mm		

			
No.	416409	Ref. No.	X57000 X57100SX
description	heating element 7500W 230/400V heating circuits 3 L 315mm W 170mm H 190mm L1 60mm L2 258mm W1 58mm W2 135mm W3 250mm H1 165mm H2 25mm windings 15 flange ø 30mm rotation flange cable length 980mm mounting ø 30mm tube ø 6.2mm connection length 21mm		
For models:	CF1E4, CF2E6, CF4E, CF6E, IF1E4, IF2E6, KFE1, KFE2, OPFE1, OPFE2, SKF1E, SKF2E, TF1E, TF2E, TF4E, TF6E		


			
No.	418870	Ref. No.	Y01100
description	heating element 3200W 230V		
For models:	CF2E4, SKF2E4, TF2E4		


2 hole fixing

			
No.	418652	Ref. No.	AER001ZR10
description	heating element 1700W 230V heating circuits 1 L 290mm W 130mm W1 27mm W2 76mm connection M4 2 hole fixing immersion heater thread 1/4" tube ø 8.5mm mounting distance 64mm		
For models:	M6F4E, M6F6E, M7F4E, M7F6E		
accessories for	418652		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. N/A
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

			
No.	416411	Ref. No.	Y19600
description	heating element 2500W 230V heating circuits 1 L 290mm W 55mm H 165mm H1 135mm H2 35mm thread 1/4" tube ø 8.5mm mounting distance 30mm 2 hole fixing connection M4		
For models:	CF1E4, CF2E6, CF4E, CF6E, IF4E, IF6E, SKF4E, SKF6E, TF1E, TF2E, TF4E, TF6E		
accessories for	416411		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. N/A
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		


accessories for 416411				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

 				
No.	419020	Ref. No.	Y17100	
description	heating element 2500W 230V heating circuits 1 L 315mm W 45mm H 230mm L1 25mm L2 290mm H1 193mm H2 37mm thread 1/4" mounting distance 37mm tube Ø 8.4mm connection M4 windings 3 for fryer			
For models:	SK10DSE, SK10SE			

No.	416055	Ref. No.	X46500	
description	heating element 3000W 230V heating circuits 1 L 335mm W 65mm H 223mm L1 20mm L2 315mm H1 180mm H2 40mm thread 1/4" mounting distance 57mm tube ø 8.5mm 2 hole fixing connection M4 connection length 26mm immersion heater windings 4			
For models:	15DPE, 15PE, SK10DSE9, SK10SE9			
accessories for	416055			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	N/A
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 p				

accessories for 416055				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

 				
No.	416053	Ref. No.	X46100	
description	heating element 1335-1450W 230-240V heating circuits 1 L 317mm W 42mm H 190mm L1 27mm L2 290mm H1 160mm H2 31mm thread 1/4" mounting distance 33mm tube ø 8.5mm 2 hole fixing connection M4 connection length 25mm immersion heater windings 2			
For models:	7DSET, 7SET			
accessories for	416053			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	N/A
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

1


1

1111

1

1

			
No.	416045	Ref. No.	X48100
description	heating element tilting bratt pan 3400W 230V L 313mm W 195mm H 82mm connection M5 dry heating element heating circuits 1 tube ø 10mm W1 67mm W2 61mm		
For models:	CBRE, CBRE8, CBREIN		

			
No.	417344	Ref. No.	0000Y10500
description	heating element tilting bratt pan 4700W 230V L 540mm W 210mm H 60mm heating circuits 1 tube ø 8.5mm W1 70mm W2 70mm		
For models:	KBRE, KBRE12, KBRE12IN, KBREIN, KBREM, KBREM12, KBREM12IN, KBREMIN, OPBRE, OPBRE12, OPBRE12IN, OPBRE12MIN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN, OPBREM12IN		

heating elements for pasta cookers



1

No.	416408	Ref. No.	0000Y17000	
description	heating element 12000W 230/400V heating circuits 3 mounting pos. left L 280mm W 225mm H 32mm flange length 45mm flange length 1 9.6mm flange length 2 35.4mm flange ø1 44.5mm flange ø2 39.5mm thermostat sleeves ø 7mm length thermostat sleeves 280mm number of thermostat sleeves 1 thermostat sleeve eccentric, non clinging windings 5 L1 10mm L2 270mm W1 13mm W2 31mm tube ø 8.5mm cable length 600mm rotation flange fryer connection length 50mm			
For models:	CFE15, CFE159, CFE15D, CFE15D9, KFE15, KFE159, KFE15D, KFE15D9, OPFE15, OPFE15D			
accessories for	416408			
   	No.	510899	Ref. No.	X05400
	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs			
	No.	528155	Ref. No.	X05300
	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	532545	Ref. No.	X05000
	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	691621	Ref. No.	M29600
	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471			



1

No.	416407	Ref. No.	Y14400	
description	heating element 15000W 230/400V heating circuits 3 mounting pos. left L 355mm W 190mm H 32mm flange length 45mm flange length 1 9.6mm flange length 2 35.4mm flange ø1 44.5mm flange ø2 39.5mm thermostat sleeves ø 7mm length thermostat sleeves 280mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging windings 4 L1 15mm L2 340mm W1 13mm W2 32mm tube ø 8.5mm cable length 570mm rotation flange connection length 60mm			
For models:	KFE20, KFE20D, OPFE20, OPFE20D			
accessories for	416407			
   	No.	510899	Ref. No.	X05400
	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs			
	No.	528155	Ref. No.	X05300
	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	532545	Ref. No.	X05000
	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	691621	Ref. No.	M29600
	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471			

1

				
No.	418651	Ref. No.	0000Y19800	
description	heating element 1500W 230V heating circuits 1 L 300mm W 51mm 2 hole fixing connection male faston 6.3mm thread M14x1 tube ø 8.5mm mounting distance 43mm pasta cooker immersion heater			
For models:	CCPE4, CCPE6, ICPE4, M6CP4E, M7CP4E, SKCP40E, TCP40E, TCP60E			
spare parts for	418651			
	No.	507313	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs			
accessories for	418651			
	No.	510417	Ref. No.	N/A
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521133	Ref. No.	—
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	550261	Ref. No.	N/A
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



1

No.	415902	Ref. No.	X47100 Y19900	
description	heating element 2510W 230V L 295mm W 115mm H 2 hole fixing connection male faston 6.3mm thread M14x1 tube ø 8.5mm			
For models:	CCPE6, ICPE6, SKCP60E, TCP60E			
accessories for	415902			
	No.	510417	Ref. No.	N/A
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521133	Ref. No.	—
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	550261	Ref. No.	N/A
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



1

No.	416989	Ref. No.	Y00900	
description	heating element 4500W 230/400V heating circuits 3 L 357mm W 200mm H 25mm rotation flange tube ø 6.3mm L1 45mm L2 312mm W1 30mm W2 170mm cable length 570mm connection length 40mm flange length 1 9.6mm flange length 2 35.5mm flange length 45mm flange ø1 44.5mm flange ø2 39.5mm mounting pos. left fryer			
For models:	CCPE4, SKCP40E, TCP40E			
accessories for	416989			
	No.	510899	Ref. No.	X05400
	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs			
	No.	528155	Ref. No.	X05300
	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	532545	Ref. No.	X05000
	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	691621	Ref. No.	M29600
	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471			



1

No.	418907	Ref. No.	Y18400	
description	heating element 7500W 230V heating circuits 3 L 422mm W 186mm H 25mm tube ø 6.3mm L1 32mm L2 390mm W1 170mm W2 28mm cable length 550mm flange length 1 9.6mm flange length 2 35.4mm flange length 45mm flange ø1 44.5mm flange ø2 40mm mounting pos. left			
For models:	KCP4E, KCP82E, OPCP4E, OPCP82E			
accessories for	418907			
	No.	510899	Ref. No.	X05400
	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs			
	No.	528155	Ref. No.	X05300
	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	532545	Ref. No.	X05000
	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	691621	Ref. No.	M29600
	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471			

heating elements for chargrills

1

				
No.	416000	Ref. No.	Y00200	
description	heating element 1500W 230V L 438mm W 80mm H 62mm thread 1/4" mounting distance 19mm tube ø 8.5mm connection male faston 6.3mm windings 2 heating circuits 1 connection length 23mm 2 hole fixing dry heating element			
For models:	CRE4, CRE6, IRE4, IRE6, SKR40E, SKR60E, TR40E, TR60E			
spare parts for	416000			
	No.	510417	Ref. No.	N/A
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	416000			
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			


heating elements for salamanders/toast-




No.	416050	Ref. No.	0000X47800
description	heating element 1600W 220V heating circuits 1 L 304mm W 208mm H 50mm W1 94mm W2 30mm flange length 70mm flange width 22mm hole distance 56mm cable length 1480mm connection cable tube ø 6.3mm connection length 29mm hole ø 6mm rectangular flange dry heating element		
For models:	S600E, S680E		



No.	416049	Ref. No.	X48900
description	heating element 2500W 230V L 223mm W 310mm L1 18mm L2 205mm W1 120mm W2 70mm thread 1/4" mounting distance 61mm tube ø 8.5mm connection M4 connection length 39mm dry heating element 2 hole fixing salamander grill		



No.	416154	Ref. No.	071018
description	heating element 2500W 230V L 368mm W 255mm thread 1/4" mounting distance 246mm connection M5 dry heating element tube ø 8.5mm heating circuits 1 connection length 36mm H 8.5mm connection distance 247mm		
For models:	S110E		



No.	416156	Ref. No.	071036
description	heating element 3000W 230V L 600mm W 265mm flange with thread thread 1/4" mounting distance 260mm connection M5 dry heating element tube ø 8.5mm connection length 34mm		
For models:	S300E		



No.	416759	Ref. No.	080328
description	heating element 650W 115V L 614mm thread M14x1.5 connection length 25mm tube ø 8.5mm connection M4 heating circuits 1 dry heating element		

ceramic heaters

245x60mm



	No.	415103	Ref. No.	X48000
description	ceramic emitter 650W 230V cable beaded cord L 245mm W 60mm H 35mm			
For models:	CSP40E, ISP4, SKP40E, TSP40E			
spare parts for	415103			
	No.	415109	Ref. No.	—
	spring clip			
accessories for	415103			
	No.	415110	Ref. No.	—
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm			

quartz heating elements




No.	415301	Ref. No.	FZ23050001
description	quartz heating element 190W 230V L 450mm ø 10mm connection plug-in connection		


immersion heating elements


3 hole flange ø38.5mm





	No.	416263	Ref. No.	905493
description	heating element 2600W 230V mounting ø 38.5mm heating circuits 1 L 293mm W 26mm H 26mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 260mm thermostat sleeve not clinging tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater			
	For models: GLB615			
spare parts for	416263			
	No.	521120	Ref. No.	907981 SD907981
	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs			
accessories for	416263			
	No.	532577	Ref. No.	—
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			


 			
No.	416264	Ref. No.	905521
description	heating element 3000W 230V hole distance 57mm		
For models:	GLB785, GLB795		
accessories for	416264		
	No.	532577	Ref. No.
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs		


 			
No.	416267	Ref. No.	905560
description	heating element 4500W 230V mounting ø 38.5mm heating circuits 3 L 358mm W 32mm H 58mm L1 36mm L2 72mm L3 250mm H1 28mm H2 30mm hole distance 57mm hole ø 10mm tube ø 6.3mm connection male faston 6.3mm immersion heater 3 hole flange		
For models:	GLS805, GLS845, GLS905, GLS925		
spare parts for	416267		
	No.	521120	Ref. No.
	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
accessories for	416267		
	No.	532577	Ref. No.
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs		


 			
No.	416268	Ref. No.	905570
description	heating element 6000W 230V mounting ø 38.5mm heating circuits 3 L 360mm W 34mm H 55mm L1 35mm L2 70mm L3 255mm H1 27mm H2 28mm hole distance 57mm hole ø 10mm tube ø 6.3mm connection male faston 6.3mm immersion heater 3 hole flange		
For models:	GLS935, GLS945, GLS945S		
spare parts for	416268		
	No.	532577	Ref. No.
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs		


3 hole flange ø47.5mm			
 			
No.	418136	Ref. No.	080328DHE
description	heating element 4360W 240V mounting ø 47.5mm heating circuits 3 L 310mm W 31mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 200mm thermostat sleeve clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
spare parts for	418136		
	No.	510408	Ref. No.
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	418136		
	No.	510408	Ref. No.
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No.
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

 			
No.	415001	Ref. No.	N/A
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 316mm W 35mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 180mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
spare parts for	415001		
	No.	510408	Ref. No.
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415001		
	No.	510562	Ref. No.
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	521103	Ref. No.
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No.
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	560111	Ref. No.
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No.
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		


 			
No.	416048	Ref. No.	Y15300
description	heating element 6000W 230V mounting ø 47.5mm 3 hole flange immersion heater		
accessories for	416048		
	No.	510408	Ref. No. E11700
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

 			
No.	418439	Ref. No.	E11500
description	heating element 8000W 230V mounting ø 47.5mm heating circuits 3 L 315mm W 37mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 8.5mm length thermostat sleeves 215mm thermostat sleeve clinging tube ø 8.5mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	KPI10E, KPI10EA, KPI20E, KPI20EA, OPPI10E, OPPI10EA		
accessories for	418439		
	No.	510408	Ref. No. E11700
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

 			
No.	416410	Ref. No.	E11600
description	heating element 9000W 230V mounting ø 47.5mm heating circuits 3 L 395mm W 33mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 210mm thermostat sleeve eccentric, clinging tube ø 8.5mm hole distance 63mm hole ø 8mm connection M4		
For models:	CPEI, KPI15E, KPI15EA, KPI30E, KPI30EA, KPI50E, KPI50EA, OPPI15E, OPPI15EA		
accessories for	416410		
	No.	510408	Ref. No. E11700
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		


 			
No.	416835	Ref. No.	40400042
description	heating element 9000W 230V mounting ø 47.5mm heating circuits 3 L 415mm W 30mm H 46mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 255mm thermostat sleeve eccentric, clinging hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	KPI15ET, KPI15ETA, KPI30ET, KPI30ETA, KPI50ET, KPI50ETA		
accessories for	416835		
	No.	510408	Ref. No. E11700
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

group 7			
			
No.	418505	Ref. No.	40400048
description	heating element 8000W 230V heating circuits 3 flange ø 47.5mm L 497mm W 35mm H 56mm tube ø 8.5mm thermostat sleeves ø 7.5mm length thermostat sleeves 266mm number of thermostat sleeves 1 thermostat sleeve not clinging connection M4 immersion heater 3 hole flange hole distance 58mm mounting ø 47.5mm hole ø 8mm		
For models:	KPI10ET, KPI10ETA, KPI20ETA		
accessories for	418505		
	No.	510408	Ref. No. E11700
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

with compression flange 50 x 26mm			
 			
No.	416209	Ref. No.	904957 905858
description	heating element 2000W 230V heating circuits 1 compression flange flange 50x26mm L 180mm W 90mm H 24mm L1 55mm L2 125mm W1 28mm W2 35mm connection male faston 6.3mm tube ø 8.5mm connection length 28mm immersion heater		
For models:	GLS905, GLS925		
accessories for	416209		
	No.	510387	Ref. No. —
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		

with compression flange 70 x 26mm

1



No.	415000	Ref. No.	N/A	
description	heating element 2900W 230V heating circuits 1 flange 70x26mm L 272mm W 51mm H mm tube ø 6.3mm connection M4 immersion heater compression flange			
spare parts for	415000			
	No.	521128	Ref. No.	N/A
	gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK			
accessories for	415000			
	No.	521128	Ref. No.	N/A
	gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK			

1



No.	416244	Ref. No.	Y19700	
description	heating element 1000W 230V heating circuits 1 L 258mm W 34mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing thread 1/8" immersion heater H 35mm mounting distance 26mm			
For models:	M6B4E, M7B4E			
accessories for	416244			
	No.	361181	Ref. No.	—
nut thread 1/8" H 4.5mm nickel-plated brass WS 14 Qty 1 pcs				
	No.	525780	Ref. No.	—
flat gasket copper ED ø 13mm ID ø 10.2mm thickness 1.5mm for thread 1/8" Qty 1 pcs				
	No.	560192	Ref. No.	—
tooth lock washer ID ø 10.4mm ED ø 18mm SS DIN/ISO DIN 6798A Qty 1 pcs for thread M10				

1



No.	416259	Ref. No.	905771	
description	heating element 1600W 230V heating circuits 1 L 275mm W 38mm H 28mm thread M10x1 mounting distance 27mm tube ø 7.1mm connection male faston 6.3mm 2 hole fixing connection length 26mm immersion heater			
For models:	GLB615, GLB785, GLB795			
accessories for	416259			
	No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				
	No.	510893	Ref. No.	904391
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				

accessories for		416259		
	No.	521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			

1



No.	415010		Ref. No.	D230017	
description	heating element 2000W 230V heating circuits 1 L 260mm W 125mm H 20mm L1 110mm L2 150mm W1 42mm W2 83mm thread M10x1 mounting distance 70mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing				
spare parts for	415010				
	No.	510416	Ref. No.	—	
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs					
accessories for	415010				
	No.	504306	Ref. No.	—	
gasket fibre ED ø 16mm ID ø 10mm thickness 2mm Qty 1 pcs					
	No.	510893	Ref. No.	904391	
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs					
	No.	520231	Ref. No.	—	
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs					
	No.	521103	Ref. No.	—	
nut thread M4 H 3mm WS 7 brass Qty 20 pcs					
	No.	521104	Ref. No.	—	
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4					
	No.	521129	Ref. No.	—	
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439					
	No.	560111	Ref. No.	—	
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4					
	No.	560131	Ref. No.	—	
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs					

1



No.	415665	Ref. No.	N/A	
description	heating element 2750/3250W 220/240V heating circuits 1 L 380mm W 110mm H 30mm thread M10x1 mounting distance 75mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing			
spare parts for	415665			
	 No.	510893	Ref. No.	904391
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
accessories for	415665			
	 No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				

accessories for 415665				
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				
	No.	520876	Ref. No.	—
protection cap for heating element ø 11.5mm H 32mm W 25mm plastic				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				



No.	416261	Ref. No.	905748	
description	heating element 3000W 230V heating circuits 1 L 358mm W 32mm H 34mm H2 37mm thread M10x1 mounting distance 26mm tube ø 6.5mm connection male faston 6.3mm 2 hole fixing immersion heater			
For models:	GLS805, GLS845, GLS935, GLS945, GLS945S			
accessories for	416261			
	No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				
	No.	510893	Ref. No.	904391
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				

heating elements for convection

1

No.	415251	Ref. No.	50039
description	heating element 2500W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 242mm H 35mm L1 46mm W1 31mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm horizontal tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		



1

No.	416040	Ref. No.	X68002	
description	heating element 2500W 230V heating circuits 1 ID ø 185mm ED ø 198mm L 212mm H 30mm L1 17mm W1 32mm H1 6mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 33mm tube ø 6.5mm dry heating element hole ø 5mm rectangular flange			
For models:	C4FFCEP, C4FFLE, C4FFLEP, C4ZFCE, C4ZFCEP, C4ZSFCEP, C4PFCE, C4PFLE, C4PQFCE, C4VFCE, C4VFLE, C6FFCEP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6ZFCE, C6ZFCEP, C6ZFCEPV, C6ZFCEV, C6PFCE, C6PFCEV, C6PFLE, C6PFLEV, C6PQFCE, C6PQFCEV, CC120E, CC80E, CC81E, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, CCQ120E, CCQ80E, CCQ81E, CCV80E, CCV81E, K2FTPFCE, K4FSFCE, K4ZFCE, K4ZSFCE, K4PFCE, K4VFCE, K6ZFCE, K6PFCE, K8ZFCE, K8ZSFCE, K8PFCE, M74FFXE...(Other models you can see in the webshop)			
accessories for	416040			
	No.	510368	Ref. No.	—
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element				

A circular heating element with a black cable and a multi-pin connector. The cable is connected to a circular metal ring. The ring has a small tab on the left side. The cable ends in a multi-pin connector with four pins.

1

No.	415850	Ref. No.	760978
description	heating element 5400W 230V heating circuits 3 ID ø 191mm ED ø 204mm L 268mm H 84mm L1 57mm W1 103mm H1 17mm H2 67mm flange length 140mm flange width 23mm hole distance 63/63mm connection M4 tube ø 6.5mm		

1

No.	415871	Ref. No.	761344
description heating element 6000W 230V heating circuits 3 ID ø 217mm ED ø 230mm L 267mm H 75mm L1 38mm W1 103mm H1 65mm H2 10mm flange length 140mm flange width 23mm hole distance 67mm connection M4 connection length 25mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange			

radiation heaters



1

No.	490152	Ref. No.	Y17602
description	radiation heater octagonal 2500W 230V L 250mm W 250mm heating circuits 2 with heating coil energy regulation with temperature signalization connections 3+2 connection type cable AD		
For models:	C2V, C4V, C4VFCE, C4VFE, I2V, I4V, SK4VFCE, SKCV40E, SKCV80E, TCV40E, TCV80E		

1-circuit



1

No.	490169	Ref. No.	AER009ZR10
description	radiation heater ø 165mm 1200W 230V heating circuits 1 H 32mm 7-position control without temperature signalization round connections 4 connection type male faston 6.3mm EGO		
For models:	M62V, M64V, M74V, M74VFXE		



1

No.	490116	Ref. No.	Y12208
description	radiation heater ø 165mm 1200W 230V heating circuits 1 H 33mm 7-position control with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		
For models:	CCV80E, CCV81E, SKCV40E, SKCV80E		



1

No.	490170	Ref. No.	AER010ZR10
description	radiation heater ø 200mm 1700W 230V heating circuits 1 7-position control without temperature signalization connections 4 connection type male faston 6.3mm EGO		
For models:	M64V, M74V, M74VFXE		



1

No.	490113	Ref. No.	Y12207
description	radiation heater ø 200mm 1800W 230V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		
For models:	CCV80E, CCV81E, SKCV40E, SKCV80E		



1

No.	490042	Ref. No.	Y17702
description	radiation heater ø 200mm 1800W 230V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm EGO		
For models:	C4V, C4VFCE, C4VFE, I4V, SK4VFCE, SKCV40E, SKCV80E, TCV80E		



1

No.	490171	Ref. No.	AER011ZR10
description	radiation heater ø 230mm 2100W 230V heating circuits 1 H 32mm 7-position control round		
For models:	M62V, M64V, M74V, M74VFXE		



1

No.	490050	Ref. No.	Y12408
description	radiation heater ø 250mm 2500W 230V heating circuits 1 with ribbon heater		
For models:	C2V, C4V, C4VFE, C4VFLE, TCV40E, TCV80E		



2-circuit




No.	490114	Ref. No.	Y12409
description	radiation heater ø 230mm 2200W 230V heating circuits 2 energy regulation with temperature signalization partial power 750W with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		
For models:	C2V, C4V, C4VFE, C4VFLE, TCV40E, TCV80E		



No.	490118	Ref. No.	Y17802
description	radiation heater ø 250mm 2500W heating circuits 2 partial power 1000W		
For models:	K2V, K4V, K4VFCE, K4VFE, OP2V, OP4V		

foil heating elements



No.	416406	Ref. No.	Y15900
description	foil heating element L 400mm W 240mm 1000W 230V t.max. 150°C with temperature limiter silicone cable length 2000mm thickness 1mm		
For models:	CBE4, CBE8, IBE4, IBE8, KB4, KB8, OPB4, OPB8, SKB40E, SKB80E, TB40E, TB80E		

accessories

hexagonal nuts



No.	550261	Ref. No.	N/A
description	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		


retaining rings




No.	691621	Ref. No.	M29600
description	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471		
For models:	CCPE4, CFE15, CFE159, CFE15D, CFE15D9, KCP4E, KCP82E, KFE15, KFE159, KFE15D, KFE15D9, KFE20, KFE20D, OPCP4E, OPCP82E, OPFE15, OPFE15D, OPFE20, OPFE20D, SKCP40E, TCP40E		

sealing washers

fibre gaskets



No.	510417	Ref. No.	N/A
description	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		




No.	510406	Ref. No.	E50300
description	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs		
For models:	KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KP20G, KP20GA, KP30G, KP30GA, KP50G, KP50GA, KPI10E, KPI10EA, KPI10EA9, KPI10G, KPI10GA, KPI10GT, KPI10GTA, KPI15E, KPI15EA, KPI15EA9, KPI15G, KPI15GA, KPI15GT, KPI15GTA, KPI20E, KPI20EA, KPI20G, KPI20GA, KPI30E, KPI30EA, KPI30G, KPI30GA, KPI50E, KPI50EA, KPI50G, KPI50GA, OPP10G, OPP10GA, OPP15G, OPP15GA, OPPI10E, OPPI10EA, OPPI10G, OPPI10GA... (Other models you can see in the webshop)		


O-rings




No.	510893	Ref. No.	904391
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	GLB785, GLB795		

			
No.	510072	Ref. No.	904350 N/A
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	GLB615, GLB785, GLB795		

			
No.	510899	Ref. No.	X05400
description	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
For models:	CCPE4, CFE15, CFE159, CFE15D, CFE15D9, CMP4, KCP4E, KCP82E, KFE15, KFE159, KFE15D, KFE15D9, KFE20, KFE20D, OPCP4E, OPCP82E, OPFE15, OPFE15D, OPFE20, OPFE20D, SKCP40E, TCP40E, TMP4		

			
No.	521120	Ref. No.	907981 SD907981
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	GLB785, GLB795, GLS905, GLS925, GLS935		

			
No.	510408	Ref. No.	E11700
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	CPEI, CPEI9, KPI10E, KPI10E9, KPI10EA, KPI10EA9, KPI15E, KPI15E9, KPI15EA, KPI15EA9, KPI20E, KPI20EA, KPI30E, KPI30EA, KPI50E, KPI50EA, OPPI10E, OPPI10EA, OPPI15E, OPPI15EA		

			
No.	532545	Ref. No.	X05000
description	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs		
For models:	CCPE4, CFE15, CFE159, CFE15D, CFE15D9, KCP4E, KCP82E, KFE15, KFE159, KFE15D, KFE15D9, KFE20, KFE20D, OPCP4E, OPCP82E, OPFE15, OPFE15D, OPFE20, OPFE20D, SKCP40E, TCP40E		

flange gaskets

			
No.	521128	Ref. No.	N/A
description	gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK		

capillary tube clips

			
No.	551105	Ref. No.	M86800
description	capillary tube clip for pipe ø 6mm Qty 1 pcs		
For models:	CF1E4, CF2E6, CF4E, CF6E, GSP01, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE2, OPFE1, OPFE2, SKF1E, SKF2E, SKF4E, SKF6E, TF1E, TF2E, TF4E, TF6E		

			
No.	550980	Ref. No.	M86900
description	capillary tube clip for pipe ø 8.5mm Qty 1 pcs		
For models:	15DPE, 15PE, 15PSE, 4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSE, 7DSET, 7SE, 7SET, CF2E4, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKF2E4, TF2E4		

spring clips

			
No.	550258	Ref. No.	M86500
description	probe clip for pipe ø 8mm for probe ø 6mm		
For models:	15DPE, 15PE, 15PSE, 4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSE, 7SE, CF1E4, CF2E4, CF2E6, CF4E, CF6E, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE2, KFE4, KFE8, M6F4E, M6F6E, M7F4E, M7F6E, OPFE1, OPFE2, SK10DSE9, SK10SE9, SKF1E, SKF2E, SKF2E4, SKF4E, SKF6E, TF1E, TF2E, TF2E4, TF4E, TF6E		

protection caps

			
No.	510093	Ref. No.	N/A
description	protection cap		

			
No.	514202	Ref. No.	0900B42300
description	bracket for heating element mounting pos. right		



1

No.	514203	Ref. No.	1901B42300
description	bracket heating element mounting pos. left		

hot plates

square & rectangular

with radiused edge



1

No.	490066 ¹	Ref. No.	X45500
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	C2PQ, C4PQ, C4PQFCE, C4PQFE, C6PQ, C6PQFCE, C6PQFCEV, C6PQFE, CCQ120E, CCQ80E, CCQ81E, I2PQ, I4PQ, M74PQ, M74PQFCE, SK4PQFCE, SK6PQFCE, SKCQ40E, SKCQ80E, TCQ120E, TCQ40E, TCQ80E		

¹incl. protector

1

No.	490056 ¹	Ref. No.	Y12000
description	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	K2P, K4P, K4PFE, K6P, K6PFE		

¹incl. protector

1

No.	490071 ¹	Ref. No.	0000Y12100
description	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	K2P, K4P, K4PFE, K4PFE, K6P, K6PFE, K6PFE, OP2P, OP4P, OP6P		

¹incl. protector

round

with radiused edge

for domestic and commercial kitchens



1

No.	490014	Ref. No.	AER003ZR10
description	hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring		
For models:	M62P, M64P		



1

No.	490016	Ref. No.	AER002ZR10
description	hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	M62P, M64P, M74P, M74PFXE, M76P, M76PFXE		



1

No.	490018	Ref. No.	X45400
description	hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	C2P, C4P, C4PFCE, C4PFE, C6P, C6PFCE, C6PFCEV, C6PFE, CC80E, I2P, I4P, SK4PFCE, SK6PFCE, SKC40E, SKC80E, TC120E, TC40E, TC80E		



1


No.	490020	Ref. No.	0000X45300	
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring			
For models:	C2P, C4P, C4PFCE, C4PFE, C4PFLE, C6P, C6PFCE, C6PFCEV, C6PFE, C6PFLE, C6PFLEV, CC120E, CC80E, CC81E, I2P, I4P, SK4PFCE, SK6PFCE, SKC40E, SKC80E, TC120E, TC40E, TC80E			
accessories for	490020			
	No.	550796	Ref. No.	—
	fixing plate for hot plate ø220mm			

control and safety thermostats


EGO

control thermostats


55.10/19_ series



No.	375055	Ref. No.	X43100
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 318° 250V		
For models:	CBE4, CBE6, CBE8, SKB40E, SKB60E, SKB80E, TB40E, TB60E, TB80E		




No.	375054	Ref. No.	X43100
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole capillary pipe isolatedmm gland nut		



No.	375363	Ref. No.	40100050 E10600
description	thermostat t.max. 161°C temperature range 73-161°C 1-pole 1NO 16A probe ø 3mm probe L 144mm capillary pipe 1600mm capillary pipe isolated 1600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	CPEI, CPEI9, KPI10E, KPI10E9, KPI10EA, KPI10EA9, KPI10ET, KPI10ETA, KPI15E, KPI15E9, KPI15EA, KPI15EA9, KPI15ET, KPI15ETA, KPI20E, KPI20EA, KPI20ET, KPI20ETA, KPI30E, KPI30EA, KPI30ET, KPI30ETA, KPI50E, KPI50EA, KPI50ET, KPI50ETA, OPPI10E, OPPI10EA, OPPI15E, OPPI15EA		



No.	375063	Ref. No.	0000X43300	
description	thermostat t.max. 170°C temperature range 70-170°C 1-pole 1NO 16A probe ø 11mm probe L 28mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft L 23mm shaft position upper rotation 270° screw-in probe probe thread M14x1			
accessories for	375063			
	No.	510417	Ref. No.	N/A
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	510420	Ref. No.	—
	gasket copper ED ø 19.9mm ID ø 14.3mm thickness 2mm Qty 1 pcs			
	No.	521133	Ref. No.	—
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			



No.	375237	Ref. No.	0000Y16000 X56800
description	thermostat t.max. 190°C temperature range 100-190°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1200mm gland nut M9x1 shaft L 23mm shaft position upper rotation 270°		
For models:	4DME, 4ME, 6+4LE, 6+4ME, CF15DG8, CF15G4, CF2E4, CFE15, CFE159, CFE15D, CFE15D9, KFE15, KFE159, KFE15D, KFE15D9, KFE20, KFE20D, KFE4, KFE8, KFG4, KFG8, OPFE15, OPFE15D, OPFE20, OPFE20D, SKF2E4, TF2E4		

No.	390068	Ref. No.	0000X43600
description	thermostat t.max. 269°C temperature range 55-269°C 1-pole 1CO 16A probe ø 3.1mm probe L 219mm capillary pipe 1280mm capillary pipe isolated 1270mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318°		
For models:	CMP4, IMP4, KBRE, KBRE12, KBRE12IN, KBREIN, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE, OPBRE12, OPBRE12IN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN, OPBREM12IN, OPBRG, OPBRG12, OPBRG12IN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN, SKMP4, TMP4		

No.	375797	Ref. No.	Y19200
description	thermostat t.max. 300°C temperature range 50-300°C 1-pole 1NO 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	CBRE, CBRE9, CBREIN, CBREIN9, CMP4, KBRE, KBRE12, KBRE12IN, KBRE9, KBREIN, KBREIN9, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE, OPBRE12, OPBRE12IN, OPBRE12MIN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGMIN, TMP4		

No.	375216	Ref. No.	X49600
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 228mm capillary pipe 1300mm capillary pipe isolated 1150mm gland nut shaft L 23mm shaft position upper rotation 318°		
For models:	CC80E, CCG80E, CCQ80E, CCV80E		

No.	375002	Ref. No.	X68205
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	C4FFCEP, C4FFLE, C4FFLEP, C4FZFCE, C4FZFCEP, C4FZSFCEP, C4PFCE, C4PFLE, C4PQFCE, C4VFCE, C4VFLE, C6FFCEP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6PFCE, C6PFCEV, C6PFLE, C6PFLEV, C6PQFCE, C6PQFCEV, CC120E, CC80E, CC81E, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, CCQ120E, CCQ81E, CCV81E, K2FTPFCE, K4FSFCE, K4FZFCE, K4FZSFCE, K4PFCE, K4VFCE, K6FZFCE, K6PFCE, K8FZFCE, KTFPCE, M74FFXE, M74FMPFXE, M74FPFXE...(Other models you can see in the webshop)		

No.	375270	Ref. No.	X49800
description	thermostat t.max. 295°C temperature range 45-295°C 1-pole 1NO 16A probe ø 4mm probe L 100mm capillary pipe 900mm capillary pipe isolated 350mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	CBRE, CBRE8, CBREIN		

55.13_series

No.	375677	Ref. No.	FZ400541
description	thermostat t.max. 195°C temperature range 103-195°C 1-pole 1NO 16A probe ø 4mm probe L 157mm capillary pipe 2250mm capillary pipe isolated 2020mm gland nut shaft L 18mm shaft position upper rotation 270°		

E-G-O



No.	375006	Ref. No.	N/A
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1CO 16A probe ø 6mm probe L 92mm capillary pipe 3150mm capillary pipe isolated 300mm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS		

E-G-O



No.	375426	Ref. No.	X57900
description	thermostat t.max. 93°C temperature range 30-93°C 1-pole 1CO 16A probe ø 6mm probe L 85mm capillary pipe 1230mm capillary pipe isolatedmm gland nut shaft position left rotation 270° probe material SS		
For models:	CBE4, CBE8, IBE4, IBE8, M6B4E, M7B4E, SKB40E, SKB80E, TB40E, TB80E		

55.14_series

E-G-O



No.	390001	Ref. No.	D236023	
description	thermostat t.max. 58°C temperature range fixed 58°C 1-pole 1NC 16A probe ø 11mm probe L 35mm capillary pipe 580mm capillary pipe isolated 580mm gland nut shaft Lmm shaft position° shaft position screw-in probe probe thread M14x1			
accessories for	390001			
	No.	510417	Ref. No.	N/A
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	550261	Ref. No.	N/A
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			

55.34_series

E-G-O



No.	375022	Ref. No.	AEC002ZR10
description	thermostat t.max. 180°C temperature range 95-180°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 1780mm capillary pipe isolated 1400mm gland nut M9x1 shaft ø ø6x4.6mm shaft L 23mm rotation 270°		
For models:	M6F4E, M6F6E, M7F4E, M7F6E		

E-G-O




No.	375097	Ref. No.	0000X43800
description	thermostat t.max. 195°C temperature range 95-195°C 3-pole 3NO 16A probe ø 6mm probe L 117mm capillary pipe 1780mm capillary pipe isolated 1400mm gland nut M9x1 shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	15DPE, 15PE, 15PSE, 6+4ME, 6DME, 6ME, 7DSET, 7SET, CF1E4, CF2E6, CF4E, CF6E, CRE4, CRE6, IF1E4, IF2E6, IF4E, IF6E, IRE4, IRE6, KFE1, KFE2, OPFE1, OPFE2, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKF1E, SKF2E, SKF4E, SKF6E, SKR40E, SKR60E, TF1E, TF2E, TF4E, TF6E, TR40E, TR60E		

E-G-O



No.	375453	Ref. No.	0000X43200 0000X43900 Y16400
description	thermostat t.max. 308°C temperature range 100-300°C 3-pole 3NO 16A probe ø 6mm probe L 75mm capillary pipe 1150mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270° probe material SS		
For models:	C2FTPF, C2FTPFEP, C4FFE, C4FFEP, C4ZF, C4ZFEP, C4FZSEF, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFE, C6FFE, C6FFEP, C6FZFE, C6FZFEP, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6PQFE, C6PQFE8, CFE1, CFE1C, CFE1R, CFE2, CFE22, CFE2C, CFE2C2, CFE2LR, CFE2R, CFE2R2, CFE3, CFE3C, CFE3LR, CFE3R, CFE4, CFE49, CFE4C, CFE4C9, CFE4R, CFE4R9, CFE6, CFE62, CFE6C, CFE6C2, CFE6LR, CFE6R...(Other models you can see in the webshop)		

E·G·O




No.	375917	Ref. No.	776-008-00
description	thermostat t.max. 550°C temperature range 85-500/85-550°C 3-pole 2NO/1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1110mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 318° outer switch 2NO/2NO		

safety thermostats


55.10/19_ series

E·G·O




No.	375178	Ref. No.	0000X56700
description	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 4mm probe L 116mm capillary pipe 1500mm capillary pipe isolatedmm gland nut probe SS		
For models:	CFG15, CFG15D, KFG15, KFG15D, KFG20, KFG20D, OPFG15, OPFG15D, OPFG20, OPFG20D		

E·G·O



No.	375282	Ref. No.	0000X43400
description	safety thermostat switch-off temp. 230°C 1-pole 16A probe ø 11mm probe L 28mm capillary pipe 850mm capillary pipe isolated 830mm gland nut probe screw-in probe probe thread M14x1		
For models:	CF10DG8M, CF10G4M, KFG1, KFG2, M7F4G, M7F8G, OPFG1, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM		
accessories for	375282		
	No.	507313	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs			
	No.	510420	Ref. No. —
gasket copper ED ø 19.9mm ID ø 14.3mm thickness 2mm Qty 1 pcs			
	No.	521133	Ref. No. —
nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			

E·G·O




No.	390062	Ref. No.	0000X49500 0000Y16300
description	safety thermostat switch-off temp. 235°C 1-pole 0.5A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1500mm gland nut M9x1 probe SS		
For models:	15DPE, 15PE, 15PSE, 4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSE, 7DSET, 7SE, 7SET, CF15DG8, CF15G4, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CFE15, CFE15D, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE15, KFE15D, KFE2, KFE20, KFE20D, KFE4, KFE8, KFG4, KFG8, OPFE1, OPFE15, OPFE15D, OPFE2, OPFE20, OPFE20D, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKF1E, SKF2E...(Other models you can see in the webshop)		
accessories for	390062		
	No.	551083	Ref. No. —
cap for safety thermostat thread M8x1			

E·G·O




No.	375352	Ref. No.	0000X49500 Y16300
description	safety thermostat switch-off temp. 245°C 1-pole 1NC 16A probe ø 6mm probe L 130mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut probe		

E·G·O



No.	375353	Ref. No.	0000Y16500
description	safety thermostat switch-off temp. 355°C 1-pole 0.5A probe ø 4mm probe L 120mm capillary pipe 870mm capillary pipe isolated 870mm gland nut probe SS		
For models:	CBRE, CBRE9, CBREIN, CBREIN9, KBRE, KBRE12, KBRE12IN, KBRE9, KBREIN, KBREIN9, KBREM, KBREM12, KBREM12IN, KBREMIN, KBREIN, KBREIN9, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KBREIN, KFT4G, KFT4GC, KFT4GR, KFT8G, KFT8G23C, KFT8GC, KFT8GLR, KFT8GR, KFTG1, KFTG1C, KFTG1R, KFTG3, KFTG3C, KFTG3LR, KFTG4, KFTG4C, KFTG4R, KFTG8, KFTG8C, KFTG8LR, KPI20GA, KPI30GA, KPI50GA, KTF4G, KTF4GC, KTF8GLR, OPBRE, OPBRE12...(Other models you can see in the webshop)		

55.32_ series



No.	375364	Ref. No.	40100041 E10500
description	safety thermostat switch-off temp. 190°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 3000mm capillary pipe isolated 3000mm gland nut probe		
For models:	CPEI, CPEI9, CPG, CPGI, KP10G, KP10GA, KP15G, KP15GA, KPI10E, KPI10E9, KPI10EA, KPI10EA9, KPI10ET, KPI10ETA, KPI10G, KPI10GA, KPI10GT, KPI10GTA, KPI15E, KPI15E9, KPI15EA, KPI15EA9, KPI15ET, KPI15ETA, KPI15G, KPI15GA, KPI15GT, KPI15GTA, KPI20ET, KPI20ETA, KPI30ET, KPI30ETA, KPI50ET, KPI50ETA, OPPI10E, OPPI10EA, OPPI10G, OPPI10GA, OPPI15E, OPPI15EA, OPPI15G, OPPI15GA		




No.	375551	Ref. No.	AEC001ZR10
description	safety thermostat switch-off temp. 235°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 1800mm capillary pipe isolated 1600mm gland nut probe SS		
For models:	M6F4E, M6F6E, M7F4E, M7F6E		




No.	375252	Ref. No.	0000X44800
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 3000mm capillary pipe isolated 960mm gland nut probe		
For models:	C4FFEP, C4FZFE, C4FZFEP, C4FZSFEP, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFE, C6FFEP, C6FZFE, C6FZFEP, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6PQFE, CFTE1, CFTE1C, CFTE1R, CFTE2, CFTE22, CFTE2C, CFTE2C2, CFTE2LR, CFTE2R, CFTE2R2, CFTE3, CFTE3C, CFTE3LR, CFTE3R, CFTE4, CFTE49, CFTE4C, CFTE4C9, CFTE4R, CFTE4R9, CFTE6, CFTE62, CFTE6C, CFTE6C2, CFTE6LR, CFTE6R, CFTE6R2, CFTE8, CFTE89, CFTE8C, CFTE8C9...(Other models you can see in the webshop)		



No.	375392	Ref. No.	Y72100
description	safety thermostat switch-off temp. 360°C 3-pole 1CO/2NC 20A probe ø 4mm probe L 120mm capillary pipe 1490mm capillary pipe isolated 1450mm gland nut probe SS		



No.	375350	Ref. No.	X49900 Y16600
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 1800mm capillary pipe isolated 1800mm gland nut probe SS		



No.	390227	Ref. No.	40100062 X49900
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 1800mm capillary pipe isolated 1800mm gland nut probe SS		
For models:	CBRE, CBRE8, CBREIN, KPI20E, KPI20EA, KPI30E, KPI30EA, KPI50E, KPI50EA		

control thermostats with operation switch

55.10/19_ series


E.G.O



No.	390039	Ref. No.	X57800 X5780011
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 173mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	KB4, KB8, OPB4, OPB8		
accessories for	390039		
	No.	111934	Ref. No. —
	knob thermostat t.max. 90°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°		

IMIT / TEMPOMATIC / ARTERMO


control thermostats



No.	390310	Ref. No.	907124
description	thermostat t.max. 85°C temperature range fixed 55°C 1-pole 1CO 16A probe ø 9.5mm probe L 37mm capillary pipe 600mm capillary pipe isolated 540mm gland nut shaft ø 6mm shaft Lmm shaft position rotation° screw-in probe probe thread 3/8" probe material SS		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925		
accessories for	390310		
	No.	506024	Ref. No. 902104
	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
	No.	529349	Ref. No. —
	flat gasket FIBER ED ø 22mm ID ø 16.5mm thickness 2mm for thread 3/8" Qty 1 pcs		




No.	390006	Ref. No.	907100 907110 SD907110
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°		
For models:	GLB785, GLB795, GLS935, GLS945, GLS945S		
accessories for	390006		
	No.	110100	Ref. No. 903982
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		
	No.	110105	Ref. No. —
	rosette knob ø 42mm ø 56mm zero mark		



No.	390683	Ref. No.	TR0440
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 98mm capillary pipe 1000mm capillary pipe isolated 960mm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position +135° rotation 270° probe material copper		
For models:	GLB615, GLS805, GLS845, GLS905, GLS925		
accessories for	390683		
	No.	110100	Ref. No. 903982
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		

safety thermostats



No.	390023	Ref. No.	907125 SD907125
description	safety thermostat switch-off temp. 90-110°C 1-pole 16A probe ø 6.5mm probe L 90mm capillary pipe 1000mm capillary pipe isolatedmm gland nut probe		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		

various

control thermostats

1

No.	390225	Ref. No.	X49400
description	thermostat		
For models:	4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6LE, 7DSE, 7SE		

1

No.	375221	Ref. No.	X49800
description	thermostat gland nut		

safety thermostats

1

No.	390676	Ref. No.	907120
description	safety thermostat switch-off temp. 60°C 1-pole 1CO 16A probe ø 7mm probe L 100mm capillary pipe 1500mm		
For models:	GLS935, GLS945, GLS945S		

refrigeration thermostats

RANCO

K22 series

RANCO

1

No.	390207	Ref. No.	I62026414
description	thermostat RANCO type K22L2030 probe ø 2mm probe Lmm capillary pipe 2000mm temperature range -13 up to -4°C		

RANCO

1

No.	390209	Ref. No.	I62020100
description	thermostat RANCO type K22L1020 probe ø 9mm probe L 40mm capillary pipe 2000mm temperature range -20.5 up to -1.5°C		

RANCO

1

No.	390277	Ref. No.	I63003800
description	thermostat RANCO type K22L3020 probe ø 9mm probe L 40mm capillary pipe 1600mm temperature range -26.5 up to -19.5°C		

RANCO

1

No.	390280	Ref. No.	I62012500
description	thermostat RANCO type K22L3021 probe ø 9mm probe L 35mm capillary pipe 1600mm temperature range -14 up to -9°C		

RANCO

1

No.	390279	Ref. No.	I62012900
description	thermostat RANCO type K22L3022 probe ø 9mm probe L 35mm capillary pipe 1600mm		

K50 series

RANCO

1

No.	390208	Ref. No.	I620209100
description	thermostat RANCO type K50L3006 probe ømm probe Lmm capillary pipe 2000mm temperature range +1.5 up to +4°C		

K55 series

BRANCO



No.	390210	Ref. No.	I62026302
description	thermostat RANCO type K55L1042 capillary pipe 1100mm temperature range +1.7 up to +9.5°C probe ø10x110mm		

K61 series

BRANCO



No.	390206	Ref. No.	I62026400
description	thermostat RANCO type K61L1501 probe ømm probe Lmm capillary pipe 1800mm		

accessories

probe clips

spring clips

for thermostat



No.	550258	Ref. No.	M86500
description	probe clip for pipe ø 8mm for probe ø 6mm		
For models:	15DPE, 15PE, 15PSE, 4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSE, 7SE, CF1E4, CF2E4, CF2E6, CF4E, CF6E, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE2, KFE4, KFE8, M6F4E, M6F6E, M7F4E, M7F6E, OPFE1, OPFE2, SK10DSE9, SK10SE9, SKF1E, SKF2E, SKF2E4, SKF4E, SKF6E, TF1E, TF2E, TF2E4, TF4E, TF6E		

capillary tube clips



No.	551105	Ref. No.	M86800
description	capillary tube clip for pipe ø 6mm Qty 1 pcs		
For models:	CF1E4, CF2E6, CF4E, CF6E, GSP01, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE2, OPFE1, OPFE2, SKF1E, SKF2E, SKF4E, SKF6E, TF1E, TF2E, TF4E, TF6E		



No.	550980	Ref. No.	M86900
description	capillary tube clip for pipe ø 8.5mm Qty 1 pcs		
For models:	15DPE, 15PE, 15PSE, 4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSE, 7DSET, 7SE, 7SET, CF2E4, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKF2E4, TF2E4		

plunger sockets



No.	519211	Ref. No.	905191
description	thermowell thread 1/2" L 120mm single ø 6.5mm		
For models:	GLS935		



No.	510986	Ref. No.	TR0298
description	thermowell thread 1/2" L 120mm SS double ø 6.5mm		
For models:	GLS945, GLS945S		

accessories for	510986		
	No.	361184	Ref. No. —
	nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs		
	No.	521122	Ref. No. —
	flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs		

connecting bows



No.	550060	Ref. No.	X44600 X457
description	connecting bow long for thermostat Qty 1 pcs		
For models:	C2FTPFE, C2FTPFEF, C4FFE, C4FFFE, C4FZFE, C4FZFEP, C4FZSFEP, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFE, C6FFE, C6FFEP, C6FZFE, C6FZFEP, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6PQFE, CBRE, CBRE8, CBREIN, CC80E, CCG80E, CCQ80E, CCTPFE8, CCV80E, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CFE15, CFE159, CFE15D, CFE15D9, CFTE1, CFTE1C, CFTE1R, CFTE2, CFTE22, CFTE2C, CFTE2C2, CFTE2LR, CFTE2R, CFTE2R2...(Other models you can see in the webshop)		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

labelled



1				
No.	300125	Ref. No.	0000X50800	
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
For models:	CBE4, CBE6, CBE8, CC80G, CF15DG8, CF15G4, CRE4, CRE6, CSP40E, IBE4, IBE8, IRE4, IRE6, ISP4, M6B4E, M6SP4E, M7B4E, MC, SK10DSE, SK10SE, SKB40E, SKB60E, SKB80E, SKP40E, SKR40E, SKR60E, TB40E, TB60E, TB80E, TR40E, TR60E, TSP40E			
accessories for	300125			
	No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

push/momentary push switches

28.5x28.5mm



1				
No.	346866	Ref. No.	905324	
description	momentary push switch mounting measurements 28.5x28.5mm yellow 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150/75°C protection IP40			
For models:	GLB785, GLB795			



1				
No.	345588	Ref. No.	905326	
description	push switch mounting measurements 28.5x28.5mm yellow 1CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40			
For models:	GLB785, GLB795, GLS935			

28.5x77.5mm



1				
No.	345590	Ref. No.	905327	
description	switch combination latching mounting measurements 28.5x77.5mm orange/green/yellow 1NO/indicator light/indicator light 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40			
For models:	GLS935			

SWITCHES AND MOMENTARY SWITCHES GIGA

ø22mm



1				
No.	347425	Ref. No.	X56200 X69100	
description	momentary push switch mounting measurements ø22mm black 1NC/1NO 250V 5A connection screw ambient temperature max. 85°C protection IP40			
For models:	KBREM, KBREM12, KBREM12IN, KBREMIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE12MIN, OPBREM, OPBREM12, OPBREM12IN, OPBREMIN, OPBRG12MIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN			



1				
No.	347426 ¹	Ref. No.	X56300 X69000	
description	momentary push switch mounting measurements ø22mm red 1NC/1NO 250V 5A connection screw ambient temperature max. 85°C protection IP40			
For models:	KBREM, KBREM12, KBREM12IN, KBREMIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE12MIN, OPBREM, OPBREM12, OPBREM12IN, OPBREMIN, OPBRG12MIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN			

¹incl. knob

ø25mm



1				
No.	345001	Ref. No.	D999070	
description	momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65			
accessories for	345001			
	No.	345039	Ref. No.	—
	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm			

microswitches

lever actuated



1				
No.	345773	Ref. No.	X52800	
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm actuating force: 65g lever length 51mm			
For models:	15DPE, 15PE, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CFE15, CFE159, CFE15D, CFE15D9, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE15, KFE159, KFE15D, KFE15D9, KFE2, KFE20, KFE20D, OPFE1, OPFE15, OPFE15D, OPFE2, OPFE20, OPFE20D, SK10DSE, SK10SE, SKF1E, SKF2E, SKF4E, SKF6E, TF1E, TF2E, TF2E4, TF4E, TF6E			

			
1			
No.	345044	Ref. No.	620033
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 25mm type C99ZP3 actuating force: 25g lever length 71mm		

pin-plunger actuated

M12



1

No.	345350	Ref. No.	R31600
description	microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g		
For models:	15DPE, 15PE, 15PSE, 4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSE, 7SE, CRE4, CRE6, IRE4, IRE6, KFE4, KFE8, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKR40E, SKR60E, TR40E, TR60E		
accessories for	345350		
	No.	Ref. No.	R3160D
nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs			

			
1			
No.	346176	Ref. No.	X54900
description	microswitch with plunger mounting distance 25mm thread M12x0.75 250V 1CO ambient temperature max. 125°C type MK V11D10		
For models:	CBRE, CBRE9, CBREIN, CBREIN9, KBRE, KBRE12, KBRE12IN, KBRE9, KBREIN, KBREIN9, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE, OPBRE12, OPBRE12IN, OPBRE12MIN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN, OPBREM12MIN, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN		

accessories

			
1			
No.	518000	Ref. No.	N/A
description	adjusting screw for pressure pin		

			
1			
No.	518041	Ref. No.	N/A
description	pressure pin for microswitch L 25.4mm ø 4.7mm		

system switches (ROLD)

			
1			
No.	346498	Ref. No.	905307
description	element holder mounting measurements 28.5x28.5mm black single element holder		
For models:	GLB615, GLS805, GLS845, GLS905, GLS925		

			
1			
No.	345604	Ref. No.	905309
description	element holder single mounting measurements 28.5x28.5mm black for push buttons 23x23mm		
For models:	GLS945, GLS945S		

			
1			
No.	301104	Ref. No.	905312
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	GLB615, GLS805, GLS845, GLS905, GLS925		

			
1			
No.	345606	Ref. No.	D226071
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		



1

No.	345650	Ref. No.	905313
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	GLS945		



1

No.	346816	Ref. No.	N/A
description	push button ø 23mm black		



1

No.	347439	Ref. No.	905305
description	push button ø 23mm shaft 3.7x3.7mm yellow		
For models:	GLB615, GLS805, GLS845, GLS905, GLS925		



1

No.	347100	Ref. No.	905317
description	switch 1CO 250V 16A connection male faston 6.3mm		
For models:	GLS945		



1

No.	345651	Ref. No.	905314 905318
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	GLB615, GLS805, GLS845, GLS905, GLS925, GLS945S		

SWITCHES AND MOMENTARY SWITCHES GIGA

float switches

floats




1

No.	695036	Ref. No.	I78312700
description	float for ice maker ø 75mm L 115mm H 40mm plastic		


cam switches

on/off



1

No.	300151	Ref. No.	0000X51300
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	15DPE, 15PE, 15PSE, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSET, 7SET, CMP4, IMP4, KBRE, KBRE12, KBRE12IN, KBRE9, KBREIN, KBREIN9, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE, OPBRE12, OPBRE12IN, OPBRE12MIN, OPBREIN, OPBREM, OPBREM12, OPBRE-M12IN, OPBREMIN, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OP-BRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN, SK10DSE... (Other models you can see in the webshop)		



1


No.	345665	Ref. No.	X40700
description	cam switch 2 operating positions 4NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	CRE4, KFTE1, KFTE1C, KFTE1R, KFTE3, KFTE3C, KFTE3LR, KFTE4, KFTE4C, KFTE4R, KFTE8, KFTE8C, KFTE8LR, SKR40E, TR40E		

			
1			
No.	300095	Ref. No.	X40600
description	cam switch ON-OFF connection screw clamp		
For models:	CRE6, SKR60E, TR60E		

4-position

			
1			
No.	300104	Ref. No.	0000X44000
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	CCPE4, CCPE6, ICPE4, ICPE6, KCP4E, KCP82E, OPCP4E, OPCP82E, SKCP40E, SKCP60E, TCP40E, TCP60E		

7-position


			
1			
No.	301250	Ref. No.	AEC004ZR10
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 10A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position		
For models:	M62P, M62V, M64P, M64V, M74P, M74PFXE, M74PQ, M74PQFXE, M74V, M74VFXE, M76P, M76PFXE		


			
1			
No.	300004	Ref. No.	0000X54100
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic		
For models:	C2P, C2PQ, C4P, C4PFCE, C4PFCE9, C4PFE, C4PFE9, C4PFLE, C4PQ, C4PQFCE, C4PQFE, C6P, C6PFCE, C6PFCEV, C6PFE, C6PFLE, C6PFLEV, C6PQ, C6PQFCE, C6PQFCEV, C6PQFE, CC120E, CC80E, CC81E, CCQ120E, CCQ80E, CCQ81E, I2P, I2PQ, I4P, I4PQ, K2P, K4P, K4PFCE, K4PFCE9, K4PFE, K4PFE9, K6P, K6PFCE, K6PFE, K6PFE9, OP2P, OP4P, OP6P, SK4PFCE, SK4PQFCE, SK6PFCE, SK6PQFCE, SKC40E, SKC80E... (Other models you can see in the webshop)		

3 operating positions

			
1			
No.	300167	Ref. No.	0000E11000 40100004
description	cam switch 3 operating positions 2NO/1CO sequence 0-1-2 16A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	CPEI, CPEI9, KPI10E, KPI10E9, KPI10EA, KPI10EA9, KPI10ET, KPI10ETA, KPI15E, KPI15E9, KPI15EA, KPI15EA9, KPI15ET, KPI15ETA, KPI20E, KPI20EA, KPI20ET, KPI20ETA, KPI30E, KPI30EA, KPI30ET, KPI30ETA, KPI50E, KPI50EA, KPI50ET, KPI50ETA, M6CP4E, M7CP4E, OPPI10E, OPPI10EA, OPPI15E, OPPI15EA		

4 operating positions

			
1			
No.	300076	Ref. No.	X40600
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw 4-position ceramic		

			
1			
No.	300184	Ref. No.	0000X44100
description	cam switch 4 operating positions sequence 0-3-2-1 shaft ø 6x4.6mm connection male faston 4-pole		
For models:	C2FTPFE, C2FTPFE9, C4FFE, C4FFE9, C4FZFE, C4FZFE9, C4FZSFE9, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFE, C6FFE, C6FFE9, C6FZFE, C6FZFE9, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6PQFE, CCTPFE8, CN10FE, K2FTPFE, K4FFE, K4FS, K4FSFE, K4FZFE, K4FZSFE, K4PFE, K4PFE9, K4VFE, K6FFE, K6FZFE, K6PFE, K6PFE9, K8FFE, K8FZFE, KTPFE, M74FMPFE, M74FPFE, M76FMPFE, M76FPFE		



1

No.	300239	Ref. No.	776-024-00
description	operation switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

10 operating positions



1

No.	345666	Ref. No.	X68204
description	cam switch 10 operating positions 6NO/1CO sequence 0-1-2-3-4-5-6-7-8-9 8A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	C4FFCEP, C4FFLE, C4FFLEP, C4FZFCE, C4FZFCEP, C4FZSFCEP, C4PFCE, C4PFLE, C4PQFCE, C4VFCE, C4VFLE, C6FFCEP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6PFCE, C6PFCEV, C6PFLE, C6PFLEV, C6PQFCE, C6PQFCEV, CC120E, CC81E, CCG120CE, CCG120E, CCG81CE, CCG81E, CCQ120E, CCQ81E, CCV81E, K2FTPFCE, K4FSFCE, K4FZFCE, K4FZSFCE, K4PFCE, K4VFCE, K6FZFCE, K6PFCE, K8FZFCE, KTFPCE, SK4FZFCEP, SK4PFCE, SK4PQFCE, SK4VFCE, SK6FZFCEP...(Other models you can see in the webshop)		

operation switches



1


No.	300166	Ref. No.	X40900
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic 4-pole ambient temperature max. 318°C		
For models:	CBRE, CBRE8, CBREIN, CC80E, CCG80E, CFTE1, CFTE1C, CFTE1R, CFTE2, CFTE22, CFTE2C, CFTE2C2, CFTE2LR, CFTE2R, CFTE3, CFTE3C, CFTE3LR, CFTE4, CFTE4C, CFTE4R, CFTE6, CFTE62, CFTE6C, CFTE6C2, CFTE6LR, CFTE6R, CFTE8, CFTE8C, CFTE8LR, SKBR40E, SKT1E, SKT1EC, SKT1ER, SKT2E, SKT2E2, SKT2EC, SKT2EC2, SKT2ELR, SKT2ER, SKT2ER2, SKT3E, SKT3EC, SKT3ELR, SKT40E, SKT40EC, SKT40ER, SKT60E, SKT60E2, SKT60EC, SKT60EC2...(Other models you can see in the webshop)		

SWITCHES AND MOMENTARY SWITCHES GIGA



1

No.	300080	Ref. No.	0000X49700
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
accessories for	300080		
	No.	551456	Ref. No.
			—
	gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white		



1

No.	300127	Ref. No.	X56900
description	cam switch operation switch 16A connection male faston 2-pole		

1

No.	345668	Ref. No.	X49700
description	operation switch		
For models:	C2FTPFCE, C2FTPFCEP, C4FFE, C4FFEP, C4FZFCE, C4FZFCEP, C4FZSFCEP, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFE, C6FFE, C6FFEP, C6FZFCE, C6FZFCEP, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6PQFE, C2TPFE8, CFE159, CFE15D9, CFTE1, CFTE1C, CFTE1R, CFTE2, CFTE22, CFTE2C, CFTE2C2, CFTE2LR, CFTE2R, CFTE2R2, CFTE3, CFTE3C, CFTE3LR, CFTE3R, CFTE4, CFTE49, CFTE4C, CFTE4C9, CFTE4R, CFTE4R9, CFTE6, CFTE62, CFTE6C, CFTE6C2...(Other models you can see in the webshop)		

1

No.	345995	Ref. No.	X56900
description	operation switch 2-pole		
For models:	4DME, 4ME, 6+4LE, 6+4ME		

E.G.O




1

No.	300091	Ref. No.	0000Y16200
description	operation switch EGO 2 operating positions 2NO 16A sequence 0-1 shaft $\varnothing 6 \times 4.6 \text{ mm}$ shaft L 23mm connection screw ceramic		
For models:	CBRE, CBRE9, CBREIN, CBREIN9, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CFE15, CFE159, CFE15D, CFE15D9, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE15, KFE159, KFE15D, KFE15D9, KFE2, KFE20, KFE20D, KFE4, KFE8, KFG4, KFG8, M74FFXE, M74FMPFXE, M74FPFXE, M74PFXE, M74PQFXE, M74VFXE, M76FFXE, M76FMPFXE, M76FPFXE, M76PFXE, OPFE1, OPFE15, OPFE15D, OPFE2, OPFE20, OPFE20D, SKF1E, SKF2E, SKF2E4, SKF4E, SKF6E...(Other models you can see in the webshop)		

37x16mm



1



No.	345600	Ref. No.	TR0666
description	magnetic switch L 37mm W 16mm 1NO 250V 0.2A P max. 50W connection cable cable length 960mm		
For models:	GLS935, GLS945, GLS945S		
accessories for	345600		
	No.	519049	Ref. No.
			903651 908706 TR0220
magnet $\varnothing \text{ mm}$ L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole $\varnothing 2 \text{ mm}$			

touch sensitive light switches



1


No.	402009	Ref. No.	I78316701
description	light barrier L 310mm W 35mm H 47mm		

magnetic switches

36x13mm



1




No.	345118 ¹	Ref. No.	D211002
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection cable cable length 980mm		
accessories for	345118		
	No.	345399	Ref. No.
			—
magnet $\varnothing 3.3 \text{ mm}$ L 40mm H 8mm W 13mm hole distance 30mm M3			

¹with coded connector

M10x0.75



1




No.	345632	Ref. No.	TR0309
description	magnetic switch thread M10x0.75 1NO 250V 0.5A P max. 50W connection cable cable length 2000mm type 102		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925		
accessories for	345632		
	No.	100779	Ref. No.
			—
nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs			



accessories

magnets



1

No.	519049	Ref. No.	903651 908706 TR0220
description	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		
accessories for	519049		
	No.	560095	Ref. No.
	sheet metal screws ø 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head		

control equipment

ABB

ø22mm

switches (complete)



1

No.	347425	Ref. No.	X56200 X69100
description	momentary push switch mounting measurements ø22mm black 1NC/1NO 250V 5A connection screw ambient temperature max. 85°C protection IP40		
For models:	KBREM, KBREM12, KBREM12IN, KBREMIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE12MIN, OPBREM, OPBREM12, OPBREM12IN, OPBREMIN, OPBRG12MIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN		



1

No.	347426 ¹	Ref. No.	X56300 X69000
description	momentary push switch mounting measurements ø22mm red 1NC/1NO 250V 5A connection screw ambient temperature max. 85°C protection IP40		
For models:	KBREM, KBREM12, KBREM12IN, KBREMIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE12MIN, OPBREM, OPBREM12, OPBREM12IN, OPBREMIN, OPBRG12MIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN		

¹incl. knob

ERSCE



1

No.	345989	Ref. No.	X56500
description	contact block ERSCE C01B 1NC max 230V 10(4)A red		
For models:	KBREM, KBREM12, KBREM12IN, KBREMIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE12MIN, OPBREM, OPBREM12, OPBREM12IN, OPBREMIN, OPBRG12MIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN		

TELEMECANIQUE (EFA)

XA2 series

switches (complete)



1

No.	345593	Ref. No.	TR0850
description	rotary selector mounting measurements ø22mm 2NO complete		
For models:	GLS945S		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator lamps for socket type SRZ / SDK / SDY / SFK



1

No.	359130	Ref. No.	903645
description	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		
For models:	GLS905, GLS925		



1

No.	359133	Ref. No.	40200154
description	indicator lamp 400V green connection male faston 6.3mm		
For models:	KPI10ET, KPI10ETA, KPI15ET, KPI15ETA, KPI20E, KPI20EA, KPI20ET, KPI20ETA, KPI30E, KPI30EA, KPI30ET, KPI30ETA, KPI50E, KPI50EA, KPI50ET, KPI50ETA		



1

No.	359132	Ref. No.	903633
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	GLS905, GLS925		

indicator lights (complete)

ø 9mm



No.	345597	Ref. No.	903632 903643
description	indicator light ø 9mm 400V green connection male faston 6.3mm temp.-resist. 85°C		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS945, GLS945S		



No.	345598	Ref. No.	903629 903642
description	indicator light ø 9mm 400V yellow connection male faston 6.3mm temp.-resist. 85°C		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS935, GLS945, GLS945S		

ø12mm

with screw socket



No.	359048	Ref. No.	076006
description	indicator light ø 12mm 230V yellow connection male faston 6.3mm		
For models:	S110E, S300E		



No.	359023	Ref. No.	X50600
description	indicator light ø 12mm 24V green connection male faston 6.3mm		



No.	359291	Ref. No.	40200152
description	indicator light ø 12mm 400V green connection male faston 6.3mm		
For models:	KPI10ET, KPI10ETA, KPI15ET, KPI15ETA, KPI20E, KPI20EA, KPI20ET, KPI20ETA, KPI30E, KPI30EA, KPI30ET, KPI30ETA, KPI50E, KPI50EA, KPI50ET, KPI50ETA		



No.	359292	Ref. No.	40200148
description	indicator light ø 12mm 400V red connection male faston 6.3mm		
For models:	KPI10ET, KPI10ETA, KPI15ET, KPI15ETA, KPI20ET, KPI20ETA, KPI30ET, KPI30ETA, KPI50ET, KPI50ETA		



No.	359290	Ref. No.	40200150
description	indicator light ø 12mm 400V yellow connection male faston 6.3mm		
For models:	KPI10ET, KPI10ETA, KPI15ET, KPI15ETA, KPI20E, KPI20EA, KPI20ET, KPI20ETA, KPI30E, KPI30EA, KPI30ET, KPI30ETA, KPI50E, KPI50EA, KPI50ET, KPI50ETA		

with plug-in socket



No.	359041	Ref. No.	0000X50900
description	indicator light ø 12mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	15DPE, 15PE, 15PSE, 4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSE, 7DSET, 7SE, 7SET, C2FTPFE, C2FTPFEF, C2P, C2PQ, C2V, C4FFCEP, C4FFCGP, C4FFE, C4FFEP, C4FFLE, C4FFLEP, C4FZFCE, C4FZFCEP, C4FZFCEG, C4FZFCEGP, C4FZFCE, C4FZFEP, C4FZFSEFCEP, C4FZFSEFCGP, C4FZFSEFEP, C4P, C4PFCE, C4PFCE9, C4PFE, C4PFE9, C4PFLE, C4PQ, C4PQFCE, C4PQFE, C4V, C4VFCE, C4VFE, C4VFLE, C6FFCEP, C6FFCEGP... (Other models you can see in the webshop)		



No.	359042	Ref. No.	0000X41200
description	indicator light ø 12mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	15DPE, 15PE, 15PSE, 4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSE, 7DSET, 7SE, 7SET, C2FTPFE, C2FTPFEF, C4FFCEP, C4FFE, C4FFEP, C4FFLE, C4FFLEP, C4FZFCE, C4FZFCEP, C4FZFCE, C4FZFEP, C4FZFSEFCEP, C4FZFSEFCGP, C4FZFSEFEP, C4P, C4PFCE, C4PFCE9, C4PFE, C4PFE9, C4PFLE, C4PQ, C4PQFCE, C4PQFE, C4V, C4VFCE, C4VFE, C4VFLE, C6FFCEP, C6FFE, C6FFEP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFE, C6FZFEP... (Other models you can see in the webshop)		

screw-on/push-on fit

light bulbs

for ovens



No.	359610	Ref. No.	X68005
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	CC80E, CC80G, CCG80E, CCQ80E, CCV80E, GSP01		

oven lamps

universal oven lamps

mounting diameter 35.5mm



No.	359718	Ref. No.	X68004
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	CC80E, CC80G, CCG80E, CCQ80E, CCV80E, GSP01, SKC40G, SKC80G		
spare parts for	359718		
	No.	359701	Ref. No. —
lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			

Table continues overleaf

spare parts for	359718		
	No.	359740	Ref. No. —
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT			

lamps

light bulbs

			
1			
No.	359610	Ref. No.	X68005
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	CC80E, CC80G, CCG80E, CCQ80E, CCV80E, GSP01		

residual heat indicators

			
1			
No.	359326	Ref. No.	Y12506
description	residual heat indicator 4-fold		
For models:	C4V, C4VFE, C4VFLE, TCV80E		

			
1			
No.	359096	Ref. No.	Y12209 Y12410
description	residual heat indicator single		
For models:	C2V, CCV80E, CCV81E, SKCV40E, SKCV80E, TCV40E		

timers


programme timers

			
1			
No.	360655	Ref. No.	907182
description	timer CDC 4904DV engines 2 chambers 4 operation time 6s/180s 230V		
For models:	GLS805, GLS845, GLS905, GLS925, GLS935, GLS945		

			
1			
No.	360231	Ref. No.	907172
description	timer CDC 7803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm manif. no. 7803F1 / 360231 motor type M37RN		
For models:	GLB615, GLB785, GLB795		
spare parts for	360231		
	No.	360119	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			

			
1			
No.	360133	Ref. No.	D238066
description	timer CDC 7804DV engines 2 chambers 4 operation time 60s / 20min 230V shaft ømm shaft Lmm manif. no. 7804DV / 360133 motor type M37RN/M37LN		
spare parts for	360133		
	No.	360119	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			
	No.	360131	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			

			
1			
No.	360215	Ref. No.	907183
description	timer CDC 7805DV engines 2 chambers 5 operation time 6s / 3min 230V shaft ømm shaft Lmm motor type M37RN/M37LN		
For models:	GLS9455		
spare parts for	360215		
	No.	360119	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			
	No.	360131	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			



1

No.	360160	Ref. No.	I62032801
description	timer FIBER P20 engines 1 chambers 2 operation time 32h 230V shaft $\varnothing$ 6x6x6mm shaft L 18mm manuf. no. P205J03S705 motor type M51BJ0L6400		
spare parts for	360160		
	No.	360674	Ref. No. —
	motor kit pinion $\varnothing$ 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor $\varnothing$ 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		



1

No.	360163	Ref. No.	I62024402
description	timer FIBER P23 engines 1 chambers 1 operation time 15min 230V shaft L 30mm manuf. no. P235JR1J706 motor type M51BJ0R6400		
spare parts for	360163		
	No.	360673	Ref. No. —
	motor kit pinion $\varnothing$ 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor $\varnothing$ 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



1

No.	360162	Ref. No.	62024409
description	timer FIBER P23 engines 1 chambers 2 operation time 12min 230V manuf. no. P235JR2J501 motor type M51BJ0R6400		
spare parts for	360162		
	No.	360673	Ref. No. —
	motor kit pinion $\varnothing$ 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor $\varnothing$ 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



1

No.	360052	Ref. No.	I62024404
description	timer FIBER P23 engines 1 chambers 2 operation time 15min 230V manuf. no. P235JR1J707 motor type M51BJ0R6400		
spare parts for	360052		
	No.	360673	Ref. No. —
	motor kit pinion $\varnothing$ 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor $\varnothing$ 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



1

No.	360233	Ref. No.	SD907183
description	timer FIBER P25 engines 2 chambers 5 operation time 6s / 3min 230V shaft $\varnothing$ 6mm shaft Lmm manuf. no. P255J05JBA9 motor type M51BJ0R6400 / M51BJ0L6400		
spare parts for	360233		
	No.	360673	Ref. No. —
	motor kit pinion $\varnothing$ 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor $\varnothing$ 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	No.	360674	Ref. No. —
	motor kit pinion $\varnothing$ 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor $\varnothing$ 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

mechanical timers



1

No.	350003	Ref. No.	R31700
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft $\varnothing$ 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350003		
	No.	110366	Ref. No. —
	knob switch zero mark t.max.°C° $\varnothing$ 44mm shaft $\varnothing$ 6x4.6mm shaft flat upper black		
	No.	111199	Ref. No. —
	dial plate graduation 120min permanent position no rotation 0-330° $\varnothing$ 60mm timers knob $\varnothing$ 45mm		



contactors

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380239	Ref. No.	D229019
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		



1

No.	380244	Ref. No.	0000Y10000
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		
For models:	15DPE, 15PE, CBRE, CBREIN, CF1E4, CF2E6, CF4E, CF6E, CFE15, CFE15D, IF1E4, IF2E6, IF4E, IF6E, KBRE, KBRE12, KBRE12IN, KBREIN, KBREM, KBREM12, KBREM12IN, KBREMIN, KFE15, KFE15D, KFE20, KFE20D, KFE4, KFE8, OPBRE, OPBRE12, OPBRE12IN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN, OPBREM12IN, OPBREIN, OPFE15, OPFE15D, OPFE20, OPFE20D, SK10DSE, SK10SE, SKF1E, SKF2E, SKF4E, SKF6E, TF1E, TF2E, TF4E, TF6E		



1

No.	380262	Ref. No.	0000Y11100
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm		
For models:	CFE15, CFE15D, CPEI, KBRE, KBRE12, KBRE12IN, KBREIN, KBREM, KBREM12, KBREM12IN, KBREMIN, KFE15, KFE15D, KFE20, KFE20D, KFE4, KFE8, OPBRE, OPBRE12, OPBRE12IN, OPBRE12MIN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN, OPBREM12IN, OPBREIN, OPFE15, OPFE15D, OPFE20, OPFE20D		



1

No.	380261	Ref. No.	X55300
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310		
For models:	CBRE, CBRE8, CBREIN		

SIEMENS

power contactors



1

No.	380389	Ref. No.	907095
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		
For models:	GLS805, GLS845, GLS905, GLS925, GLS945, GLS9455		

TELEMECANIQUE (Schneider Electric)

power contactors



1

No.	380965	Ref. No.	y10100
description	power contactor resistive load 20A 230VAC (AC3/400V) 6A/2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LC1K0610P7+		
For models:	15DPE, 15PE, 15PSE, 6+4ME, 6DME, 6ME, 7DSET, 7SET, CF1E4, CF2E4, CF2E6, CMP4, CRE4, CRE6, IMP4, IRE4, IRE6, KFE1, KFE2, OPFE1, OPFE2, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKF1E, SKF2E, SKF2E4, SKMP4, SKR40E, SKR60E, TF1E, TF2E, TF2E4, TMP4, TR40E, TR60E		



1

No.	380617	Ref. No.	907043
description	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09B7		
For models:	GLS935		

relays

power relays

with bracket mounting



1

No.	380312	Ref. No.	N/A
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		



1

No.	380139	Ref. No.	905476
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	GLS805, GLS845, GLS935, GLS945, GLS945S		



1

No.	380403	Ref. No.	905474 905475
description	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		
For models:	GLB615, GLB785, GLB795, GLS935, GLS945, GLS945S		



1

No.	380687	Ref. No.	905486
description	power relays FINDER 230VAC 30A 2NO connection F6.3 bracket mounting manuf. no. 66.82.8.230.0300		
For models:	GLS905, GLS925		



1

No.	380311	Ref. No.	N/A
description	power relays Italiana Relè 230VAC 20A 1NC/1NO connection F6.3 bracket mounting manuf. no. A1B-230AC-FA		

electronic controllers

ELIWELL

refrigeration controllers

built-in version



1

No.	379577	Ref. No.	F00800
description	electronic controller ELIWELL type ID974 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 3 relays -50 up to +150°C display 3½ digits RoomTempIN yes DEF Probe yes DEF Relay 8A fan relay 5A compressor relay 8A		
accessories for	379577		
	No.	379053	Ref. No. —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379064	Ref. No. —
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379161	Ref. No. —
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379782	Ref. No. —
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

EVCO - EVERY CONTROL

universal controllers

built-in version



1

No.	378293		Ref. No.	W106560253	
description	electronic controller EVCO mounting measurements 71x29mm 230V voltage AC NTC relay outputs 1 -99 up to +150°C display 4 digits 16A default setting +50 up to +70°C type EVK401N7VHXXX01				
accessories for	378293				
	No.	378261	Ref. No.	—	
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire				
	No.	379057	Ref. No.	—	
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire				
	No.	379160	Ref. No.	—	
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire				
	No.	379161	Ref. No.	—	
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire				
	No.	379342	Ref. No.	—	
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 1.5m 2-wire protection IP67				
	No.	379343	Ref. No.	—	
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire				
	No.	379458	Ref. No.	—	
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire				
	No.	379784	Ref. No.	—	
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm				
	No.	379860	Ref. No.	—	
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire				

probes

universal probes

temperature probes



1

No.	378067	Ref. No.	RX70401
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 2m without screw connection 2-wire		

producer-specific probes

probes



1

No.	378332	Ref. No.	SD909025
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection 2-wire thread probe ø6x50mm cable length 2.5m		



1

No.	402006	Ref. No.	I62040406
description	temperature probe PTC 2kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C connection plug thread probe ø5x60mm cable length 1.5m		



1

No.	402008	Ref. No.	I62040402
description	temperature probe PTC 2kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C connection plug thread probe ø6x50mm cable length 1.2m		



1

No.	402191	Ref. No.	I62040401
description	temperature probe PTC 2kOhm cable TPE probe -50 up to +150°C cable -40 up to +110°C connection plug thread probe ø5x20mm cable length 1.8m		



1

No.	378132	Ref. No.	RX70401
description	temperature probe PTC cable silicone probe -50 up to +150°C cable -50 up to +180°C connection 2-wire thread probe ø6x40mm cable length 2m		


electronics

PCBs



1

No.	361366	Ref. No.	N/A
description	PCB dishwasher 11F suitable for DB2 type DB2/EV1/EKP-M		



1

No.	403326	Ref. No.	SD909012
description	PCB dishwasher Tronic L 145mm W 116mm		

keypads

front foils




1

No.	519441	Ref. No.	907064
description	front foil L 180mm W 98mm		
For models:	GLS945S		

solenoid valves

solenoid valves (water)

ELBI



1

No.	370246	Ref. No.	N/A
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C ELBI plastic output B 0.5l/min flow regulating valve outlet B red		

TP



1

No.	370021	Ref. No.	N/A
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
spare parts for	370021		
	No.	371013	Ref. No. —
accessories for	370021		
	No.	371220	Ref. No. —
	No.	371221	Ref. No. —
	No.	371222	Ref. No. —
	No.	371223	Ref. No. —
	No.	371224	Ref. No. —
	No.	371225	Ref. No. —
	No.	371226	Ref. No. —
	No.	371230	Ref. No. —
	No.	371231	Ref. No. —
	No.	371232	Ref. No. —
	No.	371233	Ref. No. —
	No.	371234	Ref. No. —
	No.	371235	Ref. No. —
	No.	371236	Ref. No. —

Table continues overleaf

accessories for 370021				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				



componenti per elettrodomestici



1

No.	370017	Ref. No.	902390 D240011	
description		solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
For models:		GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		
spare parts for		370017		
	No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			
accessories for		370017		
	No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance $\pm 15\%$			
	No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$			
	No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance $\pm 15\%$			
	No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance $\pm 15\%$			
	No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$			
	No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$			
	No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance $\pm 15\%$			
	No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$			
	No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$			
	No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$			

accessories for 370017				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				

solenoid valves with reducers

1

No.	370527	Ref. No.	65010572 I65010564
description	solenoid valve single straight 220-240VAC inlet 3/4" outlet 11.5mm output 0.8l/min TP plastic flow regulating valve outlet white 8VA		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal

1

No.	541847	Ref. No.	776-009-00
description	pressure control pressure range 112/70mbar connection 6mm ø 58mm		

			
1			
No.	541781	Ref. No.	905288
description	pressure control pressure range 118/50mbar connection male faston 6.3mm ø 58mm pressure connection horizontal pressure connection ø 6mm		
For models:	GLS945		

			
1			
No.	541169	Ref. No.	905282
description	pressure control pressure range 160/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	GLS945S		

			
1			
No.	541003	Ref. No.	N/A
description	pressure control pressure range 55/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		

			
1			
No.	541168	Ref. No.	905275
description	pressure control pressure range 90/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	GLS905, GLS925, GLS935		

			
1			
No.	541106	Ref. No.	N/A
description	pressure control pressure range 90/56mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		

			
1			
No.	541017	Ref. No.	905270
description	pressure control with mounting strap pressure range 40/20mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845		

accessories

			
1			
No.	541109	Ref. No.	N/A
description	Y-piece plastic hose ø 8-6-8mm for pressure switch		

for refrigeration

DANFOSS

			
1			
No.	541824	Ref. No.	I62045100
description	pressure control pressure connection 6mm soldering connection type ACB-2UA426W 250V cable length 2000mm 6A -30 up to +85°C contacts 1NO		

SAGI NO MIYA

			
1			
No.	541115	Ref. No.	I62024800
description	pressure control reset manual refrigeration connection 7/16" UNF (1/4" SAE)		

JOHNSON CONTROLS


			
1			
No.	541116	Ref. No.	I62007500
description	pressure control HD switch pressure 10bar reset automatic switching diff. 1.1bar pressure range 7-29bar p max 38bar refrigeration type P20EA-9950C connection soldering connection 6.35mm CO JOHNSON CONTROLS pressure connection soldering connection 6.35mm		

hot air fans

ebm-papst



1



No.	601741	Ref. No.	V02900
description	hot air fan 230V 32W 0.27A 3 hole fixing L1 60mm L2 21mm L3 20mm L4 88mm fan wheel ø 150mm type R2K150-AC01-14 ebm-papst		

No.	541117	Ref. No.	I62023101
description	pressure control HD switch pressure 24bar reset manual switching diff. 4.7bar pressure range 7-29bar p max 38bar refrigeration type P20GA-9950T connection male faston 6.3mm CO JOHNSON CONTROLS pressure connection soldering connection 6.35mm		

electrodes

No.	400130	Ref. No.	50001910
description	level electrode M14x1.25 total length 220mm probe L 194mm insulated probe length 26mm connection male faston 6.3mm ø 2.5mm		

fans

refrigeration fans

refrigeration motors universal

ELCO


RE series

No.	601608	Ref. No.	FQ320590
description	fan motor 18W 230/240V 50/60Hz W 90mm cable length 1000mm 2600rpm ELCO R18-25/010 3 mounting options bearing slide bearing H 110mm L 90mm		
spare parts for	601608		
No.	601413	Ref. No.	—
description	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		


hot air motors

No.	500671	Ref. No.	LAR65040071
description	fan motor 200-240V 1 phase 50/60Hz 0.11kW 2760/3320rpm speeds 1 L1 130mm L2 55mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET at 50Hz 2760rpm at 60Hz 3320rpm		

miscellaneous




1



No.	601054	Ref. No.	X68003
description	hot air fan 220-240V 32W 50/60Hz L1 60mm L2 10mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C20X0E01/46		
For models:	C4FFLE, C4FFLEP, C4PFLE, C4VFLE, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6PFLE, C6PFLEV, CC120E, CC80E, CC81E, CCG120E, CCG80E, CCG81E, CCQ120E, CCQ80E, CCQ81E, CCV80E, CCV81E		
spare parts for	601054		
	No.	601441	Ref. No.
	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7		
accessories for	601054		
	No.	550879	Ref. No.
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		


1



No.	601448	Ref. No.	V03000
description	hot air fan 220-240V 32W 50/60Hz L1 60mm L2 11mm L3 25mm L4 87mm fan wheel ø 155mm FIME type C20X0E01/11		
For models:	C4FFCEP, C4FFCGP, C4FZFCE, C4ZFCEP, C4ZFCEG, C4ZFCEGP, C4FZSFCEP, C4FZSFCGP, C4PFCE, C4PQFCE, C4VFCE, C6FFCEP, C6FFCGP, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFCEG, C6FZFCEGP, C6FZFCEGPV, C6FZFCEGV, C6PFCE, C6PFCEV, C6PQFCE, C6PQFCEV, CC120CG, CC80E, CC81CG, CCG120CE, CCG80E, CCG81CE, K2FTPFCE, K2FTPFCEG, K4FSFCE, K4FSFCEG, K4FZFCE, K4FZFCEG, K4FZSFCE, K4FZSFCEG, K4PFCE, K4VFCE, K6FZFCE, K6FZFCEG, K6PFCE, K8FZFCE, K8FZFCEG, KTPFCE, KTPFCEG, M74FFXE, M74FMPFXE...(Other models you can see in the webshop)		
accessories for	601448		
	No.	550879	Ref. No.
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		



1



No.	601125	Ref. No.	G6EX	
description	hot air fan 220-240V 45W 50/60Hz L1 70mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C30R0479CLF			
accessories for	601125			
	No.	550879	Ref. No.	V05400
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan			

accessories

miscellaneous



1


No.	550879	Ref. No.	V05400
description	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		
For models:	C4FFCEP, C4FFCGP, C4FZFCE, C4FZFCEP, C4FZFCEG, C4FZFCEGP, C4FZSFCEP, C4FZSFCGP, C4PFCE, C4PQFCE, C4VFCE, C6FFCEP, C6FFCGP, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFCEG, C6FZFCEGP, C6FZFCEGPV, C6FZFCEGV, C6PFCE, C6PFCEV, C6PQFCE, C6PQFCEV, CC120CG, CC80E, CC81CG, CCG120CE, CCG80E, CCG81CE, K2FTPFCE, K2FTPFCEG, K4FSFCE, K4FSFCEG, K4FZFCE, K4FZFCEG, K4FZSFCE, K4FZSFCEG, K4PFCE, K4VFCE, K6FZFCE, K6FZFCEG, K6PFCE, K8FZFCE, K8FZFCEG, KTPFCE, KTPFCEG, M74FFXE, M74FMPFXE...(Other models you can see in the webshop)		

pumps

wash and rinse pumps

FIR

pumps



1

No.	500023	Ref. No.	D130025	
description	pump inlet ø 63mm outlet ø 47mm type 1225.2725 230/400V 50Hz 3 phase 1.1kW 1.5HP L 335mm rotation direction right FIR			
spare parts for	500023			
	No.	510602	Ref. No.	D124002
	impellor ø 110mm H 34mm rotation direction right thread M8L shaft ø 28mm seat ø 12.2mm blades 6			
	No.	510693	Ref. No.	D141002
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521513	Ref. No.	—
	pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner hight 32mm			
	No.	524416	Ref. No.	—
	pump cover gasket thickness 4x4mm Qty 1 pcs			

LGB



1


No.	500542	Ref. No.	D130097
description	pump inlet ø 28mm outlet ø 26mm type ZF130DX 230V 50Hz 1 phase 0.3kW 0.41HP L 190mm rotation direction left capacitor 6.3µF LGB		
spare parts for	500542		
	No.	365012	Ref. No. —
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	No.	510703	Ref. No. N/A
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521107	Ref. No. —
	pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm ID ø 77mm		
	No.	521228	Ref. No. —
	impellor ø 72mm H 17mm rotation direction left thread M7R shaft ø 13mm shaft length 12mm blades 3		
	No.	528800	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		



1

No.	500094	Ref. No.	902231
description	pump inlet ø 28mm outlet ø 26mm type ZF131SX 230V 50Hz 1 phase 0.2kW 0.15HP L 195mm rotation direction left capacitor 6.3µF LGB		
For models:	GLB785, GLB795		
spare parts for	500094		
	No.	365012	Ref. No. —
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

spare parts for	500094		
	No.	502266	Ref. No. —
	pump cover inlet ø 28mm outlet ø 26mm		
	No.	510703	Ref. No. N/A
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521085	Ref. No. —
	impellor ø 72mm H 17mm thread M7L shaft ø 13mm shaft length 12mm blades 3		
	No.	528800	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		



1

No.	500567	Ref. No.	902238
description	pump inlet ø 28mm outlet ø 28mm type ZF121DX 230V 50Hz 1 phase 0.25kW L 195mm rotation direction left capacitor 6.3µF LGB		
For models:	GLB615		
spare parts for	500567		
	No.	365012	Ref. No. —
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	No.	510703	Ref. No. N/A
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521098	Ref. No. —
	pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm ID ø 77mm		
	No.	521099	Ref. No. —
	impellor ø 72mm H 17mm thread M7R shaft ø 13mm shaft length 12mm		
	No.	528800	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		



1

No.	500508	Ref. No.	902293
description	pump inlet ø 45mm outlet ø 38mm type ZF320VSX 230V 50Hz 1 phase 0.75kW 1HP L 230mm rotation direction right capacitor 12.5µF LGB		
For models:	GLS945		
spare parts for	500508		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510702	Ref. No. —
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		
	No.	521247	Ref. No. —
	impellor ø 90mm H 27mm rotation direction right thread M8L blades 6		
	No.	521542	Ref. No. —
	pump cover LGB inlet ø 45mm outlet ø 40mm auxiliary pressure connection 13mm supporting pressure open ø 150mm ID ø 120mm inner height 25mm		
	No.	521714	Ref. No. —
	pump cover gasket thickness 4x4mm Qty 1 pcs		



1

No.	500470	Ref. No.	902304
description	pump inlet ø 45mm outlet ø 40mm type ZF270VDX 230V 50Hz 1 phase 0.6kW 0.8HP L 225mm rotation direction left capacitor 12.5µF LGB		
For models:	GLS905, GLS925		
spare parts for	500470		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510702	Ref. No. —
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		
	No.	521109	Ref. No. —
	pump cover LGB inlet ø 45mm outlet ø 40mm supporting pressure 12		
	No.	521111	Ref. No. —
	impellor ø 105mm H 29mm thread M8R shaft ø 20mm shaft length 5mm		
	No.	521714	Ref. No. —
	pump cover gasket thickness 4x4mm Qty 1 pcs		



1

No.	500156	Ref. No.	D130109
description	pump inlet ø 50mm outlet ø 50mm type ZF400SX 230V 50Hz 1 phase 0.6kW 0.8HP L 210mm rotation direction right capacitor 16µF LGB		
spare parts for	500156		
	No.	509020	Ref. No. —
impellor ø 104mm H 25mm M8L			
	No.	510703	Ref. No. N/A
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	513713	Ref. No. —
pump cover bottom part			
	No.	521548	Ref. No. N/A
pump cover LGB inlet ø 50mm outlet ø 50mm			
	No.	521562	Ref. No. N/A
pump cover			
	No.	521734	Ref. No. —
pump cover bottom part			
	No.	523509	Ref. No. —
deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1			
	No.	532623	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs			
accessories for	500156		
	No.	365021	Ref. No. —
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			



1

No.	500543	Ref. No.	N/A
description	pump inlet ø 50mm outlet ø 50mm type ZF400VSX 230V 50Hz 1 phase 0.85kW 1.2HP L 245mm rotation direction right capacitor 16µF LGB		
spare parts for	500543		
	No.	365021	Ref. No. —
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	No.	509020	Ref. No. —
impellor ø 104mm H 25mm M8L			
	No.	510703	Ref. No. N/A
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	521548	Ref. No. N/A
pump cover LGB inlet ø 50mm outlet ø 50mm			
	No.	521734	Ref. No. —
pump cover bottom part			
	No.	532623	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs			



1

No.	500002	Ref. No.	D130068
description	pump inlet ø 60mm outlet ø 50mm type ZA400SX 230V 50Hz 1 phase 0.9kW 1.2HP L 300mm rotation direction right capacitor 20µF LGB		
spare parts for	500002		
	No.	365019	Ref. No. —
	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		
	No.	509020	Ref. No. —
	impeller ø 104mm H 25mm M8L		
	No.	510703	Ref. No. N/A
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521547	Ref. No. —
	pump cover LGB inlet ø 60mm outlet ø 50mm supporting pressure M8 turn direction right ø 160mm ID ø 127mm inner height 36mm		
	No.	532623	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs		



1

No.	500469	Ref. No.	902322
description	pump inlet ø 63mm outlet ø 48mm type ZF650SX 230/400V 50Hz 3 phase 1.35kW 1.83HP L 335mm rotation direction right LGB		
For models:	GLS945S		
spare parts for	500469		
	No.	510551	Ref. No. D456023
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		

spare parts for	500469		
	No.	510694	Ref. No. —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	No.	521069	Ref. No. —
	fanwheel cover		
	No.	521240	Ref. No. —
	impeller ø 110mm H 32mm rotation direction left thread M8L shaft ø 20mm shaft length 10mm seat ø 8.2mm blades 6		
	No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm		

booster pumps II

accessories



1

No.	365015	Ref. No.	901730
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	GLS805, GLS845, GLS905, GLS925		

pumps for ice machines



1

No.	500047	Ref. No.	I6204330
description	pump REBO type MH30F1 30W 230V 50Hz outlet ø 12.7mm L 135mm rotation direction left		



1

No.	500204	Ref. No.	I67000206
description	pump REBO type MH50F 60W 230V 50Hz inlet ø 19mm outlet ø 19mm L 125mm rotation direction right for ice-cube maker		

			
1			
No.	500048	Ref. No.	I79311303
description	pump REBO type MH50F 60W 230V 50Hz outlet ø 18mm L 137mm rotation direction right for ice maker		

			
1			
No.	500203	Ref. No.	I67000212
description	pump REBO type MH50F 60W 230V 50Hz outlet ø 21mm L 110mm rotation direction right for ice maker		

			
1			
No.	500046	Ref. No.	I67003606
description	pump REBO type NR40 40W 230V 50Hz inlet ø 12mm outlet ø 12mm L 75mm rotation direction right for ice-cube maker		

condensators & interference suppression filters

operating capacitors

plastic

			
1			
No.	365015	Ref. No.	901730
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	GLS805, GLS845, GLS905, GLS925		

filters

interference suppression filters

			
1			
No.	365130	Ref. No.	902105
description	interference suppression filter capacity 0.47µF(X2)+2x0.01µF(Y2) 1MOhm		
For models:	GLS805, GLS845, GLS935, GLS945S		

			
1			
No.	365168	Ref. No.	902107
description	interference suppression filter type FCP045000 250V 50/60Hz conductor 4 with E connection male faston 6.3mm L 56mm ø 38mm Hmm Wmm M8 plastic Qty 1 pcs		
For models:	GLS905, GLS925, GLS945		

			
1			
No.	365048	Ref. No.	N/A
description	interference suppression filter type KPB7028 275V 50/60Hz conductor 2 with E connection male faston 6.3mm L 50mm ø 38mm Hmm Wmm M8 aluminium Qty 1 pcs		

fuses

fine fuses

			
1			
No.	358605	Ref. No.	40200084
description	fine fuse size ø5x20mm 3.15A slow-acting rated 250V Qty 10 pcs		
For models:	KPI10ET, KPI10ETA, KPI15ET, KPI15ETA		



electric accessories

cables

accessories

cable glands

threaded cable glands

screw connections



1

No.	530431	Ref. No.	902687
description	cable gland thread PG13.5 cable ø 12mm mounting ø 21mm Qty 1 pcs plastic WS 24		
For models:	GLB615, GLB785, GLB795		

terminals

connection terminals with screw/faston connections



1

No.	550278	Ref. No.	904140
description	power terminal block 3-pole max. 40A max 400V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	GLB615, GLB785, GLB795		



1

No.	550411	Ref. No.	904150 X59000
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	C1W, C2I, C2P, C2PQ, C2V, C4FFE, C4ZFE, C4ZFEP, C4ZSFEP, C4I, C4P, C4PQ, C4V, C4VFE, C4VFE, C6FFE, C6FZFE, C6ZFEP, C6P, C6PQ, CBRE, CBRE9, CBREIN, CBREIN9, CC80E, CCPE4, CCPE6, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CFTE1, CFTE1C, CFTE1R, CFTE2, CFTE22, CFTE2C, CFTE2C2, CFTE2LR, CFTE2R, CFTE2R2, CFTE3, CFTE3C, CFTE3LR, CFTE3R, CFTE4, CFTE49, CFTE4C, CFTE4C9...(Other models you can see in the webshop)		

connection terminals with screw connection



1

No.	550470	Ref. No.	X59200
description	power terminal block 3-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C cross section 6mm ²		
For models:	C4FFCEP, C4FFFCGP, C4ZFCE, C4ZFCEP, C4ZFCEG, C4ZFCEGP, C4FZSFCEP, C4FZSFCGP, C4PFCE, C4PQFCE, C4VFCE, C6FFCEP, C6FFFCGP, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFCEG, C6FZFCEGP, C6FZFCEGPV, C6FZFCEGV, C6PFCE, C6PFCEV, C6PQFCE, C6PQFCEV, CBE4, CBE8, CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, CSP40E, GSP01, IBE4, IBE8, ISP4, K2FTPFCE, K2FTPFE, K4FFE, K4FSFCE, K4FSFE, K4ZFCE, K4ZFE, K4ZSFCE, K4ZSFE, K4PFE, K4VFE, K6FFE...(Other models you can see in the webshop)		



1

No.	550507	Ref. No.	X59100
description	power terminal block 4-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C		
For models:	CF1E4, CF2E6, CF4E, CF6E, CFE15, CFE159, CFE15D, CFE15D9, CMP4, IF1E4, IF2E6, IMP4, KFE1, KFE15, KFE159, KFE15D, KFE15D9, KFE2, KFE20, KFE20D, OPFE1, OPFE15, OPFE15D, OPFE2, OPFE20, OPFE20D, SKF1E, SKF2E, SKF4E, SKF6E, SKMP4, TF1E, TF2E, TF4E, TF6E, TMP4		

connection terminals with faston connections



1

No.	519304	Ref. No.	955068
description	distribution terminal block 3-pole max. 15A max 450V connection male faston 6.3mm temp.-resist. 110°C Qty 1 pcs		
For models:	GLS935, GLS945		

plug-in terminal blocks



1

No.	519360	Ref. No.	904170
description	plug-in terminal block 16-pole max. 32A max 450V connection screw connection temp.-resist. 150°C cross section 4mm ² female		
For models:	GLS805, GLS845, GLS905, GLS925		

			
1			
No.	519361	Ref. No.	904200
description	plug-in terminal block 16-pole max. 32A max 450V connection screw connection temp.-resist. 150°C cross section 4mm ² male		
For models:	GLS805, GLS845, GLS905, GLS925		

rail-mounted terminals

rail-mounted terminal blocks

			
1			
No.	550407	Ref. No.	0000X53900 X53400+X53700+X53800+X53900
description	rail-mounted terminal block 5-pole cross section 16mm ² max 600V		
For models:	C2V, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4V, C4VFCE, C4VFE, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6PQFE, CF1E4, CF2E6, CF4E, CF6E, CFE15, CFE159, CFE15D, CFE15D9, IF1E4, IF2E6, IF4E, K2V, K4PFE, K4PFE9, K4V, K4VFCE, K4VFE, K6PFE, K6PFE9, KBRE, KBRE12, KBRE12IN, KBRE9, KBREIN, KBREIN9, KBREM, KBREM12, KBREM12IN, KBREMIN, KFE1, KFE15, KFE159, KFE15D, KFE15D9, KFE2... (Other models you can see in the webshop)		

WIELAND

rail-mounted terminals type 9700A

			
1			
No.	550375	Ref. No.	904169
description	rail-mounted terminal WIELAND type 9700A/10 SL2 S35 1.5-16mm ² top-hat rail 35mm yellow/green W 10mm L 53mm		
For models:	GLS935		

various

			
1			
No.	550408	Ref. No.	X52500
description	power terminal block		
For models:	CF1E4, CF2E6, CFE15, CFE15D, KFE1, KFE15, KFE15D, KFE2, KFE20, KFE20D, KFE4, KFE8, SKF1E, SKF2E, TF1E, TF2E		

gas taps

PEL

20S series

			
1			
No.	101094	Ref. No.	0000X10100
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
spare parts for	101094		
	No.	100408	Ref. No. —
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	No.	101060	Ref. No. —
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	101205	Ref. No. —
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20		
	No.	101230	Ref. No. —
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
accessories for	101094		
	No.	101278	Ref. No. —
	olive for pipe ø 10mm Qty 1 pcs		
	No.	101300	Ref. No. —
	union nut thread M16x1.5 tube ø 10mm		
	No.	101450	Ref. No. —
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	No.	101451	Ref. No. —
	union nut thread M16x1.5 tube ø 8mm		
	No.	110081	Ref. No. —
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		
	No.	110083	Ref. No. —
	knob dial plate gas tap without ignition flame silver		



1

No.	101491	Ref. No.	0000X10100 0000X10400 1000X10100 2000X10100 2000X10400 3000X10100 X08000	
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower			
For models:	B4F, B6F, B8F, C2F, C2FTPFE, C2FTPFPG, C2FZ, C2TP2FGP, C4F, C4FFE, C4FFG, C4FFLE, C4FFLG, C4FZ, C4FZFCE, C4FZFCG, C4FZFGE, C4FZFG, C6F, C6FFE, C6FFG, C6FFGA, C6FFLE, C6FFLEV, C6FFLG, C6FFLGV, C6FZ, C6FZFCE, C6FZFCEV, C6FZFCG, C6FZFCGV, C6FZFGE, C6FZFG, C6FZFUGA, CC120G, CC80G, CC81G, CCG120E, CCG80E, CCG81E, K2F, K2FTPFG, K4F, K4FFE, K4FFG, K6F, K6FFE, K6FFG, K8F, K8FFG...(Other models you can see in the webshop)			
spare parts for	101491			
	No.	100408	Ref. No.	—
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No.	—
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101205	Ref. No.	—
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20			
accessories for	101491			
	No.	101287	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	No.	101300	Ref. No.	—
	union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			
	No.	110081	Ref. No.	—
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal			
	No.	110083	Ref. No.	—
	knob dial plate gas tap without ignition flame silver			

21S series



1

				0000X08100 0000X10500 0000X10800 1000X10500 2000X10500 3000X10500
No.	101397	Ref. No.		
description	gas tap PEL type 215 gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower			
For models:	2FZP, B4F, B4FZ, B6F, B6FZ, B8F, B8FZ, C2FP, C2FTPPEP, C2FTPFGP, C2F-ZP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FFLEP, C4FFLGP, C4FFLPG, C4FP, C4FZFCEP, C4FZFCGP, C4FZFEP, C4FZFGP, C4FZP, C4FZSFCEP, C4FZSFCGP, C4FZSFEP, C4FZSFGP, C4FZSP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGAP, C6FFGP, C6FFLEP, C6FFLEPV, C6FFLGP, C6FFLGPV, C6FP, C6FZFCEP, C6FZFCEPV, C6FZFCGP, C6FZFCGPV, C6FZFEP, C6FZFGAP, C6FZFGP, C6FZP, CCTP8, CCTPFG8, CFTG1...(Other models you can see in the webshop)			
spare parts for	101397			
	No.	100408	Ref. No.	—
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No.	—
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101206	Ref. No.	—
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21			
	No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
accessories for	101397			
	No.	100908	Ref. No.	X13200
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101278	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	101300	Ref. No.	—
	union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			

accessories for 101397				
	No.	110081	Ref. No.	—
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal			
	No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

22S/O series



1

No.	101086	Ref. No.	0000Y21400 0000Y21500 0000Y21600 0000Y21700	
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower			
For models:	B4F, B6F, B8F, C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, CCPG4, CCPG82, CCTP8, CCTPFG8, CPG, CPGI, K2F, K2FTPFG, K4F, K4FFE, K4FFG, K6F, K6FFE, K6FFG, K8F, K8FFE, K8FFG, KCP4, KCP82, KTP, KTPFG, OCP4, OCP82			
spare parts for	101086			
	No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No.	—
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	No.	101240	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101086			
	No.	100908	Ref. No.	X13200
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			

accessories for 101086				
	No.	101248	Ref. No.	—
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

22S/V series

1

No.	101087	Ref. No.	0000Y21700 000Y21600	
description	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper			
For models:	B4F, B6F, B8F, CCPG8, K4F, K4FFE, K4FFG, K6F, K6FFE, K6FFG, K8F, K8FFE, K8FFG, KCP4, KCP8, KCP82, OCP4, OCP82			
spare parts for	101087			
	No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No.	—
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			



accessories for 101087				
	No.	100908	Ref. No.	X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101240	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

23S/O series



1

No.	101893	Ref. No.	30100003	
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower			
	For models: KP20G, KP20GA, KP20GT, KP20GTA, KP30G, KP30GA, KP30GT, KP30GTA, KP50G, KP50GA, KP50GT, KP50GTA, KPGN18G, KPGN27G, KPGN37G, KPI20G, KPI20GA, KPI20GT, KPI20GTA, KPI30G, KPI30GA, KPI30GT, KPI30GTA, KPI50G, KPI50GA, KPI50GT, KPI50GTA, KPIGN18G, KPIGN27G, KPIGN37G			
spare parts for	101893			
	No.	101045	Ref. No.	—
	magnet unit T1: M9x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M9x1			
	No.	101204	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S			

spare parts for 101893				
	No.	101244	Ref. No.	—
gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps				
	No.	101463	Ref. No.	—
screw suitable for PEL23S Qty 4 pcs				
	No.	528455	Ref. No.	—
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs				
accessories for 101893				
	No.	100908	Ref. No.	X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101252	Ref. No.	—
union nut thread M24x1.5 for pipe ø 12mm				
	No.	101253	Ref. No.	—
union nut thread M24x1.5 PEL for pipe ø 16mm				
	No.	101254	Ref. No.	—
union nut thread M28x1.5 tube ø 20mm				
	No.	101255	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs				
	No.	101256	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	—
olive for pipe ø 20mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

23S/V series



1

No.	101093	Ref. No.	0000Y21300
description	gas tap PEL type 23S/V gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		
For models:	CPG, CPGI, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KP20G, KP20GA, KP30G, KP30GA, KP50G, KP50GA, KP110G, KP110GA, KP110GT, KP110GTA, KP115G, KP115GA, KP115GT, KP115GTA, OPP10G, OPP10GA, OPP15G, OPP15GA, OPPI10G, OPPI10GA, OPPI15G, OPPI15GA		
spare parts for	101093		
	No.	100455	Ref. No. —
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101059	Ref. No. —
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1			
	No.	101204	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S			
	No.	101245	Ref. No. —
gas connection thread M24x1.5 tube ø 12/16mm vertical for PEL gas taps			
	No.	101463	Ref. No. —
screw suitable for PEL23S Qty 4 pcs			
	No.	528455	Ref. No. —
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs			
accessories for	101093		
	No.	100908	Ref. No. X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101252	Ref. No. —
union nut thread M24x1.5 for pipe ø 12mm			
	No.	101253	Ref. No. —
union nut thread M24x1.5 PEL for pipe ø 16mm			
	No.	101254	Ref. No. —
union nut thread M28x1.5 tube ø 20mm			
	No.	101255	Ref. No. —
olive for pipe ø 12mm Qty 1 pcs			
	No.	101256	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			

accessories for	101093		
	No.	101257	Ref. No. —
olive for pipe ø 20mm Qty 1 pcs			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No. —
knob ø 70mm shaft ø 10x8mm shaft flat universal			
	No.	112206	Ref. No. —
knob dial plate silver gas tap PEL21/22/23 t.max. °C ED ø 63mm ID ø 45.5mm			

miscellaneous



1

No.	106574	Ref. No.	AGC003ZR10
description	bracket		
For models:	CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, M62F, M64F, M74F, M74FFXE, M74FFXG, M76F, M76FFXE, M76FFXG, M7FT-4GL, M7FT4GR, M7FT6GL, M7FT6GLR, SKC40G, SKC80G		



1


No.	106573	Ref. No.	AGC005ZR10
description	gas tap gas inlet pipe flange ø16mm bypass nozzle ø 0.39mm gas outlet M13x1 IT pilot connection thermocouple connection plug-in connection shaft ø 6x4.6mm shaft L 32.5/20.5mm shaft flat upper		
For models:	CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, M62F, M64F, M74F, M74FFXE, M74FFXG, M76F, M76FFXE, M76FFXG, M7FT-4GL, M7FT4GR, M7FT6GL, M7FT6GLR, SKC40G, SKC80G		
accessories for	106573		
	No.	106574	Ref. No. AGC003ZR10
bracket			



gas thermostats

SIT

630 Eurosit series



No.	101413	Ref. No.	X16700
description	gas thermostat type 630 Eurosit series t.max. 100°C 30-100°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 122mm capillary pipe 1050mm SIT		
For models:	CBG4, CBG6, CBG8, KB4G, KB8G, OPB4G, SKB40G, SKB60G, SKB80G, TB40G, TB60G, TB80G, TP40G		
accessories for	101413		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. —
plug thread 3/8" with O-ring			



No.	101188	Ref. No.	0000X12900
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
For models:	CF10DG8M, CF10G4M, KFG1, KFG2, M7F4G, M7F8G, OPFG1, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM		
accessories for	101188		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			

accessories for	101188		
	No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. —
plug thread 3/8" with O-ring			



No.	101915	Ref. No.	0000X13400
description	gas thermostat type 630 Eurosit series t.max. 320°C 80-320°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
For models:	C2FTPFGP, C2TP2FGP, C4FFGP, C4FZFG, C4FZFGP, C4FZSFGP, C6FFGA, C6FFGAP, C6FFGP, C6FZFG, C6FZFGA, C6FZFGAP, C6FZFGP, CBRG, CBRGIN, CCTPFG8, CFTG1C, CFTG2C, CFTG2C2, CFTG3C, CFTG4C, CFTG6C, CFTG6C2, CFTG8C, CN14FGA, K2FTPFG, K4FFG, K4FSFG, K4FZFG, K4FZSFG, K6FFG, K6FFGA, K6FZFG, K6FZFGA, K8FFG, K8FZFG, KFT4G, KFT4GC, KFT4GR, KFT8G, KFT8G23C, KFT8GC, KFT8GLR, KFT8GR, KFTG1, KFTG1C, KFTG1R, KFTG3, KFTG3C, KFTG3LR...(Other models you can see in the webshop)		
accessories for	101915		
	No.	100825	Ref. No. —
gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	100949	Ref. No. —
gasket suitable for 630 Eurosit series			
	No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. —
plug thread 3/8" with O-ring			
	No.	101390	Ref. No. —
gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT			
	No.	101392	Ref. No. —
adapter suitable for 630 Eurosit series			

Table continues overleaf

accessories for 101915				
	No.	110357	Ref. No.	—
	gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series			
	No.	110358	Ref. No.	—
	adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series			

710 Minisit series



1

No.	101135	Ref. No.	Y23000	
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller no pressure regulatormbar gland nut			
For models:	CFG15, CFG15D, KFG15, KFG15D, KFG20, KFG20D, OPFG15, OPFG15D, OPFG20, OPFG20D			
spare parts for	101135			
	No.	101053	Ref. No.	—
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102118	Ref. No.	—
	probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710			
accessories for	101135			
	No.	100809	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No.	—
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No.	Y17400
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No.	—
	cover cap without piezoelectric igniter			
	No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			

accessories for 101135				
	No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No.	Y17400 Y23100
	knob suitable for Minisit ø 37mm			

No.	101132	Ref. No.	Y17400
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no		
spare parts for	101132		
	No.	101053	Ref. No. —
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	No.	102102	Ref. No. —
	probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710		
accessories for	101132		
	No.	100809	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101054	Ref. No. —
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		



accessories for 101132				
	No.	101136	Ref. No.	Y17400
piezoelectric igniter suitable for Minisit with cover cap 6mm connection F6.3x0.8				
	No.	101137	Ref. No.	—
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	Y17400 Y23100
knob suitable for Minisit ø 37mm				

spare parts for 101076				
	No.	101058	Ref. No.	—
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard				
	No.	106200	Ref. No.	—
nut thread M9x1 suitable for PEL 24/25S				
accessories for 101076				
	No.	100908	Ref. No.	X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110079	Ref. No.	—
knob dial plate gas thermostat 1-8 silver				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				

PEL

24ST series



No.	101076	Ref. No.	0000X11200	
description	gas thermostat PEL type 24ST 120-320°C gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper			
	For models:			
C2FTPFG, C2FTPFGP, C4FFG, C4FFGP, C6FFG, C6FFGP, CCTPFG8, CFTG4C, CFTG6C, CFTG8C, K2FTPFG, K4FFG, K6FFG, K8FFG, KFTG4, KFTG4C, KFTG4R, KFTG8, KFTG8C, KFTG8LR, KTPFG, SKT40GC, SKT60GC, SKT80GC, TT40GC, TT60GC, TT80GC				
spare parts for	101076			
	No.	100455	Ref. No.	—
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			

SABAF

				
No.	101181	Ref. No.	AGC006ZR10 X68053	
description	gas thermostat SABAF t.max. 300°C gas inlet pipe flange ø16mm bypass nozzle ø 0.46mm gas outlet M13x1 IT (tube ø 8mm) gas outlet 2 thermocouple connection M8x1 pilot connection capillary pipe 850mm probe ø 4mm probe L 150mm shaft ø 6x4.6mm shaft L 45/27mm shaft flat upper			
For models:	C4FFCGP, C4FFLG, C4FFLGP, C4FZFCG, C4FZFCGP, C4FZSFCGP, C6FF- CGP, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, CC120CG, CC120G, CC80G, CC81CG, CC81G, K2FTPCG, K4FSFCG, K4FZFCG, K4FZSFCG, K6FZFCG, K8FZFCG, KTPFCG, M74FFXG, M74FMPFXG, M74FPFXG, M76FFXG, M76FMPFXG, M76FPFXG, SK4FZFCGP, SK6FZFCGP			
spare parts for	101181			
	No.	101060	Ref. No.	—
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
accessories for	101181			
	No.	101277	Ref. No.	—
	olive ID ø 8mm Qty 1 pcs			
	No.	101376	Ref. No.	X68050
	gasket ID ø 8mm ED ø 12mm H 3/5mm			
	No.	101477	Ref. No.	—
	union screw thread M13x1 tube ø 8mm Qty 1 pcs			
	No.	101751	Ref. No.	X07400 X68052
	bracket			
	No.	110360	Ref. No.	—
	knob without symbol ø 65mm shaft ø 6x4.6mm shaft flat upper black			
	No.	110603	Ref. No.	—
	knob dial plate gas thermostat t.max. 300°C 90-300°C			

gas valves and ignition boxes

gas control valves

SIT

NOVASIT

1						
No.	101162	Ref. No.	0000X11400			
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010					
For models:	CF15DG8, CF15G4, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KFG4, KFG8, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN					
spare parts for	101162					
	No.	101065	Ref. No.	—		
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT					
	No.	101313	Ref. No.	X50400		
	solenoid coil 230V 50Hz					
accessories for	101162					
	No.	100006	Ref. No.	—		
	piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm					
	No.	101305	Ref. No.	—		
	gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm					
	No.	101306	Ref. No.	—		
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL					
	No.	101307	Ref. No.	—		
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL					
	No.	101308	Ref. No.	—		
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL					
	No.	101312	Ref. No.	0000X49000 X49000		
	microswitch					
	No.	101314	Ref. No.	X50300		
	solenoid coil 24V 50Hz					
	No.	101317	Ref. No.	—		
	plug with cable L 1000mm suitable for NOVASIT					

Table continues overleaf



accessories for 101162				
	No.	101318	Ref. No.	—
cover cap for solenoid coil suitable for NOVASIT				

accessories



No.	101312	Ref. No.	0000X49000
description	microswitch		
For models:	CF15DG8, CF15G4, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KFG4, KFG8, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN		



No.	101313	Ref. No.	X50400	
description	solenoid coil 230V 50Hz			
For models:	CF15DG8, CF15G4, KFG4, KFG8			
accessories for	101313			
	No.	550896	Ref. No.	—
	gasket with screw gas valves NOVASIT			



No.	101314	Ref. No.	X50300
description	solenoid coil 24V 50Hz		

safety valves

SIT

400 series



1				
No.	101470	Ref. No.	0000Y21800	
description	safety valve front fixing M12x1 pressure range 50mbar gas inlet 1/8" IT gas outlet 1/8" - M6x0.75 thermocouple connection M8x1 equiv. no. 0.400.088 suitable for SIT			
For models:	KBRG12, KBRG12IN, KBRGM12, KBRGM12IN, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGM12, OPBRGM12IN			
spare parts for	101470			
	No.	101052	Ref. No.	—
	magnet unit L 43.5mm D1 ø 15.3mm D2 ø 10.5mm suitable for SIT M1			

accessories for 101470				
	No.	101299	Ref. No.	—
nut thread M12x1				
	No.	101499	Ref. No.	—
protection cap for safety valve thread M12x0.75 ID ø 18mm L 24mm aluminium				

ignition parts

pilot burners

SIT

100 series



1

No.	106904	Ref. No.	0000X19900	
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm			
For models:	B4F, B6F, B8F, C2FP, C2FTPFG, C2FTPFGP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFG, C4FFGP, C4FP, C4FZFG, C4FZFGP, C4FZSFGP, C6FFCEP, C6FFCGP, C6FFEP, C6FFG, C6FFGP, C6FP, C6FZFG, C6FZFGP, CCTPFG8, K2F, K2FTPFCE, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K4FS, K4FSFCE, K4FSFCG, K4FSFE, K4FSFG, K4FZFG, K4FZSFG, K6F, K6FFE, K6FFG, K6FZFG, K8F, K8FFE, K8FFG, K8FZFG, KTPFG, M72FPTFG...(Other models you can see in the webshop)			
spare parts for	106904			
	No.	100245	Ref. No.	X19906
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100855	Ref. No.	—
pilot burner bracket triple				
	No.	100885	Ref. No.	X19901
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107160	Ref. No.	—
pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs				
	No.	107166	Ref. No.	—
pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	X19900
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				

Table continues overleaf

accessories for 106904				
	No.	100246	Ref. No.	0000X19907 X19907
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No.	—
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107702	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			



1

No.	106906	Ref. No.	0000X13500 30100005		
description		pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm			
For models:		C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C6FFGA, C6FFGAP, CBG4, CBG6, CBG8, CBRG, CBRGIN, CCPG4, CCPG8, CCPG82, CCTP8, CCTPFG8, CFTG22, CFTG2C2, CFTG2LR, CFTG2R2, CFTG62, CFTG6C2, CFTG6LR, CFTG6R2, CPG, CPGI, CPLG1, CPLG2, CPLG4, CPLG8, K2FTPCE, K2FTPFCG, K2FTPFE, K2FTPFG, KB4G, KB8G, KCP4, KCP8, KCP82, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KP20G, KP20GA, KP20GT...(Other models you can see in the webshop)			
spare parts for		106906			
		No.	100245	Ref. No.	X19906
		pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
		No.	100855	Ref. No.	—
		pilot burner bracket triple			
		No.	100885	Ref. No.	X19901
		air mixing sleeve for pilot burner Qty 1 pcs			
		No.	100916	Ref. No.	—
		compression spring for pilot burner Qty 1 pcs			
		No.	100917	Ref. No.	—
		gasket for pilot burner Qty 1 pcs aluminium			
		No.	100918	Ref. No.	—
		screw for pilot burner			

spare parts for 106906				
	No.	107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	No.	107701	Ref. No.	X19900
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for 106906				
	No.	100245	Ref. No.	X19906
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100246	Ref. No.	0000X19907 X19907
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No.	—
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107702	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

accessories

pilot burner bottom parts



1

No.	107701	Ref. No.	X19900	
description	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
For models:	B4F, B6F, B8, B8F, C2FP, C2FTPFEP, C2FTPFPG, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FFLEP, C4FFLGP, C4FP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGAP, C6FFGP, C6FFLEP, C6FFLEPV, C6FFLGP, C6FFLGPV, C6FP, FCE, FCG, FE, K2F, K2FTPFCE, K2FTPFPG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K4FS, K4FSFG, K6F, K6FFE, K6FFG, K6FG, K8F, K8FFE, K8FFG, OP2F, OP4F, OP4FS, OP6F, OP8F...(Other models you can see in the webshop)			
spare parts for	107701			
	No.	100245	Ref. No.	X19906
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			



spare parts for 107701				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
accessories for 107701				
	No.	100246	Ref. No.	0000X19907 X19907
pilot burner nozzle natural gas bore $\varnothing$ 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm				
	No.	102742	Ref. No.	—
pilot burner nozzle LPG code 25 bore $\varnothing$ 0.25mm Qty 1 pcs				

pilot burner nozzles

 1			
No.	100245	Ref. No.	X19906
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
For models:	B4F, B6F, B8, B8F, C2FP, C2TFPFGP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FP, C4FZFG, C4FZFGP, C4FZSFGP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGP, C6FP, C6FZFG, C6FZFGP, CBG4, CBRG, CBRGIN, CCPG4, CCPG82, CCTP8, CCTPFG8, CF10DG8M, CF10G4M, CFTG22, CFTG2C2, CFTG2LR, CFTG2R2, CFTG62, CFTG6C2, CFTG6LR, CFTG6R2, CPG, CPGI, CPLG1, CPLG2, FCE, FCG, FE, K2F, K2FTPFC, K2FTPFCG, K2FTPFE...(Other models you can see in the webshop)		

1 			
No.	100246	Ref. No.	0000X19907
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
For models:	B4F, B6F, B8, B8F, C2FP, C2FTPFGP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FP, C4FZFG, C4FZFGP, C4FZSFGP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGP, C6FP, C6FZFG, C6FZFGP, CBG4, CBRG, CBRGIN, CCPG4, CCPG82, CCTP8, CCTPFG8, CF10DG8M, CF10G4M, CFTG22, CFTG2C2, CFTG2LR, CFTG2R2, CFTG62, CFTG6C2, CFTG6LR, CFTG6R2, CPG, CPGI, CPLG1, CPLG2, FCE, FCG, FE, K2F, K2FTPFC, K2FTPFCG, K2FTPFE...(Other models you can see in the webshop)		

1 			
No.	102972	Ref. No.	30500003
description	pilot burner nozzle natural gas code 40 bore ø 0.4mm Qty 1 pcs		
For models:	KP20G, KP20GA, KP20GT, KP20GTA, KP30G, KP30GA, KP30GT, KP30GTA, KP50G, KP50GA, KP50GT, KP50GTA, KPGN18G, KPGN27G, KPGN37G, KPI20G, KPI20GA, KPI20GT, KPI20GTA, KPI30G, KPI30GA, KPI30GT, KPI30GTA, KPI50G, KPI50GA, KPI50GT, KPI50GTA, KPIGN18G, KPIGN27G, KPIGN37G		

ignition electrodes

			
No.	100706	Ref. No.	0000X14600 30100054 719-020-00
description ignition electrode connection M4 Qty 1 pcs			
For models: C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C2TP2FGP, C4FFCGP, C4FFGP, C4FFZFCG, C4FZFCGP, C4FZSFCGP, C6FFCGP, C6FFGP, C6FFGA, C6FFGAP, C6FFGP, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, CBG4, CBG6, CBG8, CBRG, CBRGIN, CC120CG, CC81CG, CCPG4, CCPG8, CCPG82, CCTP8, CCTPFG8, CFG15, CFG15D, CFTG22, CFTG2C2, CFTG2LR, CFTG2R2, CFTG62, CFTG6C2, CFTG6LR, CFTG6R2, CPG, CPGI, CPLG1, CPLG2, CPLG4, CPLG8, K2FTPFC, K2FTPFCG...(Other models you can see in the webshop)			

miscellaneous

			
1			
No.	100885	Ref. No.	X19901
description air mixing sleeve for pilot burner Qty 1 pcs			
For models: B4F, B6F, B8, B8F, C2FP, C2FTPFEF, C2FTPFGP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FFLEP, C4FFLGP, C4FP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGAP, C6FFGP, C6FFLEP, C6FFLEPV, C6FFLGP, C6FFLGPV, C6FP, FCE, FCG, FE, K2F, K2FTPFC, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K4FS, K4FSFCE, K4FSFCG, K4FSFE, K4FSFG, K6F, K6FFE, K6FFG, K6FG, K8F, K8FFE, K8FFG, M72FTPFG, M74FMPFG...(Other models you can see in the webshop)			

140 - 145 -150 series

			
1			
No.	102450	Ref. No.	X14400
description pilot burner SIT type 150 series 1 flame nozzle $\varnothing$ mm gas connection 6mm			
For models: 2FZP, B4FZ, B6FZ, B8FZ, C2FZP, C2TP2FGP, C4FZFCPE, C4FZFCGP, C4FZFEP, C4FZFGP, C4FZP, C4FZSFCEP, C4FZSFCGP, C4FZSFE, C4FZSFGP, C4FZSP, C6FFGAP, C6FZFCPE, C6FZFCGP, C6FZFCGPV, C6FZFEP, C6FZFGA, C6FZFGAP, C6FZFGP, C6FZP, CN14FGA, I2FZP, I4FZP, I6FZP, K2FZ, K4FZ, K4FZFCE, K4FZFCEG, K4FZFE, K4FZFG, K4FZFGA, K4FZS, K4FZSFCE, K4FZSFCG, K4FZSFE, K4FZSFG, K6FFGA, K6FZ, K6FZFCE, K6FZFCG, K6FZFE, K6FZFG, K6FZFGA, K8FZ...(Other models you can see in the webshop)			
spare parts for 102450			
	No.	100204	Ref. No. —
pilot burner nozzle SIT LPG code 14 bore $\varnothing$ 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No. 0000X30000 X30000
pilot burner nozzle SIT LPG code 19 bore $\varnothing$ 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			

spare parts for 102450				
	No.	100206	Ref. No.	0000X30100 X30100
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series				
	No.	100207	Ref. No.	X30300
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series				
	No.	100216	Ref. No.	—
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series				
	No.	100765	Ref. No.	—
pilot burner nozzle SIT LPG code 20 bore ø 0.35mm Qty 1 pcs suitable for 150 series				
	No.	100897	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs for pilot burner				
	No.	100898	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs for pilot burner				
	No.	100906	Ref. No.	X13002
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
	No.	100908	Ref. No.	X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				



1

No.	100170	Ref. No.	0000X13000	
description pilot burner SIT type 150 series 1 flame nozzle ømm gas connecti-onmm				
For models: C2FTPFPG, CCTP8, CCTPFG8, CFTG1, CFTG1C, CFTG1R, CFTG2, CFTG2C, CFTG2R, CFTG3, CFTG3C, CFTG3LR, CFTG3R, CFTG4, CFTG4C, CFTG4R, CFTG6, CFTG6C, CFTG6R, CFTG8, CFTG8C, CFTG8LR, CFTG8R, K2FTPFCE, K2FTPFCEG, K2FTPFE, K2FTPFG, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KFT4G, KFT4GC, KFT4GR, KFT8G, KFT8G23C, KFT8GC, KFT8GLR, KFT8GR, KFTG1, KFTG1C, KFTG1R, KFTG3, KFTG3C, KFTG3LR, KFTG4...(Other models you can see in the webshop)				
spare parts for 100170				
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for 100170				
	No.	100204	Ref. No.	—
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series				
	No.	100205	Ref. No.	0000X30000 X30000
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series				

accessories for 100170				
	No.	100206	Ref. No.	0000X30100 X30100
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series				
	No.	100207	Ref. No.	X30300
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series				
	No.	100216	Ref. No.	—
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series				
	No.	100701	Ref. No.	0000X13001 X13001 X16900
ignition electrode connection M4 Qty 1 pcs				
	No.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100897	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs for pilot burner				
	No.	100898	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs for pilot burner				
	No.	100906	Ref. No.	X13002
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100908	Ref. No.	X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				

160 series




1

No.	100056	Ref. No.	X17000	
description	pilot burner SIT type 160 series 3 flames nozzle ømm gas connecti- onmm			
For models:	CBRG, CBRG8, CBRGIN			
spare parts for	100056			
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	100056			
	No.	100202	Ref. No.	—
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm				
	No.	100203	Ref. No.	—
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm				
	No.	100701	Ref. No.	0000X13001 X13001 X16900
ignition electrode connection M4 Qty 1 pcs				

Table continues overleaf




accessories for 100056				
	No.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100869	Ref. No.	—
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm				
	No.	100870	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner				
	No.	100906	Ref. No.	X13002
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100908	Ref. No.	X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107650	Ref. No.	—
pilot burner nozzle SIT LPG code 30 Qty 1 pcs				

producer-specific pilot burners

GIGA

Counter 700 / Top 700 / Kappa 900 / Snack 600 series



1

No.	100145	Ref. No.	0000X19000	
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connectionmm			
For models:	CF10DG8M, CF10G4M, CFG15, CFG15D, KFG1, KFG15, KFG15D, KFG2, KFG20, KFG20D, M7F4G, M7F8G, OPFG1, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM			
spare parts for	100145			
	No.	100245	Ref. No.	X19906
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100837	Ref. No.	—
pilot burner cap 3 flames H 24mm L 48mm Qty 1 pcs				
	No.	100855	Ref. No.	—
pilot burner bracket triple				

spare parts for 100145				
	No.	100881	Ref. No.	—
pilot burner bottom part PRO-GAS 100 series nozzle ø 0.2mm				
	No.	100885	Ref. No.	X19901
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
accessories for 100145				
	No.	100246	Ref. No.	0000X19907 X19907
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100882	Ref. No.	—
pilot burner bottom part PRO-GAS 100 series nozzle ø 0.25mm				
	No.	100883	Ref. No.	—
pilot burner bottom part PRO-GAS 100 series nozzle ø 0.35mm				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	102742	Ref. No.	—
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs				



1

No.	107701	Ref. No.	X19900
description	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
For models:	B4F, B6F, B8, B8F, C2FP, C2TFPFE, C2TFPFPG, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FFLEP, C4FFLGP, C4FP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGAP, C6FFGP, C6FFLEP, C6FFLEPV, C6FFLGP, C6FFLGPV, C6FP, FCE, FCG, FE, K2F, K2TFPFCE, K2TFPFPG, K2TFPFE, K2TFPFG, K4F, K4FFE, K4FFG, K4FS, K4FSFG, K6F, K6FFE, K6FFG, K6FG, K8F, K8FFE, K8FFG, OP2F, OP4F, OP4FS, OP6F, OP8F...(Other models you can see in the webshop)		
spare parts for	107701		
	No.	100245	Ref. No. X19906
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

Table continues overleaf

spare parts for 107701				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
accessories for 107701				
	No.	100246	Ref. No.	0000X19907 X19907
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	102742	Ref. No.	—
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs				

1

No.	100099	Ref. No.	Y20300
description	pilot burner cap 1 flame suitable for 100 series		
For models:	B4F, B6F, B8, B8F, C2FP, C2FTPFP, C2FTPFGP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FFLEP, C4FFLGP, C4FP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGAP, C6FFGP, C6FFLEP, C6FFLEPV, C6FFLGP, C6FFLGPV, C6FP, FCE, FCG, FE, K2F, K2FTPFC, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K4FS, K4FSFCE, K4FSFCG, K4FSFE, K4FSFG, K6F, K6FFE, K6FFG, K6FG, K8F, K8FFE, K8FFG, OP2F, OP4F...(Other models you can see in the webshop)		
accessories for	100099		
	No.	100245	Ref. No. X19906
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100246	Ref. No. 0000X19907 X19907
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100881	Ref. No. —
	pilot burner bottom part PRO-GAS 100 series nozzle ø 0.2mm		
	No.	100882	Ref. No. —
	pilot burner bottom part PRO-GAS 100 series nozzle ø 0.25mm		

accessories for 100099				
	No.	100883	Ref. No.	—
pilot burner bottom part PRO-GAS 100 series nozzle ø 0.35mm				
	No.	100885	Ref. No.	X19901
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	102742	Ref. No.	—
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs				

accessories universal

covers



1

No.	106572	Ref. No.	0000X23200
description	cover for pilot burner		
For models:	CF10DG8M, CF10G4M, KFG1, KFG2, KFG20, KFG20D, M7F4G, M7F8G, OPFG1, OPFG2, OPFG20, OPFG20D, SKF10GM, SKF20GM, TF10GM, TF20GM		

electrodes




1

No.	102439	Ref. No.	AGB013ZR10
description	ignition electrode		
For models:	M7FT4GL, M7FT4GR, M7FT6GL, M7FT6GLR		



1


No.	102440	Ref. No.	AGB011ZR10
description	ignition electrode		
For models:	CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, M62F, M64F, M74F, M74FFXE, M74FFXG, M76F, M76FFXE, M76FFXG, M7FT-4GL, M7FT4GR, M7FT6GL, M7FT6GLR, SKC40G, SKC80G		




No.	100701	Ref. No.	0000X13001 X16900
description	ignition electrode connection M4 Qty 1 pcs		
For models:	C2TP2FGP, C6FFGAP, C6FZFGA, C6FZFGAP, CFTG1, CFTG1C, CFTG1R, CFTG2, CFTG2C, CFTG2R, CFTG3, CFTG3C, CFTG3LR, CFTG3R, CFTG4, CFTG4C, CFTG4R, CFTG6, CFTG6C, CFTG6R, CFTG8, CFTG8C, CFTG8LR, CFTG8R, CN14FGA, K2FTPFCE, K2FTPFCG, K2FTPFE, K2FTPFG, K6FFGA, K6FZFGA, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KFT4G, KFT4GC, KFT4GR, KFT8G, KFT8G23C, KFT8GC, KFT8GLR, KFT8GR, KFTG1, KFTG1C, KFTG1R...(Other models you can see in the webshop)		
accessories for	100701		
	No.	100906	Ref. No.
	X13002		
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		




No.	100706	Ref. No.	0000X14600 30100054 719-020-00
description	ignition electrode connection M4 Qty 1 pcs		
For models:	C2FTPFPE, C2FTPFEP, C2FTPFG, C2FTPFGP, C2TP2FGP, C4FFCGP, C4FFG, C4FFGP, C4FZFCG, C4FZFCGP, C4FZSFCGP, C6FFCGP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, CBG4, CBG6, CBG8, CBRG, CBRGIN, CC120CG, CC81CG, CCPG4, CCPG8, CCPG82, CCTP8, CCTPFG8, CFG15, CFG15D, CFTG22, CFTG2C2, CFTG2LR, CFTG2R2, CFTG62, CFTG6C2, CFTG6LR, CFTG6R2, CPG, CPGL, CPLG1, CPLG2, CPLG4, CPLG8, K2FTPFCE, K2FTPFCG...(Other models you can see in the webshop)		



No.	102467	Ref. No.	AGB019ZR10
description	ignition electrode D1 ø 5.5mm D2 ø 7mm connection ø2.4mm cable length 600mm L1 1mm BL1 16mm BL2 6mm BL3 3mm BL4 8mm D3 ø 10mm D4 ø 5mm connection ø 3mm		
For models:	CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, M62F, M64F, M74F, M74FFXE, M74FFXG, M76F, M76FFXE, M76FFXG, SKC40G, SKC80G		




No.	100733	Ref. No.	X14500
description	ignition electrode D1 ø 7mm D2 ø 8.5mm cable length 600mm BL1 28mm BL2 3mm BL3 23mm to clip connection ø 2.4mm		
For models:	C2F, C2FTPFE, C2FTPFG, C2FZ, C2TP2FGP, C4F, C4FFE, C4FFG, C4FFLE, C4FFLG, C4FZ, C4FZFCG, C4FZFCG, C4FZFE, C4FZFG, C6F, C6FFE, C6FFG, C6FFGA, C6FFLE, C6FFLEV, C6FFLG, C6FFLGV, C6FZ, C6FZFCG, C6FZFCG, C6FZFCG, C6FZFCG, C6FZFE, C6FZFG, C6FZFGA, I2FZ, I4FZ, T2F, T2FZ, T4F, T4FZ, T6F, T6FZ		



No.	100822	Ref. No.	0000X16800
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 16mm L2 25mm L3 8mm BL1 18mm BL2 3mm BL3 23mm to clip		
For models:	C2FTPFGP, C2TP2FGP, C4FFGP, C4FZFG, C4FZFGP, C4FZSFGP, C6FFGP, C6FZFG, C6FZFGP, CCTPFG8, CF10DG8M, CF10G4M, K2FTPFG, K4FFG, K4FSFG, K4FZFG, K4FZSFG, K6FFG, K6FZFG, K8FFG, K8FZFG, KFG1, KFG2, KTPFG, M72FPTFG, M74FMPFG, M74FPFG, M76FMPFG, M76FPFG, M7F4G, M7F8G, OPFG1, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM		



No.	100818	Ref. No.	X68041
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 18mm BL1 12mm BL2 41mm connection F 2.8x0.8mm fixing dimensions ø5x4mm with flange		
For models:	C4FFLG, C4FFLGP, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, CC120G, CC80G, CC81G, M74FFXG, M74FMPFXG, M74FPFXG, M76FFXG, M76FMPFXG, M76FPFXG		



No.	100729	Ref. No.	X15000
description	ignition electrode L1 5mm D1 ø8mm D2 ø10mm BL1 41mm BL2 14mm connection F 2.8x0.8mm to clip with spring		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		



No.	100906	Ref. No.	X13002
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

ignition cables

pre-assembled cables



No.	100176	Ref. No.	0000X41000 E10000
description	ignition cable cable length 1000mm connection ø2.4mm / ø4mm permanent temperature 200°C		
For models:	C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C2TP2FGP, CCPG4, CCPG82, CCTP8, CCTPFG8, CFG15, CFG15D, CPG, CPGI, CPLG4, CPLG8, K2FTPFC, K2FTPFCG, K2FTPFE, K2FTPFG, KCP4, KCP8, KCP82, KFG1, KFG15, KFG15D, KFG2, KFG20, KFG20D, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KPI10G, KPI10GA, KPI10GT, KPI10GTA, KPI15G, KPI15GA, KPI15GT, KPI15GTA, KTP, KTPFCE, KTPFCG, KTPFE, KTFPG, M7CP4G...(Other models you can see in the webshop)		



No.	100026	Ref. No.	X40100
description	ignition cable cable length 1000mm connection ø4mm / F6.3mm		
For models:	C2TP2FGP, CBG4, CBG6, CBG8, CBRG, CBRG8, CBRGIN, CF10DG8M, CF10G4M, CFG15, CFG15D, CFTG1, CFTG1C, CFTG1R, CFTG2, CFTG22, CFTG2C, CFTG2C2, CFTG2LR, CFTG2R, CFTG2R2, CFTG3, CFTG3C, CFTG3LR, CFTG3R, CFTG4, CFTG4C, CFTG4R, CFTG6, CFTG62, CFTG6C, CFTG6C2, CFTG6LR, CFTG6R, CFTG6R2, CFTG8, CFTG8C, CFTG8LR, CFTG8R, CPLG1, CPLG2, K2FTPFC, K2FTPFCG, K2FTPFE, K2FTPFG, KB4G, KB8G, KFG1, KFG15, KFG15D...(Other models you can see in the webshop)		



No.	100174	Ref. No.	X68040
description	ignition cable cable length 1500mm connection F2.8mm / F2.8mm		
For models:	C4FFLG, C4FFLGP, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, CC80G, M74FFXG, M74FMPFXG, M74FPFXG, M76FFXG, M76FMPFXG, M76FPFXG		



No.	100175	Ref. No.	0000X40300
description	ignition cable cable length 1750mm connection ø2.4mm / ø4mm		
For models:	C2FTPFG, C2FTPFGP, C2TP2FGP, C4FFG, C4FFGP, C4FZFG, C4FZFGP, C4FZSFGP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FZFG, C6FZFGA, C6FZFGAP, C6FZFGP, CCTPFG8, CN14FGA, K2FTPFC, K2FTPFCG, K2FTPFE, K2FTPFG, K4FFG, K4FSFCG, K4FSFG, K4FZFCG, K4FZFG, K4FZSFCG, K4FZSFG, K6FFG, K6FFGA, K6FZFCG, K6FZFG, K6FZFGA, K8FFG, K8FZFCG, K8FZFG, KTP, KTPFCE, KTPFCG, KTPFE, KTFPG, M72FPTFG, M74FMPFG, M74FPFG, M76FMPFG, M76FPFG, OPTP		



No.	100177	Ref. No.	X40500
description	ignition cable cable length 600mm		



No.	100197	Ref. No.	000X40500
description	ignition cable cable length 600mm connection F2.8mm / ø2.4mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, CCPG4, CCPG8, CCPG82, CF15DG8, CF15G4, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRG-M12IN, KBRGMIN, KCP4, KCP82, KFG4, KFG8, M7FT4GL, M7FT4GR, M7FT6GL, M7FT6GLR, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN, OPCP4, OPCP82, SKC40G, SKC80G		



No.	100015	Ref. No.	X40100
description	ignition cable cable length 600mm connection ø2.4mm / ø2.4mm		



No.	100178	Ref. No.	0000X40500
description	ignition cable cable length 900mm connection F2.8mm / ø2.4mm		

piezoelectric igniters

mounting diameter 18mm



No.	100003	Ref. No.	0000M00500
description	piezoelectric igniter body metal blowing mounting ø 18mm connection F2.8x0.8		
For models:	C2F, C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C4F, C4FFE, C4FFG, C4FFGP, C4FFLE, C4FFLG, C6F, C6FFE, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FFLE, C6FFLEV, C6FFLG, C6FFLGV, CBG4, CBG6, CBG8, CC120G, CC80G, CC81G, CCG120E, CCG80E, CCG81E, CCPG4, CCPG8, CCPG82, CCTP8, CCTPFE8, CCTPFG8, CF10DG8M, CF10G4M, CFG15, CFG15D, CFTG1, CFTG1C, CFTG1R, CFTG2, CFTG22, CFTG2C, CFTG2C2, CFTG2LR, CFTG2R, CFTG2R2...(Other models you can see in the webshop)		



			
No.	100004	Ref. No.	0000M02100
description	piezoelectric igniter body plastic blowing mounting ø 18mm connection ø2.4mm		
For models:	C2FTPFGP, C2FZ, C2TP2FGP, C4FFCGP, C4FFGP, C4FZ, C4FZFCE, C4FZFCG, C4FZFCGP, C4FZFE, C4FZFG, C4FZFGP, C4FZSFCGP, C4FZSFGP, C6FFCGP, C6FFGAP, C6FFGP, C6FZ, C6FZFCE, C6FZFCEV, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, C6FZFE, C6FZFG, C6FZFGA, C6FZFGAP, C6FZFGP, CBG4, CBRG, CBRGIN, CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, CCPG4, CCPG82, CCTP8, CCTPFG8, CF10DG8M, CF10G4M, CFG15, CFG15D, CFTG1, CFTG1C, CFTG1R, CFTG2...(Other models you can see in the webshop)		

mounting diameter 22mm

			
No.	100013	Ref. No.	40100130
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm		
For models:	KP20G, KP20GA, KP20GT, KP20GTA, KP30G, KP30GA, KP30GT, KP30GTA, KP50G, KP50GA, KP50GT, KP50GTA, KPGN18G, KPGN27G, KPGN37G, KPI20G, KPI20GA, KPI20GT, KPI20GTA, KPI30G, KPI30GA, KPI30GT, KPI30GTA, KPI50G, KPI50GA, KPI50GT, KPI50GTA, KPIGN18G, KPIGN27G, KPIGN37G		
accessories for	100013		
	No.	100023	Ref. No.
	female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs		

miscellaneous

			
No.	nla ¹	Ref. No.	Y17400
description	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
spare parts for	101136		
	No.	100001	Ref. No.
	piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm		

¹no longer available

ignition units

			
No.	101011	Ref. No.	X50200
description	ignition unit outputs 1 24V		

			
No.	101009	Ref. No.	068160
description	ignition unit outputs 2 1.5 V/DC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 mounting ø 73mm		
For models:	S350G		
accessories for	101009		
	No.	301195	Ref. No.
	ignition switch for battery type AA 1.5V mounting ø 22mm built-in depth 42mm connection male faston 2.8mm/6.3mm red ignitionA protection IP40 ambient temperature max. 125/55°C		

			
No.	102485	Ref. No.	0000X50000
description	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz		
For models:	CF15DG8, CF15G4, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KFG4, KFG8, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN		

ignition switches

			
No.	301195	Ref. No.	068163
description	ignition switch for battery type AA 1.5V mounting ø 22mm built-in depth 42mm connection male faston 2.8mm/6.3mm red ignitionA protection IP40 ambient temperature max. 125/55°C		
For models:	S350G		
accessories for	301195		
	No.	101009	Ref. No.
	ignition unit outputs 2 1.5 V/DC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 mounting ø 73mm		
	No.	101031	Ref. No.
	ignition unit outputs 4 1.5 V/DC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 mounting ø 100mm		

Table continues overleaf


thermocouples

plug-in thermocouples standard






with barrel socket ø5mm - type Junkers with aluminised tip



SIT




thermocouples SIT





plug-in thermocouples with cable link




No.	102466	Ref. No.	AGB017ZR10
description	thermocouple with coupling L 600mm bullet receptacle ø2mm plug-in connection		
For models:	CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, M62F, M64F, M74F, M74FFXE, M74FFXG, M76F, M76FFXE, M76FFXG, M7FT-4GL, M7FT4GR, M7FT6GL, M7FT6GLR, SKC40G, SKC80G		




No.	102441	Ref. No.	AGB009ZR10
description	thermocouple with two-conductors L 500mm plug-in connection bullet receptacle ø2mm plug-in connection		
For models:	CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, M62F, M64F, M74F, M74FFXE, M74FFXG, M76F, M76FFXE, M76FFXG, M7FT-4GL, M7FT4GR, M7FT6GL, M7FT6GLR, SKC40G, SKC80G		


plug-in thermocouples with interruption



No.	100172	Ref. No.	0000X14300
description	thermocouple SIT with interrupter ASA 11/32 L 400mm plug connection ø6.0mm F 6.3mm		
For models:	KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KFT4G, KFT4GC, KFT4GR, KFT8G, KFT8G23C, KFT8GC, KFT8GLR, KFT8GR, KFTG1, KFTG1C, KFTG1R, KFTG3, KFTG3C, KFTG3LR, KFTG4, KFTG4C, KFTG4R, KFTG8, KFTG8C, KFTG8LR, KTF4G, KTF4GC, KTF8GLR, OPBRG, OPBRG12, OPBRG12IN, OPBRGMIN, OPFT4G, OPFT4GC, OPFT4GR, OPFT8G, OPFT8G23C, OPFT8GC, OPFT8GLR, OPFT8GR, OPTF4G, OPTF4GC...(Other models you can see in the webshop)		



No.	107164	Ref. No.	0000X14000
description	thermocouple SIT with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm soldering connection		
For models:	CPG, CPGI, KP10G, KP10GA, KP15G, KP15GA, KPI10G, KPI10GA, KPI15G, KPI15GA, OPP10G, OPP10GA, OPP15G, OPP15GA, OPPI10G, OPPI10GA, OPPI15G, OPPI15GA		




No.	107177	Ref. No.	0000X19100
description	thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm		
For models:	CF10DG8M, CF10G4M, CF15DG8, CF15G4, CFG15, CFG15D, KFG1, KFG15, KFG15D, KFG2, KFG20, KFG20D, KFG4, KFG8, M7CP4G, M7F4G, M7F8G, OPFG1, OPFG15, OPFG15D, OPFG2, OPFG20, OPFG20D, SKF10GM, SKF20GM, TF10GM, TF20GM		

threaded thermocouples

threaded thermocouples standard

with socket with thread M8x1


SIT




No.	107634	Ref. No.	X68045
description	thermocouple SIT M8x1 L 1500mm M8x1		
For models:	C4FFLG, C4FFLGP, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, CC120G, CC80G, CC81G, M74FFXG, M74FMPFXG, M74FPFXG, M76FFXG, M76FMPFXG, M76FPFXG		

accessories for 107634

No.	102067	Ref. No.	X15900

			
No.	107636	Ref. No.	X15700
description	thermocouple SIT M9x1 L 600mm M8x1		
For models:	C2TP2FGP, CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	107636		
	No.	102067	Ref. No.
			X15900
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

extensions

			
No.	102852	Ref. No.	0000X19400
description	thermocouple extension thread M9x1 L 1500mm		
For models:	C2FTPFGP, C2TP2FGP, C4FFFCGP, C4FFGP, C4FZFCG, C4FZFCGP, C4FZFG, C4FZFGP, C4FZSFCGP, C4FZSFGP, C6FFFCGP, C6FFGAP, C6FFGP, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, C6FZFG, C6FZFGA, C6FZFGAP, C6FZFGP, CC120CG, CC81CG, CCTPFG8, CN14FGA, K2FTPFCG, K2FTPFG, K4FFG, K4FSFCG, K4FSFG, K4FZFCG, K4FZFG, K4FZSFCG, K4FZSFG, K6FFG, K6FFGA, K6FZFCG, K6FZFG, K6FZFGA, K8FFG, K8FZFCG, K8FZFG, KTFPCG, KTFPG, SK4FZFCGP, SK6FZFCGP		
accessories for	102852		
	No.	101261	Ref. No.
			—
thermocouple fitting thread M9x1 Qty 1 pcs			

accessories

nuts

			
No.	102067	Ref. No.	X15900
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		

screws

			
No.	102464	Ref. No.	X16500
description	thermocouple fitting thread M10x1 brass Qty 1 pcs		
For models:	B4F, B6F, B8, B8F, C2FP, C2FTPFGP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFGP, C4FFGP, C4FP, C6FFCEP, C6FFCGP, C6FFGP, C6FFGP, C6FP, FCE, FCG, FE, K2F, K2FTPFCG, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K4FS, K4FSFCE, K4FSFCG, K4FSFE, K4FSFG, K6F, K6FFE, K6FFG, K6FG, K8F, K8FFE, K8FFG, OP2F, OP4F, OP4FS, OP6F, OP8F, T2FP, T4FP, T6FP		

gas burners

hob burners

universal hob burners

			
No.	103068	Ref. No.	M00400
description	burner cap ø 100mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	103068		
	No.	103067	Ref. No.
			M01100
burner ring for burner cap ø 100mm			
	No.	104102	Ref. No.
			M00900
burner head for burner cap ø 100mm ext. ø 130			
	No.	104103	Ref. No.
			M00700
burner holder suitable for burner ø100mm with nozzle holder			

			
No.	103066	Ref. No.	M00300
description	burner cap ø 80mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	103066		
	No.	103065	Ref. No.
			M01000
burner ring for burner cap ø 80mm			
	No.	104100	Ref. No.
			M00800
burner head for burner cap ø 80mm			
	No.	104101	Ref. No.
			M00600
burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve			

			
No.	104102	Ref. No.	M00900
description	burner head for burner cap ø 100mm ext. ø 130		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		



			
No.	104100	Ref. No.	M00800
description	burner head for burner cap ø 80mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	104100		
		No.	103065
		Ref. No.	M01000
	burner ring for burner cap ø 80mm		
		No.	103066
		Ref. No.	M00300
	burner cap ø 80mm		
		No.	104103
		Ref. No.	M00700
	burner holder suitable for burner ø100mm with nozzle holder		

			
No.	104101	Ref. No.	M00600
description	burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	104101		
		No.	103065
		Ref. No.	M01000
	burner ring for burner cap ø 80mm		
		No.	103066
		Ref. No.	M00300
	burner cap ø 80mm		
		No.	104100
		Ref. No.	M00800
	burner head for burner cap ø 80mm		

			
No.	104103	Ref. No.	M00700
description	burner holder suitable for burner ø100mm with nozzle holder		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	104103		
		No.	103067
		Ref. No.	M01100
	burner ring for burner cap ø 100mm		
		No.	103068
		Ref. No.	M00400
	burner cap ø 100mm		
		No.	104102
		Ref. No.	M00900
	burner head for burner cap ø 100mm ext. ø 130		

			
No.	103067	Ref. No.	M01100
description	burner ring for burner cap ø 100mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	103067		
		No.	103068
		Ref. No.	M00400
	burner cap ø 100mm		
		No.	104102
		Ref. No.	M00900
	burner head for burner cap ø 100mm ext. ø 130		
		No.	104103
		Ref. No.	M00700
	burner holder suitable for burner ø100mm with nozzle holder		

			
No.	103065	Ref. No.	M01000
description	burner ring for burner cap ø 80mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	103065		
		No.	103066
		Ref. No.	M00300
	burner cap ø 80mm		
		No.	104100
		Ref. No.	M00800
	burner head for burner cap ø 80mm		
		No.	104101
		Ref. No.	M00600
	burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve		

producer-specific hob burners

GIGA

Snack 600 series

			
No.	103068	Ref. No.	M00400
description	burner cap ø 100mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	103068		
		No.	103067
		Ref. No.	M01100
	burner ring for burner cap ø 100mm		
		No.	104102
		Ref. No.	M00900
	burner head for burner cap ø 100mm ext. ø 130		
		No.	104103
		Ref. No.	M00700
	burner holder suitable for burner ø100mm with nozzle holder		



1

No.	103066	Ref. No.	M00300
description	burner cap ø 80mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	103066		
	No.	103065	Ref. No. M01000
burner ring for burner cap ø 80mm			
	No.	104100	Ref. No. M00800
burner head for burner cap ø 80mm			
	No.	104101	Ref. No. M00600
burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve			

			
No.	104102	Ref. No.	M00900
description	burner head for burner cap ø 100mm ext. ø 130		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		



1

No.	104100	Ref. No.	M00800
description	burner head for burner cap ø 80mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	104100		



No.	103065	Ref. No.	M01000
burner ring for burner cap ø 80mm			



No.	103066	Ref. No.	M00300
burner cap ø 80mm			



No.	104103	Ref. No.	M00700
burner holder suitable for burner ø100mm with nozzle holder			



1

No.	104101	Ref. No.	M00600
description	burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		
accessories for	104101		
No.	103065	Ref. No.	M01000
description	burner ring for burner cap ø 80mm		
No.	103066	Ref. No.	M00300
description	burner cap ø 80mm		

accessories for 104101				
	No.	104100	Ref. No.	M00800
	burner head for burner cap ø 80mm			



1

No.	104103	Ref. No.	M00700	
description	burner holder suitable for burner ø100mm with nozzle holder			
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G			
accessories for	104103			
	No.	103067	Ref. No.	M01100
burner ring for burner cap ø 100mm				
	No.	103068	Ref. No.	M00400
burner cap ø 100mm				
	No.	104102	Ref. No.	M00900
burner head for burner cap ø 100mm ext. ø 130				



1

No.	103067	Ref. No.	M01100	
description	burner ring for burner cap ø 100mm			
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G			
accessories for	103067			
	No.	103068	Ref. No.	M00400
	burner cap ø 100mm			
	No.	104102	Ref. No.	M00900
	burner head for burner cap ø 100mm ext. ø 130			
	No.	104103	Ref. No.	M00700
	burner holder suitable for burner ø100mm with nozzle holder			

1



No.	103065	Ref. No.	M01000	
description	burner ring for burner cap ø 80mm			
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G			
accessories for	103065			
	No.	103066	Ref. No.	M00300
burner cap ø 80mm				
	No.	104100	Ref. No.	M00800
burner head for burner cap ø 80mm				
	No.	104101	Ref. No.	M00600
burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve				

1

No.	106422	Ref. No.	0000V01900
description	burner lower part for burner cap ø 117/125mm 6/7.8/9.5kW		
For models:	2FZP, B4FZ, B6FZ, B8FZ, C2FZP, C2TP2FGP, C4FZFCEP, C4FZFCGP, C4FZFEP, C4FZFPG, C4FZFGP, C4FZSFCGP, C4FZSFCEP, C4FZSFGP, C4FZSP, C6FZFCEP, C6FZFCEPV, C6FZFCGP, C6FZFCGPV, C6FZFEP, C6FZFEGAP, C6FZFPG, C6FZP, I2FZP, I4FZP, I6FZP, K2FZ, K4FZ, K4FZFCE, K4FZFCG, K4FZFE, K4FZFG, K4FZFGA, K4FZS, K4FZSFCE, K4FZSFCG, K4FZSFE, K4FZSFG, K6FZ, K6FZFCE, K6FZFCG, K6FZFE, K6FZFG, K6FZFGA, K8FZ, K8FZFCE, K8FZFCG, K8FZFE, K8FZFG...(Other models you can see in the webshop)		

accessories for	106422			
	No.	108143	Ref. No.	V00200
	burner head for burner cap ø 117mm 6/7.8kW			
	No.	108144	Ref. No.	V00400
	burner cap ø 117mm 6/7.8kW			



1

No.	103000	Ref. No.	V01800	
description	burner lower part for burner cap ø 87mm 4kW			
For models:	2FZP, B4FZ, B6FZ, B8FZ, C2FZP, C4FZFCEP, C4FZFCGP, C4FZFEP, C4FZFPG, C4FZP, C6FZFCEP, C6FZFCEPV, C6FZFCGP, C6FZFCGPV, C6FZFEP, C6FZFEGAP, C6FZFGP, C6FZP, I2FZP, I4FZP, I6FZP, K2FZ, K4FZ, K4FZFCE, K4FZFCG, K4FZFE, K4FZFG, K4FZFGA, K4FZSFG, K6FZ, K6FZFCE, K6FZFCG, K6FZFE, K6FZFG, K8FZ, K8FZFCE, K8FZFCG, K8FZFE, K8FZFG, M74FMP, M74FMPFE, M74FMPFG, M74FMPFXE, M74FMPFXG, M76FMP, M76FMPFE, M76FMPFG, M76FMPFXE, M76FMPFXG, OP2FZ... (Other models you can see in the webshop)			
accessories for	103000			
	No.	103025	Ref. No.	V00100
burner head for burner cap ø 87mm 4kW				
	No.	103026	Ref. No.	V00300
burner cap ø 87mm 4kW				

Counter 700, Kappa 900 series



1

No.	105300	Ref. No.	X21800	
description	burner cap ø 120mm 7kW with central hole ID ø 64mm			
For models:	B4F, B6F, B8F, FCE, FCG, FE, K4F, K4FFE, K4FFG, K4FS, K4FSFCE, K4FSFCG, K4FSFE, K4FSFG, K6F, K6FFE, K6FFG, K6FG, K8F, K8FFE, K8FFG, OP4F, OP4FS, OP6F, OP8F			
accessories for	105300			
	No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	No.	101452	Ref. No.	B83900
	ignition electrode support for burner type C/D suitable for 900 series			

accessories for		105300		
	No.	101453	Ref. No.	B83800
bracket for thermocouple gas range for burner type C/D suitable for 900 series				
	No.	101454	Ref. No.	—
union screw for igniter thread M10x1 ID ø 7mm L 15mm				
	No.	104108	Ref. No.	0000X16100
nozzle holder nozzle mounting M10x1 tube ø 10mm gas inlet M16x1.5 gas outlet M14x1				
	No.	104294	Ref. No.	—
burner head E for burner cap ø 120mm 8.3kW				
	No.	105301	Ref. No.	—
venturi for burner cap ø 120mm 7kW				



1

No.	103069	Ref. No.	X21600	
description	burner cap ø 80mm 4.3kW with central hole			
For models:	B4F, B6F, B8F, C2F, C2FP, C2FTPFE, C2FTPFEP, C2FTPFG, C2FTPFGP, C2TP2FGP, C4F, C4FFCEP, C4FFCGP, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4FP, C6F, C6FFCEP, C6FFCGP, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FP, FE, K2F, K2FTPFCE, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K6F...(Other models you can see in the webshop)			
accessories for	103069			
	No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	No.	101452	Ref. No.	B83900
	ignition electrode support for burner type C/D suitable for 900 series			
	No.	101453	Ref. No.	B83800
	bracket for thermocouple gas range for burner type C/D suitable for 900 series			
	No.	101454	Ref. No.	—
	union screw for igniter thread M10x1 ID ø 7mm L 15mm			
	No.	104104	Ref. No.	—
	burner head for burner cap ø 80mm 3.5kW code 100212			
	No.	104105	Ref. No.	0900X21300
	burner lower part for burner cap ø 80mm 3.5kW			
	No.	104108	Ref. No.	0000X16100
	nozzle holder nozzle mounting M10x1 tube ø 10mm gas inlet M16x1.5 gas outlet M14x1			
	No.	105297	Ref. No.	0750X22200 0900X22200 721-030-00
	burner head for burner cap ø 80mm 4.3kW for pilot burner			





1

No.	103070	Ref. No.	X21700				
description	burner cap ø 95mm 6.4kW with central hole						
For models:	B4F, B6F, B8F, C2F, C2FP, C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C2TP2FGP, C4F, C4FFCEP, C4FFCGP, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4FP, C6F, C6FFCEP, C6FFCGP, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FP, K2F, K2FTPCE, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K6F, K6FFE...(Other models you can see in the webshop)						
accessories for	103070						
	<table> <tr> <th>No.</th> <td>100907</td> <th>Ref. No.</th> <td>—</td> </tr> </table>	No.	100907	Ref. No.	—	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple	
No.	100907	Ref. No.	—				
	<table> <tr> <th>No.</th> <td>101452</td> <th>Ref. No.</th> <td>B83900</td> </tr> </table>	No.	101452	Ref. No.	B83900	ignition electrode support for burner type C/D suitable for 900 series	
No.	101452	Ref. No.	B83900				
	<table> <tr> <th>No.</th> <td>101453</td> <th>Ref. No.</th> <td>B83800</td> </tr> </table>	No.	101453	Ref. No.	B83800	bracket for thermocouple gas range for burner type C/D suitable for 900 series	
No.	101453	Ref. No.	B83800				
	<table> <tr> <th>No.</th> <td>101454</td> <th>Ref. No.</th> <td>—</td> </tr> </table>	No.	101454	Ref. No.	—	union screw for igniter thread M10x1 ID ø 7mm L 15mm	
No.	101454	Ref. No.	—				
	<table> <tr> <th>No.</th> <td>104106</td> <th>Ref. No.</th> <td>—</td> </tr> </table>	No.	104106	Ref. No.	—	burner head for burner cap ø 100mm 5.5kW for igniter	
No.	104106	Ref. No.	—				
	<table> <tr> <th>No.</th> <td>104107</td> <th>Ref. No.</th> <td>—</td> </tr> </table>	No.	104107	Ref. No.	—	burner lower part for burner cap ø 100mm 6.4kW	
No.	104107	Ref. No.	—				
	<table> <tr> <th>No.</th> <td>104108</td> <th>Ref. No.</th> <td>0000X16100</td> </tr> </table>	No.	104108	Ref. No.	0000X16100	nozzle holder nozzle mounting M10x1 tube ø 10mm gas inlet M16x1.5 gas outlet M14x1	
No.	104108	Ref. No.	0000X16100				

			
No.	104478	Ref. No.	0750X21100 0900X21100
description	burner head for burner cap ø 100mm for igniter		
For models:	C2F, C2FTPFE, C2FTPFG, C2TP2FGP, C4F, C4FFE, C4FFG, C4FFLE, C4FF-LG, C6F, C6FFE, C6FFG, C6FFGA, C6FFLE, C6FFLEV, C6FFLG, C6FFLGP, T2F, T4F, T6F		

			
No.	105348	Ref. No.	0750X21200 0900X21200 721-026-00
description	burner head for burner cap ø 120mm 7kW with ignition flame		
For models:	B4F, B6F, B8F, FCE, FCG, FE, K4F, K4FFE, K4FFG, K4FS, K4FSFCE, K4FS-FCG, K4FSFE, K4FSFG, K6F, K6FFE, K6FFG, K6FG, K8F, K8FFE, K8FFG, OP4F, OP4FS, OP6F, OP8F		

			
No.	104480	Ref. No.	0750X21000 0900X21000
description	burner head for burner cap ø 80mm 3.5kW		
For models:	C2F, C2FTPFE, C2FTPFG, C4F, C4FFE, C4FFG, C4FFLE, C4FFLG, C6F, C6FFE, C6FFG, C6FFGA, C6FFLE, C6FFLEV, C6FFLG, C6FFLGP, T2F, T4F, T6F		

1

No.	105297	Ref. No.	0750X22200 0900X22200 721-030-00
description	burner head for burner cap ø 80mm 4.3kW for pilot burner		
For models:	B4F, B6F, B8F, C2FP, C2FTPFE, C2FTPFG, C2TP2FGP, C4FFCEP, C4FF-CGP, C4FFEP, C4FFGP, C4FFLEP, C4FFLGP, C4FP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGAP, C6FFGP, C6FFLEP, C6FFLEPV, C6FFLGP, C6FFLGPV, C6FP, FE, K2F, K2FTPCE, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K6F, K6FFE, K6FFG, K6FG, K8F, K8FFE, K8FFG, OP2F, OP4F, OP6F, OP8F, T2FP, T4FP, T6FP		
accessories for	105297		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	No.	101452	Ref. No. B83900
ignition electrode support for burner type C/D suitable for 900 series			
	No.	101453	Ref. No. B83800
bracket for thermocouple gas range for burner type C/D suitable for 900 series			
	No.	101454	Ref. No. —
union screw for igniter thread M10x1 ID ø 7mm L 15mm			
	No.	103069	Ref. No. X21600
burner cap ø 80mm 4.3kW with central hole			
	No.	104105	Ref. No. 0900X21300
burner lower part for burner cap ø 80mm 3.5kW			
	No.	104108	Ref. No. 0000X16100
nozzle holder nozzle mounting M10x1 tube ø 10mm gas inlet M16x1.5 gas outlet M14x1			

			
No.	105298	Ref. No.	0750X22100 0900X22100 721-028-00
description	burner head for burner cap ø 95mm 6.4kW for pilot burner		
For models:	B4F, B6F, B8F, C2F, C2FP, C2FTPFE, C2FTPFGP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FFLEP, C4FFLGP, C4FP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGAP, C6FFGP, C6FFLEP, C6FFLEPV, C6FFLGP, C6FFLGPV, C6FP, K2F, K2FTPCE, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K6F, K6FFE, K6FFG, K8F, K8FFE, K8FFG, OP2F, OP4F, OP6F, OP8F, T2FP, T4FP, T6FP		
accessories for	105298		
	No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
	No.	101452	Ref. No. B83900
	ignition electrode support for burner type C/D suitable for 900 series		
	No.	101453	Ref. No. B83800
	bracket for thermocouple gas range for burner type C/D suitable for 900 series		
	No.	101454	Ref. No. —
	union screw for igniter thread M10x1 ID ø 7mm L 15mm		
	No.	103070	Ref. No. X21700
	burner cap ø 95mm 6.4kW with central hole		
	No.	104107	Ref. No. —
	burner lower part for burner cap ø 100mm 6.4kW		
	No.	104108	Ref. No. 0000X16100
	nozzle holder nozzle mounting M10x1 tube ø 10mm gas inlet M16x1.5 gas outlet M14x1		

			
No.	104482	Ref. No.	0750X21300 0900X21300 721-029-00
description	burner lower part 3.5/4.3kW		
For models:	B4F, B6F, B8F, C2F, C2FP, C2FTPFE, C2FTPFGP, C2FTPFG, C2FTPFGP, C2TP2FGP, C4F, C4FFCEP, C4FFCGP, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4FP, C6F, C6FFCEP, C6FFCGP, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FP, K2F, K2FTPCE, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K6F, K6FFE...(Other models you can see in the webshop)		

			
No.	104476	Ref. No.	0750X21400 0900X21400
description	burner lower part 5.5/6.4kW		
For models:	B4F, B6F, B8F, C2F, C2FP, C2FTPFE, C2FTPFGP, C2FTPFG, C2FTPFGP, C2TP2FGP, C4F, C4FFCEP, C4FFCGP, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4FP, C6F, C6FFCEP, C6FFCGP, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FP, K2F, K2FTPCE, K2FTPFCG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K6F, K6FFE...(Other models you can see in the webshop)		

			
No.	104477	Ref. No.	0750X21500 0900X21500 721-025-00
description	burner lower part 7/8.3kW		
For models:	B4F, B6F, B8F, FCE, FCG, FE, K4F, K4FFE, K4FFG, K4FS, K4FSFCE, K4FSFCG, K4FSFE, K4FSFG, K6F, K6FFE, K6FFG, K6FG, K8F, K8FFE, K8FFG, OP4F, OP4FS, OP6F, OP8F		
accessories for	104477		
	No.	104108	Ref. No. 0000X16100
	nozzle holder nozzle mounting M10x1 tube ø 10mm gas inlet M16x1.5 gas outlet M14x1		

			
No.	104105	Ref. No.	0900X21300
description	burner lower part for burner cap ø 80mm 3.5kW		
accessories for	104105		
	No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
	No.	101452	Ref. No. B83900
	ignition electrode support for burner type C/D suitable for 900 series		
	No.	101453	Ref. No. B83800
	bracket for thermocouple gas range for burner type C/D suitable for 900 series		
	No.	101454	Ref. No. —
	union screw for igniter thread M10x1 ID ø 7mm L 15mm		
	No.	103069	Ref. No. X21600
	burner cap ø 80mm 4.3kW with central hole		
	No.	104104	Ref. No. —
	burner head for burner cap ø 80mm 3.5kW code 100212		

Table continues overleaf



accessories for 104105				
	No.	104108	Ref. No.	0000X16100
	nozzle holder nozzle mounting M10x1 tube ø 10mm gas inlet M16x1.5 gas outlet M14x1			
	No.	105297	Ref. No.	0750X22200 0900X22200 721-030-00
	burner head for burner cap ø 80mm 4.3kW for pilot burner			

1

				
No.	104108	Ref. No.	0000X16100	
description	nozzle holder nozzle mounting M10x1 tube ø 10mm gas inlet M16x1.5 gas outlet M14x1			
For models:	B4F, B6F, B8, B8F, C2F, C2FP, C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C2TP2FGP, C4F, C4FFCEP, C4FFCGP, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4FP, C4FZFG, C4FZFGP, C4FZS-FGP, C6F, C6FFCEP, C6FFCGP, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FF-GAP, C6FFGP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FP, C6FZFG, C6FZFGP, CCTP8, CCTPFE8, CCTPFG8, CF10DG8M...(Other models you can see in the webshop)			
accessories for	104108			
	No.	102382	Ref. No.	—
nut thread M14x1 H 3.5mm WS 18 brass Qty 1 pcs				
	No.	104105	Ref. No.	0900X21300
burner lower part for burner cap ø 80mm 3.5kW				
	No.	104107	Ref. No.	—
burner lower part for burner cap ø 100mm 6.4kW				

solid tops

1

No.	107586	Ref. No.	X22800
description	round burner ø 120mm		
For models:	C2FTPFGP, CCTP8, CCTPFG8, K2FTPFCF, K2FTPFCG, K2FTPFE, K2FTPFG, KTP, KTPFCE, KTPFCG, KTPFE, KTPFG, OPTP, TTP8		

A black, circular burner with a handle, labeled with the number 1. The burner has a series of small holes around its perimeter and a central opening. The handle is attached to the side of the burner.

No.	105104	Ref. No.	0903X20900
description	round burner ø 180mm		
For models:	C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, CCTP8, CCTPFG8		

miscellaneous



1

	No.	108145	Ref. No.	AGB004ZR10
description burner cap ø 100mm				
For models: CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, M62F, M64F, M74F, M74FFXE, M74FFXG, M76F, M76FFXE, M76FFXG, SKC40G, SKC80G				
accessories for 108145				
	No.	108146	Ref. No.	AGB003ZR10
	burner head for burner cap ø 100mm			



1

No.	108146	Ref. No.	AGB003ZR10
description burner head for burner cap ø 100mm			
For models: CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, M62F, M64F, M74F, M74FFXE, M74FFXG, M76F, M76FFXE, M76FFXG, SKC40G, SKC80G			
accessories for 108146			
	No.	108145	Ref. No. AGB004ZR10
	burner cap ø 100mm		
	No.	108147	Ref. No. AGB012ZR10
	burner lower part for burner cap ø 100mm		



1

No.	108147	Ref. No.	AGB012ZR10	
description burner lower part for burner cap ø 100mm				
For models: CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, M62F, M64F, M74F, M74FFXE, M74FFXG, M76F, M76FFXE, M76FFXG, SKC40G, SKC80G				
accessories for 108147				
	No.	102440	Ref. No.	AGB011ZR10
ignition electrode				
	No.	108145	Ref. No.	AGB004ZR10
burner cap ø 100mm				
	No.	108146	Ref. No.	AGB003ZR10
burner head for burner cap ø 100mm				



1

No.	210163	Ref. No.	0550M48200
description	pan support		
For models:	CC120G, CC80G, CC81G, CCG120E, CCG80E, CCG81E, SKC40G, SKC80G		



1

No.	210255	Ref. No.	DFG001ZV10
description	pan support W 294mm L 538mm		
For models:	M62F, M64F, M72FPTFG, M74F, M74FFXE, M74FFXG, M74FMP, M74FMFPE, M74FMFPG, M74FMFPG, M74FMFPE, M74FMFPG, M74FP, M74FPFE, M74FPFG, M74FPFXE, M74FPFXG, M76F, M76FFXE, M76FFXG, M76FMP, M76FMFPE, M76FMFPG, M76FMFPE, M76FMFPG, M76FP, M76FPFE, M76FPFG, M76FPFXE, M76FPFXG		



1

No.	210245	Ref. No.	1550Y63000
description	pan support W 370mm L 580mm		
For models:	2FZP, C2FZ, C2FZP, C4FZ, C4FZFCE, C4FZFCEP, C4FZFCEG, C4FZFCEGP, C4ZFZE, C4ZFZEP, C4ZFZFG, C4ZFZFGP, C4FZP, C4FZSFCEP, C4FZSFCEGP, C4FZSFEP, C4FZSFGP, C4FZSP, C6FZ, C6ZFCE, C6ZFCEP, C6ZFCEPEV, C6ZFCEVE, C6ZFCEG, C6ZFCEGP, C6ZFCEGPV, C6ZFCEGV, C6ZFZE, C6ZFZEP, C6ZFZFG, C6ZFZFGA, C6ZFZFGAP, C6ZFZFGP, C6ZFZG, CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, I2FZ, I2FZP, I4FZ, I4FZP, I6FZP, SK2FP, SK4FP, SK4FZFCEP, SK4FZFCEGP, SK6FZFCEP...(Other models you can see in the webshop)		



1

No.	210141	Ref. No.	1550X25000
description	pan support W 385mm L 580mm		




1

No.	210162	Ref. No.	KG1
description	pan support W 392mm L 385mm H 50mm mounting pos. lateral		
For models:	B4F, B6F, B8F, K2F, K2FTPF, K4F, K4FFE, K4FFG, K6F, K6FFE, K6FFG, K8F, K8FFE, K8FFG		

accessories

reducers for pan supports



1

No.	210050	Ref. No.	GR
description	reducer for pan support L 260mm W 260mm chrome-plated steel suitable for universal		

pan supports



1

No.	210163	Ref. No.	0550M48200
description	pan support		
For models:	CC120G, CC80G, CC81G, CCG120E, CCG80E, CCG81E, SKC40G, SKC80G		



1

No.	210255	Ref. No.	DFG001ZV10
description	pan support W 294mm L 538mm		
For models:	M62F, M64F, M72FPTFG, M74F, M74FFXE, M74FFXG, M74FMP, M74FMPE, M74FMFPG, M74FMFPXE, M74FMFPXG, M74FP, M74FPFE, M74FPFG, M74FPFXE, M74FPFXG, M76F, M76FFXE, M76FFXG, M76FMP, M76FMPE, M76FMFPG, M76FMFPXE, M76FMFPXG, M76FP, M76PFE, M76PFG, M76FPFXE, M76FPFXG		



No.	210245	Ref. No.	1550Y63000
description	pan support W 370mm L 580mm		
For models:	2FZP, C2FZ, C2FZP, C4FZ, C4FZFCE, C4FZFCEP, C4FZFCEG, C4FZFCEGP, C4FZFCE, C4FZFEP, C4FZFG, C4FZFGP, C4FZP, C4FZSFCEP, C4FZSFCEG, C4FZSFCEP, C4FZSFCEG, C4FZSP, C6FZ, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFCEG, C6FZFCEGP, C6FZFCEGPV, C6FZFCEGV, C6FZFCE, C6FZFEP, C6FZFG, C6FZFGA, C6FZFGAP, C6FZFGP, C6FZP, CC120CG, CC80G, CC81CG, CCG120CE, CCG80E, CCG81CE, I2FZ, I2FZP, I4FZ, I4FZP, I6FZP, SK2FP, SK4FP, SK4FZFCEP, SK4FZFCEGP, SK6FZFCEP...(Other models you can see in the webshop)		



No.	210141	Ref. No.	1550X25000
description	pan support W 385mm L 580mm		



No.	210161	Ref. No.	1550X25000
description	pan support W 385mm L 580mm		



No.	210162	Ref. No.	KG1
description	pan support W 392mm L 385mm H 50mm mounting pos. lateral		
For models:	B4F, B6F, B8F, K2F, K2FTPFG, K4F, K4FFE, K4FFG, K6F, K6FFE, K6FFG, K8F, K8FFE, K8FFG		

air mixers



No.	106282	Ref. No.	K98110
description	air mixer L 55mm W 45mm H 30mm		
For models:	CFG15, CFG15D, KFG15, KFG15D, KFG20, KFG20D, OPFG15, OPFG15D, OPFG20, OPFG20D		



No.	106521	Ref. No.	0600V01500
description	air mixing sleeve L 30mm thread 3/8" IT		
For models:	2FZP, B4FZ, B6FZ, B8FZ, C2FZ, C2FZP, C2TP2FGP, C4FZ, C4FZFCE, C4FZFCEP, C4FZFCEG, C4FZFCEGP, C4FZFCE, C4FZFEP, C4FZFG, C4FZFGP, C4FZP, C4FZSFCEP, C4FZSFCEG, C4FZSFCEP, C4FZSFCEG, C4FZSP, C6FZ, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFCEG, C6FZFCEGP, C6FZFCEGPV, C6FZFCEGV, C6FZFCE, C6FZFEP, C6FZFG, C6FZFGA, C6FZFGAP, C6FZFGP, C6FZP, I2FZ, I2FZP, I4FZ, I4FZP, I6FZP, K2FZ, K4FZ, K4FZFCE, K4FZFCEG, K4FZFCE, K4FZFEG, K4FZFEGA...(Other models you can see in the webshop)		



No.	106066	Ref. No.	X20200
description	air mixing tube dimensions 18x42mm ED ø 24mm		
For models:	C2FTPFE, C2FTPFE, C2FTPFG, C2FTPFGP, CCTP8, CCTPFG8, CFTG1, CFTG1C, CFTG1R, CFTG2, CFTG2C, CFTG2R, CFTG3, CFTG3C, CFTG3LR, CFTG3R, CFTG4, CFTG4C, CFTG4R, CFTG6, CFTG6C, CFTG6R, CFTG8, CFTG8C, CFTG8LR, CFTG8R, SKT1G, SKT1GC, SKT1GR, SKT2G, SKT2GC, SKT2GR, SKT3G, SKT3GC, SKT3GLR, SKT40G, SKT40GC, SKT40GR, SKT60G, SKT60GC, SKT60GR, SKT80G, SKT80GC, SKT80GLR, TT1G, TT1GC, TT1GR, TT2G, TT2GC, TT2GR...(Other models you can see in the webshop)		



No.	104741	Ref. No.	0000X20300
description	air mixing tube L 42mm ø 20mm		
For models:	C2FTPFG, C2FTPFGP, C2TP2FGP, C4FFG, C4FFGP, C4FZFG, C4FZFGP, C4FZSFGP, C6FFG, C6FFGP, C6FZFG, C6FZFGP, CCTPFG8, K2FTPFG, K4FFG, K4FSFG, K4FZFG, K4FZSFG, K6FFG, K6FZFG, K8FFG, K8FZFG, KTPFG		



No.	106615	Ref. No.	X23500
description	air mixing tube L 42mm ø 22mm		
For models:	CCPG4, CCPG82, CF15DG8, CF15G4, KFG4, KFG8, KFT4G, KFT4GC, KFT-4GR, KFT8G, KFT8G23C, KFT8GC, KFT8GLR, KFT8GR, KFTG1, KFTG1C, KFTG1R, KFTG3, KFTG3C, KFTG3LR, KFTG4, KFTG4C, KFTG4R, KFTG8, KFTG8C, KFTG8LR, KTF4G, KTF4GC, KTF8GLR, OPFT4G, OPFT4GC, OPFT4GR, OPFT8G, OPFT8G23C, OPFT8GC, OPFT8GLR, OPFT8GR, OPTF4G, OPTF4GC, OPTF8GLR		



No.	104479	Ref. No.	717-028-00
description	air mixing tube L 43.3mm D1 ø 20mm D2 ø 23.4mm ID ø 18mm thickness 1mm		
For models:	B4F, B6F, B8F, K4F, K4FFE, K4FFG, K4FS, K4FSFCE, K4FSFCEG, K4FSFE, K4FSFEG, K6F, K6FFE, K6FFG, K8F, K8FFE, K8FFG, OP4F, OP4FS, OP6F, OP8F		



bar burners

bar burners



No.	105102	Ref. No.	X68046
description	bar burner 1-row ø 27mm Wmm Hmm L 418mm oven		
For models:	CBG4, CBG6, CBG8, CC80G, KB4G, KB8G, M74FFXG, M74FMPFXG, M74FPFXG, M76FFXG, M76FMPFXG, M76FPFXG, OPB4G, SKB40G, SKB60G, SKB80G, TB40G, TB60G, TB80G, TP40G		
spare parts for	105102		
	No.	104651	Ref. No. X68047
	mounting flange for igniter and thermocouple		



No.	105115	Ref. No.	Y22200
description	bar burner 1-row ø 40mm Wmm Hmm L 500mm flange width 43mm flange length 43mm tilting bratt pan		
For models:	KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN		



No.	104217	Ref. No.	717-144-00 X23900
description	bar burner 1-row ø 60mm Wmm Hmm L 505mm flange width 67mm flange length 67mm fryer		
For models:	KCP4, KCP82, OCP4, OCP82		



No.	105260	Ref. No.	X20100
description	bar burner 2 row L 450mm W 300mm ømm H 50mm 8.5kW griddle		
For models:	CFTG2, CFTG2C, CFTG2R, CFTG6, CFTG6C, CFTG6R, SKT2G, SKT2GC, SKT2GR, SKT60G, SKT60GC, SKT60GR, TT2G, TT2GC, TT2GR, TT60G, TT60GC, TT60GR		



No.	105302	Ref. No.	Y22000
description	bar burner 3 row L 445mm W 280mm ømm H 40mm solid top		
For models:	K2FTPFCE, K2FTPFCEG, K2FTPFE, K2FTPFG, KTP, KTPFCE, KTPFCG, KTPFE, KTPFG, OPTP		



No.	105340	Ref. No.	X24100
description	bar burner 3 row L 480mm W 305mm ømm H 60mm mounting distance 280mm chargrill		
For models:	CPLG1, CPLG2, CPLG4, CPLG8, KPLG1, KPLG2, M7PL1G, M7PL2G, OPPLG1, OPPLG2, SKPL1G, SKPL2G, SKPL4G, SKPL8G, TPLG1, TPLG2		



No.	105303	Ref. No.	0000Y20100
description	bar burner 3 row L 630mm W 265mm ømm H 60mm griddle		
For models:	KFT4G, KFT4GC, KFT4GR, KFT8G, KFT8G23C, KFT8GC, KFT8GLR, KFT8GR, KFTG1, KFTG1C, KFTG1R, KFTG3, KFTG3C, KFTG3LR, KFTG4, KFTG4C, KFTG4R, KFTG8, KFTG8C, KFTG8LR, KTF4G, KTF4GC, KTF8GLR, OPFT4G, OPFT4GC, OPFT4GR, OPFT8G, OPFT8G23C, OPFT8GC, OPFT8GLR, OPFT8GR, OPTF4G, OPTF4GC, OPTF8GLR		



No.	109056	Ref. No.	DGB002ZR10
description	bar burner angled L 460mm W 183mm ømm Hmm oven		
For models:	M7FT4GL, M7FT4GR, M7FT6GL, M7FT6GLR		



No.	105105	Ref. No.	X20400
description	bar burner angled L 600mm W 305mm ømm Hmm oven		
For models:	C2FTPFG, C2FTPFGP, C2TP2FGR, C4FFG, C4FFGP, C4FZFG, C4FZFGP, C4FZSFG, C6FFG, C6FFGP, C6FZFG, C6FZFGP, CCTPFG8, K2FTPFG, K4FFG, K4FSFG, K4FZFG, K4FZSFG, K6FFG, K6FZFG, K8FFG, K8FZFG, KTPFG		



1

No.	105114	Ref. No.	Y22100
description	bar burner for kettle		

1

No.	109055	Ref. No.	DGB001ZR10
description	bar burner ø 26mm Wmm Hmm L 580mm oven		
For models:	M72FPTFG, M74FMPFG, M74FPFG, M76FMPFG, M76FPFG		

1

No.	105103	Ref. No.	X68401
description	bar burner ø 27mm Wmm Hmm L 638mm oven		
For models:	C4FFLG, C4FFLGP, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, CC120G, CC81G		
spare parts for	105103		
	No.	104651	Ref. No. X68047
	mounting flange for igniter and thermocouple		
accessories for	105103		
	No.	104651	Ref. No. X68047
	mounting flange for igniter and thermocouple		

1

No.	105110	Ref. No.	X20600
description	bar burner ø 40mm Wmm Hmm L 323mm tilting bratt pan flange ø 61mm		
For models:	CBRG, CBRG8, CBRGIN, CPG, CPGI		

1

No.	105718	Ref. No.	E30100
description	bar burner ø 40mm Wmm Hmm L 395mm flange ø 61mm tilting bratt pan		
For models:	CPG, CPGI, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KPI10G, KPI10GA, KPI10GT, KPI10GTA, KPI15G, KPI15GA, KPI15GT, KPI15GTA, OPP10G, OPP10GA, OPP15G, OPP15GA, OPPI10G, OPPI10GA, OPPI15G, OPPI15GA		

1

No.	105257	Ref. No.	Y22100
description	bar burner ø 40mm Wmm Hmm L 397mm kettle flange ø 61mm mounting distance 45mm		

1

No.	105108	Ref. No.	X23800
description	bar burner ø 50mm Wmm Hmm L 350mm pasta cooker		
For models:	CCPG4, CCPG82		

1

No.	109057	Ref. No.	Y23500
description	bar burner ø 60mm Wmm Hmm L 335mm pasta cooker		
For models:	CCPG4, CCPG82, M7CP4G		

1

No.	105255	Ref. No.	0000X20000
description	bar burner ømm W 41mm H 34mm L 490mm flange width 70mm 5.5kW griddle		

1 			
No.	105256	Ref. No.	0000X20100
description	bar burner tilting bratt pan		

1 			
No.	105341	Ref. No.	B49900
description	lava rock grid L 450mm W 330mm		
For models:	CPLG4, CPLG8		

1 			
No.	104651	Ref. No.	X68047
description	mounting flange for igniter and thermocouple		
spare parts for	104651		
	No.	105103	Ref. No. X68401
	bar burner ø 27mm Wmm Hmm L 638mm oven		
accessories for	104651		
	No.	105103	Ref. No. X68401
	bar burner ø 27mm Wmm Hmm L 638mm oven		

lava rock grids

1 			
No.	105341	Ref. No.	B49900
description	lava rock grid L 450mm W 330mm		
For models:	CPLG4, CPLG8		

1 			
No.	104651	Ref. No.	X68047
description	mounting flange for igniter and thermocouple		
spare parts for	104651		
	No.	105103	Ref. No. X68401
	bar burner ø 27mm Wmm Hmm L 638mm oven		
accessories for	104651		
	No.	105103	Ref. No. X68401
	bar burner ø 27mm Wmm Hmm L 638mm oven		

tube burners

1 			
No.	105107	Ref. No.	X23000
description	tubular burner L 255mm W 49mm H 65mm for fryer oval		
For models:	CF15DG8, CF15G4, KFG4, KFG8		

1 			
No.	105261	Ref. No.	0900X23100
description	tubular burner ø 74mm L 180mm W 75mm H 60mm for fryer round		
For models:	CF10DG8M, CF10G4M, KFG1, KFG2, M7F4G, M7F8G, OPFG1, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM		

accessories

nozzle holders

1 			
No.	106283	Ref. No.	X68042
description	nozzle holder nozzle M6 M10x1 screw pipe fitting 1/4" tube ø 6mm		
For models:	CBG4, CBG6, CBG8, KB4G, KB8G, OPB4G, SKB40G, SKB60G, SKB80G, TB40G, TB60G, TB80G, TP40G		

			
1			
No.	106485	Ref. No.	DGI160N09E
description	gas injector thread M6x0.75 WS 7 bore ø 1.6mm		
For models:	M7FT4GL, M7FT4GR		

			
1			
No.	106486	Ref. No.	DGI198N09E
description	gas injector thread M6x0.75 WS 7 bore ø 1.98mm		
For models:	M72FPTFG, M74FMPFG, M74FPFG, M76FMPFG, M76FPFG		

gas nozzles M7x1

			
1			
No.	100976	Ref. No.	X37800
description	gas injector thread M7x1 WS 10 bore ø 0.7mm		

			
1			
No.	100518	Ref. No.	X38100
description	gas injector thread M7x1 WS 10 bore ø 0.85mm		

			
1			
No.	100517	Ref. No.	X38000
description	gas injector thread M7x1 WS 10 bore ø 0.8mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		

			
1			
No.	100519	Ref. No.	X38300
description	gas injector thread M7x1 WS 10 bore ø 0.95mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		

			
1			
No.	100523	Ref. No.	X38800
description	gas injector thread M7x1 WS 10 bore ø 1.4mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		

			
1			
No.	100524	Ref. No.	X39300
description	gas injector thread M7x1 WS 10 bore ø 1.55mm		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		

gas nozzles M10x1

			
1			
No.	100639	Ref. No.	Y30500
description	gas injector thread M10x1 WS 11 bore ø 1.25mm inner peaked		
For models:	CPLG4, CPLG8, SKPL1G, SKPL2G		

			
1			
No.	100641	Ref. No.	Y08600
description	gas injector thread M10x1 WS 11 bore ø 1.35mm inner peaked		
For models:	CBRG, CBRGIN, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, OPP10G, OPP10GA, OPP15G, OPP15GA, OPPI10G, OPPI10GA, OPPI15G, OPPI15GA		

			
1			
No.	106306	Ref. No.	X29600
description	gas injector thread M10x1 WS 11 bore ø 1.45mm code 145		
For models:	CPLG1, CPLG2, KPLG1, KPLG2, M7PL1G, M7PL2G, OPPLG1, OPPLG2, SKPL1G, SKPL2G, TPLG1, TPLG2		

			
1			
No.	106286	Ref. No.	Y30700
description	gas injector thread M10x1 WS 11 bore ø 1.55mm inner peaked		
For models:	C4FFCGP, C4FZFCG, C4FZFCGP, C4FZSFCGP, C6FFCGP, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, CC120CG, CC81CG, CFTG22, CFTG2C2, CFTG2LR, CFTG2R2, CFTG62, CFTG6C2, CFTG6LR, CFTG6R2, K2FTPCG, K4FSFCG, K4FZFCG, K4FZSFCG, K6FZFCG, K8FZFCG, KBRG, KBRGIN, KBRGM, KBRGMIN, KTPFCG, OPBRG, OPBRGIN, OPBRGM, OPBRGMIN, SK4FZFCGP, SK6FZFCGP, SKT2G2, SKT2GC2, SKT2GLR, SKT2GR2, SKT60G2, SKT60GC2, SKT60GLR, SKT60GR2, TT2G2, TT2G2LR, TT2GC2, TT2GLR, TT2GR2, TT60G2...(Other models you can see in the webshop)		



No.	100643	Ref. No.	Y08700
description	gas injector thread M10x1 WS 11 bore ø 1.5mm inner peaked		
For models:	CCPG4, CCPG82, M7CP4G		



No.	102867	Ref. No.	0000Y09100
description	gas injector thread M10x1 WS 11 bore ø 1.65mm		
For models:	KFT4G, KFT4GC, KFT4GR, KFT8G, KFT8G23C, KFT8GC, KFT8GLR, KFT8GR, KFTG1, KFTG1C, KFTG1R, KFTG3, KFTG3C, KFTG3LR, KFTG4, KFTG4C, KFTG4R, KFTG8, KFTG8C, KFTG8LR, KTF4G, KTF4GC, KTF8GLR, OPFT4G, OPFT4GC, OPFT4GR, OPFT8G, OPFT8G23C, OPFT8GC, OPFT8GLR, OPFT8GR, OPTF4G, OPTF4GC, OPTF8GLR		



No.	100644	Ref. No.	Y30800
description	gas injector thread M10x1 WS 11 bore ø 1.6mm inner peaked		
For models:	KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KCP4, KCP82, OPBRG, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN, OPCP4, OPCP82, SKCP60G, TCP60G		



No.	103328	Ref. No.	Y30000
description	gas injector thread M10x1 WS 11 bore ø 1mm		
For models:	C4FFCGP, C4ZFZCG, C4ZFZCGP, C4FZSFCGP, C6FFCGP, C6ZFZCG, C6ZFZCGP, C6FZFCGPV, C6FZFCGV, CC120CG, CC81CG, K2FTPFCC, K4FSFCG, K4ZFZCG, K4FZSFCG, K6FZFCG, K8FZFCG, KTFPCG, SK4FZFCGP, SK6FZFCGP		



No.	106288	Ref. No.	Y31300
description	gas injector thread M10x1 WS 11 bore ø 2.05mm inner peaked		
For models:	KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, OPP10G, OPP10GA, OPP15G, OPP15GA, OPPI10G, OPPI10GA, OPPI15G, OPPI15GA		



No.	106287	Ref. No.	Y31200
description	gas injector thread M10x1 WS 11 bore ø 2.2mm inner peaked		
For models:	C6FFGA, C6FFGAP, CPLG1, CPLG2, KPLG1, KPLG2, M7PL1G, M7PL2G, OPPLG1, OPPLG2, SKPL1G, SKPL2G, TPLG1, TPLG2		



No.	106500	Ref. No.	Y08800
description	gas injector thread M10x1 WS 11 bore ø 2.3mm inner peaked		
For models:	CCPG4, CCPG82, KP10G, KP10GA, KP15G, KP15GA, KP110G, KP110GA, KP115G, KP115GA, M7CP4G, OPP10G, OPP10GA, OPP15G, OPP15GA, OPPI10G, OPPI10GA, OPPI15G, OPPI15GA		



No.	106289	Ref. No.	Y31500
description	gas injector thread M10x1 WS 11 bore ø 2.45mm inner peaked		
For models:	KCP4, KCP82, OPCP4, OPCP82		



No.	100154	Ref. No.	Y30100
description	gas injector thread M10x1 bore ø 1.05mm L 30mm WS 12		
For models:	KBRG12, KBRG12IN, KBRGM12, KBRGM12IN, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGM12, OPBRGM12IN		



No.	106466	Ref. No.	X34000
description	gas injector thread M10x1 WS 12 bore ø 1.15mm		
For models:	B4F, B6F, B8F, C2F, C2FP, C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C4F, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4FP, C6F, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FP, CFTG1, CFTG1C, CFTG1R, CFTG3, CFTG3C, CFTG3LR, CFTG3R, CFTG4, CFTG4C, CFTG4R, CFTG8, CFTG8C, CFTG8LR, CFTG8R, I2FZ... (Other models you can see in the webshop)		



No.	102705	Ref. No.	X33300
description	gas injector thread M10x1 WS 11 bore ø 0.8mm		



No.	100420	Ref. No.	X33600
description	gas injector thread M10x1 WS 11 bore ø 0.95mm		
For models:	B4F, B4FZ, B6F, B6FZ, B8F, B8FZ, C2F, C2FP, C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C4F, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4FP, C6F, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FP, CF10DG8M, CF10G4M, K2F, K2FTPFG, K2FZ, K4F, K4FFE, K4FFG, K4FZ, K4FZFC, K4FZFCG, K4FZFE... (Other models you can see in the webshop)		



			
No.	106285	Ref. No.	X34000
description	gas injector thread M10x1 WS 11 bore ø 1.15mm		

			
No.	106490	Ref. No.	X34200
description	gas injector thread M10x1 WS 11 bore ø 1.25mm		
For models:	B4FZ, B6FZ, B8FZ, C2FTPFPG, C2FZ, C2FZP, C2TP2FGP, C4FZ, C4FZFCEP, C4FZFCGP, C4FZFEP, C4FZFGP, C4FZP, C4FZSP, C6FZ, C6FZFCEP, C6FZFCEPV, C6FZFCGP, C6FZFCGPV, C6FZFEP, C6FZFGAP, C6FZFGP, C6FZP, CCTP8, CCTPFG8, CFTG1, CFTG1C, CFTG1R, CFTG3, CFTG3C, CFTG3LR, CFTG4, CFTG4C, CFTG4R, CFTG8, CFTG8C, CFTG8LR, K2FZ, K4FZ, K4FZFCE, K4FZFCG, K4FZFE, K4FZFG, K4FZFGA, K4FZSFG, K6FZ, K6FZFCE, K6FZFCG, K6FZFE, K6FZFG...(Other models you can see in the webshop)		

			
No.	102774	Ref. No.	X34600
description	gas injector thread M10x1 WS 11 bore ø 1.45mm		
For models:	2FZP, B4FZ, B6FZ, B8FZ, C2FTPFPG, C2FTPFPGP, C2FZ, C2FZP, C4FFG, C4FFGP, C4FZ, C4FZFCE, C4FZFCEP, C4FZFCG, C4FZFCGP, C4FZFE, C4FZFEP, C4FZFG, C4FZFGP, C4FZP, C6FFG, C6FFGP, C6FZ, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, C6FZFE, C6FZFEP, C6FZFG, C6FZFGA, C6FZFGAP, C6FZFGP, C6FZP, CCTPFG8, CF10DG8M, CF10G4M, I2FZ, I2FZP, I4FZ, I4FZP, I6FZP, K2FTPFPG, K2FZ, K4FFG, K4FSFG...(Other models you can see in the webshop)		

			
No.	101997	Ref. No.	X34500
description	gas injector thread M10x1 WS 11 bore ø 1.4mm		
For models:	B4F, B6F, B8F, C2FTPFPG, C2TP2FGP, C4FFGP, C4FZFG, C4FZFGP, C4FZSFGP, C6FFGP, C6FZFG, C6FZFGP, CCTPFG8, FCE, FCG, FE, K2FTPFPG, K4F, K4FFE, K4FFG, K4FS, K4FSFCE, K4FSFCG, K4FSFE, K4FSFG, K4FZFG, K4FZSFG, K6F, K6FFE, K6FFG, K6FG, K6FZFG, K8F, K8FFE, K8FFG, K8FZFG, KTPFG, OP4F, OP4FS, OP6F, OP8F		

			
No.	100793	Ref. No.	X34700
description	gas injector thread M10x1 WS 11 bore ø 1.5mm		
For models:	B4F, B4FZ, B6F, B6FZ, B8F, B8FZ, C2F, C2FP, C2FTPFE, C2FTPFEP, C2FTPFPG, C2FTPFPGP, C2TP2FGP, C4F, C4FFCEP, C4FFCGP, C4FFE, C4FEP, C4FFG, C4FFGP, C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4FP, C6F, C6FFCEP, C6FFCGP, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FP, CCTP8, CCTPFG8, CFTG2, CFTG2C, CFTG2R, CFTG6, CFTG6C...(Other models you can see in the webshop)		

			
No.	106440	Ref. No.	X35400
description	gas injector thread M10x1 WS 11 bore ø 1.85mm		
For models:	B4F, B6F, B8F, C2F, C2FP, C2FTPFE, C2FTPFEP, C2FTPFPG, C2FTPFPGP, C2FZ, C2FZP, C2TP2FGP, C4F, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4FP, C4FZ, C4FZFCEP, C4FZFCGP, C4FZFEP, C4FZFGP, C4FZP, C4FZSP, C6F, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6FP, C6FZ, C6FZFCEP, C6FZFCEPV, C6FZFCGP, C6FZFCGPV...(Other models you can see in the webshop)		

			
No.	102984	Ref. No.	X35300
description	gas injector thread M10x1 WS 11 bore ø 1.8mm		
For models:	B4F, B6F, B8F, C2FP, C2FTPFPG, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGP, C6FP, K2F, K2FTPFCE, K2FTPFPG, K2FTPFE, K2FTPFG, K4F, K4FFE, K4FFG, K6F, K6FFE, K6FFG, K8F, K8FFE, K8FFG, OP2F, OP4F, OP6F, OP8F, T2FP, T4FP, T6FP		

			
No.	109116	Ref. No.	X33700
description	gas injector thread M10x1 WS 11 bore ø 1mm code 100		
For models:	2FZP, B4F, B4FZ, B6F, B6FZ, B8F, B8FZ, C2FP, C2FTPFPG, C2FZ, C2FZP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FP, C4FZ, C4FZFCE, C4FZFCEP, C4FZFCEG, C4FZFCEGP, C4FZFE, C4FZFEP, C4FZFG, C4FZFGP, C4FZP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGP, C6FP, C6FZ, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, C6FZFE, C6FZFEP, C6FZFG, C6FZFGA, C6FZFGAP, C6FZFGP, C6FZP, I2FZ, I2FZP...(Other models you can see in the webshop)		

			
No.	106284	Ref. No.	X32700
description	gas injector thread M10x1 WS 11 bore ø 2.15mm		
For models:	C2FTPFPG, C2TP2FGP, C4FFGP, C4FZFG, C4FZFGP, C4FZSFGP, C6FFGP, C6FZFG, C6FZFGP, CCTPFG8, K2FTPFPG, K4FFG, K4FSFG, K4FZFG, K4FZSFG, K6FFG, K6FZFG, K8FFG, K8FZFG, KTPFG		

			
No.	106491	Ref. No.	X35800
description	gas injector thread M10x1 WS 11 bore ø 2.1mm		
For models:	B4F, B6F, B8F, K4F, K4FFE, K4FFG, K6F, K6FFE, K6FFG, K8F, K8FFE, K8FFG		



	1				
No.	102972	Ref. No.		30500003	
description	pilot burner nozzle natural gas code 40 bore ø 0.4mm Qty 1 pcs				
For models:	KP20G, KP20GA, KP20GT, KP20GTA, KP30G, KP30GA, KP30GT, KP30GTA, KP50G, KP50GA, KP50GT, KP50GTA, KPGN18G, KPGN27G, KPGN37G, KPI20G, KPI20GA, KPI20GT, KPI20GTA, KPI30G, KPI30GA, KPI30GT, KPI30GTA, KPI50G, KPI50GA, KPI50GT, KPI50GTA, KPIGN18G, KPIGN27G, KPIGN37G				

1

No.	100205	Ref. No.	0000X30000
description	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
For models:	2FZP, B4FZ, B6FZ, B8FZ, C2FZP, C2TP2FGP, C4FZFCPE, C4FZFCGP, C4FZFEPE, C4FZFGP, C4FZP, C4FZSFCEP, C4FZSFCGP, C4FZSFEP, C4FZSFGP, C4FZSP, C6FFGAP, C6FZFCPE, C6FZFCPEPV, C6FZFCGP, C6FZFCGPV, C6FZFEP, C6FZFGA, C6FZFGAP, C6FZFGP, C6FZP, CFTG1, CFTG1C, CFTG1R, CFTG2, CFTG2C, CFTG2R, CFTG3, CFTG3C, CFTG3LR, CFTG3R, CFTG4, CFTG4C, CFTG4R, CFTG6, CFTG6C, CFTG6R, CFTG8, CFTG8C, CFTG8LR, CFTG8R, CN14FGA, I2FZP, I4FZP, I6FZP...(Other models you can see in the webshop)		



No.	100207	Ref. No.	X30300
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
For models:	2FZP, B4FZ, B6FZ, B8FZ, C2FZP, C2TP2FGP, C4FZFCEP, C4FZFCGP, C4FZFEP, C4FZFGP, C4FZP, C4FZSFCEP, C4FZSFCGP, C4FZSFEP, C4FZSFGP, C4FZSP, C6FZFCEP, C6FZFCEPV, C6FZFCGP, C6FZFCGPV, C6FZFEP, C6FZFGAG, C6FZFGP, C6FZP, I2FZP, I4FZP, I6FZP, K2FZ, K4FZ, K4FZFCE, K4FZFCG, K4FZFE, K4FZFZG, K4FZFGA, K4FZS, K4FZSFCE, K4FZSFCG, K4FZSFE, K4FZSFG, K6FZ, K6FZFCE, K6FZFCG, K6FZFE, K6FZFG, K6FZFGA, K8FZ, K8FZFCE, K8FZFCG, K8FZFE, K8FZFG...(Other models you can see in the webshop)		

1

No.	100554	Ref. No.	X11000
description	bypass nozzle type PEL20/21 bore ø 0.45mm thread M5x0.5		
For models:	2FZP, B4F, B4FZ, B6F, B6FZ, B8F, B8FZ, C2FP, C2FTFPGP, C2FZ, C2FZP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FP, C4FZ, C4FZFCF, C4FZFCGP, C4FZFCG, C4FZFCGP, C4FZFE, C4FZFEF, C4FZFG, C4FZFGP, C4FZP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGP, C6FP, C6FZ, C6FZFCF, C6FZFCGP, C6FZFCFVP, C6FZFCFV, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, C6FZFE, C6FZFEF, C6FZFG, C6FZFGA, C6FZFGAP, C6FZFGP, C6FZP, I2FZ, I2FZP...(Other models you can see in the webshop)		



No.	100550	Ref. No.	X11100
description	bypass nozzle type PEL20/21 bore ø 0.55mm thread M5x0.5		
For models:	C2FTPFGP, C2TP2FGP, CFTG22, CFTG2LR, CFTG2R2, CFTG62, CFTG6LR, CFTG6R2, I2FZ, I4FZ, SKT2G2, SKT2GLR, SKT2GR2, SKT60G2, SKT60GLR, SKT60GR2, TT2G2, TT2G2LR, TT2GR2, TT60G2, TT60GLR, TT60GR2		



No.	100278	Ref. No.	X04800
description	bypass nozzle type PEL20/21 bore ø 0.75mm thread M5x0.5		
For models:	2F2P, B4F, B4FZ, B6F, B6FZ, B8, B8F, B8FZ, C2FP, C2FTPFGP, C2FZ, C2FZP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FP, C4FZ, C4FZFCF, C4FZFCFEP, C4FZFCG, C4FZFCGP, C4FZFE, C4FZFEP, C4FZFG, C4FZFGP, C4FZP, C4FZSFCF, C4FZSFCGP, C4FZSFEP, C4FZSFGP, C4FZSP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGP, C6FP, C6FZ, C6FZFCF, C6FZFCFEP, C6FZFCFEPV, C6FZFCFEPV, C6FZFCFEPV, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGPV, C6FZFE, C6FZFEP, C6FZFG...(Other models you can see in the webshop)		



No.	100552	Ref. No.	X09700
description	bypass nozzle type PEL20/21 bore ø 0.7mm thread M5x0.5		
For models:	CFTG1, CFTG1R, CFTG22, CFTG2LR, CFTG2R2, CFTG3, CFTG3LR, CFTG3R, CFTG4, CFTG4R, CFTG62, CFTG6LR, CFTG6R2, CFTG8, CFTG8LR, CFTG8R, SKT2G, SKT2G2, SKT2GLR, SKT2GR, SKT2GR2, SKT60G, SKT60G2, SKT60GLR, SKT60GR, SKT60GR2, TT1G, TT1GR, TT2G2, TT2GLR, TT2GR2, TT3G, TT3GLR, TT40G, TT40GR, TT60G2, TT60GLR, TT60GR2, TT80G, TT80GLR		



1

No.	100555	Ref. No.	X09800
description	bypass nozzle type PEL20/21 bore ø 0.8mm thread M5x0.5		



1

No.	100528	Ref. No.	X10600
description	bypass nozzle type PEL20/21 bore ø 0.9mm thread M5x0.5		
For models:	CFTG1, CFTG1R, CFTG2, CFTG2R, CFTG3, CFTG3LR, CFTG3R, CFTG4, CFTG4R, CFTG6, CFTG6R, CFTG8, CFTG8LR, CFTG8R, SKT1G, SKT1GR, SKT3G, SKT3GLR, SKT40G, SKT40GR, SKT80G, SKT80GLR, TT1G, TT1GR, TT2G, TT2GR, TT3G, TT3GLR, TT40G, TT40GR, TT60G, TT60GR, TT80G, TT80GLR		

auxiliary gas parts

screw connections

union screws



1

No.	100906	Ref. No.	X13002
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		



1

No.	100908	Ref. No.	X13200
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
For models:	2FZP, B4FZ, B6FZ, B8FZ, C2FZP, C4FZFCE, C4ZFCEP, C4ZFZCG, C4FZFZCGP, C4FZFE, C4FZFEP, C4FZFG, C4FZFZFGP, C4FZP, C4FZSFCEP, C4FZSFZCGP, C4FZSFEP, C4FZSFZFGP, C4FZSP, C6FFGAP, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFZCG, C6FZFZCGP, C6FZFZCGPV, C6FZFZCGV, C6FZFE, C6FZFEP, C6FZFG, C6FZFGA, C6FZFZFGP, C6FZFZFGPV, C6FZP, CN14FGA, I2FZP, I4FZP, I6FZP, K2FZ, K4FZ, K4FZFCE, K4FZFZCG, K4FZFZ, K4FZFZFG, K4FZFZFGA, K4FZS, K4FZSFCE, K4FZSFZCG, K4FZSFZFE... (Other models you can see in the webshop)		

accessories for	100908		
	No.	100897	Ref. No.
	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	No.	101246	Ref. No.
	olive for pipe ø 4mm Qty 1 pcs		
	No.	101280	Ref. No.
	olive for pipe ø 4mm Qty 1 pcs		
	No.	101282	Ref. No.
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs		

angle pieces



1

No.	106283	Ref. No.	X68042
description	nozzle holder nozzle M6 M10x1 screw pipe fitting 1/4" tube ø 6mm		
For models:	CBG4, CBG6, CBG8, KB4G, KB8G, OPB4G, SKB40G, SKB60G, SKB80G, TB40G, TB60G, TB80G, TP40G		

gas ball valves

miscellaneous



1

No.	514215	Ref. No.	M75300
description	outlet tap angled wing handle inlet 1/2" IT outlet 3/4" IT L 53.5mm approval EN 331		
For models:	15PSE, 7DSE, 7DSET, 7SE, 7SET		

consumables

lava rocks / ceramic briquetts



1

No.	105342	Ref. No.	M30500
description	lava rocks content 9kg		
For models:	CPLG1, CPLG2, CPLG4, CPLG8, KPLG1, KPLG2, M7PL1G, M7PL2G, OPPLG1, OPPLG2, SKPL1G, SKPL2G, SKPL4G, SKPL8G, TPLG1, TPLG2		

equipment-specific units

for meat mincers

augers

complete



1

No.	698037	Ref. No.	W12477
description	auger model 12 ø 53mm L 135mm stainless steel with spindle ENTERPRISE		

			
1			
No.	698036	Ref. No.	W012410085
description	auger model 12 ø 53mm L 150mm cast iron with spindle ENTERPRISE		

for potato peelers

abrasive side elements

grinding discs

			
1			
No.	696377	Ref. No.	PL400
description	grating disc ø 350mm for potato peeler device		

for dough mixers

flange bearings

			
1			
No.	693112	Ref. No.	X61500
description	flange bearing type UCF204 shaft ø 20mm 4 hole flange hole distance 64mm H 33mm flange length 86mm flange width 86mm hole ø 12mm flange F204 ball bearing UC204G2 FH 25.5mm		

for ice-cube maker

drain systems

overflow pipes

			
1			
No.	695047	Ref. No.	I66021901
description	overflow pipe L 78mm straight		

curtains

without holder

			
1			
No.	695076	Ref. No.	I78416909
description	curtain for ice maker W 284mm H 83mm		

			
1			
No.	695075	Ref. No.	I78416901
description	curtain for ice maker W 305mm H 115mm shaft length 323mm shaft ø 6mm		

			
1			
No.	695077	Ref. No.	I78425003
description	curtain for ice maker W 570mm H 115mm shaft length 610mm shaft ø 6mm		

accessories

holders

			
1			
No.	695078	Ref. No.	I66046900
description	curtain holder for ice maker		

			
1			
No.	695080	Ref. No.	I66038800
description	curtain holder for ice maker W 15mm H 80mm left		



1

No.	695079	Ref. No.	I66038801
description	curtain holder for ice maker W 15mm H 80mm right		

lamellas



1

No.	695081	Ref. No.	I66062900
description	lamella for ice maker W 28mm H 71mm ø 6mm		

hoses

hose connectors

with thread



1

No.	695045	Ref. No.	I66022400
description	hose connector 3-way ID ø 15mm ED ø 21mm L 91mm		

floats

container lids



1

No.	695038	Ref. No.	I66036300
description	lid L 150mm W 102mm for float container		

float containers



1

No.	695037	Ref. No.	I79312601
description	float container for ice maker plastic		

for espresso machines

steam/water taps

steam/water pipes

accessories

gaskets



1

No.	510893	Ref. No.	904391
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	GLB785, GLB795		

for deep fryers

lids



1

No.	970369	Ref. No.	B65300
description	lid for fryer		
For models:	CF1E4, CF2E6, CF4E, CF6E, IF1E4, IF2E6, KFE1, KFE2, OPFE1, OPFE2, SKF1E, SKF2E, TF1E, TF2E, TF4E, TF6E		

glass panels



1

No.	691623	Ref. No.	K98111
description	glass panel L 28mm W 28mm thickness 3mm		
For models:	CFG15, CFG15D, KFG15, KFG15D, KFG20, KFG20D, OPFG15, OPFG15D, OPFG20, OPFG20D		

miscellaneous



1

No.	514204	Ref. No.	A75500
description	cam		

for ovens

glass panels



1

No.	694363	Ref. No.	Y61800
description	glass panel L 516mm W 380mm thickness 4mm for door		

for dishwashers

containers

container lids



1

No.	510109	Ref. No.	N/A
description	lid for salt tank		



1

No.	510110	Ref. No.	N/A
description	lid for salt tank		

salt tanks



1

	No.	524177	Ref. No.	N/A
description	lid ø 69mm H 20mm for salt tank ID ø 50mm			
accessories for	524177			
	No.	524148	Ref. No.	—
	O-ring EPDM thickness 3.53mm ID ø 40.86mm Qty 1 pcs			



1

No.	510018	Ref. No.	N/A
description	nut ø 92mm H 10.5mm for salt tank ID ø 64mm		



1

No.	510032	Ref. No.	N/A	
description	salt tank without gasket new model			
spare parts for	510032			
	No.	506015	Ref. No.	—
	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs			
	No.	510018	Ref. No.	N/A
	nut ø 92mm H 10.5mm for salt tank ID ø 64mm			
	No.	510071	Ref. No.	N/A
	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs			
	No.	524177	Ref. No.	N/A
	lid ø 69mm H 20mm for salt tank ID ø 50mm			

accessories



1

No.	510071	Ref. No.	N/A
description	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs		

boilers

boilers for dishwashers



1

No.	518378	Ref. No.	N/A
description	boiler		



1

No.	519028	Ref. No.	900486
description	boiler		
For models:	GLS905, GLS925		



1

No.	519021	Ref. No.	900351
description	boiler ø 100mm L 340mm		
For models:	GLB615		

1

No.	519023	Ref. No.	900355	
description	boiler ø 125mm L 330mm			
For models:	GLB785, GLB795			
accessories for	519023			
	No.	415167	Ref. No.	—
	heating element 3000W 230V mounting ø 38.5mm heating circuits 2 L 300mm W 21mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 6.5mm length thermostat sleeves 53mm thermostat sleeve not clinging tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater			
	No.	532577	Ref. No.	—
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			



1

No.	518377	Ref. No.	N/A
description	boiler ø 150mm L 360mm		



1

No.	519022	Ref. No.	900353 SD900353
description	boiler ø 150mm L 400mm		
For models:	GLS805, GLS845		



1

No.	519487	Ref. No.	900485	
description	boiler with heating element 6000W 230V ø 155mm L 400mm			
For models:	GLS935, GLS945, GLS945S			
spare parts for	519487			
	No.	416268	Ref. No.	905570
	heating element 6000W 230V mounting ø 38.5mm heating circuits 3 L 360mm W 34mm H 55mm L1 35mm L2 70mm L3 255mm H1 27mm H2 28mm hole distance 57mm hole ø 10mm tube ø 6.3mm connection male faston 6.3mm immersion heater 3 hole flange			
	No.	532577	Ref. No.	—
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			

accessories



1

No.	518348	Ref. No.	N/A
description	hose connector		

housing and bezels

miscellaneous



1

No.	697926	Ref. No.	901657
description	sticker for handle rail L 460mm		
For models:	GLS805, GLS845		



hood mechanics for dishwashers

bolts



1

No.	519202	Ref. No.	904771
description	screw bolt hood mechanics		
For models:	GLS935		

bushes



1

No.	519031	Ref. No.	900514
description	bush for hood rod		
For models:	GLS935		



1

No.	519205	Ref. No.	904796
description	bush hood mechanics		
For models:	GLS935, GLS945, GLS945S		

spring holders



1

No.	519243	Ref. No.	906066
description	bush for spring holder hood mechanics		
For models:	GLS935, GLS945, GLS945S		

hood handles



1

No.	519447	Ref. No.	908728
description	hood handle		
For models:	GLS945, GLS945S		

1

No.	519206	Ref. No.	904930
description	lever joint hood mechanics		
For models:	GLS935		

screws for spring compressor



1

No.	519260	Ref. No.	907222
description	screw for spring compressor hood mechanics		
For models:	GLS935		




1

No.	519274	Ref. No.	902377
description	screw thread M10 L 187mm for spring compressor hood mechanics		
For models:	GLS945, GLS945S		

basket guides

basket holders



1

No.	971057	Ref. No.	908708
description	basket support		
For models:	GLS945, GLS945S		

air traps

air traps



1

No.	511450	Ref. No.	SD907254
description	air trap		
accessories for	511450		



No.	511197	Ref. No.	903261
-----	--------	----------	--------

gasket L 46mm W 33mm for air trap



1

No.	518488	Ref. No.	N/A	
description air trap				
accessories for 518488				
	No.	504618	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs			
	No.	510075	Ref. No.	N/A
	flat gasket rubber ED ø 22mm ID ø 13mm thickness 1.5mm Qty 1 pcs			
	No.	510106	Ref. No.	N/A
	hose connector for air trap			

			
1			
No.	519250	Ref. No.	907254
description	air trap		
For models:	GLS905, GLS925, GLS945, GLS9455		



1

No.	519263	Ref. No.	907252	
description air trap				
For models: GLB785, GLB795, GLS805, GLS845				
accessories for 519263				
	No.	519057	Ref. No.	—
	nut thread 3/8" WS 25 H 6mm brass			
	No.	519114	Ref. No.	903260 SD903260
	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs			



1

No.	519319	Ref. No.	TR0268	
description	air trap			
For models:	GLS935			
accessories for	519319			
	No.	519057	Ref. No.	—
	nut thread 3/8" WS 25 H 6mm brass			
	No.	519114	Ref. No.	903260 SD903260
	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs			



1

No.	519212	Ref. No.	905273	
description	air trap L 54mm W 41mm H 45mm hose ø 6mm			
For models:	GLB615			
accessories for	519212			
	No.	519057	Ref. No.	—
	nut thread 3/8" WS 25 H 6mm brass			
	No.	519114	Ref. No.	903260 SD903260
	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs			



1

No.	510103	Ref. No.	N/A	
description	air trap L 85mm W 20mm H 80mm hose ø 6mm plastic			
spare parts for	510103			
	No.	505045	Ref. No.	—
O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs				
	No.	505094	Ref. No.	—
air trap				
	No.	510016	Ref. No.	N/A
eye bolt for rinse aid container connection				
	No.	510105	Ref. No.	N/A
hose connector for air trap				



1

No.	518200	Ref. No.	N/A	
description	air trap ø 34mm H 78mm hose ø 6mm plastic			
spare parts for	518200			
	No.	504618	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs			
	No.	510075	Ref. No.	N/A
	flat gasket rubber ED ø 22mm ID ø 13mm thickness 1.5mm Qty 1 pcs			
	No.	510106	Ref. No.	N/A
	hose connector for air trap			

air trap accessories



1

No.	511385	Ref. No.	907926
description	flange L 46mm W 32mm for air trap		
For models:	GLS905, GLS925, GLS945, GLS945S		



1

No.	510075	Ref. No.	N/A
description	flat gasket rubber ED ø 22mm ID ø 13mm thickness 1.5mm Qty 1 pcs		



1

No.	511197	Ref. No.	903261
description	gasket L 46mm W 33mm for air trap		
For models:	GLS905, GLS925, GLS945, GLS945S		



1

No.	510105	Ref. No.	N/A	
description	hose connector for air trap			
spare parts for	510105			
	No.	510017	Ref. No.	N/A
	union screw			



1

No.	510106	Ref. No.	N/A
description	hose connector for air trap		

backflow preventers

backflow preventers



1

No.	518237	Ref. No.	N/A
description	backflow preventer		



1

No.	518297	Ref. No.	N/A
description	backflow preventer		



1

No.	516101	Ref. No.	TR2433	
description	backflow preventer dishwasher hose ø 12mm			
For models:	GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S			
spare parts for	516101			
	No.	506367	Ref. No.	—
	flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs			

miscellaneous



1

No.	519237	Ref. No.	906001
description	plain washer		
For models:	GLS945S		

door mechanics

linkage



1

No.	518355	Ref. No.	N/A
description	door pin stop rod		



1

No.	519261	Ref. No.	907240
description	door pin tie bar		
For models:	GLB785, GLS805, GLS845		

threaded shafts



1

No.	519228	Ref. No.	905424
description	threaded part end stop		
For models:	GLB785, GLS805, GLS845		

sliding plates



1

No.	518356	Ref. No.	N/A
description	sliding plate sliding plate		



1

No.	519208	Ref. No.	904952
description	sliding plate sliding plate		
For models:	GLB785, GLS805, GLS845		

hinges



1

No.	519035	Ref. No.	901245
description	door hinge bores 3 hinge		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845		



1

No.	518547	Ref. No.	N/A
description	door hinge hinge mounting pos. left		



1

No.	518253	Ref. No.	N/A
description	door hinge hinge mounting pos. right		



1

No.	518301	Ref. No.	N/A
description	door hinge mounting pos. left/right		



1

No.	502263	Ref. No.	901249
description	hinge mounting pos. left L 94mm N45/N50		
For models:	GLS905, GLS925		



1

No.	502262	Ref. No.	901248
description	hinge mounting pos. right L 94mm N45/N50		
For models:	GLS905, GLS925		

hinge camps



1

No.	518257	Ref. No.	N/A
description	hinge camp mounting pos. left		

hinge pins



1

No.	518267	Ref. No.	N/A
description	hinge pin hinge pin		



1

No.	519204	Ref. No.	904795
description	hinge pin hinge pin		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845		

door bumpers



1

No.	518066	Ref. No.	N/A
description	door bumper end stop		

locks



1

No.	519247	Ref. No.	906121 SD906121	
description	door catch door locking catch			
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925			
accessories for	519247			
	No.	519050	Ref. No.	902023
	nut thread M12x1.75 H 4mm WS 16 SS Qty 1 pcs for snap lock			



1

No.	513138	Ref. No.	N/A
description	door catch with nut door locking catch		



1

No.	518245	Ref. No.	N/A
description	spigot door catch		

miscellaneous



1

No.	504435	Ref. No.	908146
description	flat gasket plastic ED ø 18mm ID ø 9.5mm thickness 2.5mm for door hinge Qty 1 pcs		
For models:	GLS905, GLS925		

screw connections



1

No.	519054	Ref. No.	902070
description	locknut thread 1"		
For models:	GLB615, GLB785, GLB795		



1

No.	519053	Ref. No.	902061
description	locknut thread 1/2"		
For models:	GLS935, GLS945, GLS945S		



1

No.	519055	Ref. No.	902080
description	locknut thread 1 1/4"		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS935, GLS945, GLS945S		



1

No.	519056	Ref. No.	902090
description	locknut thread 1 3/4"		
For models:	GLS805, GLS845		

1 			
No.	519008	Ref. No.	900050
description	locknut thread 2¼" Qty 1 pcs		
For models:	GLS945S		

1 			
No.	519076	Ref. No.	902679
description	screw with nut thread M10x1.5 H 17mm WS 22		
For models:	GLB785, GLB795		

washing and rinsing systems

1 			
No.	519088	Ref. No.	902891
description	bush for wash arm		
For models:	GLS945S		

1 			
No.	519062	Ref. No.	902351
description	cap		
For models:	GLB615, GLB785, GLB795		

1 			
No.	510016	Ref. No.	N/A
description	eye bolt for rinse aid container connection		

1 			
No.	518461	Ref. No.	N/A
description	flange for wash arm support		

1 			
No.	501351	Ref. No.	908124
description	flange mounting pos. upper ø 91mm H 11mm ID ø 45mm hole ø 5.5mm		
For models:	GLS905, GLS925		

1 			
No.	519122	Ref. No.	903351
description	flat gasket for rinse arm		
For models:	GLB615, GLB785, GLB795, GLS935, GLS945, GLS945S		

1 			
No.	519006	Ref. No.	900035
description	locknut		
For models:	GLB785, GLB795, GLS935		

1 			
No.	519087	Ref. No.	902890
description	locknut for wash arm		
For models:	GLS945S		

1 			
No.	518238	Ref. No.	N/A
description	manifold ø 12mm L 98mm		

1 			
No.	519007	Ref. No.	900049
description	opposite support mounting pos. lower for wash arm support		
For models:	GLS945S		



1

No.	519444	Ref. No.	905449
description	opposite support mounting pos. upper/lower for wash arm support suitable for Silanos		
For models:	GLS805, GLS845, GLS905, GLS925, GLS945		
accessories for	519444		
	No.	519445	Ref. No.
			908141
	gasket D1 ø 80mm D2 ø 50mm thickness 3mm with 4 screw holes		

			
1			
No.	519238	Ref. No.	906002
description	plain washer ID ø 15mm ED ø 33mm thickness 0.8mm SS Qty 1 pcs		
For models:	GLB785, GLB795		

			
1			
No.	501349	Ref. No.	908456
description	reducer for rinse arm shaft		
For models:	GLS945		

			
1			
No.	519201	Ref. No.	904765
description	rinse pipe		
For models:	GLB615, GLB785, GLB795, GLS935		

			
1			
No.	519198	Ref. No.	904753
description	rinse pipe mounting pos. lower ø 16mm L 13.5mm		
For models:	GLS945S		

			
1			
No.	518003	Ref. No.	N/A
description	screw cap		

			
1			
No.	510011	Ref. No.	N/A
description	screw connection plastic		

			
1			
No.	501348	Ref. No.	906004
description	shim for rinse arm shaft		
For models:	GLS945		

			
1			
No.	519437	Ref. No.	902183
description	spacer piece		
For models:	GLS905, GLS925		

			
1			
No.	517355	Ref. No.	908702
description	spacer piece for wash arm support ID ø 44mm ED ø 80mm thickness 18mm L 55mm plastic		
For models:	GLS805, GLS845		

			
1			
No.	518337	Ref. No.	N/A
description	throttle disc		

			
1			
No.	519085	Ref. No.	902880
description	Thumb screw ø 34mm thread M6		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		

 1			
No.	510112	Ref. No.	N/A
description	Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS		

 1			
No.	518484	Ref. No.	N/A
description	wash arm support for stationary arms mounting pos. upper		

 1			
No.	519019	Ref. No.	900164
description	wash pipe mounting pos. upper		
For models:	GLS935		

 1			
No.	519459	Ref. No.	908729
description	wash pipe mounting pos. upper edition until 11/2005		
For models:	GLS945, GLS945S		

 1			
No.	519438	Ref. No.	903743
description	wash pipe ø 37mm L 700mm plastic suitable for Silanos		
For models:	GLS905, GLS925		

 1			
No.	519537	Ref. No.	908701
description	wash pipe ø 37mm L 720mm plastic suitable for Silanos		
For models:	GLS805, GLS845		

washing and rinsing systems (sorted by producer)

GIGA

rinse arms

rotary

complete

 1			
---	--	--	--

No.	510118	Ref. No.	N/A	
description	wash arm L 245mm nozzles 4 mounting ø 12mm mounting pos. upper			
spare parts for	510118			
	No.	510011	Ref. No.	N/A
screw connection plastic				
	No.	510012	Ref. No.	N/A
flat gasket PTFE ED ø 16.5mm ID ø 12.5mm thickness 1.5mm Qty 1 pcs equiv. no. 437008				
	No.	510013	Ref. No.	N/A
rinse arm shaft				
	No.	510130	Ref. No.	N/A
union nut for rinse jet				
	No.	510139	Ref. No.	N/A
rinse jet				
	No.	518326	Ref. No.	N/A
rinse arm boss				
	No.	518328	Ref. No.	N/A
rinse arm mounting pos. right L 110mm mounting ø 13mm nozzles 2				
	No.	518329	Ref. No.	—
rinse arm mounting pos. left L 110mm mounting ø 13mm nozzles 2				

wash and rinse arms combined

rotary


complete



1

No.	510119	Ref. No.	N/A
description	wash and rinse arm wash arm L 410mm rinse arm L 410mm w. jets 7 r. jets 5 mounting ø 16.5mm mounting pos. lower		
spare parts for	510119		
	No.	510010	Ref. No. N/A
wash arm boss L1 64mm L2 60mm mounting ø 16.5mm			
	No.	510130	Ref. No. N/A
union nut for rinse jet			
	No.	510131	Ref. No. N/A
union nut for wash jet			
	No.	510138	Ref. No. —
wash jet fine groove			
	No.	510139	Ref. No. N/A
rinse jet			
	No.	518004	Ref. No. N/A
wash jet			
	No.	518382	Ref. No. N/A
wash arm mounting pos. right L 175mm mounting ø 24mm nozzles 4			
	No.	518383	Ref. No. —
rinse arm mounting pos. left L 175mm mounting ø 13mm nozzles 2			
	No.	518384	Ref. No. —
rinse arm mounting pos. right L 175mm mounting ø 13mm nozzles 3			
	No.	518631	Ref. No. —
wash arm mounting pos. left L 170mm nozzles mounting ø 24mm			
accessories for	510119		
	No.	510108	Ref. No. N/A
rinse arm shaft			
	No.	510112	Ref. No. N/A
Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS			
	No.	518003	Ref. No. N/A
screw cap			

accessories for	510119		
	No.	518008	Ref. No. —
gasket D1 ø 43mm D2 ø 78mm thickness 2mm with 6 holes wash arm support			
	No.	518036	Ref. No. N/A
formed hose angled warewashing			



1

No.	518411	Ref. No.	N/A
description	wash and rinse arm wash arm L 410mm rinse arm L 415mm w. jets 7 r. jets 5 mounting ø 17/52mm mounting pos. upper		
spare parts for	518411		
	No.	510138	Ref. No. —
wash jet fine groove			
	No.	510139	Ref. No. N/A
rinse jet			
	No.	518053	Ref. No. N/A
union nut for rinse jet			
	No.	518272	Ref. No. N/A
union nut for wash jet			
accessories for	518411		
	No.	510112	Ref. No. N/A
Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS			
	No.	518003	Ref. No. N/A
screw cap			

knobs

producer-specific knobs

GIGA



1

No.	110771	Ref. No.	0000X00800
description	knob gas tap with ignition flame ø 60mm shaft ø 8x6.5mm shaft flat upper black		
For models:	C2FP, C2FTPFP, C2FTPFGP, C4FFE, C4FFGP, C4FFLEP, C4FFLGP, C4FP, C6FFE, C6FFGAP, C6FFGP, C6FFLEP, C6FFLEPV, C6FFLGP, C6FFLGPV, C6FP, CFTG1, CFTG1R, CFTG2, CFTG22, CFTG2LR, CFTG2R, CFTG2R2, CFTG3, CFTG3LR, CFTG4, CFTG4R, CFTG6, CFTG62, CFTG6LR, CFTG6R, CFTG6R2, CFTG8, CFTG8LR, CPG, CPGI, CPLG4, CPLG8, SKPL1G, SKPL2G, SKT1G, SKT1GR, SKT2G, SKT2G2, SKT2GLR, SKT2GR, SKT-2GR2, SKT3G, SKT3GLR, SKT40G...(Other models you can see in the webshop)		



1

No.	110049	Ref. No.	0000X00100
description	knob gas tap without ignition flame ø 60mm shaft ø 8x6.5mm shaft flat upper		
For models:	C2F, C2FTPFE, C2FTPFG, C4F, C4FFE, C4FFG, C4FFLE, C4FFLG, C6F, C6FFE, C6FFG, C6FFGA, C6FFLE, C6FFLEV, C6FFLG, C6FFLGV, CC120G, CC80G, CC81G, CCG120E, CCG80E, CCG81E, SKC40G, SKC80G, T2F, T4F, T6F		



1

No.	110352	Ref. No.	0000X00900
description	knob gas thermostat 1-8 ø 60mm shaft ø 8x6.5mm shaft flat upper black		
For models:	C4FFLG, C4FFLGP, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, CC120G, CC80G, CC81G		



1

No.	110774	Ref. No.	0000X03800 old version
description	knob oven ø 60mm shaft ø 6x4.6mm shaft flat lower black		



1

No.	110775	Ref. No.	0000X01200
description	knob oven TH/BH/TH+BH ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	C2FTPFE, C2FTPFP, C4FFE, C4FFGP, C4PFE, C4PQFE, C4VFE, C6FFE, C6FFGP, C6PFE, C6PQFE, CCTPFE8		



1

No.	110773	Ref. No.	0000X00600
description	knob switch 0-1 ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	15DPE, 15PE, 15PSE, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSET, 7SET, CRE4, CRE6, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKR40E, SKR60E, TR40E, TR60E		



1

No.	110770	Ref. No.	0000X01000
description	knob switch 4-position ø 60mm shaft ø 6x4.6mm shaft flat upper		
For models:	CCPE4, CCPE6, SKCP40E, SKCP60E, TCP40E, TCP60E		



1

No.	110451	Ref. No.	0000X00500
description	knob switch 7-position ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	C2P, C2PQ, C4P, C4PFE, C4PFLE, C4PQ, C4PQFE, C6P, C6PFE, C6PFLE, C6PFLEV, C6PQ, C6PQFE, CC120E, CC80E, CC81E, CCQ120E, CCQ80E, CCQ81E, SKC40E, SKC80E, SKCQ40E, SKCQ80E, TC120E, TC40E, TC80E, TCQ120E, TCQ40E, TCQ80E		



1

No.	110453	Ref. No.	0000X00400
description	knob thermostat t.max. 110°C 30-110°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C		
For models:	CBE4, CBE6, CBE8, SKB40E, SKB60E, SKB80E, TB40E, TB60E, TB80E		



1

No.	110455	Ref. No.	0000X00700
description	knob thermostat t.max. 195°C ø 60mm shaft ø 6x4.6mm shaft flat upper temperature range 100-195°C		
For models:	15DPE, 15PE, 15PSE, 4DME, 4ME, 6+4LE, 6+4ME, 6DLE, 6DME, 6LE, 6ME, 7DSE, 7DSET, 7SE, 7SET, CF15DG8, CF15G4, CF1E4, CF2E4, CF2E6, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKF1E, SKF2E, SKF2E4, TF1E, TF2E		



1

No.	110454	Ref. No.	0000X00300
description	knob thermostat t.max. 300°C 50-300°C ø 60mm shaft ø 6x4.6mm shaft flat upper		
For models:	C4FFLE, C4FFLEP, C4PFLE, C4VFLE, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6PFLE, C6PFLEP, CBRE8, CC120E, CC81E, CCG120E, CCG81E, CCQ120E, CCQ81E, CCV81E, CFTE1, CFTE1C, CFTE1R, CFTE2, CFTE22, CFTE2C, CFTE2C2, CFTE2LR, CFTE2R, CFTE3, CFTE3C, CFTE3LR, CFTE4, CFTE4C, CFTE4R, CFTE6, CFTE62, CFTE6C, CFTE6C2, CFTE6LR, CFTE6R, CFTE8, CFTE8C, CFTE8LR, SKBR40E, SKT1E, SKT1EC, SKT1ER, SKT2E, SKT2E2, SKT2EC, SKT2EC2...(Other models you can see in the webshop)		



1

No.	110776	Ref. No.	0000X03700
description	knob thermostat t.max. 300°C 50-300°C ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	C2FTPFE, C2FTPFEF, C4FFE, C4FFEP, C4PFE, C4PQFE, C4VFE, C6FFE, C6FFEP, C6PFE, C6PQFE, CCTPFE8		



1

No.	110452	Ref. No.	0000X01400
description	knob thermostat t.max. 300°C ø 60mm shaft ø 6x4.6mm shaft flat upper temperature range 50-300°C		
For models:	CC80E, CCG80E, CCQ80E, CCV80E		



1

No.	110779	Ref. No.	0000Y03800
description	knob gas thermostat 1-8 ø 75mm shaft ø 10x8mm shaft flat upper black		
For models:	K2FTPG, K4FFG, K6FFG, K8FFG, KFTG4, KFTG4C, KFTG4R, KFTG8, KFTG8C, KFTG8LR, KTPFG		



1

No.	110781	Ref. No.	0000Y04700
description	knob oven TH/BH/TH+BH ø 75mm shaft ø 6x4.6mm shaft flat upper black		
For models:	K4FFE, K4PFE, K6FFE, K6PFE, K8FFE		



1

No.	110786	Ref. No.	0000Y04400
description	knob switch 0-1 ø 75mm shaft ø 6x4.6mm shaft flat upper black		
For models:	KBRE, KBRE12, KBRE12IN, KBREIN, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KFTE1, KFTE1C, KFTE1R, KFTE3, KFTE3C, KFTE3LR, KFTE4, KFTE4C, KFTE4R, KFTE8, KFTE8C, KFTE8LR		



1

No.	110780	Ref. No.	0000Y04600
description	knob t.max. 300°C temperature range 50-300°C ø 75mm shaft ø 6x4.6mm shaft flat upper black		
For models:	K4FFE, K4PFE, K6FFE, K6PFE, K8FFE		



1

No.	110785	Ref. No.	0000Y04900
description	knob thermostat t.max. 300°C 50-300°C ø 75mm shaft ø 6x4.6mm shaft flat upper black rotation 270°		
For models:	KBRE, KBRE12, KBRE12IN, KBREIN, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KFTE1, KFTE1C, KFTE1R, KFTE3, KFTE3C, KFTE3LR, KFTE4, KFTE4C, KFTE4R, KFTE8, KFTE8C, KFTE8LR, OPBREM, OPBREM12, OPBREM12IN, OPBREM12IN		



2

No.	110784	Ref. No.	0000Y04500
description	knob water ø 75mm shaft ø 10x8mm shaft flat upper		
For models:	KB4, KB8, KBRE, KBRE12, KBRE12IN, KBREIN, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KCP8		



1

No.	111485	Ref. No.	0000Y65005
description	knob 7-position t.max.°C ø 71mm shaft ø 6x4.6mm shaft flat upper		
For models:	C1W, C2I, C2P, C2PQ, C4I, C4P, C4PFCE, C4PFCE9, C4PFE, C4PFE9, C4PQ, C4PQFCE, C4PQFE, C4VFE, C6P, C6PFCE, C6PFCEV, C6PFE, C6PQ, C6PQFCE, C6PQFCEV, C6PQFE, CC80E, I1W, I2I, I2P, I2PQ, I4I, I4P, I4PQ, K1W, K2P, K4P, K4PFCE, K4PFCE9, K4PFE, K4PFE9, K6P, K6PFCE, K6PFE, K6PFE9, OP1W, OP2P, OP4P, OP6P, SK1W, SK2I, SK4I, SK4PFCE, SK4PQFCE...(Other models you can see in the webshop)		



1

No.	110442	Ref. No.	0000Y65203
description	knob gas tap with ignition flame t.max.°C ø 71mm shaft ø 10x8mm shaft flat upper black		
For models:	CCPG4, CCPG82, CPG, CPGI, KCP4, KCP82, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KP20G, KP20GA, KP30G, KP30GA, KP50G, KP50GA, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KP120G, KP120GA, KP130G, KP130GA, KP150G, KP150GA, OPCP4, OPCP82, OPP10G, OPP10GA, OPP15G, OPP15GA, OPP10G, OPP10GA, OPP15G, OPP15GA		



1

No.	112012	Ref. No.	0000Y65103
description	knob gas tap with ignition flame t.max.°C ø 71mm shaft ø 8x6.5mm shaft flat upper		
For models:	2FZP, B4F, B4FZ, B6F, B6FZ, B8, B8F, B8FZ, C2FP, C2FTPFPG, C2FZ, C2FZP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FP, C4FZ, C4FZFCPE, C4FZFCGP, C4FZFEP, C4FZFGP, C4FZP, C4FZSFCEP, C4FZSFCGP, C4FZSFEP, C4FZSFGP, C4FZSP, C6FFCEP, C6FFCGP, C6FFEP, C6FFGP, C6FP, C6FZ, C6FZFCPE, C6FZFCGP, C6FZFCGPV, C6FZFEP, C6FZFGAP, C6FZFGP, C6FZP, CCTP8, CCTPFG8, CFTG1, CFTG1R, CFTG2, CFTG22, CFTG2LR...(Other models you can see in the webshop)		



1

No.	111829	Ref. No.	0000Y65101
description	knob gas tap without ignition flame t.max.°C ø 71mm shaft ø 8x6.5mm shaft flat upper black		
For models:	C2FZ, C2FZP, C4FZ, C4FZFCE, C4FZFCG, C4FZFE, C4FZFG, C4FZP, C4FZSP, C6FZ, C6FZFCE, C6FZFCEV, C6FZFCG, C6FZFCGV, C6FZFE, C6FZFG, C6FZFGA, C6FZP, I2FZ, I4FZ, T2FZ, T2FZP, T4FZ, T4FZP, T6FZ, T6FZP		



1

No.	111496	Ref. No.	0000Y65010
description	knob ON-OFF ø 71mm shaft ø 6x4.6mm shaft flat upper black		
For models:	CMP4, IMP4, KBRE, KBRE12, KBRE12IN, KBRE9, KBREIN, KBREIN9, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KFT4E, KFT4EC, KFT4ER, KFT8E, KFT8E23C, KFT8EC, KFT8ELR, KFT8ER, OPBRE, OPBRE12, OPBRE12IN, OPBRE12MIN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN, OPBREM12IN, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN, OPFT4E, OPFT4EC, OPFT4ER, OPFT8E...(Other models you can see in the webshop)		



1

No.	112102	Ref. No.	0000Y65015
description	knob oven t.max. 250°C 100-250°C ø 71mm shaft ø 6x4.6mm shaft flat upper black		
For models:	CC80E, CCG80E		



1

No.	111470	Ref. No.	0000Y65007
description	knob oven t.max.°C°C ø 71mm shaft ø 6x4.6mm shaft flat upper black		
For models:	C4FFEP, C4ZFCE, C4ZFCEP, C4ZFSEF, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFE, C6FFEP, C6FZFE, C6FZFEP, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6PQFE, CN10FE, K2FTPF, K4FFE, K4FS, K4FSFE, K4ZFCE, K4ZSFE, K4PFE, K4PFE9, K4VFE, K6FFE, K6ZFCE, K6PFE, K6PFE9, K8FFE, K8FZFE, KTFPE		



1

No.	111493	Ref. No.	0000X03800 0000Y65008
description	knob oven t.max.°C°C ø 71mm shaft ø 6x4.6mm shaft flat upper black		
For models:	C4FFCEP, C4FFLE, C4FFLEP, C4ZFCE, C4ZFCEP, C4ZSFCEP, C4PFCE, C4PFLE, C4PQFCE, C4VFCE, C4VFLE, C6FFCEP, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FZCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6PFCE, C6PFCEV, C6PFLE, C6PFLEV, C6PQFCE, C6PQFCEV, CC120E, CC81E, CCG120CE, CCG120E, CCG81CE, CCG81E, CCQ120E, CCQ81E, CCV81E, K2FTPFCE, K4FSFCE, K4ZFCE, K4ZSFCE, K4PFCE, K4VFCE, K6ZFCE, K6PFCE, K8FZCE, KTFCE, SK4FZFCEP, SK4PFCE, SK4PQFCE, SK4VFCE, SK6FZFCEP...(Other models you can see in the webshop)		



1

No.	112136	Ref. No.	0000Y65011
description	knob switch 4-position t.max.°C°C ø 71mm shaft ø 6x4.6mm shaft flat upper black		
For models:	CCPE4, CCPE6, CPEI, CPEI9, ICPE4, ICPE6, K4PFE, K6PFE, KCP4E, KC-P82E, KPI10E, KPI10E9, KPI10EA, KPI10EA9, KPI15E, KPI15E9, KPI15EA, KPI15EA9, KPI20E, KPI20EA, KPI30E, KPI30EA, KPI50E, KPI50EA, OPC-P4E, OPCP82E, SKCP40E, SKCP60E, TCP40E, TCP60E		



1

No.	112137	Ref. No.	0000Y65002
description	knob thermostat t.max. 195°C ø 71mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-195°C		
For models:	15DPE, 15PE, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CFE15, CFE159, CFE15D, CFE15D9, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE15, KFE159, KFE15D, KFE15D9, KFE2, KFE20, KFE20D, OPFE1, OPFE15, OPFE15D, OPFE2, OPFE20, OPFE20D, SK10DSE, SK10SE, SKF1E, SKF2E, SKF2E4, SKF4E, SKF6E, TF1E, TF2E, TF2E4, TF4E, TF6E		



1

No.	112135	Ref. No.	0000Y65004
description	knob thermostat t.max. 300°C ø 71mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		
For models:	C4FFCEP, C4FFEP, C4ZFCE, C4ZFCEP, C4ZFCE, C4ZFCEP, C4ZSFCEP, C4ZSFEP, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFCE, C4VFE, C6FFCEP, C6FFEP, C6FZCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFE, C6FZFEP, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6PQFE, CBRE, CBRE9, CBREIN, CBREIN9, CCG120CE, CCG81CE, CFTE1, CFTE1C, CFTE1R, CFTE2, CFTE22, CFTE2C, CFTE2C2, CFTE2LR, CFTE2R, CFTE2R2, CFTE3, CFTE3C, CFTE3LR, CFTE3R, CFTE4...(Other models you can see in the webshop)		



1

No.	110456	Ref. No.	Y65000
description	knob universal ø 71mm shaft ø 6x4.6mm shaft flat upper black		



1

No.	110457	Ref. No.	Y65100
description	knob universal ø 71mm shaft ø 8x6.5mm shaft flat upper black		




1


No.	110458	Ref. No.	Y65003
description	knob dial plate gas tap with ignition flame ED ø 66mm ID ø 50mm silver		





1


No.	110465	Ref. No.	Y65007
description	knob dial plate oven BH/TH/BH+TH ED ø 66mm ID ø 50mm silver		

			
1			
No.	110479	Ref. No.	Y65010
description	knob dial plate switch 0-1 ED ø 66mm ID ø 50mm silver		

			
1			
No.	110690	Ref. No.	0000Y65012
description	knob dial plate switch 0-1-2 ED ø 66mm ID ø 50mm silver		
For models:	CPEI, CPEI9, KPI10E, KPI10E9, KPI10EA, KPI10EA9, KPI15E, KPI15E9, KPI15EA, KPI15EA9, KPI20E, KPI20EA, KPI30E, KPI30EA, KPI50E, KPI50EA, OPPI10E, OPPI10EA, OPPI15E, OPPI15EA		

			
1			
No.	110464	Ref. No.	Y65005
description	knob dial plate switch 7-position ED ø 66mm ID ø 50mm silver		

			
1			
No.	110462	Ref. No.	Y65004
description	knob dial plate thermostat t.max. 300°C 50-300°C rotation 270° ED ø 66mm ID ø 50mm silver		

			
1			
No.	110778	Ref. No.	Y65014
description	knob dial plate thermostat t.max. 90°C 30-90°C rotation 270° ED ø 66mm ID ø 50mm silver		

			
1			
No.	111226	Ref. No.	DFP032A60A DFP032A80A
description	knob gas tap with ignition flame t.max. °C ø 70mm shaft ø 8x6.5mm shaft flat upper		
For models:	M72FPTFG, M74FMP, M74FMPFE, M74FMPFG, M74FMPFEXE, M74FMPFXG, M74FP, M74FPFE, M74FPFG, M74FPFEXE, M74FPFXG, M76FMP, M76FMPFE, M76FMPFG, M76FMPFEXE, M76FMPFXG, M76FP, M76FPFE, M76FPFG, M76FPFEXE, M76FPFXG, M76CP4G, M76PL1G, M76PL2G		

			
1			
No.	111228	Ref. No.	DFP012A60A
description	knob gas tap without ignition flame t.max. °C ø 70mm shaft ø 6x4.6mm shaft flat upper		
For models:	M62F, M64F, M74F, M74FFEXE, M74FFFXG, M76F, M76FFEXE, M76FFFXG, M76FT4GL, M76FT4GR, M76FT6GL, M76FT6GLR		

			
1			
No.	111231	Ref. No.	DFP092A60A
description	knob gas thermostat 1-8 ø 70mm shaft ø 6x4.6mm shaft flat upper black		
For models:	M74FFFXG, M74FMPFXG, M74FPFXG, M76FFFXG, M76FMPFXG, M76FPFXG		

			
1			
No.	111229	Ref. No.	DFP072A60A
description	knob oven TH/BH/TH+BH ø 70mm shaft ø 6x4.6mm shaft flat upper		
For models:	M74FMPFE, M74FPFE, M76FMPFE, M76FPFE		



1

No.	111227	Ref. No.	DFP122A60A
description	knob switch 0-1-2 ø 70mm shaft ø 6x4.6mm shaft flat upper		
For models:	M6CP4E, M7CP4E		



1

No.	111224	Ref. No.	DFP052A60A
description	knob switch 7-position ø 70mm shaft ø 6x4.6mm shaft flat upper		
For models:	M62P, M62V, M64P, M64V, M74P, M74PFXE, M74PQ, M74PQFXE, M74V, M74VFXE, M76P, M76PFXE		



1

No.	111225	Ref. No.	DFP022A60A
description	knob thermostat t.max. 195°C ø 70mm shaft ø 6x4.6mm shaft flat upper temperature range 100-195°C		
For models:	M6F4E, M6F6E, M7F4E, M7F6E		



1

No.	111230	Ref. No.	DFP042A60A
description	knob thermostat t.max. 300°C ø 70mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		
For models:	M6FT4EL, M6FT4ER, M6FT6EL, M6FT6ELR, M74FFXE, M74FMPFE, M74FMPFXE, M74FPFE, M74FPFXE, M74PFXE, M74PQFXE, M74VFXE, M76FFXE, M76FMPFE, M76FMPFXE, M76FPFE, M76FPFXE, M76PFXE, M7FT4EL, M7FT4ER, M7FT6EL, M7FT6ELR		



1

No.	111232	Ref. No.	DFP142A60A
description	knob thermostat t.max. 90°C ø 70mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°		
For models:	M6B4E, M7B4E		



1

No.	110824	Ref. No.	Y65300
description	knob switch zero mark ø 40mm shaft ø 6x4.6mm shaft flat upper black		
For models:	S600E		



1

No.	699300	Ref. No.	761-005-00
description	knob zero mark ø 67mm shaft ø 6x4.6mm shaft flat upper black		



1

No.	699301	Ref. No.	761-006-00
description	knob zero mark ø 67mm shaft ø 8x6mm shaft flat upper black		

accessories

button springs



1

No.	550132	Ref. No.	063009
description	knob spring ø 6x4.6mm Qty 10 pcs		
For models:	S110E, S300E, S350G		

handles and hand wheels

hand wheels

hand wheels

1

No.	690540	Ref. No.	X18500
description	hand wheel ø 150mm		
For models:	CBRE, CBRE8, CBREIN, CBRG, CBRG8, CBRGIN		

			
1			
No.	690544	Ref. No.	0900X18500
description	hand wheel ø 150mm		

			
1			
No.	693113	Ref. No.	0900X18500
description	hand wheel ø 150mm D1 ø 38mm bore ø 14mm thread groove width 5mm L1 38mm L2 40mm handle length 65mm with folding handle		
For models:	CBRE, CBRE9, CBREIN, CBREIN9, CBRG, CBRGIN		
spare parts for	693113		
	No.	514255	Ref. No.
	—		
	 folding handle ø 26mm total length 85mm seat ø 20mm shaft ømm thread M6 with pin L 85mm		
accessories for	693113		
	No.	690968	Ref. No.
	E10300028		
	 roll pin ø 5mm L 20mm		

			
1			
No.	692430	Ref. No.	0900Y41900
description	hand wheel ø 200mm D1 ø 50mm bore ø 20mm thread groove width 6mm groove depth 13mm mounting distance 30mm L1 47mm L2 50mm handle length 90mm with folding handle		

			
1			
No.	692431	Ref. No.	0900Y41900
description	hand wheel ø 200mm D1 ø 50mm bore ø 20mm thread groove width 8mm groove depth 12mm mounting distance 32mm L1 40mm L2 43mm handle length 65mm with folding handle		
For models:	KBRE, KBRE12, KBRE12IN, KBRE9, KBREIN, KBREIN9, KBRG, KBRG12, KBRG12IN, KBRGIN, OPBRE, OPBRE12, OPBRE12IN, OPBREIN, OPBRG, OPBRG12, OPBRG12IN, OPBRGIN		

cone handles

			
1			
No.	693121	Ref. No.	065007
description	cone handle thread M8 ø 33mm L 82mm plastic black		
For models:	S110E, S300E, S350G		

			
1			
No.	695615	Ref. No.	761-081-00 AVA017ZR10
description	cone handle thread M5x0.8 fryer cover		
For models:	CBE4, CBE8, CBG4, CF4E, CF6E, CRE4, CRE6, M6CP4E, M6F4E, M6F6E, M7CP4E, M7CP4G, M7F4E, M7F4G, M7F6E, M7F8G, SKB40E, SKB40G, SKB80E, SKF10GM, SKF1E, SKF20GM, SKF2E, SKF4E, SKF6E, SKR40E, SKR60E, TB40E, TB40G, TB80E, TF10GM, TF1E, TF20GM, TF2E, TF4E, TF6E, TR40E, TR60E		

ball handles

			
1			
No.	540323	Ref. No.	20200013
description	ball handle thread M10 ø 40mm with metal bush black		
For models:	KPI10ET, KPI10ETA, KPI15ET, KPI15ETA, KPI20ET, KPI20ETA, KPI20VT, KPI20VTA, KPI30ET, KPI30ETA, KPI30VT, KPI30VTA, KPI50ET, KPI50ETA, KPI50VT, KPI50VTA		

handle rails

handle rails



No.	524271	Ref. No.	903933
description	handle rail L 512mm W 28mm H 40mm dark blue Qty 1 pcs		
For models:	GLS805, GLS845		
accessories for	524271		
	No.	697926	Ref. No. 901657
	sticker for handle rail L 460mm		



No.	511195	Ref. No.	903934
description	handle rail L 562mm W 40mm suitable for Silanos blue hole distance 257/393/493mm		
For models:	GLS905, GLS925		

end caps



No.	518530	Ref. No.	N/A
description	end cap mounting pos. left		



No.	518529	Ref. No.	N/A
description	end cap mounting pos. right		

bracket handles



No.	695616	Ref. No.	AVA013ZR10
description	handle L 185mm bracket handle		
For models:	M7CP4G, M7F4G, M7F8G		

HANDLES AND HAND WHEELS GIGA



No.	390732	Ref. No.	Y65700
description	handle rod L 590mm H 60mm tube ø 30mm stainless steel		
For models:	B4F, B4FZ, B6F, B6FZ, B8FZ, C1W, C2FTPFPG, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFEP, C4FFGP, C4FZFCE, C4FZFCEP, C4FZFCEG, C4FZF-CGP, C4FZFE, C4FZFEP, C4FZFG, C4FZFGP, C4FZSFCEP, C4FZSFCGP, C4FZSFEP, C4FZSFGP, C4I, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4V, C4VFCE, C4VFE, C6FFCEP, C6FFCGP, C6FFEP, C6FFGAP, C6FFGP, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFCEG, C6FZFCEGP, C6FZFCEGPV, C6FZFCEGV, C6FZFE, C6FZFEP, C6FZFG, C6FZFGA...(Other models you can see in the webshop)		



No.	691338	Ref. No.	AVA011ZR10 AVA037ZR10
description	pull handle L 485mm H 52mm mounting distance 470mm		
For models:	M72FPTFG, M74FFXE, M74FFXG, M74FMPFE, M74FMPFG, M74FMPFEXE, M74FMPFXG, M74FPFE, M74FPFG, M74FPFEXE, M74FPFXG, M74PFEXE, M74PQFEXE, M74VFEXE, M76FFXE, M76FFXG, M76FMPFE, M76FMPFG, M76FMPFEXE, M76FMPFXG, M76FPFE, M76FPFG, M76FPFEXE, M76FPFXG, M76PFEXE		

accessories

miscellaneous




No.	693119	Ref. No.	055807
description	hand protection for griddle		
For models:	S110E, S300E, S350G		

locks

edgemount latches

handle latches

CAFF/FERMOD




1

No.	700060	Ref. No.	RX1496
description	handle latch L 150mm mounting distance 133mm non lockable heated units G 791		
accessories for	700060		
	No.	700061	Ref. No. —
	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
	No.	700062	Ref. No. —
	handle protection heated units		

RAHRBACH

6188 ERGO series



1

No.	690808	Ref. No.	M19700
description	handle latch L 185mm mounting distance 150mm chrome-plated non lockable for headed units 6188 type ERGO		
For models:	GSP01		
accessories for	690808		
	No.	690110	Ref. No. —
	base plate H 1mm L 38mm W 11mm mounting distance 26mm plastic		
	No.	690111	Ref. No. —
	base plate H 2mm L 38mm W 11mm mounting distance 26mm plastic		
	No.	690114	Ref. No. —
	base plate H 3.5mm L 185mm W 30mm mounting distance 150mm with inclination thread M5		
	No.	700082	Ref. No. —
	door catch L 38mm W 18mm mounting distance 26mm		

snap locks

universal



1

No.	690596	Ref. No.	R31200
description	snap lock L 60mm W 15mm H 36mm mounting distance 48/28mm spring thickness 1.5mm complete with door catch zamak		

hinges

spring assisted hinges

producer-specific

DESMON



1

No.	701011	Ref. No.	FP280847
description	spring assisted hinge with hinge camp L 74mm W 24mm shaft length 18mm mounting distance 25mm mounting measurements 22x22x100mm		


GIGA




1

No.	701011	Ref. No.	FP280847
description	spring assisted hinge with hinge camp L 74mm W 24mm shaft length 18mm mounting distance 25mm mounting measurements 22x22x100mm		


oven hinges




No.	700003	Ref. No.	X68006
description	opposite support L 110mm W 12mm mounting distance 94mm		
For models:	C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4PFLE, C4VFLE, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6PFLE, C6PFLEV, CC120E, CC120G, CC80E, CC80G, CC81E, CC81G, CCG120E, CCG80E, CCG81E, CCQ120E, CCQ80E, CCQ81E, CCV80E, CCV81E		




No.	700001	Ref. No.	N/A
description	opposite support L 118mm W 17mm mounting distance 94mm		



No.	700013	Ref. No.	X68021	
description	oven hinge mounting distance 118mm lug mounting 13mm lever length 119mm groove distance 13mm spring thickness 3.5mm mounting ear position left spring length 60mm L 154mm			
For models:	C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4PFLE, C4VFLE, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6PFLE, C6PFLEV, CC120E, CC120G, CC80E, CC80G, CC81E, CC81G, CCG120E, CCG80E, CCG81E, CCQ120E, CCQ80E, CCQ81E, CCV80E, CCV81E			
accessories for	700013			
	No.	700003	Ref. No.	X68006
	opposite support L 110mm W 12mm mounting distance 94mm			




1



No.	700014	Ref. No.	X68020	
description	oven hinge mounting distance 118mm mounting distance 2mm lug mounting 13mm lever length 119mm groove distance 13mm spring thickness 3.5mm mounting ear position right spring length 60mm L 154mm			
For models:	C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4PFLE, C4VFLE, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6PFLE, C6PFLEV, CC120E, CC120G, CC80E, CC80G, CC81E, CC81G, CCG120E, CCG80E, CCG81E, CCQ120E, CCQ80E, CCQ81E, CCV80E, CCV81E			
accessories for	700014			
	No.	700003	Ref. No.	X68006
opposite support L 110mm W 12mm mounting distance 94mm				



No.	700006	Ref. No.	0000X66000	
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm			
For models:	C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C2TP2FGP, C4FFCEP, C4FFFCGP, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FZFCE, C4FZFCEP, C4FZFCG, C4FZFCGP, C4FZFE, C4FZFEP, C4FZFG, C4FZFGP, C4FZSFCEP, C4FZSFCGP, C4FZSFEP, C4FZSFGP, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFCE, C4VFE, C6FFCEP, C6FFFCGP, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZFCEV, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCEGV, C6FZFE, C6FZFEP, C6FZFG, C6FZFGA...(Other models you can see in the webshop)			
accessories for	700006			
	No.	700001	Ref. No.	N/A
	opposite support L 118mm W 17mm mounting distance 94mm			
	No.	700007	Ref. No.	0000X66100 X66100
	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm			

				
1				
No.	700007	Ref. No.	0000X66100	
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm			
For models:	C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C2TP2FGP, C4FFCEP, C4FFCGP, C4FFE, C4FFEP, C4FFG, C4FFGP, C4ZFCE, C4ZFCEP, C4ZFZFCG, C4ZFZFCGP, C4ZFZE, C4ZFZFE, C4ZFZFG, C4ZFZFGP, C4ZFZSFCEP, C4FZSFCGP, C4FZSFEP, C4FZSFGP, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFCE, C4VFE, C6FFCEP, C6FFCGP, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FZFCE, C6FZFCEP, C6FZFCEPV, C6FZF- CEV, C6FZFCG, C6FZFCGP, C6FZFCGPV, C6FZFCGV, C6FZFE, C6FZFEP, C6FZFG, C6FZFGA...(Other models you can see in the webshop)			
accessories for	700007			
	No.	700001	Ref. No.	N/A
opposite support L 118mm W 17mm mounting distance 94mm				
	No.	700006	Ref. No.	0000X66000 X66000
oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm				

door bearing



1

No.	700721	Ref. No.	DVA012ZR10
description	bolt L 15mm ø 6mm		
For models:	M7CP4G, M7F4G, M7F8G		



1

No.	700720	Ref. No.	SLM563ZR10
description	door hinge for fryer		
For models:	M7CP4G, M7F4G, M7F8G		
accessories for	700720		



No.	700721	Ref. No.	DVA012ZR10
bolt L 15mm ø 6mm			

pullouts

rollers

rollers

			
No.	692465	Ref. No.	908704
description	roller rollerø 33mm B1 8mm A 33mm B 8mm C 14.5mm D M8mm E 11.5mm plastic tread plastic bearing ball bearing thread M8x1.25 thread L 20mm Qty 1 pcs		
For models:	GLS945, GLS945S		

fittings for catering equipment

outlet taps

producer-specific

GIGA

			
No.	514325	Ref. No.	M75400
description	ball valve connection 1" IT - 1" IT DN25 total length 83mm with lever handle		
For models:	15DPE, 15PE, CCPE4, CCPE6, CCPG4, CCPG8, CCPG82, CF10DG8M, CF10G4M, CF15DG8, CF15G4, CFE15, CFE15D, CFG15, CFG15D, KCP4, KCP4E, KCP8, KCP82, KCP82E, KFE15, KFE15D, KFE20, KFE20D, KFE4, KFE8, KFG1, KFG15, KFG15D, KFG2, KFG20, KFG20D, KFG4, KFG8, OPCP4, OPCP4E, OPCP82, OPCP82E, OPFE15, OPFE15D, OPFE20, OPFE20D, OPFG1, OPFG15, OPFG15D, OPFG2, OPFG20, OPFG20D, TCP40E, TCP60E		

			
No.	540730	Ref. No.	M75500
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 70mm with lever handle handle length 95mm		
For models:	CCPE4, CCPE6, KB4, KB4G, KB8, OPB4, OPB4G, OPB8, SKCP40E, SKCP60E, TCP40E, TCP60E		

			
No.	514411	Ref. No.	M22200
description	handle		
For models:	CBE4, CBE8, CBG4, CF10DG8M, CF10G4M, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CRE4, CRE6, SK10DSE, SK10SE, SKB40E, SKB40G, SKB80E, SKCP40E, SKCP60E, SKCP60G, SKF10GM, SKF1E, SKF20GM, SKF2E, SKF2E4, SKF4E, SKF6E, SKR40E, SKR60E, TB40E, TB40G, TB80E, TCP60G, TF10GM, TF1E, TF20GM, TF2E, TF2E4, TF4E, TF6E, TP40G, TR40E, TR60E		



No.	514446	Ref. No.	M75700
description	handle for outlet tap		
For models:	15DPE, 15PE, CCPG4, CCPG8, CCPG82, KCP4, KCP4E, KCP82, KCP82E, KFG1, KFG2, OPCP4, OPCP4E, OPCP82, OPCP82E, OPFG1, OPFG2, TF10GM, TF20GM		



No.	514410	Ref. No.	T30200
description	lever		
For models:	CBE4, CBE8, CBG4, CF10DG8M, CF10G4M, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CRE4, CRE6, SK10DSE, SK10SE, SKB40E, SKB40G, SKB80E, SKCP60G, SKF10GM, SKF1E, SKF20GM, SKF2E, SKF2E4, SKF4E, SKF6E, SKR40E, SKR60E, TB40E, TB40G, TB80E, TCP60G, TF10GM, TF1E, TF20GM, TF2E, TF2E4, TF4E, TF6E, TP40G, TR40E, TR60E		



No.	514215	Ref. No.	M75300
description	outlet tap angled wing handle inlet 1/2" IT outlet 3/4" IT L 53.5mm approval EN 331		
For models:	15PSE, 7DSE, 7DSET, 7SE, 7SET		



No.	514233	Ref. No.	0000X15200
description	outlet tap DN25 connection 3/4" total length 85mm		
For models:	CBE4, CBE8, CBG4, CF10DG8M, CF10G4M, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CRE4, CRE6, SKB40E, SKB40G, SKB80E, SKF10GM, SKF1E, SKF20GM, SKF2E, SKF4E, SKF6E, SKR40E, SKR60E, TB40E, TB40G, TB80E, TCP60G, TF10GM, TF1E, TF20GM, TF2E, TF2E4, TF4E, TF6E, TP40G, TR40E, TR60E		
accessories for	514233		
	No.	514410	Ref. No. T30200
lever			
	No.	514411	Ref. No. M22200
handle			

h2>aerators and air bleeders



No.	540827	Ref. No.	Y70200
description	aerator and air bleeder thread 3/4" ET chrome-plated L 45mm ø 36mm		
For models:	KPI20E, KPI20EA, KPI20G, KPI20GA, KPI30E, KPI30EA, KPI30G, KPI30GA, KPI50E, KPI50EA, KPI50G, KPI50GA		

h2>lid hinges

h3>type RUBINETTERIE DEL FRIULI

h4>for circular lids

h4>lid hinges



No.	540839	Ref. No.	0000E50000 0000Y45200
description	lid hinge L 270mm mounting distance 139mm flange radius 470mm opening angle 80° spring thickness 5mm bore ø M16mm for circular lids		
For models:	CPEI, CPG, CPGI, KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KPI10E, KPI10EA, KPI10G, KPI10GA, KPI10GT, KPI10GTA, KPI15E, KPI15EA, KPI15G, KPI15GA, KPI15GT, KPI15GTA, OPP10G, OPP10GA, OPP15G, OPP15GA, OPP10E, OPP10EA, OPP10G, OPP10GA, OPP15E, OPP15EA, OPP15G, OPP15GA		
spare parts for	540839		
	No.	514137	Ref. No. —
spring guide for lid hinge ID ø 28mm ED ø 32mm L 225mm zinc-coated steel			
	No.	514140	Ref. No. —
lid hinge body lid radius 470mm			
	No.	514144	Ref. No. —
bracket for lid hinge			
	No.	514145	Ref. No. —
adjusting bush L 108mm ø 80/60mm			
	No.	540854	Ref. No. —
torsion spring ø 50.8mm wire gauge ø 5.1mm L1 34mm L2 104mm L3 29mm mounting pos. right			
	No.	540855	Ref. No. —
torsion spring ø 50.8mm wire gauge ø 5.1mm L1 34mm L2 104mm L3 29mm mounting pos. left			

lid hinges

1

No.	540720	Ref. No.	Y45200	
description	lid hinge for circular lids			
spare parts for	540720			
	No.	514143	Ref. No.	—
lid hinge body lid radius 320mm				
	No.	514146	Ref. No.	—
bracket for lid hinge				
	No.	514147	Ref. No.	—
adjusting bush				
	No.	540846	Ref. No.	—
torsion spring ø 42.5mm wire gauge ø 4.1mm L1 93mm L2 26mm L3 26mm mounting pos. left				
	No.	540847	Ref. No.	—
torsion spring ø 42.5mm wire gauge ø 4.1mm L1 93mm L2 26mm L3 26mm mounting pos. right				

FIREX

lid hinges

1

No.	514412	Ref. No.	20300096	
description	lid hinge L 230mm mounting distance 1 150mm flange radius 320mm spring thickness 4mm for circular lids			
For models:	KPI10ET, KPI10ETA, KPI10VT, KPI10VTA, KPI15ET, KPI15ETA, KPI15VT, KPI15VTA			
spare parts for	514412			
	No.	540846	Ref. No.	—
	torsion spring ø 42.5mm wire gauge ø 4.1mm L1 93mm L2 26mm L3 26mm mounting pos. left			
	No.	540847	Ref. No.	—
	torsion spring ø 42.5mm wire gauge ø 4.1mm L1 93mm L2 26mm L3 26mm mounting pos. right			

1

No.	514413	Ref. No.	20300086	
description	lid hinge L 270mm mounting distance 1 139mm flange radius 395mm spring thickness 5mm bore ø M15mm for circular lids			
For models:	KP20G, KP20GA, KP20GT, KP20GTA, KP30G, KP30GA, KP30GT, KP30GTA, KP50G, KP50GA, KP50GT, KP50GTA, KPI20E, KPI20EA, KPI20ET, KPI20G, KPI20GA, KPI20GT, KPI20GTA, KPI20VT, KPI20VTA, KPI30E, KPI30EA, KPI30G, KPI30GA, KPI30GT, KPI30GTA, KPI50E, KPI50EA, KPI50G, KPI50GA, KPI50GT, KPI50GTA			
spare parts for	514413			
	No.	540854	Ref. No.	—
torsion spring ø 50.8mm wire gauge ø 5.1mm L1 34mm L2 104mm L3 29mm mounting pos. right				
	No.	540855	Ref. No.	—
torsion spring ø 50.8mm wire gauge ø 5.1mm L1 34mm L2 104mm L3 29mm mounting pos. left				





1

No.	514414	Ref. No.	20300108
description	lid hinge L 270mm mounting distance 1 139mm flange radius 470mm spring thickness 6mm bore ø M15mm for circular lids		
For models:	KPI30ET, KPI30VT, KPI30VTA, KPI50ET, KPI50VT, KPI50VTA		
spare parts for	514414		

	No.	540856	Ref. No.	—
torsion spring ø 52mm wire gauge ø 6.2mm L1 30mm L2 95mm L3 30mm mounting pos. right				

	No.	540857	Ref. No.	—
torsion spring ø 52mm wire gauge ø 6.2mm L1 30mm L2 95mm L3 30mm mounting pos. left				

h2>lid catches



h2>inlet taps



h2>FITTINGS FOR CATERING EQUIPMENT GIGA

h2>drain taps

h3>brass

h3>drain taps



Table continues overleaf

accessories for 540275				
	No.	529484	Ref. No.	—
	flat gasket fibre ED ø 58mm ID ø 50mm thickness 2mm Qty 1 pcs			
	No.	542448	Ref. No.	—
	gasket silicone 60x49x2 for drain tap 2"			

1

No.	540267	Ref. No.	E50200
description	drain tap connection with union nut thread 2"		
For models:	KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KP110E, KP110EA, KP110ET, KP110ETA, KP110GT, KP110GTA, KP115E, KP115EA, KP115ET, KP115ETA, KP115GT, KP115GTA, OPP10G, OPP10GA, OPP15G, OPP15GA, OPP110E, OPP110EA, OPP110GT, OPP110GTA, OPP115E, OPP115EA, OPP115GT, OPP115GTA		
spare parts for	540267		
	No.	505517	Ref. No.
	O-ring EPDM thickness 5.34mm ID ø 53.34mm Qty 1 pcs		
	No.	540214	Ref. No.
	handle ID ø 6mm L 145mm		

accessories

1

No.	540959	Ref. No.	10500060
description	gasket for drain tap hose ext. ø 60mm ID ø 50mm H 2mm		
For models:	KP20G, KP20GA, KP20GT, KP20GTA, KP30G, KP30GA, KP30GT, KP30GTA, KP50G, KP50GA, KP50GT, KP50GTA, KPGN18G, KPGN27G, KPGN37G, KPI10ET, KPI10ETA, KPI10VT, KPI10VTA, KPI15ET, KPI15ETA, KPI15VT, KPI15VTA, KPI20E, KPI20EA, KPI20ET, KPI20ETA, KPI20G, KPI20GA, KPI20GT, KPI20GTA, KPI20VT, KPI20VTA, KPI30E, KPI30EA, KPI30ET, KPI30ETA, KPI30G, KPI30GA, KPI30GT, KPI30GTA, KPI30VT, KPI30VTA, KPI50E, KPI50EA, KPI50ET, KPI50ETA, KPI50G, KPI50GA, KPI50GT...(Other models you can see in the webshop)		

1

No.	540958	Ref. No.	10200002
description	rosette for drain tap hose ext. ø 120mm ID ø 60mm H 13mm		
For models:	KP20G, KP20GA, KP20GT, KP20GTA, KP30G, KP30GA, KP30GT, KP30GTA, KP50G, KP50GA, KP50GT, KP50GTA, KPGN18G, KPGN27G, KPGN37G, KPI10ET, KPI10ETA, KPI10VT, KPI10VTA, KPI15ET, KPI15ETA, KPI15VT, KPI15VTA, KPI20E, KPI20EA, KPI20ET, KPI20ETA, KPI20G, KPI20GA, KPI20GT, KPI20GTA, KPI20VT, KPI20VTA, KPI30E, KPI30EA, KPI30ET, KPI30ETA, KPI30G, KPI30GA, KPI30GT, KPI30GTA, KPI30VT, KPI30VTA, KPI50E, KPI50EA, KPI50ET, KPI50ETA, KPI50G, KPI50GA, KPI50GT...(Other models you can see in the webshop)		



No.	540957	Ref. No.	10400006
description	screw-in socket for drain tap thread 2" L 120mm		
For models:	KPI10VT, KPI10VTA, KPI15VT, KPI15VTA		

test taps

test taps

1

No.	540818	Ref. No.	E50400 Y71300
description	test tap thread 1/2" ET W 88mm W1 38mm		
For models:	CPEI, CPEI9, CPG, CPGI, KPI10E, KPI10EA9, KPI10G, KPI10GA, KPI10GT, KPI10GTA, KPI15E, KPI15EA, KPI15EA9, KPI15G, KPI15GA, KPI15GT, KPI15GTA, KPI20E, KPI20EA, KPI20G, KPI20GA, KPI30E, KPI30EA, KPI30G, KPI30GA, KPI50E, KPI50EA, KPI50G, KPI50GA, OPP10E, OPP10EA, OPP10G, OPP10GA, OPP11E, OPP11EA, OPP11G, OPP11GA		



safety fittings

accessories



1

No.	540835	Ref. No.	10400061
description	screw cap thread 3/4"		
For models:	KP20GT, KP20GTA, KP30GT, KP30GTA, KP50GT, KP50GTA, KPI10ET, KPI10ETA, KPI15ET, KPI15ETA, KPI20E, KPI20EA, KPI20ET, KPI20ETA, KPI20G, KPI20GA, KPI20GT, KPI20GTA, KPI30E, KPI30EA, KPI30ET, KPI30ETA, KPI30G, KPI30GA, KPI30GT, KPI30GTA, KPI50E, KPI50EA, KPI50ET, KPI50ETA, KPI50G, KPI50GA, KPI50GT, KPI50GTA, KPIGN37G		
spare parts for	540835		
	No.	513016	Ref. No.
	O-ring EPDM thickness 3.53mm ID ø 26.58mm Qty 1 pcs		
accessories for	540835		
	No.	513016	Ref. No.
	O-ring EPDM thickness 3.53mm ID ø 26.58mm Qty 1 pcs		

safety valves



1

No.	514415	Ref. No.	30300018 30300024
description	safety valve for kettle thread M33		
For models:	KP20GA, KP20GTA, KP30GA, KP30GTA, KP50GA, KP50GTA, KPI10VTA, KPI15VTA, KPI20EA, KPI20GA, KPI20GTA, KPI20VT, KPI20VTA, KPI30EA, KPI30GA, KPI30GTA, KPI30VT, KPI30VTA, KPI50EA, KPI50GA, KPI50GTA, KPI50VT, KPI50VTA		



1

No.	540721	Ref. No.	Y70300
description	safety valve triggering pressure 0.5bar M88 thread 1 1/4"		
accessories for	540721		
	No.	541501	Ref. No.
	reducer for safety fitting IT 1 1/4" ET 3/4"		



1

No.	540722	Ref. No.	30300026 Y70800
description	safety valve with outlet for lid		
For models:	KPI10ETA, KPI15ETA, KPI20ETA, KPI30ETA, KPI50ETA		

equipment feet and end caps

equipment feet

with screw mounting



1

No.	701092	Ref. No.	713-007-00 713-028-00 AVA010ZR10
description	equipment foot tube ø 50mm thread M10 thread L 23mm H 113/160mm SS Qty 1 pcs		
For models:	M72FPTFG, M74F, M74FFXE, M74FFXG, M74FMP, M74FMPFE, M74FMPFG, M74FMPFEXE, M74FMPFXG, M74FP, M74FPFE, M74FPFG, M74FPFEXE, M74FPFXG, M74P, M74PFEXE, M74PQ, M74PQFEXE, M74V, M74VFXE, M76F, M76FFXE, M76FFXG, M76FMP, M76FMPFE, M76FMPFG, M76FMPFEXE, M76FMPFXG, M76FP, M76FPFE, M76FPFG, M76FPFEXE, M76FPFXG, M76P, M76PFEXE, M7B4E, M7CP4E, M7CP4G, M7F4E, M7F4G, M7F6E, M7F8G, M7FT4EL, M7FT4ER, M7FT4GL, M7FT4GR, M7FT6EL, M7FT6ELR, M7FT6GL, M7FT6GLR...(Other models you can see in the webshop)		



1

No.	701304	Ref. No.	905016
description	equipment foot tube ø 52mm thread M10 thread L 18mm H 130-190mm SS size 2" Qty 1 pcs WS 44		
For models:	GLS925		

screw-in feet

			
No.	695614	Ref. No.	765-049-00 M06400
description	equipment foot thread M10 ø 26mm H 30mm		
For models:	15PSE, 2FZP, C1W, C2FZ, C2FZP, C2I, C2P, C2PQ, C2V, C4FZ, C4FZP, C4FZSP, C4I, C4P, C4PQ, C4V, C4VFCE, C4VFE, C6FZ, C6FZP, C6P, C6PQ, CBE4, CBE8, CBG4, CCPE4, CCPE6, CCTP8, CF10DG8M, CF10G4M, CF1E4, CF2E4, CF2E6, CF4E, CF6E, CFTE1, CFTE1C, CFTE1R, CFTE2, CFTE22, CFTE2C, CFTE2C2, CFTE2LR, CFTE2R, CFTE2R2, CFTE3, CFTE3C, CFTE3LR, CFTE3R, CFTE4...(Other models you can see in the webshop)		

bolting feet

			
No.	693442	Ref. No.	064001
description	equipment foot ø 29mm H 15mm rubber bore ø 6mm Qty 1 pcs		
For models:	S300E		

baskets

fryer baskets

			
No.	970609	Ref. No.	Y46900
description	fryer basket L1 275mm W1 130mm H1 120mm H2 240mm		
For models:	15DPE, 15PE, CF10DG8M, CF10G4M, CFE15, CFE159, CFE15D, CFE15D9, CFG15, CFG15D, KFE15, KFE159, KFE15D, KFE15D9, KFG1, KFG15, KFG15D, KFG2, M7F4G, M7F8G, OPFE15, OPFE15D, OPFG1, OPFG15, OPFG15D, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM		

			
No.	970603	Ref. No.	Y46800
description	fryer basket L1 275mm W1 270mm H1 120mm L2 470mm H2 150mm H3 230mm chrome-plated steel		
For models:	15DPE, 15PE, CF10DG8M, CF10G4M, CFE15, CFE159, CFE15D, CFE15D9, KFE15, KFE159, KFE15D, KFE15D9, KFG1, KFG2, M7F4G, M7F8G, OPFE15, OPFE15D, OPFG1, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM		

			
No.	970451	Ref. No.	Y48100
description	fryer basket L1 280mm W1 100mm H1 100mm chrome-plated steel		
For models:	CF1E4, CF2E6, CF4E, CF6E, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE2, M6F4E, M6F6E, M7F4E, M7F6E, OPFE1, OPFE2, SKF1E, SKF2E, SKF4E, SKF6E, TF1E, TF2E, TF4E, TF6E		

			
No.	970215	Ref. No.	Y47700 Y48000
description	fryer basket L1 280mm W1 200mm H1 100mm chrome-plated steel		
For models:	CF1E4, CF2E6, CF4E, CF6E, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE2, M6F4E, M6F6E, M7F4E, M7F6E, OPFE1, OPFE2, SK10DSE, SK10SE, SKF1E, SKF2E, SKF4E, SKF6E, TF1E, TF2E, TF4E, TF6E		

			
No.	970610	Ref. No.	X55600
description	fryer basket L1 290mm W1 215mm H1 120mm L2 230mm H2 230mm H3 230mm chrome-plated steel		
For models:	CFE15, CFE15D, CFG15, CFG15D, KFE15, KFE15D, KFG15, KFG15D, OPFE15, OPFE15D, OPFG15, OPFG15D		

			
No.	970214	Ref. No.	Y47900
description	fryer basket L1 295mm W1 100mm H1 105mm		
For models:	CF1E4, CF2E6, CF4E, CF6E, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE2, OPFE1, OPFE2, SK10DSE, SK10SE, SKF1E, SKF2E, SKF4E, SKF6E, TF1E, TF2E, TF4E, TF6E		

			
No.	970449	Ref. No.	X63100
description	fryer basket L1 300mm W1 110mm H1 110mm chrome-plated steel		
For models:	15DPE, 15PE, CF10DG8M, CF10G4M, CF2E4, KFG1, KFG2, OPFG1, OPFG2, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKF10GM, SKF20GM, SKF2E4, TF10GM, TF20GM, TF2E4		

			
No.	970217	Ref. No.	X62000
description	fryer basket L1 300mm W1 230mm H1 105mm		
For models:	15DPE, 15PE, CF10DG8M, CF10G4M, KFG1, KFG2, OPFG1, OPFG2, SK10DSE, SK10DSE9, SK10SE, SK10SE9, SKF10GM, SKF20GM, TF10GM, TF20GM		

			
No.	970262	Ref. No.	X63200
description	fryer basket L1 315mm W1 123mm H1 130mm		
For models:	CF15DG8, CF15G4		

			
No.	970265	Ref. No.	Y45900
description	fryer basket L1 330mm W1 140mm H1 135mm L2 700mm H2 160mm H3 250mm chrome-plated steel		
For models:	KFE4, KFE8, KFG4, KFG8		

			
No.	970266	Ref. No.	Y46000
description	fryer basket L1 330mm W1 280mm H1 140mm		
For models:	KFE4, KFE8, KFG4, KFG8		

h2>pasta baskets

			
No.	970771	Ref. No.	X59600
description	pasta basket H1 160mm W1 135mm L1 275mm L2 470mm H2 185mm H3 270mm stainless steel		
For models:	CCPE4, CCPE6, ICPE4, ICPE6, SKCP40E, SKCP60E, SKCP60G, TCP40E, TCP60E, TCP60G		

			
No.	970608	Ref. No.	DVC002ZR10
description	pasta basket L1 120mm W1 90mm H1 148mm H2 235mm stainless steel		
For models:	M6CP4E, M7CP4E		

			
No.	970607	Ref. No.	712-049-00 X62900
description	pasta basket L1 140mm W1 140mm H1 205mm H2 300mm stainless steel		
For models:	M7CP4G		

			
1			
No.	970223	Ref. No.	X60600
description	pasta basket L1 160mm W1 290mm H1 200mm H3 340mm stainless steel		
For models:	CCPG4, CCPG82, KCP4, KCP4E, KCP82, KCP82E, OPCP4, OPCP4E, OPCP82, OPCP82E		

			
1			
No.	970206	Ref. No.	X62600
description	pasta basket L1 280mm W1 145mm H1 160mm H3 298mm stainless steel		


			
1			
No.	970224	Ref. No.	X62800
description	pasta basket L1 290mm W1 160mm H1 200mm H2 280mm stainless steel		
For models:	CCPG8, KCP8		

			
1			
No.	970216	Ref. No.	X62600
description	pasta basket L1 295mm W1 135mm H1 160mm H3 290mm stainless steel		
For models:	CCPE4, CCPE6, SKCP40E, SKCP60E, TCP40E, TCP60E		

			
1			
No.	970550	Ref. No.	712-064-00 X59700
description	pasta basket L1 295mm W1 135mm H1 200mm L2 390mm H2 220mm H3 305mm stainless steel		
For models:	CCPG4, CCPG82, M7CP4G		

			
1			
No.	970606	Ref. No.	DVC001ZR10
description	pasta basket L1 295mm W1 95mm H1 125mm H2 240mm stainless steel		
For models:	M6CP4E, M7CP4E		

crumb screens


			
1			
No.	970280	Ref. No.	X62300
description	crumb screen L 280mm W 210mm H 150mm suitable for fryer		
For models:	7DSE, 7DSET, 7SE, 7SET		

			
1			
No.	970271	Ref. No.	X62300
description	crumb screen L 280mm W 210mm suitable for fryer		




1

No.	970222	Ref. No.	Y47800
description	crumb screen L 303mm W 212mm suitable for fryer		
For models:	CF1E4, CF2E6, CF4E, CF6E, IF1E4, IF2E6, IF4E, IF6E, KFE1, KFE2, OPFE1, OPFE2, SK10DSE, SK10SE, SKF1E, SKF2E, SKF4E, SKF6E, TF1E, TF2E, TF4E, TF6E		



1

No.	970605	Ref. No.	0000Y47000
description	crumb screen L 310mm W 295mm suitable for fryer		
For models:	15DPE, 15PE, CF10DG8M, CF10G4M, CFE15, CFE15D, CFE15D9, KFE15, KFE15D, KFE15D9, KFG1, KFG2, M7F4G, M7F8G, OPFE15, OPFE15D, OPFG1, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM		



1

No.	970219	Ref. No.	X62200
description	crumb screen L 337mm W 237mm fryer		
For models:	CF10DG8M, CF10G4M, KFG1, KFG2, OPFG1, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM		



1

No.	970261	Ref. No.	X64600
description	crumb screen L 340mm W 290mm suitable for fryer		
For models:	CF15DG8, CF15G4		

shelves and shelf rails

grates

producer-specific



1

No.	693443	Ref. No.	055809
description	chargrill grid W 400mm D 345mm SS wire gauge frame 8mm lengthwise wires gauge 3mm crossing wires 1		
For models:	S110E		


gaskets

refrigeration gaskets

plug-in gaskets

profile 9010

We offer custom-made gaskets for this profile




1

No.	900600	Ref. No.	FH250051
description	refrigeration gasket profile 9010 W 660mm L 1585mm plug size		

gaskets for heated units

door seals



1

No.	900683	Ref. No.	RX3351
description	door seal profile 2400 W 475mm L 645mm Qty 1		

No.	900544	Ref. No.	0000X05600
description	door seal profile 2740 L 1350mm Qty 1		
For models:	C2FTPFE, C2FTPFEF, C2FTPFG, C2FTPFGP, C2TP2FGP, C4FFE, C4FFEP, C4FFG, C4FFGP, C4FZFE, C4FZFEP, C4FZFG, C4FZFGP, C4FZSFEP, C4FZSFGP, C4PFCE, C4PFE, C4PFE9, C4PQFCE, C4PQFE, C4VFE, C6FFE, C6FFEP, C6FFG, C6FFGA, C6FFGAP, C6FFGP, C6FZFE, C6FZFEP, C6FZFG, C6FZFGP, C6PFCE, C6PFCEV, C6PFE, C6PQFCE, C6PQFCEV, C6PQFE, CCTPFE8, CCTPFG8, CN10FE, K2FTPFE, K2FTPFG, K4FFE, K4FFG, K4FS, K4FSFE, K4FSFG, K4FZFE, K4FZFG, K4FZSFE...(Other models you can see in the webshop)		

No.	900230	Ref. No.	X68009
description	door seal profile 2920 L 1400mm Qty 1		
For models:	CC80E, CC80G, CCG80E, CCQ80E, CCV80E		

No.	900229	Ref. No.	0000X05600
description	door seal profile 2930 L 1350mm Qty 1		

door seals with fixing hook

No.	900231 ¹	Ref. No.	X68201
description	door seal L 590mm W 300mm 3-sided long side open with mounting clip		
For models:	C4FFLE, C4FFLEP, C4FFLG, C4FFLGP, C4PFLE, C4VFLE, C6FFLE, C6FFLEP, C6FFLEPV, C6FFLEV, C6FFLG, C6FFLGP, C6FFLGPV, C6FFLGV, C6PFLE, C6PFLEV, CC120E, CC120G, CC81E, CC81G, CCG120E, CCG81E, CCQ120E, CCQ81E, CCV81E		

¹3-sided, long side open

boiling pan gaskets

No.	900819	Ref. No.	10600300
description	boiling pan gasket profile 3010 L 1000mm		
For models:	KP20GA, KP20GTA, KP30GA, KP30GTA, KP50GA, KP50GTA, KPI10ETA, KPI10VTA, KPI15ETA, KPI15VTA, KPI20GA, KPI20GTA, KPI30EA, KPI30GA, KPI30GTA, KPI50EA, KPI50GA, KPI50GTA		

No.	900821	Ref. No.	10600300/1
description	boiling pan gasket profile 3010 L 2000mm		
For models:	KPI10ETA, KPI10VTA, KPI15ETA, KPI15VTA		

No.	900822	Ref. No.	10600300/2
description	boiling pan gasket profile 3010 L 2400mm		
For models:	KPI20ETA, KPI20VTA		

No.	900823	Ref. No.	10600300/3
description	boiling pan gasket profile 3010 L 3000mm		
For models:	KPI30ETA, KPI30VTA, KPI50ETA, KPI50VTA		


O-rings

EPDM

No.	529545	Ref. No.	904324
description	O-ring EPDM thickness 1.78mm ID $\varnothing$ 10.82mm Qty 1 pcs		
For models:	GLB615, GLS805, GLS845, GLS945		



No.	511500	Ref. No.	N/A
description	O-ring EPDM thickness 1.78mm ID ø 2.9mm Qty 10 pcs		




No.	528815	Ref. No.	X05200
description	O-ring EPDM thickness 1.78mm ID ø 3.69mm Qty 1 pcs		
For models:	CF10DG8M, CF10G4M, KFG1, KFG2, M7F4G, M7F8G, OPFG1, OPFG2, SKF10GM, SKF20GM, TF10GM, TF20GM		



No.	510303	Ref. No.	904321
description	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		




No.	510177	Ref. No.	N/A
description	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		




No.	519181	Ref. No.	904388
description	O-ring EPDM thickness 1mm ID ø 5mm Qty 1 pcs		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		



No.	518227	Ref. No.	N/A
description	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		




No.	528333	Ref. No.	904390
description	O-ring EPDM thickness 2.62mm ID ø 13.1mm Qty 1 pcs		
For models:	GLS935		



No.	510893	Ref. No.	904391
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	GLB785, GLB795		



No.	510554	Ref. No.	N/A
description	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		



No.	510009	Ref. No.	N/A
description	O-ring EPDM thickness 3.53mm ID ø 101.2mm Qty 1 pcs		



No.	511322	Ref. No.	904430
description	O-ring EPDM thickness 3.53mm ID ø 20.22mm Qty 1 pcs		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS945, GLS945S		



No.	501352	Ref. No.	904404
description	O-ring EPDM thickness 3.53mm ID ø 21.82mm Qty 1 pcs		
For models:	GLS805, GLS845, GLS905, GLS925		

No.	511937	Ref. No.	10500110
description	O-ring EPDM thickness 3.53mm ID ø 28.17mm Qty 1 pcs		
For models:	KP20GT, KP20GTA, KP30GT, KP30GTA, KP50GT, KP50GTA, KPI10ET, KPI10ETA, KPI15ET, KPI15ETA, KPI20E, KPI20EA, KPI20ET, KPI20ETA, KPI20G, KPI20GA, KPI20GT, KPI20GTA, KPI30E, KPI30EA, KPI30ET, KPI30ETA, KPI30G, KPI30GA, KPI30GT, KPI30GTA, KPI50E, KPI50EA, KPI50ET, KPI50ETA, KPI50G, KPI50GA, KPI50GT, KPI50GTA, KPIGN37G		

No.	510072	Ref. No.	904350 N/A
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	GLB615, GLB785, GLB795		

No.	510899	Ref. No.	X05400
description	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
For models:	CCPE4, CFE15, CFE159, CFE15D, CFE15D9, CMP4, KCP4E, KCP82E, KFE15, KFE159, KFE15D, KFE15D9, KFE20, KFE20D, OPCP4E, OPCP82E, OPFE15, OPFE15D, OPFE20, OPFE20D, SKCP40E, TCP40E, TMP4		

No.	519179	Ref. No.	904380
description	O-ring EPDM thickness 3.53mm ID ø 41.28mm Qty 1 pcs		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS935, GLS945, GLS945S		

No.	511331	Ref. No.	904395
description	O-ring EPDM thickness 3.53mm ID ø 53.57mm Qty 1 pcs		
For models:	GLS935, GLS945, GLS945S		

No.	521120	Ref. No.	907981 SD907981
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	GLB785, GLB795, GLS905, GLS925, GLS935		

No.	510408	Ref. No.	E11700
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	CPEI, CPEI9, KPI10E, KPI10E9, KPI10EA, KPI10EA9, KPI15E, KPI15E9, KPI15EA, KPI15EA9, KPI20E, KPI20EA, KPI30E, KPI30EA, KPI50E, KPI50EA, OPPI10E, OPPI10EA, OPPI15E, OPPI15EA		

No.	532545	Ref. No.	X05000
description	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs		
For models:	CCPE4, CFE15, CFE159, CFE15D, CFE15D9, KCP4E, KCP82E, KFE15, KFE159, KFE15D, KFE15D9, KFE20, KFE20D, OPCP4E, OPCP82E, OPFE15, OPFE15D, OPFE20, OPFE20D, SKCP40E, TCP40E		

No.	510551	Ref. No.	D456023
description	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		


silicone

No.	695064	Ref. No.	I64004120
description	O-ring silicone thickness 2mm ID ø 66.4mm Qty 1 pcs		



Viton

1



No.	528155	Ref. No.	X05300
description	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	CCPE4, CFE15, CFE159, CFE15D, CFE15D9, KCP4E, KCP82E, KFE15, KFE159, KFE15D, KFE15D9, KFE20, KFE20D, OPCA4E, OPCA82E, OPFE15, OPFE15D, OPFE20, OPFE20D, SKCP40E, TCP40E		

sealing washers

fibre gaskets

1



No.	518541	Ref. No.	N/A
description	flat gasket FIBER ED ø 12mm ID ø 8mm thickness 1.5mm Qty 1 pcs		

1



No.	518393	Ref. No.	N/A
description	flat gasket FIBER ED ø 24mm ID ø 17mm thickness 2mm Qty 1 pcs		

1



No.	510417	Ref. No.	N/A
description	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		

1



No.	510406	Ref. No.	E50300
description	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs		
For models:	KP10G, KP10GA, KP10GT, KP10GTA, KP15G, KP15GA, KP15GT, KP15GTA, KP20G, KP20GA, KP30G, KP30GA, KP50G, KP50GA, KP10E, KP10E9, KP10EA, KP10EA9, KP110G, KP110GA, KP110GT, KP110GTA, KP115E, KP115E9, KP115EA, KP115EA9, KP115G, KP115GA, KP115GT, KP115GTA, KP120E, KP120EA, KP120G, KP120GA, KP130E, KP130EA, KP130G, KP130GA, KP150E, KP150EA, KP150G, KP150GA, OPP10G, OPP10GA, OPP15G, OPP15GA, OPP110E, OPP110EA, OPP110G, OPP110GA... (Other models you can see in the webshop)		

rubber gaskets

1



No.	510075	Ref. No.	N/A
description	flat gasket rubber ED ø 22mm ID ø 13mm thickness 1.5mm Qty 1 pcs		

1



No.	511936	Ref. No.	904991
description	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 1.8mm Qty 1 pcs warewashing		
For models:	GLB615, GLS805, GLS845, GLS905, GLS925		

1



No.	519114	Ref. No.	903260 SD903260
description	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845		

1



No.	519113	Ref. No.	903250
description	flat gasket rubber ED ø 28mm ID ø 19mm thickness 3mm Qty 1 pcs		
For models:	GLS935, GLS945, GLS945S		

1



No.	513059	Ref. No.	N/A
description	flat gasket rubber ED ø 52mm ID ø 40mm thickness 3mm Qty 1 pcs		

1



No.	519117	Ref. No.	903301
description	flat gasket rubber ED ø 60mm ID ø 47mm thickness 3mm Qty 1 pcs		
For models:	GLB615, GLB785, GLB795		

1



No.	519118	Ref. No.	903320
description	flat gasket rubber ED ø 70mm ID ø 52mm thickness 3mm Qty 1 pcs		
For models:	GLS805, GLS845		

			
1			
No.	519347	Ref. No.	TR2448
description	flat gasket rubber ED ø 80mm ID ø 60mm thickness 3mm Qty 1 pcs equiv. no. TR2448 suitable for Silanos		
For models:	GLS9455		

			
1			
No.	510071	Ref. No.	N/A
description	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs		

			
1			
No.	518060	Ref. No.	D456040
description	gasket rubber ED ø 132mm ID ø 122mm thickness 5mm		

plastic gaskets

			
1			
No.	504435	Ref. No.	908146
description	flat gasket plastic ED ø 18mm ID ø 9.5mm thickness 2.5mm for door hinge Qty 1 pcs		
For models:	GLS905, GLS925		

copper gaskets

DIN-7603-C

			
1			
No.	691624	Ref. No.	K98800
description	gasket copper ED ø 17mm ID ø 12.5mm thickness 2.5mm		
For models:	CFG15, CFG15D, KFG15, KFG15D, KFG20, KFG20D, OPFG15, OPFG15D, OPFG20, OPFG20D		

paper gasket


			
1			
No.	511650	Ref. No.	903403
description	flat gasket paper ED ø 24mm ID ø 10.5mm thickness 1mm Qty 1 pcs warewashing		
For models:	GLB615, GLS805, GLS845		

PTFE gaskets

			
1			
No.	510012	Ref. No.	N/A
description	flat gasket PTFE ED ø 16.5mm ID ø 12.5mm thickness 1.5mm Qty 1 pcs equiv. no. 437008		

special gaskets

door seals for dishwashers

			
1			
No.	518536	Ref. No.	N/A
description	door seal L 590mm W 32mm dishwasher suitable for ELETTROBAR, WOLK equiv. no. 437052		

miscellaneous

			
1			
No.	510066	Ref. No.	N/A
description	gasket for filter		

			
1			
No.	510014	Ref. No.	N/A
description	gasket suitable for HOBART equiv. no. 139321-155 L 84mm W 40mm thickness 2.5mm		

gaskets for wash arm support

			
1			
No.	506223	Ref. No.	905257
description	gasket D1 ø 110mm D2 ø 82mm thickness 3mm with 4 screw holes flange		
For models:	GLS905, GLS925		



1

No.	518025	Ref. No.	N/A
description	gasket D1 ø 50mm D2 ø 82mm thickness 2mm with 6 holes wash arm support equiv. no. 437014 suitable for COLGED		



1

No.	519445	Ref. No.	908141
description	gasket D1 ø 80mm D2 ø 50mm thickness 3mm with 4 screw holes		
For models:	GLS805, GLS845, GLS905, GLS925, GLS945		



1

No.	518339	Ref. No.	N/A
description	gasket D2 ø 50mm thickness 2mm with 3 screw holes wash arm support equiv. no. 437064 suitable for COLGED hole ø 50mm hole distance 67mm		

refrigeration cycle components

cooling water regulators

JOHNSON CONTROLS



1

No.	541483	Ref. No.	I62011100
description	cooling water regulator 3/8" type V46AA-9950 connection 6mm soldering connection pressure range 5-18bar water pressure max. 10bar water temperature max. 90°C capillary pipe 750mm L 160mm 0.9kg		

transmission technology and ball bearings

ball bearings

flange bearings



1

No.	693112	Ref. No.	X61500
description	flange bearing type UCF204 shaft ø 20mm 4 hole flange hole distance 64mm H 33mm flange length 86mm flange width 86mm hole ø 12mm flange F204 ball bearing UC204G2 FH 25.5mm		

springs

torsion springs



1

No.	690548	Ref. No.	Y71500
description	torsion spring ø 39mm wire gauge ø 7mm L1 281mm L2 31mm L3 24mm mounting pos. left		
For models:	KBRE, KBRE12, KBRE12IN, KBRE9, KBREIN, KBREIN9, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, OPBRE, OPBRE12, OPBRE12IN, OPBRE12MIN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN, OPBREM12MIN, OPBRG, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGIN, OPBRGM, OPBRGM12, OPBRGM12IN, OPBRGMIN		



1

No.	690549	Ref. No.	Y71800
description	torsion spring ø 39mm wire gauge ø 7mm L1 31mm L2 281mm L3 24mm mounting pos. left		
For models:	KBRE12, KBRE12IN, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG12, KBRG12IN, KBRGM12, KBRGM12IN, OPBRE12, OPBRE12IN, OPBRE12MIN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN, OPBREM12MIN, OPBRG12, OPBRG12IN, OPBRG12MIN, OPBRGM12, OPBRGM12IN		

1

MAG-PRO 



No.	361366	Ref. No.	N/A
description	PCB dishwasher 11F suitable for DB2 type DB2/EV1/EKP-M		

membrane dosing pumps

self-priming

LANG



No.	361575	Ref. No.	902199
description	dosing pump type N6 rinse aid pressure connection ø straight, 4x6mm suction connection ø angled, 6mm LANG		
For models:	GLB785, GLB795, GLS935		
spare parts for	361575		
	No.	361079	Ref. No. —
	spring for type N5/N6 for ball		
	No.	361080	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs		
	No.	361085	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs		
	No.	361309	Ref. No. —
	ball for type N5/N6		
	No.	361310	Ref. No. —
	bracket for type N6 ball guide		
	No.	361311	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
	No.	361314	Ref. No. —
	valve ring for type N6 holder for O-ring		
	No.	361317	Ref. No. —
	sealing disc for type N6		
	No.	361886	Ref. No. —
	non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm		

self-priming with supporting pressure

GERMAC

type 2001



No.	361545	Ref. No.	902018
description	dosing pump type 2001 rinse aid inlet 4x6mm outlet M10x1 suction connection ø 4x6mm supporting pressure 11mm rebound ball PTFE 1mm GERMAC CODE VNR/U3		
For models:	GLB615, GLS805, GLS845, GLS905, GLS925, GLS945, GLS945S		
spare parts for	361545		
	No.	361551	Ref. No. —
	compression spring wire gauge ø 1mm		
	No.	361700	Ref. No. —
	hose connector rotary hose ø 4x6mm plastic connection M10x1		
	No.	361702	Ref. No. —
	hose connector brass hose ø 4x6mm		
	No.	361705	Ref. No. —
	gasket for hose connector M12x1		
	No.	510298	Ref. No. —
	lip valve dosing pump suitable for DB2/DS5		
accessories for	361545		
	No.	361142	Ref. No. —
	mounting set detergent hose type 4x6mm hose length 2m PVC 2x hose/container filter/tank intake transparent		
	No.	361550	Ref. No. —
	hose connector hose ø 4x6mm		
	No.	361553	Ref. No. —
	membrane EPDM		
	No.	361701	Ref. No. —
	hose connector thread M10x1 grommet ø 7.5mm		
	No.	361703	Ref. No. —
	hose connector thread M10x1 brass pipe connection ø 4x6mmmm		
	No.	361704	Ref. No. —
	hose connector brass straight thread M12x1 hose ø 11mm Qty 1 pcs		
	No.	510296	Ref. No. —
	membrane silicone		
	No.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
	No.	520091	Ref. No. —
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		

accessories

container filters



1

No.	361062	Ref. No.	902568
description	container filter hose ø 4mm		
For models:	GLS935, GLS945S		



1

No.	513043	Ref. No.	N/A
description	container filter hose ø 4mm		

T-pieces

without non-return valve



1

No.	512093	Ref. No.	905408
description	T-piece connection 1: 12mm connection 2: 4mm		
For models:	GLB615, GLS805, GLS845, GLS905, GLS925, GLS945, GLS945S		
accessories for	512093		



union nut T1: M10x1 for hose 6mm

1

No.	519217	Ref. No.	905381
description	T-piece plastic hose ø 12-9-12mm 3-way hose ø 12-9-12mmmm		
For models:	GLS935		

tank inlets



1

No.	361270	Ref. No.	D468151 D999104
description	tank inlet SS M12 hose ø 4mm		

hoses

supply hoses

PVC supply hoses



1

No.	520010	Ref. No.	907344
description	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925		

accessories for 520010



No.	520053	Ref. No.	—
description	screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm		




No.	520054	Ref. No.	—
description	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		



1

No.	520011	Ref. No.	907345
description	supply hose PVC straight-curved DN13 connections 3/4" L 2000mm operating p. 10bar burst p. 32bar t.max. 90°C approval VDE flat seal		
For models:	GLS935, GLS945, GLS945S		



1

No.	520015	Ref. No.	N/A
description	supply hose ID ø 10mm ED ø 17mm L 5m operating p. 20bar burst p. 60bar t.max. 95°C grey Qty 5m		
accessories for	520015		
No.	504377	Ref. No.	—
description	hose connector grommet ø 23mm grommet length 25mm total length 55mm for water filling		




drain hoses




No.	513718	Ref. No.	D143120
description	drain hose DN19 L 1500mm straight ø inside 24mm straight ext. ø 28mm outer hose ø 23mm		




No.	518068	Ref. No.	D143136
description	drain hose DN34 L 2000mm elbow ø inside 50mm elbow ext. ø 59mm inner hose ø 35mm outer hose ø 42mm PVC		




No.	518518	Ref. No.	N/A
description	drain hose DN19 L 1500mm A int. ø 21mm A ext. ø 27mm B int. ø 29mm B ext. ø 35mm outer hose ø 25mm		



No.	518219	Ref. No.	N/A
description	drain hose DN19 L 630mm A int. ø 20mm A ext. ø 27mm B int. ø 21mm B ext. ø 28mm outer hose ø 24mm		



No.	530571	Ref. No.	907440
description	drain hose DN24 L 1500mm straight ø inside 24mm straight ext. ø 29mm elbow ø inside 29mm elbow ext. ø 35mm outer hose ø 28mm		
For models:	GLB615, GLB785, GLB795		



No.	519272	Ref. No.	907450 907451
description	drain hose DN24 L 1500mm straight ø inside 32mm straight ext. ø 35mm elbow ø inside 40mm elbow ext. ø 46mm outer hose ø 38mm		
For models:	GLS805, GLS845, GLS935, GLS945, GLS945S		

industrial hoses

nylon hoses



No.	520032	Ref. No.	907260
description	nylon hose ID ø 4mm ED ø 6mm L 5m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C blue		
For models:	GLS805, GLS845		

pressure control hoses



No.	530560	Ref. No.	N/A
description	pressure control hose ID ø 5mm ED ø 9mm L 5m operating p. 30bar burst p. 90bar temp.-resist. 60°C		

PVC hoses

PVC hoses without fabric



No.	520027	Ref. No.	907270
description	PVC hose ID ø 4mm ED ø 7mm L 10m thickness 1.5mm t.max. 60°C transparent		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS935		

silicone hoses

without fabric



1

No.	530410	Ref. No.	907272 907279
description	silicone hose ID ø 4mm ED ø 7mm L 2m thickness 1.5mm t.max. 200°C transparent		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		

formed hoses

straight



1

No.	518070	Ref. No.	N/A
description	formed hose dishwasher straight mounting pos. upper equiv. no. 127026		



1

No.	518381	Ref. No.	N/A
description	formed hose dishwasher straight mounting pos. upper equiv. no. 127035		



1

No.	518380	Ref. No.	N/A
description	formed hose ext. ø 53 ID ø 43mm L 65mm dishwasher straight mounting pos. upper equiv. no. 127036		



1

No.	519392	Ref. No.	903756
description	formed hose L 61mm dishwasher straight hose ext. ø 50mm hose int. ø 38mm		
For models:	GLS805, GLS845, GLS905, GLS925, GLS945		

form L



1

No.	519137	Ref. No.	903701
description	formed hose D1 ø 75mm D2 ø 59mm L 220mm curved		
For models:	GLS935		



1

No.	519563	Ref. No.	908136
description	formed hose end piece A ext. ø 56mm end piece A int. ø 45mm AD2 ø 56mm end piece B 44mm L 160mm Qty 1 L-shape		
For models:	GLS905, GLS925		



1

No.	519160	Ref. No.	903876
description	formed hose L 150mm warewashing L-shape equiv. no. 903876 W 110mm hose int. ø 40mm		
For models:	GLS805, GLS845		

			
1			
No.	518216	Ref. No.	N/A
description	formed hose warewashing L-shape equiv. no. 127001 mounting pos. upper		

			
1			
No.	518520	Ref. No.	N/A
description	formed hose warewashing L-shape equiv. no. 127005		

			
1			
No.	518225	Ref. No.	N/A
description	formed hose warewashing L-shape equiv. no. 127041		

			
1			
No.	519128	Ref. No.	903665
description	formed hose warewashing L-shape equiv. no. 903665		
For models:	GLB785, GLB795		

			
1			
No.	519132	Ref. No.	903674
description	formed hose warewashing L-shape equiv. no. 903674		
For models:	GLB615, GLB785, GLB795		

			
1			
No.	519151	Ref. No.	908713
description	formed hose warewashing L-shape equiv. no. 903761		
For models:	GLS9455		

			
1			
No.	519159	Ref. No.	903875
description	formed hose warewashing L-shape equiv. no. 903875		
For models:	GLS805, GLS845		

form S

			
1			
No.	519131	Ref. No.	903668
description	formed hose S-shape warewashing equiv. no. 903668		
For models:	GLB615		

form U

			
1			
No.	518517	Ref. No.	N/A
description	formed hose for drain pump D1 ø 28mm D2 ø 21mm warewashing U-shape		

miscellaneous



1

No.	518036	Ref. No.	N/A
description	formed hose angled warewashing		

for dishwashers

miscellaneous



1

No.	519448	Ref. No.	907295
description	hose D1 ø 12mm D2 ø 19.5mm		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		



1

No.	530590	Ref. No.	907359
description	hose ED ø 15mm ID ø 8mm equiv. no. 200117 Qty supplied by meter		
For models:	GLS935		



1

No.	530432	Ref. No.	907360
description	pressure hose ED ø 17mm ID ø 10mm L 1000mm operating p. 10bar burst p. 25bar temp.-resist. 110°C		
For models:	GLB615, GLB785, GLB795		

fittings, hose and pipe connectors

hose connectors

without screw connection



1

No.	541109	Ref. No.	N/A
description	Y-piece plastic hose ø 8-6-8mm for pressure switch		



1

No.	519216	Ref. No.	905382
description	T-piece plastic hose ø 12-12-12mm 3-way		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945S		



1

No.	519217	Ref. No.	905381
description	T-piece plastic hose ø 12-9-12mm 3-way hose ø 12-9-12mmmm		
For models:	GLS935		

fittings

angle pieces



1

No.	520821	Ref. No.	908120
description	angle piece thread 1/4" IT - 1/4" IT nickel-plated brass		
For models:	GLB785, GLB795, GLS935, GLS945, GLS945S		

hose connectors

brass



1

No.	513253	Ref. No.	N/A
description	hose connector brass angled thread 1/4" hose ø 12mm Qty 1 pcs		

nickel-plated brass



1

No.	519239	Ref. No.	905452 905453
description	hose connector nickel-plated brass thread 1/4" hose ø 11mm Qty 1 pcs		
For models:	GLB615, GLS945, GLS945S		

producer-specific



1

No.	519290	Ref. No.	908121
description	hose connector		
For models:	GLS935, GLS945, GLS945S		



1

No.	519291	Ref. No.	906003
description	hose connector		
For models:	GLB785, GLB795, GLS805, GLS845		



1

No.	512093	Ref. No.	905408	
description	T-piece connection 1: 12mm connection 2: 4mm			
For models:	GLB615, GLS805, GLS845, GLS905, GLS925, GLS945, GLS945S			
accessories for	512093			
	No.	361083	Ref. No.	—
	union nut T1: M10x1 for hose 6mm			



1

No.	514325	Ref. No.	M75400
description	ball valve connection 1" IT - 1" IT DN25 total length 83mm with lever handle		
For models:	15DPE, 15PE, CCPE4, CCPE6, CCPG4, CCPG8, CCPG82, CF10DG8M, CF10G4M, CF15DG8, CF15G4, CFE15, CFE15D, CFG15, CFG15D, KCP4, KCP4E, KCP8, KCP82, KCP82E, KFE15, KFE15D, KFE20, KFE20D, KFE4, KFE8, KFG1, KFG15, KFG15D, KFG2, KFG20, KFG20D, KFG4, KFG8, OPCP4, OPCP4E, OPCP82, OPCP82E, OPFE15, OPFE15D, OPFE20, OPFE20D, OPFG1, OPFG15, OPFG15D, OPFG2, OPFG20, OPFG20D, TCP40E, TCP60E		



1

No.	540730	Ref. No.	M75500
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 70mm with lever handle handle length 95mm		
For models:	CCPE4, CCPE6, KB4, KB4G, KB8, OPB4, OPB4G, OPB8, SKCP40E, SKCP60E, TCP40E, TCP60E		

producer-specific

GIGA



1

No.	514212	Ref. No.	0000X15300
description	ball valve total length 93mm handle length 95mm L 93mm inlet 3/4" ET lever handle grommet ø 22mm outlet ø22mm		
For models:	15DPE, 15PE, CF10DG8M, CF10G4M, CF1E4, CF2E6, CF4E, CF6E, CFE15, CFE159, CFE15D, CFE15D9, IBE4, IBE8, ICPE4, ICPE6, IF1E4, IF2E6, IF4E, IF6E, IRE4, IRE6, KFE1, KFE15, KFE159, KFE15D, KFE15D9, KFE2, KFE20, KFE20D, KFG1, KFG2, OPFE1, OPFE15, OPFE15D, OPFE2, OPFE20, OPFE20D, OPFG1, OPFG2, TF1E, TF2E, TF4E, TF6E		

accessories



1

No.	514217	Ref. No.	M75700 old
description	handle for outlet tap		

valves and tank inlets

ball valves

universal

ball valves with lever handle



1

No.	520282	Ref. No.	AVA015ZR10
description	ball valve connection 1" IT - 1" IT DN25 total length 67mm with lever handle		
For models:	15DPE, 15PE, CCPG4, CCPG82, CF10DG8M, CF10G4M, CFG15, CFG15D, KCP4, KCP4E, KCP82, KCP82E, KFG1, KFG15, KFG15D, KFG2, KFG20, KFG20D, M7CP4G, M7F4G, M7F8G, OPCP4, OPCP4E, OPCP82, OPCP82E, OPFG1, OPFG15, OPFG15D, OPFG2, OPFG20, OPFG20D		

shut-off valves

universal



1

No.	514370	Ref. No.	0000X18000
description	shut-off valve connection 1/2" 1/2" hot total length 54mm shaft ø M5x0.8mm		
For models:	CBRE, CBRE9, CBREIN, CBREIN9, CBRG, CBRGIN, CCPE4, CCPE6, CCPG4, CCPG8, CCPG82, ICPE4, ICPE6, KB4, KB4G, KB8, KBRE, KBRE12, KBRE12IN, KBRE9, KBREIN, KBREIN9, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KCP4, KCP4E, KCP82, KCP82E, M7CP4G, OPB4, OPB4G, OPB8, OPB8E, OPBRE, OPBRE12, OPBRE12IN, OPBRE12MIN, OPBREIN, OPBREM, OPBREM12, OPBREM12IN...(Other models you can see in the webshop)		
spare parts for	514370		
	No.	514085	Ref. No. —
rosette connection 26x19G chrome-plated total lengthmm mounting pos.			
	No.	514086	Ref. No. —
hexagonal nut connection 26x19G brass total lengthmm mounting pos. H 6mm WS 34 Qty 1 pcs			
	No.	540414	Ref. No. —
star handle connection hot total lengthmm mounting pos. shaft diameter 7x7mm ø 55mm 35 built-in depth 22mm			
	No.	540415	Ref. No. —
star handle connection cold total lengthmm mounting pos. shaft diameter 7x7mm ø 55mm 35 built-in depth 22mm			
	No.	540672	Ref. No. —
gasket suitable for tap head			



1

No.	514208	Ref. No.	M75600
description	shut-off valve connection 1/2" 1/2" straight total length 64mm shaft ø 8x10mm		
For models:	KB4, KB8, KBRE, KBRE12, KBRE12IN, KBREIN, KBREM, KBREM12, KBREM12IN, KBREMIN, KBRG, KBRG12, KBRG12IN, KBRGIN, KBRGM, KBRGM12, KBRGM12IN, KBRGMIN, KCP8, OPBRG, OPBRG12, OPBRG12IN, OPBRGIN		

inlet taps



1

No.	514214	Ref. No.	Y71000
description	inlet spout tube ø 20mm projection 90mm overall height 175mm spout height 135mm rotation 360° thread 1/2" ET		
accessories for	514214		
	No.	511470	Ref. No. —
nut thread 1/2" ø 40mm H 8mm WS 25 brass Qty 1 pcs			
	No.	511474	Ref. No. —
flat washer for thread 1/2"			
	No.	511477	Ref. No. —
flat gasket rubber ED ø 42mm ID ø 21mm thickness 2mm Qty 1 pcs			

ancillary products

clamps

hose clamps

DIN 3017 - W2



1

No.	520115	Ref. No.	902460
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	GLB615, GLB785, GLB795, GLS905, GLS925, GLS935		



1

No.	520116	Ref. No.	902441
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS945, GLS945S		



1

No.	520117	Ref. No.	902480
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		
For models:	GLS805, GLS845, GLS945, GLS945S		



DIN 3017 - W4



1

No.	520120	Ref. No.	902440
description	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		

oval head screws



1

No.	560569	Ref. No.	907785
description	oval head screw thread M6 internal thread L 13mm head ø 16mm stainless steel Qty 1 pcs ø 9x13mm		
For models:	GLS935		

hexagonal screws



1

No.	560309	Ref. No.	907846
description	hexagonal screw thread M10 thread L 16mm SS WS 17 Qty 1 pcs DIN 933 / ISO 4017		
For models:	GLB615		



1

No.	560086	Ref. No.	907780
description	hexagonal screw thread M6 thread L 10mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		
For models:	GLS945		



1

No.	560464	Ref. No.	907820
description	hexagonal screw thread M8 thread L 12mm SS WS 13 Qty 1 pcs head thickness 5mm DIN 933 / ISO 4017		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		

knurled screws



1

No.	510112	Ref. No.	N/A
description	Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS		

measuring equipment

thermometers

built-in thermometers



1

No.	541086	Ref. No.	907090
description	thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 2000mm probe ø 6mm probe L 23mm		
For models:	GLS935, GLS945, GLS945S		

fastening material

screws

countersunk screws



1

No.	560266	Ref. No.	907651
description	countersunk screw thread M4 L 8mm SS DIN 965/ISO 7046 Qty 1 pcs head ø 7.5mm		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		



1

No.	560267	Ref. No.	907871
description	countersunk screw thread M5 L 25mm SS DIN 965/ISO 7046 Qty 1 pcs intake Phillips		
For models:	GLS805, GLS845		

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673



1

No.	560197	Ref. No.	902022 902025
description	nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	GLB615, GLS805, GLS845, GLS935		

DIN 985



1

No.	560142	Ref. No.	902040
description	hexagonal nut thread M6 H 6mm SS WS 10 Qty 20 pcs DIN/ISO DIN 985 self-locking		
For models:	GLB785, GLS805, GLS845		

hexagonal nuts metric (without norm)



1

No.	521134	Ref. No.	N/A
description	hexagonal nut thread M14x1 SS		



1

No.	519059	Ref. No.	902130
description	locknut thread 1"		
For models:	GLS935		



1

No.	519056	Ref. No.	902090
description	locknut thread 1 3/4"		
For models:	GLS805, GLS845		



1

No.	345351	Ref. No.	R3160D
description	nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs		



1

No.	519050	Ref. No.	902023
description	nut thread M12x1.75 H 4mm WS 16 SS Qty 1 pcs for snap lock		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925		



1

No.	550261	Ref. No.	N/A
description	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		



1

No.	102067	Ref. No.	X15900
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	CC120CG, CC120G, CC80G, CC81CG, CC81G, CCG120CE, CCG120E, CCG80E, CCG81CE, CCG81E, SKC40G, SKC80G		

hexagonal nuts inch thread



1

No.	503042	Ref. No.	902100
description	nut thread 3/8" H 6mm brass WS 22 Qty 1 pcs		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845		



1

No.	506024	Ref. No.	902104
description	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
For models:	GLB615, GLS805, GLS845, GLS905, GLS925		

washers

spring rings



1

No.	519235	Ref. No.	905941
description	lock washer		
For models:	GLS935, GLS945, GLS945S		



No.	560124	Ref. No.	905940
description	lock washer ID 8.3mm ED 15mm SS DIN127 Qty 20 pcs for thread M8		
For models:	GLS935		

washers

DIN 125A



No.	560312	Ref. No.	906055
description	plain washer ID 10.5mm ED 20mm thickness 2mm SS Qty 1 pcs DIN 125A for thread M10		
For models:	GLB615, GLS805, GLS845, GLS935, GLS945, GLS945S		

miscellaneous

No.	519241	Ref. No.	906050
description	plain washer for roller spring		
For models:	GLS935		



No.	519238	Ref. No.	906002
description	plain washer ID 15mm ED 33mm thickness 0.8mm SS Qty 1 pcs		
For models:	GLB785, GLB795		

fasteners

clamps

hose clamps

DIN 3017 - W2



No.	520115	Ref. No.	902460
description	hose clamp 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	GLB615, GLB785, GLB795, GLS905, GLS925, GLS935		



No.	520116	Ref. No.	902441
description	hose clamp 32-50mm width 9mm Qty 5 pcs DIN 3017		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS945, GLS945S		



No.	520117	Ref. No.	902480
description	hose clamp stainless steel 40-60mm width 9mm Qty 5 pcs DIN 3017		
For models:	GLS805, GLS845, GLS945, GLS945S		

DIN 3017 - W4



No.	520120	Ref. No.	902440
description	hose clamp SS W4 12-20mm width 9mm Qty 1 pcs DIN 3017		
For models:	GLB615, GLB785, GLB795, GLS805, GLS845, GLS905, GLS925, GLS935, GLS945, GLS945S		

retaining rings

DIN 471



No.	691621	Ref. No.	M29600
description	retaining ring shaft 40mm thickness 1.8mm steel DIN 471		
For models:	CCPE4, CFE15, CFE159, CFE15D, CFE15D9, KCP4E, KCP82E, KFE15, KFE159, KFE15D, KFE15D9, KFE20, KFE20D, OCP4E, OCP82E, OPFE15, OPFE15D, OPFE20, OPFE20D, SKCP40E, TCP40E		

DIN 7993



No.	518308	Ref. No.	N/A
description	retaining ring DIN 7993 for drain assembly thickness 3mm ED 57mm		

roll pins



1

No.	690968	Ref. No.	E10300028
description	roll pin ø 5mm L 20mm		

consumables

lava rocks / ceramic briquetts



1

No.	105342	Ref. No.	M30500
description	lava rocks content 9kg		
For models:	CPLG1, CPLG2, CPLG4, CPLG8, KPLG1, KPLG2, M7PL1G, M7PL2G, OPPLG1, OPPLG2, SKPL1G, SKPL2G, SKPL4G, SKPL8G, TPLG1, TPLG2		

fuses

fine fuses



1

No.	358605	Ref. No.	40200084
description	fine fuse size ø5x20mm 3.15A slow-acting rated 250V Qty 10 pcs		
For models:	KPI10ET, KPI10ETA, KPI15ET, KPI15ETA		