

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

GAMKO

switches and momentary switches

microswitches

with push button

switches with snap-fit



1

No.	346772	Ref. No.	008040111
description	microswitch with push button 250V 5A 1CO connection male faston 4.8mm L 24x27mm ambient temperature max. 85°C actuating force: 160g		

timers

defrost timers

MINI T



1

No.	360150	Ref. No.	008060005
description	switch clock type 3611 defrosting interval 1-48x per 24h defrosting time 15-144 minmin fan delaymin defr. funct. 1-48x per 24h		

electronic controllers

DIXELL

refrigeration controllers

built-in version



1

No.	378267	Ref. No.	005050168	
description	electronic controller DIXELL XR02CX-5N0C1 mounting measurements 71x29mm built-in depth 56mm 230V voltage AC NTC relay outputs 1 NO-20A(8) NTC DI protection IP54 defrosting function/time control -40 up to +110°C display 2½ digit			
For models:	MG145-McDonalds, MG95-McDonalds			
accessories for	378267			
	No.	379161	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	No.	381249	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x14mm cable length 3m			

LAE

refrigeration controllers

built-in version



1

No.	378184	Ref. No.	005050225	
description	electronic controller LAE type LCD32Q4E-C mounting measurements 149x30mm 230V voltage AC NTC relay outputs 4 NO-20A(6) NO-12A(4) NO-8A(3) CO-8A(3) NTC NTC DI DI front measurements 169x38mm built-in depth 78mm protection IP55 yes yes -30 up to +30°C display 3 digits			
accessories for	378184			
	No.	379784	Ref. No.	—
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm			

evaporation and condensing trays

condensing trays heated

universal

condensing trays



1

No.	750431	Ref. No.	008100029	
description	condensing tray horizontal L 300mm W 140mm H 100mm with howle for heating cartridge PTC (3/8") universal capacity 2.8l			
accessories for	750431			
	No.	417570	Ref. No.	—
	heating cartridge 110W 230V ø 12mm L 120mm thread 3/8" cable length 1000mm universal			
	No.	417571	Ref. No.	—
	heating cartridge 230W 230V ø 12mm L 180mm thread 3/8" cable length 1000mm universal			
	No.	417572	Ref. No.	—
	heating cartridge 330W 230V ø 12mm L 240mm thread 3/8" cable length 1000mm universal			
	No.	417577	Ref. No.	—
	heating cartridge 190W 230V ø 12mm L 180mm thread 3/8" cable length 300mm suitable for MONDIAL			



fans

axial fans

import



No.	601601 ¹	Ref. No.	007030229
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22W bearing slide bearing manuf. no. DP200A2123XST.GN SUNON input current 0.14A		
For models:	MG145-McDonalds, MG95-McDonalds		

¹with slide bearings

No.	601457 ¹	Ref. No.	007030260
description	axial fan L 127mm W 127mm H 38mm 12VDC 12.72W bearing ball bearing connection cable 300mm plastic ADDA fan wheel ø 120mm		


¹with ball bearings

refrigeration fans

refrigeration motors universal

ebm-papst

multi fit fan motors



No.	601760	Ref. No.	007030268
description	fan motor 25W 230V 50/60Hz L1 44mm L3 103mm W 77.5mm cable length 1500mm 1300/1550rpm ebm-papst M4Q045-EA01-75 5 mounting options bearing slide bearing		
spare parts for	601760		
	No.	601413	Ref. No. —
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

ELCO

N series - multi fit



No.	601528	Ref. No.	007030267
description	fan motor ELCO 16W 230V 50/60Hz bearing slide bearing L1 48mm L2 64mm L3 91.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT16-25/029		
spare parts for	601528		
	No.	601413	Ref. No. —
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			



No.	601430	Ref. No.	007030265
description	fan motor ELCO 5W 230V 50/60Hz bearing slide bearing L1 48mm L2 52mm L3 79.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT5-13/027		
spare parts for	601430		
	No.	560140	Ref. No. —
hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking			
	No.	560332	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs			
	No.	560340	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			
	No.	601413	Ref. No. —
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

FMI



1

No.	601331	Ref. No.	007030203
description	fan motor 10W 230V 50Hz L1 58mm L2 51mm L3 88mm W 84mm cable length 500mm 1250rpm AA.7AL.639.X 5 mounting options bearing slide bearing		

spare parts for 601331



No.	601413	Ref. No.	—
description	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		



1


No.	601330	Ref. No.	
description	fan motor 5W 230V 50Hz L1 51mm L2 51mm L3 81mm W 84mm cable length 500mm 1250rpm AA.7AL.639.X 5 mounting options bearing slide bearing		
spare parts for	601330		
No.	601413	Ref. No.	—
description	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

motors

gear motors

for ice-cube maker

miscellaneous



1

No.	601445	Ref. No.	025010609
description	gear motor 1rpm		

for gyros grills



1


No.	500605	Ref. No.	025010611
description	gear motor CROUZET type 805274 16.7W 230V 50Hz 1rpm shaft ø 7x8mm L 65mm W 65mm H 58mm		

gaskets

refrigeration gaskets


plug-in gaskets

profile 9197




1

No.	902568	Ref. No.	006110523
description	refrigeration gasket profile 9197 W 295mm L 399mm plug size		




1


No.	902567	Ref. No.	006110522
description	refrigeration gasket profile 9197 W 399mm L 627mm plug size		



1

No.	902566	Ref. No.	006110517
description	refrigeration gasket profile 9197 W 399mm L 670mm plug size		

			
No.	902572	Ref. No.	006110565
description	refrigeration gasket profile 9197 W 485mm L 506mm plug size		

			
No.	902565	Ref. No.	006110512
description	refrigeration gasket profile 9197 W 617mm L 1467mm plug size		

profile 9153

We offer custom-made gaskets for this profile

			
No.	902561	Ref. No.	006110484
description	refrigeration gasket profile 9153 W 224mm L 491mm plug size		

			
No.	902570	Ref. No.	006110537
description	refrigeration gasket profile 9153 W 287mm L 752mm plug size		

			
No.	902563	Ref. No.	006110486
description	refrigeration gasket profile 9153 W 294mm L 491mm plug size		

			
No.	902560	Ref. No.	006110483
description	refrigeration gasket profile 9153 W 356mm L 491mm plug size		

			
No.	902562	Ref. No.	006110485
description	refrigeration gasket profile 9153 W 420mm L 491mm plug size		

			
No.	902558	Ref. No.	006110417
description	refrigeration gasket profile 9153 W 483mm L 738mm plug size		

			
No.	902559	Ref. No.	006110470
description	refrigeration gasket profile 9153 W 491mm L 752mm plug size		

			
No.	902569	Ref. No.	006110536
description	refrigeration gasket profile 9153 W 499mm L 752mm plug size		


			
No.	902564	Ref. No.	006110487
description	refrigeration gasket profile 9153 W 502mm L 707mm plug size		

			
No.	902571	Ref. No.	005110555
description	refrigeration gasket profile 9153 W 527mm L 752mm plug size		

screw-in gaskets

profile 9207

We offer custom-made gaskets for this profile



No.	902557	Ref. No.	006110104
description	refrigeration gasket profile 9207 W 494mm L 753mm external size		

refrigeration cycle components

valves

Schrader valves

Schrader valves (complete)



No.	750101	Ref. No.	010030216
description	Schrader valve complete connection 1/4" SAE L 130mm		

refrigeration pipes

insulation



No.	694746	Ref. No.	006030466
description	insulating hose 10mm (3/8") thickness 9mm Qty 50m ARMAFLEX refrigeration		



No.	694747	Ref. No.	006030467
description	insulating hose 12mm (1/2") thickness 9mm Qty 45m ARMAFLEX refrigeration		



No.	694748	Ref. No.	006030468
description	insulating hose 16mm (5/8") thickness 9mm Qty 40m ARMAFLEX refrigeration		