

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS


Spare parts suitable for


GICO


heating elements


heating elements for ovens

			
1			
No.	416090	Ref. No.	260200070
description	heating element 2000W 230V L 500mm W 325mm L1 73mm L2 427mm W1 295mm W2 30mm flange length 70mm flange width 22mm hole distance 56mm hole ø M4mm tube ø 6.3mm connection length 22mm heating circuits 1 rectangular flange dry heating element oven		
For models:	64-040FE, 64-050FE-FEV, 64-057T, 64-222FE		


			
1			
No.	416089	Ref. No.	260203130
description	heating element 2000W 400V L 500mm W 325mm L1 73mm L2 427mm W1 295mm W2 30mm flange length 70mm flange width 22mm hole distance 55mm hole ø M4mm tube ø 6.5mm connection length 22mm connection M4 heating circuits 1 rectangular flange dry heating element oven		
For models:	500-050FE		
accessories for	416089		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

			
1			
No.	416091	Ref. No.	270200402
description	heating element 2740W 230V L 500mm W 485mm L1 68mm L2 430mm W1 450mm W2 32mm flange length 70mm flange width 22mm hole distance 56mm hole ø M4mm tube ø 8.5mm connection M4 heating circuits 1 rectangular flange dry heating element oven		
spare parts for	416091		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		


			
1			
No.	416092	Ref. No.	270203360
description	heating element 2740W 400V L 500mm W 485mm L1 68mm L2 430mm W1 450mm W2 32mm flange length 70mm flange width 22mm hole distance 56mm hole ø M4mm tube ø 8.5mm connection M4 heating circuits 1 mounting thread M3 rectangular flange dry heating element oven		
For models:	700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA, 700-200FEB, 700-222FEB, 700-224FEBA, 700-411B		
accessories for	416092		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		
	No.	527169	Ref. No. —
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	No.	560110	Ref. No. —
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	No.	560130	Ref. No. —
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

			
1			
No.	416093	Ref. No.	241200922
description	heating element 3275W 230/400V heating circuits 3 L 538mm W 615mm L1 38mm L2 500mm W1 248mm W2 127mm flange length 160mm flange width 22mm hole distance 144mm hole ø M5mm tube ø 6.5mm connection M4 connection length 60mm rectangular flange dry heating element		


heating elements for bain maries



No.	416087	Ref. No.	290203720
description	heating element 3275W 400V heating circuits 3 L 538mm W 615mm L1 38mm L2 500mm W1 248mm W2 127mm flange length 160mm flange width 22mm hole distance 144mm hole ø 5mm tube ø 6.5mm connection M4 connection length 60mm rectangular flange dry heating element		
For models:	900-040FE, 900-050FE, 900-052FE, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-411-413, 920-050FE, 920-052FE, 920-057FE, 920-122FELC, 920-122FEL-FELR-FER, 920-122FELR, 920-122FER, 920-172FEA, 920-200FE, 920-322FEL-FELC-FELR-FER		




No.	416094	Ref. No.	211200020
description	heating element 4300W 230/400V heating circuits 3 L 530mm W 843mm L1 32mm L2 498mm W1 359mm W2 127mm flange length 161mm flange width 23mm bridge length 550mm hole distance 143mm hole ø M5mm tube ø 6.6mm connection M4 connection length 54mm rectangular flange dry heating element oven		



No.	416088	Ref. No.	211200240
description	heating element 4300W 400V heating circuits 3 L 530mm W 843mm L1 32mm L2 498mm W1 359mm W2 127mm flange length 161mm flange width 23mm bridge length 550mm hole distance 143mm thread M5 tube ø 7.1mm connection M4 connection length 52mm rectangular flange dry heating element		
For models:	110-050FE, 110-052FE, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-322FEL-FELC-FELR		



No.	416136	Ref. No.	270204530
description	heating element 1500W 230V heating circuits 3 L 384mm W 274mm connection male faston 6.3mm tube ø 8.5mm connection distance 71mm dry heating element		
For models:	700-500A-C-T, 700-542A-C-T		



No.	416106	Ref. No.	290204050 292200160
description	heating element 2700W 240V heating circuits 3 L 490mm W 274mm connection male faston 6.3mm tube ø 8.5mm connection distance 15mm dry heating element thermostat sleeves ø 5.4mm length thermostat sleeves 222mm bain marie		
For models:	110-500A-T, 900-500A-C-T, 900-542A-C-T, 920-500A-T, 920-542A-T		



No.	416079	Ref. No.	292200160
description	heating element 2700W 240V heating circuits 3 L 503mm W 274mm connection male faston 6.3mm tube ø 8.5mm dry heating element thermostat sleeves ø 5mm length thermostat sleeves 222mm number of thermostat sleeves 1		



No.	416105	Ref. No.	290200091
description	heating element 800W 240V L 440mm W 72mm H 12mm connection male faston		

heating elements for frying pans


			
1			
No.	416111	Ref. No.	A00089
description	heating element 2000W 240V L 200mm W 213mm tube ø 6mm 2 hole fixing thread M14x1.5 dry heating element kettle W1 178mm W2 35mm H 85mm mounting distance 34mm		
For models:	900-521-522		
accessories for	416111		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	521101	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		


heating elements for chip scuttles


			
1			
No.	416080	Ref. No.	284203390
description	heating element 1000W 240V heating circuits 1 L 315mm W 75mm flange length 110mm flange width 22mm hole distance 94mm connection length 27mm connection M4 tube ø 8.5mm rectangular flange hole ø 6mm dry heating element		
For models:	64-519T, 64-520T, 700-519A-C-T, 700-520T		

heating elements for fryers


2 hole fixing


 			
1			
No.	416084	Ref. No.	290203710
description	heating element 3000W 240V heating circuits 1 L 370mm W 45mm H 270mm H1 270mm H2 42mm thread M12x1 tube ø 8.5mm mounting distance 37mm windings 3 2 hole fixing connection M4 connection length 20mm fryer		
For models:	900-706A-S		
spare parts for	416084		
	No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
accessories for	416084		
	No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		
	No.	528110	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		
	No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		


			
No.	416101	Ref. No.	260200360
description	heating element 2100W 240V heating circuits 1 L 260mm W 70mm H 270mm L1 12mm L2 248mm H1 15mm H2 220mm H3 35mm mounting distance 64mm thread M12x1 tube ø 6.3mm connection length 25mm connection M4 2 hole fixing fryer		
accessories for	416101		
	No. 520229	Ref. No.	—
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			
	No. 521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No. 521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No. 521110	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			
	No. 521131	Ref. No.	—
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			
	No. 528110	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs			
	No. 560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No. 560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


			
No.	416102	Ref. No.	270203150
description	heating element 3000W 240V heating circuits 1 L 249mm W 45mm H 265mm L1 17mm L2 232mm H1 50mm H2 180mm H3 35mm thread M12x1 tube ø 6.3mm connection M4 2 hole fixing fryer		
accessories for	416102		
	No. 520229	Ref. No.	—
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			
	No. 521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			

accessories for	416102		
	No. 521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No. 521110	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			
	No. 521131	Ref. No.	—
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			
	No. 528110	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs			
	No. 560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No. 560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
No.	416103	Ref. No.	290200280
description	heating element 3000W 240V heating circuits 1 L 415mm W 43mm H 335mm L1 35mm L2 380mm H1 140mm H2 150mm H3 45mm thread M10 tube ø 6.3mm connection M4 2 hole fixing fryer		
accessories for	416103		
	No. 510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			
	No. 510893	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
	No. 520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	No. 521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			

 			
No.	416086	Ref. No.	270203790
description	heating element 3000W 230V heating circuits 1 L 210mm W 50mm H 230mm H1 162mm H2 68mm thread M12x1 tube ø 8.5mm windings 6 2 hole fixing connection M4 fryer		
accessories for	416086		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

 			
No.	416085	Ref. No.	270204600
description	heating element 3000W 240V heating circuits 1 L 228mm W 50mm H 246mm H1 180mm H2 66mm thread 1/4" tube ø 8.5mm windings 5 2 hole fixing mounting distance 42mm connection M5 immersion heater		
For models:	500-701A, 700-701A-S, 700-702A-S, 900-701A-S, 900-702A-S		
accessories for	416085		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560112	Ref. No. —
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	No.	560132	Ref. No. —
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

 			
No.	416083	Ref. No.	290203840
description	heating element 4500W 230V heating circuits 1 L 325mm W 50mm H 235mm H1 180mm H2 55mm thread M12x1 tube ø 8.5mm windings 6 2 hole fixing mounting distance 42mm connection M4 fryer		
accessories for	416083		
	No.	520229	Ref. No. —
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	521110	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			
	No.	521131	Ref. No. —
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			
	No.	528110	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


 			
No.	416117	Ref. No.	284203501 293202090
description	heating element 1700W 230V heating circuits 1 L 305mm W 45mm H 205mm L1 30mm L2 275mm H1 180mm H2 25mm thread M10x1 tube ø 6.5mm 2 hole fixing connection M4 immersion heater windings 3 fryer		
spare parts for	416117		
	No.	510416	Ref. No. —
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			

Table continues overleaf



accessories for 416117				
	No.	510893	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

heating elements for griddles

			
1			
No.	416095	Ref. No.	260200020
description	heating element 1100W 240V heating circuits 1 L 360mm W 82mm H 50mm tube ø 6.3mm L1 7mm W1 8mm W2 57mm connection M4 connection distance 76mm dry heating element		
For models:	64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR		

			
1			
No.	416096	Ref. No.	270200662
description	heating element 1370W 240V heating circuits 1 L 430mm W 100mm H 60mm tube ø 6.3mm L1 10mm L2 420mm W1 10mm W2 80mm connection M4 connection length 26mm griddle dry heating element		

			
1			
No.	416100	Ref. No.	290200112
description	heating element 2020W 240V heating circuits 1 L 550mm W 100mm H 60mm tube ø 6.3mm L1 10mm L2 540mm W1 10mm W2 80mm connection M4 connection length 26mm griddle dry heating element		

heating elements for large hobs

				
1				
	No.	416099	Ref. No.	211200550
description	heating element 370W 57.5V heating circuits 1 L 340mm H 73mm tube ø 8.5mm connection distance 328mm connection male faston 6.3mm dry heating element			

			
1			
No.	416097	Ref. No.	270204500
description	heating element 450W 57.5V heating circuits 1 L 438mm H 72mm tube ø 8.5mm connection distance 428mm connection male faston 6.3mm dry heating element		

				
1				
	No.	416098	Ref. No.	290204040
description	heating element 600W 230V heating circuits 1 L 580mm H 72mm tube ø 8.5mm connection distance 571mm connection male faston 6.3mm dry heating element			

heating elements for tilting bratt pan

			
1			
No.	416140	Ref. No.	290202450
description	heating element 2300W 230V heating circuits 1 L 510mm W 90mm H 45mm connection distance 62mm tube ø 6.3mm dry heating element connection M4		

1 				
	No.	416115	Ref. No.	241201401
description		heating element 2400W 240V L 660mm W 120mm H 12mm connection male faston dry heating element heating circuits 1 tube ø 11mm		

				
	No.	416114	Ref. No.	270200812
description		heating element tilting bratt pan 2600W 230V L 375mm W 152mm H 58mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm L1 25mm W2 100mm connection distance 88mm		
For models:		64-930T, 700-632, 700-930		


heating elements for pasta cookers

			
No.	416108	Ref. No.	260203010
description	heating element 1500W 240V L 245mm W 38mm H 237mm 2 hole fixing connection M4 thread M12x1 mounting distance 23mm pasta cooker		
accessories for	416108		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


			
No.	420219	Ref. No.	270205870
description	heating element 1700W 230V heating circuits 1 L 310mm thread M16x1.5 tube ø 10mm mounting distance 40mm pasta cooker immersion heater		

			
No.	416110	Ref. No.	270203090
description	heating element 1900W 230V L 300mm W 37mm H 220mm 2 hole fixing connection M4 thread M12x1 mounting distance 25mm pasta cooker		
accessories for	416110		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			

accessories for	416110		
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
No.	416109	Ref. No.	290203600
description	heating element 2600W 230V L 445mm W 50mm H 225mm 2 hole fixing connection M4 thread M12x1 mounting distance 42mm pasta cooker		
accessories for	416109		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
No.	416137	Ref. No.	270204220
description	heating element 2700W 230V heating circuits 1 L 300mm W 67mm H 2 hole fixing connection M4 thread M16x1.5 tube ø 8.5mm mounting distance 60mm pasta cooker immersion heater		
accessories for	416137		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
No.	416138	Ref. No.	290203880
description	heating element 4000W 230V heating circuits 1 L 485mm W 64mm H 2 hole fixing connection M4 thread 3/8" tube ø 8.5mm mounting distance 56mm pasta cooker		
accessories for	416138		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			

accessories for 416138				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

heating elements for plate warmers

1

				
No.	416107	Ref. No.	241200562 A00084	
description	heating element 1300W 240V 2 hole fixing thread M10x1 L 380mm W 100mm heating circuits 1 connection male faston 6.3mm L1 70mm L3 300mm dry heating element tube ø 6.5mm W1 29mm W2 42mm mounting distance 36mm heated cabinet			
For models:	ES-424NC, ES-828NC, ES-861NC, ES-891NC			
accessories for	416107			
	No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				
	No.	510893	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				

heating cables

drain heating cables

			
1			
No.	416338	Ref. No.	296201910
description	drain heating cable 55W 230V ø 6mm L 2500mm L1 (unheated) 500mm L2 (heated) 2000mm silicone connection terminal		

pilot heating elements

1

			
No.	416113	Ref. No.	290202790
description	heating element 300W 240V heating circuits 1 mounting ø 47.5mm L 265mm W 31mm H 14mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm connection length 20mm thermostat sleeves ø 7.2mm length thermostat sleeves 246mm number of thermostat sleeves 1 thermostat sleeve clinging		
For models:	700-528, 900-523, 900-526, 920-523, 920-526		
accessories for	416113		
	No.	510408	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

accessories for 416113				
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	520235	Ref. No.	—
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm				
	No.	520236	Ref. No.	—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	550002	Ref. No.	—
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				
	No.	550362	Ref. No.	—
blind flange ø 64mm mounting ø 47.5mm				


immersion heating elements

3 hole flange ø47.5mm

				
No.	416139	Ref. No.	270203330	
description heating element 3000W 230V mounting ø 47.5mm heating circuits 3 L 362mm W 29mm H 35mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater				
For models: 700-528				
spare parts for 416139				
	No.	510408	Ref. No.	—
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
accessories for 416139				
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				

3 hole flange ø57.5mm

				
No.		416126	Ref. No.	293200360
description heating element 10500W 230V mounting ø 57.5mm heating circuits 3 L 590mm W 30mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 480mm thermostat sleeve upper tube ø 8.5mm hole distance 73mm hole ø 10mm connection M4 3 hole flange immersion heater				
spare parts for		416126		
		No.	510409	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs				

 			
No.	416125	Ref. No.	293200760
description	heating element 7500W 230V mounting ø 57.5mm heating circuits 3 L 398mm W 36mm H 41mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 212mm thermostat sleeve not clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M4 3 hole flange immersion heater		

with expansion flange 70 x 18mm

			
No.	417629	Ref. No.	260203110
description	heating element 1200W 230V heating circuits 1 flange 70x18mm L 320mm W 65mm tube ø 8.5mm thermostat sleeves ø 8mm length thermostat sleeves 180mm thermostat sleeve outer number of thermostat sleeves 1 TD ø 7mm		
For models:	64-500T, 64-542T		

with round flange ø60.0mm

			
No.	417573	Ref. No.	434008100 A00270
description	heating element 3990W 230V heating circuits 3 mounting ø 60mm L 320mm W 120mm H 40mm connection male faston 6.3mm tube ø 8.5mm		

1½"

			
No.	416112	Ref. No.	A00149
description	heating element 4500W 230V heating circuits 3 thread 1 1/2" L 420mm W 25mm H 38mm tube ø 6.5mm connection M4 immersion heater flange with thread		
For models:	900-523, 920-523		
spare parts for	416112		
	No.	510406	Ref. No. —
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs		
accessories for	416112		
	No.	510424	Ref. No. —
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"		
	No.	520211	Ref. No. —
	reducer thread 2" ET - 1½" IT brass		
	No.	520212	Ref. No. —
	hexagonal nut thread 1½" brass WS 60 H 8mm		
	No.	550361	Ref. No. —
	blind flange ø 58mm thread 1½"		

heating elements for convection

			
No.	416122	Ref. No.	293201430
description	heating element 10500W 230V heating circuits 3 ID ø 373mm ED ø 390mm L 124mm H 124mm L1 38mm W1 105mm H1 36mm H2 88mm flange length 142mm flange width 25mm hole distance 62mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	EMD.E081MA, EMD.E081MN, EMD.E081MW		

			
No.	416123	Ref. No.	293200340
description	heating element 15000W 230V heating circuits 1 ID ø 428mm ED ø 443mm L 482mm H 158mm L1 27mm H1 32mm H2 123mm flange length 142mm flange width 25mm hole distance 63mm connection M6 connection length 71mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	EMD.E101MA, EMD.E101MN, EMD.E101MW		

			
No.	416118	Ref. No.	284203511 296201860
description	heating element 2000W 230V heating circuits 1 ID ø 180mm ED ø 192mm L 245mm H 34mm L1 45mm W1 32mm H1 10mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element mounting thread M5 rectangular flange with thread bolt		
For models:	9ES-122N, 9ES-152N, 9ES-182N, ES-121NVC, ES-151NVC, ES-181NVC		



1

No.	416119	Ref. No.	238200212		
description	heating element 2000W 240V heating circuits 1 ID ø 182mm ED ø 195mm L 245mm H 34mm L1 43mm W1 30mm H1 10mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 56mm tube ø 6.3mm convection heating element mounting thread M5 rectangular flange with thread bolt				
accessories for	416119				
		No.	510368	Ref. No.	—
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element					

1

No.	416120	Ref. No.	284201560	
description	heating element 2800W 240V heating circuits 1 ID ø 185mm ED ø 198mm L 245mm H 34mm L1 42mm W1 30mm H1 12mm H2 22mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element mounting thread M5 rectangular flange with thread bolt			
For models:	64-040FCE, 64-050FCE, 64-222FCE			
accessories for	416120			
	No.	510368	Ref. No.	—
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

1



No.	416124	Ref. No.	293201010	
description	heating element 4000W 230V heating circuits 1 ID ø 465mm ED ø 482mm L 655mm L1 160mm H 17mm thread M14x1.5 connection M4 2 hole fixing tube ø 8.5mm convection heating element			
For models:	EMD.E102MA, EMD.E102MN			
accessories for	416124			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				

accessories for		416124	
	No.	550262	Ref. No.
	—		
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

			
1			
No.	416121	Ref. No.	293200380
description	heating element 7500W 230V heating circuits 3 ID ø 315mm ED ø 332mm L 370mm H 101mm L1 25mm W1 105mm H1 14mm H2 87mm flange length 143mm flange width 26mm hole distance 63mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW		

radiation heaters

			
1			
No.	490153	Ref. No.	292200520
description	radiation heater octagonal 3400W 230V L 300mm W 300mm heating circuits 2 H 30mm with heating coil energy regulation with temperature signalization connections 4+2 connection type cable cable length 900mm AD		

square



1

No.	490159	Ref. No.	511062335	
description	radiation heater L 300mm W 300mm 3500W 230V connections 3 square without pan detection EGO			
For models:	110-037A-T, 110-057A-T, 110-057FE, 920-037A-T, 920-057A-T, 920-057FE			
spare parts for	490159			
	No.	499157	Ref. No.	—
	protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm			

			
1			
No.	419079	Ref. No.	270204020
description	radiation heater L 330mm W 330mm 2100W 230V heating circuits 1 H 35mm square without pan detection IRCA		

square (others)

			
1			
No.	490192	Ref. No.	270205010 770124250
description	radiation heater L 335mm W 310mm 6000W 400V H 45mm		
For models:	500-755A, 700-755A-S, 700-855A-S		

			
1			
No.	419074	Ref. No.	290204520
description	radiation heater rectangular 5000W 400V L 605mm W 240mm heating circuits 3		
For models:	900-320AL-ALC, 900-320AR, 900-320CL-CLC-CR, 900-320TL-TLC-TR, 920-032A-T, 920-320AL-ALC-AR, 920-320TL-TLC-TR		

1-circuit

			
1			
No.	490025	Ref. No.	511062317
description	radiation heater ø 200mm 1700W 230V heating circuits 1 energy regulation with temperature signalization with heating coil connections 2+2 connection type male faston 6.3mm EGO		
For models:	64-037T, 64-057FE, 64-057T, 700-037A-T, 700-057A-T, 700-057FEB		

			
1			
No.	490113	Ref. No.	260203260
description	radiation heater ø 200mm 1800W 230V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		

			
1			
No.	490150	Ref. No.	270120320 511062325
description	radiation heater ø 250mm 2500W 230V heating circuits 1 energy regulation with temperature signalization with heating coil connections 2+2 connection type male faston 6.3mm EGO		
For models:	700-037A-T, 700-057A-T, 700-057FEB, 900-037A-T, 900-057A-T, 900-057FE		

2-circuit

			
1			
No.	490114	Ref. No.	270204030
description	radiation heater ø 230mm 2200W 230V heating circuits 2 energy regulation with temperature signalization partial power 750W with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		

hot plates

square & rectangular

with radiused edge

			
1			
No.	490073	Ref. No.	5110003
description	hot plate dimensions 300x300mm 3000W 400V with spill ring connection 4 screw clamps protector no square		
For models:	110-030A-T, 110-050A-T, 110-050FE, 500-050A-T, 500-050FE, 900-030A-C-T, 900-050A-C-T, 900-050FE, 900-172A-C-T, 900-172FEA, 920-030A-T, 920-050A-T, 920-050FE, 920-172A-T, 920-172FEA		

E-G-O



1

No.	490071 ¹	Ref. No.	511012440
description	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector

round

with radiused edge

for domestic and commercial kitchens



1

No.	490010	Ref. No.	611062410
description	hot plate ø 145mm 1000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	64-030T, 64-050FCE, 64-050FE-FEV, 64-050T		

E-G-O



1

No.	490014	Ref. No.	611062415
description	hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring		
For models:	64-030T, 64-050FCE, 64-050FE-FEV, 64-050T		



1

No.	490020	Ref. No.	511022426
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring		
accessories for	490020		
	No.	550796	Ref. No.
	fixing plate for hot plate ø220mm		

energy regulators

EGO

1-circuit

E-G-O



1

No.	380015	Ref. No.	539209
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		



1

No.	380019	Ref. No.	539205
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		
For models:	70-820, 70-840, ES-702N, ES-IR090C-I, ES-IR120C-I, ES-IR150C-I, ES-IR180C-I		

2-circuit

E-G-O



1

No.	380027	Ref. No.	539206 539207 539208
description	energy regulator EGO 230V 13A dual circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-70% no. 50.55021.100		
For models:	AB-370080A, AB-370080W, AB-370801A, AB-370801W, AB-96080A, AB-96080W, AB-96801A, AB-96801W, AB-96802A, AB-96802W, AB-AB03A, AB-AB03FA, AB-AB03PA, AB-AB03W, AB-AB05A, AB-AB05PA, AB-AB05W, AB-AB10A, AB-AB10PA, AB-AB10PW, AB-AB10W, AB-AB14A, AB-AB14PA, AB-AB14PW, AB-AB14W		

thermostats

control and safety thermostats


EGO

control thermostats

55.10/19_ series




No.	375238	Ref. No.	53401030110
description	thermostat t.max. 110°C temperature range 33-110°C 1-pole 1CO 16A probe ø 6mm probe L 138mm capillary pipe 880mm capillary pipe isolated 870mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




No.	375229	Ref. No.	53400112150
description	thermostat t.max. 150°C temperature range fixed 150°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 700mm gland nut shaft Lmm shaft position		
For models:	700-528, 900-523, 900-526, 920-523, 920-526		



No.	375367	Ref. No.	5340101
description	thermostat t.max. 182°C temperature range 93-180°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 2020mm capillary pipe isolated 1800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	500-701A, 64-700T, 64-703T, 700-609A, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-708A-S, 900-609A, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-706A-S, 920-609A, 920-704A-S		



No.	375216	Ref. No.	53401005270
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 228mm capillary pipe 1300mm capillary pipe isolated 1150mm gland nut shaft L 23mm shaft position upper rotation 318°		
For models:	500-050FE, 64-040FCE, 64-040FE, 64-050FE-FEV, 64-050T, 64-057FE, 64-222FCE, 64-222FE, 700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA, 700-200FEB, 700-222FEB, 700-224FEBA, 700-411B, 900-652, 900-950, 920-652, 920-950, EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA, EMD.E102MN		




No.	375232	Ref. No.	53401005320
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole capillary pipe isolatedmm gland nut		
For models:	110-500A-T, 64-930T, 700-500A-C-T, 700-542A-C-T, 700-622, 700-632, 700-900, 700-930, 900-500A-C-T, 900-542A-C-T, 900-622, 900-632, 900-642, 900-900, 900-930, 900-940, 920-500A-T, 920-542A-T, 920-622, 920-632, 920-642, 920-900, 920-930, 920-940		




No.	375360	Ref. No.	6340000005503
description	thermostat t.max. 55°C temperature range fixed 55°C 1CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut		



55.34_series



No.	375303	Ref. No.	53401031820
description	thermostat t.max. 185°C temperature range 95-185°C 3-pole 3NO 156A probe ø 6mm probe L 131mm capillary pipe 1470mm capillary pipe isolated 1100mm gland nut		




No.	375230	Ref. No.	53403050390
description	thermostat t.max. 270°C temperature range 55-270°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	110-050FE, 110-052FE, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 700-320AL-ALC-AR, 700-320CL-CLC-CR, 700-320TL-TLC-TR, 700-322AL-ALC-ALR-AR, 700-322CL-CLC-CLR-CR, 700-322TL-TLC-TLR-TR, 700-960A-D, 700-962A, 900-040FE, 900-050FE, 900-052FE, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-320AL-ALC, 900-320CL-CLC-CR, 900-320TL-TLC-TR, 900-411-413, 900-960A, 900-962A, 920-050FE, 920-052FE, 920-057FE, 920-122FELC, 920-122FEL-FELR-FER, 920-122FELR, 920-122FER, 920-172FEA, 920-200FE		




No.	375192	Ref. No.	00402 53402705320
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



No.	375412	Ref. No.	53403050300
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG		



No.	375917	Ref. No.	53403085550
description	thermostat t.max. 550°C temperature range 85-500/85-550°C 3-pole 2NO/1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1110mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 318° outer switch 2NO/2NO		



No.	375361	Ref. No.	6340007509002
description	thermostat t.max. 90°C temperature range fixed 75/90°C 2-pole 2CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut		

E-G-O



No.	375411	Ref. No.	53403003090
description	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3NO 16A probe ø 6mm probe L 129mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG		

safety thermostats


55.10/19_ series

E-G-O



No.	375373	Ref. No.	63401053230
description	safety thermostat capillary pipe 900mm probe ø 11mm 1-pole probe L 26mm 0.5A capillary pipe isolated 700mm gland nut switch-off temp. 230°C probe screw-in probe probe thread M14x1		

E-G-O




No.	375218	Ref. No.	6340004014500
description	safety thermostat switch-off temp. 145°C 1-pole 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

E-G-O



No.	375371	Ref. No.	53400112220
description	safety thermostat switch-off temp. 225°C 1-pole 1NC probe ø 6mm probe L 86mm capillary pipe 2020mm capillary pipe isolated 1770mm gland nut probe SS		
For models:	500-701A, 64-700T, 64-703T, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-708A-S, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-706A-S, 920-704A-S, 9ES-122N, 9ES-152N, 9ES-182N, ES-121NVC, ES-151NVC, ES-181NVC		

E-G-O



No.	375166	Ref. No.	5340101230
description	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 11mm probe L 16.5mm capillary pipe 850mm capillary pipe isolated 850mm gland nut probe screw-in probe probe thread M14x1		

accessories for 375166



No.	521133	Ref. No.	—
nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			




No.	532520	Ref. No.	—
O-ring silicone thickness 2.62mm ID ø 15.08mm Qty 1 pcs			



No.	550261	Ref. No.	—
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			


E-G-O



No.	375227	Ref. No.	5340011200
description	safety thermostat switch-off temp. 238°C 1-pole 0.5A probe ø 4mm probe L 116mm capillary pipe 900mm capillary pipe isolated 700mm gland nut M9x1 probe SS		
For models:	500-601A, 64-600T-603T, 64-755T, 700-508, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 700-609A, 900-503, 900-506, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 900-609A, 920-503, 920-506, 920-604A-S, 920-609A		

55.32_ series

E-G-O



No.	375369	Ref. No.	53403000120
description	safety thermostat switch-off temp. 120°C 3-pole 0.5A probe ø 6mm probe L 94mm capillary pipe 890mm capillary pipe isolatedmm gland nut probe SS		
For models:	64-500T, 64-542T		

E-G-O



No.	375226	Ref. No.	53403000340
description	safety thermostat switch-off temp. 340°C 1-pole 0.5A probe ø 3mm probe L 190mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	110-122ALC, 110-122FELC, 110-122FLC, 500-120ALC, 500-120TLC, 500-122ALC, 500-122TLC, 64-120TLC, 64-122TLC, 700-120ALC-CLC, 700-120TLC, 700-122ALC, 700-122CLC, 700-122TLC, 900-120ALC, 900-120CLC-TLC, 900-122ALC-CLC-TLC, 920-120ALC, 920-120TLC, 920-122ALC, 920-122FELC, 920-122FLC, 920-122TLC		

E-G-O



No.	375228	Ref. No.	53403000350
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 3mm probe L 188mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	110-050FE, 110-052FE, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 500-050FE, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 64-930T, 700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA, 700-200FEB, 700-222FEB, 700-224FEBA, 700-320AL-ALC-AR, 700-320CL-CLC-CR, 700-320TL-TLC-TR, 700-322AL-ALC-ALR-AR, 700-322CL-CLC-CLR-CR, 700-322TL-TLC-TLR-TR, 700-411B, 700-622, 700-632, 700-900, 700-930, 700-960A-D, 700-962A, 900-040FE, 900-050FE, 900-052FE, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-320AL-ALC, 900-320CL-CLC-CR...(Other models you can see in the webshop)		

56._ series

E-G-O




No.	375987	Ref. No.	63400040320 6340004032001
description	safety thermostat switch-off temp. 335°C 1-pole 20A probe ø 3.03mm probe L 160mm capillary pipe 900mm capillary pipe isolated 750mm gland nut probe SS		
For models:	64-040FCE, 64-050FCE, 64-222FCE		

control thermostats with operation switch

55.34_ series

E-G-O



No.	375246	Ref. No.	53401100615
description	thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper		

accessories

plunger sockets



No.	550469	Ref. No.	A00431	
description	thermowell thread 3/4" ID ø 4mm L 230mm SS/brass double			
For models:	500-601A, 64-600T-603T, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 920-604A-S			
accessories for	550469			
	No.	510403	Ref. No.	—
	flat gasket fibre ED ø 36.5mm ID ø 27mm thickness 2mm Qty 1 pcs			
	No.	510421	Ref. No.	—
	gasket copper ED ø 31.8mm ID ø 26.4mm thickness 2.2mm for thread 3/4"			
	No.	520234	Ref. No.	—
	nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs			

connecting bows



No.	550060	Ref. No.	5200995
description	connecting bow long for thermostat Qty 1 pcs		
For models:	110-032A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 700-052A-C-T, 700-052FEB, 700-054A, 700-054C, 700-054FEB, 700-054T, 700-320AL-ALC-AR, 700-320CL-CLC-CR, 700-320TL-TLC-TR, 700-322AL-ALC-ALR-AR, 700-322CL-CLC-CLR-CR, 700-322TL-TLC-TLR-TR, 700-960A-D, 700-962A, 900-040FE, 900-050FE, 900-052A-C-T, 900-052FE, 900-054A-C-T, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-320AL-ALC, 900-320AR, 900-320CL-CLC-CR, 900-320TL-TLC-TR...(Other models you can see in the webshop)		

switches and momentary switches

push/momentary push switches

ø25mm



No.	300155	Ref. No.	A00252 A00252neu
description	momentary push switch mounting ø 25mm black 2NO 250V 16A light connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



No.	300156	Ref. No.	A00253
description	push switch mounting ø 25mm red 250V 16A voltage connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



No.	300169	Ref. No.	52280116380
description	push switch mounting ø 25mm clear 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



No.	300161 ¹	Ref. No.	5209201 6209201
description	push switch mounting ø 25mm white 2NO/indicator light 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	110-500A-T, 500-500A, 500-701A, 64-500T, 64-519T, 64-520T, 64-542T, 700-520T		

¹illuminated

No.	345643	Ref. No.	A00413
description	push switch mounting ø 25mm clear 1NO/indicator light 250V 16A reset connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



No.	345392	Ref. No.	A00285
description	push switch mounting ø 25mm orange 2NO 250V 16A illuminated core temperature connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



No.	300154	Ref. No.	A00255 A00256
description	push switch mounting ø 25mm orange 2NO/indicator light 250V 16A illuminated fan connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



No.	345642	Ref. No.	A00292
description	push switch mounting ø 25mm red 1NO/indicator light 250V 16A water connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	700-622, 700-632, 700-900, 700-930, 900-622, 900-632, 900-642, 900-652, 900-900, 900-930, 900-940, 900-950, 920-622, 920-632, 920-642, 920-652, 920-900, 920-930, 920-940, 920-950		



No.	345039	Ref. No.	55463001
description	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		
For models:	500-701A, 64-519T, 64-520T, 700-519A-C-T, 700-520T, 700-622, 700-632, 700-900, 700-930, 900-622, 900-632, 900-642, 900-652, 900-900, 900-930, 900-940, 900-950, 920-622, 920-632, 920-642, 920-652, 920-900, 920-930, 920-940, 920-950		
accessories for	345039		
No.	345001	Ref. No.	—
description	momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65		

microswitches

lever actuated



No.	345773	Ref. No.	63952511
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm actuating force: 65g lever length 51mm		
For models:	AF6-1202B, AF6-1202M, AF6-1203B, AF6-1203M, AF6-1204B, AF6-1204M, AF6-1402B, AF6-1402M, AF6-1402MB, AF6-1402MM, AF6-1403B, AF6-1403M, AF6-1403MB, AF6-1404B, AF6-1404M, AF6-1404MM, AF6-601B-701B, AF6-601M, AF6-601MV, AF6-602B-702B, AF6-602M, AF6-701M, AF6-701MV, AF6-701P, AF6-702M, AF6-702MB, AF6-702MM, AF7-1402B, AF7-1402M, AF7-1402MB, AF7-1402MM, AF7-1403B, AF7-1403M, AF7-1403MB, AF7-1404B, AF7-1404M, AF7-1404MM, AF7-701B, AF7-701M, AF7-701P, AF7-702B, AF7-702M, AF7-702MB, AF7-702MM		



No.	300152	Ref. No.	784106510
description	microswitch with lever CO connection male faston		



No.	300158	Ref. No.	539504neu 790107730
description	microswitch with lever 250V 8A 1CO connection cable L 31mm L1 76mm ambient temperature max. 85°C mounting distance 22mm type 831690 actuating force: 300g protection IP67		

pin-plunger actuated

M10



No.	345032	Ref. No.	522583131
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		

SWITCHES AND MOMENTARY SWITCHES GICO

cam switches

on/off



No.	300102	Ref. No.	539502
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	500-701A, 64-700T, 64-703T, 64-930T, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-708A-S, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-706A-S, 920-704A-S		

4-position



No.	300103	Ref. No.	00410 52002432
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	110-030A-T, 110-050A-T, 110-050FE, 500-030A-T, 500-050A-T, 500-050FE, 700-035A-C-T, 700-055A-C-T, 700-055FEB, 900-030A-C-T, 900-050A-C-T, 900-050FE, 900-172A-C-T, 900-172FEA, 900-521-522, 90-821, 920-030A-T, 920-050A-T, 920-050FE, 920-172A-T, 920-172FEA		



No.	300104	Ref. No.	52003432
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	64-755T, 700-528, 900-523, 900-526, 920-523, 920-526		

7-position



1

No.	300025	Ref. No.	52002715
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
For models:	64-030T, 64-050FCE, 64-050FE-FEV, 64-050T, 700-030A-C-T		
accessories for	300025		
	No.	112172	Ref. No. —
	knob universal ø 70mm black without adaptor/dial plate		
	No.	112213	Ref. No. —
	knob dial plate silver switch 7-position t.max.°C°C ED ø 63mm ID ø 45.5mm		
	No.	112311	Ref. No. —
	knob adapter shaft ø 6x4.6mm L 0mm with spring		


4 operating positions



1

No.	300010	Ref. No.	620044924
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

5 operating positions



1


No.	300162	Ref. No.	62051824
description	cam switch 5 operating positions shaft ø 6x4.6mm connection male faston 7-pole		
For models:	EMD.E061MN, EMD.E081MN, EMD.E101MN, EMD.E102MN		

operation switches



1

No.	300080	Ref. No.	00423 52004115
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
For models:	110-032A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 700-052A-C-T, 700-052FEB, 700-054A, 700-054C, 700-054FEB, 700-054T, 700-320AL-ALC-AR, 700-320CL-CLC-CR, 700-320TL-TLC-TR, 700-322AL-ALC-ALR-AR, 700-322CL-CLC-CLR-CR, 700-322TL-TLC-TLR-TR, 700-960A-D, 700-962A, 900-040FE, 900-050FE, 900-052A-C-T, 900-052FE, 900-054A-C-T, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-320AL-ALC, 900-320AR, 900-320CL-CLC-CR, 900-320TL-TLC-TR...(Other models you can see in the webshop)		
accessories for	300080		
	No.	551456	Ref. No. —
	gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white		



1

No.	300107	Ref. No.	52004132
description	cam switch 2 operating positions operation switch 32A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		



1

No.	300200	Ref. No.	52002115
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		
For models:	500-050FE, 500-755A, 64-519T, 64-520T, 64-700T, 64-703T, 64-930T, 700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA, 700-200FEB, 700-222FEB, 700-224FEBA, 700-411B, 700-519A-C-T, 700-520T, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-708A-S, 700-755A-S, 700-855A-S, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-706A-S, 900-755A-S, 900-855A-S, 920-704A-S, 920-755A-S, EMD.E061MA, EMD.E061MW, EMD.E081MA, EMD.E081MW, EMD.E101MA, EMD.E101MW, EMD.E102MA, ES-023N, ES-121NVC, ES-151NVC, ES-181NVC		

magnetic switches

40x13mm



1

No.	300150	Ref. No.	695001
description	magnetic switch L 40mm W 13mm 250V 0.04A connection cable		
For models:	AB-370080A, AB-370080W, AB-370801A, AB-370801W, AB-96080A, AB-96080W, AB-96801A, AB-96801W, AB-96802A, AB-96802W, AB-AB03A, AB-AB03FA, AB-AB03PA, AB-AB03W, AB-AB05A, AB-AB-05PA, AB-AB05W, AB-AB10A, AB-AB10PA, AB-AB10PW, AB-AB10W, AB-AB14A, AB-AB14PA, AB-AB14PW, AB-AB14W, EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA, EMD.E102MN		

control equipment

GENERAL ELECTRIC (AEG)

push buttons



1

No.	300168	Ref. No.	52210001
description	push button mounting measurements ø22mm black		

switches (complete)



1

No.	345644	Ref. No.	A00411
description	momentary push switch mounting measurements ø22mm 1NC/1NO		
For models:	700-622, 700-632, 900-622, 900-632, 900-642, 900-652, 920-622, 920-632, 920-642, 920-652		



1

No.	300165	Ref. No.	A00128
description	mushroom switch mounting measurements ø22mm complete		



1

No.	300163	Ref. No.	A00126
description	push switch mounting measurements ø22mm complete		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø10mm (type SRZ-3)



1

No.	359123	Ref. No.	6229044
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
accessories for	359123		
	No.	359132	Ref. No.
	6229046		
indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C			



1

No.	359125	Ref. No.	6229047
description	indicator light housings mounting measurements ø10mm red round Qty 1 pcs		

			
1			
No.	359124	Ref. No.	6229043
description	indicator light housings mounting measurements ø10mm yellow round Qty 1 pcs		
For models:	64-755T		
accessories for	359124		
		No.	359132
		Ref. No.	6229046
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

indicator lamps for socket type SRZ / SDK / SDY / SFK

			
1			
No.	359132	Ref. No.	6229046
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	64-755T		

indicator lights (complete)

ø10mm

with plug-in socket

			
1			
No.	359139	Ref. No.	A00409
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	110-030A-T, 110-032A-T, 110-037A-T, 110-050A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057A-T, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 110-500A-T, 500-030A-T, 500-050A-T, 500-050FE, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 500-701A, 500-755A, 64-030T, 64-037T, 64-040FCE, 64-050FCE, 64-050FE-FEV, 64-050T, 64-057FE, 64-057T, 64-222FCE, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 64-519T, 64-520T, 64-700T, 64-703T, 64-930T, 700-030A-C-T, 700-035A-C-T, 700-037A-T, 700-040FEB, 700-050FEB, 700-052A-C-T...(Other models you can see in the webshop)		

			
1			
No.	359140	Ref. No.	A00410
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	110-032A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 110-500A-T, 500-050FE, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 500-500A, 500-755A, 64-040FCE, 64-040FE, 64-050FCE, 64-050FE-FEV, 64-057FE, 64-222FCE, 64-222FE, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 64-500T, 64-519T, 64-520T, 64-542T, 64-700T, 64-703T, 64-930T, 700-040FEB, 700-050FEB, 700-052A-C-T, 700-052FEB, 700-054A, 700-054C, 700-054FEB, 700-054T, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA...(Other models you can see in the webshop)		

ø13mm

with screw socket

			
1			
No.	359049	Ref. No.	5229054
description	indicator light ø 13mm 400V green		
For models:	70-820, 70-840, 9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG, ES-023N, ES-121NVC, ES-121NVC, ES-151NVC, ES-151NVC, ES-181NVC, ES-181NVC, ES-702N, ES-IR090C-I, ES-IR120C-I, ES-IR150C-I, ES-IR180C-I		
accessories for	359049		
		No.	510302
		Ref. No.	—
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
		No.	511505
		Ref. No.	—
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		

			
1			
No.	359050	Ref. No.	5229052
description	indicator light ø 13mm 400V yellow		
For models:	9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG, ES-023N, ES-121NVC, ES-121NVC, ES-151NVC, ES-151NVC, ES-181NVC, ES-181NVC, ES-424NC, ES-702N, ES-828NC, ES-861NC, ES-891NC		
accessories for	359050		
		No.	510302
		Ref. No.	—
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
		No.	511505
		Ref. No.	—
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		

screw-on/push-on fit

halogen lamp

for socket G4 / G6.35 / G9

			
1			
No.	357193	Ref. No.	6242122001
description	halogen lamp socket G4 12V 20W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

			
1			
No.	359599	Ref. No.	6242122001
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		



linear lamps

infrared lamps

with base type R7s



No.	359628	Ref. No.	5190001
description	infrared lamp socket R7s L 117.6mm 240V 300W IMPORT unjacketed		

oven lamps

universal oven lamps

mounting diameter 35.5mm



No.	359718	Ref. No.	6230001
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
spare parts for	359718		
	No.	359701	Ref. No. —
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	No.	359740	Ref. No. —
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT		

lamps

halogen lamps

for socket G4 / G6.35 / G9



No.	357193	Ref. No.	6242122001
description	halogen lamp socket G4 12V 20W temp.-resist. 300°C OSRAM HALOSTAR OVEN		



No.	359599	Ref. No.	6242122001
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

residual heat indicators



No.	359095	Ref. No.	260204050
description	residual heat indicator 4-fold		




No.	359096	Ref. No.	260203270
description	residual heat indicator single		

timers


programme timers



No.	360332	Ref. No.	6352000
description	timer FIBER P25 engines 1 chambers 1 operation time 60s 230V shaft ømm shaft Lmm manif. no. P255J01H191 motor type M51BJ0R6400		
spare parts for	360332		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



No.	350046	Ref. No.	6352000
description	timer FIBER P25 engines 1 chambers 1 operation time 60s shaft ømm shaft Lmm		
spare parts for	350046		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



1

No.	350045	Ref. No.	6352001
description	timer FIBER P25 engines 1 chambers 3 operation time 1h 230V shaft ø 6x4.6mm shaft L 20mm manif. no. P255J03W195 motor type M51BJ0L6400		
spare parts for	350045		
	No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

electric timers

with time spread



1

No.	350074	Ref. No.	293202310
description	timer M565 operation time 120min time spread 30min 1CO/2NO/1NC at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral Invensys 4-pole shaft position lower°		

mechanical timers



1

No.	350003	Ref. No.	63510120
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350003		
	No.	110366	Ref. No. —
	knob switch zero mark t.max.°C° ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	No.	111199	Ref. No. —
	dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm		



1

No.	350008	Ref. No.	63511120
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral		
For models:	64-040FCE, 64-050FCE, 64-222FCE		

alarm devices

alarm units



1

No.	350056	Ref. No.	623002
description	alarm device 220-240VAC ømm H 25mm wall-mounted version mounting distance 83dB protection IPx0		
For models:	EMD.E061MA, EMD.E081MA, EMD.E101MA, EMD.E102MA		

contactors

LOVATO

power contactors



1

No.	380084	Ref. No.	5300016
description	power contactor 230VAC		
For models:	700-528, 700-632, 700-930, 70-820, 900-523, 900-526, 900-632, 900-652, 900-930, 900-950, 920-523, 920-526, 920-632, 920-652, 920-930, 920-950		



1

No.	380086	Ref. No.	63002406
description	power contactor resistive load 16A 230VAC (AC3/400V) 5A/2.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 11BG0601A230 manif. no. 11BG0601A230		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA, EMD.E102MN		



1

No.	380087	Ref. No.	6300240600
description	power contactor resistive load 16A 230VAC (AC3/400V) 5A/2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0610A230		



1

No.	380082	Ref. No.	53002420904
description	power contactor resistive load 20A 240VAC (AC3/400V) 9A/4kW main contacts 4NO		
For models:	110-500A-T, 500-701A, 64-700T, 64-703T, 64-755T, 64-930T, 700-325A-326A, 700-500A-C-T, 700-542A-C-T, 700-708A-S, 70-840, 900-325A-326A, 900-500A-C-T, 900-542A-C-T, 900-706A-S, 920-500A-T, 920-542A-T		



1

No.	380083	Ref. No.	530024501
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF0901A230		
For models:	500-755A, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-755A-S, 700-855A-S, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-755A-S, 900-855A-S, 920-704A-S, 920-755A-S, AB-370080A, AB-370080W, AB-370801A, AB-370801W, AB-96080A, AB-96080W, AB-96801A, AB-96801W, AB-96802A, AB-96802W, AB-AB03A, AB-AB-03FA, AB-AB03PA, AB-AB03W, AB-AB05A, AB-AB05PA, AB-AB05W, AB-AB10A, AB-AB10PA, AB-AB10PW, AB-AB10W, AB-AB14A, AB-AB14PA, AB-AB14PW, AB-AB14W, EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA...(Other models you can see in the webshop)		

miscellaneous

power contactors

1

No.	380085	Ref. No.	5300240600
description	power contactor		
For models:	700-622, 700-632, 900-622, 900-632, 900-642, 900-652, 920-622, 920-632, 920-642, 920-652, EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA, EMD.E102MN, TR-G2341BN, TR-G234BN, TR-N2341BN, TR-N2342BN, TR-N234BN		

relays

level relays

GICAR



1

No.	400018	Ref. No.	639624051
description	level relay 230V voltage AC connection F6.3 type RL30/3ES/F/G		

time relays

time relays



1

No.	380075	Ref. No.	53601030 6320000
description	time relay LOVATO TM P time range 0.1s-240h 24-240VAC/24-48VDC 8A 1CO connection screw clamp		
For models:	EMD.E061MA, EMD.E061MW, EMD.E081MA, EMD.E081MW, EMD.E101MA, EMD.E101MW, EMD.E102MA		

transformers

toroidal core transformers

1 			
No.	401618	Ref. No.	293203880
description	transformer primary 230V secondary 12V 50VA		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MW, EMD.E101MA, EMD.E101MW, EMD.E102MA		

encapsulated transformers

PMA

1 			
No.	379054	Ref. No.	639603
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

for lighting

1 			
No.	400095	Ref. No.	639602
description	electrical ballast primary 230V secondary 11.5V 45VA		

1 			
No.	400668	Ref. No.	639601
description	transformer primary 230V secondary 12V 20VA		

electronic controllers

EVCO - EVERY CONTROL

universal controllers

built-in version

1 			
No.	378131	Ref. No.	629601
description	electronic controller EVERY CONTROL EVK411M mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC/Pt100/Pt1000 relay outputs 1 CO-16A(8) NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA yes protection IP65 dependent on probe°C display 3½ digits		
accessories for	378131		
	No.	379050	Ref. No. —
	 temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
	No.	379160	Ref. No. —
	 temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379781	Ref. No. —
	 temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379944	Ref. No. —
	 temperature probe Pt1000 cable Vetrotex probe -70 up to +500°C cable -50 up to +350°C connection 2-wire thread probe ø6x180mm cable length 1.7m		

SHANGFANG

accessories

1 			
No.	379054	Ref. No.	639603
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		



probes

producer-specific probes

probes



No.	400261	Ref. No.	62771000 A00317
description	temperature probe Pt100 cable Vetrotex probe -100 up to 450°C cable -50 up to +350°C connection 3-wire thread probe ø6x80mm cable length 1m		



No.	400719	Ref. No.	540201
description	temperature probe thread probe ø4x50mm		

core probes



No.	400263	Ref. No.	6277041000
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread cable length 2m handle ø 10mm handle length 90mm		

electronics

PCBs



No.	400200	Ref. No.	292200640
description	PCB		



No.	401451	Ref. No.	292200620
description	PCB pyroceram range 110/920 series		



No.	401397	Ref. No.	A00301
description	PCB replace set		



No.	400281	Ref. No.	66210001
description	programming PCB		




No.	400282	Ref. No.	66210002
description	relay PCB		

keypads


front foils



No.	400272	Ref. No.	293200920
description	front foil		




No.	400273	Ref. No.	293201850
description	front foil		



1

No.	400274	Ref. No.	293200220
description	front foil		



1

No.	400277	Ref. No.	293201490 293202430
description	front foil		



1

No.	400276	Ref. No.	293200900
description	front foil		

membrane keypads



1

No.	400278	Ref. No.	66201001
description	membrane keypad		



1

No.	400279	Ref. No.	66200001
description	membrane keypad		



1

No.	400280	Ref. No.	66202001
description	membrane keypad		

solenoid valves

solenoid valves (water)

RPE

JOHN GUEST



1

No.	374064	Ref. No.	539434110
description	solenoid valve single straight 230VAC inlet 3/4" outlet JG 10 input/ min output/ min DN10 t.max. 25/60/90°C duty cycle 100% RPE 160001230V plastic		

TP



1

No.	370021	Ref. No.	425311034	
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
spare parts for	370021			
	No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			
accessories for	370021			
	No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
	No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
	No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
	No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			

Table continues overleaf

accessories for 370021				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				



componenti per elettrodomestici



1

No.	370017	Ref. No.	53943410240 A00287	
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar			
For models:	110-500A-T, 700-622, 700-632, 700-900, 700-930, 900-622, 900-632, 900-642, 900-652, 900-900, 900-930, 900-940, 900-950, 920-622, 920-632, 920-642, 920-652, 920-900, 920-930, 920-940, 920-950, 9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG			
spare parts for	370017			
	No.	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz				
accessories for	370017			
	No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				

accessories for 370017				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				

pressure switches

for gas equipment

			
1			
No.	541073	Ref. No.	6440001
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		

electrodes

A level electrode probe with a long thin shaft, a hexagonal base, and a small cap.

1

No.	402833	Ref. No.	793103640
description	level electrode 1/4" total length 111.5mm probe L 86.5mm insulated probe length 84mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	500-755A, 700-755A-S, 700-855A-S, 900-755A-S, 900-855A-S, 920-755A-S		





1

No.	400260	Ref. No.	639314125	
description	level electrode 1/4" total length 220mm probe L 195mm insulated probe length 185mm PTFE insulated connection male faston 6.3mm stainless steel ø 2.5mm			
accessories for	400260			
	No.	521003	Ref. No.	—
 nut thread 1/4" H 6.3mm chrome-plated brass WS 20 Qty 1 pcs				

fans

axial fans

ebm-papst


1


No.	601030 ¹	Ref. No.	607008	
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C			
For models:	700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 900-050FE, 900-052FE, 900-054FE, 900-172FEA, AB-370080W, AB-370801W, AB-96080W, AB-96801W, AB-96802W, AB-AB03W, BF70120, BF70160, EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA, EMD.E102MN, TF-G110-G1101, TF-G138-G1381, TF-G158-G1581, TF-G2060-G2061, TF-N110-N1101-N1102, TF-N138-N1381-N1382, TF-N158, TF-N1581-N1582, TF-N2060-N2061-N2062, TR-G110-G1101, TR-G138-G1381, TR-G158-G1581, TR-G1860-G1861, TR-G2060BN, TR-G2060-G2061, TR-G2061BN, TR-G2341BN, TR-G234BN, TR-G234-G2341, TR-N110-N1101-N1102, TR-N138-N1381-N1382, TR-N158-N1581-N1582, TR-N1860-N1861-N1862... (Other models you can see in the webshop)			
accessories for	601030			
	No.	550898	Ref. No.	—
 connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan				
	No.	692497	Ref. No.	—
 guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm				

¹with ball bearings

hot air motors

			
No.	601091	Ref. No.	293200190
description	fan motor 200-240/415V 3 phase 50/60Hz 1HP 1400/1700rpm speeds 1 L1 210mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M8L IT 3.6/2.1A at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 1400rpm at 60Hz 1700rpm type 1040A4450		

			
No.	601848	Ref. No.	A00381
description	fan motor 200-240/415V 3 phase 50/60Hz 1HP 1400rpm speeds 1 L1 210mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M8L IT 3.6/2.1A at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 1400rpm at 60Hz 1700rpm		


1

No.	601093	Ref. No.	293201150
description	fan motor 200-240/415V 3 phase 50Hz 0.3/1HP 900/1400rpm speeds 2 L1 210mm L2 50mm L3 45mm D1 ø 24mm D2 ø 20mm M8L IT 3.6/2.1-1.5/0.9A at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 900/1400rpm at 60Hz 1100/1700rpm type 1041A4450		



1

No.	601096	Ref. No.	293200240
description	fan wheel D1 ø 285mm H1 140mm blades 24 D2 ø 19.5mm D3 ø 23.5mm H2 45mm		
For models:	EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW		


1

No.	601090	Ref. No.	293200840
description	fan motor 200-240V 1 phase 50/60Hz 0.18kW 0.25HP 1400rpm speeds 1 L1 123mm L2 41mm L3 30mm D1 ø 15mm D2 ø 10mm M10L ET 1.6A suitable capacitor 5µF/450V at 50Hz 1400rpm at 60Hz 1700rpm type 1071		



1

No.	601097	Ref. No.	293201100
description	fan wheel D1 ø 310mm H1 160mm blades 24 D2 ø 19.5mm D3 ø 23mm H2 46mm		
For models:	EMD.E102MA, EMD.E102MN		

1

No.	601092	Ref. No.	293200420
description	fan motor 200-240V 1 phase 50Hz 0.1/0.25HP 900/1400rpm speeds 2 L1 123mm L2 41mm L3 30mm D1 ø 15mm D2 ø 10mm M10L ET 1/0.6A suitable capacitor 5µF/450V at 50Hz 900/1400rpm at 60Hz 1100/1700rpm type 1071		



1

No.	601095	Ref. No.	293200680
description	fan wheel D1 ø 210mm H1 100mm blades 20 D2 ø 11mm D3 ø 16mm H2 30mm		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW		




hot air fans

miscellaneous



1



No.	601094	Ref. No.	507005 507007 507009
description	fan motor 240V 36W 50Hz L1 85mm L2 15mm L3 20mm L4 87mm fan wheel ø 150mm Emmevi type 260305X		
For models:	9ES-122N, 9ES-152N, 9ES-182N, ES-121NVC, ES-151NVC, ES-181NVC		

pumps

booster pumps II

accessories



1

No.	365017	Ref. No.	6410005
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW		

condensators & interference suppression filters

operating capacitors

plastic



1

No.	365017	Ref. No.	6410005
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW		

electric accessories

terminals

connection terminals with screw/faston connections



1

No.	550411	Ref. No.	652502
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	110-500A-T, 500-039A, 500-701A, 500-755A, 64-050FCE, 64-050FE- FEV, 64-050T, 64-057FE, 64-057T, 64-700T, 64-703T, 64-755T, 700-037A-T, 700-039A, 700-050FEB, 700-055A-C-T, 700-055FEB, 700-057A-T, 700-057FEB, 700-500A-C-T, 700-542A-C-T, 700-622, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-708A-S, 700-755A-S, 700-855A-S, 700-900, 900-037A-T, 900-038A-058A, 900-038AM-058AM, 900-039A, 900-050A-C-T, 900-050FE, 900-057A-T, 900-057FE, 900-172A-C-T, 900-172FEA, 900-500A-C-T, 900-542A-C-T, 900-622, 900-642, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-706A-S, 900-755A-S...(Other models you can see in the webshop)		

gas taps

PEL

20N series



1

No.	101398	Ref. No.	435213
description	gas tap PEL type 20N gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper		
spare parts for	101398		
	No.	100408	Ref. No. —
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101205	Ref. No. —
gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20			
accessories for	101398		
	No.	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No. —
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No. —
union nut thread M16x1.5 tube ø 8mm			
	No.	110081	Ref. No. —
knob ø 70mm shaft ø 8x6.5mm shaft flat universal			
	No.	110083	Ref. No. —
knob dial plate gas tap without ignition flame silver			

20S series



1

No.	101094	Ref. No.	435212
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T		
spare parts for	101094		
	No.	100408	Ref. No. —
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No. —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101205	Ref. No. —
gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
accessories for	101094		
	No.	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No. —
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No. —
union nut thread M16x1.5 tube ø 8mm			
	No.	110081	Ref. No. —
knob ø 70mm shaft ø 8x6.5mm shaft flat universal			
	No.	110083	Ref. No. —
knob dial plate gas tap without ignition flame silver			



21S series



1

No.	101095		Ref. No.	435210	
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower				
For models:	64-125T-126T, 64-130TL-TR, 64-132TL-TLR-TR, 64-222F, 64-222FCE, 64-222FE, 64-222T, 64-900T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-125T, 700-126T, 700-127T, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-125T, 900-126T, 900-127T, 900-130AL-AR, 900-130CL-CR, 900-130TL-TR...(Other models you can see in the webshop)				
spare parts for	101095				
	No.	100408	Ref. No.	—	
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5				
	No.	101060	Ref. No.	—	
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
	No.	101206	Ref. No.	—	
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21				
accessories for	101095				
	No.	100908	Ref. No.	—	
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—	
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—	
	olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	—	
	olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—	
	olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	—	
	union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—	
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—	
	union nut thread M16x1.5 tube ø 8mm				
	No.	110081	Ref. No.	—	
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal				

accessories for 101095



No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

22S/O series



1

No.	101089		Ref. No.	435221	
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper				
For models:	110-200A-T, 110-200F, 110-200FE, 500-125A-126A, 500-750A, 500-800A, 700-125A-C, 700-126A-C, 700-127A-C, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-200A-C-T, 700-200FB, 700-200FEB, 700-750A-S, 700-800A-S, 900-125A-C, 900-126A-C, 900-127A-C, 900-138A-C-T, 900-138FA, 900-138FEA, 900-200A-C-T, 900-200F, 900-200FE, 900-750A-S, 900-800A-S, 90-301, 920-200A-T, 920-200F, 920-200FE, 920-750A-S				
spare parts for	101089				
	No.	100259	Ref. No.	—	
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	No.	101058	Ref. No.	—	
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard				
	No.	101201	Ref. No.	—	
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22				
	No.	101230	Ref. No.	—	
	thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101240	Ref. No.	—	
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal				
	No.	101460	Ref. No.	—	
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	—	
	screw kit suitable for PEL22 Qty 4 pcs				
accessories for	101089				
	No.	100908	Ref. No.	—	
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—	
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101241	Ref. No.	—	
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				
	No.	101246	Ref. No.	—	
	olive for pipe ø 4mm Qty 1 pcs				

Table continues overleaf

accessories for 101089				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	270201580
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	270201680
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

23S/O series

1

No.	101092	Ref. No.	435280
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper		
For models:	700-508, 900-503, 900-506, 920-503, 920-506		
spare parts for	101092		
	No.	100455	Ref. No. —
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101059	Ref. No. —
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1			
	No.	101204	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S			
	No.	101244	Ref. No. —
gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps			
	No.	101463	Ref. No. —
screw suitable for PEL23S Qty 4 pcs			
	No.	528455	Ref. No. —
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs			
accessories for	101092		
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

accessories for 101092				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101252	Ref. No.	—
union nut thread M24x1.5 for pipe ø 12mm				
	No.	101253	Ref. No.	—
union nut thread M24x1.5 PEL for pipe ø 16mm				
	No.	101254	Ref. No.	—
union nut thread M28x1.5 tube ø 20mm				
	No.	101255	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs				
	No.	101256	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	—
olive for pipe ø 20mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

gas thermostats

SIT

630 Eurosit series

 				
1 				
No.	101413	Ref. No.	A00414	
description	gas thermostat type 630 Eurosit series t.max. 100°C 30-100°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 122mm capillary pipe 1050mm SIT			
For models:	700-400A-C-T, 700-402A-C-T, 900-400A-C-T, 900-402A-C-T, 920-400A-T, 920-402A-T			
accessories for	101413			
	No.	100904	Ref. No.	4392050
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				



accessories for 101413				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	101333	Ref. No.	—
plug thread 3/8" with O-ring				


No.	101188	Ref. No.	A00405
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
For models:	500-601A, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 900- 601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 920-604A-S		
accessories for	101188		
	No.	100904	Ref. No. 4392050
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. —
plug thread 3/8" with O-ring			




1

No.	101125	Ref. No.	A00406	
description gas thermostat type 630 Eurosit series t.max. 340°C 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT				
For models: 110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 110-200F, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-040F-FV, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-222F, 700-040FB, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-138FBA, 700-162FG, 700-200FB, 700-222FB, 700-224FBA, 700-224FG, 700-401B, 900-040F, 900-120AL-AR, 900-120ALC, 900-120CL-CR...(Other models you can see in the webshop)				
accessories for 101125				
	No.	100825	Ref. No.	—
gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT				
	No.	100904	Ref. No.	4392050
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	100949	Ref. No.	—
gasket suitable for 630 Eurosit series				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	101333	Ref. No.	—
plug thread 3/8" with O-ring				
	No.	101390	Ref. No.	—
gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT				
	No.	101392	Ref. No.	—
adapter suitable for 630 Eurosit series				
	No.	110357	Ref. No.	—
gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series				
	No.	110358	Ref. No.	—
adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series				

710 Minisit series



No.	101132	Ref. No.	433011 770203180
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe Ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no		
spare parts for	101132		
	No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm Ø 17mm suitable for Minisit			
	No.	102102	Ref. No. —
probe 100-340°C probe Ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for	101132		
	No.	100809	Ref. No. —
O-ring EPDM thickness 2mm ID Ø 21mm Qty 1 pcs			
	No.	100904	Ref. No. 4392050
locking screw M10x1 for pipe Ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe Ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm Ø 17mm suitable for Minisit			
	No.	101136	Ref. No. —
piezoelectric igniter suitable for Minisit with cover cap Ømm connection F6.3x0.8			
	No.	101137	Ref. No. —
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No. —
gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No. —
olive for pipe Ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			

accessories for	101132		
	No.	101274	Ref. No. —
olive for pipe Ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe Ø 16mm Qty 1 pcs			
	No.	101276	Ref. No. —
union screw thread 3/8" tube Ø 12mm Qty 1 pcs			
	No.	110068	Ref. No. —
knob suitable for Minisit Ø 37mm			

No.	101114 ¹	Ref. No.	433208 A00044
description	gas thermostat with pressure controller SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe Ø 10.5mm probe L 26mm capillary pipe 1050mm probe type type F3 pressure controller yes pressure regulator 3-18mbar gland nut		
spare parts for	101114		
	No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm Ø 17mm suitable for Minisit			
	No.	102104	Ref. No. 439621019
probe 110-190°C probe Ø 11mm probe thread 1/4" probe L 26mm capillary pipe 1050mm t.max. 190°C fryer probe type type F3 suitable for MINISIT 710			
accessories for	101114		
	No.	100809	Ref. No. —
O-ring EPDM thickness 2mm ID Ø 21mm Qty 1 pcs			
	No.	100820	Ref. No. —
gland duct ET M14x1.5 IT M10x0.75 probe Ø max. 6.5mm WS 22			
	No.	100904	Ref. No. 4392050
locking screw M10x1 for pipe Ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe Ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm Ø 17mm suitable for Minisit			
	No.	101136	Ref. No. —
piezoelectric igniter suitable for Minisit with cover cap Ømm connection F6.3x0.8			
	No.	101137	Ref. No. —
cover cap without piezoelectric igniter			

¹probe thread 1/4"
Table continues overleaf



accessories for 101114				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	—
knob suitable for Minisit ø 37mm				
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	532520	Ref. No.	—
O-ring silicone thickness 2.62mm ID ø 15.08mm Qty 1 pcs				

accessories

probes



1

No.	102101	Ref. No.	439631034
description	probe 100-340°C probe ø 5mm probe L 70mm capillary pipe 1000mm t.max. 340°C suitable for MINISIT 710		

1



No.	102104 ¹	Ref. No.	439621019
description	probe 110-190°C probe ø 11mm probe thread 1/4" probe L 26mm capillary pipe 1050mm t.max. 190°C fryer probe type type F3 suitable for MINISIT 710		
accessories for	102104		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510420	Ref. No. —
gasket copper ED ø 19.9mm ID ø 14.3mm thickness 2mm Qty 1 pcs			
	No.	529251	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 15.08mm Qty 1 pcs			

¹probe thread 1/4"

PEL

24ST series



1

No.	101078	Ref. No.	435218	
description	gas thermostat PEL type 24ST 55-110°C gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 160mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper			
spare parts for	101078			
	No.	100455	Ref. No.	—
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5				
	No.	101058	Ref. No.	—
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard				
	No.	106200	Ref. No.	—
nut thread M9x1 suitable for PEL 24/25S				
accessories for	101078			
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	270201580
olive for pipe ø 10mm Qty 1 pcs				

Table continues overleaf

accessories for 101078				
	No.	101250	Ref. No.	270201680
	union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	110079	Ref. No.	—
	knob dial plate gas thermostat 1-8 silver			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			

25ST series



1

No.	101172	Ref. No.	435219	
description	gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper			
spare parts for	101172			
	No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101060	Ref. No.	—
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	106200	Ref. No.	—
	nut thread M9x1 suitable for PEL 24/255			
accessories for	101172			
	No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101278	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	101300	Ref. No.	—
	union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			

accessories for 101172				
	No.	110079	Ref. No.	—
	knob dial plate gas thermostat 1-8 silver			
	No.	110081	Ref. No.	—
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal			

gas valves and ignition boxes

gas control valves

HONEYWELL



1

No.	101395	Ref. No.	43330001	
description	gas valve type VR4605P 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection pressure range 8-50mbar operator type 230V (V404A 1071) pressure controller type 220/240V (V404A 1071 4) HONEYWELL coil type 220/240V (V4336A 2220) flange 45x45mm			
accessories for	101395			
	No.	101320	Ref. No.	—
	cover suitable for gas valves HONEYWELL			
	No.	102845	Ref. No.	—
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	No.	102846	Ref. No.	—
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			

SIT

ELETTROSIT



1

No.	101127	Ref. No.	43300012	
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175			
spare parts for	101127			
	No.	101312	Ref. No.	—
	microswitch			



spare parts for 101127				
	No.	101352	Ref. No.	—
solenoid coil 230V 50Hz suitable for ELETTROSIT				
accessories for 101127				
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	100904	Ref. No.	4392050
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101301	Ref. No.	—
gas connection thread 1/2" straight ELETTROSIT screw with O-ring				
	No.	101303	Ref. No.	—
gas connection straight thread 3/4" ELETTROSIT				
	No.	101309	Ref. No.	—
extension				

TANDEM



1

No.	101189	Ref. No.	433012	
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.040 suitable for Tandem			
For models:	700-622, 700-900, 900-622, 900-642, 900-900, 900-940, 920-622, 920-642, 920-900, 920-940			
spare parts for	101189			
	No.	101379	Ref. No.	—
solenoid coil 230V 50Hz suitable for Tandem				
accessories for	101189			
	No.	100904	Ref. No.	4392050
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101925	Ref. No.	—
plug with O-ring thread M10x1 for pilot burner suitable for NOVACIT				

accessories for 101189				
	No.	102845	Ref. No.	—
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem				
	No.	102846	Ref. No.	—
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem				
	No.	102847	Ref. No.	—
O-ring				

ignition boxes

HONEYWELL



1

No.	101165	Ref. No.	43331001
description	ignition box HONEYWELL type S4560A 1008 equiv. no. S4560A 1008 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		
For models:	700-622, 700-900, 900-622, 900-642, 900-900, 900-940, 920-622, 920-642, 920-900, 920-940		
spare parts for	101165		
	No.	358696	Ref. No.
fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs			



1

No.	102367	Ref. No.	293203200
description	ignition box HONEYWELL type S4565A 2092 1 electrodes 3 waiting times safety time 10s 220-240V 4VA 50/60Hz		



1

No.	106949	Ref. No.	43331002
description	ignition box HONEYWELL type S4960A 1008 electrodes 1 waiting time 2s safety time 10s 220-240V 10VA 50Hz		

ignition parts

pilot burners

SIT

100 series



1

No.	106906	Ref. No.	A00132 A00280
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-130TL-TR, 64-132TL-TLR-TR, 64-600T-603T, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-138A-C-T, 700-138FBA, 700-138FEBA...(Other models you can see in the webshop)		
spare parts for	106906		
	No.	100245	Ref. No. 4370001
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100855	Ref. No. —
	pilot burner bracket triple		
	No.	100885	Ref. No. —
	air mixing sleeve for pilot burner Qty 1 pcs		
	No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	No.	100918	Ref. No. —
	screw for pilot burner		
	No.	107162	Ref. No. —
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	No.	107701	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	106906		
	No.	100245	Ref. No. 4370001
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100246	Ref. No. —
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100904	Ref. No. 4392050
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		

accessories for	106906		
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	No.	107171	Ref. No. —
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
	No.	107700	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm		
	No.	107702	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		

accessories


pilot burner nozzles



1

No.	100245	Ref. No.	4370001
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

ignition electrodes



1

No.	100706	Ref. No.	4398070
description	ignition electrode connection M4 Qty 1 pcs		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-130TL-TR, 64-132TL-TLR-TR, 64-600T-603T, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-138A-C-T, 700-138FBA, 700-138FEBA...(Other models you can see in the webshop)		



140 - 145 -150 series



No.	100159	Ref. No.	790200900
description	pilot burner SIT type 150 series 2 flames nozzle 19 nozzle ø 0.23/0.26mm gas connection 4mm		
spare parts for	100159		
	No.	100205	Ref. No. 43702019
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No. 270200700
ignition electrode connection M4 Qty 1 pcs			
	No.	100897	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	107888	Ref. No. —
pilot burner SIT type 150 series 2 flames			
accessories for	100159		
	No.	100204	Ref. No. —
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100206	Ref. No. 43702036
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No. —
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No. —
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100898	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			



No.	106942	Ref. No.	A00407
description	pilot burner type 150 series 1 flame nozzle ømm gas connectionmm		
For models:	700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302		
spare parts for	106942		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	106942		
	No.	100204	Ref. No. —
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No. 43702019
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100206	Ref. No. 43702036
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No. —
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No. —
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No. 270200700
ignition electrode connection M4 Qty 1 pcs			
	No.	100897	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	No.	100898	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			

160 series



1

No.	100054	Ref. No.	A00281
description	pilot burner SIT type 160 series 2 flames nozzle $\varnothing$ mm gas connectionmm		
For models:	110-200A-T, 110-200F, 110-200FE		
spare parts for	100054		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 $\varnothing$ mm for thermocouple			
accessories for	100054		
	No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle $\varnothing$ 0.41mm			
	No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle $\varnothing$ 0.25mm			
	No.	100701	Ref. No. 270200700
ignition electrode connection M4 Qty 1 pcs			
	No.	100801	Ref. No. —
gasket for pilot burner Qty 1 pcs			
	No.	100869	Ref. No. —
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle $\varnothing$ 0.51mm			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs			
	No.	101282	Ref. No. —
olive for pipe $\varnothing$ 4mm L 7.4mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe $\varnothing$ 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm			
	No.	107650	Ref. No. 43703030
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			



1

No.	100056	Ref. No.	A00282
description	pilot burner SIT type 160 series 3 flames nozzle $\varnothing$ mm gas connectionmm		
spare parts for	100056		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 $\varnothing$ mm for thermocouple			
accessories for	100056		
	No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle $\varnothing$ 0.41mm			
	No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle $\varnothing$ 0.25mm			
	No.	100701	Ref. No. 270200700
ignition electrode connection M4 Qty 1 pcs			
	No.	100801	Ref. No. —
gasket for pilot burner Qty 1 pcs			
	No.	100869	Ref. No. —
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle $\varnothing$ 0.51mm			
	No.	100870	Ref. No. —
olive for pipe $\varnothing$ 4mm Qty 1 pcs suitable for 160 series for pilot burner			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe $\varnothing$ 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm			
	No.	107650	Ref. No. 43703030
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			




POLIDORO

pilot burners



No.	102295	Ref. No.	436201 526FSUF4
description	pilot burner POLIDORO 3 flames code gas connection 4mm		
spare parts for	102295		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	102295		
	No.	100208	Ref. No. 4372022
pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs			
	No.	100209	Ref. No. —
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs			
	No.	100701	Ref. No. 270200700
ignition electrode connection M4 Qty 1 pcs			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101280	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			



No.	100076	Ref. No.	A00283
description	pilot burner POLIDORO 3 flames natural gas code 29.2 gas connection 6mm		
For models:	110-122FLC, 110-122FL-FLR, 500-125A-126A, 500-750A, 500-800A, 64-040FCE, 64-040F-FV, 64-125T-126T, 64-222F, 64-900T, 700-040FB, 700-125A-C, 700-125T, 700-126A-C, 700-126T, 700-127A-C, 700-127T, 700-138FBA, 700-162FBA, 700-162FG, 700-200FB, 700-222FB, 700-224FBA, 700-224FG, 700-508, 700-750A-S, 700-800A-S, 900-040F, 900-125A-C, 900-125T, 900-126A-C, 900-126T, 900-127A-C, 900-127T, 900-138FA, 900-162FA, 900-162FG, 900-200F, 900-503, 900-506, 900-750A-S, 900-800A-S, 920-122FLC, 920-122FL-FLR-FR, 920-200F, 920-503, 920-506, 920-750A-S		
accessories for	100076		
	No.	100000	Ref. No. —
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs			
	No.	100208	Ref. No. 4372022
pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs			
	No.	100209	Ref. No. —
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs			
	No.	100701	Ref. No. 270200700
ignition electrode connection M4 Qty 1 pcs			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	102508	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 5 pcs			
	No.	102509	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 5 pcs			
	No.	102699	Ref. No. —
pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores			
	No.	102795	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	102797	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			

accessories for 100076				
	No.	106703	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs			
	No.	106704	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs			
	No.	106763	Ref. No.	4372027
	pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs			
	No.	106859	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs			

PRO-GAS

140 - 145 -150 series

pilot burners

A black metal pilot burner assembly with two gas valves and a control lever. The assembly is shown against a white background.

1

No.	102804	Ref. No.	A00424
description	pilot burner type 150 series 1 flame		
For models:	500-601A, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 920-604A-S		

producer-specific pilot burners

GICO

50 / 60 / 62 / 70 / 90 / 92 / 110 series (version 1)



1

No.	100165	Ref. No.	270200020	
description pilot burner				
accessories for 100165				
	No.	100202	Ref. No.	—
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
	No.	100203	Ref. No.	—
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			

accessories for 100165				
	No.	101282	Ref. No.	—
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
	No.	101287	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	No.	107650	Ref. No.	43703030
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs			




1


No.	100068	Ref. No.	270200020 A00001	
description pilot burner 2 flames gas connection 6mm				
accessories for 100068				
	No.	100202	Ref. No.	—
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
	No.	100203	Ref. No.	—
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101282	Ref. No.	—
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
	No.	101287	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	No.	107649	Ref. No.	—
	pilot burner nozzle SIT LPG code 20 Qty 1 pcs			
	No.	107650	Ref. No.	43703030
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs			




electrodes




No.	100701	Ref. No.	270200700
description	ignition electrode connection M4 Qty 1 pcs		
For models:	110-122FLC, 110-122FL-FLR, 110-200A-T, 110-200F, 110-200FE, 500-125A-126A, 500-750A, 500-800A, 64-040F-FV, 64-125T-126T, 64-222F, 700-040FB, 700-125A-C, 700-125T, 700-126A-C, 700-126T, 700-127A-C, 700-127T, 700-162FBA, 700-162FG, 700-508, 700-750A-S, 700-800A-S, 900-040F, 900-125A-C, 900-125T, 900-126A-C, 900-126T, 900-127A-C, 900-127T, 900-162FA, 900-162FG, 900-182F, 900-503, 900-506, 900-750A-S, 900-800A-S, 920-122FLC, 920-122FL-FLR-FR, 920-503, 920-506, 920-750A-S		
accessories for	100701		
	No.	100906	Ref. No. —
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		




No.	100706	Ref. No.	4398070
description	ignition electrode connection M4 Qty 1 pcs		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-130TL-TR, 64-132TL-TLR-TR, 64-600T-603T, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-138A-C-T, 700-138FBA, 700-138FEBA...(Other models you can see in the webshop)		



No.	102871	Ref. No.	4398060
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 8mm BL1 18mm BL2 3mm BL3 23mm to clip		
For models:	500-601A, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 700-609A, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 900-609A, 920-604A-S, 920-60...		



No.	100761	Ref. No.	793305370
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 15mm L2 17mm BL1 21mm BL2 28mm fixing dimensions ø5x4mm with flange connection ø 4mm		



No.	100760	Ref. No.	793305360
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 26mm L2 17mm BL1 21mm BL2 28mm fixing dimensions ø5x4mm with flange connection ø 4mm		



No.	100796	Ref. No.	792311420
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 46mm L2 17mm BL1 21mm BL2 28mm fixing dimensions ø5x4mm with flange connection ø 4mm		
For models:	700-622, 700-900, 900-622, 900-642, 900-900, 900-940, 920-622, 920-642, 920-900, 920-940		

ignition cables

pre-assembled cables

1 			
No.	100036	Ref. No.	5509060
description	ignition cable cable length 500mm connection F2.8mm / F2.8mm		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T		

1 			
No.	100018	Ref. No.	5509040
description	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-130TL-TR, 64-132TL-TLR-TR, 64-600T-603T, 64-900T, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-400A-C-T, 700-402A-C-T... (Other models you can see in the webshop)		

1 			
No.	100146	Ref. No.	270112320
description	ignition cable cable length 900mm connection ø2.4mm / lug M4		
For models:	110-122FLC, 110-122FL-FLR, 110-200A-T, 110-200F, 110-200FE, 64-040F-FV, 64-222F, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162FBA, 700-162FG, 700-200A-C-T, 700-200FB, 700-200FEB, 700-222FB, 700-224FBA, 700-224FG, 700-401B, 700-508, 900-040F, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162FA, 900-162FG, 900-200A-C-T, 900-200F, 900-200FE, 900-401, 900-503, 900-506, 920-122FLC, 920-122FL-FLR-FR, 920-200A-T, 920-200F, 920-200FE, 920-503, 920-506		

1 			
No.	100019	Ref. No.	45509080
description	ignition cable cable length 900mm connection ø2.4mm / ø4mm		
For models:	500-601A, 500-750A, 500-800A, 64-040F-FV, 64-125T-126T, 64-222F, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 700-609A, 700-750A-S, 700-800A-S, 900-182F, 900-402A-C-T, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 900-609A, 900-750A-S, 900-800A-S, 920-402A-T, 920-604A-S, 920-609A, 920-750A-S		

piezoelectric igniters

mounting diameter 22mm



1

No.	100013	Ref. No.	4398050
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-125T-126T, 64-130TL-TR, 64-132TL-TLR-TR, 64-222F, 64-222FCE, 64-222FE, 64-222T, 64-600T-603T, 64-900T		
accessories for	100013		
	No.	100023	Ref. No.
	female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs		

1 			
No.	102977	Ref. No.	A00477
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm with cover cap		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 110-200A-T, 110-200F, 110-200FE, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 500-125A-126A, 500-601A, 500-750A, 500-800A, 700-040FB, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-125A-C, 700-125T, 700-126A-C, 700-126T, 700-127A-C, 700-127T, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR...(Other models you can see in the webshop)		

miscellaneous

1 			
No.	nla ¹	Ref. No.	00073
description	piezoelectric igniter body metal connection F6.3x0.8 2 hole fixing ø 22mm		

¹no longer available

accessories



No.	101339	Ref. No.	290204470
description	cover cap for piezoelectric igniter		

ignition units



No.	101002	Ref. No.	539613240
description	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		


thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6mm


SIT




No.	102267	Ref. No.	434008085
description	thermocouple M8x1 L 850mm plug connection ø6.0mm		

with barrel socket ø6(6.5)mm


thermocouples SIT




No.	107603	Ref. No.	A00426
description	thermocouple SIT M8x1 L 1000mm plug connection ø6.0(6.5)mm		
For models:	700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE		




No.	107605	Ref. No.	A00201
description	thermocouple SIT M8x1 L 1500mm plug connection ø6.0(6.5)mm		



No.	107601	Ref. No.	434008050
description	thermocouple SIT M8x1 L 600mm plug connection ø6.0(6.5)mm		




No.	107612	Ref. No.	434009110
description	thermocouple SIT M9x1 L 1000mm plug connection ø6.0(6.5)mm		




No.	107611	Ref. No.	434009175
description	thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm		

For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 110-200A-T, 110-200F, 110-200FE, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-040F-FV, 64-125T-126T, 64-222F, 700-040FB, 700-040FEB, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-138FBA, 700-162FBA, 700-200FB, 700-222FB, 700-224FBA, 700-400A-C-T, 700-401B, 700-402A-C-T, 900-040F, 900-120AL-AR, 900-120ALC, 900-120CL-CR...(Other models you can see in the webshop)		
--------------------	---	--	--


thermocouples with aluminised tip



No.	102043	Ref. No.	434009000
description	thermocouple M9x1 L 1000mm plug connection ø6.0(6.5)mm		



No.	102039	Ref. No.	434010100
description	thermocouple M9x1 L 320mm plug connection ø6.0(6.5)mm		




No.	102041	Ref. No.	434209075
description	thermocouple M9x1 L 600mm plug connection ø6.0(6.5)mm		

plug-in thermocouples with aluminised tip




No.	103058	Ref. No.	434008060
description	thermocouple aluminized tip M8x1 L 600mm plug connection ø6.0(6.5)mm		
For models:	700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE		

plug-in thermocouples with interruption



No.	107164	Ref. No.	434009100 4343103
description	thermocouple SIT with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm soldering connection		
For models:	64-600T-603T, 700-508, 900-503, 900-506, 920-503, 920-506		




No.	107177	Ref. No.	434099045 4343106 A00425
description	thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm		
For models:	500-601A, 64-600T-603T, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 700-609A, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 900-609A, 920-604A-S, 920-609A		

threaded thermocouples


threaded thermocouples standard

with socket with thread M8x1


SIT



No.	107632	Ref. No.	A00270
description	thermocouple SIT M8x1 L 1000mm M8x1		
accessories for	107632		
	No.	102067	Ref. No. —
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		




No.	107631	Ref. No.	A00017
description	thermocouple SIT M8x1 L 850mm M8x1		
accessories for	107631		
	No.	102067	Ref. No. —
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		




No.	107637	Ref. No.	A00022
description	thermocouple SIT M9x1 L 850mm M8x1		
accessories for	107637		
	No.	102067	Ref. No. —
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

threaded thermocouples (miscellaneous)



No.	102055	Ref. No.	A00016
description	thermocouple M8x1 L 450mm M8x1		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T		
accessories for	102055		
	No.	102067	Ref. No. —
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

thermopiles



No.	102116	Ref. No.	434010580
description	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"		

gas burners

hob burners

producer-specific hob burners

GICO

50, 60, 62, 70, 90, 92, 110 (old series)



No.	105068	Ref. No.	741312350
description	air mixing sleeve		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302		
accessories for	105068		
	No.	104091	Ref. No. 790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No. 270200170 770324790
venturi C/D			
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105060	Ref. No. 760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105062	Ref. No. 760311640
venturi C			
	No.	105076	Ref. No. 790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105079	Ref. No. 770336760
burner head D ø 100mm			
	No.	105091	Ref. No. 770339300
burner head C for burner cap ø 60mm			
	No.	105098	Ref. No. 770336750
burner head D for burner cap ø 80mm			
	No.	105099	Ref. No. A00419
burner head A for burner cap ø 110mm			
	No.	105100	Ref. No. A00418
burner head A for burner cap ø 110mm			
	No.	105119	Ref. No. A00420
burner head B for burner cap ø 90mm			
	No.	105707	Ref. No. —
burner cap ø 95mm			

Table continues overleaf

accessories for 105068				
	No.	105708	Ref. No.	—
	burner head for burner cap ø 95mm			
	No.	105709	Ref. No.	—
	venturi			
	No.	105710	Ref. No.	—
	burner holder with nozzle holder			

1



No.	105078	Ref. No.	290200450	
description burner cap C ø 60mm				
accessories for 105078				
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105076	Ref. No.	790300789
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105077	Ref. No.	270204230 290200460
	burner ring C for burner cap ø 60mm			
	No.	105091	Ref. No.	770339300
	burner head C for burner cap ø 60mm			

1

				
No.	105081	Ref. No.	290200480 A00004	
description	burner cap D ø 80mm			
accessories for	105081			
	No.	104091	Ref. No.	790300799
	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105080	Ref. No.	270204240
	burner ring D for burner cap ø 80mm			
	No.	105098	Ref. No.	770336750
	burner head D for burner cap ø 80mm			



1

No.	105060	Ref. No.	760305080 764305190	
description	burner head C for burner cap ø 60mm suitable for 60, 62 series			
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T			
accessories for	105060			
	No.	103060	Ref. No.	770319550
	burner cap C ø 70mm			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105062	Ref. No.	760311640
	venturi C			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			



1

No.	105076	Ref. No.	790300789	
description burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)				
accessories for 105076				
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105077	Ref. No.	270204230 290200460
	burner ring C for burner cap ø 60mm			
	No.	105078	Ref. No.	290200450
	burner cap C ø 60mm			

1 				
No.	104091	Ref. No.	790300799	
description	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
accessories for	104091			
	No.	104093	Ref. No.	270200170 770324790
venturi C/D				



accessories for 104091				
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105080	Ref. No.	270204240
	burner ring D for burner cap ø 80mm			
	No.	105081	Ref. No.	290200480 A00004
	burner cap D ø 80mm			



1

No.	104096	Ref. No.	241202412	
description burner holder with nozzle holder connection M20x1.5				
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302			
accessories for 104096				
	No.	101250	Ref. No.	270201680
	union nut thread M20x1.5 for pipe ø 10mm			
	No.	101278	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	No.	104091	Ref. No.	790300799
	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	105060	Ref. No.	760305080 764305190
	burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105062	Ref. No.	760311640
	venturi C			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105076	Ref. No.	790300789
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105079	Ref. No.	770336760
	burner head D ø 100mm			
	No.	105091	Ref. No.	770339300
	burner head C for burner cap ø 60mm			
	No.	105098	Ref. No.	770336750
	burner head D for burner cap ø 80mm			
	No.	105099	Ref. No.	A00419
	burner head A for burner cap ø 110mm			

accessories for 104096				
	No.	105100	Ref. No.	A00418
	burner head A for burner cap ø 110mm			
	No.	105119	Ref. No.	A00420
	burner head B for burner cap ø 90mm			

1

				
No.	105077	Ref. No.	270204230 290200460	
description	burner ring C for burner cap ø 60mm			
accessories for	105077			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105076	Ref. No.	790300789
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105078	Ref. No.	290200450
	burner cap C ø 60mm			
	No.	105091	Ref. No.	770339300
	burner head C for burner cap ø 60mm			

1

No.	105082	Ref. No.	A00003
description	burner ring C with burner cap ø60mm		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-302		

				
1				
No.	105080	Ref. No.	270204240	
description	burner ring D for burner cap ø 80mm			
accessories for	105080			
	No.	104091	Ref. No.	790300799
	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			



accessories for 105080				
	No.	104096	Ref. No.	241202412
burner holder with nozzle holder connection M20x1.5				
	No.	105068	Ref. No.	741312350
air mixing sleeve				
	No.	105081	Ref. No.	290200480 A00004
burner cap D ø 80mm				
	No.	105098	Ref. No.	770336750
burner head D for burner cap ø 80mm				

1

No.	105083	Ref. No.	A00004
description	burner ring D with burner cap ø85mm		
For models:	900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302		



1

No.	105062	Ref. No.	760311640
description venturi C			
For models: 64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T			
accessories for 105062			
No.	103060	Ref. No.	770319550
 burner cap C ø 70mm			
No.	104096	Ref. No.	241202412
 burner holder with nozzle holder connection M20x1.5			
No.	105060	Ref. No.	760305080 764305190
 burner head C for burner cap ø 60mm suitable for 60, 62 series			
No.	105068	Ref. No.	741312350
 air mixing sleeve			



1

No.	104093	Ref. No.	270200170 770324790	
description		venturi C/D		
For models:		64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE		
accessories for		104093		
	No.	104091	Ref. No.	790300799
burner head D $\varnothing$ 124mm for burner cap $\varnothing$ 80mm suitable for 50, 90, 92, 110 series (old)				
	No.	104096	Ref. No.	241202412
burner holder with nozzle holder connection M20x1.5				
	No.	105068	Ref. No.	741312350
air mixing sleeve				
	No.	105076	Ref. No.	790300789
burner head C for burner cap $\varnothing$ 60mm suitable for 70, 90, 92 series (old)				
	No.	105079	Ref. No.	770336760
burner head D $\varnothing$ 100mm				
	No.	105091	Ref. No.	770339300
burner head C for burner cap $\varnothing$ 60mm				
	No.	105098	Ref. No.	770336750
burner head D for burner cap $\varnothing$ 80mm				
	No.	105099	Ref. No.	A00419
burner head A for burner cap $\varnothing$ 110mm				
	No.	105100	Ref. No.	A00418
burner head A for burner cap $\varnothing$ 110mm				
	No.	105119	Ref. No.	A00420
burner head B for burner cap $\varnothing$ 90mm				



700/900 (old series)



1

No.	105068	Ref. No.	741312350
description	air mixing sleeve		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302		
accessories for	105068		
	No.	104091	Ref. No. 790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No. 270200170 770324790
venturi C/D			
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105060	Ref. No. 760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105062	Ref. No. 760311640
venturi C			
	No.	105076	Ref. No. 790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105079	Ref. No. 770336760
burner head D ø 100mm			
	No.	105091	Ref. No. 770339300
burner head C for burner cap ø 60mm			
	No.	105098	Ref. No. 770336750
burner head D for burner cap ø 80mm			
	No.	105099	Ref. No. A00419
burner head A for burner cap ø 110mm			
	No.	105100	Ref. No. A00418
burner head A for burner cap ø 110mm			
	No.	105119	Ref. No. A00420
burner head B for burner cap ø 90mm			
	No.	105707	Ref. No. —
burner cap ø 95mm			
	No.	105708	Ref. No. —
burner head for burner cap ø 95mm			
	No.	105709	Ref. No. —
venturi			

accessories for	105068		
	No.	105710	Ref. No. —
burner holder with nozzle holder			

1			
No.	103060	Ref. No.	770319550
description	burner cap C ø 70mm		
For models:	64-222F, 64-222FCE, 64-222FE, 64-222T		
accessories for	103060		
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105060	Ref. No. 760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105062	Ref. No. 760311640
venturi C			
	No.	105068	Ref. No. 741312350
air mixing sleeve			

1			
No.	103061	Ref. No.	770319560
description	burner cap D ø 100mm		
For models:	700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T		
accessories for	103061		
	No.	104091	Ref. No. 790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No. 270200170 770324790
venturi C/D			
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No. 741312350
air mixing sleeve			
	No.	105079	Ref. No. 770336760
burner head D ø 100mm			

1			
No.	103062	Ref. No.	241200430
description	burner cap E ø 135mm		

			
1			
No.	104091	Ref. No.	790300799
description	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)		
accessories for	104091		
	No.	104093	Ref. No. 270200170 770324790
venturi C/D			
	No.	105068	Ref. No. 741312350
air mixing sleeve			
	No.	105080	Ref. No. 270204240
burner ring D for burner cap ø 80mm			
	No.	105081	Ref. No. 290200480 A00004
burner cap D ø 80mm			

			
1			
No.	104096	Ref. No.	241202412
description	burner holder with nozzle holder connection M20x1.5		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302		
accessories for	104096		
	No.	101250	Ref. No. 270201680
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	104091	Ref. No. 790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No. 270200170 770324790
venturi C/D			
	No.	105060	Ref. No. 760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105062	Ref. No. 760311640
venturi C			
	No.	105068	Ref. No. 741312350
air mixing sleeve			
	No.	105076	Ref. No. 790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			

accessories for	104096		
	No.	105079	Ref. No. 770336760
burner head D ø 100mm			
	No.	105091	Ref. No. 770339300
burner head C for burner cap ø 60mm			
	No.	105098	Ref. No. 770336750
burner head D for burner cap ø 80mm			
	No.	105099	Ref. No. A00419
burner head A for burner cap ø 110mm			
	No.	105100	Ref. No. A00418
burner head A for burner cap ø 110mm			
	No.	105119	Ref. No. A00420
burner head B for burner cap ø 90mm			

			
1			
No.	104093	Ref. No.	270200170 770324790
description	venturi C/D		
For models:	64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE		
accessories for	104093		
	No.	104091	Ref. No. 790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No. 741312350
air mixing sleeve			
	No.	105076	Ref. No. 790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105079	Ref. No. 770336760
burner head D ø 100mm			
	No.	105091	Ref. No. 770339300
burner head C for burner cap ø 60mm			
	No.	105098	Ref. No. 770336750
burner head D for burner cap ø 80mm			
	No.	105099	Ref. No. A00419
burner head A for burner cap ø 110mm			

Table continues overleaf



accessories for 104093				
	No.	105100	Ref. No.	A00418
	burner head A for burner cap ø 110mm			
	No.	105119	Ref. No.	A00420
	burner head B for burner cap ø 90mm			

500, 700new, 900, 920, 110 (new series)



1	No.	105068	Ref. No.	741312350
description air mixing sleeve				
For models: 64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302				

accessories for 105068				
	No.	104091	Ref. No.	790300799
	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105060	Ref. No.	760305080 764305190
	burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105062	Ref. No.	760311640
	venturi C			
	No.	105076	Ref. No.	790300789
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105079	Ref. No.	770336760
	burner head D ø 100mm			
	No.	105091	Ref. No.	770339300
	burner head C for burner cap ø 60mm			
	No.	105098	Ref. No.	770336750
	burner head D for burner cap ø 80mm			
	No.	105099	Ref. No.	A00419
	burner head A for burner cap ø 110mm			
	No.	105100	Ref. No.	A00418
	burner head A for burner cap ø 110mm			
	No.	105119	Ref. No.	A00420
	burner head B for burner cap ø 90mm			
	No.	105707	Ref. No.	—
	burner cap ø 95mm			

accessories for 105068				
	No.	105708	Ref. No.	—
	burner head for burner cap ø 95mm			
	No.	105709	Ref. No.	—
	venturi			
	No.	105710	Ref. No.	—
	burner holder with nozzle holder			



1	No.	105088	Ref. No.	270203540
description burner cap A ø 110mm with central hole				
For models: 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE				

accessories for 105088				
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105099	Ref. No.	A00419
	burner head A for burner cap ø 110mm			
	No.	105100	Ref. No.	A00418
	burner head A for burner cap ø 110mm			



1	No.	105084	Ref. No.	270203550
description burner cap B ø 90mm with central hole				
For models: 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FBA, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T				

accessories for 105084				
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105119	Ref. No.	A00420
	burner head B for burner cap ø 90mm			



1

No.	105078	Ref. No.	290200450	
description	burner cap C ø 60mm			
accessories for	105078			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105076	Ref. No.	790300789
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105077	Ref. No.	270204230 290200460
	burner ring C for burner cap ø 60mm			
	No.	105091	Ref. No.	770339300
	burner head C for burner cap ø 60mm			



1

No.	105081	Ref. No.	290200480 A00004	
description	burner cap D ø 80mm			
accessories for	105081			
	No.	104091	Ref. No.	790300799
	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105080	Ref. No.	270204240
	burner ring D for burner cap ø 80mm			
	No.	105098	Ref. No.	770336750
	burner head D for burner cap ø 80mm			

 1			
No.	107018	Ref. No.	A00471
description	burner cap ø 175mm		

1

No.	105099	Ref. No.	A00419	
description	burner head A for burner cap ø 110mm			
accessories for	105099			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105088	Ref. No.	270203540
	burner cap A ø 110mm with central hole			

1

No.	105100	Ref. No.	A00418	
description	burner head A for burner cap ø 110mm			
For models:	900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE			
accessories for	105100			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105088	Ref. No.	270203540
	burner cap A ø 110mm with central hole			



No.	105119	Ref. No.	A00420
description	burner head B for burner cap ø 90mm		
For models:	700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T		
accessories for	105119		
	No.	104093	Ref. No. 270200170 770324790
	venturi C/D		
	No.	104096	Ref. No. 241202412
	burner holder with nozzle holder connection M20x1.5		
	No.	105068	Ref. No. 741312350
	air mixing sleeve		
	No.	105084	Ref. No. 270203550
	burner cap B ø 90mm with central hole		



No.	105091	Ref. No.	770339300
description	burner head C for burner cap ø 60mm		
For models:	700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-302		
accessories for	105091		
	No.	104093	Ref. No. 270200170 770324790
	venturi C/D		
	No.	104096	Ref. No. 241202412
	burner holder with nozzle holder connection M20x1.5		
	No.	105068	Ref. No. 741312350
	air mixing sleeve		
	No.	105077	Ref. No. 270204230 290200460
	burner ring C for burner cap ø 60mm		
	No.	105078	Ref. No. 290200450
	burner cap C ø 60mm		



No.	105098	Ref. No.	770336750
description	burner head D for burner cap ø 80mm		
For models:	900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302		
accessories for	105098		
	No.	104093	Ref. No. 270200170 770324790
	venturi C/D		
	No.	104096	Ref. No. 241202412
	burner holder with nozzle holder connection M20x1.5		
	No.	105068	Ref. No. 741312350
	air mixing sleeve		
	No.	105080	Ref. No. 270204240
	burner ring D for burner cap ø 80mm		
	No.	105081	Ref. No. 290200480 A00004
	burner cap D ø 80mm		



No.	107025	Ref. No.	A00472
description	burner head ø 185mm for burner cap ø 185mm		



No.	104096	Ref. No.	241202412
description	burner holder with nozzle holder connection M20x1.5		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302		
accessories for	104096		
	No.	101250	Ref. No. 270201680
	union nut thread M20x1.5 for pipe ø 10mm		
	No.	101278	Ref. No. —
	olive for pipe ø 10mm Qty 1 pcs		
	No.	104091	Ref. No. 790300799
	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)		

accessories for 104096				
	No.	104093	Ref. No.	270200170 770324790
venturi C/D				
	No.	105060	Ref. No.	760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series				
	No.	105062	Ref. No.	760311640
venturi C				
	No.	105068	Ref. No.	741312350
air mixing sleeve				
	No.	105076	Ref. No.	790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)				
	No.	105079	Ref. No.	770336760
burner head D ø 100mm				
	No.	105091	Ref. No.	770339300
burner head C for burner cap ø 60mm				
	No.	105098	Ref. No.	770336750
burner head D for burner cap ø 80mm				
	No.	105099	Ref. No.	A00419
burner head A for burner cap ø 110mm				
	No.	105100	Ref. No.	A00418
burner head A for burner cap ø 110mm				
	No.	105119	Ref. No.	A00420
burner head B for burner cap ø 90mm				



1

No.	107017	Ref. No.	292305990
description	burner pipe ø 28mm L 110mm		
For models:	90-301		

				
1				
No.	105077	Ref. No.	270204230 290200460	
description	burner ring C for burner cap ø 60mm			
accessories for	105077			
	No.	104093	Ref. No.	270200170 770324790
venturi C/D				
	No.	104096	Ref. No.	241202412
burner holder with nozzle holder connection M20x1.5				
	No.	105068	Ref. No.	741312350
air mixing sleeve				

accessories for 105077				
	No.	105076	Ref. No.	790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)				
	No.	105078	Ref. No.	290200450
burner cap C ø 60mm				
	No.	105091	Ref. No.	770339300
burner head C for burner cap ø 60mm				

1

No.	105082	Ref. No.	A00003
description	burner ring C with burner cap ø60mm		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-302		

				
1				
No.	105080	Ref. No.	270204240	
description burner ring D for burner cap ø 80mm				
accessories for 105080				
	No.	104091	Ref. No.	790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)				
	No.	104093	Ref. No.	270200170 770324790
venturi C/D				
	No.	104096	Ref. No.	241202412
burner holder with nozzle holder connection M20x1.5				
	No.	105068	Ref. No.	741312350
air mixing sleeve				
	No.	105081	Ref. No.	290200480 A00004
burner cap D ø 80mm				
	No.	105098	Ref. No.	770336750
burner head D for burner cap ø 80mm				



No.	107012	Ref. No.	711107640
description	cover plate ø 83mm		



No.	104093	Ref. No.	270200170 770324790
description	venturi C/D		
For models:	64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE		

accessories for	104093		
	No.	104091	Ref. No. 790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No. 741312350
air mixing sleeve			
	No.	105076	Ref. No. 790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105079	Ref. No. 770336760
burner head D ø 100mm			
	No.	105091	Ref. No. 770339300
burner head C for burner cap ø 60mm			
	No.	105098	Ref. No. 770336750
burner head D for burner cap ø 80mm			
	No.	105099	Ref. No. A00419
burner head A for burner cap ø 110mm			
	No.	105100	Ref. No. A00418
burner head A for burner cap ø 110mm			
	No.	105119	Ref. No. A00420
burner head B for burner cap ø 90mm			

solid tops series 60, 62



No.	105068	Ref. No.	741312350
description	air mixing sleeve		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302		
accessories for	105068		
	No.	104091	Ref. No. 790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No. 270200170 770324790
venturi C/D			
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105060	Ref. No. 760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105062	Ref. No. 760311640
venturi C			
	No.	105076	Ref. No. 790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105079	Ref. No. 770336760
burner head D ø 100mm			
	No.	105091	Ref. No. 770339300
burner head C for burner cap ø 60mm			
	No.	105098	Ref. No. 770336750
burner head D for burner cap ø 80mm			
	No.	105099	Ref. No. A00419
burner head A for burner cap ø 110mm			
	No.	105100	Ref. No. A00418
burner head A for burner cap ø 110mm			
	No.	105119	Ref. No. A00420
burner head B for burner cap ø 90mm			
	No.	105707	Ref. No. —
burner cap ø 95mm			
	No.	105708	Ref. No. —
burner head for burner cap ø 95mm			
	No.	105709	Ref. No. —
venturi			

Table continues overleaf

accessories for 105068				
	No.	105710	Ref. No.	—
burner holder with nozzle holder				



1

No.	105078	Ref. No.	290200450	
description burner cap C ø 60mm				
accessories for 105078				
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105076	Ref. No.	790300789
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105077	Ref. No.	270204230 290200460
	burner ring C for burner cap ø 60mm			
	No.	105091	Ref. No.	770339300
	burner head C for burner cap ø 60mm			



1

No.	103060	Ref. No.	770319550
description burner cap C ø 70mm			
For models: 64-222F, 64-222FCE, 64-222FE, 64-222T			
accessories for 103060			
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105060	Ref. No. 760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105062	Ref. No. 760311640
venturi C			
	No.	105068	Ref. No. 741312350
air mixing sleeve			



1

No.	103061	Ref. No.	770319560
description burner cap D ø 100mm			
For models: 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T			
accessories for 103061			
	No.	104091	Ref. No. 790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			

accessories for 103061				
	No.	104093	Ref. No.	270200170 770324790
venturi C/D				
	No.	104096	Ref. No.	241202412
burner holder with nozzle holder connection M20x1.5				
	No.	105068	Ref. No.	741312350
air mixing sleeve				
	No.	105079	Ref. No.	770336760
burner head D ø 100mm				



1

No.	105060	Ref. No.	760305080 764305190	
description		burner head C for burner cap ø 60mm suitable for 60, 62 series		
For models:		64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T		
accessories for		105060		
	No.	103060	Ref. No.	770319550
burner cap C ø 70mm				
	No.	104096	Ref. No.	241202412
burner holder with nozzle holder connection M20x1.5				
	No.	105062	Ref. No.	760311640
venturi C				
	No.	105068	Ref. No.	741312350
air mixing sleeve				

A black, circular burner head with a central opening and a flared base.

1

No.	105143	Ref. No.	760305630
description	burner head C for burner cap ø 70mm		

				
1				
No.	105146	Ref. No.	760302390	
description burner head D for burner cap ø 100mm				
accessories for 105146				
	No.	103061	Ref. No.	770319560
burner cap D ø 100mm				
	No.	104093	Ref. No.	270200170 770324790
venturi C/D				

Table continues overleaf



accessories for 105146				
	No.	104096	Ref. No.	241202412
burner holder with nozzle holder connection M20x1.5				
	No.	105068	Ref. No.	741312350
air mixing sleeve				

1				
	No.	104096	Ref. No.	241202412
description burner holder with nozzle holder connection M20x1.5				
For models: 64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302				
accessories for 104096				
	No.	101250	Ref. No.	270201680
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101278	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	104091	Ref. No.	790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)				
	No.	104093	Ref. No.	270200170 770324790
venturi C/D				
	No.	105060	Ref. No.	760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series				
	No.	105062	Ref. No.	760311640
venturi C				
	No.	105068	Ref. No.	741312350
air mixing sleeve				
	No.	105076	Ref. No.	790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)				
	No.	105079	Ref. No.	770336760
burner head D ø 100mm				
	No.	105091	Ref. No.	770339300
burner head C for burner cap ø 60mm				
	No.	105098	Ref. No.	770336750
burner head D for burner cap ø 80mm				
	No.	105099	Ref. No.	A00419
burner head A for burner cap ø 110mm				
	No.	105100	Ref. No.	A00418
burner head A for burner cap ø 110mm				

accessories for 104096				
	No.	105119	Ref. No.	A00420
burner head B for burner cap ø 90mm				

1				
	No.	105077	Ref. No.	270204230 290200460
description burner ring C for burner cap ø 60mm				
accessories for 105077				
	No.	104093	Ref. No.	270200170 770324790
venturi C/D				
	No.	104096	Ref. No.	241202412
burner holder with nozzle holder connection M20x1.5				
	No.	105068	Ref. No.	741312350
air mixing sleeve				
	No.	105076	Ref. No.	790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)				
	No.	105078	Ref. No.	290200450
burner cap C ø 60mm				
	No.	105091	Ref. No.	770339300
burner head C for burner cap ø 60mm				

1

No.	105082	Ref. No.	A00003
description	burner ring C with burner cap ø60mm		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-302		

1				
	No.	105062	Ref. No.	760311640
description venturi C				
For models: 64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T				
accessories for 105062				
	No.	103060	Ref. No.	770319550
burner cap C ø 70mm				

Table continues overleaf

accessories for 105062				
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105060	Ref. No.	760305080 764305190
	burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			

solid tops series 70, 90, 92, 110 (old), 700, 900, 920, 110 (new)

1



No.	105068	Ref. No.	741312350	
description	air mixing sleeve			
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302			
accessories for	105068			
	No.	104091	Ref. No.	790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)				
	No.	104093	Ref. No.	270200170 770324790
venturi C/D				
	No.	104096	Ref. No.	241202412
burner holder with nozzle holder connection M20x1.5				
	No.	105060	Ref. No.	760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series				
	No.	105062	Ref. No.	760311640
venturi C				
	No.	105076	Ref. No.	790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)				
	No.	105079	Ref. No.	770336760
burner head D ø 100mm				
	No.	105091	Ref. No.	770339300
burner head C for burner cap ø 60mm				
	No.	105098	Ref. No.	770336750
burner head D for burner cap ø 80mm				
	No.	105099	Ref. No.	A00419
burner head A for burner cap ø 110mm				
	No.	105100	Ref. No.	A00418
burner head A for burner cap ø 110mm				
	No.	105119	Ref. No.	A00420
burner head B for burner cap ø 90mm				

accessories for 105068				
	No.	105707	Ref. No.	—
	burner cap ø 95mm			
	No.	105708	Ref. No.	—
	burner head for burner cap ø 95mm			
	No.	105709	Ref. No.	—
	venturi			
	No.	105710	Ref. No.	—
	burner holder with nozzle holder			



1

No.	105078	Ref. No.	290200450	
description burner cap C ø 60mm				
accessories for 105078				
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105076	Ref. No.	790300789
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105077	Ref. No.	270204230 290200460
	burner ring C for burner cap ø 60mm			
	No.	105091	Ref. No.	770339300
	burner head C for burner cap ø 60mm			



1

No.	103061	Ref. No.	770319560	
description burner cap D ø 100mm				
For models: 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T				
accessories for 103061				
	No.	104091	Ref. No.	790300799
	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			

Table continues overleaf



accessories for 103061			
	No.	105079	Ref. No. 770336760
burner head D ø 100mm			

			
No.	105076	Ref. No.	790300789
description burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
accessories for 105076			
	No.	104093	Ref. No. 270200170 770324790
venturi C/D			
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No. 741312350
air mixing sleeve			
	No.	105077	Ref. No. 270204230 290200460
burner ring C for burner cap ø 60mm			
	No.	105078	Ref. No. 290200450
burner cap C ø 60mm			

			
No.	105079	Ref. No.	770336760
description burner head D ø 100mm			
For models: 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T			
accessories for 105079			
	No.	103061	Ref. No. 770319560
burner cap D ø 100mm			
	No.	104093	Ref. No. 270200170 770324790
venturi C/D			
	No.	104096	Ref. No. 241202412
burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No. 741312350
air mixing sleeve			

			
No.	105144	Ref. No.	290202870
description burner head for burner cap ø 100mm			

			
No.	104096	Ref. No.	241202412
description burner holder with nozzle holder connection M20x1.5			
For models: 64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE, 900-302			
accessories for 104096			
	No.	101250	Ref. No. 270201680
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	104091	Ref. No. 790300799
burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104093	Ref. No. 270200170 770324790
venturi C/D			
	No.	105060	Ref. No. 760305080 764305190
burner head C for burner cap ø 60mm suitable for 60, 62 series			
	No.	105062	Ref. No. 760311640
venturi C			
	No.	105068	Ref. No. 741312350
air mixing sleeve			
	No.	105076	Ref. No. 790300789
burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105079	Ref. No. 770336760
burner head D ø 100mm			
	No.	105091	Ref. No. 770339300
burner head C for burner cap ø 60mm			
	No.	105098	Ref. No. 770336750
burner head D for burner cap ø 80mm			
	No.	105099	Ref. No. A00419
burner head A for burner cap ø 110mm			

Table continues overleaf



accessories for 104096				
	No.	105100	Ref. No.	A00418
	burner head A for burner cap ø 110mm			
	No.	105119	Ref. No.	A00420
	burner head B for burner cap ø 90mm			

1

				
No.	105077	Ref. No.	270204230 290200460	
description	burner ring C for burner cap ø 60mm			
accessories for	105077			
	No.	104093	Ref. No.	270200170 770324790
	venturi C/D			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105076	Ref. No.	790300789
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105078	Ref. No.	290200450
	burner cap C ø 60mm			
	No.	105091	Ref. No.	770339300
	burner head C for burner cap ø 60mm			

1

No.	105082	Ref. No.	A00003
description	burner ring C with burner cap ø60mm		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-302		



1			
No.	105147	Ref. No.	A00024
description	nozzle holder L 61mm M10x1 gas inlet 1/2" gas outlet M14x1		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 110-200A-T, 110-200F, 110-200FE, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 500-125A-126A, 500-601A, 500-750A, 500-800A, 64-040F-FV, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-125T-126T, 64-130TL-TR, 64-132TL-TLR-TR, 64-222F, 64-600T-603T, 700-040FB, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-125A-C.. (Other models you can see in the webshop)		



1

No.	105364	Ref. No.	A00176
description	round burner ø 190mm		
For models:	110-200A-T, 110-200F, 110-200FE, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-200A-C-T, 700-200FB, 700-200FEB, 900-138A-C-T, 900-138FA, 900-138FEA, 900-200A-C-T, 900-200F, 900-200FE, 920-200A-T, 920-200F, 920-200FE		



1

No.	104093	Ref. No.	270200170 770324790	
description	venturi C/D			
For models:	64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE			
accessories for	104093			
	No.	104091	Ref. No.	790300799
	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)			
	No.	104096	Ref. No.	241202412
	burner holder with nozzle holder connection M20x1.5			
	No.	105068	Ref. No.	741312350
	air mixing sleeve			
	No.	105076	Ref. No.	790300789
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)			
	No.	105079	Ref. No.	770336760
	burner head D ø 100mm			
	No.	105091	Ref. No.	770339300
	burner head C for burner cap ø 60mm			
	No.	105098	Ref. No.	770336750
	burner head D for burner cap ø 80mm			
	No.	105099	Ref. No.	A00419
	burner head A for burner cap ø 110mm			
	No.	105100	Ref. No.	A00418
	burner head A for burner cap ø 110mm			
	No.	105119	Ref. No.	A00420
	burner head B for burner cap ø 90mm			



pan supports



1

No.	210028	Ref. No.	270203609
------------	--------	-----------------	-----------

description	pan support W 287mm L 387mm H 46mm suitable for GICO		
--------------------	--	--	--

reducers for pan supports



1

No.	210001	Ref. No.	241200480
------------	--------	-----------------	-----------

description	reducer for pan support L 265mm W 265mm SS suitable for universal		
--------------------	---	--	--

accessories

reducers for pan supports



1

No.	210001	Ref. No.	241200480
------------	--------	-----------------	-----------

description	reducer for pan support L 265mm W 265mm SS suitable for universal		
--------------------	---	--	--

bar burners

bar burners



1

No.	105353	Ref. No.	A00271
------------	--------	-----------------	--------

description	bar burner 2 row L 370mm W 178mm ømm H 145mm griddle		
--------------------	--	--	--



1

No.	105148	Ref. No.	A00422
------------	--------	-----------------	--------

description	bar burner 2 row L 380mm W 245mm ømm H 150mm fryer		
--------------------	--	--	--

For models:	700-601A-S, 700-602A-S, 900-601A-S, 900-602A-S		
--------------------	--	--	--



1

No.	105354	Ref. No.	A00272
------------	--------	-----------------	--------

description	bar burner 2 row L 400mm W 205mm ømm H 150mm griddle		
--------------------	--	--	--



1

No.	107147	Ref. No.	A00226
------------	--------	-----------------	--------

description	bar burner 2 row L 440mm W 250mm ømm H 50mm		
--------------------	---	--	--



1

No.	105363	Ref. No.	260202640 A00273
------------	--------	-----------------	---------------------

description	bar burner 2 row L 445mm W 200mm ømm H 50mm chargrill		
--------------------	---	--	--



1

No.	105149	Ref. No.	A00423
------------	--------	-----------------	--------

description	bar burner 2 row L 470mm W 245mm ømm H 150mm fryer		
--------------------	--	--	--

For models:	700-604A-605A, 900-604A-S, 900-605A-S, 920-604A-S		
--------------------	---	--	--



1

No.	104342	Ref. No.	A00274
------------	--------	-----------------	--------

description	bar burner 2 row L 510mm W 200mm ømm H 45mm chargrill		
--------------------	---	--	--



1

No.	105351	Ref. No.	A00162
------------	--------	-----------------	--------

description	bar burner 2 row L 510mm W 250mm ømm H 45mm gas range		
--------------------	---	--	--

For models:	700-040FB, 700-138FBA, 700-162FBA, 700-162FG, 700-200FB, 700-222FB, 700-224FBA, 700-224FG, 700-401B		
--------------------	---	--	--

			
1			
No.	105355	Ref. No.	A00110 A00193
description	bar burner 2 row L 530mm W 250mm ømm H 35mm griddle		
For models:	920-120AL-AR, 920-120ALC, 920-120TLC, 920-120TL-TR, 920-122AL-ALR-AR, 920-122ALC, 920-122FELC, 920-122FEL-FELR-FER, 920-122FELR, 920-122FER, 920-122FLC, 920-122FL-FLR-FR, 920-122TLC, 920-122TL-TLR-TR		

			
1			
No.	105352	Ref. No.	A00161
description	bar burner 2 row L 650mm W 235mm ømm H 40mm gas range		
For models:	900-040F, 900-138FA, 900-162FA, 900-162FG, 900-182F, 900-200F, 900-401, 920-122FLC, 920-122FL-FLR-FR, 920-200F		

			
1			
No.	105152	Ref. No.	770118950
description	bar burner ø 40mm Wmm Hmm L 309mm flange width 50mm gas range flange ø 61mm		
For models:	64-040F-FV, 64-222F, 64-900T, 700-400A-C-T, 700-402A-C-T		

			
1			
No.	105142	Ref. No.	770118960
description	bar burner ø 40mm Wmm Hmm L 409mm flange width 50mm griddle flange ø 61mm		
For models:	900-400A-C-T, 900-402A-C-T, 920-400A-T, 920-402A-T		

			
1			
No.	104155	Ref. No.	4323105
description	bar burner ø 40mm Wmm Hmm L 460mm 5.8kW frying pan		
For models:	900-622, 900-900		

			
1			
No.	105145	Ref. No.	790117780
description	bar burner ø 40mm Wmm Hmm L 510mm with retainer for nozzle rod flange width 50mm flange length 70mm griddle		

			
1			
No.	105361	Ref. No.	4323117
description	bar burner ø 50mm L 463mm flange width 71mm pasta cooker flange ø 75mm		

			
1			
No.	105156	Ref. No.	270203350
description	bar burner ø 50mm Wmm Hmm L 185mm flange width 71mm kettle flange ø 75mm		
For models:	700-508		

			
1			
No.	105366	Ref. No.	293200290
description	bar burner ø 50mm Wmm Hmm L 298mm flange width 65mm flange length 71mm		

			
1			
No.	105154	Ref. No.	770120430
description	bar burner ø 50mm Wmm Hmm L 308mm flange width 71mm pasta cooker flange ø 75mm		
For models:	500-750A, 700-750A-S, 700-800A-S		



1

No.	105359	Ref. No.	4323115
description	bar burner ø 50mm Wmm Hmm L 325mm flange width 71mm frying pan flange ø 75mm		
For models:	900-503, 920-503		



1

No.	105155	Ref. No.	790118660
description	bar burner ø 50mm Wmm Hmm L 465mm with retainer for nozzle rod with flange flange width 70mm flange length 75mm pasta cooker		
For models:	900-750A-S, 900-800A-S, 920-750A-S		



1

No.	105365	Ref. No.	293200270
description	bar burner ø 50mm Wmm Hmm L 615mm flange width 65mm flange length 71mm		



1

No.	105358	Ref. No.	250200190
description	bar burner ø 50mm Wmm Hmm L 715mm with bolt M5x12 flange with bolt M4 flange width 65mm flange length 71mm pasta cooker		
For models:	500-800A		



1

No.	105157	Ref. No.	293201090
description	bar burner ø 50mm Wmm Hmm L 775mm flange with bolt M4 flange width 65mm flange length 71mm		



1

No.	105151	Ref. No.	A00169
description	bar burner ømm W 40mm H 35mm L 490mm		



1

No.	105150	Ref. No.	A00290
description	bar burner ømm W 42mm H 38mm L 375mm bain marie		

tube burners



1

No.	105357	Ref. No.	A00174
description	tubular burner L 225mm W 55mm H 54mm mounting pos. left for fryer oval		



1

No.	105356	Ref. No.	A00173
description	tubular burner L 225mm W 55mm H 54mm mounting pos. right for fryer oval		

accessories

nozzle holders



1

No.	105147	Ref. No.	A00024
description	nozzle holder L 61mm M10x1 gas inlet 1/2" gas outlet M14x1		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 110-200A-T, 110-200F, 110-200FE, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 500-125A-126A, 500-601A, 500-750A, 500-800A, 64-040F-FV, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-125T-126T, 64-130TL-TR, 64-132TL-TLR-TR, 64-222F, 64-600T-603T, 700-040FB, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-125A-C...(Other models you can see in the webshop)		

gas nozzles

main nozzles

gas nozzles M10x1



1

No.	100973	Ref. No.	290201330
description	gas injector thread M10x1 bore ø 0.8mm L 30mm WS 12		



1

No.	106400	Ref. No.	270200461
description	gas injector thread M10x1 bore ø 1.1mm L 30mm WS 12		



1

No.	100671	Ref. No.	290201400
description	gas injector thread M10x1 bore ø 1.25mm L 30mm WS 12		



1

No.	106762	Ref. No.	290201530
description	gas injector thread M10x1 bore ø 2.1mm L 30mm WS 12		



1

No.	106469	Ref. No.	241204941
description	gas injector thread M10x1 WS 12 bore ø 2.5mm		



1

No.	106491	Ref. No.	241203471
description	gas injector thread M10x1 WS 11 bore ø 2.1mm		



1

No.	107341	Ref. No.	290201890
description	gas injector thread M10x1 WS 12 bore ø 0.75mm		



1

No.	100380	Ref. No.	241204851
description	gas injector thread M10x1 WS 12 bore ø 0.7mm		



1

No.	100535	Ref. No.	241204861
description	gas injector thread M10x1 WS 12 bore ø 0.8mm		



1

No.	102126	Ref. No.	270202260
description	gas injector thread M10x1 WS 12 bore ø 0.9mm		



1

No.	100382	Ref. No.	270202170
description	gas injector thread M10x1 WS 12 bore ø 1.05mm		



1

No.	100540	Ref. No.	241202341
description	gas injector thread M10x1 WS 12 bore ø 1.2mm		



1

No.	107544	Ref. No.	241204891
description	gas injector thread M10x1 WS 12 bore ø 1.35mm		



1

No.	100387	Ref. No.	241204901
description	gas injector thread M10x1 WS 12 bore ø 1.45mm		



1

No.	102151	Ref. No.	270200140
description	gas injector thread M10x1 WS 12 bore ø 1.4mm		



1

No.	100661	Ref. No.	290201850
description	gas injector thread M10x1 WS 12 bore ø 1.65mm		



1

No.	100537	Ref. No.	270200910
description	gas injector thread M10x1 WS 12 bore ø 1mm		

pilot burner nozzles

pilot burner nozzles POLIDORO



1

No.	100208	Ref. No.	4372022
description	pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs		



1

No.	106763	Ref. No.	4372027
description	pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs		

pilot burner nozzles SIT

100 series



1

No.	100245	Ref. No.	4370001
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		



1

No.	107170	Ref. No.	4370002
description	pilot burner nozzle SIT natural gas bore ø 0.35mm Qty 1 pcs		

140/150 series



1

No.	100205	Ref. No.	43702019
description	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		



1

No.	100206	Ref. No.	43702036
description	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		

			
1			
No.	106761	Ref. No.	43701037
description	pilot burner nozzle SIT natural gas code 37 bore ø 0.55mm Qty 1 pcs		

160 series

			
1			
No.	107172	Ref. No.	43701025
description	pilot burner nozzle SIT LPG code 25 Qty 1 pcs		

			
1			
No.	107650	Ref. No.	43703030
description	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

			
1			
No.	107173	Ref. No.	43701035
description	pilot burner nozzle SIT natural gas code 35 Qty 1 pcs suitable for 160 series nozzle ø 0.35mm		

			
1			
No.	107174	Ref. No.	43701041
description	pilot burner nozzle SIT natural gas code 41 Qty 1 pcs		

			
1			
No.	107175	Ref. No.	43703051
description	pilot burner nozzle SIT natural gas code 51 Qty 1 pcs suitable for 160 series		

bypass nozzles

bypass nozzles PEL20/21

			
1			
No.	100550	Ref. No.	4399206
description	bypass nozzle type PEL20/21 bore ø 0.55mm thread M5x0.5		

			
1			
No.	100526	Ref. No.	4399209
description	bypass nozzle type PEL20/21 bore ø 0.5mm thread M5x0.5		

			
1			
No.	100548	Ref. No.	4399208
description	bypass nozzle type PEL20/21 bore ø 0.65mm thread M5x0.5		

			
1			
No.	100551	Ref. No.	4399260
description	bypass nozzle type PEL20/21 bore ø 0.6mm thread M5x0.5		

			
1			
No.	100278	Ref. No.	4399237
description	bypass nozzle type PEL20/21 bore ø 0.75mm thread M5x0.5		

			
1			
No.	100552	Ref. No.	4399251
description	bypass nozzle type PEL20/21 bore ø 0.7mm thread M5x0.5		

			
1			
No.	100527	Ref. No.	4399239
description	bypass nozzle type PEL20/21 bore ø 0.85mm thread M5x0.5		

			
1			
No.	100394	Ref. No.	4399247
description	bypass nozzle type PEL20/21 bore ø 1.25mm thread M5x0.5		

			
1			
No.	100534	Ref. No.	4399238
description	bypass nozzle type PEL20/21 bore ø 1.4mm thread M5x0.5		



1

No.	100529	Ref. No.	4399250
description	bypass nozzle type PEL20/21 bore ø 1mm thread M5x0.5		

bypass nozzles PEL23/24



1

No.	106760	Ref. No.	4399235
description	bypass nozzle type PEL23/24 bore ø 2.8mm thread M8x0.5		

auxiliary gas parts

screw connections

olives



1

No.	101249	Ref. No.	270201580
description	olive for pipe ø 10mm Qty 1 pcs		

accessories for 101249



No.	101250	Ref. No.	270201680
description	union nut thread M20x1.5 for pipe ø 10mm		

union nuts



1

No.	101250	Ref. No.	270201680
description	union nut thread M20x1.5 for pipe ø 10mm		

accessories for 101250



No.	101249	Ref. No.	270201580
description	olive for pipe ø 10mm Qty 1 pcs		

union screws



1

No.	100904	Ref. No.	4392050
description	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		

pressure switches



1

No.	541073	Ref. No.	6440001
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		

equipment-specific units

for pasta cookers



1

No.	520505	Ref. No.	A00465
description	ball valve ET 3/8" for pasta cooker shaft ø 10x8mm		
For models:	700-750A-S, 700-755A-S, 700-800A-S, 700-855A-S, 900-750A-S, 900-755A-S, 900-800A-S, 900-855A-S, 920-750A-S, 920-755A-S		



1

No.	694345	Ref. No.	750309770
description	coupling for water valve int. ø 1 10mm int. ø 2 22mm ED ø 20/28mm L 34mm WS 24 thread M5		

for dishwashers

drain and intake components

miscellaneous

overflow pipes



1

No.	540268	Ref. No.	711106890
description	overflow pipe		

knobs

producer-specific knobs

GICO



1

No.	110875	Ref. No.	293202250 A00250
description	knob switch zero mark ø 54mm shaft ø 6x4.6mm shaft flat upper black		
For models:	64-040FCE, 64-050FCE, 64-222FCE		



1

No.	110833	Ref. No.	790106630
description	knob		




1

No.	110039	Ref. No.	790106610
description	knob gas tap with ignition flame ø 60mm shaft ø 10x8mm shaft flat left		



1

No.	110834	Ref. No.	790106620
description	knob gas tap with ignition flame ø 60mm shaft ø 8x6.5mm shaft flat upper		



1

No.	110857	Ref. No.	790106980
description	knob gas thermostat 1-8 ø 60mm shaft ø 8x6.5mm shaft flat upper black		



1

No.	110846	Ref. No.	790106900
description	knob switch 0-1-0-1 ø 60mm shaft ø 6x4.6mm shaft flat upper		



1

No.	110837	Ref. No.	790106910
description	knob switch 4-position ø 60mm shaft ø 6x4.6mm shaft flat upper black		



1

No.	110838	Ref. No.	790106920
description	knob switch 7-position ø 60mm shaft ø 6x4.6mm shaft flat upper		



1

No.	110850	Ref. No.	790106930
description	knob thermostat t.max. 110°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C		



1

No.	110842	Ref. No.	790106940
description	knob thermostat t.max. 180°C ø 60mm shaft ø 6x4.6mm shaft flat lower black temperature range 100-180°C		

			
1			
No.	110853	Ref. No.	790107000
description	knob thermostat t.max. 300°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		

			
1			
No.	110854	Ref. No.	790109210
description	knob thermostat t.max. 300°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C thermostat		

			
1			
No.	110841	Ref. No.	790106950
description	knob thermostat t.max. 300°C ø 60mm shaft ø 6x4.6mm shaft flat upper temperature range 50-300°C rotation 270° thermostat		

			
1			
No.	110845	Ref. No.	790106970
description	knob thermostat t.max. 90°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C		

			
1			
No.	110849	Ref. No.	760106080
description	knob water ø 60mm shaft ø 6x4.6mm shaft flat upper		

			
1			
No.	110011	Ref. No.	790119450
description	knob gas tap with ignition flame ø 60mm shaft ø 10x8mm shaft flat left black		
For models:	110-200A-T, 110-200F, 110-200FE, 500-125A-126A, 500-750A, 500-800A, 700-125A-C, 700-126A-C, 700-127A-C, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-200A-C-T, 700-200FB, 700-200FEB, 700-224FG, 700-508, 700-750A-S, 700-800A-S, 900-125A-C, 900-126A-C, 900-127A-C, 900-138A-C-T, 900-138FA, 900-138FEA, 900-200A-C-T, 900-200F, 900-200FE, 900-503, 900-506, 900-750A-S, 900-800A-S, 90-301, 920-200A-T, 920-200F, 920-200FE, 920-503, 920-506, 920-750A-S		

			
1			
No.	112909	Ref. No.	790119460
description	knob gas tap with ignition flame ø 60mm shaft ø 8x6.5mm shaft flat upper		
For models:	64-125T-126T, 64-130TL-TR, 64-132TL-TR, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-125T, 700-126T, 700-127T, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-125T, 900-126T, 900-127T, 900-130AL-AR, 900-130CL-CR, 900-130TL-TR, 900-132AL-AR...(Other models you can see in the webshop)		

			
1			
No.	112103	Ref. No.	790119470
description	knob gas tap without ignition flame ø 60mm shaft ø 8x6.5mm shaft flat upper black		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T		



1

No.	110863	Ref. No.	790106960 790119530
description	knob graduated ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	110-032A-T, 110-038A, 110-052A, 110-052FE, 110-052T, 110-058A, 500-038A, 500-039A, 700-038A-058A, 700-039A, 700-052A-C-T, 700-052FEB, 700-054A, 700-054C, 700-054FEB, 700-054T, 700-325A-326A, 70-820, 70-840, 900-038A-058A, 900-038AM-058AM, 900-039A, 900-052A-C-T, 900-052FE, 900-054A-C-T, 900-054FE, 900-325A-326A, 920-032A-T, 920-038A, 920-052A-T, 920-052FE, 920-058A, ES-023N, ES-121NVC, ES-121NVCG, ES-151NVC, ES-151NVCG, ES-181NVC, ES-181NVCG, ES-702N, ES-IR090C-I, ES-IR120C-I, ES-IR150C-I, ES-IR180C-I		



2

No.	110871	Ref. No.	790119500 A00428
description	knob switch 1-0-1 ø 60mm shaft ø 6x4.6mm shaft flat left black		



1

No.	110868	Ref. No.	790119490
description	knob switch 1-0-1 ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	110-500A-T, 700-500A-C-T, 700-542A-C-T, 900-500A-C-T, 900-542A-C-T, 920-500A-T, 920-542A-T, 9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG		




1

No.	111749	Ref. No.	790119510
description	knob switch 4-position ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	110-030A-T, 110-050A-T, 110-050FE, 500-030A-T, 500-050A-T, 500-050FE, 64-75ST, 700-035A-C-T, 700-055A-C-T, 700-055FEB, 700-528, 900-030A-C-T, 900-050A-C-T, 900-050FE, 900-172A-C-T, 900-172FEA, 900-521-522, 900-523, 900-526, 90-821, 920-030A-T, 920-050A-T, 920-050FE, 920-172A-T, 920-172FEA, 920-523, 920-526		



1

No.	112199	Ref. No.	790106910
description	knob switch 4-position ø 60mm shaft ø 6x4.6mm shaft flat upper black		



1

No.	112163	Ref. No.	790119520
description	knob switch 7-position ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	64-030T, 64-050FCE, 64-050FE-FEV, 64-050T, 700-030A-C-T, 700-050A-C-T, 700-050FEB		



1

No.	110852	Ref. No.	790109390 790119590
description	knob thermostat t.max. 110°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C		



1

No.	111750	Ref. No.	790119560
description	knob thermostat t.max. 180°C 100-180°C ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	500-701A, 64-700T, 64-703T, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-708A-S, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-706A-S, 920-704A-S		



1

No.	111714	Ref. No.	790119570
description	knob thermostat t.max. 300°C 50-300°C ø 60mm shaft ø 6x4.6mm shaft flat upper black		
For models:	110-050FE, 110-052FE, 110-057FE, 110-122FEL, 110-122FEL-FELR, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 700-320AL-ALC-AR, 700-320CL-CLC-CR, 700-320TL-TLC-TR, 700-322AL-ALC-ALR-AR, 700-322CL-CLC-CLR-CR, 700-322TL-TLC-TLR-TR, 700-960A-D, 700-962A, 900-040FE, 900-050FE, 900-052FE, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-320AL-ALC, 900-320AR, 900-320CL-CLC-CR, 900-320TL-TLC-TR, 900-322AL-ALC, 900-322ALR-AR, 900-322CL-CLC, 900-322CLR-CR, 900-322TLR-TR, 900-322TL-TLC, 900-411-413, 900-960A, 900-962A, 920-050FE, 920-052FE...(Other models you can see in the webshop)		



2

No.	110873	Ref. No.	790119580 A00427
description	knob thermostat t.max. 300°C ø 60mm shaft ø 6x4.6mm shaft flat left black temperature range 50-300°C		
For models:	64-930T, 700-622, 700-632, 700-900, 700-930, 900-622, 900-632, 900-642, 900-652, 900-900, 900-930, 900-940, 900-950, 920-622, 920-632, 920-642, 920-652, 920-900, 920-930, 920-940, 920-950		



1

No.	110866	Ref. No.	790115900
description	knob thermostat t.max. 300°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		



1

No.	110867	Ref. No.	790115910 790119600
description	knob thermostat t.max. 300°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		
For models:	500-050FE, 700-040FEB, 700-050FEB, 700-054A, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA, 700-200FEB, 700-222FEB, 700-224FEBA, 700-411B		



1

No.	112251	Ref. No.	790119550
description	knob thermostat t.max. 90°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°		
For models:	110-500A-T, 500-500A, 64-500T, 64-519T, 64-520T, 64-542T, 700-500A-C-T, 700-519A-C-T, 700-520T, 700-542A-C-T, 900-500A-C-T, 900-542A-C-T, 920-500A-T, 920-542A-T, 9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG, ES-121NVC, ES-121NVCG, ES-151NVC, ES-151NVCG, ES-181NVC, ES-181NVCG, ES-424NC, ES-828NC, ES-861NC, ES-891NC		

1

No.	110836	Ref. No.	790109350
description	knob		



1

No.	110835	Ref. No.	790109350
description	knob gas tap with ignition flame ø 60mm shaft ø 10x8mm shaft flat left		
accessories for	110835		
	No.	110832	Ref. No. 290202430
	 knob spring		



1

No.	110859	Ref. No.	790109340
description	knob gas tap with ignition flame ø 60mm shaft ø 8x6.5mm shaft flat upper		

			
1			
No.	110864	Ref. No.	790109420
description	knob graduated ø 60mm shaft ø 6x4.6mm shaft flat upper		

			
1			
No.	110872	Ref. No.	A00430
description	knob switch 0-1-0-1 ø 60mm shaft ø 6x4.6mm shaft flat lower		

			
1			
No.	110848	Ref. No.	790109360 A00430
description	knob switch 0-1-0-1 ø 60mm shaft ø 6x4.6mm shaft flat lower black		

			
1			
No.	110839	Ref. No.	790109370
description	knob switch 4-position ø 60mm shaft ø 6x4.6mm shaft flat upper black		

			
1			
No.	110840	Ref. No.	790109380
description	knob switch 7-position ø 60mm shaft ø 6x4.6mm shaft flat upper		

			
1			
No.	110844	Ref. No.	790109410
description	knob thermostat t.max. 180°C ø 60mm shaft ø 6x4.6mm shaft flat upper black		

			
1			
No.	110843	Ref. No.	790109400
description	knob thermostat t.max. 300°C ø 60mm shaft ø 6x4.6mm shaft flat upper		

			
1			
No.	110874	Ref. No.	A00429
description	knob thermostat t.max. 300°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 45-295°C		

			
1			
No.	110847	Ref. No.	790109480
description	knob thermostat t.max. 90°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C		
For models:	9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG		

			
1			
No.	110851	Ref. No.	760105400
description	knob water ø 60mm shaft ø 6x4.6mm shaft flat upper black		



1

No.	112681	Ref. No.	766100000
description	knob gas tap with ignition flame t.max.°C°C ø 60mm shaft ø 10x8mm shaft flat left grey		
accessories for	112681		
	No.	110832	Ref. No. 290202430
	knob spring		



1

No.	112676	Ref. No.	766100010
description	knob gas tap with ignition flame t.max.°C°C ø 60mm shaft ø 8x6.5mm shaft flat upper grey		
accessories for	112676		
	No.	110830	Ref. No. 290202350
	rosette for knob red ID ø 60mm		
	No.	110832	Ref. No. 290202430
	knob spring		



1

No.	112675	Ref. No.	766100020
description	knob gas tap without ignition flame t.max.°C°C ø 60mm shaft ø 8x6.5mm shaft flat upper grey		



1

No.	112883	Ref. No.	766100100
description	knob switch 1-0-1 ø 60mm shaft ø 6x4.6mm shaft flat left grey		




1

No.	111794	Ref. No.	766100040
description	knob switch 1-0-1 t.max.°C°C ø 60mm shaft ø 6x4.6mm shaft flat upper grey		



1

No.	111478	Ref. No.	766100050
description	knob switch 4-position t.max.°C°C ø 60mm shaft ø 6x4.6mm shaft flat upper grey		



1

No.	112679	Ref. No.	766100070
description	knob switch 7-position t.max.°C°C ø 60mm shaft ø 6x4.6mm shaft flat upper grey		



1

No.	112872	Ref. No.	766100160
description	knob thermostat t.max. 110°C ø 60mm shaft ø 6x4.6mm shaft flat upper grey		



1

No.	112683	Ref. No.	766100120
description	knob thermostat t.max. 180°C 100-180°C ø 60mm shaft ø 6x4.6mm shaft flat upper grey		

			
1			
No.	112685	Ref. No.	766100130
description	knob thermostat t.max. 300°C 50-300°C ø 60mm shaft ø 6x4.6mm shaft flat upper grey		

			
1			
No.	112776	Ref. No.	766100140
description	knob thermostat t.max. 300°C 50-300°C ø 60mm shaft ø 6x4.6mm shaft flat upper grey		

			
1			
No.	112680	Ref. No.	766100110
description	knob thermostat t.max. 90°C 30-90°C ø 60mm shaft ø 6x4.6mm shaft flat upper grey temperature range 30-90°C rotation 270°		

			
1			
No.	112873	Ref. No.	770124670
description	knob gas tap with ignition flame ø 70mm shaft ø 8x6mm shaft flat upper grey		

			
1			
No.	112779	Ref. No.	770124790
description	knob thermostat t.max. 110°C 30-110°C ø 70mm shaft ø 6x4.6mm shaft flat upper		

			
1			
No.	110832	Ref. No.	290202430
description	knob spring		
For models:	110-030A-T, 110-032A-T, 110-037A-T, 110-038A, 110-050A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057A-T, 110-057FE, 110-058A, 110-122FELC, 110-122FEL-FELR, 110-200A-T, 110-200F, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 500-030A-T, 500-038A, 500-039A, 500-050A-T, 500-050FE, 500-125A-126A, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 64-020T-64-040T, 64-030T, 64-037T, 64-040FCE, 64-040FE, 64-040F-FV, 64-050FCE, 64-050FE-FEV, 64-050T, 64-057FE, 64-057T, 64-125T-126T, 64-132TL-TLR-TR, 64-222F, 64-222FCE, 64-222FE, 64-222T, 64-320TL-TLC-TR...(Other models you can see in the webshop)		

			
1			
No.	110830	Ref. No.	290202350
description	rosette for knob red ID ø 60mm		
For models:	110-030A-T, 110-032A-T, 110-037A-T, 110-038A, 110-050A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057A-T, 110-057FE, 110-058A, 110-122FELC, 110-122FEL-FELR, 110-200A-T, 110-200F, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 110-500A-T, 500-030A-T, 500-038A, 500-039A, 500-050A-T, 500-050FE, 500-125A-126A, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 500-500A, 500-701A, 700-020A-C-T, 700-030A-C-T, 700-035A-C-T, 700-037A-T, 700-038A-058A, 700-039A, 700-040A-C-T, 700-040FB, 700-040FEB, 700-050A-C-T, 700-050FEB, 700-052A-C-T, 700-052FEB, 700-054A, 700-054C...(Other models you can see in the webshop)		

steam/water taps

steam/water taps

			
1			
No.	110851	Ref. No.	760105400
description	knob water ø 60mm shaft ø 6x4.6mm shaft flat upper black		



handles and hand wheels

hand wheels

hand wheels



1	No.	691815	Ref. No.	770307460
description hand wheel ø 180mm D1 ø 40mm bore ø 14mm depth of bore 26mm hole ø 4mm hole distance 5mm L2 156mm with folding handle				
spare parts for 691815				
	No.	690856	Ref. No.	—
folding handle ø 28mm total length 105mm seat ø 21mm shaft ø 8mm thread M6 with shaft and pin L 105mm				



1	No.	540742	Ref. No.	790325450
description hand wheel ø 180mm D1 ø 40mm bore ø 17mm depth of bore 26mm hole ø 5mm hole distance 10mm L2 156mm with folding handle				
For models: 700-900, 700-930, 900-900, 900-930, 900-940, 900-950, 920-900, 920-930, 920-940, 920-950				
spare parts for 540742				
	No.	690856	Ref. No.	—
folding handle ø 28mm total length 105mm seat ø 21mm shaft ø 8mm thread M6 with shaft and pin L 105mm				

star handles



1	No.	540738	Ref. No.	760308790 790305070
description star handle thread bore ø 10mm ø 58mm L 38mm black				

hand cranks



1	No.	540741	Ref. No.	770307460
description hand crank bore ø 14mm L 80mm with folding handle				



1	No.	540743	Ref. No.	790107790
description hand crank for frying pan				
For models: 700-622, 700-632, 900-622, 900-632, 900-642, 900-652, 920-622, 920-632, 920-642, 920-652				


locks

edgemount latches

push button latches

RAHRBACH

6186 PRESTO series



1	No.	700045	Ref. No.	419506186
description push button latch L 180mm mounting distance 121mm non lockable refrigeration units 6186 H 34mm W 28mm type PRESTO				
spare parts for 700045				
	No.	700046	Ref. No.	—
handle H 26.5mm L 55mm W 23.5mm plastic with spring spring length 14mm mounting thread M4 spring thickness 0.5mm				
accessories for 700045				
	No.	690108	Ref. No.	—
base plate H 5mm L 47.5mm W 21mm for swinging strike hole distance 31mm type PRESTO no. 6186				
	No.	690109	Ref. No.	—
base plate H 1mm L 47.5mm W 21mm plastic hole distance 31mm type PRESTO no. 6186				
	No.	700050	Ref. No.	—
door catch H 5mm L 47mm W 21mm hole distance 31mm with spigot refrigeration units type PRESTO no. 6186				
	No.	700051	Ref. No.	—
door catch H 5mm L 48mm W 21mm adjustable hole distance 31mm with spigot type PRESTO no. 6186				

handle latches



1	No.	700045	Ref. No.	419506186
	description	push button latch L 180mm mounting distance 121mm non lockable refrigeration units 6186 H 34mm W 28mm type PRESTO		
	spare parts for	700045		
		No.	700046	Ref. No. —
		handle H 26.5mm L 55mm W 23.5mm plastic with spring spring length 14mm mounting thread M4 spring thickness 0.5mm		
	accessories for	700045		
		No.	690108	Ref. No. —
		base plate H 5mm L 47.5mm W 21mm for swinging strike hole distance 31mm type PRESTO no. 6186		
		No.	690109	Ref. No. —
		base plate H 1mm L 47.5mm W 21mm plastic hole distance 31mm type PRESTO no. 6186		
		No.	700050	Ref. No. —
		door catch H 5mm L 47mm W 21mm hole distance 31mm with spigot refrigeration units type PRESTO no. 6186		
		No.	700051	Ref. No. —
		door catch H 5mm L 48mm W 21mm adjustable hole distance 31mm with spigot type PRESTO no. 6186		

hinges

oven hinges

1

No.	690565	Ref. No.	741105831
description	oven hinge left		

1

No.	690564	Ref. No.	741105741
description	oven hinge right		



1

No.	690560	Ref. No.	A00006
description	oven hinge right/left		
For models:	110-050FE, 110-052FE, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-200F, 110-200FE, 110-322FEL-FELC-FELR, 500-050FE, 64-050FE-FEV, 64-057FE, 64-222FE, 700-040FB, 700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FBA, 700-138FEBA, 700-162FBA, 700-162FEBA, 700-162FG, 700-200FB, 700-200FEB, 700-222FB, 700-222FEB, 700-224FBA, 700-224FEBA, 700-224FG, 700-411B, 900-040F, 900-040FE, 900-050FE, 900-052FE, 900-054FE, 900-057FE, 900-138FA, 900-138FEA, 900-162FA, 900-162FEA, 900-162FG, 900-172FEA, 900-200F, 900-200FE, 900-411-413, 920-050FE...(Other models you can see in the webshop)		



1

No.	700995	Ref. No.	241201850
description	spring L 170mm ø 18mm wire gauge ø 3.5mm for oven hinge		

fittings for catering equipment

outlet taps

producer-specific

GICO



1

No.	540746	Ref. No.	760103840
description	adapter for outlet		
For models:	64-600T-603T		



1

No.	514130	Ref. No.	333302006
description	ball handle thread M6 IT		
For models:	64-500T, 64-542T, 700-400A-C-T, 700-402A-C-T, 700-500A-C-T, 700-542A-C-T		



1

No.	540730	Ref. No.	433207
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 70mm with lever handle handle length 95mm		
For models:	500-750A, 500-755A, 500-800A, 700-750A-S, 700-755A-S, 700-800A-S, 700-855A-S, 900-750A-S, 900-755A-S, 900-800A-S, 900-855A-S, 920-750A-S, 920-755A-S		



1

No.	540734	Ref. No.	760302430
description	drain pipe thread		
For models:	64-600T-603T, 64-700T, 64-703T, 700-400A-C-T, 700-402A-C-T		



1

No.	540735	Ref. No.	760103020
description	lever for outlet tap		



1

No.	520506	Ref. No.	A00450
description	outlet tap connection 1" IT complete with shaft and lever handle length 70mm H 89mm L 115mm W 47mm shaft L 170mm for fryer IT 1" lever handle spout ø 26mm		
For models:	700-601A-S, 700-602A-S, 700-604A-605A, 700-609A, 700-701A-S, 700-702A-S, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 900-701A-S, 900-702A-S, 920-604A-S		

aerators and air bleeders



1

No.	540824	Ref. No.	42233014
description	pressure compensation valve thread 1/4" ET WS 19 chrome-plated L 18mm		
For models:	900-503, 900-506, 900-523, 900-526, 920-503, 920-506, 920-523, 920-526		

FITTINGS FOR CATERING EQUIPMENT GICO

lid hinges

miscellaneous

lid hinges



1

No.	700034	Ref. No.	A00421
description	lid hinge flange radius 220mm type 700 series for circular lids		
For models:	700-508, 700-528		



1

No.	700035	Ref. No.	A00415
description	lid hinge flange radius 320mm type 900,920 series for circular lids		
For models:	900-503, 900-506, 900-521-522, 900-523, 900-526, 920-503, 920-506, 920-523, 920-526		

drain taps

brass

drain taps



1

No.	548001	Ref. No.	422116
description	drain tap 1 1/2" IT O-ring seal kettle connection with union nut A 80mm B1 68mm B2 132mm		
For models:	700-508, 700-528		
spare parts for	548001		



No.	505092	Ref. No.	—
O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs			



No.	540213	Ref. No.	—
handle ID ø 5mm L 117mm			

safety fittings

accessories



1

No.	540860	Ref. No.	4227034
description	fitting support thread 3/4" ET suitable for manometer		
For models:	700-508, 700-528		

safety valves



1

No.	540721	Ref. No.	42230020
description	safety valve triggering pressure 0.5bar M88 thread 1 1/4"		
For models:	900-503, 900-506, 900-523, 900-526, 920-503, 920-506, 920-523, 920-526		

accessories for 540721



No.	541501	Ref. No.	—
reducer for safety fitting IT 1 1/4" ET 3/4"			

baskets

fryer baskets

GICO



1

No.	970641	Ref. No.	270202130
description	fryer basket L1 300mm W1 103mm H1 100mm L2 515mm H2 210mm H3 245mm		



1

No.	970604	Ref. No.	270203840
description	fryer basket L1 365mm W1 115mm H1 100mm L2 575mm H2 150mm H3 200mm chrome-plated steel		



1

No.	970731	Ref. No.	290201220
description	fryer basket W1 128mm L1 400mm H1 102mm		



1

No.	970732	Ref. No.	270202100 270204830
description	fryer basket W1 210mm L1 310mm H1 120mm L2 520mm H2 190mm H3 260mm chrome-plated steel		



1

No.	970730	Ref. No.	270203850
description	fryer basket W1 230mm L1 365mm H1 102mm		

pasta baskets

GICO



1

No.	970000	Ref. No.	264200240
description	pasta basket L1 150mm W1 110mm H1 176mm H2 285mm SS		



1

No.	970003	Ref. No.	264200230
description	pasta basket L1 300mm W1 112mm H1 176mm H3 270mm SS		

shelves and shelf rails

grates


universal

without upstand



1

No.	970120	Ref. No.	793108350
description	grate W 325mm D 530mm GN 1/1 chrome-plated steel wire gauge frame 7mm lengthwise wires gauge 4mm crossing wires 1		
accessories for	970120		
	No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		



1

No.	970123	Ref. No.	241200292
description	grate W 650mm D 530mm GN 2/1 stainless steel wire gauge frame 7.8mm lengthwise wires gauge 3.8mm crossing wires 2 suitable for refrigerator		
accessories for	970123		
	No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		

accessories for	970123		
	No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		


gaskets

refrigeration gaskets

plug-in gaskets

profile 9048

We offer custom-made gaskets for this profile




1

No.	901412	Ref. No.	239201360
description	refrigeration gasket profile 9048 W 375mm L 375mm plug size		
For models:	BF70120, BF70160, ES123N, ES124N, ES153N, ES154N, ES183N, ES184N		


gaskets for heated units

window seals



1


No.	900172	Ref. No.	293200610
description	window gasket profile 1540 Qty supplied by meter		




1

No.	900173	Ref. No.	293200620 293203080
description	window gasket profile 1900 L 2400mm Qty 1		


door seals



No.	900171	Ref. No.	284204130
description	door seal profile 2050 external size Qty supplied by meter		



No.	901428	Ref. No.	293201230
description	door seal profile 2050 L 1850mm		



No.	901316	Ref. No.	284201430 284201490 293200500 293201400 684201490
description	door seal profile 2050 L 3010mm Qty 1 suitable for GICO		

sealing cords

square



No.	601098	Ref. No.	793303880
description	sealing cord square size 6x6mm braided L 0.2m Qty 1		

springs

torsion springs



No.	700066	Ref. No.	270203340
description	torsion spring $\varnothing$ 31.1mm L2 140mm wire gauge $\varnothing$ 3.6mm L1 27mm		
For models:	700-508, 700-528		



No.	700068	Ref. No.	241200840
description	torsion spring $\varnothing$ 33.2mm L2 135mm wire gauge $\varnothing$ 5.2mm L1 31mm		
For models:	900-503, 900-506, 900-521-522, 900-523, 900-526, 920-503, 920-506, 920-523, 920-526		

compression springs



No.	540736	Ref. No.	260201950
description	compression spring $\varnothing$ 20mm L 23mm wire gauge $\varnothing$ 1.3mm		



No.	100767	Ref. No.	270200710
description	compression spring $\varnothing$ 9mm L 18mm		



No.	700995	Ref. No.	241201850
description	spring L 170mm $\varnothing$ 18mm wire gauge $\varnothing$ 3.5mm for oven hinge		

tension springs



No.	700169	Ref. No.	290203700
description	tension spring $\varnothing$ 35mm total length 360mm wire gauge $\varnothing$ 5.3mm		
For models:	900-622, 900-642, 900-900, 900-940, 920-622, 920-642, 920-900, 920-940		



No.	700168	Ref. No.	290202420
description	tension spring $\varnothing$ 35mm total length 555mm wire gauge $\varnothing$ 5.1mm		

valves and tank inlets

ball valves

universal

ball valves with lever handle



1

No.	514325	Ref. No.	4332010
description	ball valve connection 1" IT - 1" IT DN25 total length 83mm with lever handle		
For models:	700-603A, 700-609A, 900-609A, 920-609A		



1

No.	520280	Ref. No.	422312012
description	ball valve connection 1/2" IT - 1/2" IT DN15 total length 50mm with lever handle handle length 85mm		



1

No.	540730	Ref. No.	433207
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 70mm with lever handle handle length 95mm		
For models:	500-750A, 500-755A, 500-800A, 700-750A-S, 700-755A-S, 700-800A-S, 700-855A-S, 900-750A-S, 900-755A-S, 900-800A-S, 900-855A-S, 920-750A-S, 920-755A-S		

producer-specific

GICO



1

No.	520505	Ref. No.	A00465
description	ball valve ET 3/8" for pasta cooker shaft ø 10x8mm		
For models:	700-750A-S, 700-755A-S, 700-800A-S, 700-855A-S, 900-750A-S, 900-755A-S, 900-800A-S, 900-855A-S, 920-750A-S, 920-755A-S		



1

No.	540733	Ref. No.	433206
description	ball valve inlet 1/2" ET outlet 1/2" ET L 74mm without handle shaft ø 10x7mm for pipe ø 14mm		
For models:	500-125A-126A, 500-750A, 500-755A, 500-800A, 64-500T, 64-542T, 64-600T-603T, 64-700T, 64-703T, 64-755T, 700-125A-C, 700-125T, 700-126A-C, 700-126T, 700-127A-C, 700-127T, 700-325A-326A, 700-400A-C-T, 700-402A-C-T, 700-500A-C-T, 700-542A-C-T, 900-125A-C, 900-125T, 900-126A-C, 900-126T, 900-127A-C, 900-127T, 900-325A-326A		



1

No.	520506	Ref. No.	A00450
description	outlet tap connection 1" IT complete with shaft and lever handle length 70mm H 89mm L 115mm W 47mm shaft L 170mm for fryer IT 1" lever handle spout ø 26mm		
For models:	700-601A-S, 700-602A-S, 700-604A-605A, 700-609A, 700-701A-S, 700-702A-S, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 900-701A-S, 900-702A-S, 920-604A-S		

ball valves electric



1

No.	403026 ¹	Ref. No.	6441001 6441002
description	ball valve inlet 1/2" IT outlet 1/2" IT 230V L 90mm 50/60Hz off-current open mode of operation electric W 60mm H 100mm connection cable 450mm IT 1/2"		

¹off-current open

shut-off valves

producer-specific

GICO



1

No.	540737	Ref. No.	790304640
description shut-off valve connection 1/2" 1/2" straight total length 52mm mounting pos. rosette thread G2 26x19G shaft ø M5x0.8mm			
accessories for 540737			
	No.	514085	Ref. No. —
rosette connection 26x19G chrome-plated total lengthmm mounting pos.			
	No.	514086	Ref. No. —
hexagonal nut connection 26x19G brass total lengthmm mounting pos. H 6mm WS 34 Qty 1 pcs			
	No.	540738	Ref. No. 760308790 790305070
star handle thread bore ø 10mm ø 58mm L 38mm black			



1

No.	540738	Ref. No.	760308790 790305070
description star handle thread bore ø 10mm ø 58mm L 38mm black			

inlet taps



1

No.	542005	Ref. No.	A00086
description inlet spout connection 1/2" ET tube ø 18mm projection 105mm overall height 130mm spout height 70mm rotation 360°			
For models: 500-750A, 500-755A, 500-800A, 700-508, 700-528, 700-750A-S, 700-755A-S, 700-800A-S, 700-855A-S, 900-503, 900-506, 900-521-522, 900-523, 900-526, 900-750A-S, 900-755A-S, 900-800A-S, 900-855A-S, 920-503, 920-506, 920-523, 920-526, 920-750A-S, 920-755A-S			
accessories for 542005			
	No.	511470	Ref. No. —
nut thread 1/2" ø 40mm H 8mm WS 25 brass Qty 1 pcs			

accessories for 542005		No.	511474	Ref. No.	—
	flat washer for thread 1/2"				
	No.	511477	Ref. No.	—	
flat gasket rubber ED ø 42mm ID ø 21mm thickness 2mm Qty 1 pcs					



1

No.	540740	Ref. No.	760105750
description inlet spout			

accessories

miscellaneous



1

No.	694345	Ref. No.	750309770
description coupling for water valve int. ø 1 10mm int. ø 2 22mm ED ø 20/28mm L 34mm WS 24 thread M5			

drain systems and wash basins

drain fittings

producer-specific



1

No.	515117	Ref. No.	423301 739308000
description drain fitting thread 3/4" ID ø 20mm ED ø 32mm			



standpipes

producer-specific

GICO



1

No.	515116	Ref. No.	270122320
description	drain fitting thread M36x2 H 20mm ID ø 30mm complete with overflow pipe ED ø 45mm WS 41		

accessories



1

No.	697894	Ref. No.	790330660
description	drain pipe thread 3/4 L 100mm ø 26.6mm		

measuring equipment

thermometers

built-in thermometers

ø52mm



1

No.	541077	Ref. No.	4251103552
description	thermometer mounting ø 52mm t.max. 350°C +50 up to +350°C probe ø 6mm probe L 30mm capillary pipe 1000mm built-in depth 28mm		