

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

GIORIK

heating elements

heating elements for bain maries

1



No.	416067	Ref. No.	6001024
description	heating element 1380W 230V heating circuits 1 L 346mm W 190mm connection M5 tube ø 8.5mm 2 hole fixing thread 1/4" immersion heater W1 70mm W2 105mm H 27mm mounting distance 67mm		
For models:	BME46, BME66, SPE46		
spare parts for	416067		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	416067		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560112	Ref. No. —
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	No.	560132	Ref. No. —
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

heating elements for chip scuttles



1


No.	416067	Ref. No.	6001024
description	heating element 1380W 230V heating circuits 1 L 346mm W 190mm connection M5 tube ø 8.5mm 2 hole fixing thread 1/4" immersion heater W1 70mm W2 105mm H 27mm mounting distance 67mm		
For models:	BME46, BME66, SPE46		
spare parts for	416067		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	416067		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560112	Ref. No. —
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			

accessories for		416067		
	No.	560132	Ref. No.	—
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


heating elements for fryers


off-center connection


with thread



				
1				
No.	416070	Ref. No.	6002137 6002137 + 6090144 + 6090145	
description	heating element 10200W 230/400V heating circuits 3 L 300mm W 180mm H 33mm flange length 19.5mm flange length 1 9.5mm flange length 2 9.8mm flange ø1 62mm flange ø2 57mm thermostat sleeves ø 6.5mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 18mm L2 282mm W1 30mm W2 35mm thread M54x1.5 windings 5 tube ø 8.5mm cable length 450mm rotation flange immersion heater fryer connection length 130mm 2			
spare parts for	416070			
	No.	510243	Ref. No.	—
O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs				
	No.	550496	Ref. No.	6090144
O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs				
accessories for	416070			
	No.	510243	Ref. No.	—
O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs				
	No.	550662	Ref. No.	—
ring nut thread M54x1.5 H 7mm				

			
No.	416822	Ref. No.	6002137
description	heating element 10200W 230V heating circuits 3		
For models:	F15CL, F15L, F215CL, F215L		


 			
No.	416825	Ref. No.	6002151 6002151+6090144+6090145
description	heating element 12000W 230/400V heating circuits 3 mounting pos. right L 326mm W 180mm H 31mm flange length 19.5mm flange length 1 9.5mm flange length 2 9.8mm flange ø1 62mm flange ø2 57mm thermostat sleeves ø 7.5mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 19mm L2 307mm W1 33mm W2 33mm thread M54x1.5 windings 5 tube ø 8.5mm cable length 490mm rotation flange immersion heater fryer connection length 60mm		
For models:	15FE, 15FEC, 215FE, 215FEC		
spare parts for	416825		
		No. 510243	Ref. No. —
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
accessories for	416825		
		No. 550662	Ref. No. —
	ring nut thread M54x1.5 H 7mm		

 			
No.	416823	Ref. No.	6002138
description	heating element 15000W 230V heating circuits 3 windings 8		

 			
No.	416826	Ref. No.	6002152 6002152+6090144+6090145
description	heating element 16500W 230/400V heating circuits 3 mounting pos. right L 325mm W 255mm H 32mm flange length 19.5mm flange length 1 9.5mm flange length 2 10mm flange ø1 62mm flange ø2 57mm thermostat sleeves ø 9mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 18mm L2 307mm W1 31mm W2 34mm thread M54x1.5 windings 7 tube ø 8.5mm cable length 480mm connection cable rotation flange immersion heater fryer connection length 60mm		
For models:	20FE, 20FEC, 220FE, 220FEC, 920FE, 940FE, 940FEC		
spare parts for	416826		
		No. 510243	Ref. No. —
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
		No. 550496	Ref. No. 6090144
	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs		
accessories for	416826		
		No. 550662	Ref. No. —
	ring nut thread M54x1.5 H 7mm		


 			
No.	418835	Ref. No.	6002143 6002143+6090144+6090145
description	heating element 6800W 230/400V heating circuits 3 mounting pos. left L 370mm W 450mm H 33mm flange length 19mm flange length 1 9.5mm flange length 2 9.5mm flange ø1 62mm flange ø2 57mm sensor screw connection 2x M10x1 L1 18mm L2 352mm W1 30mm W2 34mm thread M54x1.5 tube ø 8.5mm cable length 500mm rotation flange fryer 2		
For models:	FP18S		
accessories for	418835		
		No. 510243	Ref. No. —
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
		No. 510245	Ref. No. —
	O-ring Viton thickness 3.53mm ID ø 50.8mm Qty 1 pcs		
		No. 550662	Ref. No. —
	ring nut thread M54x1.5 H 7mm		

center connection


 			
No.	415297	Ref. No.	6002136 6002136+6090144+6090145
description	heating element 6800W 230/400V heating circuits 3 L 299mm W 107mm H 35mm flange length 19.5mm flange length 1 9.5mm flange length 2 9.8mm flange ø1 62mm flange ø2 57mm thermostat sleeves ø 8.5mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 16mm L2 283mm W1 30mm W2 77mm thread M54x1.5 tube ø 8.5mm cable length 450mm rotation flange immersion heater		
For models:	F10CL, F10L, FRE46, FRE66		
accessories for	415297		
		No. 510243	Ref. No. —
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
		No. 510245	Ref. No. —
	O-ring Viton thickness 3.53mm ID ø 50.8mm Qty 1 pcs		
		No. 550447	Ref. No. —
	ring nut thread M54x1.5		



No.	416824	Ref. No.	6002150 6002150+6090144+6090145	
description	heating element 7000W 230/400V heating circuits 3 L 325mm W 110mm H 33mm flange length 19.5mm flange length 1 9.5mm flange length 2 9.8mm flange ø1 62mm flange ø2 57mm thermostat sleeves ø 8mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 18mm L2 307mm W1 40mm W2 35mm thread M54x1.5 tube ø 8.5mm cable length 520mm rotation flange immersion heater fryer connection length 50mm 2			
For models:	210FE, 210FEC, 922FE, 922FEC			
spare parts for	416824			
	No.	510243	Ref. No.	—
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs			
	No.	550496	Ref. No.	6090144
	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs			
accessories for	416824			
	No.	550447	Ref. No.	—
	ring nut thread M54x1.5			



No.	418818	Ref. No.	6002054
description	heating element 3280W 230V L 320mm W 190mm H 170mm L1 39mm L2 281mm W1 79mm W2 32mm flange length 70mm flange width 22mm hole distance 56mm windings 5 hole ø 6mm		
For models:	FT5		



No.	418817	Ref. No.	6001129
description	heating element 2000W 230V L 285mm W 137mm H 172mm L1 22mm L2 33mm L3 230mm W1 50mm W2 37mm hole distance 28mm windings 3 hole ø 6mm flange length 90mm flange width 56mm cable length 180mm tube ø 8.5mm		
For models:	FT3N		

2 hole fixing



No.	416065	Ref. No.	6001139	
description	heating element 1333W 230V heating circuits 1 L 283mm W 20mm H 40mm thread M12x1 tube ø 8.5mm connection M4 connection length 52mm mounting distance 31mm windings 2 immersion heater 2 hole fixing			
For models:	FRE46T, FRE66T, FTR26T, FTR6T			
spare parts for	416065			
	No.	507313	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs				
accessories for	416065			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				



No.	416064	Ref. No.	6001144	
description	heating element 3300W 230V heating circuits 1 L 285mm W 74mm H 42mm thread M12x1 tube ø 8.5mm connection M4 connection length 37mm windings 5 fryer heaters 2 hole fixing			
For models:	FRE46F, FRE66F, FTR26F, FTR6F			
accessories for	416064			
	No.	520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			

Table continues overleaf

accessories for 416064				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521110	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs				
	No.	521131	Ref. No.	—
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs				
	No.	528110	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

heating elements for pasta cookers

				
1				
No.	418032	Ref. No.	6002063	
description	heating element 2000W 240V heating circuits 1 L 280mm W 75mm Hmm 2 hole fixing connection M4 thread 1/4" tube ø 8.5mm mounting distance 67mm pasta cooker			
For models:	22CP, 2CP, CPE66			
accessories for	418032			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

				
1				
No.	416077	Ref. No.	6002064	
description	heating element 2520/3000W 220/240V heating circuits 1 L 445mm W 66mm Hmm 2 hole fixing connection M4 thread 1/4" tube ø 8.5mm mounting distance 58mm connection length 34mm pasta cooker immersion heater			
For models:	23CP, 3CP, CP1, CP1BM			
accessories for	416077			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				

accessories for 416077				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

heating elements for salamanders/toast-


1


No.	415659	Ref. No.	6001067 (old version)
description	heating element 2000W 230V heating circuits 1 L 230mm W 303mm L1 35mm L2 195mm W1 135mm W2 33mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm dry heating element connection M5 rectangular flange hole ø 5mm H 8.5mm		


1

A technical line drawing of a heating element. It features a coiled tube with four horizontal loops on the left side. On the right side, the tube extends and connects to a rectangular flange. The flange has two mounting holes, one above and one below the center. A small dimension line indicates the distance between these holes. The entire drawing is labeled with a '1' in the bottom left corner.

No.	419230	Ref. No.	6001067
description	heating element 2185W 230V heating circuits 1 L 230mm W 303mm L1 35mm L2 195mm W1 135mm W2 33mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm dry heating element connection M5 rectangular flange hole ø 5mm for salamander grill		
For models:	S505		


			
1			
No.	415215	Ref. No.	6002021
description	heating element 2570W 230V heating circuits 1 L 305mm W 297mm L1 19mm L2 286mm W1 132mm W2 22mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm dry heating element connection M5 rectangular flange hole ø 5mm H 8.5mm		
For models:	S510		


			
1			
No.	415660	Ref. No.	6001068 724-5085533
description	heating element 2800W 230V heating circuits 1 L 230mm W 298mm L1 20mm L2 210mm W1 133mm W2 32mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm dry heating element connection M5 rectangular flange hole ø 5mm H 8.5mm		
For models:	S505R		

			
1			
No.	415623	Ref. No.	6003022
description	heating element 3100W 230V heating circuits 1 L 305mm W 295mm L1 25mm L2 280mm W1 131mm W2 33mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm dry heating element connection M4 rectangular flange hole ø 5mm H 8.5mm		
For models:	S510S		

1

No.	415217	Ref. No.	6003022	
description	heating element 3100W 400V heating circuits 1 L 309mm W 295mm L1 24mm L2 285mm W1 130mm W2 33mm flange length 70mm flange width 22mm hole distance 28mm tube ø 8.5mm dry heating element connection M4 rectangular flange hole ø 5mm H 8.5mm			
accessories for	415217			
	No.	521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
1			
No.	415213	Ref. No.	6001133
description	heating element 3300W 230V heating circuits 1 L 240mm W 380mm L1 24mm L2 220mm W1 174mm W2 33mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm connection length 28mm dry heating element connection M5 rectangular flange hole ø 4mm		
For models:	SE520		

			
1			
No.	415214	Ref. No.	6003133
description	heating element 3300W 400V heating circuits 1 L 235mm W 380mm L1 20mm L2 216mm W1 174mm W2 33mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm connection length 22mm dry heating element connection M5 rectangular flange hole ø 5mm		



No.	415220	Ref. No.	6002066
description	heating element 2730W 230V L 490mm W 270mm 2 hole fixing thread 1/4" mounting distance 261mm dry heating element tube ø 8.5mm heating circuits 1 H 8.5mm		
For models:	S511		



No.	415209	Ref. No.	6003052
description	heating element 3000W 400V L 489mm W 270mm 2 hole fixing thread 1/4" mounting distance 265mm connection M5 dry heating element tube ø 8.5mm heating circuits 1 connection length 18mm		
For models:	S511S		

spare parts for	415209		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

accessories for	415209		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			

	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			

	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



No.	415450	Ref. No.	6002058
description	heating element 650W 230V L 265mm W 55mm thread M15x1 mounting distance 45mm connection length 38mm tube ø 10mm heating circuits 1 dry heating element 2 hole fixing H 10mm		
For models:	SR512, SR512R		



No.	416820	Ref. No.	6001071
description	heating element 930W 230V L 260mm W 55mm thread M15x1 mounting distance 45mm connection length 26mm connection M4 tube ø 10mm heating circuits 1 dry heating element 2 hole fixing H 10mm		



No.	416001	Ref. No.	6001066 6001070
description	radiation heater rectangular 1500W 230/240V L 265mm W 165mm H 32mm heating circuits 1 connections 2 connection type cable cable length 700mm EGO salamander grill		
For models:	SH505R, SH510P, SH510R, SH520G, SH520GM, SH560P		
accessories for	416001		
	No.	390880	Ref. No. 6010039
safety rod thermostat switch-off temp. 780°C temperature range°C 2-pole 1NC/1NOA probe ø 4mm probe L 170mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm			
	No.	403523	Ref. No. —
solid state relay ONLY 1 phase 40A 24-280V 4-32VDC L 47.5mm W 43mm screw type ASR-40DA			

immersion heating elements

3 hole flange ø57.5mm



No.	418085	Ref. No.	6003295
description	heating element 10000W 230V mounting ø 57.5mm heating circuits 3 L 393mm W 38mm H 52mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 350mm thermostat sleeve not clinging tube ø 8.5mm hole distance 73mm hole ø 8mm connection length 33mm connection M4 3 hole flange immersion heater		
For models:	VE20EC, VE20MX		
spare parts for	418085		
	No.	510409	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			



No.	418084	Ref. No.	6003290
description	heating element 7599W 230V mounting ø 57.5mm heating circuits 3 L 340mm W 36mm H 42mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 270mm thermostat sleeve clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	EN10VE-EC-ESN1033, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX		

heating elements for convection



1

No.	418087	Ref. No.	6002125	
description	heating element 15000W 230/400V heating circuits 3 ID ø 398mm ED ø 415mm L 452mm H 121mm L1 32mm W1 105mm H1 80mm H2 25mm flange length 142mm flange width 25mm hole distance 126mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange			
For models:	CE10MX, CE20MX, DE10EC, DE10ES, DE10MX, EF10GM, EF8PM, VE10EC, VE10MX, VE20EC, VE20MX			
accessories for	418087			
	No.	550548	Ref. No.	2005173
 gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173				



1

No.	418088	Ref. No.	6002121
description	heating element 25000W 400V heating circuits 3 ID ø 388mm ED ø 406mm L 452mm H 150mm L1 35mm W1 105mm H1 21mm H2 130mm flange length 142mm flange width 25mm hole distance 126mm connection M4 connection length 72mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	CE102MX, DE102EC, DE102MX, VE102EC, VE102MX		
accessories for	418088		
	No.	550548	Ref. No. 2005173
 gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173			

1

No.	418858	Ref. No.	6002100
description	heating element 7350W 230V heating circuits 3 ID ø 215mm ED ø 230mm L 267mm H 85mm L1 38mm W1 102mm H1 5mm H2 80mm flange length 142mm flange width 25mm hole distance 63mm cable length 1000mm convection heating element hole ø 6mm		
For models:	EF4PM, EF5GM		

1



No.	418086	Ref. No.	6002001	
description	heating element 8400W 230V heating circuits 3 ID ø 218mm ED ø 235mm L 275mm H 112mm L1 40mm W1 105mm H1 32mm H2 80mm flange length 142mm flange width 25mm hole distance 64mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange			
For models:	CE06MX, DE06EC, DE06ES, DE06MX, VE06EC, VE06MX			
accessories for	418086			
	No.	550548	Ref. No.	2005173
gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173				

radiation heaters




1

No.	416001	Ref. No.	6001066 6001070
description	radiation heater rectangular 1500W 230/240V L 265mm W 165mm H 32mm heating circuits 1 connections 2 connection type cable cable length 700mm EGO salamander grill		
For models:	SH505R, SH510P, SH510R, SH520G, SH520GM, SH560P		
accessories for	416001		
	No.	390880	Ref. No. 6010039
	safety rod thermostat switch-off temp. 780°C temperature range°C 2-pole 1NC/1NOA probe ø 4mm probe L 170mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm		
	No.	403523	Ref. No. —
	solid state relay ONLY 1 phase 40A 24-280V 4-32VDC L 47.5mm W 43mm screw type ASR-40DA		

accessories

sealing washers

O-rings

				
No.	550496	Ref. No.	6090144	
description	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs			
For models:	15FE, 15FEC, 20FE, 20FEC, 210FE, 210FEC, 215FE, 215FEC, 220FE, 220FEC, 920FE, 920FEC, 922FE, 922FEC, 940FE, 940FEC, F10CL, F10L, F15CL, F15L, F215CL, F215L, FP18NS, FP18S, FP27S, FRE46, FRE66			

flange gaskets



1

No.	550548	Ref. No.	2005173
description	gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, EF10GM, EF4PM, EF5GM, EF8PM, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX		



1

No.	510368	Ref. No.	2005174
description	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		
For models:	EF4, EF6PM, EF7GM, EN10VE-EC-ESN1033		

hot plates

square & rectangular

with radiused edge



1

No.	490074 ¹	Ref. No.	6001061
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector

round

with radiused edge

for domestic and commercial kitchens



1

No.	490020	Ref. No.	5910021	
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring			
accessories for	490020			
	No.	550796	Ref. No.	—
	fixing plate for hot plate ø220mm			

energy regulators

EGO

1-circuit



1

No.	380015	Ref. No.	6031023
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	DE06ES, DE06MX, DE102MX, DE10ES, DE10MX, DG06ES, DG06MX, DG102MX, DG10ES, DG10MX, EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, S505, S505R, S510, S510S, S511, S511S, SR512R, VE06MX, VE102MX, VE10MX, VE20MX, VG06MX, VG102MX, VG10MX, VG20MX		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_ series



1

No.	375548	Ref. No.	6010024
description	thermostat t.max. 142°C temperature range fixed 142°C 1-pole 1CO 16A probe ø 4mm probe L 157mm capillary pipe 870mm capillary pipe isolated 870mm gland nut shaft ø 6x4.6mm shaft Lmm shaft position		

55.13_ series



No.	375007	Ref. No.	6010015
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 113mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft L 25mm shaft position upper rotation 270°		
For models:	BME46, BME66, CP1BM, CPG1BM, SPE46		
accessories for	375007		
	No.	110119	Ref. No. —
knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C rotation 270°			
	No.	110241	Ref. No. —
knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C			



No.	375492	Ref. No.	6010005
description	thermostat t.max. 190°C temperature range 94-190°C 1-pole 1NO 16A probe ø 6mm probe L 94mm capillary pipe 1090mm capillary pipe isolated 960mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310° probe material SS		
For models:	13FG, 15FE, 17FG, 207FG, 20FE, 210FE, 213FG, 215FE, 217FG, 220FE, 917FG, 920FE, 922FE, 927FG, 934FG, 940FE, F10L, F15L, F215L, FP-18NS, FP18S, FP27S, FRE46, FRE46F, FRE46R, FRE66, FRE66F, FRE66R, FT3N, FT5, FTR26F, FTR6F		

55.34_ series



No.	375602	Ref. No.	6010016
description	thermostat t.max. 120°C temperature range 45-120°C 3-pole 3CO 16A probe ø 6mm probe L 140mm capillary pipe 900mm capillary pipe isolated 870mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	22CP, 23CP, 2CP, 3CP, CP1, CP1BM, CPE66		



No.	375435	Ref. No.	6010004
description	thermostat t.max. 190°C temperature range 56-190°C 3-pole 3NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318° probe material SS		
For models:	FRE46T, FRE66T, FTR10, FTR26T, FTR6T		



No.	375362	Ref. No.	5910028 6010091
description	thermostat t.max. 320°C temperature range 55-320°C 3-pole 3NO 10A probe ø 4mm probe L 128mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

safety thermostats

55.10/19_ series



No.	375376	Ref. No.	2001046 2011140
description	safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 133mm 0.5A capillary pipe isolatedmm gland nut M10x1 switch-off temp. 224°C probe		
For models:	13FG, 17FG, 207FG, 213FG, 917FG, 917FGC, 927FG, 927FGC, 934FG, 934FGC, FG07L, FG13L, FG213L		


E·G·O



No.	375339	Ref. No.	6010020
description	safety thermostat switch-off temp. 225°C 1-pole 0.5A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolatedmm gland nut M10x1 probe		
accessories for	375339		

No.	551083	Ref. No.	—
description	cap for safety thermostat thread M8x1		


E·G·O



No.	375968	Ref. No.	6010026
description	safety thermostat switch-off temp. 360°C 1-pole 1NC 16A probe ø 6mm probe L 77mm capillary pipe 870mm capillary pipe isolated 660mm gland nut M10x1 probe probe material SS M8x1		
For models:	CG102MX, CG10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, EF4, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX		

55.14_series

E·G·O



No.	375260	Ref. No.	6010006
description	safety thermostat switch-off temp. 240°C 1-pole 16A probe ø 6mm probe L 77mm capillary pipe 1280mm capillary pipe isolated 1050mm gland nut M10x1 probe SS		
For models:	FRE46F, FRE66F, FT3N, FT5, FTR26F, FTR6F		


55.32_series

E·G·O




No.	375277	Ref. No.	6010002
description	safety thermostat switch-off temp. 150°C 3-pole 3NC 20A probe ø 6mm probe L 79mm capillary pipe 900mm capillary pipe isolated 700mm gland nut probe		
For models:	22CP, 23CP, 2CP, 3CP, CP1, CP1BM, CPE66, EN10VE-EC-ESN1033, VE06EC, VE06MX, VE10EC, VE10MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

E·G·O



No.	375375	Ref. No.	6010036
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		
For models:	210FE, 210FEC, 922FE, 922FEC, F10CL, F10L, F15CL, F15L, F215CL, F215L, FP18NS, FP18S, FP27S, FRE46, FRE46R, FRE46T, FRE66, FRE66R, FRE66T, FTR10, FTR26T, FTR6T		

E·G·O



No.	375258	Ref. No.	6010037
description	safety thermostat switch-off temp. 232°C 3-pole 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		
For models:	15FE, 15FEC, 20FE, 20FEC, 215FE, 215FEC, 220FE, 220FEC, 920FE, 920FEC, 940FE, 940FEC		

			
No.	375628	Ref. No.	6010008
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, EN10VE-EC-ESN1033, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG20EC, VG20MX		

			
No.	390142	Ref. No.	5910029
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		

rod thermostats

safety rod thermostats

			
No.	390880	Ref. No.	6010039
description	safety rod thermostat switch-off temp. 780°C temperature range °C 2-pole 1NC/1NOA probe ø 4mm probe L 170mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm		
For models:	SH520G, SH520GM, SH560P		

accessories

gland nut accessories

ducts



No.	100820	Ref. No.	7050025
description	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		

bolts with slot



No.	520244	Ref. No.	6030024
description	bolt with slot thread M10x1 Qty 10 pcs nickel-plated brass		
For models:	FTR10		

connecting bows



No.	550060	Ref. No.	6030016
description	connecting bow long for thermostat Qty 1 pcs		
For models:	FRE46F, FRE46R, FRE66F, FRE66R, FT3N, FT5, FTE100, FTE107, FTE46, FTE46B, FTE46R, FTE47L, FTE66L, FTE66LB, FTE66LM, FTE66LMB, FTE66R, FTE66RM, FTR26F, FTR6F, SPE46		

switches and momentary switches

push/momentary push switches

ø16mm



No.	346345	Ref. No.	6032020
description	momentary push switch mounting ø 16mm black 1NO 250V 3A connection male faston 2.8mm ambient temperature max. 85°C protection IP40		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06MX, DE102MX, DE10MX, DG06MX, DG102MX, DG10MX, VE06MX, VE102MX, VE10MX, VE20MX, VG06MX, VG102MX, VG10MX, VG20MX		

accessories for		346345		
	No.	346343	Ref. No.	6032021
	protective cover			
	No.	346344	Ref. No.	6032022
	ring for protecting cover			



1

No.	346346	Ref. No.	6032038
description	momentary push switch mounting ø 16mm red 1NO/indicator light 250V 3A connection male faston 2.8mm ambient temperature max. 125/55°C protection IP40		
For models:	CG20MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

accessories

protective covers



1

No.	346343	Ref. No.	6032021	
description	protective cover			
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06MX, DE102MX, DE10MX, DG06EC, DG06MX, DG102EC, DG102MX, DG10EC, DG10MX, VE06MX, VE102MX, VE10MX, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX			
accessories for	346343			
	No.	346344	Ref. No.	6032022
	ring for protecting cover			



1

No.	346344	Ref. No.	6032022	
description	ring for protecting cover			
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06MX, DE102MX, DE10MX, DG06EC, DG06MX, DG102EC, DG102MX, DG10EC, DG10MX, VE06MX, VE102MX, VE10MX, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX			
accessories for	346344			
	No.	346343	Ref. No.	6032021
	protective cover			

microswitches

lever actuated



1

No.	345773	Ref. No.	6043085
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm actuating force: 65g lever length 51mm		
For models:	15FE, 15FEC, 20FE, 20FEC, 210FE, 210FEC, 215FE, 215FEC, 220FE, 220FEC, 920FE, 920FEC, 922FE, 922FEC, 940FE, 940FEC, F10CL, F10L, F15CL, F15L, F215CL, F215L, FP18NS, FP18S, FP27S, FRE46, FRE46R, FRE66, FRE66R, SH510P, SH560P		

pin-plunger actuated



1

No.	345060	Ref. No.	6043086
description	microswitch with plunger 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type BS1010 actuating force: 350g red stroke 9mm		
For models:	FT3N, FT5, FTR10		

M10



1

No.	346347	Ref. No.	6043088
description	microswitch with plunger thread M10x0.75 thread L 14mm 250V 6A 2NO connection male faston 6.3mm stroke 4mm mounting distance 22mm ambient temperature max. 85°C actuating force: 100g		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

cam switches

on/off



1

No.	300129	Ref. No.	6030007
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	13FGC, 17FGC, 207FGC, 213FGC, 217FGC, 917FGC, 927FGC, 934FGC, BM711, BM721, BM911, BM921, BME46, BME66, CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, EN10VE-EC-ESN1033, FG07CL, FG213CL, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM		



2

No.	300139	Ref. No.	6030012
description	cam switch ON-OFF connection male faston		
For models:	210FEC, 922FEC, EF4, F10CL, F15CL, F215CL, FP18NS, FP18S, FP27S, FTR10, SH505R, SH510P, SH510R, SH520G, SH520GM, SH560P		

7-position



1

No.	300004	Ref. No.	6030014
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic		
For models:	PCE46, PCE66M, PCE66T		



1

No.	300106	Ref. No.	6030001
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

4 operating positions



1

No.	300081	Ref. No.	6030036
description	cam switch 4 operating positions 3NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection screw		



1

No.	300239	Ref. No.	6030040
description	operation switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

operation switches



1

No.	300002	Ref. No.	6030019
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

E.G.O.



1

No.	300166	Ref. No.	6030019
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic 4-pole ambient temperature max. 318°C		
For models:	210FE, 22CP, 23CP, 2CP, 3CP, 922FE, CP1, CP1BM, CPE66, F10L, F15L, F215L, FRE46, FRE46R, FRE46T, FRE66, FRE66R, FRE66T, FTE66L, FTE66LB, FTE66R, FTE67L, FTE67LM, FTR26T, FTR6T		



1

No.	300115	Ref. No.	5910023
description	cam switch 2 operating positions operation switch sequence 0-1 shaft $\varnothing$ 6x4.6mm connection screw clamp 5-pole ambient temperature max. 318°C		

E.G.O.



1

No.	300200	Ref. No.	6030015
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		
For models:	13FG, 17FG, 207FG, 213FG, 217FG, 917FG, 927FG, 934FG, CP1BM, CPG1BM, FRE46F, FRE66F, FT3N, FT5, FTE100, FTE107, FTE46, FTE46B, FTE46R, FTE47L, FTE66LM, FTE66LMB, FTE66RM, FTR26F, FTR6F, SPE46		

rotary switches

BREMAS

A1600 series



1

No.	346342	Ref. No.	6030031
description	rotary switch 7 1-2-3-4-5-6-7 sets of contacts 9 type CS0169137 400V 16A shaft $\varnothing$ 4x5mm shaft L 20mm shaft square connection screw		
For models:	VE06MX, VE102MX, VE10MX, VE20MX, VG06MX, VG102MX, VG10MX, VG20MX		



1

No.	346341	Ref. No.	6030030
description	rotary switch 8 1-2-3-4-5-6-7-8 sets of contacts 10 type CS0169134 400V 16A shaft $\varnothing$ 4x5mm shaft L 20mm shaft square connection screw		
For models:	DE06EC, DE06ES, DE06MX, DE102EC, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE102EC, VE10EC, VE20EC, VG06EC, VG102EC, VG10EC, VG20EC		

GIOVENZANA

rotary switches



1

No.	348053	Ref. No.	6030003
description	rotary switch 2 0-1 sets of contacts 4 type CX32 600V 32A shaft $\varnothing$ 5x5mm shaft L 26mm shaft square connection screw		
For models:	15FE, 15FEC, 20FE, 20FEC, 215FE, 215FEC, 220FE, 220FEC, 920FE, 920FEC, 940FE, 940FEC		

encoders and potentiometers



1

No.	401169	Ref. No.	6010102
description	encoder cable length 125mm		
For models:	DE06EC, DE102EC, DE10EC, DG06EC, DG102EC, DG10EC, SH505R, SH510P, SH510R, SH520G, SH520GM, SH560P, VE06EC, VE102EC, VE10EC, VE20EC, VG06EC, VG102EC, VG10EC, VG20EC		



1

No.	300146	Ref. No.	6010076
description	potentiometer		



1

No.	300187	Ref. No.	6010097
description	potentiometer 4.7KOhm rotation 310° shaft $\varnothing$ 0.6x4.5mm shaft L 20mm cable length 650mm		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06ES, DE06MX, DE102MX, DE10ES, DE10MX, DG06ES, DG06MX, DG102MX, DG10ES, DG10MX, EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, VE06MX, VE102MX, VE10MX, VE20MX, VG06MX, VG102MX, VG10MX, VG20MX		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø13mm (type SF-3)



1

No.	357046	Ref. No.	6061070
description	indicator light housings mounting measurements ø13mm green Qty 10 pcs with adapter round		
For models:	EF4, FP18NS, FP18S, FP27S, FT3N, FT5, FTR10, FTR26F, FTR26T, FTR6F, FTR6T, SR512, SR512R		

ø13mm (type SFK-3)



1

No.	359225	Ref. No.	6061069
description	indicator light housings mounting measurements ø13mm clear Qty 1 pcs		
For models:	EF4, FP18NS, FP18S, FP27S, FT3N, FT5, FTR10, FTR26F, FTR26T, FTR6F, FTR6T, S505, S505R, S510, S510S, S511, S511S		

indicator lamps for socket type SRZ / SDK / SDY / SFK



1

No.	359430	Ref. No.	6061067
description	indicator lamp 230V clear connection cable 400mm		
For models:	EF4, FP18NS, FP18S, FP27S, FT3N, FT5, FTR10, FTR26F, FTR26T, FTR6F, FTR6T, S505, S505R, S510, S510S, S511, S511S		
accessories for	359430		
	No.	359260	Ref. No.
			—



1

No.	359431	Ref. No.	6061068
description	indicator lamp 230V green connection cable 400mm cable material silicone		
For models:	EF4, FP18NS, FP18S, FP27S, FT3N, FT5, FTR10, FTR26F, FTR26T, FTR6F, FTR6T, SR512, SR512R		

indicator lights (complete)

ø12mm

with screw socket



1

No.	359048	Ref. No.	6061051
description	indicator light ø 12mm 230V yellow connection male faston 6.3mm		

30x22mm



1

No.	346965	Ref. No.	5910033
description	indicator light mounting measurements 30x22mm 230V yellow		

miscellaneous



1

No.	359272	Ref. No.	6061073
description	indicator light green 230V		
For models:	15FE, 20FE, 210FE, 215FE, 220FE, 22CP, 23CP, 2CP, 920FE, 922FE, 940FE, BM711, BM721, BM911, BM921, BME46, BME66, CP1, CP1BM, CPE66, CPG1BM, F10L, F15L, F215L, FRE46, FRE46F, FRE46R, FRE46T, FRE66, FRE66F, FRE66R, FRE66T, FTE100, FTE107, FTE46, FTE46B, FTE46R, FTE47L, FTE66L, FTE66LB, FTE66LM, FTE66LMB, FTE66R, FTE66RM, FTE67L, FTE67LM, SPE46, SPR46		



1

No.	359273	Ref. No.	6061072
description	indicator light yellow 230V		
For models:	15FE, 20FE, 210FE, 215FE, 220FE, 22CP, 23CP, 2CP, 3CP, 920FE, 922FE, 940FE, BM711, BM721, BM911, BM921, BME46, BME66, CP1, CP1BM, CPE66, CPG1BM, F10L, F15L, F215L, FRE46, FRE46F, FRE46R, FRE46T, FRE66, FRE66F, FRE66R, FRE66T, FTE100, FTE107, FTE46, FTE46B, FTE46R, FTE47L, FTE66L, FTE66LB, FTE66LM, FTE66LMB, FTE66R, FTE66RM, FTE67L, FTE67LM, PCE46, PCE66M, PCE66T...(Other models you can see in the webshop)		

screw-on/push-on fit

light bulbs

for ovens



1

No.	359612	Ref. No.	6061053
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	EN10VE-EC-ESN1033		



halogen lamp

for socket G4 / G6.35 / G9



No.	359599	Ref. No.	6061054
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		


oven lamps

universal oven lamps

mounting diameter 47.8mm



No.	359499	Ref. No.	6060055
description	lamp socket socket E14 mounting ø 47.8mm connection male faston 6.3mm		
For models:	EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM		
accessories for	359499		
	No.	359725	Ref. No. —
	oven lamp glass thread ø 44mm H 43mm ø 54mm hard glas temp.-resist. 350°C		



No.	525313	Ref. No.	6090140
description	O-ring Viton ID ø 60.33mm thickness 3.53mm Qty 1 pcs		
For models:	EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM		



No.	532649	Ref. No.	6090141
description	O-ring Viton ID ø 63.17mm thickness 2.62mm Qty 1 pcs		
For models:	EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM		

30x70mm



No.	359338	Ref. No.	6063077
description	lamp glass		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



No.	359337	Ref. No.	6063075
description	oven lamp socket G4 cable length 800mm connection Faston 6.3mm L 70mm W 29mm		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		
accessories for	359337		
	No.	359599	Ref. No. 6061054
	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

55x70mm



1

No.	359368	Ref. No.	6063074
description	lamp glass		

lamps

light bulbs



1

No.	359612	Ref. No.	6061053
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	EN10VE-EC-ESN1033		

halogen lamps

for socket G4 / G6.35 / G9



1

No.	359599	Ref. No.	6061054
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

timers

electric timers



1

No.	350135	Ref. No.	6032059
description	timer MS65 operation time 120min time spreadmin 1CO/2NO at 250V 16A permanent position yes time range 0-120min impulse electric shaft ø 6x4.6mm shaft L 21mm mounting distance 28mm connection male faston 6.3mm screw mounting 250V voltage AC 50Hz		

with time spread



1

No.	350074	Ref. No.	6032047
description	timer MS65 operation time 120min time spread 30min 1CO/2NO/1NC at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral Invensys 4-pole shaft position lower°		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06ES, DE06MX, DE102MX, DE10ES, DE10MX, DG06ES, DG06MX, DG102MX, DG10ES, DG10MX, EF10GM, EF4, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, VE06MX, VE102MX, VE10MX, VE20MX, VG06MX, VG102MX, VG10MX, VG20MX		

mechanical timers



1

No.	350003	Ref. No.	6032040
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350003		
	No.	110366	Ref. No. —
	knob switch zero mark t.max.°C°C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	No.	111199	Ref. No. —
	dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm		

alarm devices

buzzer boards



1

No.	401062	Ref. No.	6010090
description	buzzer board 230VAC L 48mm W 45mm connection Faston 6.3mm		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06MX, DE102MX, DE10MX, DG06MX, DG102MX, DG10MX, EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM		



contactors

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380244	Ref. No.	6046043
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		
For models:	F10CL, F10L, F15CL, F15L, F215CL, F215L, FP18NS, FP18S, FP27S, FRE46, FRE66		

ISKRA (FANAL)

power contactors



1

No.	380204	Ref. No.	6046033 6046038
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10		
For models:	15FE, 15FEC, 20FEC, 210FE, 210FEC, 215FE, 215FEC, 220FEC, 920FEC, 922FE, 922FEC, 940FEC, CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06ES, DG06MX, DG102MX, DG10ES, DG10MX, EF10GM, EF4, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, EN10VE-EC-ESN1033, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, VE06EC, VE06MX, VE102EC...(Other models you can see in the webshop)		



1

No.	380424	Ref. No.	6046041
description	power contactor resistive load 35A 230VAC (AC3/400V) 32A/15kW main contacts 3NO connection screw connection type Fanal DSL30 type ISKRA KNL30		
accessories for	380424		
	No.	Ref. No.	—
	381378		
overload switch connection screw setting range 24,5-30A for contactors KNL30 type BR30 24.5-30A			

LOVATO

power contactors



1

No.	380788	Ref. No.	6046046
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 4NO connection screw connection type BF18T4A230		

relays

power relays

with DIN rail mounting

lateral



1

No.	380379	Ref. No.	6041013
description	power relays SCHRACK 230VAC 25A 2CO connection male faston 6.3mm DIN rail manuf. no. RM809730		
For models:	SH505R, SH510R		

relay sockets



1

No.	380487	Ref. No.	6040015
description	relay socket		
For models:	EN10VE-EC-ESN1033, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

level relays

GICAR



1

No.	401173	Ref. No.	6041043
description	level relay 230V connection F6.3 type RL30/3ES/F		
For models:	EN10VE-EC-ESN1033, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

time relays

time relays



1

No.	381119	Ref. No.	6042049
description	time relay LOVATO TM D time range 0.06-180s		
For models:	VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



1

No.	380607	Ref. No.	6042054
description	time relay LOVATO TM M1 time range 0s-10 days 12-24V AC/DC 8A 1CO connection grip connection		
For models:	VE06MX, VE102MX, VE10MX, VE20MX, VG06MX, VG102MX, VG10MX, VG20MX		



1

No.	380606	Ref. No.	6042056
description	time relay LOVATO TM PL time range 2x 0.1s-100 days 12-240V AC/DC 8A 1CO connection grip connection		
For models:	DE06ES, DE06MX, DE102MX, DE10ES, DE10MX, DG06ES, DG06MX, DG102MX, DG10ES, DG10MX		

transformers

encapsulated transformers

PMA



1

No.	379054	Ref. No.	6010086
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	SH505R, SH510R, SH520G, SH520GM		



1

No.	401174	Ref. No.	6010079
description	transformer primary 230VAC secondary 12VAC 6VA secondary 0.5A connection screw 50Hz		
For models:	DE06EC, DE102EC, DE10EC, DG06EC, DG102EC, DG10EC, EN10VE-EC-ESN1033, SH510P, SH560P, VE06EC, VE102EC, VE10EC, VE20EC, VG06EC, VG102EC, VG10EC, VG20EC		

for lighting



1

No.	401175	Ref. No.	6041065
description	transformer primary 230V secondary 11.5V 90VA		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

electronic controllers

EVCO - EVERY CONTROL

producer-specific devices



1

No.	379459	Ref. No.	6011142
description	electronic controller EVCO mounting measurements 90x110mm 230V voltage AC TC/J 0-700°C display 3 digits temperature controller DIN rail		
For models:	13FGC, 15FEC, 17FGC, 207FGC, 20FEC, 210FEC, 213FGC, 215FEC, 217FGC, 220FEC, 917FGC, 920FEC, 922FEC, 927FGC, 934FGC, 940FEC, F10CL, F15CL, F215CL, FG07CL, FG213CL		
accessories for	379459		
	No.	379462	Ref. No. 6000106
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C connection plug thread probe ø6x200mm cable length 0.7m		
	No.	693124	Ref. No. 2007069
	keypad foil for fryer		

universal controllers

built-in version



1

No.	378169	Ref. No.	6011125 6011130
description	electronic controller EVERY CONTROL EV7401 mounting measurements 66.5x66.5mm built-in depth 90mm 24/230V voltage AC NTC/PTC/Pt100/TC(J,K)/mA relay outputs 1 CO-8A(3) NTC/PTC/Pt100/TC(J,K)/mA yes protection IP54 dependend on probe°C display 4 digits		
accessories for	378169		
	No.	379053	Ref. No. —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379062	Ref. No. —
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x50mm cable length 3m without screw connection 2-wire		

accessories for	378169		
	No.	379064	Ref. No. —
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379131	Ref. No. —
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x85mm cable length 3m without screw connection 3-wire resistance at 0°C 100Ohm		
	No.	379161	Ref. No. —
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		

SHANGFANG

accessories



1

No.	379054	Ref. No.	6010086
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	SH505R, SH510R, SH520G, SH520GM		

probes

universal probes

temperature probes



1

No.	379860	Ref. No.	6000100
description	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		



1

No.	379222 ¹	Ref. No.	6000083
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø4x110mm cable length 1.4m 3-wire		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06ES, DE06MX, DE102MX, DE10ES, DE10MX, DG06ES, DG06MX, DG102MX, DG10ES, DG10MX, VE06MX, VE102EC, VE102MX, VE10MX, VE20MX, VG06MX, VG102MX, VG10MX, VG20MX		

¹3-wire



1

No.	379050 ¹	Ref. No.	6000085
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
For models:	EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, EN10VE-EC-ESN1033, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM		

¹3-wire

producer-specific probes

probes



No.	379462	Ref. No.	6000106
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C connection plug thread probe ø6x200mm cable length 0.7m		
For models:	207FGC, FG07CL, FG213CL		




No.	403251	Ref. No.	6010110
description	keypad PCB salamander grill SRH1060 L 163mm W 70mm with display buttons 5		
For models:	SH510P, SH560P		

electronics

frequency converters




No.	403841	Ref. No.	6010130 6010131
description	frequency converter with heat sink for combi-steamer L 135mm W 135mm 800W ECS P0010205-0		




No.	401168	Ref. No.	6010100
description	PCB		
For models:	DE06EC, DE102EC, DE10EC, DG06EC, DG102EC, DG10EC, VE06EC, VE102EC, VE10EC, VE20EC, VG06EC, VG102EC, VG10EC, VG20EC		

PCBs



No.	400736	Ref. No.	6010083
description	control PCB salamander grill SH50SR		
For models:	SH505R, SH510R, SH520G, SH520GM		



No.	401166	Ref. No.	6010095
description	display		
For models:	CE06MX, CE102MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06ES, DE06MX, DE102MX, DE10ES, DE10MX, DG06ES, DG06MX, DG102MX, DG10ES, DG10MX, EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, VE06MX, VE102MX, VE10MX, VE20MX, VG06MX, VG102MX, VG10MX, VG20MX		



No.	401170	Ref. No.	6010101
description	PCB		
For models:	DE06EC, DE102EC, DE10EC, DG06EC, DG102EC, DG10EC, VE06EC, VE102EC, VE10EC, VE20EC, VG06EC, VG102EC, VG10EC		



No.	401171	Ref. No.	6010084
description	PCB combi-steamer		
For models:	CE06MX, CE102MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, EF4, EF4PM, EF6PM, EF8PM, GF4PM, GF6PM, GF8PM, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



1

No.	401172	Ref. No.	6010093
description	PCB combi-steamer VE 06/10		
For models:	VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



1

No.	401167	Ref. No.	6010096
description	PCB combi-steamer VE 06/10 230V 50/60Hz		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06ES, DE06MX, DE102MX, DE10ES, DE10MX, DG06ES, DG06MX, DG102MX, DG10ES, DG10MX, EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, VE06MX, VE102MX, VE10MX, VE20MX, VG06MX, VG102MX, VG10MX, VG20EC, VG20MX		
accessories for	401167		
	No.	401062	Ref. No.
			6010090

keypads

front foils



1

No.	400737	Ref. No.	2012426
description	keypad foil		
For models:	SH505R		



1

No.	400738	Ref. No.	2012423
description	keypad foil blue/grey/black suitable for SH510 L 715mm W 67mm		
For models:	SH510P, SH510R		



1

No.	693124	Ref. No.	2007069
description	keypad foil for fryer		
For models:	13FGC, 15FEC, 17FGC, 207FGC, 20FEC, 210FEC, 213FGC, 215FEC, 217FGC, 220FEC, 917FGC, 920FEC, 922FEC, 927FGC, 934FGC, 940FEC, F10CL, F15CL, F215CL, FG07CL, FG213CL		

1

No.	403791	Ref. No.	2012427 2016790
description	keypad foil for salamander grill model suitable for BARTSCHER ømm for mounting pos. suitable for for model L 547mm W 67mm		

1

No.	403792	Ref. No.	2012890
description	keypad foil for salamander grill SH560P model suitable for GIORIK ømm for mounting pos. suitable for for model L 547mm W 67mm		
For models:	SH560P		

1

No.	400739	Ref. No.	2012425
description	keypad foil salamander grill SH520 L 545mm W 67mm		
For models:	SH520G, SH520GM		

solenoid valves

solenoid valves (water)

RPE



1

No.	374021	Ref. No.	6042071
description	solenoid valve double straight 230VAC inlet 3/4" outlet 10mm DN10 RPE		
For models:	CE20MX, CG20MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

			
No.	374017	Ref. No.	6042070
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		
For models:	CE06MX, CE102MX, CE10MX, CG06MX, CG102MX, CG10MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, EF10GM, EF4, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM		

reducers

outlet side

			
No.	371269	Ref. No.	6042091
description	reducer flow rate 0.07-0.14l/min brown		

			
No.	371265	Ref. No.	6042097
description	reducer flow rate 3l/min black		
For models:	VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

metal

CEME

solenoid valves

			
No.	370352	Ref. No.	6042075
description	solenoid valve 2-ways 230VAC inlet 1/2" IT outlet 1/2" IT L 55mm p max 0.5bar brass		
For models:	VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

fans

axial fans

ebm-papst

			
No.	601030 ¹	Ref. No.	6033175
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
accessories for	601030		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	692497	Ref. No. —
	guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm		


¹with ball bearings

import


			
No.	601080 ¹	Ref. No.	6033175
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06MX, DE102EC, DE102MX, DE10EC, DE10MX, DG06EC, DG06MX, DG102EC, DG102MX, DG10EC, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		
accessories for	601080		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	692519	Ref. No. —
	guard L 120mm W 120mm plastic		

¹with ball bearings


hot air motors




No.	601046	Ref. No.	6033155
description	fan motor 220/380V 3 phase 50/60Hz 0.75kW 1350/1650rpm speeds 1 L1 185mm L2 42mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 1.9/3.3A Cos(φ) 0.83 at 50Hz 200-240/346-415V at 60Hz 200-277/346-480V at 50Hz 1350rpm at 60Hz 1650rpm type ST80/4 no. 661512		
For models:	CE102MX, CE10MX, CE20MX, CG102MX, CG10MX, CG20MX, DE102MX, DE10MX, DG102MX, DG10MX, EF10GM, EF7GM, EN10VE-EC-ESN1033, VE102EC, VE102MX, VE10MX, VE20MX, VG102MX, VG10MX, VG20MX		



No.	500641	Ref. No.	6033155
description	fan motor 220/380V 3 phase 50Hz 0.75kW 1420rpm speeds 1 L1 166mm L2 47mm L3 65mm D1 ø 24mm D2 ø 20mm M6R IT 1.4/2.4A Cos(φ) 0.83 at 50Hz 220/380V at 60Hz 240/415V type ST80/4 no. 643515 mounting distance 150mm		




No.	500640	Ref. No.	6032122	
description	fan motor 220-240V 1 phase 50Hz 0.05/0.25HP 1400/2700rpm speeds 2 L1 145mm L2 65mm L3 35mm D1 ø 15mm D2 ø 12mm M10L ET 1.1/0.55A suitable capacitor 12.5µF/450V at 50Hz 1400/2700rpm type 2758D2253 no. 6032122			
For models:	CE06MX, CG06MX, DE06EC, DE06ES, DE06MX, DG06EC, DG06ES, DG06MX, VE06EC, VE06MX, VG06EC, VG06MX			
spare parts for	500640			
	No.	560280	Ref. No.	—
	nut thread M10L H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			




1

	No.	601354	Ref. No.	6032128
description	fan motor 220-240V 1 phase 50Hz 0.11kW 2760rpm speeds 1 L1 130mm L2 32mm L3 30mm L4 18mm D1 ø 7/8mm D2 ø 9mm M4R IT 0.9A at 50Hz 230V at 50Hz 2760rpm suitable capacitor 4µF type LM63 shaft flat length 17mm			
accessories for	601354			
	No.	365031	Ref. No.	—
	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection			
	No.	601061	Ref. No.	—
	fan wheel D1 ø 160mm H1 60mm blades 15 D2 ø 18mm D3 ø 18mm H2 35mm			




No.	500643	Ref. No.	6034348
description	fan motor 230V 1 phase 50Hz 0.25/0.75kW 670/1370rpm speeds 2 L1 195mm L2 47mm L3 70mm D1 ø 24mm D2 ø 20mm M6R IT 1.5/4.7A suitable capacitor 50/20μF Cos(φ) 0.53/0.7 at 50Hz 670/1370rpm 4P/8P type FB100L no. 677325		
For models:	CE102MX, CE20MX, CG102MX, CG20MX, DE102EC, DE102MX, DG102EC, DG102MX, VE102EC, VE102MX, VE20EC, VE20MX, VG102EC, VG102MX, VG20EC, VG20MX		



No.	500642	Ref. No.	6033145
description	fan motor 380-415V 3 phase 50Hz 0.22/0.75kW 700/1400rpm speeds 2 L1 166mm L2 45mm L3 67mm D1 ø 24mm D2 ø 20mm M6R ITA at 50Hz 380-415V at 50Hz 700/1400rpm type FB80 4/8 no. 629764		
For models:	DE102EC, DE10EC, DG102EC, EF6PM, EF8PM, VE10EC, VE20EC, VG20EC		



			
1			
No.	602135	Ref. No.	5901101
description	fan wheel blades 12 D1 ø 180mm D2 ø 8mm D3 ø 6x9mm H1 100mm H2 27mm H3mm		

			
1			
No.	601202	Ref. No.	5901006
description	fan wheel D1 ø 180mm H1 100mm blades 16 D2 ø 11.5mm D3 ø 16mm H2 30mm		
For models:	CE06MX, CG06MX, DE06EC, DE06ES, DE06MX, DG06EC, DG06ES, DG06MX, VE06EC, VE06MX, VG06EC, VG06MX		

			
1			
No.	601203	Ref. No.	5901010
description	fan wheel D1 ø 310mm H1 100mm blades 30 D2 ø 19.5mm D3 ø 23mm H2 46mm		
For models:	CE10MX, CG10MX, DE10EC, DE10ES, DE10MX, DG10EC, DG10ES, DG10MX, VE10EC, VE10MX, VG10EC, VG10MX		

			
1			
No.	601204	Ref. No.	5901022
description	fan wheel D1 ø 350mm H1 135mm blades 30 D2 ø 19.5mm D3 ø 23mm H2 46mm		
For models:	CE102MX, DE102EC, VE102EC, VE102MX		

condensators & interference suppression filters

filters

interference suppression filters

			
1			
No.	365045	Ref. No.	6090050
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 40mm ø 30mm Hmm Wmm plastic Qty 1 pcs		
For models:	13FG, 13FGC, 15FE, 15FEC, 17FG, 17FGC, 207FG, 207FGC, 20FE, 20FEC, 210FE, 210FEC, 213FG, 213FGC, 215FE, 215FEC, 217FG, 217FGC, 220FE, 220FEC, 917FG, 917FGC, 920FE, 920FEC, 922FE, 922FEC, 927FG, 927FGC, 934FG, 934FGC, 940FE, 940FEC, CE06MX, CE102MX, CE10MX, CG06MX, CG102MX, CG10MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC...(Other models you can see in the webshop)		

			
1			
No.	365044	Ref. No.	6090050
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs		

electric accessories

terminals

porcelain clamps

			
1			
No.	550116	Ref. No.	6050641
description	porcelain terminal block 3-pole 10mm ² hole distance 16mm max. 30A max 450V L 52mm W 30mm H 23mm mounting distance 16mm Qty 1 pcs		



gas taps

PEL

20S series



1

No.	101094	Ref. No.	7060013
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
spare parts for	101094		
	No.	100408	Ref. No.
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	No.	101060	Ref. No.
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	101205	Ref. No.
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20		
	No.	101230	Ref. No.
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
accessories for	101094		
	No.	101278	Ref. No.
	olive for pipe ø 10mm Qty 1 pcs		
	No.	101300	Ref. No.
	union nut thread M16x1.5 tube ø 10mm		
	No.	101450	Ref. No.
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	No.	101451	Ref. No.
	union nut thread M16x1.5 tube ø 8mm		
	No.	110081	Ref. No.
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		
	No.	110083	Ref. No.
	knob dial plate gas tap without ignition flame silver		

21S series



1

No.	107765	Ref. No.	7060016
description	gas tap PEL type 21S gas inlet pipe flange ø21mm bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper		

22S/O series



1

No.	101086	Ref. No.	7060012
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		
For models:	22CPG, 23CPG, 2CPG, 3CPG, CG740, CG780, CPG1, CPG1BM, CPG66, GG66, GG940, GG980, SG520, SG608		
spare parts for	101086		
	No.	100259	Ref. No.
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	No.	101058	Ref. No.
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard		
	No.	101201	Ref. No.
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22		
	No.	101231	Ref. No.
	thermocouple nut T1: M9x1 T2: M18x1		
	No.	101240	Ref. No.
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal		
	No.	101460	Ref. No.
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22		
	No.	101461	Ref. No.
	screw kit suitable for PEL22 Qty 4 pcs		
accessories for	101086		
	No.	100908	Ref. No.
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No.
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		7050029
	No.	101241	Ref. No.
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical		

Table continues overleaf

accessories for 101086				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

gas thermostats

SIT

630 Eurosit series

The image shows a gas thermostat unit. It has a brass-colored top fitting and a silver-colored metal body. A label on the side of the unit provides technical specifications. Below the unit, a thin metal probe is shown.

1

No.

107688

Ref. No.

7020232

description


gas thermostat 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm

				
1 				
No.	101409	Ref. No.	7020211	
description	gas thermostat type 630 Eurosit series t.max. 280°C 40-280°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT			
For models:	FTG100, FTG46, FTG46B, FTG46R, FTG66L, FTG66LG, FTG66R			
accessories for	101409			
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				

				
1 				
No.	101700	Ref. No.	7020218	
description	gas thermostat type 630 Eurosit series t.max. 340°C 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT			
accessories for	101700			
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	101333	Ref. No.	—
plug thread 3/8" with O-ring				



710 Minisit series



No.	101437	Ref. No.	7020210
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller yes pressure regulator 3-18mbar gland nut		
spare parts for	101437		
	No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102118	Ref. No. —
probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710			
accessories for	101437		
	No.	100809	Ref. No. 0925034
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No. 7050025
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. 7020230
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. —
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No. —
gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			

accessories for	101437		
	No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No. 7070036
olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No. 5900200
knob suitable for Minisit ø 37mm			

	No.	101435	Ref. No.	5910040
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm probe type type C1 pressure controller no pressure regulator mbar gland nut			
spare parts for	101435			
	No.	101053	Ref. No. —	
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102107	Ref. No. —	
probe 100-340°C probe ø 4mm probe L 72mm capillary pipe 1050mm t.max. 340°C oven/grill probe type type C1 suitable for MINISIT 710				
accessories for	101435			
	No.	100809	Ref. No.	0925034
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	7020230
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	—
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				

accessories for 101435				
	No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No.	7070036
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No.	5900200
	knob suitable for Minisit ø 37mm			

				
				
				
No.	101131	Ref. No.	7020200	
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulatormbar gland nut			
For models:	FG07L, FG13L, FG213L, FPG18			
spare parts for	101131			
	No.	101053	Ref. No.	—
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102103	Ref. No.	—
	probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710			
accessories for	101131			
	No.	100809	Ref. No.	0925034
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No.	7050025
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			

accessories for 101131				
	No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No.	7020230
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No.	—
	cover cap without piezoelectric igniter			
	No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No.	7070036
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No.	5900200
	knob suitable for Minisit ø 37mm			



gas valves and ignition boxes

gas control valves

SIT

NOVASIT



1

No.	101956	Ref. No.	7020070
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.031		
For models:	13FG, 13FGC, 17FG, 17FGC, 207FG, 207FGC, 213FG, 213FGC, 217FG, 217FGC, 917FG, 917FGC, 927FG, 927FGC, 934FG, 934FGC, FG07CL, FG213CL		
spare parts for	101956		
	No.	101065	Ref. No. —
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
	No.	101313	Ref. No. —
solenoid coil 230V 50Hz			
accessories for	101956		
	No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	101305	Ref. No. —
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No. 7020011
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101307	Ref. No. —
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101308	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101312	Ref. No. —
microswitch			
	No.	101314	Ref. No. —
solenoid coil 24V 50Hz			
	No.	101317	Ref. No. —
plug with cable L 1000mm suitable for NOVASIT			
	No.	101318	Ref. No. —
cover cap for solenoid coil suitable for NOVASIT			

accessories



1

No.	101306	Ref. No.	7020011
description	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
spare parts for	101306		
	No.	517104	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 31.42mm Qty 1 pcs			

TANDEM



1

No.	101881	Ref. No.	7020080
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.041 suitable for Tandem		
For models:	CG06MX, CG102MX, CG10MX, CG20MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		
spare parts for	101881		
	No.	101379	Ref. No. —
solenoid coil 230V 50Hz suitable for Tandem			
accessories for	101881		
	No.	101274	Ref. No. 7070036
olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101925	Ref. No. —
plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT			
	No.	102845	Ref. No. —
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	No.	102846	Ref. No. —
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			
	No.	102847	Ref. No. —
O-ring			



ignition boxes

SIT



1

No.	101685	Ref. No.	7020085
description	ignition box SIT type 503EFD electrodes 2 waiting time 1.5s safety time 10s 220/240V 10VA 50-60Hz protection IP40		
For models:	CG06MX, CG102MX, CG10MX, CG20MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



1

No.	107837	Ref. No.	7020206
description	ignition box SIT type 579DBC for combi-steamer suitable for GIORIK equiv. no. 0.579.418 electrodes 2 waiting time 1.5s safety time 5s 220/240V 12VA 50/60Hz		

ignition parts

pilot burners

SIT

100 series



1

No.	106906	Ref. No.	7090022
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:	FG07CL, FG07L, FG13L, FG213CL, FG213L, SG608		
spare parts for	106906		
	No.	100245	Ref. No. 7042005
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100855	Ref. No. —
pilot burner bracket triple			
	No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pc			

spare parts for	106906		
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
	No.	107162	Ref. No. 7090002
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	No.	107701	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	106906		
	No.	100245	Ref. No. 7042005
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No. —
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

1

No.	106907	Ref. No.	7090023
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
For models:	13FG, 13FGC, 17FG, 17FGC, 207FG, 207FGC, 213FG, 213FGC, 217FG, 217FGC, 917FG, 917FGC, 927FG, 927FGC, 934FG, 934FGC		
spare parts for	106907		
	No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			



spare parts for 106907				
	No.	100855	Ref. No.	—
pilot burner bracket triple				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107162	Ref. No.	7090002
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				
accessories for 106907				
	No.	100245	Ref. No.	7042005
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				

accessories

pilot burner caps



1

No.	107162	Ref. No.	7090002
description	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		


pilot burner nozzles



1

No.	100245	Ref. No.	7042005
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

ignition electrodes



1

No.	100706	Ref. No.	6010046
description	ignition electrode connection M4 Qty 1 pcs		
For models:	13FG, 13FGC, 17FG, 17FGC, 207FG, 207FGC, 213FG, 213FGC, 217FG, 217FGC, 917FG, 917FGC, 927FG, 927FGC, 934FG, 934FGC, FG07CL, FG07L, FG13L, FG213CL, FG213L, SG608		

140 - 145 -150 series



1

No.	107114 ¹	Ref. No.	7090028
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm		
For models:	CG740, CG780, GG940, GG980		
spare parts for	107114		
	No.	100907	Ref. No.
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	107114		
	No.	100204	Ref. No.
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No.
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			

¹incl. thermocouple fitting



accessories for 107114				
	No.	100206	Ref. No.	—
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series				
	No.	100207	Ref. No.	7042013
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series				
	No.	100216	Ref. No.	—
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series				
	No.	100701	Ref. No.	6010062
ignition electrode connection M4 Qty 1 pcs				
	No.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100897	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs for pilot burner				
	No.	100898	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs for pilot burner				
	No.	100906	Ref. No.	5900317 7050028
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	7050029
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				

POLIDORO

pilot burners



1

No.	100051	Ref. No.	7090026	
description	pilot burner POLIDORO 3 flames code gas connectionmm			
For models:	22CPG, 23CPG, 2CPG, 3CPG, CPG1, CPG1BM, CPG66, FTG100, FTG46, FTG46B, FTG46R, FTG66L, FTG66LG, FTG66R, GG66			
spare parts for	100051			
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	100051			
	No.	100000	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs				
	No.	100208	Ref. No.	—
pilot burner nozzle POLIDORO LPG code :				

accessories for 100051				
	No.	100209	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs				
	No.	100701	Ref. No.	6010062
ignition electrode connection M4 Qty 1 pcs				
	No.	100906	Ref. No.	5900317 7050028
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	7050029
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	102508	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 5 pcs				
	No.	102509	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 5 pcs				
	No.	102699	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores				
	No.	102795	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	102797	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	106703	Ref. No.	7042008
pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs				
	No.	106704	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs				
	No.	106763	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs				
	No.	106859	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs				





1

No.	100867	Ref. No.	7090027	
description	pilot burner POLIDORO 3 flames gas pressurebar code gas connection 6mm			
For models:	SG520			
accessories for	100867			
	No.	100000	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs				
	No.	100208	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs				
	No.	100209	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs				
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	7050029
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	102699	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores				
	No.	102795	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	102797	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	106703	Ref. No.	7042008
pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs				
	No.	106704	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs				
	No.	106763	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs				
	No.	106859	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs				

				
1				
No.	100076	Ref. No.	7090024	
description	pilot burner POLIDORO 3 flames natural gas code 29.2 gas connection 6mm			
spare parts for	100076			
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	100076			
	No.	100000	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs				
	No.	100208	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs				
	No.	100209	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs				
	No.	100701	Ref. No.	6010062
ignition electrode connection M4 Qty 1 pcs				
	No.	100906	Ref. No.	5900317 7050028
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	7050029
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	102508	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 5 pcs				
	No.	102509	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 5 pcs				
	No.	102699	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores				
	No.	102795	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	102797	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				

Table continues overleaf

accessories for 100076				
	No.	106703	Ref. No.	7042008
pilot burner nozzle POLIDORO natural gas code 27.2 bore $\varnothing$ 2x0.27mm Qty 1 pcs				
	No.	106704	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 16.2 bore $\varnothing$ 2x0.16mm Qty 1 pcs				
	No.	106763	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2A bore $\varnothing$ 2x 0.27mm Qty 1 pcs				
	No.	106859	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 24 bore $\varnothing$ 0.24mm Qty 1 pcs				

producer-specific pilot burners

GIORIK



1


No.	107764	Ref. No.	7090219
description	pilot burner L 93mm $\varnothing$ 8mm		



1


No.	107763	Ref. No.	7090218
description	pilot burner L 95mm $\varnothing$ 8mm		

electrodes




1

No.	100701	Ref. No.	6010062	
description	ignition electrode connection M4 Qty 1 pcs			
For models:	SG520			
accessories for	100701			
	No.	100906	Ref. No.	5900317
				7050028
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			



1


No.	100706	Ref. No.	6010046
description	ignition electrode connection M4 Qty 1 pcs		
For models:	13FG, 13FGC, 17FG, 17FGC, 207FG, 207FGC, 213FG, 213FGC, 217FG, 217FGC, 917FG, 917FGC, 927FG, 927FGC, 934FG, 934FGC, FG07CL, FG07L, FG13L, FG213CL, FG213L, SG608		




1


No.	102333	Ref. No.	2012111
description	ignition electrode D1 $\varnothing$ 7mm D2 $\varnothing$ 9mm connection M4 L1 23mm L2 19mm BL1 18mm BL2 3mm BL3 23mm to clip		
For models:	CG06MX, CG102MX, CG10MX, CG20MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



			
No.	102314	Ref. No.	6010061
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 2mm BL1 28mm BL2 3mm BL3 23mm to clip		
For models:	22CPG, 23CPG, 2CPG, 3CPG, CPG1, CPG1BM, CPG66, FRG46, FRG66, FTG100, FTG46, FTG46B, FTG46R, FTG66L, FTG66LG, FTG66R, GG66		

			
No.	102331	Ref. No.	2012109
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 34mm L2 40mm L3 14mm BL1 18mm BL2 3mm BL3 23mm to clip		
For models:	VG06EC, VG06MX, VG102EC, VG10EC, VG10MX		

			
No.	102332	Ref. No.	2012108
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 40mm L2 46mm BL1 18mm BL2 3mm BL3 23mm to clip		
For models:	VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		


			
No.	102334	Ref. No.	2012110
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 9mm L2 12mm L3 62mm BL1 18mm BL2 3mm BL3 23mm to clip		
For models:	CG06MX, CG102MX, CG10MX, CG20MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

			
No.	100906	Ref. No.	5900317 7050028
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

ignition cables

pre-assembled cables

			
No.	100176	Ref. No.	6050610
description	ignition cable cable length 1000mm connection ø2.4mm / ø4mm permanent temperature 200°C		
For models:	CG740, CG780, CPG1, CPG1BM, FPG18, FTG100, FTG46, FTG46B, FTG46R, FTG66L, FTG66LG, FTG66R, GG66, GG940, GG980, SG520		

			
No.	100140	Ref. No.	6050051
description	ignition cable cable length 400mm connection ø2.4mm / ø4mm		
For models:	13FG, 13FGC, 17FG, 17FGC, 207FG, 213FG, 213FGC, 217FG, 217FGC, 22CPG, 23CPG, 2CPG, 3CPG, 917FG, 917FGC, 927FG, 927FGC, 934FG, 934FGC, CPG66, FG07CL, FG213CL, FRG46, FRG66, SG608		

			
No.	100025	Ref. No.	6050065
description	ignition cable cable length 600mm connection ø4mm / F6.3mm		
For models:	FG07L, FG13L, FG213L		

			
No.	100019	Ref. No.	6050610
description	ignition cable cable length 900mm connection ø2.4mm / ø4mm		

piezoelectric igniters

mounting diameter 22mm



1

No.	100039	Ref. No.	6010048	
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection F6.3x0.8 cable lengthmm			
accessories for	100039			
	No.	100115	Ref. No.	—
union nut ID ø M22x1mm				



1

No.	100013	Ref. No.	6010047
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm		
For models:	22CPG, 23CPG, 2CPG, 3CPG, CG740, CG780, CPG1, CPG1BM, CPG66, FPG18, FRG46, FRG66, FTG100, FTG46, FTG46B, FTG46R, FTG66L, FTG66LG, FTG66R, GG66, GG940, GG980, PCG46, PCG66, SG520, SG608		
accessories for	100013		
	No.	100023	Ref. No.
	female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs		

miscellaneous

1

No.	nla ¹	Ref. No.	7020230
description	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
For models:	FG07L, FG13L, FG213L		

spare parts for

101136

No.	100001	Ref. No.	—
-----	--------	----------	---

piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm

¹no longer available

ignition units

			
No.	101002	Ref. No.	6041059
description	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		
For models:	13FG, 13FGC, 17FG, 17FGC, 207FG, 207FGC, 213FG, 213FGC, 217FG, 217FGC, 917FG, 917FGC, 927FG, 927FGC, 934FG, 934FGC, FG07CL, FG213CL		


thermocouples


plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6(6.5)mm


thermocouples SIT

			
No.	107609	Ref. No.	6010055
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		
For models:	13FG, 17FG, 207FG, 213FG, 917FG, 917FGC, 927FG, 927FGC, 934FG, 934FGC, CG740, CG780, FG07L, FG13L, FG213L, FTG100, FTG46, FTG46B, FTG46R, FTG66L, FTG66LG, FTG66R, GG66, GG940, GG980, SG520, SG608		

			
No.	107611	Ref. No.	6010057
description	thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm		
For models:	22CPG, 23CPG, 2CPG, 3CPG, CPG66		



plug-in thermocouples with interruption




1

No.	107177	Ref. No.	6010065
description	thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm		

threaded thermocouples

threaded thermocouples standard

threaded thermocouples (miscellaneous)



1

No.	107185	Ref. No.	6010171
description	thermocouple M9x1 L 600mm M6x0.75		
accessories for	107185		
	No.	103173	Ref. No.
			—
nut thread M6x0.75 H 4mm WS 10 brass Qty 1 pcs			

gas burners

hob burners

universal hob burners



1

No.	103066	Ref. No.	7090044
description	burner cap ø 80mm		
accessories for	103066		
	No.	103065	Ref. No.
			—
burner ring for burner cap ø 80mm			
	No.	104100	Ref. No.
			—
burner head for burner cap ø 80mm			
	No.	104101	Ref. No.
			—
burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve			

producer-specific hob burners

GIORIK

CG740G



1

No.	104674	Ref. No.	7090212
description	burner cap ø 65mm 4kW		



1

No.	104676	Ref. No.	7090213
description	burner cap ø 95mm 8kW		



1

No.	104673	Ref. No.	7090216
description	burner head ø 160mm for burner cap ø 65mm 4kW		



1

No.	104675	Ref. No.	7090217
description	burner head ø 160mm for burner cap ø 95mm 8kW		



1

No.	104677	Ref. No.	7090214
description	burner lower part for burner cap ø 65mm 4kW		

			
1			
No.	104678	Ref. No.	7090215
description	burner lower part for burner cap ø 95mm 8kW		

screw connections

			
1			
No.	104679	Ref. No.	7090221
description	pilot burner centre part ø 8mm L 30.4mm WS 15 ball port ø 3.8mm		

pan supports

			
1			
No.	210026	Ref. No.	7090046
description	pan support W 345mm L 398mm H 48mm		

accessories

pan supports

			
1			
No.	210026	Ref. No.	7090046
description	pan support W 345mm L 398mm H 48mm		

bar burners

bar burners

			
1			
No.	105687	Ref. No.	2010923
description	bar burner 2 row L 370mm W 220mm ømm H 50mm chargrill		
For models:	CG740, CG780		

			
1			
No.	105475	Ref. No.	2010924
description	bar burner 2 row L 575mm W 225mm ømm H 45mm 11kW chargrill		
For models:	GG940, GG980		

			
1			
No.	105776	Ref. No.	7090100
description	bar burner ø 50mm Wmm Hmm L 305mm with bolt M5x12 flange width 52mm convection oven flange ø 75mm		
For models:	CG06MX, DG06EC, DG06ES, DG06MX, VG06EC, VG06MX		

			
1			
No.	105775	Ref. No.	7090101
description	bar burner ø 50mm Wmm Hmm L 425mm with bolt M5x12 flange width 52mm convection oven flange ø 75mm		
For models:	CG102MX, CG10MX, CG20MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



			
1			
No.	105774	Ref. No.	7090102
description	bar burner ø 60mm Wmm Hmm L 245mm with bolt M5x12 flange width 67mm flange length 67mm convection oven		
For models:	VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

			
2			
No.	105310	Ref. No.	7090079
description	bar burner ø 60mm Wmm Hmm L 260mm flange width 67mm flange length 67mm pasta cooker		
For models:	22CPG, 2CPG, CPG66		

			
1			
No.	104439	Ref. No.	2010949
description	lava rock grid L 540mm W 340mm H 20mm		

			
1			
No.	105525	Ref. No.	2103520
description	surface burner ømm W 190mm H 43mm L 575mm salamander grill		
For models:	SG520		

			
1			
No.	105524	Ref. No.	2001246
description	surface burner ømm W 255mm H 80mm L 580mm with cast plates salamander grill		
For models:	SG608		

lava rock grids

			
1			
No.	104439	Ref. No.	2010949
description	lava rock grid L 540mm W 340mm H 20mm		

tube burners

			
1			
No.	105529	Ref. No.	2112970
description	tubular burner L 295mm W 55mm H 70mm for fryer oval		
For models:	207FG, 207FGC, 927FG, 927FGC		

			
1			
No.	105532	Ref. No.	2112969
description	tubular burner L 295mm W 55mm H 70mm mounting pos. centre for fryer oval		
For models:	217FGC, 934FGC		

			
1			
No.	105528	Ref. No.	2001231
description	tubular burner L 295mm W 55mm H 70mm mounting pos. centre/right for fryer oval		
For models:	FG13L, FG213CL, FG213L		

			
1			
No.	105527	Ref. No.	2001230
description	tubular burner L 295mm W 55mm H 70mm mounting pos. left for fryer oval		
For models:	FG07CL, FG07L, FG13L, FG213CL, FG213L		


			
1			
No.	105530	Ref. No.	2112968
description	tubular burner L 295mm W 55mm H 70mm mounting pos. left for fryer oval		
For models:	13FG, 13FGC, 17FG, 17FGC, 213FG, 213FGC, 217FG, 217FGC, 917FG, 917FGC, 934FG, 934FGC		

			
1			
No.	105531	Ref. No.	2112967
description	tubular burner L 295mm W 55mm H 70mm mounting pos. right for fryer oval		
For models:	13FG, 13FGC, 17FG, 17FGC, 213FG, 213FGC, 217FG, 217FGC, 917FG, 917FGC, 934FG, 934FGC		

ceramic burners

accessories

ceramic plates

			
1			
No.	105526	Ref. No.	7090073
description	ceramic plate L 69mm W 49mm H 13mm for salamander grill		
For models:	SG520		

gas nozzles

main nozzles

gas nozzles M7x1

			
1			
No.	100518	Ref. No.	7042726
description	gas injector thread M7x1 WS 10 bore ø 0.85mm		

pilot burner nozzles

pilot burner nozzles POLIDORO

			
1			
No.	106703	Ref. No.	7042008
description	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs		

pilot burner nozzles SIT

100 series

			
1			
No.	100245	Ref. No.	7042005
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

140/150 series

			
1			
No.	100207	Ref. No.	7042013
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		

auxiliary gas parts

screw connections

olives

			
1			
No.	106426	Ref. No.	7070025
description	olive		

			
1			
No.	101274	Ref. No.	7070036
description	olive for pipe ø 16mm Qty 1 pcs		
accessories for	101274		
No.	101275	Ref. No.	—
description	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		



union screws



1

No.	100906	Ref. No.	5900317 7050028
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		



1

No.	100909	Ref. No.	7050029
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
accessories for	100909		
	No.	100898	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	No.	101288	Ref. No. —
olive for pipe ø 6mm L 6mm aluminium Qty 1 pcs ED ø 8.5mm			

equipment-specific units

for deep fryers

door magnets



1

No.	690524	Ref. No.	5900352
description	door magnet L 87mm W 18mm H 15mm mounting distance 73mm for folding door hinge		
For models:	13FG, 13FGC, 15FE, 15FEC, 17FG, 17FGC, 207FG, 207FGC, 20FE, 20FEC, 210FE, 210FEC, 213FG, 213FGC, 215FE, 215FEC, 217FG, 217FGC, 220FE, 220FEC, 22CP, 23CP, 2CP, 3CP, 917FG, 917FGC, 920FE, 920FEC, 922FE, 922FEC, 927FG, 927FGC, 934FG, 934FGC, 940FE, 940FEC, CG740, CG780, CPE66, CPG66, GG940, GG980		

miscellaneous



1

No.	550449	Ref. No.	2010311
description	special wrench for ring nut		

for convection ovens/combi-steamers

doors



1

No.	690585	Ref. No.	2011212
description	bush for door mechanism L 35mm ED ø 36mm int. ø 1 31mm int. ø 2 13mm mounting distance 28mm brass		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

door mechanics

miscellaneous



1

No.	690585	Ref. No.	2011212
description	bush for door mechanism L 35mm ED ø 36mm int. ø 1 31mm int. ø 2 13mm mounting distance 28mm brass		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

for salamander grills



1

No.	692729	Ref. No.	2013882
description	belt for salamander grill L 385mm W 13mm Hmm ED ømm ID ømm		
For models:	SH505R, SH510P, SH510R, SH520G, SH520GM, SH560P		

			
1			
No.	692728	Ref. No.	2013873
description	spindle for salamander grill L 493mm Wmm Hmm ED ø 5mm ID ømm		
For models:	SH505R, SH510P, SH510R, SH520G, SH520GM, SH560P		

knobs

producer-specific knobs

GIORIK

			
1			
No.	111506	Ref. No.	2002915
description	knob energy regulator ø 50mm shaft ø 6x4.6mm shaft flat lower black		
For models:	S505, S505R, S510, S510S, S511, S511S, SR512R		

			
1			
No.	112789	Ref. No.	2012984
description	knob gas tap with ignition flame t.max.°C ø 75mm shaft ø 8x6.5mm shaft flat lower black		

			
1			
No.	112265	Ref. No.	2008671
description	knob gas tap with ignition flame t.max.°C ø 76mm shaft ø 10x8mm shaft flat upper black		
For models:	22CPG, 23CPG, 2CPG, 3CPG, CG740, CG780, CPG1, CPG1BM, CPG66, GG66, GG940, GG980		

			
1			
No.	111511	Ref. No.	2008673
description	knob switch 0-1 t.max.°C ø 76mm shaft ø 6x4.6mm shaft flat upper black		
For models:	15FE, 20FE, 215FE, 220FE, 920FE, 940FE, BM711, BM721, BM911, BM921, BME46, BME66		

			
1			
No.	112274	Ref. No.	2008674
description	knob thermostat 1-8 t.max.°C ø 67mm shaft ø 6x4.6mm shaft flat upper black		
For models:	BME46, BME66, CP1BM, CPG1BM, FTE100, FTE107, FTE46, FTE46B, FTE46R, FTE47L, FTE66L, FTE66LB, FTE66LM, FTE66LMB, FTE66R, FTE66RM, FTE67L, FTE67LM, SPE46		

			
1			
No.	112273	Ref. No.	2008675
description	knob thermostat t.max. 110°C ø 76mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C rotation 270°		
For models:	22CP, 23CP, 2CP, 3CP, CP1, CP1BM, CPE66		

			
1			
No.	111509	Ref. No.	2008672
description	knob thermostat t.max. 185°C ø 76mm shaft ø 6x4.6mm shaft flat upper black temperature range 140-185°C		
For models:	13FG, 15FE, 17FG, 207FG, 20FE, 210FE, 213FG, 215FE, 217FG, 220FE, 917FG, 920FE, 922FE, 927FG, 934FG, 940FE, F10L, F15L, F215L, FRE46, FRE46F, FRE46R, FRE46T, FRE66, FRE66F, FRE66R, FRE66T		



			
1			
No.	111738	Ref. No.	2012261
description	knob switch zero mark ø 50mm shaft ø 6x4.6mm shaft flat left black		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, SH510P, SH560P, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		

1

No.	111508	Ref. No.	2006823
description	knob switch zero mark ø 50mm shaft ø 6x4.6mm shaft flat left white		
For models:	13FGC, 15FEC, 17FGC, 207FGC, 20FEC, 210FEC, 213FGC, 215FEC, 217FGC, 220FEC, 917FGC, 920FEC, 922FEC, 927FGC, 934FGC, 940FEC, EF10GM, EF5GM, EF7GM, EN10VE-EC-ESN1033, F10CL, F15CL, F215CL, FG07CL, FG213CL, GF10GM, GF5GM, GF7GM, SH505R, SH510R, SH520G, SH520GM		
spare parts for	111508		
	No.	551317	Ref. No. 5900253
knob spring			

			
1			
No.	111739	Ref. No.	2012260
description	knob universal ø 50mm shaft ø 6x4.6mm shaft flat vertical universal		
For models:	DE06EC, DE102EC, DE10EC, DG06EC, DG102EC, DG10EC, SH510P, VE06EC, VE102EC, VE10EC, VE20EC, VG06EC, VG102EC, VG10EC, VG20EC		

accessories

button springs



1

No.	551317	Ref. No.	5900253
description	knob spring		
accessories for	551317		



No.	111508	Ref. No.	2006823
knob switch zero mark ø 6x4.6mm shaft ø 6x4.6mm shaft flat left white			

			
1			
No.	550965	Ref. No.	5900242
description	knob spring ø 6x4.6mm Qty 1 pcs		
For models:	BME46, BME66, CPE66, FRE46, FRE46F, FRE46R, FRE46T, FRE66, FRE66F, FRE66R, FRE66T, FTE100, FTE107, FTE46, FTE46B, FTE46R, FTE47L, FTE66L, FTE66LB, FTE66LM, FTE66LMB, FTE66R, FTE66RM, FTE67L, FTE67LM, PCE46, PCE66M, PCE66T, PCG46, PCG66, SPE46		

handles and hand wheels

cylindrical handles

fixed

			
1			
No.	540713	Ref. No.	5900235
description	cylindrical handle thread M8 ø 17mm L 38mm		
For models:	BME46, BME66, FP18NS, FP18S, FP27S, FPG18, FRE46, FRE46F, FRE46T, FRE66, FRE66F, FRE66T, FRG46, FRG66		

			
1			
No.	691314	Ref. No.	2001110
description	cylindrical handle thread M8 ø 28mm L 86mm		
For models:	15FE, 15FEC, 20FE, 20FEC, 210FE, 210FEC, 215FE, 215FEC, 220FE, 220FEC, 920FE, 920FEC, 922FE, 922FEC, 940FE, 940FEC, F10CL, F10L, F15CL, F15L, F215CL, F215L		

levers

without handle

			
1			
No.	540712	Ref. No.	2108943
description	lever		
For models:	BME46, BME66, FP18S, FP27S, FPG18, FRE46, FRE46F, FRE46T, FRE66, FRE66F, FRE66T, FRG46, FRG66		

locks

handle latches

universal

outside fixing

locks



1

No.	694065	Ref. No.	5900125
description	door handle for headed units L 145mm W 40mm H 62mm spring length 33mm outer black		
spare parts for	694065		
	No.	514390	Ref. No. —
	spring for door handle ø 6mm L 54mm W 27.5mm		
	No.	694734	Ref. No. —
	door handle L 165mm W 40mm H 25mm black		
	No.	694735	Ref. No. —
	cap ø 32mm black		
accessories for	694065		
	No.	694066	Ref. No. —
	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel		
	No.	694067	Ref. No. 5900124
	door catch with spigot 1-stage L 26mm total length 51mm thread M8		

snap locks

universal



1

No.	690596	Ref. No.	2000160
description	snap lock L 60mm W 15mm H 36mm mounting distance 48/28mm spring thickness 1.5mm complete with door catch zamak		

espagnolette locks

universal



1

No.	690040	Ref. No.	5900122
description	door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



1

No.	700771	Ref. No.	5900123
description	latch gear opening to the left shaft intake ø 8x8mm L 170mm W 40mm H 40mm		

producer-specific

GIORIK



1

No.	690585	Ref. No.	2011212
description	bush for door mechanism L 35mm ED ø 36mm int. ø 1 31mm int. ø 2 13mm mounting distance 28mm brass		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



1

No.	690040	Ref. No.	5900122
description	door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		



1

No.	690584	Ref. No.	2013218
description	door handle L 190mm W 41.5mm metal mounting distance 55mm flange 45x72mm shaft 8x8mm shaft L 47mm		

miscellaneous




1

No.	511482	Ref. No.	2006619
description	pressure pin L 52mm thread M10x1.5		
For models:	EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, EN10VE-EC-ESN1033, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM		

fittings for catering equipment

outlet taps

universal



1

No.	541540	Ref. No.	7060031
description	outlet tap stainless steel W 38mm H 40mm thread 3/4" IT		
For models:	FTR10, FTR26F, FTR26T, FTR6F, FTR6T		
spare parts for	541540		
	No.	697834	Ref. No.
	cone handle thread M6x1 ø 13mm plastic L 53mm black thread L 6mm		

producer-specific

GIORIK



1

No.	540700	Ref. No.	7060018
description	ball valve straight thread 1/2" IT - 1/2" IT connection 1/2" mounting pos. total length 64mm shaft intake ø 9x7.5mm 1/2" rosette thread G2 3/8" total length 64mm		
For models:	22CP, 22CPG, 23CP, 23CPG, 2CP, 2CPG, 3CP, 3CPG, BM711, BM721, BM911, BM921, CP1, CP1BM, CPE66, CPG1, CPG1BM, CPG66		
spare parts for	540700		
	No.	540701	Ref. No.
	lever handle plastic L 65mm H 40mm thread connection 9x7.5		



1

No.	514006	Ref. No.	7060060
description	drain pipe L 200mm thread ø 22mm		
For models:	BME46, BME66, FP18NS, FP18S, FP27S, FPG18, FRE46, FRE46F, FRE46R, FRE46T, FRE66, FRE66F, FRE66R, FRE66T, FRG46, FRG66		



1

No.	540701	Ref. No.	2001250
description	lever handle plastic L 65mm H 40mm thread connection 9x7.5		
For models:	22CP, 22CPG, 23CP, 23CPG, 2CP, 2CPG, 3CP, 3CPG, CP1, CP1BM, CPE66, CPG1, CPG1BM, CPG66		



1

No.	540776	Ref. No.	7060030
description	outlet tap L 83mm without handle thread 3/4" IT shaft L 9mm shaft ø 10x7.3mm handle M6		
For models:	BME46, BME66, FP18NS, FP18S, FP27S, FPG18, FRE46, FRE46F, FRE46R, FRE46T, FRE66, FRE66F, FRE66R, FRE66T, FRG46, FRG66		
spare parts for	540776		
	No.	532453	Ref. No.
	O-ring EPDM thickness 2.62mm ID ø 21.89mm Qty 1 pcs		

Table continues overleaf

accessories for 540776				
	No.	110734	Ref. No.	—
lever for outlet tap				
	No.	514006	Ref. No.	7060060
drain pipe L 200mm thread ø 22mm				
	No.	514217	Ref. No.	—
handle for outlet tap				
	No.	540651	Ref. No.	—
drain pipe total length 210mm shaft ø 22mm				
	No.	540734	Ref. No.	—
drain pipe thread				
	No.	693082	Ref. No.	—
lever handle thread				

baskets

fryer baskets

GIORIK

1

No.	970583	Ref. No.	2003018
description	fryer basket L1 260mm W1 220mm H1 100mm chrome-plated steel		
For models:	FT5		

1

No.	970577	Ref. No.	2004579
description	fryer basket L1 270mm W1 185mm H1 120mm chrome-plated steel		
For models:	FRE46F, FRE46T, FRE66F, FRE66T, FTR26F, FTR26T, FTR6F, FTR6T		

1

No.	970138	Ref. No.	2003001
description	fryer basket L1 290mm W1 135mm H1 120mm L2 490mm H2 175mm H3 220mm chrome-plated steel		
For models:	F10CL, F10L, FG07CL, FG07L		

1

No.	970357	Ref. No.	2003008
description	fryer basket L1 290mm W1 165mm H1 120mm chrome-plated steel		

1

No.	970356	Ref. No.	2003003
description	fryer basket L1 290mm W1 230mm H1 120mm chrome-plated steel		
For models:	F15CL, F15L, F215CL, F215L, FG13L, FG213CL, FG213L, FRE46, FRE66, FRG46, FRG66		

			
1			
No.	970642	Ref. No.	2010899
description	fryer basket L1 290mm W1 230mm H1 120mm L2 240mm H2 200mm H3 200mm		
For models:	FTR10		

1		
No.	970358	Ref. No.
		2003009
description	fryer basket L1 290mm W1 330mm H1 120mm L2 507mm H2 175mm H3 220mm chrome-plated steel	



1

No.	970360	Ref. No.	2012892
description	fryer basket L1 310mm W1 110mm H1 120mm chrome-plated steel		
For models:	213FG, 213FGC, 215FE, 215FEC		



1

No.	970359	Ref. No.	2012898
description	fryer basket L1 310mm W1 130mm H1 120mm chrome-plated steel		
For models:	207FG, 207FGC, 210FE, 210FEC, 922FE, 922FEC, 927FG, 927FGC		
accessories for	970359		



No.	970632	Ref. No.	2012897
crumb screen L 338mm W 134mm H 100mm			



1

No.	970362	Ref. No.	2012895
description	fryer basket L1 310mm W1 145mm H1 120mm chrome-plated steel		
For models:	217FG, 217FGC, 220FE, 220FEC, 934FG, 934FGC, 940FE, 940FEC		



1

No.	970361	Ref. No.	2012893
description	fryer basket L1 310mm W1 230mm H1 120mm chrome-plated steel		
For models:	13FG, 13FGC, 15FE, 15FEC, 213FG, 213FGC, 215FE, 215FEC		



1

No.	970363	Ref. No.	2012896
description	fryer basket L1 310mm W1 300mm H1 120mm chrome-plated steel		
For models:	17FG, 17FGC, 20FE, 20FEC, 217FG, 217FGC, 220FE, 220FEC, 917FG, 917FGC, 920FE, 920FEC, 934FG, 934FGC, 940FE, 940FEC		



1

No.	970727	Ref. No.	2003019
description	fryer basket L1 315mm W1 190mm H1 120mm FT7		

pasta baskets

GIORIK



1

No.	970776	Ref. No.	2003080
description	pasta basket H1 210mm ø 145mm H2 320mm H3 370mm stainless steel		



1

No.	970770	Ref. No.	2003046
description	pasta basket H1 215mm W1 290mm L1 160mm H2 410mm		



1

No.	970675	Ref. No.	2101603 3101603
description	pasta basket H1 215mm W1 290mm L1 490mm size GN 1/1		



1

No.	970587	Ref. No.	2003080 old
description	pasta basket ø 145mm H 230mm stainless steel handle length 180mm		



1

No.	970672	Ref. No.	2003047
description	pasta basket H1 230mm W1 143mm L1 160mm size GN 1/6 left		



1


No.	691314	Ref. No.	2001110
description	cylindrical handle thread M8 ø 28mm L 86mm		
For models:	15FE, 15FEC, 20FE, 20FEC, 210FE, 210FEC, 215FE, 215FEC, 220FE, 220FEC, 920FE, 920FEC, 922FE, 922FEC, 940FE, 940FEC, F10CL, F10L, F15CL, F15L, F215CL, F215L		

crumb screens



1

No.	970671	Ref. No.	2003045
description	pasta basket H1 230mm W1 143mm L1 163mm size GN 1/6 right		




1

No.	970628	Ref. No.	2104581
description	crumb screen L 285mm W 192mm H 100mm		
For models:	FRE46F, FRE46T, FRE66F, FRE66T, FTR26F, FTR26T, FTR6F, FTR6T		



1


No.	970674	Ref. No.	2003075
description	pasta basket H1 230mm W1 300mm L1 330mm size GN 2/3		



1

No.	970629	Ref. No.	2101364
description	crumb screen L 315mm W 235mm		
For models:	F15CL, F15L, F215CL, F215L, FG13L, FG213CL, FG213L, FRE46, FRE66, FRG46, FRG66		




			
No.	970632	Ref. No.	2012897
description	crumb screen L 338mm W 134mm H 100mm		
For models:	207FG, 207FGC, 210FE, 210FEC, 922FE, 922FEC, 927FG, 927FGC		


gaskets


gaskets for heated units


window seals


			
No.	900440	Ref. No.	7070167
description	window gasket profile 1520 Qty supplied by meter		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06MX, DE102EC, DE102MX, DE10EC, DE10MX, DG06EC, DG06MX, DG102EC, DG102MX, DG10EC, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		


door seals


			
No.	900348	Ref. No.	7070162 7070170 7070172 7070185
description	door seal profile 2402 Qty supplied by meter		
For models:	EF10GM, EF4, EF4PM, EF5GM, EF8PM, GF10GM, GF4PM, GF5GM, GF8PM		

			
No.	901351	Ref. No.	7070173
description	door seal profile 2402 W 490mm L 635mm external size		

			
No.	901158	Ref. No.	7070174
description	door seal profile 2402 W 640mm L 740mm		
For models:	EN10VE-EC-ESN1033		


			
No.	902409	Ref. No.	7070100
description	door seal profile 2714 Qty supplied by meter suitable for GIORIK		

			
No.	902410	Ref. No.	7070194
description	door seal profile 2714 W 438mm L 778mm suitable for GIORIK		

			
No.	900439	Ref. No.	7070166
description	door seal profile 2750 Qty supplied by meter		
For models:	CE06MX, CE102MX, CE10MX, CE20MX, CG06MX, CG102MX, CG10MX, CG20MX, DE06EC, DE06ES, DE06MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG06EC, DG06ES, DG06MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE06EC, VE06MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG06EC, VG06MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX		


O-rings

EPDM



No. 100809 **Ref. No.** 0925034

description O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs




No. 532118 **Ref. No.** 6090145

description O-ring EPDM thickness 3.53mm ID ø 55.56mm Qty 10 pcs

For models: 15FE, 15FEC, 20FE, 20FEC, 210FE, 210FEC, 215FE, 215FEC, 220FE, 220FEC, 920FE, 920FEC, 922FE, 922FEC, 940FE, 940FEC, F10CL, F10L, F15CL, F15L, F215CL, F215L, FP18NS, FP18S, FP27S, FRE46, FRE66


Viton



No. 525313 **Ref. No.** 6090140

description O-ring Viton ID ø 60.33mm thickness 3.53mm Qty 1 pcs


For models: EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM



No. 532649 **Ref. No.** 6090141

description O-ring Viton ID ø 63.17mm thickness 2.62mm Qty 1 pcs

For models: EF10GM, EF4PM, EF5GM, EF6PM, EF7GM, EF8PM, GF10GM, GF4PM, GF5GM, GF6PM, GF7GM, GF8PM



No. 550496 **Ref. No.** 6090144

description O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs

For models: 15FE, 15FEC, 20FE, 20FEC, 210FE, 210FEC, 215FE, 215FEC, 220FE, 220FEC, 920FE, 920FEC, 922FE, 922FEC, 940FE, 940FEC, F10CL, F10L, F15CL, F15L, F215CL, F215L, FP18NS, FP18S, FP27S, FRE46, FRE66

shaft gaskets

shaft gaskets



No. 550549 **Ref. No.** 7070150

description shaft sealing for fan motor

For models: CE06MX, CG06MX, DE06EC, DE06ES, DE06MX, DG06EC, DG06ES, DG06MX, VE06EC, VE06MX, VG06EC, VG06MX



No. 550550 **Ref. No.** 7070151


description shaft sealing for fan motor

For models: CE102MX, CE10MX, CE20MX, CG102MX, CG10MX, CG20MX, DE102EC, DE102MX, DE10EC, DE10ES, DE10MX, DG102EC, DG102MX, DG10EC, DG10ES, DG10MX, VE102EC, VE102MX, VE10EC, VE10MX, VE20EC, VE20MX, VG102EC, VG102MX, VG10EC, VG10MX, VG20EC, VG20MX

hoses

industrial hoses

PE hoses



No. 520549¹ **Ref. No.** 7090128

description hose Lm operating p. 6bar burst p. 10bar t.max. 65°C LLDPE transparent ID ø 6mm ED ø 8mm John Guest supplied by meter

¹by the meter

fittings, hose and pipe connectors

fittings

angle pieces



No. 520824 **Ref. No.** 7050374

description angle piece thread 1/8" ET - 1/8" IT nickel-plated brass



tools

hand tools

wrenches

miscellaneous



1

No.	550449	Ref. No.	2010311
description		special wrench for ring nut	