

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**




**TOOLS**

Spare parts suitable for


# HENDI


## heating elements


### heating elements for bain maries


			
No.	420476	Ref. No.	900642
description heating element 1200W 230V heating circuits 1 L 405mm W 150mm connection M4 connection distance 145mm tube ø 7mm			

### heating elements for contact grills

			
No.	419161	Ref. No.	912171
description heating element 1100W 415V L 180mm W 180mm H 40mm tube ø 6.5mm connection M4			

			
No.	419002	Ref. No.	902028
description heating element 1400W 230V heating circuits 1 L 175mm W 305mm H 20mm W1 40mm W2 325mm tube ø 6.3mm windings 5			


			
No.	419003	Ref. No.	902035
description heating element 1550W 240V L 175mm W 305mm H 40mm tube ø 6.3mm connection M4 windings 5			

			
No.	419160	Ref. No.	912140
description heating element 900W 400V L 170mm W 180mm H 15mm W1 40mm W2 100mm tube ø 6.5mm windings 3 connection M4			


## thermostats

### bi-metal thermostats

#### safety bi-metal thermostats

			
No.	390708	Ref. No.	902004
description bi-metal safety thermostat hole distance 23.5mm switch-off temp. 180°C 1NC 1-pole 16A connection M3 mounting ø 15mm			

#### bi-metal thermostats

			
No.	390886	Ref. No.	923153
description bi-metal thermostat hole distance 24mm switch-off temp. 210°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing Qty 1 pcs			

### control and safety thermostats

#### EGO

#### control thermostats

#### 55.13\_ series

			
No.	390885	Ref. No.	205228
description thermostat t.max. 190°C temperature range 0-190°C 1-pole 1NO 16A probe ø 6mm probe L 115mm capillary pipe 550mm capillary pipe isolated 260mm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position 135° rotation 270°			



E.G.O



<b>No.</b>	390884	<b>Ref. No.</b>	923092
<b>description</b>	thermostat t.max. 250°C temperature range 50-250°C 1-pole 1NO 16A probe ø 6mm probe L 62mm capillary pipe 1450mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 16mm shaft position upper rotation 270° probe material SS		

E.G.O



<b>No.</b>	375505	<b>Ref. No.</b>	902011
<b>description</b>	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

## switches and momentary switches

### rocker/momentary rocker switches

30x22mm



<b>No.</b>	347791	<b>Ref. No.</b>	205426
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		
<b>For models:</b>	221204		

## cam switches

### 4 operating positions



<b>No.</b>	300243	<b>Ref. No.</b>	912102
<b>description</b>	cam switch 2 operating positions sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 4-pole		

## lamps

### indicator lights

#### indicator lights (complete)

ø12mm

with plug-in socket



<b>No.</b>	357110	<b>Ref. No.</b>	912119
<b>description</b>	indicator light ø 12mm green 400V connection male faston 6.3mm temp.-resist. 100°C		



<b>No.</b>	360509	<b>Ref. No.</b>	912003
<b>description</b>	indicator light ø 12mm yellow 230V connection male faston 6.3mm thermometer		



<b>No.</b>	357111	<b>Ref. No.</b>	912126
<b>description</b>	indicator light ø 12mm yellow 400V connection male faston 6.3mm thermometer		

## motors

### motors

#### for citrus juicers



1

No.	501426	Ref. No.	900956 JR2004-MS
description	motor for citrus juicers 180W 230-240V 50Hz shaft ø 8mm shaft length 40mm type RCJ298252 0.18kW		
For models:	221204		

## fuses

### thermal fuses



1

No.	358139	Ref. No.	923160
description	thermal fuse switch-off temp. 142°C nominal 15A rated 250V Qty 1 pcs		

## electric accessories

### cables

#### cable harnesses



1

No.	699172	Ref. No.	912089 917089
description	cable harness		



1

No.	699173	Ref. No.	912188
description	cable harness		

### terminals

#### connection terminals with screw connection



1

No.	551109	Ref. No.	912041
description	connecting cable 4-pole max. 15A max 500V connection screw temp.-resist. 150°C		

## equipment-specific units

### for cutters

#### blades

#### blades

#### blades smooth



1

No.	696558	Ref. No.	919613
description	knife L 140mm mounting distance 23mm threaded thickness 2mm		

### for citrus juicers

#### spillage trays



1

No.	696502	Ref. No.	900963
description	drain tray for citrus juicers ø 175mm hole ø 42mm H 110mm SS		
For models:	221204		

### gaskets



1

No.	532647	Ref. No.	900970
description	O-ring EPDM thickness 1.8mm ID ø 11.8mm Qty 1 pcs		
For models:	221204		



1

No.	511953	Ref. No.	900871
description	seal kit for citrus juicers		
For models:	221204		



## motors



1

No.	501426	Ref. No.	900956 JR2004-MS
description	motor for citrus juicers 180W 230-240V 50Hz shaft ø 8mm shaft length 40mm type RCJ298252 0.18kW		
For models:	221204		

## juicer insert



1

No.	650168	Ref. No.	900901
description	filter for citrus juicers ø 155mm H 23mm plastic		
For models:	221204		



1

No.	650167	Ref. No.	221266
description	juicer insert set for citrus juicers ø 57/62/79mm H 45/50/55mm plastic		
For models:	221204		

## spindles



1

No.	650170	Ref. No.	900895
description	spindle L 48mm square thread M8x1.25 for citrus juicers WS 12		
For models:	221204		

## miscellaneous



1

No.	650171	Ref. No.	900925
description	cover for spindle ø 44mm H 18mm aluminium		
For models:	221204		



1

No.	650169	Ref. No.	221242
description	drip tray for citrus juicers ø 79mm H 20mm plastic black		
For models:	221204		

## for grills

### sumps



1

No.	692237	Ref. No.	263990
description	grease collecting tray L 357mm W 37mm H 29mm		




1

No.	692238	Ref. No.	263983
description	grease collecting tray L 497mm W 37mm H 29mm		

## for panini grill

### guiding pieces



1

No.	698565	Ref. No.	902097
description	shaft bearing mounting pos. rear L 35mm W 14mm H 12.5mm		


## for contact grills

### miscellaneous





1

No.	692241	Ref. No.	902195 912195
description	spindle for contact grill		



## knoobs

### producer-specific knobs





## handles and hand wheels

### folding grill handles



## equipment feet and end caps

### screw-in feet



## gaskets


### gaskets for heated units

#### door seals with fixing hook



## O-rings

### EPDM





## shaft gaskets

## miscellaneous



<b>No.</b>	511953	<b>Ref. No.</b>	900871
<b>description</b>	seal kit for citrus juicers		
<b>For models:</b>	221204		

## springs

## torsion springs



<b>No.</b>	700569	<b>Ref. No.</b>	901908
<b>description</b>	torsion spring ø 21.5mm L2 40mm wire gauge ø 3.3mm L1 100mm L3 45mm		

## fastening material

## fasteners

## roll pins



<b>No.</b>	692236	<b>Ref. No.</b>	902240
<b>description</b>	roll pin ø 4mm L 40mm		

## consumables

## fuses

## thermal fuses



<b>No.</b>	358139	<b>Ref. No.</b>	923160
<b>description</b>	thermal fuse switch-off temp. 142°C nominal 15A rated 250V Qty 1 pcs		