

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

HIBER

heating elements

heating cables

connection on both sides

with male fastons




1

No.	417576	Ref. No.	FR996456
description	heating cable 45.3W 230V L 5000mm		

alarm devices

buzzers



1

No.	350086	Ref. No.	RA919008
description	buzzer 12VDC connection cable 200mm PCB buzzer 20dB		
For models:	DP112T, DPC20T, DPC40T, DX112T, DXC20T, DXC40T, ZP110T, ZPC20T, ZPC40T, ZX105D, ZX110T, ZXC20T, ZXC40T		

electronic controllers

miscellaneous

refrigeration controllers




1

No.	378411	Ref. No.	996595
description	power PCB EVCO type EVC80P16P7FRL01 mounting measurements 170x120mm		

probes

universal probes

core probes




1

No.	378392	Ref. No.	FR996452
description	core temperature probe Pt1000 universal angled probe -40 up to +120°C cable -10 up to 100°C cable PVC probe ø4x100mm cable length 5m 2-wire resistance at 0°C 1000Ohm for blast chiller		

electronics

central units



1

No.	403082	Ref. No.	RA910071
description	control box with probe for blast freezer		
accessories for	403082		
	No.	401767	Ref. No. —
power PCB			




fans

refrigeration fans


cold air circulating fans (complete)

ebm-papst

A2E series



No.	601962	Ref. No.	RA880003
description	fan A2E250AM06-01 fan wheel ø 250mm blades 9 230V 50Hz 120/160W 2450rpm cable length 400mm ebm-papst blowing suitable capacitor 3µF		
spare parts for	601962		
	No.	365137	Ref. No.
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection		



No.	601750	Ref. No.	RA880002
description	fan A2E250-AL06-09 fan wheel ø 250mm blades 7 230V 50/60Hz 120/160W 2500rpm cable length 200mm ebm-papst sucking suitable capacitor 3µF		
For models:	DPC40T, DX006S, DX105S, DXC40T, ZP210S, ZP210T, ZPC40T, ZX006S, ZX105D, ZX105S, ZX210S, ZX210T, ZXC40T		
accessories for	601750		
	No.	365137	Ref. No.
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection		

hinges

door bearing




No.	695561	Ref. No.	FR6410541
description	hinge mounting pos. upper left		

gaskets

refrigeration gaskets

plug-in gaskets

profile 9195

We offer custom-made gaskets for this profile

No.	902435	Ref. No.	996453
description	refrigeration gasket profile 9195 W 400mm L 690mm		