Professionall

Solutii profesionale pentru echipamente profesionale

GAS COMPONENTS

ELECTRIC COMPONENTS

WATER TECHNOLOGY

MECHANICAL COMPONENTS

TOOLS

Spare parts suitable for

HOUNÖ

heating elements

heating elements for heated cabinets

No.	420215	**Ref. No.**	032033 072417
description	heating element 3300W 235V heating circuits 1 L 50mm W 550mm H 38mm flange length 50mm flange width 26mm connection cable tube ø 8.5mm cable length 1800mm flange connection hole ø 5mm dry heating element		

immersion heating elements

with compression flange 50 x 26mm



No.	419129	**Ref. No.**	072406 20720278
description	heating element 1300W 230V heating circuits 1 flange 50x26mm L 380mm W 60mm L1 31mm L2 345mm W1 20mm W2 33mm compression flange cable length 1500mm tube ø 8.5mm fittings		
accessories for	419129		

No.	520562	Ref. No.	070101

gasket L 44mm W 21mm D1 ø 9mm D2 ø 9mm hole ø 5.5mm thickness 4mm for heating element suitable for HOUNO

with expansion flange 70 x 18mm

No.	419165	**Ref. No.**	072415
description	heating element 5000W 235V heating circuits 2 flange 70x18mm L 325mm W 63mm connection male faston 6.3mm tube ø 8.5mm expansion flange		

No.	419131	**Ref. No.**	031917
description	heating element 5000W 235V heating circuits 2 flange 70x18mm L 325mm W 63mm with probe K 1100 connection male faston 6.3mm tube ø 8.5mm expansion flange connection length 35mm		

miscellaneous

No.	511653	**Ref. No.**	20600007
description	gasket silicone L 82mm W 82mm thickness 3mm		

No.	420371	**Ref. No.**	20700045 20700047 30720643
description	heating element 7500W 240-415V heating circuits 3 L 200mm W 40mm H 65mm number of thermostat sleeves 2 thermostat sleeves ø 5.6mm length thermostat sleeves 200mm thermostat sleeve upper hole distance 600mm hole ø 6.6mm cable length 590mm connection cable immersion heater flange width 820mm flange length 820mm SS included		
accessories for	420371		

No.	511653	Ref. No.	20600007

gasket silicone L 82mm W 82mm thickness 3mm

No.	420582	**Ref. No.**	30720642
description	heating element 9000W 208V heating circuits 3 L 205mm W 40mm H 74mm number of thermostat sleeves 2 thermostat sleeves ø 6mm length thermostat sleeves 185mm thermostat sleeve eccentric, clinging tube ø 6.5mm hole distance 64mm hole ø 6mm cable length 600mm connection cable 4 hole flange steam generator flange width 82mm flange length 82mm with gasket		

No.	420575	**Ref. No.**	30720641
description	heating element 9000W 240/415V heating circuits 3 L 203mm W 38mm H 66mm number of thermostat sleeves 2 thermostat sleeves ø 6mm length thermostat sleeves 185mm thermostat sleeve eccentric, clinging tube ø 6.5mm hole distance 64mm hole ø 6.5mm cable length 620mm flange steam generator flange width 82mm flange length 82mm		

MAG-PRO

1

No.	420148	Ref. No.	20700028
description	heating element 9000W 240V heating circuits 3 L 202mm W 38mm H 66mm number of thermostat sleeves 2 thermostat sleeves ø 5.4mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 60/64mm hole ø 6.5mm cable length 590mm connection cable flange immersion heater flange width 82mm flange length 82mm		
accessories for	420148		

No.	511653	Ref. No.	20600007

gasket silicone L 82mm W 82mm thickness 3mm

heating elements for convection

1

No.	417767	Ref. No.	20700062
description	heating element 12000W 240V heating circuits 3 ID ø 390mm ED ø 400mm L 435mm H 120mm W1 140mm H1 35mm H2 80mm flange length 155mm flange width 25mm hole distance 23mm connection male faston 6.3mm connection length 80mm tube ø 6.5mm dry heating element hole ø 6.5mm mounting pos. inner rectangular flange		

1

No.	417762	Ref. No.	30700076
description	heating element 6900-9200W 208-240V heating circuits 2 ID ø 225mm ED ø 270mm L 295mm H 68mm L1 15mm W1 63mm H1 8mm H2 57mm flange length 142mm flange width 25mm connection male faston 6.3mm tube ø 8.5mm convection heating element mounting thread M5 hole ø 5mm rectangular flange with thread bolt		

1

No.	420419	Ref. No.	20700009 20700059
description	heating element 9000W 240V heating circuits 3 ID ø 395mm ED ø 405mm L 422mm H 120mm W1 148mm H1 50mm H2 87mm flange length 156mm flange width 25mm hole distance 25mm connection F6.3 hole ø 6.1mm		

1

No.	417768	Ref. No.	20700060
description	heating element 9000W 240V heating circuits 3 ID ø 460mm ED ø 470mm L 520mm H 135mm W1 145mm H1 50mm H2 85mm flange length 155mm flange width 25mm hole distance 23mm connection male faston 6.3mm connection length 80mm tube ø 6.5mm dry heating element hole ø 6.5mm mounting pos. inner rectangular flange		

1

No.	417766	Ref. No.	20700061
description	heating element 9000W 240V heating circuits 3 ID ø 540mm ED ø 530mm L 580mm H 120mm W1 140mm H1 30mm H2 90mm flange length 155mm flange width 25mm hole distance 23mm connection male faston 6.3mm connection length 80mm tube ø 6.5mm dry heating element hole ø 6.5mm mounting pos. inner rectangular flange		

1

No.	420174	Ref. No.	072403
description	heating element 1650W 230V heating circuits 1 L 285mm W 100mm L1 32mm L2 250mm W2 83mm flange length 50mm flange width 26mm tube ø 8mm cable length 1500mm W1 23mm convection heating element		

MAG-PRO

1

No.	420175	**Ref. No.**	072404
description	heating element 1650W 230V heating circuits 1 L 565mm W 55mm L1 32mm L2 530mm W2 30mm flange length 50mm flange width 26mm tube ø 8mm cable length 1500mm W1 23mm convection heating element		

accessories

flange gaskets

1

No.	698523	**Ref. No.**	20700008
description	gasket L 155mm W 24.5mm D2 ø 7mm hole ø 9mm hole distance 12mm 13 holes graphite thickness 2.2mm		

1

No.	520562	**Ref. No.**	070101
description	gasket L 44mm W 21mm D1 ø 9mm D2 ø 9mm hole ø 5.5mm thickness 4mm for heating element suitable for HOUNO		

thermostats

bi-metal thermostats

bi-metal thermostats

1

No.	390963	**Ref. No.**	20800087
description	bi-metal thermostat hole distancemm switch-off temp. 120°C 1NC 1-pole 10A 250V connection F6.3 M4		

control and safety thermostats

EGO

safety thermostats

55.32_ series

1

No.	375988	**Ref. No.**	062550
description	safety thermostat switch-off temp. 305°C 3-pole probe ø 6mm probe L 77mm capillary pipe isolatedmm gland nut starting temperature 20°C		

JUMO

safety thermostats

1

No.	375969	**Ref. No.**	20800022
description	safety thermostat switch-off temp. 135°C 1-pole 1CO 16A probe ø 4mm probe L 150mm capillary pipe 1500mm capillary pipe isolated 580mm shaft ø 5.4mm		

1

No.	370763	**Ref. No.**	20800011 20820011 30820046 602031/80
description	safety thermostat switch-off temp. 350°C 1-pole 1CO 2.5A probe ø 5mm probe L 48mm capillary pipe 950mm capillary pipe isolated 500mm gland nut probe SS copper screw connection M12 230V 602031/80		

MAG-PRO

switches and momentary switches

magnetic switches

ø 4mm

1

No.	381268	Ref. No.	20820012 20820014
description	magnetic switch probe L 57mm 1NO connection plug cable length 800mm Reed		

miscellaneous

1

No.	348039	Ref. No.	30800016
description	magnetic switch 1NO connection cable L 65mm L1 38mm L2 64mm mounting distance 50mm for door		

encoders and potentiometers

1

No.	403484	Ref. No.	20900026 30900064
description	encoder shaft L 10mm cable length 90mm shaft 6mm		

lamps

screw-on/push-on fit

light bulbs

for ovens

1

No.	359610	Ref. No.	065010
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

halogen lamp

for socket G4 / G6.35 / G9

1

No.	359596	Ref. No.	065016 065044
description	halogen lamp socket G4 12V 10W temp.-resist. 500°C		

1

No.	359599	Ref. No.	065012
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

oven lamps

producer-specific oven lamps

HOUNÖ

1

No.	699627	Ref. No.	20100107
description	gasket suitable for HOUNO combi-steamer mounting pos. for lens ED ø 65mm ID ø 53mm graphite thickness 0.6mm		

1

No.	699628	Ref. No.	20100106 30100147
description	gasket suitable for HOUNO combi-steamer mounting pos. for lens ED ø 83mm ID ø 52mm Viton thickness 3mm		

1

No.	360762	Ref. No.	014576
description	glass panel ø 63mm thickness 3.5mm		

1

No.	360618	Ref. No.	20120131
description	lamp glass with rubber gasket mounting ø 85mm		

MAG-PRO

1

No.	357092	Ref. No.	066019 066020
description	lamp socket socket G4 ø 17mm H 9mm with 2 hole fixing mounting distance 12mm cord length 450mm		

1

No.	694503	Ref. No.	014575
description	gasket ø 82mm hole ø 51mm for lamp lenses		

1

No.	694502	Ref. No.	037519
description	lamp glass metal glas with frame and gasket ø 85mm		
accessories for	694502		

No.	694503	Ref. No.	014575

gasket ø 82mm hole ø 51mm for lamp lenses

1

No.	357092	Ref. No.	066019 066020
description	lamp socket socket G4 ø 17mm H 9mm with 2 hole fixing mounting distance 12mm cord length 450mm		

lamps

light bulbs

1

No.	359610	Ref. No.	065010
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

halogen lamps

for socket G4 / G6.35 / G9

1

No.	359596	Ref. No.	065016 065044
description	halogen lamp socket G4 12V 10W temp.-resist. 500°C		

1

No.	359599	Ref. No.	065012
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

alarm devices

alarm units

1

No.	353000	Ref. No.	30800047
description	alarm device 2 hole fixing		

contactors

ABB

power contactors

1

No.	381262	Ref. No.	061625
description	power contactor resistive load 20A 24VAC (AC3/400V) 12A/4kW main contacts 2x3NO auxiliary contacts 2x1NO connection screw connecti-on type VB6-30-10 / VB7-30-10		

1

No.	380107	Ref. No.	061624
description	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type A9-30-01		

MAG-PRO

1

No.	381263	Ref. No.	61246
description	power contactor resistive load 30A 24VAC (AC3/400V) 17A/7.5kW main contacts 4NO auxiliary contacts connection screw connection type A16-40-00		

1

No.	381264	Ref. No.	61248
description	power contactor resistive load 40A 24VAC (AC3/400V) 26A/11kW main contacts 4NO auxiliary contacts connection screw connection type A26-40-00		

1

No.	381265	Ref. No.	61265
description	power contactor resistive load 55A 24VAC (AC3/400V) 30A/15kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A30-30-10		

1

No.	381266	Ref. No.	61247
description	power contactor resistive load 70A 24VAC (AC3/400V) 45A/18.5kW main contacts 4NO auxiliary contacts connection screw connection type A45-40		

auxiliary contacts

1

No.	380126	Ref. No.	61626
description	auxiliary contact contacts 1NC AC1 16A AC15 3A connection screw connection for contactors A9-A50		

solid state relays

CELDUC

1

No.	402974	Ref. No.	20800086 30800037 30820013
description	solid state relay CELDUC 2 phase 50A 24-600V 10-30VDC L 58mm W 45mm plug screw type SOB965660		

transformers

encapsulated transformers

with plug connection

1

No.	403661	Ref. No.	20800023
description	transformer primary 200-480V secondary 24V H 100mm L 105mm W 105mm 50/60Hz type 14458-7		

probes

producer-specific probes

probes

1

No.	379777	Ref. No.	062500
description	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C connection 2-wire thread 5/16 probe ø4x75mm cable length 1.2m		

MAG-PRO

1

No.	381229	**Ref. No.**	20800174
description	temperature probe Pt100 cable Vetrotex probe -100 up to 450°C cable -50 up to +350°C connection 2-wire thread probe ø3.5x170mm cable length 0.4m -50 up to +350°C		

core probes

1

No.	381267[1]	**Ref. No.**	30800053
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø4x100mm thread cable length 1m handle ømm handle length 50mm		

[1]multipoint probe

1

No.	381228[1]	**Ref. No.**	30800054
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -50 up to 1150°C cable -40 up to +250°C connection plug probe ø4x-128mm thread cable length 1.5m handle ømm handle length 50mm		

[1]multipoint probe

electronics

frequency converters

1

No.	403483	**Ref. No.**	20800211
description	frequency converter 200-240V 50/60Hz L 125mm W 43mm H 144mm output frequency 0-250Hz 6.9A output current 2.2A		

1

No.	403907	**Ref. No.**	30800098
description	frequency converter with heat sink 200-240V 50/60 L 128mm W 45mm H 146.5mm output frequency 0-250Hz 1.4A		

1

No.	403482	**Ref. No.**	20800084
description	frequency converter with heat sink 200-240V 50/60Hz output frequency 0-250Hz 10.8A output current 4.3A		

PCBs

1

No.	404020	**Ref. No.**	3090002 30900059
description	display combi-steamer Slim/Visual Cooking L 10.4mm W 144mm TFT		
accessories for	404020		

	No. 698525	Ref. No.	30900013
	ribbon cable L 120mm for display		

1

No.	404022	**Ref. No.**	30900014
description	display PCB combi-steamer Visual Cooking L 133mm W 139mm		

MAG-PRO

1

No.	403913	Ref. No.	30900054
description	display PCB L 140mm W 135mm suitable for HOUNO B/C/K Ver3.51		

1

No.	403912	Ref. No.	30900069
description	display PCB L 140mm W 135mm suitable for HOUNO CombiSlim C Ver9.14		

1

No.	404024	Ref. No.	20900002
description	main PCB combi-steamer Visual Cooking L 348mm W 100mm type 20 90 0002 Rev:2.2		

1

No.	404023	Ref. No.	30900006
description	PCB combi-steamer Visual Cooking for combi-steamer		

1

No.	404021	Ref. No.	30900008
description	PCB combi-steamer Visual Cooking W 140mm for combi-steamer H 140mm type Ver 1.67		

1

No.	403733	Ref. No.	033908
description	PCB L 340mm W 135mm		

solenoid valves

solenoid valves (water)

RPE

1

No.	370760	Ref. No.	30520037
description	solenoid valve double straight 24VAC inlet 3/4" outlet 10mm DN10 t.max. 90°C plastic output B yesl/min flow regulating valve outlet B white		
spare parts for	370760		
	No. 370774	Ref. No.	—
	solenoid coil RPE 24VAC		

1

No.	370758	Ref. No.	30520192
description	solenoid valve double straight 24VAC inlet 3/4" outlet 10mm input 10-12l/min DN10 t.max. 90°C plastic output B 1-1.25l/min flow regulating valve outlet B white		
spare parts for	370758		
	No. 370774	Ref. No.	—
	solenoid coil RPE 24VAC		

special outlet

1

No.	371228	Ref. No.	20720230
description	solenoid valve double 24V outlet 6.5mm inlet 3/4"		

MAG-PRO

1

No.	371229	Ref. No.	20720228
description	solenoid valve single 24V inlet 3/4mm outlet 6.5mm input 10l/min RPE inlet 3/4“		

1

No.	371227	Ref. No.	20720234
description	solenoid valve triple 24V outlet 6.5mm DN10 RPE inlet 3/4		

solenoid valves with reducers

single

1

No.	370761	Ref. No.	30520034
description	solenoid valve single straight 24VAC inlet 3/4“ outlet 11mm DN10 t.max. 90°C plastic output A yesl/min flow regulating valve outlet B white		

2-fold

1

No.	374003	Ref. No.	032112
description	solenoid valve 2-fold, with reducer straight 24V inlet 3/4“ outlet 14mm t.max. 60°C RPE plastic output A 1.2l/min flow regulating valve outlet A white		

1

No.	374008	Ref. No.	032110
description	solenoid valve double straight 24V inlet 3/4“ outlet 14mm input 10-12l/min RPE plastic output A 1.2l/min output B 1.2l/min inlet 3/4“mm		

3-fold

1

No.	374002	Ref. No.	032111
description	solenoid valve 3-fold, with reducer straight 24V inlet 3/4“ outlet 14mm t.max. 60°C output A 1.2l/min output B 1.2l/min flow regulating valve outlet A white flow regulating valve outlet B white		

1

No.	370764	Ref. No.	30520180
description	solenoid valve triple straight 24V inlet 3/4“ outlet 10mm DN10 t.max. 60°C TP output C 1.2l/min flow regulating valve outlet C white		

4-fold

1

No.	370762	Ref. No.	30500054 30520181
description	solenoid valve 4-fold with sensor 24V inlet 3/4“ outlet 10.5mm t.max. 90°C reducer output D 1.20l/min flow regulating valve outlet D white		

Solenoid valve - accessories

1

No.	371331	Ref. No.	32700170
description	solenoid coil 230V L 58mm W 37mm H 40.5mm seat ø 10.5mm		

pressure switches

for combi-steamers

1

No.	543022	Ref. No.	32700130
description	differential pressure switch ø 102mm pressure range 0.1/0.2mbar 223363 connection 6.5mm 2.5A p max 0.05bar pressure connection 6.5mm		

1

No.	543032	Ref. No.	32720056
description	differential pressure switch pressure range 0.2-1.5mbar pressure connection ø 4.7mm DUNGS protection IP54 ambient temperature max. -10 up to +85°C		

MAG-PRO

1

No.	348047	Ref. No.	071138 30220071
description	pressure control pressure range 0-3mbar complete connection 6mm p max 0.025bar pressure connection 6mm		

1

No.	543023	Ref. No.	308000145 62565
description	pressure control reset pressure 1.5bar connection 1/8" suitable for HOUNO 1NC		

fans

axial fans

import

1

No.	601080[1]	Ref. No.	60211
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
accessories for	601080		

No.	550898	Ref. No.	—
connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			

No.	692519	Ref. No.	—
guard L 120mm W 120mm plastic			

[1]with ball bearings

1



No.	601706[1]	Ref. No.	N/A
description	axial fan L 172mm W 150mm H 51mm 230VAC 50/60Hz 39W bearing ball bearing connection male faston 3.2mm ADDA fan wheel ø 140mm		
accessories for	601706		

No.	550898	Ref. No.	—
connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			

[1]with ball bearings

hot air motors

1

No.	696843	Ref. No.	30700022
description	bush with spring ø 14mm ED ø 20mm H 12mm ID ø 8mm		



1

No.	601352	Ref. No.	60201
description	fan motor 380-400V 3 phase 50Hz 0.02/0.16kW 710/1390rpm speeds 2 L1 140mm L2 27mm L3 35mm M10R IT 0.2/0.5A power input 60/250W at 50Hz 710/1390rpm Y/YY type L7mw84D-148 no. T1 D1 ø 17mm D2 ø 13mm		

MAG-PRO

1

No.	602004	Ref. No.	60306
description	fan wheel blades 12 D1 ø 350mm D2 ø 13mm D3 ø 16mm H1 133mm H2 14mm H3 32mm		

motors

gear motors

for ovens

for flues

1

No.	501469	Ref. No.	20700012 30520025
description	ventilation valve FIBER type P255201B4T1 24V 50Hz 6rpm shaft ø 6mm L 88mm W 56mm H 55mm motor type M51B20R0000		

pumps

drain pumps

HANNING

1

No.	499161	Ref. No.	060001
description	drain pump 32W 230V inlet ø 24mm outlet ø 24mm 50/60Hz type DPS 25 R HANNING		

1

No.	501441	Ref. No.	20520270 20700034
description	drain pump 38W 200-240V inlet ø 24mm outlet ø 24mm 50/60Hz HANNING max. 15min reinforced version break time 45min input current 0.4A		

vibration pumps

1

No.	501592	Ref. No.	20500050 20520250
description	vibration pump 24V 47W 50Hz inlet ø 7 outlet ø 1/8" CEME type E50701 L 124mm		

fuses

fine fuses

fine fuse holders

1

No.	358192	Ref. No.	20800115
description	fuse holder suitable fuse 5x20/5x25mm 6.3A rated 250V		

line circuit breakers

miscellaneous

1

No.	358114	Ref. No.	061407
description	line circuit breaker 3-pole 6A tripping type C rated 400V connection screw		

MAG-PRO

electric accessories

cables

ribbon cables

group 10

1

No.	698525	Ref. No.	30900013
description	ribbon cable L 120mm for display		

terminals

rail-mounted terminals

miscellaneous

1

No.	551281	Ref. No.	20800122
description	rail-mounted terminal max 400V connection plug-in connection 4-pole max. 10A cross section 4mm²		

miscellaneous

service kits

1

No.	698520	Ref. No.	033531 033608 066025 20120203
description	service kit for lighting for combi-steamer		

ignition parts

ignition units

1

No.	107895	Ref. No.	32700166
description	ignition unit outputs 1 220-240VAC dimensions 84x62x38mm mounting distance 58mm inlet F6.3x0.8 outlet 4 type TRK2-30PFVD 69VA 50/60Hz protection IP54		

gas burners

accessories

gaskets

1

No.	514531	Ref. No.	32700045
description	gasket graphite ED ø 117mm ID ø 94mm thickness 1.7mm Qty 1 pcs		

auxiliary gas parts

accessories

1

No.	107896	Ref. No.	32700090
description	manifold gas L 118mm brass thread conical suitable for HOUNO combi-steamer		

pressure switches

1

No.	543022	Ref. No.	32700130
description	differential pressure switch ø 102mm pressure range 0.1/0.2mbar 223363 connection 6.5mm 2.5A p max 0.05bar pressure connection 6.5mm		

MAG-PRO

equipment-specific units

for convection ovens/combi-steamers

drain units

drip rails

1

No.	696848	Ref. No.	30410005
description	drip rail L 500mm stainless steel W 26mm for combi-steamer		

1

No.	696819	Ref. No.	20420022 30420152
description	drip rail L 553mm stainless steel W 26mm for combi-steamer		

1

No.	696818	Ref. No.	30410026
description	drip rail L 760mm stainless steel W 26mm for combi-steamer		

injection nozzles

1

No.	542437	Ref. No.	059216 30500400
description	injection nozzle bore ø 1.1mm D1 ø 11mm L 23mm WS 12 SS for combi-steamer thread 1/8" ET conical		

1

No.	542436	Ref. No.	059257
description	injection nozzle L 20mm WS 12 stainless steel for combi-steamer thread 1/8" ET conical JAU 1310		

pipes

1

No.	521199	Ref. No.	30500013
description	pipe L 360mm ø 25mm for combi-steamer stainless steel		

doors

1

No.	698527	Ref. No.	2042008
description	door glass inner suitable for HOUNO 1.06 H 579mm W 518mm		



1

No.	698528	Ref. No.	30420020
description	door glass suitable for HOUNO H 584mm W 692mm		

door mechanics

accessories

1

No.	696816	Ref. No.	014043
description	buffer for glass plate ø 13mm rubber L 17mm		

MAG-PRO

No.	696817	Ref. No.	30400048
description	cover W 25mm hole ø 6.2mm L 70mm		

No.	701648	Ref. No.	064872
description	gas tension spring for combi-steamer 150N D1 ø 15mm D2 ø 6mm hole distance 255mm hole ø 6mm L 265mm		

No.	701649	Ref. No.	064874
description	gas tension spring for combi-steamer 250N D1 ø 15mm D2 ø 6mm hole distance 255mm hole ø 6mm L 268mm		

No.	542439	Ref. No.	30400027
description	torsion spring ø 13mm L2 12mm wire gauge ø 2mm L1 12mm L3 12mm Qty 1 pcs		

vibration pumps

No.	501592	Ref. No.	20500050 20520250
description	vibration pump 24V 47W 50Hz inlet ø 7 outlet ø 1/8" CEME type E50701 L 124mm		

miscellaneous

No.	692213	Ref. No.	032400
description	mechanicsm for switch L 530mm thread 1/4" W 50mm ø 8mm hole ø 11.6mm		

No.	698521	Ref. No.	20400238
description	plug L 35.4mm ø 13mm		

for dishwashers

door mechanics

miscellaneous

No.	698526	Ref. No.	58206
description	repair kit for door handle		

locks

handle latches

producer-specific

HOUNÖ

No.	694607	Ref. No.	20400207 20410019 20420227 20420262 20420313 30400030 30400032 30410004 30420013 30420853 30420854 30421088
description	catch for combi-steamer mounting distance 50mm HOUNO		
spare parts for	694607		

No.	694848	Ref. No.	30420245 30420840
door catch with spigot 2-stage L 70mm W 25mm H 44mm mounting distance 50mm			

No.	694851	Ref. No.	069022 30400031 30400034 30420694 30420849 30420850 30420864 30421087
catch kit			

MAG-PRO

1

No.	694851	**Ref. Nos.**	069022 30400031 30400034 30420694 30420849 30420850 30420864 30421087
description	catch kit		
spare parts for	694851		

No.	694848	Ref. No.	30420245 30420840

door catch with spigot 2-stage L 70mm W 25mm H 44mm mounting distance 50mm

1

No.	694066	**Ref. No.**	069020
description	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel		

1

No.	694848	**Ref. No.**	30420245 30420840
description	door catch with spigot 2-stage L 70mm W 25mm H 44mm mounting distance 50mm		

1

No.	701415	**Ref. No.**	30420698
description	door handle L 171mm W 40mm handle ø 25mm spring length 38mm SS mounting thread M5 flange ø 39mm		
spare parts for	701415		

No.	514390	Ref. No.	069023

spring for door handle ø 6mm L 54mm W 27.5mm

1

No.	514390	**Ref. No.**	069023
description	spring for door handle ø 6mm L 54mm W 27.5mm		

edgemount latches

handle latches

producer-specific

HOUNÖ

1

No.	694784	**Ref. No.**	034317
description	catch L 172mm mounting distance 124/133mm chrome-plated non lockable heated units 6200 H 65mm type DUPLO total length 248mm		
accessories for	694784		

No.	690123	Ref. No.	037967 069012

door catch with roller

door catches

1

No.	690123	**Ref. No.**	037967 069012
description	door catch with roller		

gaskets

gaskets for heated units

door seals



1

No.	902542	**Ref. No.**	037064
description	door seal profile 2073 W 484mm L 676mm outer plug size Qty 1		

MAG-PRO



1

No.	901499	Ref. No.	037068
description	door seal profile 2073 W 490mm L 1465mm external size Qty 1 suitable for HOUNO 1.20-99		



1

No.	901853	Ref. No.	32903
description	door seal profile 2073 W 530mm L 605mm outer plug size suitable for HOUNO		



1

No.	901440	Ref. No.	037063
description	door seal profile 2073 W 490mm L 560mm external size Qty 1 suitable for HOUNO 1.06-99		



1

No.	901670	Ref. No.	032904
description	door seal profile 2073 W 535mm L 835mm external size Qty 1		



1

No.	901459	Ref. No.	037065
description	door seal profile 2073 W 490mm L 810mm external size Qty 1		



1

No.	901387	Ref. No.	20300234 30300134
description	door seal profile 2735 W 490mm L 550mm external size Qty 1 dark grey		



1

No.	901652	Ref. No.	037066
description	door seal profile 2073 W 495mm L 955mm external size Qty 1		



1

No.	902106	Ref. No.	20300235 30300135
description	door seal profile 2735 W 490mm L 690mm external size Qty 1		

MAG-PRO



No.	901386	Ref. No.	20300236 30300136
description	door seal profile 2735 W 490mm L 820mm external size Qty 1		



No.	902540	Ref. No.	20300239 30300137
description	door seal profile 2735 W 491mm L 947mm outer plug size Qty 1		



No.	901854	Ref. No.	20300241 30300139
description	door seal profile 2735 W 495mm L 1470mm outer plug size suitable for HOUNO		



No.	902536	Ref. No.	30300187
description	door seal profile 2735 W 558mm L 683mm outer plug size Qty 1		



No.	901855	Ref. No.	30300108 30300142
description	door seal profile 2735 W 682mm L 1470mm Qty 1 suitable for HOUNO		



No.	902538	Ref. No.	30300141
description	door seal profile 2735 W 683mm L 1080mm outer plug size Qty 1		



No.	902537	Ref. No.	20300237 30300140
description	door seal profile 2735 W 683mm L 819mm outer plug size Qty 1		



No.	902534	Ref. No.	30300182
description	door seal profile 2739 L 1464mm Qty 1 suitable for HOUNO		



1

No.	902535	**Ref. No.**	30300183
description	door seal profile 2739 L 1845mm Qty 1 suitable for HOUNO		

gaskets for tray rack trolleys



1

No.	902529	**Ref. No.**	30400325
description	tray rack trolley gasket profile 4150 L 540mm suitable for 1.16/1.20 roll-in Qty 1		



1

No.	902530	**Ref. No.**	30400281
description	tray rack trolley gasket profile 4150 L 760mm suitable for 2.20 roll-in Qty 1		

1

No.	902521	**Ref. No.**	30420224 30420767
description	tray rack trolley gasket with front panel L 760mm Qty 1 suitable for combi-steamer HOUNO 2.20		

O-rings

EPDM



1

No.	532453	**Ref. No.**	32700106
description	O-ring EPDM thickness 2.62mm ID ø 21.89mm Qty 1 pcs		

sealing washers

graphite gaskets

1

No.	514531	**Ref. No.**	32700045
description	gasket graphite ED ø 117mm ID ø 94mm thickness 1.7mm Qty 1 pcs		

foam rubber gaskets

1

No.	505406	**Ref. No.**	30300363
description	foam rubber gasket W 10mm thickness 4mm self-adhesive Qty supplied by meter		

special gaskets

for combi-steamers

1

No.	699627	**Ref. No.**	20100107
description	gasket suitable for HOUNO combi-steamer mounting pos. for lens ED ø 65mm ID ø 53mm graphite thickness 0.6mm		

1

No.	699628	**Ref. No.**	20100106 30100147
description	gasket suitable for HOUNO combi-steamer mounting pos. for lens ED ø 83mm ID ø 52mm Viton thickness 3mm		

MAG-PRO

miscellaneous

1

No.	514531	Ref. No.	32700045
description	gasket graphite ED ø 117mm ID ø 94mm thickness 1.7mm Qty 1 pcs		

1

No.	511653	Ref. No.	20600007
description	gasket silicone L 82mm W 82mm thickness 3mm		

1

No.	698524	Ref. No.	32700059
description	gasket W 37.2mm L 60mm combi-steamer suitable for HOUNO thickness 4mm		

springs

torsion springs

1

No.	542439	Ref. No.	30400027
description	torsion spring ø 13mm L2 12mm wire gauge ø 2mm L1 12mm L3 12mm Qty 1 pcs		

gas tension springs

gas tension springs

1

No.	701648	Ref. No.	064872
description	gas tension spring for combi-steamer 150N D1 ø 15mm D2 ø 6mm hole distance 255mm hole ø 6mm L 265mm		

1

No.	701649	Ref. No.	064874
description	gas tension spring for combi-steamer 250N D1 ø 15mm D2 ø 6mm hole distance 255mm hole ø 6mm L 268mm		

hose reels and spray guns

spray guns

1

No.	542075	Ref. No.	041063
description	spray gun for appliances hose ø 7mm		

1

No.	542038	Ref. No.	059959
description	spray gun for appliances 3/8" IT L 135mm		

1

No.	545180	Ref. No.	059013
description	hose for spray gun black 5.5 ED ø 8mm		

dosing pumps

accessories

hose couplings

metal

1

No.	361502	Ref. No.	016821
description	screw pipe fitting straight nickel-plated brass thread 3/8" ET hose ø 6x8mm		
accessories for	361502		

No.	532533	Ref. No.	—
O-ring EPDM thickness 1.5mm ID ø 17mm Qty 1 pcs			

MAG-PRO

hoses

industrial hoses

nylon hoses

1

No.	570146	**Ref. No.**	059003 30500498
description	nylon hose ID ø 4mm ED ø 6mm L 1m operating p. 10bar burst p. 50bar t.max. 100°C blue		

silicone hoses

with fabric

with monofilament braid

1

No.	530542	**Ref. No.**	— 059963 30500065
description	silicone hose with monofilament braid ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 4bar burst pressure at 95°C non definedbar burst pressure 130°C non definedbar t.max. 200°C Qty 5m		

formed hoses

straight

1

No.	504871	**Ref. No.**	30500012 30500500
description	formed hose ext. ø 58 ID ø 50mm silicone with fabric lining black Qty 1		

fittings, hose and pipe connectors

fittings

T-pieces

brass

1

No.	698522	**Ref. No.**	59122
description	T-piece thread 1/4" brass 1x external thread 2x internal thread L 38mm		

hose connectors

nickel-plated brass

1

No.	361502	**Ref. No.**	016821
description	screw pipe fitting straight nickel-plated brass thread 3/8" ET hose ø 6x8mm		
accessories for	361502		

	No.	532533	Ref. No. —
	O-ring EPDM thickness 1.5mm ID ø 17mm Qty 1 pcs		

stainless steel

1

No.	542438	**Ref. No.**	059147
description	hose connector thread 1/8" hose ø 6mm SS		

fastening material

screws

countersunk screws

1

No.	560337	**Ref. No.**	055620
description	countersunk screw thread M6 L 20mm WS 4 SS DIN 7991/ISO 10642 Qty 1 pcs intake hexagonal		

MAG-PRO

hexagonal screws

1

No.	560088	**Ref. No.**	55618
description	hexagonal screw thread M6 thread L 20mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		

cylinder head bolts

DIN 912/ISO 4762

1

No.	560652	**Ref. No.**	055503
description	cylinder head bolt thread M5 L 35mm thread L 24mm WS 4 A2-70 Qty 1 pcs head ø 8mm DIN 912/ISO 4762		

side bolts

1

No.	560052	**Ref. No.**	055511 055514
description	side bolts thread M5 L 10mm SS Qty 20 pcs intake slotted head ø 12.5mm		

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673

1

No.	560129	**Ref. No.**	056500
description	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

washers

spring rings

1

No.	560123	**Ref. No.**	57601
description	lock washer ID ø 6.3mm ED ø 11mm SS DIN127 Qty 20 pcs for thread M6		

consumables

fuses

fine fuses

fine fuse holders

1

No.	358192	**Ref. No.**	20800115
description	fuse holder suitable fuse 5x20/5x25mm 6.3A rated 250V		