

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

# IME TURBO

## heating elements

### heating elements for fryers

#### off-center connection

#### miscellaneous



| No. | 415884 | Ref. No. | TUR00041620 |
|-----|--------|----------|-------------|
|-----|--------|----------|-------------|


| description | heating element 4500W 230/400V heating circuits 3 mounting pos. left L 272mm W 120mm H 23mm flange length 25mm flange length 1 3mm flange length 2 22mm flange ø1 35mm flange ø2 32mm thermostat sleeves ø 6mm sensor screw connection M12x0.75 thermostat sleeve eccentric L1 15mm L2 259mm W1 20mm W2 80mm tube ø 6.5mm cable length 360mm rotation flange immersion heater fryer connection length 55mm 1 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



| No. | 415883 | Ref. No. | TUR00041619 |
|-----|--------|----------|-------------|
|-----|--------|----------|-------------|


| description | heating element 4500W 230/400V heating circuits 3 mounting pos. right L 272mm W 120mm H 23mm flange length 25mm flange length 1 3mm flange length 2 22mm flange ø1 35mm flange ø2 32mm thermostat sleeves ø 6mm sensor screw connection M12x0.75 thermostat sleeve eccentric L1 15mm L2 255mm W1 20mm W2 80mm tube ø 6.5mm cable length 360mm rotation flange immersion heater with thermostat sensor hole connection length 55mm 1 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| accessories for                                 | 415883                |
|-------------------------------------------------|-----------------------|
|                                                 | No. 101501 Ref. No. — |
| nut thread M12x0.75 H 2mm WS 16 brass Qty 1 pcs |                       |



| No. | 418501 | Ref. No. | TF8/TF2x8 |
|-----|--------|----------|-----------|
|-----|--------|----------|-----------|

| description | heating element 3000W 230V heating circuits 1 L 280mm W 191mm H 164mm rectangular flange connection male faston 6.3mm L1 15mm L2 35mm L3 230mm W1 80mm W2 31mm hole distance 40mm windings 3 hole ø 4mm flange length 50mm flange width 22mm |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



| No. | 415230 | Ref. No. | 202006 |
|-----|--------|----------|--------|
|-----|--------|----------|--------|

| description | heating element 4500W 230/400V heating circuits 3 L 260mm W 115mm H 225mm L1 25mm L2 235mm W1 30mm W2 55mm H1 200mm H2 25mm windings 9 flange length 65mm flange width 25mm hole distance 56mm hole ø 4mm connection male faston 6.3mm tube ø 6.5mm rectangular flange immersion heater |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### heating elements for hot counters



| No. | 415887 | Ref. No. | N/A |
|-----|--------|----------|-----|
|-----|--------|----------|-----|

| description | heating element 1750W 230V heating circuits 1 L 232mm W 302mm tube ø 6.3mm connection M4 dry heating element hot bar 2 hole fixing thread M10x1 mounting distance 296mm |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| spare parts for                                                                  | 415887                |
|----------------------------------------------------------------------------------|-----------------------|
|                                                                                  | No. 510416 Ref. No. — |
| flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs |                       |

| accessories for                                    | 415887                |
|----------------------------------------------------|-----------------------|
|                                                    | No. 510893 Ref. No. — |
| O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs |                       |

|                                                          |                       |
|----------------------------------------------------------|-----------------------|
|                                                          | No. 520231 Ref. No. — |
| nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs |                       |

|                                                         |                       |
|---------------------------------------------------------|-----------------------|
|                                                         | No. 521129 Ref. No. — |
| nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439 |                       |

### heating elements for refrigeration

#### heating elements for defrosting



| No. | 416351 | Ref. No. | TKS0012 |
|-----|--------|----------|---------|
|-----|--------|----------|---------|

| description | heating element 160W 230V L 450mm Wmm Hmm connection cable cable length 1700mm tube ø 9mm |
|-------------|-------------------------------------------------------------------------------------------|
|-------------|-------------------------------------------------------------------------------------------|

### heating elements for condensate evaporation



| No.         | 416352                                                                                                | Ref. No. | TKS0319 |
|-------------|-------------------------------------------------------------------------------------------------------|----------|---------|
| description | heating element 100W 230V L 550mm W 115mm Hmm cable length 1700mm tube ø 8.5mm condensate evaporation |          |         |

### heating elements for contact grills



| No.         | 415235                                                                                                                                   | Ref. No. | 202023 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | heating element 1250W 230V L 195mm W 188mm H 20mm L1 25mm L2 140mm tube ø 8.5mm connection distance 181mm dry heating element windings 3 |          |        |

accessories for 415235



| No.         | 550354                           | Ref. No. | — |
|-------------|----------------------------------|----------|---|
| description | terminal bore ø 4.1mm Qty 10 pcs |          |   |

### heating elements for pizza ovens



| No.         | 415826                                                                                                                                                                                             | Ref. No. | 990010<br>IME00005007<br>TUR 0000 5007 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------------|
| description | heating element 1000W 230V heating circuits 1 L 505mm W 142mm lug length 30mm lug width 16mm connection male faston 6.3mm tube ø 6.3mm bracket mounting hole ø M4mm dry heating element pizza oven |          |                                        |



| No.         | 415331                                                                                                                                                                                                | Ref. No. | 00005019<br>202011 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|
| description | heating element 1500W 230V L 646mm W 300mm thread M10x1 mounting distance 293mm connection length 15mm connection male faston 6.3mm tube ø 6.3mm heating circuits 1 dry heating element 2 hole fixing |          |                    |

accessories for 415331



| No.         | 510416                                                                           | Ref. No. | — |
|-------------|----------------------------------------------------------------------------------|----------|---|
| description | flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs |          |   |



| No.         | 510893                                             | Ref. No. | — |
|-------------|----------------------------------------------------|----------|---|
| description | O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs |          |   |



| No.         | 520231                                                   | Ref. No. | — |
|-------------|----------------------------------------------------------|----------|---|
| description | nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs |          |   |

accessories for 415331



| No.         | 521129                                                  | Ref. No. | — |
|-------------|---------------------------------------------------------|----------|---|
| description | nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439 |          |   |




| No.         | 415360                                                                                                                                                                            | Ref. No. | IME202010<br>TUR 0000 6001 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------|
| description | heating element 350W 230V L 560mm W 50mm heating circuits 1 connection male faston 6.3mm tube ø 6.3mm mounting pos. lower connection distance 43mm dry heating element pizza oven |          |                            |



| No.         | 415289                                                                                                                               | Ref. No. | IME202007 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| description | heating element 500W 230V L 730mm W 50mm heating circuits 1 connection male faston 6.3mm tube ø 6.5mm dry heating element pizza oven |          |           |

### heating elements for chargrills



| No.         | 415228                                                                                                                                                                                                                                                                     | Ref. No. | REHEIZK |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | heating element 1100W 220V L 446mm W 127mm H 18mm hole distance 56mm windings 5 W1 47mm W2 32mm flange length 70mm flange width 22mm connection male faston 6.3mm heating circuits 1 tube ø 6.3mm connection length 28mm hole ø 6mm rectangular flange dry heating element |          |         |

### heating cables

#### miscellaneous



| No.         | 416355                                                   | Ref. No. | TKS0025 |
|-------------|----------------------------------------------------------|----------|---------|
| description | heating cable 50W 230V L 5200mm ø 3mm door frame heating |          |         |

1

| No.         | 416354                                    | Ref. No. | TKS0024 |
|-------------|-------------------------------------------|----------|---------|
| description | heating cable L 6200mm door frame heating |          |         |

1

| No.         | 416356                                    | Ref. No. | TKS0026 |
|-------------|-------------------------------------------|----------|---------|
| description | heating cable L 6800mm door frame heating |          |         |

|                                                                                               |                                                              |          |         |
|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------|----------|---------|
| <div>1</div> |                                                              |          |         |
| No.                                                                                           | 416353                                                       | Ref. No. | TKS0023 |
| description                                                                                   | heating cable on both sides 52W 230V L 4870mm ø 3mm silicone |          |         |

## quartz heating elements

1 

|                    |                                                                              |                 |        |
|--------------------|------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 415236                                                                       | <b>Ref. No.</b> | 205004 |
| <b>description</b> | quartz heating element 400W 110V L 380mm ø 10mm connection male faston 6.3mm |                 |        |

1 

|                    |                                                                             |                 |        |
|--------------------|-----------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 415237                                                                      | <b>Ref. No.</b> | 205002 |
| <b>description</b> | quartz heating element 533W 75V L 528mm ø 10mm connection male faston 6.3mm |                 |        |

## thermostats

### control and safety thermostats

EGO

control thermostats

55.34\_series

|                                                                                       |                                                                                                                                                                                                                                     |                 |        |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|      |                                                                                                                                                                                                                                     |                 |        |
|     |                                                                                                                                                                                                                                     |                 |        |
| 1  |                                                                                                                                                                                                                                     |                 |        |
| <b>No.</b>                                                                            | 375027                                                                                                                                                                                                                              | <b>Ref. No.</b> | 203017 |
| <b>description</b>                                                                    | thermostat t.max. 470°C temperature range 50-470°C 3-pole 3NO<br>16A probe ø 3.9mm probe L 308mm capillary pipe 990mm capillary<br>pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft<br>position upper rotation 270° |                 |        |

## refrigeration thermostats

RANCO

K50 series

|                                                                                     |                                                                                                            |                 |        |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                            |                 |        |
|  |                                                                                                            |                 |        |
| <b>No.</b>                                                                          | 390272                                                                                                     | <b>Ref. No.</b> | TKS014 |
| <b>description</b>                                                                  | thermostat RANCO type K50P1117 probe ømm probe Lmm capillary pipe 2000mm temperature range -32 up to -12°C |                 |        |

|                                                                                   |                                                                                                            |                 |        |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                            |                 |        |
| <b>No.</b>                                                                        | 390292                                                                                                     | <b>Ref. No.</b> | TKS015 |
| <b>description</b>                                                                | thermostat RANCO type K50P1118 probe ømm probe Lmm capillary pipe 1250mm temperature range -3 up to +2.5°C |                 |        |

## switches and momentary switches

### microswitches

#### lever actuated



1

|             |                                                                                           |          |                          |
|-------------|-------------------------------------------------------------------------------------------|----------|--------------------------|
| No.         | 345323                                                                                    | Ref. No. | FGO8520020<br>I608520020 |
| description | microswitch with lever 250V 10A 1CO connection male faston ambient temperature max. 105°C |          |                          |

## control equipment

### miscellaneous

1

|                    |                                |                 |                  |
|--------------------|--------------------------------|-----------------|------------------|
| <b>No.</b>         | 345288                         | <b>Ref. No.</b> | 201011<br>201012 |
| <b>description</b> | rotary selector sequence 1-0-2 |                 |                  |

## lamps

### indicator lights

#### indicator lights (complete)

ø13mm

with plug-in socket



1

|             |                                                                                               |          |        |
|-------------|-----------------------------------------------------------------------------------------------|----------|--------|
| No.         | 359143                                                                                        | Ref. No. | 231003 |
| description | indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs |          |        |



25x11mm



1

| No.         | 359223                                                                                | Ref. No. | 231001 |
|-------------|---------------------------------------------------------------------------------------|----------|--------|
| description | indicator light mounting measurements 25x11mm 230V green connection male faston 6.3mm |          |        |



1

| No.         | 359224                                                                                 | Ref. No. | 231002 |
|-------------|----------------------------------------------------------------------------------------|----------|--------|
| description | indicator light mounting measurements 25x11mm 230V yellow connection male faston 6.3mm |          |        |

## oven lamps

## universal oven lamps

mounting diameter 65.5mm



1

| No.                                                                                 | 359712                                                                                                     | Ref. No. | 02310.02.22 |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------|-------------|
| description                                                                         | oven lamp mounting ø 65.5mm 230V 40W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas |          |             |
| spare parts for                                                                     | 359712                                                                                                     |          |             |
|  | No.                                                                                                        | 359022   | Ref. No. —  |
|                                                                                     | lamp socket socket E14 mounting ø 65.5mm connection male faston 6.3mm                                      |          |             |
|  | No.                                                                                                        | 359611   | Ref. No. —  |
|                                                                                     | light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT                 |          |             |
|  | No.                                                                                                        | 359722   | Ref. No. —  |
|                                                                                     | gasket silicone ID ø 57.5mm ED ø 68mm thickness 2mm                                                        |          |             |
|  | No.                                                                                                        | 359724   | Ref. No. —  |
|                                                                                     | oven lamp glass thread ø 62mm H 46mm ø 74mm hard glas temp.-resist. 350°C                                  |          |             |

50x75.5mm



1

| No.         | 359309                                                                                       | Ref. No. | 23100218 |
|-------------|----------------------------------------------------------------------------------------------|----------|----------|
| description | oven lamp L 75mm W 50mm 230V 40W socket E14 temp.-resist. 300°C connection male faston 6.3mm |          |          |

## lamp accessories

## lenses

## glass panels



1

| No.         | 359761                                            | Ref. No. | 00005010 |
|-------------|---------------------------------------------------|----------|----------|
| description | lamp glass L 70mm W 70mm thickness 4mm pizza oven |          |          |

## timers

## defrost timers

## DECO



1

| No.         | 360057                                                                                                  | Ref. No. | TKS100023 |
|-------------|---------------------------------------------------------------------------------------------------------|----------|-----------|
| description | defrost timer DECO type S2U2M defrosting interval 2x per 24h defrosting time 0-270min fan delaymin 230V |          |           |

## MINI T



1

| No.         | 360150                                                                                                                         | Ref. No. | TKS0325 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | switch clock type 3611 defrosting interval 1-48x per 24h defrosting time 15-144 minmin fan delaymin defr. funct. 1-48x per 24h |          |         |

## electronic controllers

## AKO

## connection cables



1

| No.         | 379243                                               | Ref. No. | TKS0315 |
|-------------|------------------------------------------------------|----------|---------|
| description | connection cable L 1000mm suitable for AKO/Universal |          |         |

## ELIWELL

## refrigeration controllers

## built-in version



1

|                    |                                                                          |                 |         |
|--------------------|--------------------------------------------------------------------------|-----------------|---------|
| <b>No.</b>         | 379114                                                                   | <b>Ref. No.</b> | TKS0311 |
| <b>description</b> | electronic controller ELIWELL type EWPC961 mounting measurements 71x29mm |                 |         |

## accessories

## load modules



1

|                    |                                                     |                 |         |
|--------------------|-----------------------------------------------------|-----------------|---------|
| <b>No.</b>         | 379056                                              | <b>Ref. No.</b> | TKS0314 |
| <b>description</b> | load module ELIWELL type EWDR Slave 230V voltage AC |                 |         |

## TECNOLOGIC

## accessories

## connection cables



1

|                    |                                                      |                 |         |
|--------------------|------------------------------------------------------|-----------------|---------|
| <b>No.</b>         | 379243                                               | <b>Ref. No.</b> | TKS0315 |
| <b>description</b> | connection cable L 1000mm suitable for AKO/Universal |                 |         |

## probes

## universal probes

## temperature probes



1

|                    |                                                                                                                                                        |                 |         |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>No.</b>         | 379064                                                                                                                                                 | <b>Ref. No.</b> | TKS0313 |
| <b>description</b> | temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire |                 |         |

## fans

## axial fans

## ebm-papst



1

|                        |                                                                                                                                                                          |                 |                   |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>No.</b>             | 601030 <sup>1</sup>                                                                                                                                                      | <b>Ref. No.</b> | TKS0122           |
| <b>description</b>     | axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C |                 |                   |
| <b>accessories for</b> | 601030                                                                                                                                                                   |                 |                   |
|                        | <b>No.</b>                                                                                                                                                               | 550898          | <b>Ref. No.</b> — |
|                        | connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan                                                                       |                 |                   |
|                        | <b>No.</b>                                                                                                                                                               | 692497          | <b>Ref. No.</b> — |
|                        | guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm                                                                                                         |                 |                   |

<sup>1</sup>with ball bearings

## refrigeration fans

## refrigeration motors universal

## IMPORT

## multi fit fan motors



1

|                    |                                                                                                                                              |                 |                               |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------|
| <b>No.</b>         | 601022                                                                                                                                       | <b>Ref. No.</b> | TKS0002<br>TKS0003<br>TKS0004 |
| <b>description</b> | fan motor 10W 230V 50-60Hz L1 44mm L2 54mm L3 85mm W 84mm cable length 500mm 1300rpm YZF10-20-18/26 5 mounting options bearing slide bearing |                 |                               |



1

| No.         | 601020                                                                                                                                           | Ref. No. | TKS0002<br>TKS0003<br>TKS0004 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------|
| description | fan motor 5W 230V 50-60Hz L1 44mm L2 48mm L3 79mm W 84mm<br>cable length 500mm 1300rpm YZF5-13-18/26 5 mounting options<br>bearing slide bearing |          |                               |

## cross flow fans

### COPREL

#### with standard coil



1

| No.         | 601025                                                                                                                                                                                                                                        | Ref. No. | TKS00020 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | cross flow fan COPREL TFR(FN) roller ø 60mm roller length 180mm<br>laminated core thickness 15mm motor position right 230V/50Hz 19W<br>refrigeration bearing rubber connection male faston 6.3mm coil type<br>airflow 120m³/h -10 up to +60°C |          |          |

#### with moulded coils



1

| No.         | 601057                                                                                                                                                                                                                      | Ref. No. | TKS00112 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | cross flow fan COPREL TFL roller ø 60mm roller length 270mm<br>laminated core thickness 20mm motor position left 230V/50Hz 26W<br>refrigeration bearing rubber connection cable 1500mm coil type<br>moulded -10 up to +60°C |          |          |



1

| No.         | 601058                                                                                                                                                                                                                      | Ref. No. | TKS0112 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | cross flow fan COPREL TFL roller ø 60mm roller length 300mm<br>laminated core thickness 20mm motor position left 230V/50Hz 34W<br>refrigeration bearing rubber connection cable 1500mm coil type<br>moulded -10 up to +60°C |          |         |

## electric accessories

### cables

#### connection cables



1

| No.         | 379243                                               | Ref. No. | TKS0315 |
|-------------|------------------------------------------------------|----------|---------|
| description | connection cable L 1000mm suitable for AKO/Universal |          |         |

### terminals

#### connection terminals with screw/faston connections



1

| No.         | 550109                                                                                                | Ref. No. | 202026 |
|-------------|-------------------------------------------------------------------------------------------------------|----------|--------|
| description | power terminal block 3-pole max. 40A max 250V connection M6/<br>male faston 6.3mm temp.-resist. 130°C |          |        |

## gas taps

### MADEC (MP)

#### with pipe outlet



1

| No.                                                                                 | 101074                                                                                                                                                                                                                       | Ref. No. | N/A      |   |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|---|
| description                                                                         | gas tap MADEC with pipe outlet gas inlet M12x1 (tube ø 8mm)<br>bypass nozzle ø 0.35mm gas outlet M12x1 (tube ø 8mm) thermo-<br>couple connection M8x1 front fixing M12x1 shaft ø 6x4.6mm shaft L<br>28/21mm shaft flat right |          |          |   |
| spare parts for                                                                     | 101074                                                                                                                                                                                                                       |          |          |   |
|  | No.                                                                                                                                                                                                                          | 100360   | Ref. No. | — |
|                                                                                     | bypass nozzle MADEC bore ø 0.35mm thread M4.5x0.6 total length<br>13mm                                                                                                                                                       |          |          |   |
|  | No.                                                                                                                                                                                                                          | 101051   | Ref. No. | — |
|                                                                                     | magnet unit L 27mm D1 ø 12.5mm D2 ø 8.5mm suitable for JUN-<br>KERS/EGA/MADEC/SABAF standard                                                                                                                                 |          |          |   |
|  | No.                                                                                                                                                                                                                          | 101234   | Ref. No. | — |
|                                                                                     | union nut T1: M8x1 T2: M15                                                                                                                                                                                                   |          |          |   |
| accessories for                                                                     | 101074                                                                                                                                                                                                                       |          |          |   |
|  | No.                                                                                                                                                                                                                          | 100936   | Ref. No. | — |
|                                                                                     | gas tap spindle shaft ø 5x8mm MADEC                                                                                                                                                                                          |          |          |   |

Table continues overleaf

|                                                                                                            |     |        |          |   |
|------------------------------------------------------------------------------------------------------------|-----|--------|----------|---|
| accessories for 101074                                                                                     |     |        |          |   |
|                                                                                                            | No. | 101277 | Ref. No. | — |
| olive ID 8mm Qty 1 pcs                                                                                     |     |        |          |   |
|                                                                                                            | No. | 101296 | Ref. No. | — |
| union nut thread M12x1 for pipe 8mm                                                                        |     |        |          |   |
|                                                                                                            | No. | 101299 | Ref. No. | — |
| nut thread M12x1                                                                                           |     |        |          |   |
|                                                                                                            | No. | 110148 | Ref. No. | — |
| knob gas tap without ignition flame 50mm shaft 8x5mm shaft flat left black                                 |     |        |          |   |
|                                                                                                            | No. | 110149 | Ref. No. | — |
| knob gas tap without ignition flame t.max.°C temperature range°C 50mm shaft 6x4.6mm shaft flat right black |     |        |          |   |
|                                                                                                            | No. | 110153 | Ref. No. | — |
| knob gas tap without ignition flame 50mm shaft 6x4.6mm shaft flat left white                               |     |        |          |   |

## equipment-specific units

### for pizza ovens

#### firebricks



1

|                    |                    |                 |          |
|--------------------|--------------------|-----------------|----------|
| <b>No.</b>         | 850048             | <b>Ref. No.</b> | 00006018 |
| <b>description</b> | firebrick for door |                 |          |

|                                                                                     |                    |                 |          |
|-------------------------------------------------------------------------------------|--------------------|-----------------|----------|
|  |                    |                 |          |
| 1                                                                                   |                    |                 |          |
| <b>No.</b>                                                                          | 850049             | <b>Ref. No.</b> | 00005017 |
| <b>description</b>                                                                  | firebrick for door |                 |          |

|                                                                                                  |                                                                                        |                 |                       |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------|-----------------------|
| <div>1</div>  |                                                                                        |                 |                       |
| <b>No.</b>                                                                                       | 850041                                                                                 | <b>Ref. No.</b> | 426002<br>TUR00006011 |
| <b>description</b>                                                                               | firebrick L 600mm W 292mm H 35mm with 2 slits delivery freight forwarding company only |                 |                       |

|             |                                                                           |          |                            |
|-------------|---------------------------------------------------------------------------|----------|----------------------------|
|             |                                                                           |          |                            |
| 1           |                                                                           |          |                            |
| No.         | 850045                                                                    | Ref. No. | P70SCHAMOTT<br>TUR00005021 |
| description | firebrick L 695mm W 345mm H 35mm delivery freight forwarding company only |          |                            |

### for sliding doors

#### door guides

1

| No.         | 690483                 | Ref. No. | I60-LLP-2KT |
|-------------|------------------------|----------|-------------|
| description | guide bar pair for ZKT |          |             |

### for toasters

#### glass panels

|                                                                                    |                                                                           |                 |          |  |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------|-----------------|----------|--|
|  |                                                                           |                 |          |  |
| 1                                                                                  |                                                                           |                 |          |  |
| <b>No.</b>                                                                         | 690504                                                                    | <b>Ref. No.</b> | 00006017 |  |
| <b>description</b>                                                                 | glass panel L 670mm W 240mm thickness 5mm rectangular mounting pos. outer |                 |          |  |

## knobs

### producer-specific knobs

#### IME-TURBO


1

| No.                                                                                                               | 110745 | Ref. No. | 401004 |
|-------------------------------------------------------------------------------------------------------------------|--------|----------|--------|
| description knob thermostat t.max. 110°C ø 45mm shaft ø 6x4.6mm shaft flat left silver temperature range 30-110°C |        |          |        |


## hinges

## edgemount hinges

## CHG



|                                                                                           |                                                                                                                                             |                 |                                          |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------------|
| <b>No.</b>                                                                                | 690299                                                                                                                                      | <b>Ref. No.</b> | GEL1999036<br>GEL1999037                 |
| <b>description</b>                                                                        | edgemount hinge L 146mm W 31mm mounting distance 27/27mm hinging left/right with gradient L1 45mm mounting pos. right/left black series R50 |                 |                                          |
| <b>accessories for</b>                                                                    | 690299                                                                                                                                      |                 |                                          |
|          | <b>No.</b>                                                                                                                                  | 345323          | <b>Ref. No.</b> FGO8520020<br>I608520020 |
| microswitch with lever 250V 10A 1CO connection male faston ambient temperature max. 105°C |                                                                                                                                             |                 |                                          |



|                    |                                                                                           |                 |                          |
|--------------------|-------------------------------------------------------------------------------------------|-----------------|--------------------------|
| <b>No.</b>         | 345323                                                                                    | <b>Ref. No.</b> | FGO8520020<br>I608520020 |
| <b>description</b> | microswitch with lever 250V 10A 1CO connection male faston ambient temperature max. 105°C |                 |                          |

## pullouts

## rollers

## rollers



|                    |                                                                                                                |                 |             |
|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------|-------------|
| <b>No.</b>         | 690802                                                                                                         | <b>Ref. No.</b> | KUL00010026 |
| <b>description</b> | roller rollerø 19mm B1 6mm overall width 8mm A 19mm B 6mm C 8mm D 6mm E 11mm SS tread SS with rivet bore ø 6mm |                 |             |

## baskets

## fryer baskets

## IME-TURBO



|                    |                                         |                 |             |
|--------------------|-----------------------------------------|-----------------|-------------|
| <b>No.</b>         | 970207                                  | <b>Ref. No.</b> | SOD00010065 |
| <b>description</b> | fryer basket L1 250mm W1 140mm H1 105mm |                 |             |


## gaskets

## refrigeration gaskets


## plug-in gaskets

## profile 9153


We offer custom-made gaskets for this profile




|                    |                                                                                                                    |                 |            |
|--------------------|--------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>No.</b>         | 900210                                                                                                             | <b>Ref. No.</b> | TKSCID0033 |
| <b>description</b> | refrigeration gasket profile 9153 W 195mm L 375mm plug size drawer for refrigerated counter refrigeration size 1/3 |                 |            |





|                    |                                                                                                                    |                 |         |
|--------------------|--------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>No.</b>         | 900214                                                                                                             | <b>Ref. No.</b> | TKS0033 |
| <b>description</b> | refrigeration gasket profile 9153 W 202mm L 410mm plug size drawer for refrigerated counter refrigeration size 1/3 |                 |         |





|                    |                                                                                                                    |                 |         |
|--------------------|--------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>No.</b>         | 900215                                                                                                             | <b>Ref. No.</b> | TKS0032 |
| <b>description</b> | refrigeration gasket profile 9153 W 317mm L 410mm plug size drawer for refrigerated counter refrigeration size 1/2 |                 |         |


|                                                                                   |                                                                                                                    |                 |            |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------|------------|
|  |                                                                                                                    |                 |            |
| <b>No.</b>                                                                        | 900211                                                                                                             | <b>Ref. No.</b> | TKSCID0032 |
| <b>description</b>                                                                | refrigeration gasket profile 9153 W 320mm L 385mm plug size drawer for refrigerated counter refrigeration size 1/2 |                 |            |

|                                                                                   |                                                                                                                                  |                 |            |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
|  |                                                                                                                                  |                 |            |
| <b>No.</b>                                                                        | 900212                                                                                                                           | <b>Ref. No.</b> | TKSCID0034 |
| <b>description</b>                                                                | refrigeration gasket profile 9153 W 385mm L 435mm plug size chrome-plated drawer for refrigerated counter refrigeration size 2/3 |                 |            |

|                                                                                    |                                                                                                                                |                 |            |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
|  |                                                                                                                                |                 |            |
| <b>No.</b>                                                                         | 900213                                                                                                                         | <b>Ref. No.</b> | TKSCID0031 |
| <b>description</b>                                                                 | refrigeration gasket profile 9153 W 385mm L 670mm plug size chrome-plated door for refrigerated counter refrigeration size 1/1 |                 |            |


|                                                                                     |                                                                                                                    |                 |         |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------|---------|
|  |                                                                                                                    |                 |         |
| <b>No.</b>                                                                          | 900216                                                                                                             | <b>Ref. No.</b> | TKS0034 |
| <b>description</b>                                                                  | refrigeration gasket profile 9153 W 410mm L 437mm plug size drawer for refrigerated counter refrigeration size 2/3 |                 |         |


|                                                                                     |                                                                                                                  |                 |         |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------|
|  |                                                                                                                  |                 |         |
| <b>No.</b>                                                                          | 900217                                                                                                           | <b>Ref. No.</b> | TKS0031 |
| <b>description</b>                                                                  | refrigeration gasket profile 9153 W 410mm L 665mm plug size door for refrigerated counter refrigeration size 1/1 |                 |         |


|                                                                                    |                                                |                 |     |
|------------------------------------------------------------------------------------|------------------------------------------------|-----------------|-----|
|  |                                                |                 |     |
| <b>No.</b>                                                                         | 902266                                         | <b>Ref. No.</b> | N/A |
| <b>description</b>                                                                 | refrigeration gasket profile 9153 Wmm L 2500mm |                 |     |

### profile 9743

We offer custom-made gaskets for this profile

|                                                                                    |                                                                                                    |                 |             |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------|-------------|
|  |                                                                                                    |                 |             |
| <b>No.</b>                                                                         | 900221                                                                                             | <b>Ref. No.</b> | EIS00999001 |
| <b>description</b>                                                                 | refrigeration gasket profile 9743 W 450mm L 1515mm plug size cell door 500L refrigeration size 1/1 |                 |             |

|                                                                                     |                                                                                                   |                 |             |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-----------------|-------------|
|  |                                                                                                   |                 |             |
| <b>No.</b>                                                                          | 900220                                                                                            | <b>Ref. No.</b> | EIS00999002 |
| <b>description</b>                                                                  | refrigeration gasket profile 9743 W 450mm L 720mm plug size cell door 500L refrigeration size 1/2 |                 |             |

|                                                                                      |                                                                                                    |                 |             |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------|-------------|
|  |                                                                                                    |                 |             |
| <b>No.</b>                                                                           | 900237                                                                                             | <b>Ref. No.</b> | EIS00999003 |
| <b>description</b>                                                                   | refrigeration gasket profile 9743 W 580mm L 1520mm plug size cell door 650L refrigeration size 1/1 |                 |             |

|                    |                                                                                                   |                 |             |
|--------------------|---------------------------------------------------------------------------------------------------|-----------------|-------------|
|                    |                                                                                                   |                 |             |
| <b>No.</b>         | 900236                                                                                            | <b>Ref. No.</b> | EIS00999004 |
| <b>description</b> | refrigeration gasket profile 9743 W 580mm L 730mm plug size cell door 650L refrigeration size 1/2 |                 |             |

|                    |                                                |                 |     |
|--------------------|------------------------------------------------|-----------------|-----|
|                    |                                                |                 |     |
| <b>No.</b>         | 902304                                         | <b>Ref. No.</b> | N/A |
| <b>description</b> | refrigeration gasket profile 9743 Wmm L 2500mm |                 |     |

#### profile 9951

|                    |                                                                                                        |                 |              |
|--------------------|--------------------------------------------------------------------------------------------------------|-----------------|--------------|
|                    |                                                                                                        |                 |              |
| <b>No.</b>         | 900235                                                                                                 | <b>Ref. No.</b> | GEL011999032 |
| <b>description</b> | refrigeration gasket profile 9951 W 464mm L 1530mm external size cell door 550L refrigeration size 1/1 |                 |              |

|                    |                                                                                                       |                 |              |
|--------------------|-------------------------------------------------------------------------------------------------------|-----------------|--------------|
|                    |                                                                                                       |                 |              |
| <b>No.</b>         | 900234                                                                                                | <b>Ref. No.</b> | GEL011999033 |
| <b>description</b> | refrigeration gasket profile 9951 W 464mm L 750mm external size cell door 550L refrigeration size 1/2 |                 |              |

|                    |                                                                                                        |                 |            |
|--------------------|--------------------------------------------------------------------------------------------------------|-----------------|------------|
|                    |                                                                                                        |                 |            |
| <b>No.</b>         | 900223                                                                                                 | <b>Ref. No.</b> | GEL1999034 |
| <b>description</b> | refrigeration gasket profile 9951 W 594mm L 1530mm external size cell door 680L refrigeration size 1/1 |                 |            |

|                    |                                                                                                       |                 |            |
|--------------------|-------------------------------------------------------------------------------------------------------|-----------------|------------|
|                    |                                                                                                       |                 |            |
| <b>No.</b>         | 900222                                                                                                | <b>Ref. No.</b> | GEL1999035 |
| <b>description</b> | refrigeration gasket profile 9951 W 594mm L 750mm external size cell door 680L refrigeration size 1/2 |                 |            |

#### profile 9195


We offer custom-made gaskets for this profile


|                    |                                                                                     |                 |     |
|--------------------|-------------------------------------------------------------------------------------|-----------------|-----|
|                    |                                                                                     |                 |     |
| <b>No.</b>         | 901715                                                                              | <b>Ref. No.</b> | N/A |
| <b>description</b> | refrigeration gasket profile 9195 W 432mm L 718mm plug size cell door 550L size 1/2 |                 |     |


|                    |                                                             |                 |     |
|--------------------|-------------------------------------------------------------|-----------------|-----|
|                    |                                                             |                 |     |
| <b>No.</b>         | 900560                                                      | <b>Ref. No.</b> | N/A |
| <b>description</b> | refrigeration gasket profile 9195 W 562mm L 718mm plug size |                 |     |


## profile 9795

We offer custom-made gaskets for this profile

|                                                                                   |                                                                                           |                 |              |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------|--------------|
|  |                                                                                           |                 |              |
| <b>No.</b>                                                                        | 900206                                                                                    | <b>Ref. No.</b> | IGO000000003 |
| <b>description</b>                                                                | refrigeration gasket profile 9795 W 465mm L 1630mm plug size cell door 600L refrigeration |                 |              |


|                                                                                    |                                                                                          |                 |              |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------|--------------|
|  |                                                                                          |                 |              |
| <b>No.</b>                                                                         | 900205                                                                                   | <b>Ref. No.</b> | IGO000000001 |
| <b>description</b>                                                                 | refrigeration gasket profile 9795 W 465mm L 790mm plug size cell door 600L refrigeration |                 |              |

|                                                                                     |                                                                                           |                 |              |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------|--------------|
|  |                                                                                           |                 |              |
| <b>No.</b>                                                                          | 900208                                                                                    | <b>Ref. No.</b> | IGO000000002 |
| <b>description</b>                                                                  | refrigeration gasket profile 9795 W 595mm L 1630mm plug size cell door 700L refrigeration |                 |              |

|                                                                                     |                                                                                          |                 |              |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------|--------------|
|  |                                                                                          |                 |              |
| <b>No.</b>                                                                          | 900207                                                                                   | <b>Ref. No.</b> | IGO000000004 |
| <b>description</b>                                                                  | refrigeration gasket profile 9795 W 595mm L 790mm plug size cell door 700L refrigeration |                 |              |

## profile 9956

We offer custom-made gaskets for this profile

|                                                                                    |                                                                                              |                 |             |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------|-------------|
|  |                                                                                              |                 |             |
| <b>No.</b>                                                                         | 900218                                                                                       | <b>Ref. No.</b> | 08020.11.40 |
| <b>description</b>                                                                 | refrigeration gasket profile 9956 W 446mm L 605mm external size saladette door refrigeration |                 |             |

## sealing cords

### square

|                                                                                    |                                                     |                 |             |
|------------------------------------------------------------------------------------|-----------------------------------------------------|-----------------|-------------|
|  |                                                     |                 |             |
| <b>No.</b>                                                                         | 900202                                              | <b>Ref. No.</b> | TUR00006016 |
| <b>description</b>                                                                 | sealing cord square size 11x11mm braided L 1m Qty 1 |                 |             |

## evaporators

### for fridges

### producer-specific

|                                                                                     |                                             |                 |                          |
|-------------------------------------------------------------------------------------|---------------------------------------------|-----------------|--------------------------|
|  |                                             |                 |                          |
| <b>No.</b>                                                                          | 750108                                      | <b>Ref. No.</b> | 08020.53.90<br>TKS000393 |
| <b>description</b>                                                                  | evaporator L 315mm W 150mm H 320mm H2 200mm |                 |                          |