

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**






Spare parts suitable for

# IBERITAL-MACCHINE





## heating elements

### heating elements for coffee machine

			
No.	417258	Ref. No.	9938
description heating element 1800/1960W 230/240V heating circuits 3 mounting $\varnothing$ 38.5mm hole distance 68mm L 184mm W 30mm H 28mm hole $\varnothing$ 11mm length thermostat sleeves 156mm thermostat sleeves $\varnothing$ 6mm number of thermostat sleeves 1 thermostat sleeve centred, adjacent tube $\varnothing$ 8.3mm connection M4 immersion heater 3 hole flange			
			
No.	417496	Ref. No.	2415
description heating element 2600W 220V heating circuits 2 mounting $\varnothing$ 37mm hole distance 52mm L 415mm W 30mm H 58mm L1 25mm L2 50mm L3 340mm H1 25mm H2 28mm hole $\varnothing$ 10mm tube $\varnothing$ 8mm connection male faston 6.3mm immersion heater			
			
No.	417260	Ref. No.	9939
description heating element 2600W 230V heating circuits 2 mounting $\varnothing$ 38.5mm hole distance 58mm L 385mm W 40mm H 46mm L1 25mm L2 45mm L3 315mm H1 26mm H2 20mm hole $\varnothing$ 11mm tube $\varnothing$ 8mm thermostat sleeves $\varnothing$ 6.5mm length thermostat sleeves 191mm thermostat sleeve centred, adjacent number of thermostat sleeves 1 connection M6 immersion heater 3 hole flange			
			
No.	417261	Ref. No.	9941
description heating element 3700W 230V heating circuits 2 mounting $\varnothing$ 38.5mm hole distance 56mm L 580mm W 39mm H 45mm L1 22mm L2 36mm L3 520mm H1 25mm H2 20mm hole $\varnothing$ 11mm tube $\varnothing$ 8mm thermostat sleeves $\varnothing$ 6.5mm length thermostat sleeves 191mm thermostat sleeve centred, adjacent number of thermostat sleeves 1 connection M6 immersion heater 3 hole flange			
			
No.	417259	Ref. No.	9940
description heating element 3800W 230V heating circuits 3 mounting $\varnothing$ 38.5mm hole distance 58mm L 388mm W 33mm H 34mm hole $\varnothing$ 11mm length thermostat sleeves 195mm thermostat sleeves $\varnothing$ 6mm number of thermostat sleeves 1 thermostat sleeve centred, adjacent tube $\varnothing$ 8mm connection M4 immersion heater 3 hole flange			



## immersion heating elements

### 3 hole flange $\varnothing$ 35.0mm

			
No.	416211	Ref. No.	23361
description heating element 2700W 230V heating circuits 1 mounting $\varnothing$ 35mm L 300mm W 25mm H 24mm tube $\varnothing$ 6.3mm hole distance 44mm hole $\varnothing$ 10mm connection male faston 6.3mm immersion heater 3 hole flange connection length 15mm			
accessories for 416211			
			
No.	507048	Ref. No.	—
gasket ID $\varnothing$ 30mm silicone thickness 3mm hole $\varnothing$ 10mm hole distance 41mm for heating element warewashing			

## accessories



### flange gaskets

			
No.	528013	Ref. No.	11374
description gasket ID $\varnothing$ 40mm fibre thickness 4mm hole $\varnothing$ 11mm hole distance 57mm for heating element coffee machine parts			
			
No.	528012	Ref. No.	6671
description gasket suitable for VIBIEMME for heating element			

## thermostats

### bi-metal thermostats

### bi-metal thermostats

			
No.	390450	Ref. No.	5299
description bi-metal thermostat hole distance 66mm switch-off temp. 66/57°C NC/NO 2-pole 16A connection F6.3			
accessories for 390450			
			
No.	505093	Ref. No.	—
gasket for thermostat ED $\varnothing$ 35mm ID $\varnothing$ 24mm thickness 7mm equiv. no. N503017			





## control and safety thermostats

EGO

safety thermostats

55.13\_ series



1

No.	375898	Ref. No.	19433
-----	--------	----------	-------

description	safety thermostat switch-off temp. 140°C 1-pole 16A probe ø 4mm probe L 125mm capillary pipe 900mm capillary pipe isolated 420mm gland nut probe
-------------	--



1

No.	390804	Ref. No.	43261
-----	--------	----------	-------

description	safety thermostat switch-off temp. 340°C 1-pole 1NC 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolated 600mm gland nut probe connection male faston 6.3mm
-------------	---

55.32\_ series



1

No.	390324	Ref. No.	10028 16508
-----	--------	----------	----------------

description	safety thermostat switch-off temp. 169°C 3-pole 3NC 20A probe ø 4mm probe L 128mm capillary pipe 890mm capillary pipe isolated 210/210mm gland nut probe SS
-------------	---

## switches and momentary switches

## rocker/momentary rocker switches

30x22mm



1

No.	301002	Ref. No.	6952
-----	--------	----------	------

description	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 85/125°C protection IP65
-------------	--

accessories for	301002
-----------------	--------



No.	301036	Ref. No.	—
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

No.	301060	Ref. No.	5828
-----	--------	----------	------

description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40
-------------	---

## push/momentary push switches

19x13mm



1

No.	347377	Ref. No.	19078
-----	--------	----------	-------

description	momentary push switch mounting measurements 19x13mm red 2NO 250V 16A ambient temperature max. 125°C protection IP40
-------------	---

ø25mm



1

No.	345151 <sup>1</sup>	Ref. No.	1660
-----	---------------------	----------	------

description	push switch mounting ø 25mm orange 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40
-------------	--

<sup>1</sup>illuminated

## miscellaneous



1

No.	347317	Ref. No.	9420
-----	--------	----------	------

description	microswitch mounting measurements 12x15mm black 1NO 240V 4A connection soldering connection ambient temperature max. 85°C protection IP40
-------------	---



## microswitches

### roller actuated

#### roller 90°



1			
No.	345104	Ref. No.	399
description	microswitch with roller plunger 250V 16A 1CO connection male faston 6.3mm L 24mm ambient temperature max. 125°C thread L 12mm thread M10x0.75 mounting distance 22mm actuating force: 280g type EF83161.1		

## cam switches

### on/off



1			
No.	300021	Ref. No.	40704
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

## rotary switches

### GIOVENZANA

#### rotary switches



1			
No.	347975	Ref. No.	9177
description	rotary switch 3 0-1-2 sets of contacts 3 type P106 690V 20A shaft ø 5x5mm shaft L 15mm shaft square connection screw		

### GOTTAK



1			
No.	347380	Ref. No.	11255
description	rotary switch 3 0-1-2 sets of contacts 2 400V 16A shaft ø 6x4.6mm shaft L 22mm shaft oval connection male faston 6.3mm		



1			
No.	345148	Ref. No.	2877
description	rotary switch 3 0-1-2 sets of contacts 6 type 4RH 400V 10A shaft ø 4.8x6mm shaft L 21mm shaft oval connection male faston 6.3mm		



1			
No.	347378	Ref. No.	24989
description	rotary switch 4 0-1-2-3 sets of contacts 4 400V 16A shaft ø 6x4.6mm shaft L 22mm shaft oval connection male faston 6.3mm		

### TELERGON



1			
No.	347693	Ref. No.	43294
description	rotary switch 2 0-1 sets of contacts 1 type T-0002000011E1N1 300V 20A shaft ø 5x5mm shaft L 15mm shaft square with knob connection screw clamp		



1			
No.	347479	Ref. No.	1430
description	rotary switch 3 0-1-2 sets of contacts 6 type T-0002021589 400V 20A shaft ø 5x5mm shaft L 15mm connection screw TELERGON		

## lamps

### indicator lights

#### indicator lights (complete)

##### ø10mm

##### with plug-in socket



1			
No.	359139	Ref. No.	19457
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		





1

<b>No.</b>	359138	<b>Ref. No.</b>	19458
<b>description</b>	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs		

ø13mm

with screw socket



1

<b>No.</b>	357125	<b>Ref. No.</b>	43040
<b>description</b>	indicator light ø 13mm red 400V connection screw clamp		

miscellaneous



1


<b>No.</b>	357124	<b>Ref. No.</b>	43292
<b>description</b>	indicator light green/red 230V connection screw		

## timers

### programme timers



1

<b>No.</b>	360048	<b>Ref. No.</b>	13588
<b>description</b>	timer CDC 4904DV/4905DV engines 2 chambers 5 operation time 4s / 180s 230V shaft ømm shaft Lmm motor type M48L ATS		
<b>spare parts for</b>	360048		
	<b>No.</b>	360083	<b>Ref. No.</b> —
motor CDC pinion ø 4.9mm teeth 10 230V turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer			




1

<b>No.</b>	361355	<b>Ref. No.</b>	14343
<b>description</b>	timer CDC 7804DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm motor type M37RN/M37LN		





1

<b>No.</b>	360011	<b>Ref. No.</b>	6363
<b>description</b>	timer CEM HH3M16 engines 1 chambers 3 operation time 120s 230V manuf. no. HH3M16 / 120225 motor type UDS40NE1RNZ165		
<b>spare parts for</b>	360011		
	<b>No.</b>	360112	<b>Ref. No.</b> —
motor SAIA pinion ø 4mm teeth 12 230V turn direction right motor ø 48mm motor type UDS11NE1RHZ for timer			





1

<b>No.</b>	360271	<b>Ref. No.</b>	14472
<b>description</b>	timer FIBER P25 engines 2 chambers 5 operation time 6s / 2min 230V shaft ømm shaft Lmm manuf. no. P25J05JDN7 motor type M51BJ0R6400 / M51BJ0L6400		
<b>spare parts for</b>	360271		
	<b>No.</b>	360673	<b>Ref. No.</b> —
motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			
	<b>No.</b>	360674	<b>Ref. No.</b> —
motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder			

### mechanical timers



1

<b>No.</b>	350176	<b>Ref. No.</b>	10560
<b>description</b>	timer C20 2-pole operation time 5min 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 20mm mounting distance 28mm		
<b>accessories for</b>	350176		
	<b>No.</b>	110366	<b>Ref. No.</b> —
knob switch zero mark t.max. °C °C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	<b>No.</b>	112138	<b>Ref. No.</b> —
dial plate graduation 5min permanent position no rotation 0-290° ø 60mm			



## contactors

### LS Industrial Systems

#### power contactors



1

No.	380922	Ref. No.	19036
description	power contactor resistive load 20A 230VAC (AC3/400V) 5A/2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type GMC-6M		



1

No.	380923	Ref. No.	19428 (old version)
description	power contactor resistive load 25A 230VAC (AC3/400V) 18A/7.5kW main contacts 4NO connection screw connection type GMC-18/4		



1

No.	380924	Ref. No.	13353 19428
description	power contactor resistive load 32A 230VAC (AC3/400V) 22A/11kW main contacts 4NO connection screw connection type UKC1-22/KR4S		

### GENERAL ELECTRIC (AEG)

#### power contactors



1

No.	380846	Ref. No.	8736
description	contactor resistive load 16A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection male faston 6.3mm type AEG LS05 01A type GE MC1A 301A		

### ALLEN BRADLEY

#### power contactors



1

No.	380458	Ref. No.	8365
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 100-K09KF10		

## solid state relays

### CELDUC



1

No.	400521	Ref. No.	19030
description	solid state relay CELDUC 2 phase 50A 400V 10-30VDC L 58mm W 45mm screw type SCB965600 10-30VDC		

## relays

### power relays

#### with DIN rail mounting

#### lateral



1

No.	380379	Ref. No.	6690
description	power relays SCHRACK 230VAC 25A 2CO connection male faston 6.3mm DIN rail manuf. no. RM809730		





## level relays

## GICAR



1

<b>No.</b>	402103	<b>Ref. No.</b>	9625
<b>description</b>	level controller 230/240V voltage AC 50/60Hz connection F6.3 type NRL30/1E-2C/F		



1

<b>No.</b>	528636	<b>Ref. No.</b>	13391
<b>description</b>	level controller 230V voltage AC 50/60Hz 16/5A connection F6.3 type RL30 MICRO ST		



1

<b>No.</b>	402623	<b>Ref. No.</b>	21475
<b>description</b>	level controller 230V voltage AC 50/60Hz type 30μZ 3L S.T.		

## miscellaneous



1

<b>No.</b>	400264	<b>Ref. No.</b>	7145
<b>description</b>	level relay 230V		

## probes

## producer-specific probes

## probes



1

<b>No.</b>	525376	<b>Ref. No.</b>	13375
<b>description</b>	temperature probe NTC cable PVC probe -40 up to +110°C cable -10 up to 100°C connection plug thread 1/4" probe ø8x20mm cable length 0.37m		

## keypads

## front foils



1

<b>No.</b>	525373	<b>Ref. No.</b>	19441
<b>description</b>	keypad foil black/silver suitable for IBERITAL L 27mm W 103mm buttons 5		



1

<b>No.</b>	525374	<b>Ref. No.</b>	19092
<b>description</b>	keypad foil black/yellow suitable for FAEMA L 107mm W 51mm buttons 5		



1

<b>No.</b>	525212	<b>Ref. No.</b>	19025
<b>description</b>	keypad foil silver/black suitable for IBERITAL L 103mm W 27mm buttons 5		

## membrane keypads



1

<b>No.</b>	400509	<b>Ref. No.</b>	9998
<b>description</b>	membrane keypad coffee machine IBERITAL L 103mm W 27mm		



1

<b>No.</b>	401408	<b>Ref. No.</b>	21934
<b>description</b>	membrane keypad coffee machine parts buttons 6 suitable for FAEMA L 176mm W 49mm		



1


<b>No.</b>	402635	<b>Ref. No.</b>	11641
<b>description</b>	membrane keypad suitable for IBERITAL L 110mm W 30mm		





			
<b>No.</b>	402634	<b>Ref. No.</b>	19093
<b>description</b>	membrane keypad suitable for IBERITAL L 110mm W 55mm		

## keypad units


			
<b>No.</b>	400226	<b>Ref. No.</b>	21476 21960
<b>description</b>	keypad unit buttons 5		


			
<b>No.</b>	402628	<b>Ref. No.</b>	11361
<b>description</b>	keypad unit buttons 5 black type TH SMT 1GR+RL lighting LED 230V L 120mm W 50mm		


			
<b>No.</b>	402626	<b>Ref. No.</b>	19424
<b>description</b>	keypad unit buttons 5 black/silver type 1d5e GRCZ NKP S10 lighting LED 230V L 117mm W 46mm		


			
<b>No.</b>	402627	<b>Ref. No.</b>	13349
<b>description</b>	keypad unit buttons 5 black/silver type 1d5e GRCZ NKP S10 lighting LED 230V L 117mm W 46mm with jumpers		


			
<b>No.</b>	402624	<b>Ref. No.</b>	9997
<b>description</b>	keypad unit buttons 5 black/silver type TH SMT 1GR+TEA 230V		


			
<b>No.</b>	402636	<b>Ref. No.</b>	19042
<b>description</b>	keypad unit buttons 5 black/white type TH SMT 1GR+RL 230V L 120mm W 50mm with jumper		

			
<b>No.</b>	402632	<b>Ref. No.</b>	21451
<b>description</b>	keypad unit buttons 5 black/yellow type 1d5e GRCZ NKP S10 no c/m 230V L 120mm W 50mm with jumper		

			
<b>No.</b>	402631	<b>Ref. No.</b>	21981
<b>description</b>	keypad unit buttons 5 black/yellow type 1d5e GRCZ NKP S10 no c/m 230V L 132mm W 64mm		

			
<b>No.</b>	400441	<b>Ref. No.</b>	11440
<b>description</b>	keypad unit buttons 5 L 91mm W 51mm		

			
<b>No.</b>	402630	<b>Ref. No.</b>	19439
<b>description</b>	keypad unit buttons 5 type 1d5e GRCZ NKP S10 230V L 120mm W 50mm with jumper		

			
<b>No.</b>	402629	<b>Ref. No.</b>	13381
<b>description</b>	keypad unit buttons 5 type 1d5e GRCZ NKP S10 lighting LED 230V L 120mm W 50mm		





1

<b>No.</b>	400354	<b>Ref. No.</b>	7633
<b>description</b>	keypad unit coffee machine AIRY/ATLAS/COMBI NOVA/JUNIOR buttons 5		



1

<b>No.</b>	402633	<b>Ref. No.</b>	21769
<b>description</b>	keypad unit temperature controller type CONTROL d, SSR HEATING C/L		

## solenoïd valves

### solenoïd valves (water)

metal

M&M

2-way

D267 series



1

<b>No.</b>	370598	<b>Ref. No.</b>	19072
<b>description</b>	solenoïd valve brass 2-ways 230VAC inlet 1/4" outlet 1/4" connection 1/4" slide-on receptacle DIN -10 up to 180°C M&M type series D267 coil type 7701 membranes PTFE (steam) p max 9bar p min 0bar voltage 50/60		


PARKER





3-way

VE-128 series



1

<b>No.</b>	370057	<b>Ref. No.</b>	8259
<b>description</b>	solenoïd valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type ZB09 membranes ruby p max 10bar brass flange 32x32mm		
<b>spare parts for</b>	370057		
	<b>No.</b>	370062	<b>Ref. No.</b> —
solenoïd valve body PARKER 3-ways outer cone			

<b>spare parts for</b>	370057		
	<b>No.</b>	371029	<b>Ref. No.</b> —
solenoïd coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm			
<b>accessories for</b>	370057		
	<b>No.</b>	371090	<b>Ref. No.</b> —
power socket plug type DIN 43650A screw			
	<b>No.</b>	371095	<b>Ref. No.</b> —
O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs			
	<b>No.</b>	371100	<b>Ref. No.</b> —
O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs			

## pressure switches

### for coffee machines

ø 38mm



1

<b>No.</b>	541104	<b>Ref. No.</b>	21463
<b>description</b>	pressure control ø 38mm pressure range 0.2-1.2bar 10A 250V connection male faston 6.3mm 1CO pressure connection 1/4"		

## electrodes



1

<b>No.</b>	401363	<b>Ref. No.</b>	21480
<b>description</b>	level electrode 1/4" total length 110mm probe L 85mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		



1

<b>No.</b>	401157	<b>Ref. No.</b>	5277
<b>description</b>	level electrode 1/4" total length 150mm probe L 122mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		



1

<b>No.</b>	400404	<b>Ref. No.</b>	21479
<b>description</b>	level electrode 1/4" total length 240mm probe L 216mm insulated probe length 209mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		



## flow meters and flow sensors

### flow meters

#### GICAR



1

No.	541750	Ref. No.	21456
description	flow meter hose ø 7mm plastic approval NSF		

## motors


### motors

#### for ice-cube maker

#### complete



1

No.	500793	Ref. No.	23735
description	motor with belt pulley 120W 230V 50/60Hz 1 phase shaft ø 10mm 1390/1600rpm type RM63/50 ø 90mm H 160mm REBO 0.12kW		
spare parts for	500793		
	No.	695279	Ref. No.
			—
round belt pulley disc ø 49mm single shaft intake ø 10mm groove depth 5mm disc width 12mm groove width 10mm overall width 19mm shaft ø 18mm			

## pumps

### wash and rinse pumps

#### ALBA (C&A)

#### pumps








1

No.	500299	Ref. No.	17240
description	pump inlet ø 28mm outlet ø 28mm type C9035X 230V 50Hz 1 phase 0.11kW 0.15HP L 200mm rotation direction right capacitor 6.3µF ALBA PUMPS (C&A)		
spare parts for	500299		
	No.	365012	Ref. No.
			—
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			
	No.	510692	Ref. No.
			—
mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm			
	No.	521222	Ref. No.
			—
impellor ø 72mm H 19mm thread M7L shaft ø 11mm shaft length 29mm blades 3			
	No.	521518	Ref. No.
			—
pump cover ALBA PUMPS (C&A) inlet ø 28mm outlet ø 28mm turn direction right ø 93mm ID ø 76mm inner height 31mm			
	No.	532490	Ref. No.
			—
O-ring EPDM thickness 2.62mm ID ø 72.69mm Qty 1 pcs			





1


No.	500938	Ref. No.	4603	
description	pump inlet ø 30mm outlet ø 30mm type IM1629030 230V 50Hz 1 phase 0.22kW 0.3HP L 175mm rotation direction right capacitor 10µF auxiliary pressure connection 10mm supporting pressure open ALBA PUMPS (C&A)			
spare parts for	500938			
	No.	507065	Ref. No.	—
pump cover				
	No.	509018	Ref. No.	—
O-ring EPDM thickness 3.53mm ID ø 107.5mm Qty 1 pcs				
	No.	509028	Ref. No.	—
impellor ø 87mm H 21mm rotation direction right thread M7L shaft ø 12mm				
	No.	510693	Ref. No.	—
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm				
accessories for	500938			
	No.	365014	Ref. No.	—
operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection				

FIR

pumps



1










No.	500261	Ref. No.	23481	
description	pump inlet ø 30mm outlet ø 30mm type 1267.1405 230V 50Hz 1 phase 0.18kW 0.25HP L 180mm rotation direction right capacitor 10µF FIR			
spare parts for	500261			
	No.	365015	Ref. No.	—
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			
	No.	510605	Ref. No.	—
	impellor ø 80mm H 21mm M7L			
	No.	510702	Ref. No.	—
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm			
	No.	521571	Ref. No.	—
	pump cover FIR inlet ø 30mm outlet ø 30mm turn direction right ø 128mm ID ø 100mm inner height 21mm			
	No.	521701	Ref. No.	—
	pump cover gasket			



LGB



1

No.	500153	Ref. No.	14812
description	pump inlet ø outlet ø type W180SX 230V 50Hz 1 phase 0.19kW 0.26HP L 220mm rotation direction right capacitor 5µF LGB		
spare parts for	500153		
	No. 365017	Ref. No.	—
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No. 510703	Ref. No.	—
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No. 513267	Ref. No.	—
	end cap for wash pump suitable for pump casing		
	No. 518177	Ref. No.	—
	drain unit thread 3/4" ID ø 35mm hose ø 24mm		
	No. 518204	Ref. No.	—
	screw connection for filter ø 67mm		
	No. 518205	Ref. No.	—
	flat gasket rubber ED ø 61mm ID ø 47mm thickness 2mm Qty 1 pcs		
	No. 521147	Ref. No.	—
	flange		
	No. 521221	Ref. No.	—
	impellor ø 67mm H 16mm rotation direction right thread M7L shaft ø 13mm shaft length 12mm blades 8		
	No. 528800	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		

vibration pumps




1

No.	520250	Ref. No.	4112
description	by-pass thread 1/8" IT T2: M12x1 IG		





1

No.	499054	Ref. No.	6072
description	vibration pump type 1108PAALM3N 220/240V 70W 50Hz inlet ø 1/8" outlet ø 1/8" FLUID-O-TECH L 129mm		



1

No.	500124	Ref. No.	20021
description	vibration pump type EX 5 230V 48W 50/60Hz inlet ø 6 outlet ø 1/8" IT flat seal ULKA brass L 123mm		
accessories for	500124		
	No. 520152	Ref. No.	—
	hose connector Santoprene grommet ø 7mm grommet length 14mm		
	No. 520330	Ref. No.	—
	bracket rubber dimensions 69x44x4mm		








## pumps for ice machines






1

No.	500590	Ref. No.	30166	
description	pump FIR type 4240.2300 120W 230V 50/60Hz inlet ø 22mm outlet ø 22mm L 240mm rotation direction right for ice-cube maker capacitor 5µF			
spare parts for	500590			
	No.	601412	Ref. No.	—
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic			
	No.	601413	Ref. No.	—
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			



1

No.	500165	Ref. No.	30165	
description	pump REBO type 63/35 120W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 180mm rotation direction right for ice-cube maker capacitor 5µF			
spare parts for	500165			
	No.	365017	Ref. No.	—
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	No.	601412	Ref. No.	—
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic			
	No.	601413	Ref. No.	—
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

## electric accessories

## cables

## ribbon cables

## group 5




1

No.	402568	Ref. No.	21477
description	ribbon cable 16-pole L 550mm plug type 2 row coded Qty 1m		






## gas thermostats

## SIT

## 630 Eurosit series






1

No.	101188	Ref. No.	40499	
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT			
accessories for	101188			
	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	42509
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No.	—
	plug thread 3/8" with O-ring			



1









No.	101125	Ref. No.	40430
description	gas thermostat type 630 Eurosit series t.max. 340°C 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
accessories for	101125		
	No.	100825	Ref. No. —
gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 42509
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			





accessories for 101125				
	No.	100949	Ref. No.	—
	gasket suitable for 630 Eurosit series			
	No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No.	—
	plug thread 3/8" with O-ring			
	No.	101390	Ref. No.	—
	gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT			
	No.	101392	Ref. No.	—
	adapter suitable for 630 Eurosit series			
	No.	110357	Ref. No.	—
	gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series			
	No.	110358	Ref. No.	—
	adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series			

## 710 Minisit series

				
1 				
No.	101132	Ref. No.	40495	
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no			
spare parts for	101132			
	No.	101053	Ref. No.	—
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102102	Ref. No.	—
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710				
accessories for	101132			
	No.	100809	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	42509
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				

accessories for 101132				
	No.	101136	Ref. No.	—
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No.	—
	cover cap without piezoelectric igniter			
	No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No.	—
	knob suitable for Minisit ø 37mm			






				
1 				
No.	101131	Ref. No.	40494	
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulator mbar gland nut			
spare parts for	101131			
	No.	101053	Ref. No.	—
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102103	Ref. No.	—
	probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710			

Table continues overleaf













accessories for 101131				
	No.	100809	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100820	Ref. No.	—
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	42509
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	—
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	—
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	—
knob suitable for Minisit ø 37mm				

accessories			
probes			
			
1			
No.	106225 <sup>1</sup>	Ref. No.	40973
description			
probe 120-200°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 200°C fryer probe type type D1 suitable for MINISIT 710			

<sup>1</sup>gland box M14x1,5





## PEL

### 24STS series

			
1			
No.	101161	Ref. No.	41264
description			
gas thermostat PEL type 24STS 120-320°C gas inlet M20x1.5 (tube ø 12/10mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper			
spare parts for 101161			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
accessories for 101161			
	No.	101235	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps horizontal			
	No.	101236	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101240	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101241	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101248	Ref. No. —
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No. —
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No. —
union nut thread M20x1.5 for pipe ø 12mm			
	No.	101365	Ref. No. —
gas connection thread M20x1.5 tube ø 12mm for PEL gas taps horizontal			





<b>accessories for</b> 101161				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
	No.	110079	Ref. No.	—
knob dial plate gas thermostat 1-8 silver				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				


## gas valves and ignition boxes

### gas control valves









#### SIT

#### ELETTROSIT

1

<b>No.</b>	101123	<b>Ref. No.</b>	40492
<b>description</b>	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.138		
<b>spare parts for</b>	101123		
	<b>No.</b>	101312	<b>Ref. No.</b> —
microswitch			
	<b>No.</b>	101352	<b>Ref. No.</b> —
solenoid coil 230V 50Hz suitable for ELETTROSIT			
<b>accessories for</b>	101123		
	<b>No.</b>	100006	<b>Ref. No.</b> —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	<b>No.</b>	100904	<b>Ref. No.</b> —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	<b>No.</b>	100905	<b>Ref. No.</b> 42509
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	<b>No.</b>	101301	<b>Ref. No.</b> —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	<b>No.</b>	101303	<b>Ref. No.</b> —
gas connection straight thread 3/4" ELETTROSIT			
	<b>No.</b>	101309	<b>Ref. No.</b> —
extension			

1

No.	101127	Ref. No.	40422
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
spare parts for	101127		
	No.	101312	Ref. No. —
microswitch			
	No.	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETTROSIT			
accessories for	101127		
	No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 42509
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101301	Ref. No. —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	No.	101303	Ref. No. —
gas connection straight thread 3/4" ELETTROSIT			
	No.	101309	Ref. No. —
extension			













## NOVASIT











1

No.	101187	Ref. No.	40498
description	gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurebar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt		
spare parts for	101187		
	No.	101065	Ref. No. —
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
accessories for	101187		
	No.	100110	Ref. No. —
pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm			
	No.	101305	Ref. No. —
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101307	Ref. No. —
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101308	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	102116	Ref. No. —
thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"			



1

No.	101914	Ref. No.	40421
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection closed ignition pressurebar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.822.144		
spare parts for	101914		
	No.	101313	Ref. No. 42623
solenoid coil 230V 50Hz			

spare parts for	101914		
	No.	101542	Ref. No. —
solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V			
accessories for	101914		
	No.	101305	Ref. No. —
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101307	Ref. No. —
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101308	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101503	Ref. No. —
O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs			
	No.	101924	Ref. No. —
plug with cable L 1090mm suitable for NOVA 822/826/827			

## accessories




1

No.	100905	Ref. No.	42509
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		



1

No.	101313	Ref. No.	42623
description	solenoid coil 230V 50Hz		
accessories for	101313		
	No.	550896	Ref. No. —
gasket with screw gas valves NOVASIT			





## ignition parts










## pilot burners

SIT

100 series




1

No.	106901	Ref. No.	40471
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm		
spare parts for	106901		
	No.	100854	Ref. No. —
pilot burner bracket double			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
accessories for	106901		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 42509
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	102742	Ref. No. —
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs			



1


No.	106902	Ref. No.	40014
description	pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106902		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			

spare parts for	106902		
	No.	100842	Ref. No. —
pilot burner cap 2 flames Qty 1 pcs			
	No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
	No.	107161	Ref. No. —
pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs			
	No.	107701	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	106902		
	No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 42509
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No. —
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			





			
1			
No.	106903	Ref. No.	41703
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106903		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100854	Ref. No. —
pilot burner bracket double			
	No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
	No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	No.	107701	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	106903		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 42509
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No. —
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			

accessories for	106903		
	No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			






















			
1			
No.	106906	Ref. No.	40016
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100855	Ref. No. —
pilot burner bracket triple			
	No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
	No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	No.	107701	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	106906		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 42509
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

Table continues overleaf


















accessories for 106906				
	No.	107171	Ref. No.	—
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107702	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

accessories for 107114				
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

## 140 - 145 -150 series





1

No.	107114 <sup>1</sup>	Ref. No.	40472	
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm			
spare parts for	107114			
	No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	107114			
	No.	100204	Ref. No.	41007
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No.	—
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100206	Ref. No.	—
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No.	40292
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No.	9611
	ignition electrode connection M4 Qty 1 pcs			
	No.	100801	Ref. No.	—
	gasket for pilot burner Qty 1 pcs			
	No.	100897	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	No.	100898	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No.	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			


<sup>1</sup>incl. thermocouple fitting

## electrodes

				
<b>No.</b>	100701	<b>Ref. No.</b>	9611	
<b>description</b>	ignition electrode connection M4 Qty 1 pcs			
<b>accessories for</b>	100701			
	<b>No.</b>	100906	<b>Ref. No.</b>	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			

## ignition cables

### pre-assembled cables

			
1			
No.	102155	Ref. No.	41698
description	ignition cable cable length 900mm connection ø4mm / F2.8mm		


## piezoelectric igniters

### mounting diameter 18mm


1

No.	100009	Ref. No.	4182 70473	
description	piezoelectric igniter body plastic blowing mounting ø 18mm connection ø2.4mm front measurements 26mm M18x1.5			
accessories for	100009			
	No.	101339	Ref. No.	—
	cover cap for piezoelectric igniter			
	No.	106869	Ref. No.	—
	cover cap for piezoelectric igniter ID ø 22mm ED ø 35mm H 25mm			



accessories for	100009
	No. 107931 Ref. No. —
cover cap for piezoelectric igniter ID ø 21mm ED ø 36mm	

## miscellaneous

	
1	
No. nla <sup>1</sup>	Ref. No. 41192
description piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm	

<sup>1</sup>no longer available


## thermocouples


### plug-in thermocouples


#### plug-in thermocouples standard

#### with barrel socket ø6(6.5)mm


#### thermocouples SIT


	
1	
No. 107612	Ref. No. 41550
description thermocouple SIT M9x1 L 1000mm plug connection ø6.0(6.5)mm	


	
1	
No. 107613	Ref. No. 40535
description thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm	

	
1	
No. 107614	Ref. No. 40362
description thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm	

### thermocouples with aluminised tip


	
1	
No. 102036	Ref. No. 70551
description thermocouple M8x1 L 1000mm plug connection ø6.0(6.5)mm	


	
1	
No. 102035	Ref. No. 43057
description thermocouple M8x1 L 850mm plug connection ø6.0(6.5)mm	

	
1	
No. 102041	Ref. No. 40534
description thermocouple M9x1 L 600mm plug connection ø6.0(6.5)mm	

### accessories

#### nuts

	
1	
No. 102067	Ref. No. 40540
description nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1	

	
1	
No. 102500	Ref. No. 40540
description nut thread M8x1 Qty 10 pcs	





## gas burners

### hob burners

#### accessories

#### reducers for pan supports



1

<b>No.</b>	104499	<b>Ref. No.</b>	43158
<b>description</b>	reducer for pan support L 175mm W 114mm		

## gas nozzles

### main nozzles

#### gas nozzles M9x1



1

<b>No.</b>	107345	<b>Ref. No.</b>	43081
<b>description</b>	gas injector thread M9x1 WS 10 bore ø 0.9mm		



1

<b>No.</b>	107347	<b>Ref. No.</b>	43192
<b>description</b>	gas injector thread M9x1 WS 10 bore ø 2.4mm		

### pilot burner nozzles

#### pilot burner nozzles SIT

#### 140/150 series



1

<b>No.</b>	100204	<b>Ref. No.</b>	41007
<b>description</b>	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		



1

<b>No.</b>	100207	<b>Ref. No.</b>	40292
<b>description</b>	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		

#### 160 series



1

<b>No.</b>	107650	<b>Ref. No.</b>	41009
<b>description</b>	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

## auxiliary gas parts

### screw connections

#### union screws



1

<b>No.</b>	100905	<b>Ref. No.</b>	42509
<b>description</b>	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

#### angle pieces



1

<b>No.</b>	104490	<b>Ref. No.</b>	43167
<b>description</b>	angle piece T1: 1/2" IT T2: 1/2" ET grommet ø 13.5mm grommet length 22mm WS 24 brass		



1

<b>No.</b>	104489	<b>Ref. No.</b>	43168
<b>description</b>	angle piece T1: 3/4" IT T2: 1/2" ET grommet ø 13.5mm grommet length 22mm WS 24 brass		

## tools

### reamers

#### reamer set



1

<b>No.</b>	800050	<b>Ref. No.</b>	70565
<b>description</b>	nozzle reamers set size 0.5/0.6/0.7/0.8/0.9mm size 1 1.0/1.1/1.2/1.4/1.6/1.8/2.0mm 12-piece with holder		
<b>description</b>	reamer set with holder 12-piece 0.5mm / 0.6mm / 0.7mm / 0.8mm / 0.9mm / 1.0mm 1.1mm / 1.2mm / 1.4mm / 1.6mm / 1.8mm / 2.0mm		





## equipment-specific units

## for ice-cube maker


## mechanics for evaporators

## gear motors

## motors



1

No.	500793	Ref. No.	23735
description	motor with belt pulley 120W 230V 50/60Hz 1 phase shaft ø 10mm 1390/1600rpm type RM63/50 ø 90mm H 160mm REBO 0.12kW		
spare parts for	500793		
	No.	695279	Ref. No.
			—
	 round belt pulley disc ø 49mm single shaft intake ø 10mm groove depth 5mm disc width 12mm groove width 10mm overall width 19mm shaft ø 18mm		

## for espresso machines

## filter holders

## filter holders standard

## filter holder without spout



1

No.	525997	Ref. No.	N/A
description	filter holder suitable for IBERITAL without outlet mounting ø 83mm hole ø 7.5mm outlet 3/8" ID ø 56.5mm wedge height 8mm wedge position horizontal number of wedges 3 lever inclined chrome-plated brass		



1

No.	525998	Ref. No.	N/A
description	filter holder suitable for IBERITAL without outlet mounting ø 83mm hole ø 7.5mm outlet 3/8" ID ø 62mm wedge height 10.2mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		

## filter holders short



1

No.	525231	Ref. No.	19412
description	filter holder mounting ø 83mm outlet 3/8" ID ø 56.5mm handle M12x1.75 wedge height 8mm wedge position horizontal number of wedges 2 lever inclined chrome-plated brass		



1

No.	525230	Ref. No.	2966 9699
description	filter holder mounting ø 83mm outlet 3/8" ID ø 62mm handle M12x1.75 wedge height 10.2mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		

## filters

## for 1 cup



1

No.	525234	Ref. No.	19786
description	coffee filter ø 66mm mounting ø 55mm H 23mm cups 1 perforation ø 0.45mm		



1

No.	525235	Ref. No.	19787
description	coffee filter ø 66mm mounting ø 55mm H 25mm cups 1 perforation ø 0.45mm		

## for 2 cups



1

No.	529030	Ref. No.	19788
description	coffee filter ø 65mm mounting ø 55mm H 27.5mm cups 2 amount of coffee 14g		



### blind filters



1

<b>No.</b>	525232	<b>Ref. No.</b>	6551
<b>description</b>	blind filter ø 65mm mounting ø 55.2mm H 25.5mm		

### brewing units

#### shower screens

##### flat



1

<b>No.</b>	529088	<b>Ref. No.</b>	2181
<b>description</b>	shower screen ø 48mm hole ø 5.5mm flat		



1

<b>No.</b>	529084	<b>Ref. No.</b>	1194
<b>description</b>	shower screen ø 52mm hole ø 6.4mm		

##### with upstand and central hole



1

<b>No.</b>	525233	<b>Ref. No.</b>	19079
<b>description</b>	shower screen ø 52mm H 5mm hole ø 5mm		

1

<b>No.</b>	531287	<b>Ref. No.</b>	ID-103
<b>description</b>	shower screen ø 57.5mm		

### with upstand



1

<b>No.</b>	529132	<b>Ref. No.</b>	288
<b>description</b>	shower screen ø 58mm H 18mm		

### filter holder gaskets

#### flat

##### with internal notch



1

<b>No.</b>	525385	<b>Ref. No.</b>	19077
<b>description</b>	filter holder gasket inner cone D1 ø 73.5mm D2 ø 55.5mm H 10.5mm with inside notch Qty 1 pcs		

#### standard



1

<b>No.</b>	528030	<b>Ref. No.</b>	142
<b>description</b>	filter holder gasket D1 ø 72.7mm D2 ø 57.2mm H 8mm Qty 1 pcs		



1

<b>No.</b>	528060	<b>Ref. No.</b>	1280
<b>description</b>	filter holder gasket D1 ø 73.5mm D2 ø 59.5mm H 7.5mm Qty 1 pcs		



1

<b>No.</b>	525607	<b>Ref. No.</b>	142 30260
<b>description</b>	filter holder gasket D1 ø 73mm D2 ø 57mm H 8.2mm Qty 1 pcs		





1

<b>No.</b>	525371	<b>Ref. No.</b>	145
<b>description</b>	filter holder gasket D1 ø 73mm D2 ø 57mm H 9.2mm Qty 1 pcs		

## brewing units with solenoid valve

## filters

## filters



1

<b>No.</b>	526738	<b>Ref. No.</b>	22042
<b>description</b>	filter set for brewing unit		

## brewing units manual

## components

## gaskets



1

<b>No.</b>	526856	<b>Ref. No.</b>	2243
<b>description</b>	gasket D1 ø 13mm ID ø 4mm thickness 4mm Viton		



1

<b>No.</b>	525368	<b>Ref. No.</b>	172
<b>description</b>	gasket ED ø 13mm ID ø 4mm H 4mm Qty 1 pcs EPDM		



1

<b>No.</b>	525369	<b>Ref. No.</b>	163
<b>description</b>	gasket ED ø 15.5mm ID ø 7.5mm H 4mm Qty 1 pcs EPDM		



1

<b>No.</b>	525378	<b>Ref. No.</b>	449
<b>description</b>	gasket ED ø 15.5mm ID ø 7.5mm H 4mm Qty 1 pcs Viton		



1

<b>No.</b>	528494	<b>Ref. No.</b>	2243
<b>description</b>	gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		

## miscellaneous



1

<b>No.</b>	528531	<b>Ref. No.</b>	216
<b>description</b>	bolt square brass thread M3 L 12mm W 6mm H 6mm thread L 10mm		

## levers

## levers



1

<b>No.</b>	525398	<b>Ref. No.</b>	21541 7090
<b>description</b>	lever for IBERITAL		

## camshafts



1

<b>No.</b>	525763	<b>Ref. No.</b>	151 2518
<b>description</b>	camshaft shaft ø 8mm shaft intake ø 10mm L 78.3mm W 19.6mm H 16.7mm thread M6 brass suitable for IBERITAL		


## valves




1

<b>No.</b>	525761	<b>Ref. No.</b>	180
<b>description</b>	valve for brewing unit L 57.7mm round ED ø 16mm shaft ø 4mm		




			
1			
<b>No.</b>	525759	<b>Ref. No.</b>	178
<b>description</b>	valve for drain unit L 20.5mm ED ø 16mm shaft 5x5		


			
1			
<b>No.</b>	525760	<b>Ref. No.</b>	179
<b>description</b>	valve for drain unit L 59.5mm square ED ø 16mm shaft 5x5		

## components

### nozzles

#### with thread


			
1			
<b>No.</b>	526441	<b>Ref. No.</b>	21609
<b>description</b>	nozzle bore ø 0.5mm thread M6x0.75 L 9mm		


			
1			
<b>No.</b>	528486	<b>Ref. No.</b>	267
<b>description</b>	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7		

## water dispersions

### water dispersions

#### group 2


			
1			
<b>No.</b>	525756	<b>Ref. No.</b>	175
<b>description</b>	water distributor ø 30mm hole ø 1.5mm H 15mm ET M10x1 grooves 6 2.6mm brass 2 holes perforation ø 1mm		


			
1			
<b>No.</b>	525757	<b>Ref. No.</b>	19449
<b>description</b>	water distributor ø 30mm hole ø 3mm H 14.5mm ET M10x1 IT M5 grooves 6 2.8mm brass 2 holes perforation ø 1mm		

## safety valves

### safety valves

#### 3/8"

			
1			
<b>No.</b>	529302	<b>Ref. No.</b>	3596
<b>description</b>	safety valve connection 3/8" triggering pressure 1.8bar		

			
1			
<b>No.</b>	529312	<b>Ref. No.</b>	1314
<b>description</b>	safety valve connection 3/8" triggering pressure 1.8bar		

## expansion valves

### gaskets

			
1			
<b>No.</b>	526692	<b>Ref. No.</b>	160
<b>description</b>	gasket ED ø 15mm seat ø 6mm H 4mm overall height 9mm		

## drain pans

### drain pans

			
1			
<b>No.</b>	525217	<b>Ref. No.</b>	9937
<b>description</b>	drain pan L 78mm W 70mm H 54mm hose ø 12mm suitable for IBERITAL		

			
1			
<b>No.</b>	525214	<b>Ref. No.</b>	6000
<b>description</b>	drain pan L 85mm ø 65mm hose ø 19mm suitable for IBERITAL		





			
1			
<b>No.</b>	525216	<b>Ref. No.</b>	23891
<b>description</b>	drain pan L 90mm W 70mm H 43mm hole ø 27mm hose ø 12mm		

#### accessories


			
1			
<b>No.</b>	525215	<b>Ref. No.</b>	22116 9188 9435
<b>description</b>	drain hose L 290mm ID ø 6mm ED ø 9mm		

#### aerators and air bleeders

			
1			
<b>No.</b>	529326	<b>Ref. No.</b>	3319
<b>description</b>	aerator and air bleeder		




1

<b>No.</b>	529303	<b>Ref. No.</b>	3319	
<b>description</b>	aerator and air bleeder connection 1/4" only steam			
<b>spare parts for</b>	529303			
<div>  </div>	<b>No.</b>	528687	<b>Ref. No.</b>	—
O-ring Viton thickness 1.78mm ID ø 3.69mm Qty 1 pcs				

#### boilers


##### pipes

			
1			
<b>No.</b>	525762	<b>Ref. No.</b>	9242
<b>description</b>	aspiration tube tube ø 8mm pipe length 135mm T1: 1/4" T2: 1/4" copper conical seal		

#### steam/water taps


##### steam/water taps

##### steam/water taps

			
1			
<b>No.</b>	525389	<b>Ref. No.</b>	11300
<b>description</b>	steam/water tap swing lever inlet 1/4" outlet 3/8" suitable for IBERITAL		


#### steam taps

##### steam taps (complete)

			
1			
<b>No.</b>	525392	<b>Ref. No.</b>	11017
<b>description</b>	steam tap with steam pipe inlet 1/4" suitable for IBERITAL		

#### components

##### gaskets

			
1			
<b>No.</b>	526856	<b>Ref. No.</b>	2243
<b>description</b>	gasket D1 ø 13mm ID ø 4mm thickness 4mm Viton		

#### gasket supports

			
1			
<b>No.</b>	525175	<b>Ref. No.</b>	1973
<b>description</b>	valve ø hexagon 16mm L 14mm brass		



## valve bodies



1

<b>No.</b>	525764	<b>Ref. No.</b>	6783
<b>description</b>	valve body for steam-/water-tap		

## water taps

### water taps



1

<b>No.</b>	525391	<b>Ref. No.</b>	11277
<b>description</b>	water tap with pipe inlet 1/4" suitable for IBERITAL		

## steam/water pipes

### steam pipes



1

<b>No.</b>	525396	<b>Ref. No.</b>	8302
<b>description</b>	steam pipe thread 3/8" H 175mm L 210mm ø 14.2mm tube ø 10mm suitable for FAEMA		



1

<b>No.</b>	525395	<b>Ref. No.</b>	19084
<b>description</b>	steam pipe thread 3/8" H 225mm L 255mm ø 14.2mm tube ø 10mm suitable for IBERITAL		

## water pipes



1

<b>No.</b>	525397	<b>Ref. No.</b>	19085
<b>description</b>	water pipe thread 3/8" ø 14.2mm L 65mm suitable for IBERITAL		

## accessories

### bushes



1

<b>No.</b>	528786	<b>Ref. No.</b>	7506
<b>description</b>	bush		



1

<b>No.</b>	525324	<b>Ref. No.</b>	19051
<b>description</b>	bush D1 ø 14.3mm D2 ø 11.4mm H 6mm PTFE ID ø 7.1mm		



1

<b>No.</b>	525357	<b>Ref. No.</b>	7321
<b>description</b>	bush D1 ø 15mm D2 ø 10.4mm H 10.3mm PTFE ID ø 7.6mm		

## tube handles



1

<b>No.</b>	525152	<b>Ref. No.</b>	10493
<b>description</b>	handle for pipe ø 10mm L 40mm rubber		

## fine filters

### fine filters



1

<b>No.</b>	529911	<b>Ref. No.</b>	10971 263
<b>description</b>	fine filter flat ø 11mm H 0.25mm		



1

<b>No.</b>	528946	<b>Ref. No.</b>	5232
<b>description</b>	fine filter pipe ø 8.5mm H 22mm		



## intake valves

## intake valves



1

No.	525394	Ref. No.	19065
description	intake valve centre for IBERITAL		



1

No.	525390	Ref. No.	10001
description	intake valve front for IBERITAL		



1

No.	525393	Ref. No.	11646
description	intake valve rear for IBERITAL		

## accessories

## bushes



1

No.	525758	Ref. No.	4075
description	bush for filling valve D1 ø 15mm int. ø 1 12.9mm int. ø 2 10.8mm H 12.8mm brass		

## gaskets



1

No.	528596	Ref. No.	316
description	gasket ED ø 12mm ID ø 4mm overall height 4mm conical		

## level glasses

## level glasses

## gaskets



1

No.	525379	Ref. No.	19794
description	gasket D1 ø 15mm D2 ø 10mm ID ø 6mm		

## pressure rings



1

No.	525238	Ref. No.	2501
description	press ring D1 ø 15mm D2 ø 11.5mm thickness 1.5mm brass for level glass		

## level glass pipes



1

No.	525218	Ref. No.	9602
description	water level tube ø 11mm H 140mm ID ø 6.5mm marking Min/Max red/blue		



1

No.	529351	Ref. No.	95
description	water level tube ø 12mm H 135mm		

## non-return valves

## balls



1

No.	528419	Ref. No.	158
description	ball ø 11mm SS		

## for coffee grinders

## grinding burrs

## grinding burrs conical



1

No.	526890	Ref. No.	709
description	grinding burrs pair turn direction right D1 ø 38mm D2 ø 30mm H 18/20mm shaft ø 7mm suitable for IBERITAL		

## miscellaneous



1

No.	530534	Ref. No.	14572
description	equipment foot rectangular L 30mm plastic for coffee grinder		



## dosing containers

### dosing container lids



1

No.	527458	Ref. No.	4186
description lid for dosing container ø 126mm			

## automatic grinding

### automatic grinding



1

No.	698757	Ref. No.	23621
description housing for microswitch H 26mm L 102mm			

accessories for 698757



No.	698756	Ref. No.	23620
-----	--------	----------	-------

lid for microswitch H 20mm



1

No.	698756	Ref. No.	23620
description lid for microswitch H 20mm			

## miscellaneous



1

No.	526541	Ref. No.	8161
description frame for lid L 73.5mm W 44mm H 8mm mounting pos. lower plastic			

## support for filter holder



1

No.	527891	Ref. No.	5854
description filter holder support for dosing unit L 71mm W 98mm H 25mm plastic			

## for dishwashers

### air traps

#### air traps



1

No.	517171	Ref. No.	16147
-----	--------	----------	-------

description air trap L 90mm W 55mm H 31mm

accessories for 517171



No.	517173	Ref. No.	—
flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs			



No.	517174	Ref. No.	—
nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			

## door mechanics

### miscellaneous



1

No.	528224	Ref. No.	3163
-----	--------	----------	------

description gasket PTFE gasket

## washing and rinsing systems



1

No.	505040	Ref. No.	6277
-----	--------	----------	------

description bush for wash arm



1

No.	517103	Ref. No.	16152
-----	--------	----------	-------

description cover





## knobs

### steam/water taps

#### steam/water taps



1

No.	111109	Ref. No.	2163
description	knob ø 46mm shaft ø lead: 2mm black		



1

No.	111372	Ref. No.	9468
description	knob ø 50mm L 32mm shaft 8mm black		

### knob dial plates



1

No.	111376	Ref. No.	9472
description	knob dial plate for water filling ø 24mm black		

## handles and hand wheels

### miscellaneous



1

No.	111373	Ref. No.	10930
description	handle for sliding valve shaft ø 6x5mm black suitable for IBERITAL		

### accessories



1

No.	525213	Ref. No.	11010
description	bezel for sliding valve steam suitable for IBERITAL		



1

No.	525399	Ref. No.	11009
description	bezel for sliding valve water suitable for IBERITAL		

## hinges

### oven hinges



1

No.	701137	Ref. No.	43037
description	cover mounting distance 95mm L 112mm W 26mm thickness 1mm cut-out 9x66mm for oven hinge		



1

No.	701135	Ref. No.	43033
description	opposite support mounting distance 94mm L 110mm W 19mm for oven hinge		



1



No.	701134	Ref. No.	43032
description	oven hinge mounting distance 173mm mounting distance 2mm lug mounting 14mm lever length 123mm groove distance 10mm spring thickness 3.5mm mounting ear position left/right spring length 112mm L 207mm W 25mm		







## gaskets



### O-rings

#### EPDM



1			
No.	525310	Ref. No.	330
description O-ring EPDM thickness 1.9mm ID ø 4.2mm Qty 1 pcs			



1			
No.	529251	Ref. No.	19426
description O-ring EPDM thickness 2.62mm ID ø 15.08mm Qty 1 pcs			



1			
No.	528583	Ref. No.	1293
description O-ring EPDM thickness 2.62mm ID ø 9.13mm Qty 1 pcs			

1			
No.	510951	Ref. No.	176
description O-ring EPDM thickness 3.53mm ID ø 18.64mm Qty 1 pcs			



#### silicone



1			
No.	525388	Ref. No.	2350
description O-ring silicone thickness 1.78mm ID ø 9.25mm Qty 1 pcs			

1			
No.	525384	Ref. No.	2179
description O-ring silicone thickness 1.9mm ID ø 4.2mm Qty 1 pcs			

1			
No.	528222	Ref. No.	1019
description O-ring silicone thickness 2.62mm ID ø 10.78mm Qty 1 pcs			


#### Viton

1			
No.	528226	Ref. No.	1287
description O-ring Viton thickness 2.62mm ID ø 9.92mm Qty 1 pcs			

1			
No.	528525	Ref. No.	10242
description O-ring Viton thickness 3.53mm ID ø 18.64mm Qty 1 pcs			


## sealing washers

### rubber gaskets


1			
No.	528494	Ref. No.	2243
description gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs			

### copper gaskets

#### DIN-7603-A


1			
No.	525386	Ref. No.	1565
description flat gasket copper ED ø 26mm ID ø 21mm thickness 1mm Qty 1 pcs			

#### DIN-7603-C


1			
No.	528520	Ref. No.	270
description gasket copper ED ø 22mm ID ø 16mm thickness 2mm			








			
1			
<b>No.</b>	525381	<b>Ref. No.</b>	10622
<b>description</b>	gasket copper ED ø 27mm ID ø 21mm thickness 3mm Qty 1 pcs		


## PTFE gaskets

			
1			
<b>No.</b>	525380	<b>Ref. No.</b>	11345
<b>description</b>	flat gasket PTFE ED ø 14mm ID ø 9.5mm thickness 0.5mm Qty 1 pcs		

			
1			
<b>No.</b>	526661	<b>Ref. No.</b>	10002
<b>description</b>	flat gasket PTFE ED ø 17mm ID ø 13mm thickness 2mm Qty 1 pcs		


			
1			
<b>No.</b>	525611	<b>Ref. No.</b>	4216 9559
<b>description</b>	flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs		


			
1			
<b>No.</b>	528683	<b>Ref. No.</b>	4215
<b>description</b>	flat gasket PTFE ED ø 26mm ID ø 21mm thickness 2mm Qty 1 pcs suitable for GAGGIA, SPAZIALE		

			
1			
<b>No.</b>	528918	<b>Ref. No.</b>	4199
<b>description</b>	flat gasket PTFE ED ø 36mm ID ø 30mm thickness 2mm Qty 1 pcs suitable for VIBIEMME		

## special gaskets


### group gaskets


			
1			
<b>No.</b>	525377	<b>Ref. No.</b>	9193
<b>description</b>	group gasket L 77mm W 66mm thickness 2mm aperture 24x6mm fibre		


			
1			
<b>No.</b>	528943	<b>Ref. No.</b>	7685
<b>description</b>	group gasket L 77mm W 74mm thickness 2mm aperture 27x66mm hole distance 56mm fibre		


## springs


### compression springs


			
1			
<b>No.</b>	525359	<b>Ref. No.</b>	10415
<b>description</b>	compression spring ø 10.7mm L 30mm wire gauge ø 1.2mm windings 8		

			
1			
<b>No.</b>	525360	<b>Ref. No.</b>	11050
<b>description</b>	compression spring ø 11.5mm L 26mm wire gauge ø 2mm windings 7		

			
1			
<b>No.</b>	525370	<b>Ref. No.</b>	248
<b>description</b>	compression spring ø 13.5mm L 40.5mm wire gauge ø 1.1mm windings 7		

			
1			
<b>No.</b>	525236	<b>Ref. No.</b>	156
<b>description</b>	compression spring ø 14.5mm L 31.5mm wire gauge ø 2mm windings 7		

			
1			
<b>No.</b>	525372	<b>Ref. No.</b>	162
<b>description</b>	compression spring ø 15mm L 27.5mm wire gauge ø 1.8mm windings 4		

			
1			
<b>No.</b>	525361	<b>Ref. No.</b>	148
<b>description</b>	compression spring ø 8.3mm L 32mm wire gauge ø 0.4mm windings 10		







## coffee accessories


### supports for filter holders


			
1			
No.	531293	Ref. No.	—
description	bracket for filter holder W 90mm D 70mm H 65mm SS/rubber		


## manometers


			
1			
No.	541763	Ref. No.	9679
description	manometer double scale ø 58mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
No.	541223	Ref. No.	21731
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
No.	541764	Ref. No.	11267
description	manometer ø 39mm pressure range 0-16bar thread 1/8" marking 8-9 connection on the backside		

			
1			
No.	525375	Ref. No.	11268
description	manometer ø 39mm pressure range 0-3bar thread 1/8" marking 0.8-1 connection on the backside		

			
1			
No.	525645	Ref. No.	24976
description	manometer ø 57mm pressure range 0-16bar CARIMALI connection 1/8"		

			
1			
No.	525644	Ref. No.	24975
description	manometer ø 57mm pressure range 0-2.5bar without glass connection 1/8"		

## dosing pumps

### membrane dosing pumps

#### self-priming

#### LANG












			
1			
No.	361221	Ref. No.	4211
description	dosing pump type N6 rinse aid pressure connection ø 4x6mm suction connection ø 6x8mm LANG		
spare parts for	361221		
	No.	361079	Ref. No. —
	spring for type N5/N6 for ball		
	No.	361080	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs		
	No.	361085	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs		
	No.	361309	Ref. No. —
	ball for type N5/N6		
	No.	361310	Ref. No. —
	bracket for type N6 ball guide		
	No.	361311	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
	No.	361314	Ref. No. —
	valve ring for type N6 holder for O-ring		

Table continues overleaf





spare parts for 361221				
	No.	361317	Ref. No.	—
sealing disc for type N6				
	No.	361886	Ref. No.	—
non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm				
	No.	505228	Ref. No.	—
spacer bush ID ø 4.5mm ED ø 10mm L 16mm for dosing pump				

## hoses

### supply hoses

#### stainless steel flexi hoses


#### universal hoses



1




No.	520602	Ref. No.	351
description flex hose SS braid straight-straight DN8 connections 3/8" L 1500mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar			



1



No.	520572	Ref. No.	3052
description flex hose SS braid straight-straight DN8 connections 3/8" L 500mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar			




1



No.	520600	Ref. No.	520600
description flex hose SS braid straight-straight DN8 connections 3/8" L 750mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar			

## industrial hoses

### hoses wire reinforced



1

No.	520489	Ref. No.	7074
description drain hose ID ø 14mm ED ø 20mm L 1.5m wire reinforced			

## ittings, hose and pipe connectors

### hose connectors

#### without screw connection



1

No.	510843	Ref. No.	22975
description T-piece plastic hose ø 10-6-10mm			

## ittings

### double nipples



1

No.	520164	Ref. No.	959
description double nipple nickel-plated brass thread 1/4" - 3/8" Qty 1 pcs			

## valves and tank inlets

### ball valves

#### universal

#### mini ball valves



1

No.	520723	Ref. No.	8263
description ball valve connection 3/8" IT - 3/8" ET DN8 total length 40mm brass			





## tools

### machining

#### reamers

#### reamer set



1			
<b>No.</b>	800050	<b>Ref. No.</b>	70565
<b>description</b>	nozzle reamers set size 0.5/0.6/0.7/0.8/0.9mm size 1 1.0/1.1/1.2/1.4/1.6/1.8/2.0mm 12-piece with holder		
<b>description</b>	reamer set with holder 12-piece 0.5mm / 0.6mm / 0.7mm / 0.8mm / 0.9mm / 1.0mm 1.1mm / 1.2mm / 1.4mm / 1.6mm / 1.8mm / 2.0mm		

## fastening material

### screws

#### hexagonal screws



1			
<b>No.</b>	560085	<b>Ref. No.</b>	11270
<b>description</b>	hexagonal screw thread M5 thread L 20mm SS WS 8 Qty 20 pcs DIN 933 / ISO 4017		

### nuts

#### hexagonal nuts

#### hexagonal nuts metric (without norm)



1			
<b>No.</b>	102067	<b>Ref. No.</b>	40540
<b>description</b>	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

### washers

#### washers

#### miscellaneous



1			
<b>No.</b>	525382	<b>Ref. No.</b>	8978
<b>description</b>	plain washer ID ø 14.5mm ED ø 18.5mm thickness 1.5mm Qty 1 pcs		



1			
<b>No.</b>	525383	<b>Ref. No.</b>	21582
<b>description</b>	plain washer ID ø 7mm ED ø 15mm thickness 0.5mm brass Qty 1 pcs		



1			
<b>No.</b>	525387	<b>Ref. No.</b>	11079
<b>description</b>	plain washer ID ø 8mm ED ø 14mm thickness 0.5mm brass Qty 1 pcs		