

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

IMPERIAL-USA

thermostats

control and safety thermostats

INVENSYS / ROBERTSHAW

control thermostats



No.	390636	Ref. No.	0319 1175
description	thermostat t.max. 204°C temperature range 93-204°C 1-pole 1NO 0.67A probe ø 9.5mm probe L 123mm capillary pipe 915mm capillary pipe isolatedmm gland nut 1/4" NPT shaft ø 6x4.6mm shaft L 21mm shaft position lower rotation 315° probe material nickel-plated probe thread 1/4" US		
For models:	Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Counter-Fryer, IF-Series-Fryers		




No.	390637	Ref. No.	1160
description	thermostat t.max. 260°C temperature range 93-260°C 1-pole 1NOA probe ø 4.5mm probe L 310mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6.5x4.7mm shaft L 32.5mm shaft position lower rotation 270° probe material SS		
For models:	ICV-and-ICVD-Series, IDR-Series, IR-Series-medium-duty-Range, ISAE-Griddle		

safety thermostats



No.	390638	Ref. No.	33497
description	safety thermostat switch-off temp. 218°C temperature range°C 1-pole 1COA probe ø 8mm probe L 77mm capillary pipe 940mm capillary pipe isolatedmm gland nut 1/4" NPT shaft ømm probe SS		



No.	390639	Ref. No.	0328 1177
description	safety thermostat switch-off temp. 232°C 1-pole 1COA probe ø 7.9mm probe L 77mm capillary pipe 914mm capillary pipe isolatedmm gland nut 3/8" NPT shaft ømm probe SS 450°F		
For models:	Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Counter-Fryer, IF-Series-Fryers		



No.	390965	Ref. No.	36942
description	safety thermostat switch-off temp. 232°C 1-poleA probe ø 7.93mm probe L 77mm capillary pipe 760mm capillary pipe isolatedmm gland nut shaft ømm probe SS		

solenoid valves

solenoid valves (gas)



No.	106366	Ref. No.	1134 513-1
description	solenoid valve gas 2-ways 110V inlet 3/8" outlet 3/8" L 50mm		
For models:	ICV-and-ICVD-Series, IDR-Series, IR-Series-medium-duty-Range, ISAE-Griddle, ISCE-Griddle		



gas taps

TEDDINGTON



1

No.	106370	Ref. No.	0252-1 1651-R
description	gas tap TEDDINGTON gas inlet flange (tube ø 1/4") left gas outlet 3/8"x27 UNF pilot connection 1/4" CCT thermocouple connection ASA 11/32 shaft ø 8.7x6.2mm shaft L 17/9mm shaft flat right ignition gas no		



1

No.	106717	Ref. No.	1660-L 38101 TESA2394/15L
description	gas tap TEDDINGTON type TESA2394/15L without ignition flame gas inlet flange (tube ø 1/4") left bypass nozzle ømm gas outlet 3/8"x27 UNF pilot connection thermocouple connection ASA 11/32 shaft ø 8.7x6.2mm shaft L 17/9mm shaft flat left		



1

No.	106377	Ref. No.	0276 1660-R 38102 TESA2394/15R
description	gas tap TEDDINGTON type TESA2394/15R gas inlet flange (tube ø 1/4") right bypass nozzle ømm gas outlet 3/8"x27 UNF pilot connection thermocouple connection ASA 11/32 shaft ø 8.7x6.2mm shaft L 17/9mm shaft flat right		



1

No.	106369	Ref. No.	1651-L 38099 TESA2394/8L
description	gas tap TEDDINGTON type TESA2394/8L gas inlet flange (tube ø 1/4") left bypass nozzle ømm gas outlet 3/8"x27 UNF pilot connection 1/4" CCT thermocouple connection ASA 11/32 shaft ø 8.7x6.2mm shaft L 17/9mm shaft flat left		



1

No.	106941	Ref. No.	1651-R 38100 TESA2394/8R
description	gas tap TEDDINGTON type TESA2394/8R gas inlet flange (tube ø 1/4") right bypass nozzle ømm gas outlet 3/8"x27 UNF pilot connection 1/4" CCT thermocouple connection ASA 11/32 shaft ø 8.7x6.2mm shaft L 17/9mm shaft flat right ignition gas 1/4" pipe US		

miscellaneous



1

No.	107845	Ref. No.	1610 1651-L
description	gas tap GARLAND gas inlet 1/8" bypass nozzle ømm gas outlet 1/8" pilot connection thermocouple connection shaft L 31/12mm		
For models:	EBA-Series-Char-Rock-Broilers, GD-Series-Char-Rock-Broilers, IAB-Series-Steakhouse-Broiler, ICB-Chicken-Broiler, ICMA-Series-Cheese-melter, ICRA-Series-chinese-range, IHPA-Series-Hot-Plate, IHR-Series-with-standard-oven, IMGA-Series-Manually-controlled-Griddles, IPRA-and-IPR-Series-Pork-Roaster, IR2000-Series, IRB-Series-Radiant-Char-Broilers, IR-Series-Medium-Duty-Ranges, ISB-Series-Salamander-Broiler, ISPA-Series-stock-Pot, MSQ-Mesquite-Wood-Broiler		

gas thermostats

ROBERTSHAW




No.	106371	Ref. No.	1150 2019
description	gas thermostat type BJA25PB t.max. 287°C 93-287°C 200-550°F gas inlet flange (tube ø 5/16") bypass nozzle ø 0mm gas outlet 1/4" NPT thermocouple connection pilot connection capillary pipe 48" - 1220mm probe ø 3/16" - 4.7mm probe L 11 1/4" - 285mm gland nut shaft ø 17mm shaft L 13mm shaft flat upper		
For models:	IR2000-Series, IR-Serie-Medium-Duty-Ranges		
accessories for	106371		
	No.	106659	Ref. No. 1104
gas connection suitable for thermostat			
	No.	112547	Ref. No. 1151 2131
knob gas thermostat t.max. 500°F 200-500°F ø 49mm shaft ømm shaft flat ROBERTSHAW black			
	No.	112735	Ref. No. 1101
knob gas thermostat t.max. 400°F 150-400°F ø 49mm shaft ø 17mm black			



No.	106657	Ref. No.	1100
description	gas thermostat type BJA25PBD0324 65-204°C 150-400°F gas inlet flange (tube ø 5/16") bypass nozzle ø 0mm gas outlet 2x 1/4" NPT thermocouple connection pilot connection capillary pipe 24" - 610mm probe ø 3/16" - 4.7mm probe L 7 3/4" - 195mm shaft ø 17mm shaft L 13mm shaft flat upper		
For models:	IHR-Series-with-standard-oven, IR2000-Series, IR-Serie-Medium-Duty-Ranges, ITG24, ITG36, ITG-Series-Thermostatically-controlled		
accessories for	106657		
	No.	106659	Ref. No. 1104
gas connection suitable for thermostat			
	No.	112548	Ref. No. 1106 2011
knob gas thermostat t.max. 400°F 150-400°F ø 49mm shaft ømm shaft flat ROBERTSHAW			

TEDDINGTON



No.	106372	Ref. No.	1179 36014
description	gas thermostat type COMSA006 t.max. 260°C gas inlet flange (tube ø 7.5mm) bypass nozzle ø 1.3mm gas outlet 1/4" NPTmm thermocouple connection ASA 11/32 pilot connection 1/8" capillary pipe 1100mm probe ø 4.8mm probe L 198mm shaft ø 8.8x6.3mm shaft L 28/19mm shaft flat lower		

gas valves and ignition boxes

gas control valves

HONEYWELL



No.	106361 ¹	Ref. No.	0365-2 1173-HW 1173-WR
description	gas valve type VS820A natural gas 0.75VHz gas inlet 3/4" NPT gas outlet 3/4" NPT thermocouple connection pilot connection 1/4" CCT pressure range 7.5-12.5mbar 3-5"W.C. operator type VS824A pressure controller type V5306A		
spare parts for	106361		
	No.	101408	Ref. No. —
operator suitable for HONEYWELL supply Operator millivolt			

¹incl. reducer fittings 2x 1/2" NPT and 1x 3/8" NPT



ROBERTSHAW

millivolt controlled valves



1

No.	580031	Ref. No.	0365-2 1173 1173-HW 1173-WR	
description	gas valve supply Operator millivolt gas inlet 3/4" NPT gas outlet 3/4" NPT thermocouple connection pilot connection 1/4" CCT type 7000BMVR pressure controller natural gas 3.5" W.C. suitable for ROBERTSHAW			
For models:	Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers			
spare parts for	580031			
	No.	101422	Ref. No.	—
operator natural gas supply Operator millivolt				
	No.	106109	Ref. No.	28282
locking screw thread 7/16"-24 UNS for pipe ø 1/4" L 16mm brass Qty 1 pcs WS 7/16" (11.113mm) hole ø 6.4mm				
	No.	106121	Ref. No.	—
pressure controller natural gas 3.5" W.C.				
	No.	580033	Ref. No.	28328
knob suitable for ROBERTSHAW				

spare parts for 106792

No.	580033	Ref. No.	28328
	knob suitable for ROBERTSHAW		



1

No.	106726	Ref. No.	1174 1174-RS
description	gas valve supply Operator millivolt gas inlet 3/4" NPT gas outlet 3/4" NPT thermocouple connection pilot connection 1/4" CCT type 7000BMVR-LP pressure controller LPG 10"W.C. ROBERTSHAW operator type 82266 output pressure 24.9mbar 700mV		
For models:	Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		
spare parts for	106726		
	No.	101393	Ref. No. —
blank plate LPG suitable for ROBERTSHAW			
	No.	101421	Ref. No. —
operator LPG 705-50A 82952 supply Operator millivolt			
	No.	106109	Ref. No. 28282
locking screw thread 7/16"-24 UNS for pipe ø 1/4" L 16mm brass Qty 1 pcs WS 7/16" (11.113mm) hole ø 6.4mm			
	No.	580033	Ref. No. 28328
knob suitable for ROBERTSHAW			



1

No.	106792	Ref. No.	1173 1173-RS	
description	gas valve supply Operator millivolt gas inlet 3/4" NPT gas outlet 3/4" NPT thermocouple connection pilot connection 1/4" CCT type 7000BMVR pressure controller natural gas 4.0" W.C. natural gas output pressure 4"W.C. operator type 82266 output pressure 10mbar			
spare parts for	106792			
	No.	101422	Ref. No.	—
	operator natural gas supply Operator millivolt			
	No.	106109	Ref. No.	28282
	locking screw thread 7/16"-24 UNS for pipe ø 1/4" L 16mm brass Qty 1 pcs WS 7/16" (11.113mm) hole ø 6.4mm			

safety valves

miscellaneous



1

No.	106368	Ref. No.	1110-1
description	safety valve BASO type H15HR-3 pressure range 34.5mbar gas inlet 9/16" UNEF (tube ø 9/16") gas outlet 3/8x27 UNF (tube ø 1/4") thermocouple connection 5/32" UNEF 1/2PSI pilot connection 2x 1/4" CCT		



			
1			
No.	106367	Ref. No.	1110
description	safety valve ROBERTSHAW type TS11J pressure range 34.5mbar gas inlet 1/4" NPT gas outlet 1/4" NPT thermocouple connection ASA 11/32 1/2PSI pilot connection 2x 3/8" UNF		
For models:	IHR-Series-with-standard-oven, IPRA-and-IPR-Series-Pork-Roaster, IR2000-Series, IR-Serie-Medium-Duty-Ranges		

			
1			
No.	106348	Ref. No.	1018 1291 1291.018 1292
description	pilot burner ROBERTSHAW type 5CL-2 2 flames natural gas code 18 for pipe ø 3/16" CCT gas connection 3/16" CCTmm nozzle ømm		
For models:	ICMA-Series-Cheesemelter, IDR-Series, IF-Counter-Fryer, IHR-Series-with-standard-oven, IPRA-and-IPR-Series-Pork-Roaster, IR2000-Series, IR-Serie-Medium-Duty-Ranges, ISAE-Griddle, ISB-Series-Salaman-der-Broiler, ISCE-Griddle		

ignition parts

pilot burners

ROBERTSHAW

pilot burners

universal series - type 5

			
1			
No.	106345	Ref. No.	0316 0316.011 1325
description	pilot burner ROBERTSHAW type 5CHL-6 2 flames LPG code 11 for pipe ø 1/4" CCT gas connection 1/4" CCTmm		
For models:	IF-Counter-Fryer		

			
1			
No.	106344	Ref. No.	0316 0316.018 1325
description	pilot burner ROBERTSHAW type 5CHL-6 2 flames natural gas code 18 for pipe ø 1/4" CCT gas connection 1/4" CCTmm		

universal series - type 6

Width of caps:

6CH10 = 1" (25,4mm)

6CH14 = 1½" (38,1mm)

6CH24 = 2½" (63,5mm)

6CH30 = 3" (76,2mm)

			
1			
No.	106347	Ref. No.	1095-16 1095-16.011
description	pilot burner ROBERTSHAW type 6CH14-10 3 flames LPG code 11 for pipe ø 1/4" CCT gas connection 1/4" CCTmm		

			
1			
No.	106375	Ref. No.	1095-16 1095-16.016
description	pilot burner ROBERTSHAW type 6CH14-10 3 flames LPG code 16 for pipe ø 1/4" CCT gas connection 1/4" CCTmm		
For models:	IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		



1

No.	106346	Ref. No.	0310 0310.022 1095-26
description	pilot burner ROBERTSHAW type 6CH14-10 3 flames natural gas code 22 for pipe ø 1/4" CCT gas connection 1/4" CCTmm		
For models:	IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		

universal series with electrodes



1

No.	106349	Ref. No.	1120 1120.018 2139 2139.018
description	pilot burner ROBERTSHAW type 5SL-2 2 flames natural gas code 18 for pipe ø 3/16" CCT		
For models:	IR2000-Series, IR-Serie-Medium-Duty-Ranges, ISAE-Griddle, IS-CE-Griddle		


miscellaneous



1

No.	102539	Ref. No.	25001
description	pilot burner IMPERIAL USA 4 complete		
For models:	IHR-Series-with-standard-oven		

electrodes



1

No.	106350	Ref. No.	1256
description	ignition electrode flange length 29mm flange width 1 14mm flange width 2 7mm D1 ø 8mm L1 48mm BL1 16mm BL2 19mm connection F2.8x0.8 fixing dimensions ø3mm		

ignition cables

pre-assembled cables

1

No.	100197	Ref. No.	1285
description	ignition cable cable length 600mm connection F2.8mm / ø2.4mm		

piezoelectric igniters

mounting diameter 18mm



1

No.	100009	Ref. No.	1075 2080
description	piezoelectric igniter body plastic blowing mounting ø 18mm connection ø2.4mm front measurements 26mm M18x1.5		
For models:	IR2000-Series, IR-Serie-Medium-Duty-Ranges		
accessories for	100009		



No.	101339	Ref. No.	—
cover cap for piezoelectric igniter			





No.	106869	Ref. No.	—
cover cap for piezoelectric igniter ID ø 22mm ED ø 35mm H 25mm			



No.	107931	Ref. No.	—
cover cap for piezoelectric igniter ID ø 21mm ED ø 36mm			

thermocouples



thermocouple sets universal






plug-in thermocouples

plug-in thermocouples standard


ROBERTSHAW



threaded thermocouples (miscellaneous)



thermopiles



gas burners

hob burners

producer-specific hob burners

IMPERIAL USA





1

No.	104274	Ref. No.	25050
description	burner head ø 155mm front suitable for IHR		
For models:	IHR-Series-with-standard-oven		



1

No.	104279	Ref. No.	25051
description	burner head ø 155mm rear suitable for IHR		
For models:	IHR-Series-with-standard-oven		

bar burners

bar burners



1

No.	103019	Ref. No.	11350
description	bar burner L 355mm W 155mm ømm H 75mm chargrill		
For models:	EBA-Series-Char-Rock-Broilers		



1

No.	103028	Ref. No.	2092-1 2099
description	bar burner L 510mm W 150mm ø 32mm Hmm griddle		



1

No.	210023	Ref. No.	1206 5001
description	chargrill grid L 530mm W 127mm H 20mm chargrill		
For models:	EBA-Series-Char-Rock-Broilers, IAB-Series-Steakhouse-Broiler		



1

No.	210024	Ref. No.	1207 5003
description	lava rock grid L 385mm W 205mm H 25mm		
For models:	EBA-Series-Char-Rock-Broilers		

chargrill grids



1

No.	210023	Ref. No.	1206 5001
description	chargrill grid L 530mm W 127mm H 20mm chargrill		
For models:	EBA-Series-Char-Rock-Broilers, IAB-Series-Steakhouse-Broiler		

lava rock grids



1

No.	210024	Ref. No.	1207 5003
description	lava rock grid L 385mm W 205mm H 25mm		
For models:	EBA-Series-Char-Rock-Broilers		

tube burners



1

No.	105561	Ref. No.	0305 1225
description	tubular burner L 330mm W 65mm H 56mm fryer oval		
For models:	Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		



gas nozzles

main nozzles

gas nozzles 3/8" UNF



1

No.	106353	Ref. No.	2062
description	gas injector code 39 thread 3/8" UNF bore ø 2.5mm ø 11mm total length 18.5mm WS 13		



1

No.	106351	Ref. No.	2059
description	gas injector code 41 thread 3/8" UNF bore ø 2.4mm ø 11mm total length 18.5mm WS 13		



1

No.	106376	Ref. No.	1700-43 2062-1
description	gas injector code 43 thread 3/8" UNF bore ø 2.2mm ø 11mm total length 18.5mm WS 13		
For models:	IAB-Series-Steakhouse-Broiler, IHPA-Series-Hot-Plate, IPRA-and-IPR-Series-Pork-Roaster, IR-Series-Elite-Range-Series, ISB-Series-Salamander-Broiler		



1

No.	106352	Ref. No.	2067
description	gas injector code 52 thread 3/8" UNF bore ø 1.5mm ø 11mm total length 18.5mm WS 13		

gas nozzles (other)



1

No.	102535	Ref. No.	162536
description	gas injector thread 9/16" UNF code 36 WS 9/16" L 55mm natural gas for fryer		
For models:	Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		



1

No.	102529	Ref. No.	162551
description	gas injector thread 9/16" UNF code 51 WS 9/16" bore ø 1.6mm L 42mm LPG for fryer		
For models:	Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		

pilot burner nozzles

pilot burner nozzles ROBERTSHAW



1

No.	100275	Ref. No.	1018 1292 2151
description	pilot burner nozzle LPG code 10 bore ø 0.1mm suitable for ROBERTSHAW		

auxiliary gas parts

screw connections

olives



1

No.	101481	Ref. No.	1633 30270
description	olive for pipe ø 1/4" CCT Qty 1 pcs		



1

No.	106374	Ref. No.	30280
description	olive for pipe ø 3/16" CCT Qty 1 pcs		



1

No.	106355	Ref. No.	30272
description	olive for pipe ø 3/8" CCT Qty 1 pcs		

union nuts



1

No.	106354	Ref. No.	30266
description	union nut thread 3/8" CCT WS 16		



1

No.	101483	Ref. No.	1633 30735
description	union nut thread 1/4" CCT short		



union screws



1

No.	106109	Ref. No.	28282
description	locking screw thread 7/16"-24 UNS for pipe ø 1/4" L 16mm brass Qty 1 pcs WS 7/16" (11.113mm) hole ø 6.4mm		

gas pressure regulators

Standard pressure according to country:

Germany 50mbar

France 37mbar

Italy 30mbar

Spain 37/50mbar

UK 20mbar



1

No.	106360	Ref. No.	1051 2144 38734
description	gas pressure regulator RV48L input pressure max. 34.5bar output pressure 12.5-29.9mbar input pressure max. 1/2PSI output pressure 5-12"W.C.		
For models:	EBA-Series-Char-Rock-Broilers, GD-Series-Char-Rock-Broilers, ICB-Chicken-Broiler, ICMA-Series-Cheesemelter, ICRA-Series-chinese-range, ICV-and-ICVD-Series, IHPA-Series-Hot-Plate, IHR-Series-with-standard-oven, IMGA-Series-Manually-controlled-Griddles, IPRA-and-IPR-Series-Pork-Roaster, IR2000-Series, IRB-Series-Radiant-Char-Broilers, IR-Series-Medium-Duty-Ranges, ISAE-Griddle, ISB-Series-Salamander-Broiler, ISCE-Griddle, ISPA-Series-stock-Pot, ISP-J-Series-Wok, ITG24, ITG36, ITG-Series-Thermostatically-controlled, MSQ-Mesquite-Wood-Broiler		



1

No.	106359	Ref. No.	1050 2143 38733
description	gas pressure regulator RV48LS input pressure max. 34.5bar output pressure 7.5-15mbar input pressure max. 1/2PSI output pressure 3-6"W.C. natural gas thread 3/4" NPT		
For models:	EBA-Series-Char-Rock-Broilers, GD-Series-Char-Rock-Broilers, ICB-Chicken-Broiler, ICMA-Series-Cheesemelter, ICRA-Series-chinese-range, ICV-and-ICVD-Series, IHPA-Series-Hot-Plate, IHR-Series-with-standard-oven, IMGA-Series-Manually-controlled-Griddles, IPRA-and-IPR-Series-Pork-Roaster, IR2000-Series, IRB-Series-Radiant-Char-Broilers, IR-Series-Medium-Duty-Ranges, ISAE-Griddle, ISB-Series-Salamander-Broiler, ISCE-Griddle, ISPA-Series-stock-Pot, ISP-J-Series-Wok, ITG24, ITG36, ITG-Series-Thermostatically-controlled, MSQ-Mesquite-Wood-Broiler		

gas ball valves

miscellaneous



1

No.	106365	Ref. No.	0344 1623
description	ball valve straight lever handle inlet 1 1/4"NPT outlet 1 1/4"NPT DN32 L 84mm gas IT 1 1/4"NPT		
For models:	IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		



1

No.	106364	Ref. No.	0345 0353 1281
description	ball valve straight lever handle inlet 1"NPT outlet 1"NPT DN25 L 70mm gas		
For models:	IF-Counter-Fryer		



gas lines

pilot tubes

universal



No. 106358 **Ref. No.** 2102

description gas line aluminium pipe ø 3/8" CCT L 285mm



No. 106357 **Ref. No.** 2105
3061

description pilot tube aluminium pipe ø 1/4" CCT L 300mm



No. 106356¹ **Ref. No.** 2101
2101-35
3058

description pilot tube aluminium pipe ø 3/16" CCT Lmm

¹by the meter

consumables

lava rocks / ceramic briquetts



No. 211003 **Ref. No.** 8092

description lava rocks size ca.40-120mm Qty 9kg

equipment-specific units

for deep fryers

lids



No. 695177 **Ref. No.** 28085

description lid suitable for for fryer L 620mm W 390mm

For models: IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers

spare parts and accessories



No. 691771 **Ref. No.** 0308
28026

description diffuser SS L 390mm W 110mm H 50mm

For models: Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers

door magnets



No. 690424 **Ref. No.** 0335
1830

description door magnet L 57mm W 21mm H 9mm

For models: Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-75-Series-Fryers, IF-Series-Fryers

sumps



No. 691776 **Ref. No.** 28005

description sump for fryer suitable for IMPERIAL USA IF-series with 3 burner chambers

For models: IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers

miscellaneous



1

No.	691779	Ref. No.	28269
description	bridge for fryer L 600mm W 37mm H 39mm		
For models:	IF-25-Series-Fryers		



1

No.	691778	Ref. No.	28210
description	bridge for fryer SS L 620mm W 48mm H 50mm		
For models:	Fryer-Filter-System-Series		



1

No.	541601	Ref. No.	24119 30864
description	drain pipe L 177mm thread 1"NPT		
For models:	IF-Counter-Fryer		



1

No.	541602	Ref. No.	30647M
description	drain pipe ø 1 1/4"NPTmm L 127mm		

for ovens

doors



1

No.	691773	Ref. No.	2688
description	oven door W 750mm H 455mm thickness 50mm		
For models:	IR2000-Series		

knobs

producer-specific knobs

IMPERIAL USA



1

No.	112317	Ref. No.	2730
description	knob gas tap with ignition flame t.max.°F°F ø 63mm shaft ø 9x6mm shaft flat lower blue		



1

No.	112318	Ref. No.	0260-1 2733
description	knob gas tap with ignition flame t.max.°F°F ø 63mm shaft ø 9x6mm shaft flat lower blue		

			
1			
No.	112302	Ref. No.	2731
description	knob gas tap with ignition flame t.max.°F°F ø 64mm shaft ø 9x6mm shaft flat lower blue		

			
1			
No.	112605	Ref. No.	1107
description	knob gas thermostat t.max. 400°F 150-400°F ø 49mm shaft ø 17mm black		
For models:	IHR-Series-with-standard-oven		

			
1			
No.	112735	Ref. No.	1101
description	knob gas thermostat t.max. 400°F 150-400°F ø 49mm shaft ø 17mm black		
For models:	IR2000-Series, IR-Serie-Medium-Duty-Ranges		

			
1			
No.	112548	Ref. No.	1106 2011
description	knob gas thermostat t.max. 400°F 150-400°F ø 49mm shaft ømm shaft flat ROBERTSHAW		
For models:	ITG24, ITG36, ITG-Series-Thermostatically-controlled		

			
1			
No.	112547	Ref. No.	1151 2131
description	knob gas thermostat t.max. 500°F 200-500°F ø 49mm shaft ømm shaft flat ROBERTSHAW black		
For models:	IPRA-and-IPR-Series-Pork-Roaster, IR2000-Series, IR-Serie-Medium-Duty-Ranges		

			
1			
No.	112554	Ref. No.	1151L/S
description	knob gas thermostat t.max. 500°F 250-500°F ø 49mm shaft ømm shaft flat ROBERTSHAW black		

			
1			
No.	112297	Ref. No.	1008 2720 36330
description	knob graduated t.max.°F°F ø 70mm shaft ø 9x6mm shaft flat lower blue		
For models:	IAB-Series-Steakhouse-Broiler, ICMA-Series-Cheesemelter, ICRA-Series-chinese-range, IHPA-Series-Hot-Plate, IHR-Series-with-standard-oven, IMGA-Series-Manually-controlled-Griddles, IPRA-and-IPR-Series-Pork-Roaster, IR2000-Series, IRB-Series-Radiant-Char-Broilers, IR-Serie-Medium-Duty-Ranges, IR-Series-Elite-Range-Series, ISB-Series-Salamander-Broiler, ISPA-Series-stock-Pot		

			
1			
No.	112553	Ref. No.	1009 27051 2721 4054
description	knob ON-OFF t.max.°F°F ø 61mm shaft ø 9x6mm shaft flat upper		
For models:	EBA-Series-Char-Rock-Broilers, GD-Series-Char-Rock-Broilers, ICB-Chicken-Broiler, IHR-Series-with-standard-oven, MSQ-Mesquite-Wood-Broiler		

			
1			
No.	112319	Ref. No.	0319-1 1176
description	knob thermostat t.max. 400°F 200-400°F ø 57mm shaft ø 6x5mm shaft flat lower black		
For models:	Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Counter-Fryer, IF-Series-Fryers		



accessories

rosettes



1

No.	112549	Ref. No.	1103
description	rosette for knob ø 60mm up to ø 50mm		
For models:	IPRA-and-IPR-Series-Pork-Roaster, IR2000-Series, IR-Series-Medium-Duty-Ranges		



1

No.	112555	Ref. No.	1103L/S
description	rosette for knob ø 60mm up to ø 50mm		

hinges

oven hinges



1

No.	691772	Ref. No.	20161
description	oven hinge W 700mm		
For models:	IDR-Series, IHR-Series-with-standard-oven, IR2000-Series, IR-Series-Medium-Duty-Ranges		

door bearing



1

No.	691769	Ref. No.	28050
description	hinge L 20mm W 15mm H 52mm mounting pos. left		
For models:	IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Counter-Fryer, IF-Series-Fryers		



1

No.	691770	Ref. No.	28048
description	hinge L 20mm W 15mm H 52mm mounting pos. right		
For models:	IF-25-Series-Fryers, IF-75-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Counter-Fryer, IF-Series-Fryers		

filters

deep fryer filters



1

No.	691774	Ref. No.	28209 3056-1
description	paper filter W 315mm L 595mm Qty 100 pcs for fryer		
For models:	Fryer-Filter-System-Series		



1

No.	691775	Ref. No.	28370 3056
description	paper filter W 410mm L 695mm Qty 100 pcs for fryer		

miscellaneous

with fixing plate

ø125mm



1

No.	700012	Ref. No.	1060 2502
description	swivel castor ø 125mm plates fixing 93x61mm housing steel plate size 92x60mm hole distance 73x43mm capacity 100kg bearing ball bearing wheel body polypropylene tread TPE tyres H 152mm wheel width 30mm -20 up to +60°C Qty 1 pcs		
For models:	IDR-Series, IHR-Series-with-standard-oven, IR2000-Series, IR-Series-Medium-Duty-Ranges		



1

No.	700819 ¹	Ref. No.	1061
description	swivel castor with brake ø 125mm plates fixing 93x61mm housing steel hole distance 73x43mm wheel width 30mm		
For models:	IDR-Series, IHR-Series-with-standard-oven, IR2000-Series, IR-Series-Medium-Duty-Ranges		

¹with swivel brake

baskets

fryer baskets

US producers



1


No.	970637	Ref. No.	2036 3079
description	fryer basket L1 330mm W1 315mm H1 135mm L2 275mm H2 210mm H3 240mm		
For models:	Fryer-Filter-System-Series, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		



1

No.	970636	Ref. No.	0362 2035 2050
description	fryer basket L1 340mm W1 170mm H1 150mm L2 295mm H2 240mm H3 300mm		
For models:	Fryer-Filter-System-Series, IF-25-Series-Fryers, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		

crumb screens



1

No.	970640	Ref. No.	2038
description	crumb screen L 335mm W 342mm		
For models:	Fryer-Filter-System-Series, IF-BL-Basketlift-System-Series-Fryers, IF-Series-Fryers		

shelves and shelf rails

chargrill grids



1

No.	210023	Ref. No.	1206 5001
description	chargrill grid L 530mm W 127mm H 20mm chargrill		
For models:	EBA-Series-Char-Rock-Broilers, IAB-Series-Steakhouse-Broiler		

grates

universal

with upstand



1

No.	970639	Ref. No.	2021
description	grate W 530mm D 670mm chrome-plated steel for oven crossing wires 1		
For models:	IR-Series-Medium-Duty-Ranges		

producer-specific



1

No.	970638	Ref. No.	2120 4037-3
description	grate W 550mm D 640mm chrome-plated steel for oven		
For models:	IR2000-Series		



consumables

lava rocks / ceramic briquetts



1

No.	211003	Ref. No.	8092
description	lava rocks size ca.40-120mm Qty 9kg		