

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

# INFRICO

## heating elements

### heating cartridges

|                                                                                     |                                                                         |                 |        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                         |                 |        |
| <b>No.</b>                                                                          | 420552                                                                  | <b>Ref. No.</b> | 406X40 |
| <b>description</b>                                                                  | heating cartridge 200W 230V ø 12mm L 180mm thread 3/8" cable length 3mm |                 |        |

|                                                                                     |                                                                          |                 |        |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                          |                 |        |
| <b>No.</b>                                                                          | 420553                                                                   | <b>Ref. No.</b> | 406X42 |
| <b>description</b>                                                                  | heating cartridge 450W 230V ø 12mm L 285mm thread 3/8" cable length 60mm |                 |        |

### foil heating elements

|                                                                                     |                                                                                                                                                             |                 |        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                                                                                             |                 |        |
| <b>No.</b>                                                                          | 418856                                                                                                                                                      | <b>Ref. No.</b> | 406x32 |
| <b>description</b>                                                                  | foil heating element L 210mm W 116mm 200W 220V t.max. 130°C with temperature limiter silicone cable length 500mm thickness 1mm connection male faston 6.3mm |                 |        |

|                                                                                       |                                                                                                                                                                                 |                 |                  |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|
| 1  |                                                                                                                                                                                 |                 |                  |
| <b>No.</b>                                                                            | 418855                                                                                                                                                                          | <b>Ref. No.</b> | 406X30<br>406x31 |
| <b>description</b>                                                                    | foil heating element L 210mm W 58mm 100W 220V t.max. 130°C with temperature limiter silicone cable length 500mm thickness 1mm connection male faston 6.3mm suitable for INFRICO |                 |                  |

## thermostats

### refrigeration thermostats

#### DANFOSS

##### control thermostats

|                                                                                     |                                                                                                         |                 |        |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                                         |                 |        |
| <b>No.</b>                                                                          | 390677                                                                                                  | <b>Ref. No.</b> | 308X10 |
| <b>description</b>                                                                  | thermostat type 077B0028 capillary pipe 1200mm temperature range -4,5 up to +10,5°C probe ømm probe Lmm |                 |        |

##### miscellaneous producers

|                                                                                      |                                                                                 |                 |        |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                 |                 |        |
| <b>No.</b>                                                                           | 390678                                                                          | <b>Ref. No.</b> | 308X09 |
| <b>description</b>                                                                   | thermostat temperature range -15 up to +15°C probe ø7x83mm capillary pipe 100mm |                 |        |

## switches and momentary switches

### rocker/momentary rocker switches

#### 30x22mm

1

|                                                                                     |                                                                                                                                                               |          |          |        |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|--------|
|  |                                                                                                                                                               |          |          |        |
| No.                                                                                 | 301003                                                                                                                                                        | Ref. No. | 405X04   |        |
| description                                                                         | rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 |          |          |        |
| accessories for                                                                     | 301003                                                                                                                                                        |          |          |        |
|  | No.                                                                                                                                                           | 301036   | Ref. No. | 405X13 |
|                                                                                     | protective cover internal size 30x22mm for rocker switch mounting measurementsmm                                                                              |          |          |        |

|                                                                                       |                                                                                  |                 |        |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                  |                 |        |
| <b>No.</b>                                                                            | 301036                                                                           | <b>Ref. No.</b> | 405X13 |
| <b>description</b>                                                                    | protective cover internal size 30x22mm for rocker switch mounting measurementsmm |                 |        |



1

| No.         | 347159                                                                                                                                              | Ref. No. | 405X03 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | rocker switch mounting measurements 30x22mm red 2NO 250V 16A heating connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 |          |        |



1

| No.         | 347019                                                                                                                                                          | Ref. No. | 405X02 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated lamp connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40 |          |        |

## push/momentary push switches

19x13mm



1

| No.         | 346538 <sup>1</sup>                                                                                                                                     | Ref. No. | 405X05 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | push switch mounting measurements 19x13mm green 2NO 250V 16A illuminated connection male faston 4.8mm ambient temperature max. 105/55°C protection IP40 |          |        |

accessories for 346538



| No.         | 346541                                                                                                             | Ref. No. | — |
|-------------|--------------------------------------------------------------------------------------------------------------------|----------|---|
| description | protective cover for rocker switch external size 23.4x17.4mm internal size 19x13mm H 9.5mm mounting measurementsmm |          |   |

<sup>1</sup>illuminated



1

| No.         | 346542 <sup>1</sup>                                                                                                                                  | Ref. No. | 405X06 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | push switch mounting measurements 19x13mm yellow 2NO 250V 16A illuminated connection male faston 4.8mm ambient temperature max. 85°C protection IP40 |          |        |

accessories for 346542



| No.         | 346541                                                                                                             | Ref. No. | — |
|-------------|--------------------------------------------------------------------------------------------------------------------|----------|---|
| description | protective cover for rocker switch external size 23.4x17.4mm internal size 19x13mm H 9.5mm mounting measurementsmm |          |   |

<sup>1</sup>illuminated

30x22mm



1

| No.         | 301036                                                                           | Ref. No. | 405X13 |
|-------------|----------------------------------------------------------------------------------|----------|--------|
| description | protective cover internal size 30x22mm for rocker switch mounting measurementsmm |          |        |

## microswitches

### lever actuated



1

| No.         | 347160                                                                                                                                                                              | Ref. No. | 405X07<br>405X10 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------|
| description | microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 59.5mm ambient temperature max. 85°C mounting distance mm type AM51612D53 actuating force: 35g lever length 54mm |          |                  |

## transformers

### encapsulated transformers

#### PMA



1

| No.         | 379054                                                                                                                  | Ref. No. | 308X12 |
|-------------|-------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M |          |        |

## electronic controllers

### CAREL

#### refrigeration controllers

##### built-in version



1

| No.             | 403512                                                                                                                                                                                                                                                            | Ref. No. | 308x05 -> 61d |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------|
| description     | electronic controller CAREL PBIFC0HND61 mounting measurements 138x29mm built-in depth 70.5mm 230V voltage AC NTC relay outputs 4 NO-10A(10) CO-12A(2) NO-8A(4) CO-8A(4) NTC NTC DI DI yes 2xNTC probe inclusive protection IP54 -50 up to +99°C display 3½ digits |          |               |
| spare parts for | 403512                                                                                                                                                                                                                                                            |          |               |
| No.             | 379161                                                                                                                                                                                                                                                            | Ref. No. | 308X04        |
| description     | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire                                                                                                      |          |               |

|                                                                                   |                                                                                                                                                                                                                                                        |                 |                                                 |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------------------|
|  |                                                                                                                                                                                                                                                        |                 |                                                 |
| 138 x 29mm                                                                        |                                                                                                                                                                                                                                                        |                 |                                                 |
| <b>No.</b>                                                                        | 402160                                                                                                                                                                                                                                                 | <b>Ref. No.</b> | 308X11<br>308x11 -> 51d<br>308X41<br>PMIF6T0015 |
| <b>description</b>                                                                | electronic controller CAREL PBIFY0EVD51 mounting measurements 138x29mm built-in depth 70.5mm 230V voltage AC NTC relay outputs 3 CO-12A(2) CO-8A(4) NO-8A(4) NTC NTC DI DI yes 2xNTC probe inclusive protection IP65 -50 up to +99°C display 3½ digits |                 |                                                 |
| <b>spare parts for</b>                                                            | 402160                                                                                                                                                                                                                                                 |                 |                                                 |
|                                                                                   | <b>No.</b>                                                                                                                                                                                                                                             | 379161          | <b>Ref. No.</b> 308X04                          |
|                                                                                   | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire                                                                                           |                 |                                                 |

## DIXELL

### refrigeration controllers

#### built-in version

|                                                                                    |                                                                                                                                                                                             |                 |        |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                                                             |                 |        |
| 1                                                                                  |                                                                                                                                                                                             |                 |        |
| <b>No.</b>                                                                         | 402157                                                                                                                                                                                      | <b>Ref. No.</b> | 308x01 |
| <b>description</b>                                                                 | electronic controller DIXELL XR20C-0R0C3 mounting measurements 71x29mm built-in depth 76mm 12V voltage AC/DC NTC relay outputs 1 CO-16A(5) NTC/PTC protection IP54 0-60°C display 3½ digits |                 |        |

|                                                                                     |                                                                                                                                                    |                 |        |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                    |                 |        |
| 1                                                                                   |                                                                                                                                                    |                 |        |
| <b>No.</b>                                                                          | 381469                                                                                                                                             | <b>Ref. No.</b> | 308X57 |
| <b>description</b>                                                                  | electronic controller DIXELL XR30CX-5R0C1 mounting measurements 71x29mm built-in depth 50mm 230V voltage AC NTC relay outputs 2 NO-20A(8) CO-8A(3) |                 |        |

|                                                                                     |                                                                                                                                                                                           |                 |        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                                                           |                 |        |
| 71 x 29mm                                                                           |                                                                                                                                                                                           |                 |        |
| <b>No.</b>                                                                          | 402158                                                                                                                                                                                    | <b>Ref. No.</b> | 308X02 |
| <b>description</b>                                                                  | electronic controller DIXELL XR40C-0R0C3 mounting measurements 71x29mm 12V voltage AC/DC NTC relay outputs 2 CO-16A(5) CO-16A(5) NTC/PTC NTC/PTC protection IP54 0-60°C display 3½ digits |                 |        |

|                                                                                    |                                                                                                                                                                                                                                                                       |                 |        |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                                                                                                                                       |                 |        |
| 1                                                                                  |                                                                                                                                                                                                                                                                       |                 |        |
| <b>No.</b>                                                                         | 379698                                                                                                                                                                                                                                                                | <b>Ref. No.</b> | 308X51 |
| <b>description</b>                                                                 | electronic controller DIXELL XR60CX-5R0C1 mounting measurements 71x30mm 230V voltage AC NTC relay outputs 3 relays 1x NTC probe inclusive -55 up to +150°C display 3½ digits RoomTempIN yes DEF Relay 8(3)A fan relay 5A evaporator probe yes compressor relay 20(8)A |                 |        |

|                                                                                    |                                                                                                                                                   |                 |        |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                   |                 |        |
| 1                                                                                  |                                                                                                                                                   |                 |        |
| <b>No.</b>                                                                         | 381470                                                                                                                                            | <b>Ref. No.</b> | 308X23 |
| <b>description</b>                                                                 | electronic controller DIXELL XW20L-5L0D8-N mounting measurements 150x30mm built-in depth 65.5mm 230V voltage AC NTC relay outputs 2 16(6)A 16(6)A |                 |        |

|                                                                                      |                                                                                                                                                                                                                                                                                                                                          |                 |                        |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------|
|  |                                                                                                                                                                                                                                                                                                                                          |                 |                        |
| 1                                                                                    |                                                                                                                                                                                                                                                                                                                                          |                 |                        |
| <b>No.</b>                                                                           | 402159                                                                                                                                                                                                                                                                                                                                   | <b>Ref. No.</b> | 308X27                 |
| <b>description</b>                                                                   | electronic controller DIXELL XW40L mounting measurements 150x31mm built-in depth 50mm 230V voltage AC NTC relay outputs 3 protection -50 up to +150°C display 3½ digits 3 RoomTempIN NTC/PTC DEF Probe NTC/PTC TempIN3 DEF Relay CO-8A(3) fan relay DigilN 1 compressor relay NO-20A(8) light relay NO-8A(3) alarm relay auxiliary relay |                 |                        |
| <b>accessories for</b>                                                               | 402159                                                                                                                                                                                                                                                                                                                                   |                 |                        |
|                                                                                      | <b>No.</b>                                                                                                                                                                                                                                                                                                                               | 378194          | <b>Ref. No.</b> —      |
|                                                                                      | temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire                                                                                                                                                                                     |                 |                        |
|                                                                                      | <b>No.</b>                                                                                                                                                                                                                                                                                                                               | 379057          | <b>Ref. No.</b> —      |
|                                                                                      | temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire                                                                                                                                                                                                                  |                 |                        |
|                                                                                      | <b>No.</b>                                                                                                                                                                                                                                                                                                                               | 379160          | <b>Ref. No.</b> 308X16 |
|                                                                                      | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire                                                                                                                                                                           |                 |                        |
|                                                                                      | <b>No.</b>                                                                                                                                                                                                                                                                                                                               | 379161          | <b>Ref. No.</b> 308X04 |
|                                                                                      | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire                                                                                                                                                                             |                 |                        |

Table continues overleaf



|                                                                                                                                                           |        |          |   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|---|
| <b>accessories for</b> 402159                                                                                                                             |        |          |   |
| No.                                                                                                                                                       | 379343 | Ref. No. | — |
| temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire                            |        |          |   |
| No.                                                                                                                                                       | 379458 | Ref. No. | — |
| temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire |        |          |   |



|                                                                                                                                                                                                                                                        |     |        |          |        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|----------|--------|
| <b>1</b>                                                                                                                                                                                                                                               | No. | 379699 | Ref. No. | 308x05 |
| <b>description</b> electronic controller DIXELL XW60L-5L0D0-X mounting measurements 150x30mm built-in depth 65.5mm 230V voltage AC NTC/PTC relay outputs 4 NO-20A(8) CO-8A(3) NO-8A(3) NO-16A(5) NTC/PTC NTC/PTC DI -50 up to +150°C display 3½ digits |     |        |          |        |
| <b>accessories for</b> 379699                                                                                                                                                                                                                          |     |        |          |        |
|                                                                                                                                                                                                                                                        | No. | 378194 | Ref. No. | —      |
| temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire                                                                                                   |     |        |          |        |
|                                                                                                                                                                                                                                                        | No. | 379057 | Ref. No. | —      |
| temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire                                                                                                                                |     |        |          |        |
|                                                                                                                                                                                                                                                        | No. | 379160 | Ref. No. | 308X16 |
| temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire                                                                                         |     |        |          |        |
|                                                                                                                                                                                                                                                        | No. | 379161 | Ref. No. | 308X04 |
| temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire                                                                                           |     |        |          |        |
|                                                                                                                                                                                                                                                        | No. | 379343 | Ref. No. | —      |
| temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire                                                                                                                         |     |        |          |        |
|                                                                                                                                                                                                                                                        | No. | 379458 | Ref. No. | —      |
| temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire                                                                                              |     |        |          |        |

## SHANGFANG

## accessories



|                                                                                                                                            |     |        |          |        |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|----------|--------|
| <b>1</b>                                                                                                                                   | No. | 379054 | Ref. No. | 308X12 |
| <b>description</b> transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M |     |        |          |        |

## probes

## universal probes

## temperature probes



|                                                                                                                                                                                   |        |          |        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|--------|
| No.                                                                                                                                                                               | 379160 | Ref. No. | 308X16 |
| <b>description</b> temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire |        |          |        |



|                                                                                                                                                                                 |        |          |        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|--------|
| No.                                                                                                                                                                             | 379161 | Ref. No. | 308X04 |
| <b>description</b> temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire |        |          |        |

## solenoid valves

## solenoid valves (refrigeration)

## DANFOSS

## valves



|                                                                                      |     |        |          |        |
|--------------------------------------------------------------------------------------|-----|--------|----------|--------|
| <b>1</b>                                                                             | No. | 370542 | Ref. No. | 308X03 |
| <b>description</b> solenoid valve NC type EVO101 p max 45.2bar -40° up to 105°C 230V |     |        |          |        |

## pressure switches

## for refrigeration

## SAGI NO MIYA



|                                                                                                                     |        |          |        |
|---------------------------------------------------------------------------------------------------------------------|--------|----------|--------|
| No.                                                                                                                 | 541643 | Ref. No. | 305X06 |
| <b>description</b> pressure control p max 45bar type ACB-2UB115W switch-off pressure 28bar switch-on pressure 22bar |        |          |        |

## compressors

### EMBRACO / ASPERA

R404a/R507

LBP monophase

*Lower evaporation temperature below -20°C*



1

| No.         | 605081                                                                                                                                                                                                                  | Ref. No. | 301A01 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | compressor coolant R404a/R507 type NJ2212GK 220-240V 50Hz LBP fully hermetic 21.5kg 1 1/2HP power input 1150W cylinder capacity 34cm <sup>3</sup> CSR H 277mm 880W 1269W 1738W 2289W 2921W 2921WWWWW test method ASHRAE |          |        |

### SECOP DANFOSS

R134A

HMBP monophase

*High/Medium evaporation temperature above -20/-15 °C*



1

| No.             | 605089                                                                                                                                                                                              | Ref. No. | 301D04   |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description     | compressor coolant R134a type NL8.4MF 220-240V 50Hz HMBP fully hermetic 10.5kg 1/4HP cylinder capacity 8.35cm <sup>3</sup> RSIR/CSIR H 197mmW 235W 305W 390W 491W 610W 749W 912W test method ASHRAE |          |          |
| spare parts for | 605089                                                                                                                                                                                              |          |          |
|                 | No.                                                                                                                                                                                                 | 381528   | Ref. No. |
|                 | start relay DANFOSS 117U6016 HST                                                                                                                                                                    |          |          |

## evaporation and condensing trays

### condensing trays heated

universal

heating cartridges



1

| No.         | 420552                                                                  | Ref. No. | 406X40 |
|-------------|-------------------------------------------------------------------------|----------|--------|
| description | heating cartridge 200W 230V ø 12mm L 180mm thread 3/8" cable length 3mm |          |        |



1

| No.         | 420553                                                                   | Ref. No. | 406X42 |
|-------------|--------------------------------------------------------------------------|----------|--------|
| description | heating cartridge 450W 230V ø 12mm L 285mm thread 3/8" cable length 60mm |          |        |

## fans

### axial fans

ebm-papst



1

| No.             | 601458 <sup>1</sup>                                                                                                                                                      | Ref. No. | 304X26   |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description     | axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 19W bearing ball bearing manuf. no. 4656N metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 85°C |          |          |
| accessories for | 601458                                                                                                                                                                   |          |          |
|                 | No.                                                                                                                                                                      | 692497   | Ref. No. |
|                 | guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm                                                                                                         |          |          |

<sup>1</sup>with ball bearings



1

| No.         | 601635 <sup>1</sup>                                                                                                             | Ref. No. | 304X17 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | axial fan L 127mm W 127mm H 38mm 230VAC 50/60Hz 18W bearing ball bearing manuf. no. 5958 connection male faston 2.8mm ebm-papst |          |        |

<sup>1</sup>with ball bearings



|                    |                                                                                                                                     |                 |        |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 601649 <sup>1</sup>                                                                                                                 | <b>Ref. No.</b> | 304X03 |
| <b>description</b> | axial fan L 127mm W 127mm H 38mm 230VAC 50/60Hz 18W bearing ball bearing manuf. no. 5958W cable length 280mm connection cable PAPST |                 |        |

<sup>1</sup>with ball bearings

## import



|                                                                                    |                                                                                                                                                          |                 |                   |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>No.</b>                                                                         | 601080 <sup>1</sup>                                                                                                                                      | <b>Ref. No.</b> | 304R01            |
| <b>description</b>                                                                 | axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C |                 |                   |
| <b>accessories for</b>                                                             | 601080                                                                                                                                                   |                 |                   |
|  | <b>No.</b>                                                                                                                                               | 550898          | <b>Ref. No.</b> — |
|                                                                                    | connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan                                                       |                 |                   |
|  | <b>No.</b>                                                                                                                                               | 692519          | <b>Ref. No.</b> — |
|                                                                                    | guard L 120mm W 120mm plastic                                                                                                                            |                 |                   |

<sup>1</sup>with ball bearings

## refrigeration fans

### refrigeration motors universal

ELCO

N series - multi fit




|                                                                                     |                                                                                                                                                          |                 |                   |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>No.</b>                                                                          | 601430                                                                                                                                                   | <b>Ref. No.</b> | 304X02            |
| <b>description</b>                                                                  | fan motor ELCO 5W 230V 50/60Hz bearing slide bearing L1 48mm L2 52mm L3 79.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT5-13/027 |                 |                   |
| <b>spare parts for</b>                                                              | 601430                                                                                                                                                   |                 |                   |
|    | <b>No.</b>                                                                                                                                               | 560140          | <b>Ref. No.</b> — |
|                                                                                     | hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking                                                                          |                 |                   |
|    | <b>No.</b>                                                                                                                                               | 560332          | <b>Ref. No.</b> — |
|                                                                                     | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs                                                                                            |                 |                   |
|   | <b>No.</b>                                                                                                                                               | 560340          | <b>Ref. No.</b> — |
|                                                                                     | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs                                                                        |                 |                   |
|  | <b>No.</b>                                                                                                                                               | 601413          | <b>Ref. No.</b> — |
|                                                                                     | fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm                                                                            |                 |                   |



## accessories

### fan wheels

### aluminium




|                    |                                                                                      |                 |        |
|--------------------|--------------------------------------------------------------------------------------|-----------------|--------|
| <b>No.</b>         | 601070                                                                               | <b>Ref. No.</b> | 304X06 |
| <b>description</b> | fan wheel sucking ø 200mm fan wheel mounting 25.4mm blade angle 28° W 38mm aluminium |                 |        |





## cooling motors (various)

### refrigeration motors with foot



## cross flow fans

### ebm-papst



## equipment-specific units

## for fridges

## spare parts and accessories



1

| No.         | 970957                                   | Ref. No. | 603X242 |
|-------------|------------------------------------------|----------|---------|
| description | clip for grate for fridge L 63mm plastic |          |         |

## drawers

## drawers



1

| No.         | 694956                                            | Ref. No. | PUEEB15 |
|-------------|---------------------------------------------------|----------|---------|
| description | drawer front for fridge L 430mm H 275mm D 23mm SS |          |         |

## handles and hand wheels

## bracket handles



1

| No.         | 701417                                                              | Ref. No. | 506X34 |
|-------------|---------------------------------------------------------------------|----------|--------|
| description | pull handle L 280mm mounting distance 227mm hole ø 5.5mm for fridge |          |        |

## recessed handles



1

| No.         | 694957                                                                                             | Ref. No. | 506X91 |
|-------------|----------------------------------------------------------------------------------------------------|----------|--------|
| description | recessed handle L 130mm W 50mm H 35mm mounting distance 106/120mm plastic for display refrigerator |          |        |

## hinges

## spring assisted hinges


## universal

## CAFF/FERMOD

## group 2



1



| No.         | 700853                                                                                                                                                                              | Ref. No. | 506X03 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | spring assisted hinge series TRS/1 mounting pos. right/left L 75mm W 26mm H 113mm A 4mm B 13mm mounting measurements 22x22mm intake torx refrigeration units mounting distance 25mm |          |        |

## producer-specific

## INFRICO



1

| No.         | 700882                                               | Ref. No. | 506X89 |
|-------------|------------------------------------------------------|----------|--------|
| description | hinge camp L 26mm W 100mm H 123mm mounting pos. left |          |        |

|                                                                                   |                                                                                                                 |                 |         |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------|
|  |                                                                                                                 |                 |         |
| 1                                                                                 |                                                                                                                 |                 |         |
| <b>No.</b>                                                                        | 700878                                                                                                          | <b>Ref. No.</b> | 506X116 |
| <b>description</b>                                                                | spring assisted hinge L 38mm W 18mm H 78mm refrigeration units mounting measurements 17x17mm mounting pos. left |                 |         |

|                                                                                   |                                                                                                                         |                 |         |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
|  |                                                                                                                         |                 |         |
| 1                                                                                 |                                                                                                                         |                 |         |
| <b>No.</b>                                                                        | 700877                                                                                                                  | <b>Ref. No.</b> | 506X115 |
| <b>description</b>                                                                | spring assisted hinge L 38mm W 18mm H 78mm refrigeration units mounting pos. bottom right mounting measurements 17x17mm |                 |         |

## door bearing

|                                                                                   |                                                                                           |                 |        |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                           |                 |        |
| 1                                                                                 |                                                                                           |                 |        |
| <b>No.</b>                                                                        | 692575                                                                                    | <b>Ref. No.</b> | 506X57 |
| <b>description</b>                                                                | bracket L 60mm W 33mm H 12mm mounting pos. left bolt ø 6mm for lid suitable for saladette |                 |        |

|                                                                                    |                                                                                            |                 |                   |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------|-------------------|
|  |                                                                                            |                 |                   |
| 1                                                                                  |                                                                                            |                 |                   |
| <b>No.</b>                                                                         | 692574                                                                                     | <b>Ref. No.</b> | 1100482<br>506X58 |
| <b>description</b>                                                                 | bracket L 60mm W 33mm H 12mm mounting pos. right bolt ø 6mm for lid suitable for saladette |                 |                   |

|                                                                                     |                                                                                                                        |                 |                   |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
|  |                                                                                                                        |                 |                   |
| 1                                                                                   |                                                                                                                        |                 |                   |
| <b>No.</b>                                                                          | 700883                                                                                                                 | <b>Ref. No.</b> | 701X70            |
| <b>description</b>                                                                  | door bolt L 10mm ø 7mm                                                                                                 |                 |                   |
| <b>accessories for</b>                                                              | 700883                                                                                                                 |                 |                   |
|  | <b>No.</b>                                                                                                             | 560064          | <b>Ref. No.</b> — |
|                                                                                     | flat-headed bolt thread M4 thread L 20mm SS DIN 7985/ISO 7045 Qty 20 pcs intake Phillips head ø 8mm head thickness 2mm |                 |                   |
|  | <b>No.</b>                                                                                                             | 560115          | <b>Ref. No.</b> — |
|                                                                                     | plain washer ID ø 4.3mm ED ø 12mm thickness 1.2mm SS Qty 20 pcs DIN 9021 for thread M4                                 |                 |                   |

|                                                                                    |                                                                                                       |                 |         |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------|---------|
|  |                                                                                                       |                 |         |
| 1                                                                                  |                                                                                                       |                 |         |
| <b>No.</b>                                                                         | 700879                                                                                                | <b>Ref. No.</b> | 506X118 |
| <b>description</b>                                                                 | hinge camp mounting pos. left L 100mm W 48mm H 17mm zinc die cast, chrome-plated shaft diameter 6x6mm |                 |         |

|                                                                                    |                                                                                                        |                 |         |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------|---------|
|  |                                                                                                        |                 |         |
| 1                                                                                  |                                                                                                        |                 |         |
| <b>No.</b>                                                                         | 700880                                                                                                 | <b>Ref. No.</b> | 506X117 |
| <b>description</b>                                                                 | hinge camp mounting pos. right L 100mm W 48mm H 17mm zinc die cast, chrome-plated shaft diameter 6x6mm |                 |         |

|                                                                                    |                                                                                                                                                                   |                 |                   |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
|  |                                                                                                                                                                   |                 |                   |
| 1                                                                                  |                                                                                                                                                                   |                 |                   |
| <b>No.</b>                                                                         | 700854                                                                                                                                                            | <b>Ref. No.</b> | 506x198<br>506x55 |
| <b>description</b>                                                                 | hinge camp type TRB/L1 36mm mounting pos. bottom right L 100mm W 48mm H 17mm zinc die cast, chrome-plated hole distance 6.5x51x28mm shaft diameter torx 12x12mmmm |                 |                   |

|                                                                                    |                                                                                                                                                                  |                 |                   |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
|  |                                                                                                                                                                  |                 |                   |
| 1                                                                                  |                                                                                                                                                                  |                 |                   |
| <b>No.</b>                                                                         | 700855                                                                                                                                                           | <b>Ref. No.</b> | 506x197<br>506x54 |
| <b>description</b>                                                                 | hinge camp type TRB/R1 36mm mounting pos. bottom left L 100mm W 48mm H 17mm zinc die cast, chrome-plated hole distance 6.5x51x28mm shaft diameter torx 12x12mmmm |                 |                   |

## accessories

### bushes

|                                                                                      |                                                                                  |                 |        |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                  |                 |        |
| 1                                                                                    |                                                                                  |                 |        |
| <b>No.</b>                                                                           | 694958                                                                           | <b>Ref. No.</b> | 603X58 |
| <b>description</b>                                                                   | bush blind for display refrigerator ID ø 6mm ED ø 9mm L 15mm mounting pos. lower |                 |        |

|                                                                                      |                                                        |                 |        |
|--------------------------------------------------------------------------------------|--------------------------------------------------------|-----------------|--------|
|  |                                                        |                 |        |
| 1                                                                                    |                                                        |                 |        |
| <b>No.</b>                                                                           | 694959                                                 | <b>Ref. No.</b> | 603X68 |
| <b>description</b>                                                                   | bush for display refrigerator ID ø 6mm ED ø 9mm L 15mm |                 |        |


## pullouts

### drawer slides

#### universal

compeX

1




| No.                                                                                | 696342 <sup>1</sup>                                                                                                                         | Ref. No. | 503X31   |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description                                                                        | drawer slide L 450mm pull-out length 510mm total length 960mm Qty 1 pair capacity 50kg W 17mm H 60mm mounting pos. right/left SS telescopic |          |          |
| spare parts for                                                                    | 696342                                                                                                                                      |          |          |
|   | No.                                                                                                                                         | 690750   | Ref. No. |
|                                                                                    | stop for telescopic rail L 20mm plastic H 12mm D 9mm                                                                                        |          |          |
|  | No.                                                                                                                                         | 696333   | Ref. No. |
|                                                                                    | stop for telescopic rail L 20mm plastic H 15mm D 8mm                                                                                        |          |          |

<sup>1</sup>multiple slide (60mm more than nominal length)

compeX

1



| No.                                                                                 | 690753 <sup>1</sup>                                                                                                   | Ref. No. | 503X32   |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|----------|----------|
| description                                                                         | telescopic slide pair L 550mm pull-out length 610mm total length 1160mm Qty 1 pair capacity 50kg H 60mm SS telescopic |          |          |
| spare parts for                                                                     | 690753                                                                                                                |          |          |
|  | No.                                                                                                                   | 690750   | Ref. No. |
|                                                                                     | stop for telescopic rail L 20mm plastic H 12mm D 9mm                                                                  |          |          |
|  | No.                                                                                                                   | 696333   | Ref. No. |
|                                                                                     | stop for telescopic rail L 20mm plastic H 15mm D 8mm                                                                  |          |          |

<sup>1</sup>multiple slide (60mm more than nominal length)

### accessories



1

| No.         | 970957                                   | Ref. No. | 603X242 |
|-------------|------------------------------------------|----------|---------|
| description | clip for grate for fridge L 63mm plastic |          |         |

### rollers

#### rollers



1

| No.         | 692771                                                                                                   | Ref. No. | 506E02 |
|-------------|----------------------------------------------------------------------------------------------------------|----------|--------|
| description | roller rollers 19.5mm B1 6mm overall width 6.5mm plastic/metal tread plastic with ball bearing thread M4 |          |        |

## shelves and shelf rails

### grates

#### universal

##### without upstand



1

| No.         | 970960                                                                                                                              | Ref. No. | 502x12 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | grate W 325mm D 530mm GN 1/1 plastic-coated steel for fridge wire gauge frame 8mm lengthwise wires gauge 4mm crossing wires 12 grey |          |        |



1

| No.         | 970954                                                                                                                                | Ref. No. | 502X07 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | grate W 430mm D 325mm H 10.5mm plastic-coated steel for fridge wire gauge frame 8mm lengthwise wires gauge 4mm crossing wires 12 grey |          |        |



1

| No.         | 970956                                                                                                                                              | Ref. No. | 504X32 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | grate W 475mm D 430mm H 7mm plastic-coated steel for display refrigerator wire gauge frame 4.5mm lengthwise wires gauge 4mm crossing wires 11 white |          |        |

|                                                                                     |                                                                                                                                       |                 |        |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                                                                       |                 |        |
| <b>No.</b>                                                                          | 970955                                                                                                                                | <b>Ref. No.</b> | 502X04 |
| <b>description</b>                                                                  | grate W 530mm D 460mm H 11mm plastic-coated steel for fridge wire gauge frame 8mm lengthwise wires gauge 3.5mm crossing wires 20 grey |                 |        |

|                                                                                     |                                                                                                                                            |                 |        |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                                                                                            |                 |        |
| <b>No.</b>                                                                          | 970953                                                                                                                                     | <b>Ref. No.</b> | 502X14 |
| <b>description</b>                                                                  | grate W 650mm D 530mm GN 2/1 H 11mm plastic-coated steel for fridge wire gauge frame 8mm lengthwise wires gauge 4mm crossing wires 20 grey |                 |        |

## shelf rails and supports

### producer-specific

|                                                                                     |                                                                  |                 |        |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                  |                 |        |
| <b>No.</b>                                                                          | 701614                                                           | <b>Ref. No.</b> | 503X17 |
| <b>description</b>                                                                  | guide U-shape L 520mm W 25mm H 13/15mm mounting pos. right Qty 1 |                 |        |

|                                                                                       |                                                                      |                 |        |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                      |                 |        |
| <b>No.</b>                                                                            | 701599                                                               | <b>Ref. No.</b> | 503X15 |
| <b>description</b>                                                                    | guide U-shape L 550mm W 25mm H 13/15mm mounting pos. left Qty 1 BMGN |                 |        |

|                                                                                       |                                                                       |                 |        |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                       |                 |        |
| <b>No.</b>                                                                            | 701613                                                                | <b>Ref. No.</b> | 503X20 |
| <b>description</b>                                                                    | guide U-shape L 550mm W 25mm H 13/15mm mounting pos. right Qty 1 BMGN |                 |        |

|                                                                                      |                                                                     |                 |        |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                     |                 |        |
| <b>No.</b>                                                                           | 701597                                                              | <b>Ref. No.</b> | 503X02 |
| <b>description</b>                                                                   | guide U-shape L 630mm W 25mm H 13/15mm mounting pos. left Qty 1 AGN |                 |        |

|                                                                                      |                                                                      |                 |        |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------|--------|
| 1  |                                                                      |                 |        |
| <b>No.</b>                                                                           | 701598                                                               | <b>Ref. No.</b> | 503X03 |
| <b>description</b>                                                                   | guide U-shape L 630mm W 25mm H 13/15mm mounting pos. right Qty 1 AGN |                 |        |


## gaskets


### refrigeration gaskets


#### plug-in gaskets


#### profile 9798


We offer custom-made gaskets for this profile


|                                                                                        |                                                              |                 |        |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------|--------|
| 1  |                                                              |                 |        |
| <b>No.</b>                                                                             | 900971                                                       | <b>Ref. No.</b> | 602A47 |
| <b>description</b>                                                                     | refrigeration gasket profile 9798 W 426mm L 1542mm plug size |                 |        |


|                                                                                        |                                                             |                 |        |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
| 1  |                                                             |                 |        |
| <b>No.</b>                                                                             | 900961                                                      | <b>Ref. No.</b> | 602B20 |
| <b>description</b>                                                                     | refrigeration gasket profile 9798 W 426mm L 156mm plug size |                 |        |


|                                                                                   |                                                             |                 |        |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                        | 901137                                                      | <b>Ref. No.</b> | 602A49 |
| <b>description</b>                                                                | refrigeration gasket profile 9798 W 426mm L 212mm plug size |                 |        |


|                                                                                    |                                                             |                 |        |
|------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                         | 900968                                                      | <b>Ref. No.</b> | 602B23 |
| <b>description</b>                                                                 | refrigeration gasket profile 9798 W 426mm L 551mm plug size |                 |        |


|                                                                                   |                                                             |                 |        |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                        | 900962                                                      | <b>Ref. No.</b> | 602B18 |
| <b>description</b>                                                                | refrigeration gasket profile 9798 W 426mm L 260mm plug size |                 |        |


|                                                                                    |                                                             |                 |        |
|------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                         | 900969                                                      | <b>Ref. No.</b> | 602B02 |
| <b>description</b>                                                                 | refrigeration gasket profile 9798 W 426mm L 576mm plug size |                 |        |


|                                                                                   |                                                             |                 |        |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                        | 900963                                                      | <b>Ref. No.</b> | 602A48 |
| <b>description</b>                                                                | refrigeration gasket profile 9798 W 426mm L 343mm plug size |                 |        |


|                                                                                    |                                                             |                 |        |
|------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                         | 900970                                                      | <b>Ref. No.</b> | 602A46 |
| <b>description</b>                                                                 | refrigeration gasket profile 9798 W 426mm L 738mm plug size |                 |        |


|                                                                                     |                                                             |                 |        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                          | 900966                                                      | <b>Ref. No.</b> | 602B21 |
| <b>description</b>                                                                  | refrigeration gasket profile 9798 W 426mm L 365mm plug size |                 |        |


|                                                                                      |                                                             |                 |        |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                           | 901138                                                      | <b>Ref. No.</b> | 602F01 |
| <b>description</b>                                                                   | refrigeration gasket profile 9798 W 426mm L 776mm plug size |                 |        |


|                                                                                     |                                                             |                 |        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                          | 900967                                                      | <b>Ref. No.</b> | 602X30 |
| <b>description</b>                                                                  | refrigeration gasket profile 9798 W 426mm L 456mm plug size |                 |        |


|                                                                                      |                                                             |                 |        |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                           | 900972                                                      | <b>Ref. No.</b> | 602M18 |
| <b>description</b>                                                                   | refrigeration gasket profile 9798 W 501mm L 174mm plug size |                 |        |


|                                                                                   |                                                             |                 |        |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                        | 900973                                                      | <b>Ref. No.</b> | 602M19 |
| <b>description</b>                                                                | refrigeration gasket profile 9798 W 501mm L 260mm plug size |                 |        |


|                                                                                    |                                                             |                 |        |
|------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                         | 900976                                                      | <b>Ref. No.</b> | 602A01 |
| <b>description</b>                                                                 | refrigeration gasket profile 9798 W 631mm L 665mm plug size |                 |        |


|                                                                                   |                                                             |                 |        |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                        | 900974                                                      | <b>Ref. No.</b> | 602M01 |
| <b>description</b>                                                                | refrigeration gasket profile 9798 W 501mm L 576mm plug size |                 |        |


|                                                                                    |                                                             |                 |        |
|------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|--------|
|  |                                                             |                 |        |
| <b>No.</b>                                                                         | 900975                                                      | <b>Ref. No.</b> | 602A06 |
| <b>description</b>                                                                 | refrigeration gasket profile 9798 W 631mm L 738mm plug size |                 |        |

|                                                                                   |                                                              |                 |        |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------|--------|
|  |                                                              |                 |        |
| <b>No.</b>                                                                        | 900977                                                       | <b>Ref. No.</b> | 602A86 |
| <b>description</b>                                                                | refrigeration gasket profile 9798 W 631mm L 1351mm plug size |                 |        |

|                                                                                    |                                                              |                 |        |
|------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------|--------|
|  |                                                              |                 |        |
| <b>No.</b>                                                                         | 900980                                                       | <b>Ref. No.</b> | 602A03 |
| <b>description</b>                                                                 | refrigeration gasket profile 9798 W 740mm L 1396mm plug size |                 |        |

|                                                                                     |                                                              |                 |        |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------|--------|
|  |                                                              |                 |        |
| <b>No.</b>                                                                          | 900978                                                       | <b>Ref. No.</b> | 602A02 |
| <b>description</b>                                                                  | refrigeration gasket profile 9798 W 631mm L 1396mm plug size |                 |        |


|                                                                                      |                                                |                 |     |
|--------------------------------------------------------------------------------------|------------------------------------------------|-----------------|-----|
|  |                                                |                 |     |
| <b>No.</b>                                                                           | 902038                                         | <b>Ref. No.</b> | N/A |
| <b>description</b>                                                                   | refrigeration gasket profile 9798 Wmm L 2500mm |                 |     |

|                                                                                     |                                                              |                 |        |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------|--------|
|  |                                                              |                 |        |
| <b>No.</b>                                                                          | 900979                                                       | <b>Ref. No.</b> | 602A05 |
| <b>description</b>                                                                  | refrigeration gasket profile 9798 W 631mm L 1542mm plug size |                 |        |

## screw-in gaskets

### profile 9954

We offer custom-made gaskets for this profile

|                                                                                      |                                                |                 |     |
|--------------------------------------------------------------------------------------|------------------------------------------------|-----------------|-----|
|  |                                                |                 |     |
| <b>No.</b>                                                                           | 902313                                         | <b>Ref. No.</b> | N/A |
| <b>description</b>                                                                   | refrigeration gasket profile 9954 Wmm L 2500mm |                 |     |



## refrigeration cycle components

## valves

## expansion valves

## DANFOSS

## valves

## type TUA/TUB/TUC



1

| No.         | 750278                                                                                                                    | Ref. No. | 305X05 |
|-------------|---------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | expansion valve DANFOSS type TUB coolant R404a/R507 angled 90° thermostatically controlled inlet 1/4" ODF outlet 1/2" ODF |          |        |

## filter driers

## DANFOSS



1

| No.         | 750277              | Ref. No. | 305X03 |
|-------------|---------------------|----------|--------|
| description | dryer type DML 032S |          |        |

## miscellaneous



1

| No.         | 750226                                             | Ref. No. | 305X01 |
|-------------|----------------------------------------------------|----------|--------|
| description | dryer size 20g ø 24mm L 117mm connection 6.2/6.3mm |          |        |



1

| No.         | 750276                                             | Ref. No. | 305X03 (old version) |
|-------------|----------------------------------------------------|----------|----------------------|
| description | dryer size 30g ø 24mm L 147mm connection 6,5/6,5mm |          |                      |

## evaporation and condensing trays

## evaporation trays



1

| No.         | 694962                                                           | Ref. No. | 501X22 |
|-------------|------------------------------------------------------------------|----------|--------|
| description | evaporation tray SS L 365mm W 95mm H 45mm for refrigerated shelf |          |        |

## springs

## torsion springs



1

| No.         | 514436                                                                    | Ref. No. | 506X04 |
|-------------|---------------------------------------------------------------------------|----------|--------|
| description | torsion spring ø 17mm wire gauge ø 2.5mm L1 28mm L2 9mm L3 20mm Qty 1 pcs |          |        |

## coffee accessories

## coffee grounds drawers



1

| No.         | 530886                                  | Ref. No. | 203X12 |
|-------------|-----------------------------------------|----------|--------|
| description | coffee drawer bar rubber ø 41mm L 308mm |          |        |

## measuring equipment

## thermometers

## built-in thermometers



1

| No.         | 541080                                                                                                     | Ref. No. | 308X06 |
|-------------|------------------------------------------------------------------------------------------------------------|----------|--------|
| description | thermometer mounting measurements 58x25.5mm -40 up to +40°C capillary pipe 2500mm probe ø 6mm probe L 30mm |          |        |