

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**




**TOOLS**

Spare parts suitable for


# KING

## heating elements


### heating elements for ovens

|   |   |                 |        |
|---|---|-----------------|--------|
|  |   |                 |        |
| 1   |   |                 |        |
| <b>No.</b>  | 418247  | <b>Ref. No.</b> | OK9753 |
| <b>description</b>  | heating element 2000W 220V L 600mm W 450mm L1 55mm L2 545mm W1 390mm W2 30mm flange length 70mm flange width 15mm hole distance 56mm hole ø 6mm tube ø 6.5mm connection length 30mm connection male faston 6.3mm heating circuits 1 rectangular flange dry heating element oven |                 |        |


### heating elements for bain maries

|   |  |                 |                   |
|---|--|-----------------|-------------------|
|  |  |                 |                   |
| 1   |  |                 |                   |
| <b>No.</b>  | 415565   | <b>Ref. No.</b> | OK9905            |
| <b>description</b>  | heating element 1500W 230V heating circuits 1 L 350mm W 180mm hole distance 22mm connection male faston 6.3mm tube ø 8.5mm compression flange immersion heater flange ø 32mm H 20mm mounting ø 32mm mounting thread M5 |                 |                   |
| <b>spare parts for</b>  | 415565   |                 |                   |
|   | <b>No.</b>   | 510364          | <b>Ref. No.</b> — |
|   | gasket Lmm Wmm ø 36mm for heating element thickness 3mm with 4 screw holes   |                 |                   |
| <b>accessories for</b>  | 415565   |                 |                   |
|   | <b>No.</b>   | 510365          | <b>Ref. No.</b> — |
|   | counterflange ø 36mm Lmm Wmm   |                 |                   |


### heating elements for griddles


|   |   |                 |                   |
|---|---|-----------------|-------------------|
|  |   |                 |                   |
| 1   |   |                 |                   |
| <b>No.</b>  | 415363  | <b>Ref. No.</b> | OK9904            |
| <b>description</b>  | heating element 3000W 230V heating circuits 1 L 450mm W 242mm H 20mm tube ø 6.3mm W1 104mm W2 31mm rectangular flange hole distance 56mm cable length 340mm flange length 70mm flange width 23mm hole ø 5mm dry heating element |                 |                   |
| <b>accessories for</b>  | 415363  |                 |                   |
|   | <b>No.</b>  | 510368          | <b>Ref. No.</b> — |
|   | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element  |                 |                   |

### heating elements for contact grills

|  |   |                 |        |
|--|---|-----------------|--------|
|  |   |                 |        |
| 1  |   |                 |        |
| <b>No.</b>   | 415648  | <b>Ref. No.</b> | OH9684 |
| <b>description</b>   | heating element 660W 230V L 212mm W 72mm H 35mm tube ø 6.3mm L1 34mm L2 178mm W1 58mm W2 14mm connection cable length 210mm dry heating element |                 |        |

### heating elements for chargrills

|  |   |                 |                   |
|--|---|-----------------|-------------------|
|  |   |                 |                   |
| 1  |   |                 |                   |
| <b>No.</b>   | 415647  | <b>Ref. No.</b> | OK9752            |
| <b>description</b>   | heating element 1000W 230V heating circuits 1 L 440mm W 30mm H 6.5mm 2 hole fixing thread M10x1 mounting distance 33mm dry heating element tube ø 6.5mm cable length 320mm connection length 41mm |                 |                   |
| <b>accessories for</b>   | 415647  |                 |                   |
|  | <b>No.</b>  | 510416          | <b>Ref. No.</b> — |
|  | flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs  |                 |                   |
|  | <b>No.</b>  | 510893          | <b>Ref. No.</b> — |
|  | O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs  |                 |                   |
|  | <b>No.</b>  | 520231          | <b>Ref. No.</b> — |
|  | nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs  |                 |                   |
|  | <b>No.</b>  | 521129          | <b>Ref. No.</b> — |
|  | nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439   |                 |                   |

|  |  |                 |                   |
|--|--|-----------------|-------------------|
|  |  |                 |                   |
| 1  |  |                 |                   |
| <b>No.</b>   | 415646   | <b>Ref. No.</b> | OK9751            |
| <b>description</b>   | heating element 700W 230V heating circuits 1 L 444mm W 37mm 2 hole fixing thread M10x1 mounting distance 30mm dry heating element tube ø 6.5mm cable length 440mm connection length 22mm |                 |                   |
| <b>accessories for</b>   | 415646   |                 |                   |
|  | <b>No.</b>   | 510416          | <b>Ref. No.</b> — |
|  | flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs   |                 |                   |
|  | <b>No.</b>   | 510893          | <b>Ref. No.</b> — |
|  | O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs   |                 |                   |
|  | <b>No.</b>   | 520231          | <b>Ref. No.</b> — |
|  | nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs   |                 |                   |
|  | <b>No.</b>   | 521129          | <b>Ref. No.</b> — |
|  | nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439  |                 |                   |



## ceramic heaters

245x60mm



1

| No. | 415104 | Ref. No. | 0A2843 |
|-----|--------|----------|--------|
|-----|--------|----------|--------|

| description | ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm |
|-------------|--|
|-------------|--|

| spare parts for | 415104 |
|-----------------|--------|
|-----------------|--------|



| No. | 415109 | Ref. No. | — |
|-----|--------|----------|---|
|-----|--------|----------|---|

spring clip

| accessories for | 415104 |
|-----------------|--------|
|-----------------|--------|



| No. | 415110 | Ref. No. | — |
|-----|--------|----------|---|
|-----|--------|----------|---|

reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm

## round

with radiused edge

for domestic and commercial kitchens

E·G·O



1

| No. | 490016 | Ref. No. | 0K0350 |
|-----|--------|----------|--------|
|-----|--------|----------|--------|

| description | hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring |
|-------------|--|
|-------------|--|



1

| No. | 490018 | Ref. No. | 0K0334 |
|-----|--------|----------|--------|
|-----|--------|----------|--------|

| description | hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring |
|-------------|--|
|-------------|--|

## hot plates

square &amp; rectangular

tiltable




1

| No. | 490085 | Ref. No. | 0K9761 |
|-----|--------|----------|--------|
|-----|--------|----------|--------|

| description | hot plate dimensions 300x300mm 2500W 230V with cast edge tilt boiling plate connection 3 screw clamps H 43mm square |
|-------------|---|
|-------------|---|

E·G·O



1

| No. | 490089 | Ref. No. | 0K0371 |
|-----|--------|----------|--------|
|-----|--------|----------|--------|

| description | hot plate dimensions 300x300mm 4000W 230V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square |
|-------------|---|
|-------------|---|

## energy regulators

EGO

1-circuit

E·G·O



1

| No. | 380015 | Ref. No. | 0C1605 |
|-----|--------|----------|--------|
|-----|--------|----------|--------|

| description | energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010 |
|-------------|---|
|-------------|---|


## thermostats

### control and safety thermostats

#### EGO


#### control thermostats

##### 55.34\_series




1

|                    |   |                 |        |
|--------------------|---|-----------------|--------|
| <b>No.</b>         | 375143  | <b>Ref. No.</b> | 004911 |
| <b>description</b> | thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |        |



1

|   |  |                 |                   |
|---|--|-----------------|-------------------|
| <b>No.</b>  | 375038   | <b>Ref. No.</b> | 0H6217            |
| <b>description</b>  | thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |                   |
| <b>accessories for</b>  | 375038   |                 |                   |
|  | <b>No.</b>   | 110123          | <b>Ref. No.</b> — |
|   | knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°  |                 |                   |

#### safety thermostats

##### 55.31\_series



1

|                    |  |                 |        |
|--------------------|--|-----------------|--------|
| <b>No.</b>         | 375521   | <b>Ref. No.</b> | 0H7487 |
| <b>description</b> | safety thermostat switch-off temp. 240°C 3-pole 20A probe ø 6mm probe L 177mm capillary pipe 2380mm capillary pipe isolated 1100mm gland nut M9x1 probe SS |                 |        |

### accessories

#### gland nut accessories

#### ducts



|                    |  |                 |        |
|--------------------|--|-----------------|--------|
| <b>No.</b>         | 550271   | <b>Ref. No.</b> | 0K9769 |
| <b>description</b> | gland duct ET M12x0.75 IT M9x1 with gasket and nut |                 |        |

## switches and momentary switches

### cam switches


#### on/off



1

|                    |   |                 |        |
|--------------------|---|-----------------|--------|
| <b>No.</b>         | 300021  | <b>Ref. No.</b> | 0K9771 |
| <b>description</b> | cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic |                 |        |


#### 4-position



1

|                    |  |                 |        |
|--------------------|--|-----------------|--------|
| <b>No.</b>         | 300007   | <b>Ref. No.</b> | 0H6602 |
| <b>description</b> | cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 4-position ceramic |                 |        |

#### 7-position



1

|                    |  |                 |        |
|--------------------|--|-----------------|--------|
| <b>No.</b>         | 300004   | <b>Ref. No.</b> | 0K6627 |
| <b>description</b> | cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic |                 |        |



## operation switches

E-G-O



1

|                    |   |                 |        |
|--------------------|---|-----------------|--------|
| <b>No.</b>         | 300002  | <b>Ref. No.</b> | 0A2134 |
| <b>description</b> | cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic |                 |        |

## lamps

## indicator lights

## indicator lights 3-piece (housing, lens and bulb)

## lamps

## neon light bulbs



1

|                    |   |                 |        |
|--------------------|---|-----------------|--------|
| <b>No.</b>         | 359602  | <b>Ref. No.</b> | 0H7036 |
| <b>description</b> | neon light bulb socket E14 230V clear ø 14mm L 30mm |                 |        |



1

|                    |   |                 |        |
|--------------------|---|-----------------|--------|
| <b>No.</b>         | 359603  | <b>Ref. No.</b> | 0H7037 |
| <b>description</b> | neon light bulb socket E14 380V clear ø 14mm L 30mm |                 |        |

## screw-on/push-on fit

## neon light bulbs



1

|                    |   |                 |        |
|--------------------|---|-----------------|--------|
| <b>No.</b>         | 359602  | <b>Ref. No.</b> | 0H7036 |
| <b>description</b> | neon light bulb socket E14 230V clear ø 14mm L 30mm |                 |        |



1

|                    |   |                 |        |
|--------------------|---|-----------------|--------|
| <b>No.</b>         | 359603  | <b>Ref. No.</b> | 0H7037 |
| <b>description</b> | neon light bulb socket E14 380V clear ø 14mm L 30mm |                 |        |

## linear lamps

## infrared lamps

## with base type Z ceramic



1

|                    |  |                 |        |
|--------------------|--|-----------------|--------|
| <b>No.</b>         | 359625   | <b>Ref. No.</b> | 0K9756 |
| <b>description</b> | infrared lamp socket Z-ceramic L 226mm 220-250V 500W cable length 195mm IMPORT |                 |        |

## solenoid valves

## solenoid valves (water)

## metal

## MÜLLER

## 2-way



1

|                    |   |                 |        |
|--------------------|---|-----------------|--------|
| <b>No.</b>         | 370035  | <b>Ref. No.</b> | 0H6405 |
| <b>description</b> | solenoid valve 2-ways 230VAC inlet 3/4" ET outlet 1/2" IT L 57mm water MÜLLER |                 |        |

## motors

## gear motors

## for gyros grills



1

|                    |  |                 |        |
|--------------------|--|-----------------|--------|
| <b>No.</b>         | 500805   | <b>Ref. No.</b> | 0K9826 |
| <b>description</b> | gear motor AEG type M008 230V 50/60Hz 2rpm shaft ø 10mm L 71mm W 71mm H 48mm for gyro grills |                 |        |














## gas taps

## PEL

## 23S/V series
















1

| No.   | 101630   | Ref. No. | OK9985     |
|---|--|----------|------------|
| <b>description</b>  | gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat |          |            |
| <b>spare parts for</b>  | 101630   |          |            |
|    | No.  | 100455   | Ref. No. — |
| bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5                             |  |          |            |
|    | No.  | 101059   | Ref. No. — |
| magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1             |  |          |            |
|    | No.  | 102767   | Ref. No. — |
| gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S       |  |          |            |
| <b>accessories for</b>  | 101630   |          |            |
|   | No.  | 100908   | Ref. No. — |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                   |  |          |            |
|  | No.  | 100909   | Ref. No. — |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                   |  |          |            |
|  | No.  | 100945   | Ref. No. — |
| roll pin ø 3.2mm L 10mm   |  |          |            |
|  | No.  | 101218   | Ref. No. — |
| shaft extension JUNKERS   |  |          |            |
|  | No.  | 101219   | Ref. No. — |
| shaft extension L 25mm JUNKERS  |  |          |            |
|  | No.  | 101246   | Ref. No. — |
| olive for pipe ø 4mm Qty 1 pcs  |  |          |            |
|  | No.  | 101286   | Ref. No. — |
| olive ID ø 6mm Qty 1 pcs  |  |          |            |
|  | No.  | 110064   | Ref. No. — |
| knob  |  |          |            |
|  | No.  | 110066   | Ref. No. — |
| knob screw  |  |          |            |
|  | No.  | 550396   | Ref. No. — |
| shaft extension L 25mm JUNKERS  |  |          |            |

## alternatives to JUNKERS



1

| No.   | 101630   | Ref. No. | OK9985     |
|---|--|----------|------------|
| <b>description</b>  | gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat |          |            |
| <b>spare parts for</b>  | 101630   |          |            |
|    | No.  | 100455   | Ref. No. — |
| bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5                             |  |          |            |
|    | No.  | 101059   | Ref. No. — |
| magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1             |  |          |            |
|    | No.  | 102767   | Ref. No. — |
| gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S       |  |          |            |
| <b>accessories for</b>  | 101630   |          |            |
|    | No.  | 100908   | Ref. No. — |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                   |  |          |            |
|  | No.  | 100909   | Ref. No. — |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                   |  |          |            |
|  | No.  | 100945   | Ref. No. — |
| roll pin ø 3.2mm L 10mm   |  |          |            |
|  | No.  | 101218   | Ref. No. — |
| shaft extension JUNKERS   |  |          |            |
|  | No.  | 101219   | Ref. No. — |
| shaft extension L 25mm JUNKERS  |  |          |            |
|  | No.  | 101246   | Ref. No. — |
| olive for pipe ø 4mm Qty 1 pcs  |  |          |            |
|  | No.  | 101286   | Ref. No. — |
| olive ID ø 6mm Qty 1 pcs  |  |          |            |
|  | No.  | 110064   | Ref. No. — |
| knob  |  |          |            |
|  | No.  | 110066   | Ref. No. — |
| knob screw  |  |          |            |
|  | No.  | 550396   | Ref. No. — |
| shaft extension L 25mm JUNKERS  |  |          |            |



## EGA

## 24197 series

## gas taps



1

| No.   | 101150   | Ref. No. | OK0213     |
|---|--|----------|------------|
| description   | gas tap EGA type 24197 series with pipe outlet |          |            |
| spare parts for   | 101150   |          |            |
|    | No.  | 101058   | Ref. No. — |
| magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard     |  |          |            |
|    | No.  | 101230   | Ref. No. — |
| thermocouple nut T1: M8x1 T2: M18x1 aluminium                                       |  |          |            |
| accessories for   | 101150   |          |            |
|    | No.  | 100944   | Ref. No. — |
| union nut thread M18x1.5 for pipe ø 12mm  |  |          |            |
|   | No.  | 101273   | Ref. No. — |
| olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal                |  |          |            |
|  | No.  | 101284   | Ref. No. — |
| olive for pipe ø 4mm Qty 1 pcs  |  |          |            |
|  | No.  | 101285   | Ref. No. — |
| union screw thread M8x1 for pipe ø 4mm Qty 1 pcs JUNKERS                            |  |          |            |

## ignition parts

## ignition cables

## pre-assembled cables



1

| No.         | 100025   | Ref. No. | OK0998 |
|-------------|--|----------|--------|
| description | ignition cable cable length 600mm connection ø4mm / F6.3mm |          |        |

## piezoelectric igniters

## mounting diameter 22mm



1

| No.         | 100005  | Ref. No. | 0H6070 |
|-------------|---|----------|--------|
| description | piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm SIT |          |        |

## miscellaneous



1

| No.         | nla <sup>1</sup>  | Ref. No. | 058225 |
|-------------|---|----------|--------|
| description | piezoelectric igniter body metal connection F6.3x0.8 2 hole fixing ø 22mm |          |        |

<sup>1</sup>no longer available

## ignition units



1

| No.         | 101015                                    | Ref. No. | 004248 |
|-------------|---|----------|--------|
| description | ignition unit outputs 4 230VAC 0.6VA 50Hz |          |        |


## thermocouples

## plug-in thermocouples

## plug-in thermocouples standard


## with barrel socket ø6mm

## type Junkers with aluminised tip



1

| No.         | 102229   | Ref. No. | 0H6174 |
|-------------|--|----------|--------|
| description | thermocouple M10x1 L 1000mm plug connection ø6.0mm |          |        |





1


| No.         | 102231   | Ref. No. | OK0687 |
|-------------|--|----------|--------|
| description | thermocouple M10x1 L 1500mm plug connection ø6.0mm |          |        |


## knobs


## universal knobs

|   |  |                 |         |
|---|--|-----------------|---------|
|  |  |                 |         |
| 1   |  |                 |         |
| <b>No.</b>  | 110232   | <b>Ref. No.</b> | 0112134 |
| <b>description</b>  | knob switch 4-position t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black |                 |         |

|   |  |                 |         |
|---|--|-----------------|---------|
|  |  |                 |         |
| 1   |  |                 |         |
| <b>No.</b>  | 110234   | <b>Ref. No.</b> | 0112138 |
| <b>description</b>  | knob switch 7-position t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black |                 |         |


|  |   |                 |         |
|--|---|-----------------|---------|
|  |   |                 |         |
| 1  |   |                 |         |
| <b>No.</b>   | 110241  | <b>Ref. No.</b> | 0102025 |
| <b>description</b>   | knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C |                 |         |


|   |  |                 |        |
|---|--|-----------------|--------|
|  |  |                 |        |
| 1   |  |                 |        |
| <b>No.</b>  | 110242   | <b>Ref. No.</b> | 0K9909 |
| <b>description</b>  | knob thermostat t.max. 180°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-180°C |                 |        |


|   |   |                 |         |
|---|---|-----------------|---------|
|  |   |                 |         |
| 1   |   |                 |         |
| <b>No.</b>  | 110245  | <b>Ref. No.</b> | 0102024 |
| <b>description</b>  | knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C |                 |         |


## producer-specific knobs

## KING

|  |  |                 |         |
|--|--|-----------------|---------|
|  |  |                 |         |
| 1  |  |                 |         |
| <b>No.</b>   | 110232   | <b>Ref. No.</b> | 0112134 |
| <b>description</b>   | knob switch 4-position t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black |                 |         |

|  |  |                 |         |
|--|--|-----------------|---------|
|  |  |                 |         |
| 1  |  |                 |         |
| <b>No.</b>   | 110234   | <b>Ref. No.</b> | 0112138 |
| <b>description</b>   | knob switch 7-position t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black |                 |         |

|   |   |                 |         |
|---|---|-----------------|---------|
|  |   |                 |         |
| 1   |   |                 |         |
| <b>No.</b>  | 110241  | <b>Ref. No.</b> | 0102025 |
| <b>description</b>  | knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C |                 |         |

|  |   |                 |         |
|--|---|-----------------|---------|
|  |   |                 |         |
| 1  |   |                 |         |
| <b>No.</b>   | 110245  | <b>Ref. No.</b> | 0102024 |
| <b>description</b>   | knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C |                 |         |



## baskets

## fryer baskets

KING



1

| No.         | 970439 | Ref. No.  | 0K9832 |
|-------------|--------|---|--------|
| description |        | fryer basket ø 230mm H1 145mm chrome-plated steel |        |