

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

KOMEL


heating elements

heating elements for fryers

2 hole fixing

1

No.	415920	Ref. No.	00033120	
description	heating element 2800W 230V heating circuits 1 L 280mm W 160mm H 185mm thread 1/4" tube ø 8.5mm windings 4 connection M4 2 hole fixing fryer heaters			
accessories for	415920			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				





No.	415921	Ref. No.	00033130	
description	heating element 1260W 230V heating circuits 1 L 320mm W 48mm H 220mm L1 22mm L2 298mm thread 1/4" tube ø 8.5mm windings 2 2 hole fixing connection M4 fryer heaters			
accessories for	415921			
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				


group 7

1


No.	420210	Ref. No.	00039276
description	heating element 1600W 230V heating circuits 1 L 283mm W 75mm H 200mm 2 hole fixing connection male faston 6.3mm immersion heater L1 10mm L2 273mm W1 12.5mm W2 50mm H1 20mm H2 180mm tube ø 8.5mm thread 1/4" mounting distance 41.5mm windings 2		

1  				
No.	416783	Ref. No.	00033154 00033155	
description	heating element 5500W 230V heating circuits 1 L 250mm W 60mm H 250mm L1 22mm L2 375mm H1 206mm H2 44mm thread M14x1.5 tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 6			
accessories for	416783			
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				


accessories for 416783				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				




No.	415924	Ref. No.	00033142	
description	heating element 3000W 230V heating circuits 1 L 297mm W 86mm H 243mm L1 22mm L2 275mm H1 207mm H2 36mm thread 1/4" mounting distance 34mm tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 4			
accessories for	415924			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				



No.	416782	Ref. No.	00033150 00033151	
description	heating element 3333W 230V heating circuits 1 L 395mm W 85mm H 245mm L1 23mm L2 375mm H1 210mm H2 35mm thread 1/4" mounting distance 76mm tube ø 8.5mm 2 hole fixing connection M4 connection length 37mm fryer heaters windings 4			
accessories for	416782			
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				




No.	415922	Ref. No.	00033140
description	heating element 1680W 230V windings 2		



No.	415923	Ref. No.	00033141	
description	heating element 2000W 230V heating circuits 1 L 315mm W 74mm H 250mm L1 20mm L2 295mm H1 214mm H2 36mm thread 1/4" mounting distance 66mm tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 2 fryer			
spare parts for	415923			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

Table continues overleaf

accessories for 415923				
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

				
1	No.	419056	Ref. No.	00033145
description heating element 2000W 240V heating circuits 1 L 315mm W 74mm H 250mm L1 20mm L2 295mm H1 214mm H2 36mm thread 1/4" mounting distance 66mm tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 2 fryer				

6 hole fixing

				
1	No.	420209	Ref. No.	00039278
description heating element 9000W 230V heating circuits 3 L 310mm W 180mm H 235mm L1 10mm L2 300mm thread 1/4" mounting distance 34.5mm tube ø 8.5mm 6 hole fixing connection male faston 6.3mm immersion heater fryer				

coil heating elements

				
1	No.	420345	Ref. No.	00055600 00055640
description heating element 1400W 230V L 285mm W 135mm ø 19.5mm thread 3/8" connection M5 for drying heating circuits 1 2 hole fixing				

immersion heating elements

miscellaneous

				
1	No.	418574	Ref. No.	00203052
description heating element 3000W 230V heating circuits 1 L 233mm W 45mm H 29mm rectangular flange hole distance 50mm hole ø 9.5mm connection male faston 6.3mm tube ø 8.5mm flange length 96mm flange width 80mm immersion heater INCOLOY-800				
accessories for 418574				
	No.	510401	Ref. No.	00003430
gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm				

				
1	No.	415178	Ref. No.	00203049
description heating element 3000W 230V immersion heater				

				
1	No.	418548	Ref. No.	00003325
description heating element 5200W 230V heating circuits 3 L 325mm W 47mm H 50mm tube ø 8.5mm hole distance 62mm hole ø 9.3mm connection M4 4 hole flange immersion heater flange width 81mm flange length 96mm with thermal fuse				
spare parts for 418548				
	No.	510401	Ref. No.	00003430
gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm				

				
1	No.	415031	Ref. No.	00003324
description heating element 5700W 230V heating circuits 3				
accessories for 415031				
	No.	510401	Ref. No.	00003430
gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm				

			
No.	415032	Ref. No.	00003330 00003334
description	heating element 7500W 230V heating circuits 3 4 hole flange immersion heater		
accessories for	415032		
	No.	510401	Ref. No. 00003430
	gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm		
	No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

			
No.	415033	Ref. No.	00003349 old version
description	heating element 9000W 230V heating circuits 3 L 322mm W 37mm H 68mm tube ø 6.3mm hole distance 67/45mm hole ø 10mm connection M4 4 hole flange immersion heater		
accessories for	415033		
	No.	510401	Ref. No. 00003430
	gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm		
	No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

			
No.	420213	Ref. No.	00003335
description	heating element 9000W 240V heating circuits 3 L 483mm W 46mm H 40mm tube ø 8.5mm hole distance 65mm hole ø 9.5mm connection M4 4 hole flange immersion heater flange width 81mm flange length 96mm		
accessories for	420213		
	No.	510401	Ref. No. 00003430
	gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm		

			
No.	418879	Ref. No.	00003349
description	heating element 9800W 230V heating circuits 3 L 322mm W 37mm H 68mm number of thermostat sleeves 2 thermostat sleeves ø 6.5/10mm length thermostat sleeves 185/80mm tube ø 6.3mm hole distance 65/45mm hole ø 10mm connection M4 4 hole flange immersion heater flange width 81mm flange length 96mm		
accessories for	418879		
	No.	510401	Ref. No. 00003430
	gasket rubber L 88mm W 73mm thickness 5mm hole ø 7mm hole distance 65mm for heating element 4 holes ID ø 50mm		

			
No.	415153	Ref. No.	00003270
description	heating element 5700W 230V heating circuits 3 thread 1 1/4" L 300mm W 85mm H 42mm L1 120mm L2 180mm W1 29mm W2 28mm H1 21mm H2 21mm tube ø 6.3mm connection male faston 6.3mm connection length 40mm flange with thread immersion heater		
spare parts for	415153		
	No.	510405	Ref. No. —
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs		
accessories for	415153		
	No.	520232	Ref. No. —
	nut thread 1 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs		
	No.	528021	Ref. No. —
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

			
No.	418981	Ref. No.	00003277
description	heating element 1000/1300/1400W 200/230/240V heating circuits 1 L 213mm W 67mm H 29mm thread 1/4" mounting distance 61mm tube ø 6.3mm connection male faston 6.3mm immersion heater		

			
No.	416281	Ref. No.	00203091
description	heating element 2000W 230V heating circuits 1 L 300mm W 76mm H 30mm thread 1/4" mounting distance 80mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing connection length 15mm immersion heater		
spare parts for	416281		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		

Table continues overleaf

accessories for	416281		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

	No.	415176	Ref. No.	00203089
description	heating element 2700W 230V heating circuits 1 L 350mm W 70mm thread 1/4" mounting distance 64mm tube ø 6.25mm 2 hole fixing immersion heater connection male faston 6.3mm			

	No.	416282	Ref. No.	00018070
description	heating element 3200W 230V heating circuits 1 L 350mm W 77mm H 33mm thread 1/4" mounting distance 71mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing immersion heater			
spare parts for	416282			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	416282			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				


thermostats

bi-metal thermostats

safety bi-metal thermostats

	No.	390748	Ref. No.	22110020
description	bi-metal safety thermostat hole distance 23.5mm switch-off temp. 100°C 1NC 1-pole 16A connection F6.3			

	No.	390681	Ref. No.	22110021
description	bi-metal safety thermostat hole distance 40mm switch-off temp. 105°C 2NC 2-pole 16A 250V connection F6.3			

	No.	375757	Ref. No.	22110020 old version
description	bi-metal safety thermostat switch-off temp. 100°C 1NC 1-pole 16A connection F6.3			

bi-metal thermostats

	No.	390909	Ref. No.	22180101
description	bi-metal thermostat hole distance 46mm switch-off temp. 56°C 1NC 1-pole 16A 250V connection F6.3 Qty 1 pcs			

control and safety thermostats


EGO

control thermostats

55.10/19_ series


	No.	390731	Ref. No.	22140002
description	thermostat t.max. 195°C temperature range 65-195°C 1-pole 1NO 16A probe ø 4mm probe L 106mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position° shaft position upper rotation 270°			

E.G.O




No.	390174	Ref. No.	22140001 3323
description	thermostat t.max. 204°C temperature range 65-204°C 1-pole 1NO 16A probe ø 4mm probe L 89mm capillary pipe 600mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		

E.G.O



No.	390172	Ref. No.	00057151
description	thermostat t.max. 50°C temperature range fixed 50°C 1-pole 1CO 16A probe ø 11mm probe L 45mm capillary pipe 850mm capillary pipe isolated 830mm gland nut shaft Lmm shaft position screw-in probe probe thread 3/8"		
accessories for	390172		
	No.	506024	Ref. No. —
	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
	No.	521137	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 18mm thickness 1.5mm for thread 3/8" Qty 1 pcs		


E.G.O



No.	375534	Ref. No.	22180004
description	thermostat t.max. 90°C temperature range 19-90°C 1-pole 1CO 16A probe ø 6mm probe L 129mm capillary pipe 980mm capillary pipe isolated 960mm gland nut shaft Lmm shaft position rotation 180°		

55.34_ series

E.G.O




No.	390057	Ref. No.	22160001
description	thermostat t.max. 192°C temperature range 100-192°C 3-pole 3NO 16A probe ø 7mm probe L 200mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270°		

E.G.O



No.	390043	Ref. No.	00003190
description	thermostat t.max. 80°C temperature range fixed 80°C capillary pipe isolatedmm gland nut		


E.G.O



No.	390042	Ref. No.	0000319A 22190001
description	thermostat t.max. 85°C temperature range 35-85°C 3-pole 3CO 16A probe ø 9.5mm probe L 80mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 180° with disc disc ø 10mm		

safety thermostats
55.10/19_series


No.	390738	Ref. No.	22180100
description	safety thermostat switch-off temp. 107°C 1-pole 1NC 16A probe ø 6mm probe L 77mm capillary pipe 1170mm capillary pipe isolated 1150mm gland nut probe probe material SS		



No.	375178	Ref. No.	22170001
description	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 4mm probe L 116mm capillary pipe 1500mm capillary pipe isolatedmm gland nut probe SS		




No.	390730	Ref. No.	22170003
description	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 4mm probe L 125mm capillary pipe 1550mm capillary pipe isolated 1410mm gland nut probe		

55.14_series


No.	390176	Ref. No.	22130001 3227
description	safety thermostat switch-off temp. 230°C 1-pole 16A probe ø 6mm probe L 74mm capillary pipe 600mm capillary pipe isolatedmm gland nut probe SS		

55.31_series


No.	390091	Ref. No.	22150001
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 239mm capillary pipe 830mm capillary pipe isolatedmm gland nut probe SS 380V		

55.32_series


No.	390178	Ref. No.	22100002
description	safety thermostat switch-off temp. 124°C 3-pole 20A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

55.33_ series



No.	375796	Ref. No.	00032280 22150002 22150003
description	safety thermostat switch-off temp. 220°C 3-pole 3NC 20A probe ø 6mm probe L 107mm capillary pipe 870mm capillary pipe isolated 800mm gland nut probe		

56._ series



No.	390714	Ref. No.	00032270
description	safety thermostat switch-off temp. 230°C 1-pole 1NC 16A probe ø 6mm probe L 75mm capillary pipe 740mm capillary pipe isolated 200mm gland nut probe SS		

IMIT / TEMPOMATIC / ARThERMO

control thermostats



No.	390173	Ref. No.	00057150
description	thermostat t.max. 87°C temperature range 27-87°C 1-pole 1CO 15A probe ø 6.5mm probe L 95mm capillary pipe 1000mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270° with disc disc ø 14.5mm		

accessories for 390173



No.	110100	Ref. No.	—
description	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		



No.	110310	Ref. No.	—
description	rosette knob up to ø 45mm		

safety thermostats




No.	375850	Ref. No.	22130002
description	safety thermostat switch-off temp. 230°C 1-pole 1NC 15A probe ø 3.5mm probe L 200mm capillary pipe 950mm capillary pipe isolated-mm gland nut probe SS 250V		



No.	375851	Ref. No.	00032610
description	safety thermostat switch-off temp. 230°C 1-pole capillary pipe isolatedmm gland nut probe		

various


control thermostats



No.	390196	Ref. No.	22180004 old version
description	thermostat t.max. 93°C temperature range 35-93°C 1-pole		

accessories

fitting parts



No.	511627	Ref. No.	00003400
description	screw connection for boiler IT M16x1 ET 3/8"		

gland ducts



No.	551076	Ref. No.	00038680
description	gland duct ET M11x1 IT M10x1 probe ø max. 4mm WS 22 copper stainless steel L 30mm		

plunger sockets


1

No.	550139	Ref. No.	00030500
description	thermowell thread 3/4" L 310mm SS double ø 8mm hole ø 7mm		
accessories for	550139		
	No.	520234	Ref. No. —
nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs			

miscellaneous


1

No.	550268	Ref. No.	00032290
description	cover cap for push-button		

switches and momentary switches
push/momentary push switches
17x13mm


1

No.	345950	Ref. No.	28160041
description	momentary push switch mounting measurements 17x13mm grey 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150/75°C protection IP40		

20.6x16.4mm


1

No.	345948	Ref. No.	28160039
description	momentary push switch mounting measurements 20.6x16.4mm grey 2CO 250V 16A outflow connection male faston 6.3mm ambient temperature max. 150°C protection IP40		



1

No.	345949	Ref. No.	28160040
description	push switch mounting ø 20.6x16.4mm grey 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		

28.5x28.5mm


1

No.	345940	Ref. No.	28160020
description	momentary push switch mounting measurements 28.5x28.5mm grey 2CO 240V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		



1

No.	345942	Ref. No.	28160024
description	push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		



1

No.	345953	Ref. No.	28160273
description	push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		



1

No.	345943	Ref. No.	28160026 28160272
description	momentary push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A clock connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		



1

No.	345941	Ref. No.	28160022
description	momentary push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A drain pump connection male faston 6.3mm ambient temperature max. 150°C protection IP40		



1

No.	345947	Ref. No.	28160037
description	momentary push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A drain pump connection male faston 6.3mm ambient temperature max. 150°C protection IP40		

28.5x77.5mm



1

No.	345944	Ref. No.	28160028
description	switch combination latching mounting measurements 28.5x77.5mm grey 2CO 250V 16A main switch connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



1

No.	345954	Ref. No.	28160274
description	switch combination latching mounting measurements 28.5x77.5mm grey 2CO/2CO/2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



1

No.	345945	Ref. No.	28160029
description	switch combination latching mounting measurements 28.5x77.5mm grey 2CO/2CO/2CO 250V 16A main switch/program/drain pump connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



1

No.	345180	Ref. No.	28160021 28160023
description	switch combination mounting measurements 28.5x77.5mm grey 1CO/1CO/1CO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



1

No.	345946	Ref. No.	28160036
description	switch combination mounting measurements 28.5x77.5mm grey 2CO/2CO/2CO 250V 16A double arrow/arrow/main switch connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

miscellaneous



1

No.	345951	Ref. No.	28160043
description	momentary push switch grey 2CO 250V 16A without frame drain connection male faston 6.3mm ambient temperature max. 85°C		



1

No.	345952	Ref. No.	28160044
description	momentary push switch grey 2CO 250V 16A without frame rinsing connection male faston 6.3mm ambient temperature max. 85°C		

microswitches

lever actuated



1

No.	345183	Ref. No.	25190005
description	microswitch with double lever 250V 16A 2CO connection male faston 6.3mm L 50mm ambient temperature max. 125°C mounting distance 22.5mm type N16 actuating force: 290g lever length 47mm		



1

No.	345178	Ref. No.	25190003
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 28mm L1 37mm ambient temperature max. 125°C mounting distance 22mm actuating force: 220g lever length 33mm		



1

No.	345255	Ref. No.	25190007
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 35mm L1 28mm ambient temperature max. 125°C mounting distance 22mm actuating force: 136g lever length 27mm		

roller-lever actuated

non-standard



1

No.	345186	Ref. No.	00006390 25190001
description	microswitch with handle with a switch 250V 15A 1CO connection male faston 6.3mm L 42mm ambient temperature max. 85°C lever length 37mm		

accessories



1

No.	511892	Ref. No.	00011115
description	actuator for microswitch kit		



1

No.	511081	Ref. No.	00011100
description	actuator microswitch		



1

No.	511111	Ref. No.	00006410
description	actuator microswitch kit		



1

No.	511119	Ref. No.	00011090
description	actuator microswitch kit		



1

No.	511112	Ref. No.	00006401 640H
description	lever for microswitch		

position switches

LOVATO



1

No.	347579	Ref. No.	25190004
description	position switch plastic 1NO/1NC 400V 3A L 110mm W 30mm H 44mm protection IP66/67 actuating force: 380g screw connection M16 mounting distance 22mm type ZCP21		

TELEMECANIQUE (EFA)



1

No.	347579	Ref. No.	25190004
description	position switch plastic 1NO/1NC 400V 3A L 110mm W 30mm H 44mm protection IP66/67 actuating force: 380g screw connection M16 mounting distance 22mm type ZCP21		



1

No.	347903	Ref. No.	00073790 25190002
description	position switch plastic 1NO/1NC 400V 3A L 110mm W 30mm H 44mm protection IP66/67 actuating force: 380g screw connection M16 mounting distance 22mm type ZCP21		

system switches (ROLD)



1

No.	347193	Ref. No.	28160253
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		



1

No.	346256	Ref. No.	28160214
description	push button ø 23mm grey clock no lens		



1

No.	346253	Ref. No.	28160213
description	push button ø 23mm grey main switch		



1

No.	347504	Ref. No.	28160250
description	switch 2CO 250V 16A connection male faston 6.3mm		

rotary switches

BRETER

rotary switches



1			
No.	345165	Ref. No.	25100102 old version
description	rotary switch 16A 2-pole		



1			
No.	345015	Ref. No.	00005980
description	rotary switch 16A connection screw clamp 3-pole shaft 5x5mm		



1			
No.	345166	Ref. No.	25120001 old version
description	rotary switch 4-pole		

TECNOMATIC



1			
No.	345016	Ref. No.	0000597A 25100001
description	rotary switch 2 0-1 sets of contacts 1 type HD1201R000 600V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw		



1			
No.	347055	Ref. No.	25100102
description	rotary switch 2 0-1 sets of contacts 2 type HD1602R000 600V 16A shaft ø 5x5mm shaft L 23mm shaft square connection screw		

magnetic switches

36x13mm



1			
No.	345955	Ref. No.	25110113
description	magnetic switch L 36mm W 13mm connection cable		

65x20mm




1

No.	345116	Ref. No.	25240003
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
accessories for	345116		
	No.	345399	Ref. No.
			—
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

accessories

magnets



1




No.	519049	Ref. No.	25110115
description	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		
accessories for	519049		
	No.	560095	Ref. No.
	—		
	sheet metal screws ø 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head		

miscellaneous



1

No.	347904	Ref. No.	00065606
description	holding plate L 62mm W 26mm for magnetic switch		

control equipment

TELEMECANIQUE (EFA)

ZB4 series

switches (complete)



1

No.	346925	Ref. No.	00061070
description	rotary selector mounting measurements ø22mm latching white illuminated rotation 90° sequence 0-1		
spare parts for	346925		
	No.	347385	Ref. No. —
	contact block EFA ZBE-101 1NO max 230V 10(6)A black		



1

No.	347905	Ref. No.	00061060
description	rotary selector mounting measurements ø22mm latching white illuminated sequence 0-1		

lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

light bulbs



1

No.	359236	Ref. No.	00006460 28130003
description	light bulb socket E10 24V 3W ø 10mm L 28mm		

indicator lights (complete)

ø 6mm



1

No.	359005	Ref. No.	28100006
description	indicator light ø 6mm 230V yellow cable length 400mm		

ø10mm

with plug-in socket



1

No.	359140	Ref. No.	28100007
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

ø13mm

with screw socket



1

No.	359146	Ref. No.	28100011
description	indicator light ø 13mm 230V yellow		
accessories for	359146		
	No.	510302	Ref. No. —
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	No.	511505	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		



1

No.	359049	Ref. No.	28100001
description	indicator light ø 13mm 400V green		
accessories for	359049		
	No.	510302	Ref. No. —
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	No.	511505	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		

with plug-in socket



1

No.	359119	Ref. No.	28100004
description	indicator light ø 13mm green 24V connection male faston 6.3mm Qty 1 pcs		



33x10mm



1

No.	359452	Ref. No.	28110001 28110001 + 00038828 3320
description	indicator light mounting measurements 33.1x10.3mm 400V green connection male faston 6.3mm		



1

No.	359451	Ref. No.	003321 28110002 28110002 + 00038828
description	indicator light mounting measurements 33.1x10.3mm 400V yellow connection male faston 6.3mm		

miscellaneous



1

No.	357123	Ref. No.	28100014
description	indicator light red 230V connection cable ø 8mm		

screw-on/push-on fit

light bulbs

for indicator lights



1

No.	359236	Ref. No.	00006460 28130003
description	light bulb socket E10 24V 3W ø 10mm L 28mm		

timers

programme timers



1

No.	360654	Ref. No.	26100024
description	timer CDC 11804F1 engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm		



1

No.	360653	Ref. No.	26100023
description	timer CDC 11804F1 engines 1 chambers 4 operation time 180s 230V		



1

No.	360069	Ref. No.	26100017
description	timer CROUZET engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 645/5245 motor type 82340		



1

No.	360068	Ref. No.	26100019
description	timer CROUZET engines 1 chambers 5 operation time 90s 230V shaft ømm shaft Lmm manuf. no. 645/5238 motor type 82340		



1

No.	360081	Ref. No.	00005930 26100015
description	timer FIBER P25 engines 1 chambers 4 operation time 120s 24V shaft ø 5x5mm shaft L 20mm manuf. no. P255204H313 motor type M51B20L6400		

spare parts for 360081



No.	360676	Ref. No.	—
motor kit pinion ø 6.8mm teeth 15 24V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder			



1

No.	360304	Ref. No.	26100022	
description	timer FIBER P25 engines 2 chambers 4 operation time 2min / 7.5min 230V shaft ømm shaft Lmm manuf. no. P255J04LXP8 motor type M51BJ0R6400 / M51BJ0L6400			
spare parts for	360304			
	No.	360673	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			
	No.	360674	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder			



1

No.	360303	Ref. No.	26100021	
description	timer FIBER P25 engines 2 chambers 5 operation time 72s / 4.8min 230V shaft ømm shaft Lmm manuf. no. P255J05ANM0 motor type M51BJ0R6400 / M51BJ0L6400			
spare parts for	360303			
	No.	360673	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			
	No.	360674	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder			



1

No.	360087	Ref. No.	26100011
description	timer FIBER P26 engines 1 chambers 3 operation time 20min 230V shaft ømm shaft Lmm manuf. no. P265J03L130 motor type M61B40R6400		



1

No.	360305	Ref. No.	26100025	
description	timer FIBER PWE engines 1 chambers 1 operation time 20min 230V shaft ømm shaft Lmm manuf. no. PWE5J01L103 motor type M51BJ0R6400			
spare parts for	360305			
	No.	360673	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380245	Ref. No.	25130028
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS4K 01A type GE CL00A 301 H 85mm		



1

No.	380262	Ref. No.	25130026
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm		



1

No.	380261	Ref. No.	25130025
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310		

LOVATO

power contactors



1

No.	380083	Ref. No.	25130037
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF0901A230		



1

No.	380717	Ref. No.	25130038
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF1801A230		

TELEMECANIQUE (Schneider Electric)

power contactors



1

No.	380820	Ref. No.	00006280
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D0900M7		



1

No.	380617	Ref. No.	00006070
description	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09B7		



1

No.	380976	Ref. No.	00006270
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection		

auxiliary contacts



1

No.	380821	Ref. No.	00006270 (old version)
description	auxiliary contact contacts 1NO/1NC AC15 10A connection screw type LA1DN11		

relays

power relays

with DIN rail mounting

lateral



1


No.	380629	Ref. No.	25240004
description	power relays FINDER 24VAC 16A 3CO connection male faston 4.8mm DIN rail manuf. no. 60.33.8.024.0008		
accessories for	380629		
	No.	380703	Ref. No. —
adapter for flange mounting suitable for Finder relay 62 series.			
	No.	380811	Ref. No. —
adapter with bracket mounting suitable for Finder relay 62 series.			
	No.	380954	Ref. No. —
adapter hole distance 54mm bracket mounting suitable for Finder relay 62 series. L 41mm W 39mm H 49mm			
	No.	381003	Ref. No. —
adapter for DIN rail mounting suitable for Finder relay 62 series.			
	No.	381039	Ref. No. —
adapter for DIN rail mounting suitable for Finder relay 62 series.			

with bracket mounting



1

No.	380626	Ref. No.	25130101 25130102
description	power relays FINDER 230VAC 10A 2CO connection male faston 4.8mm bracket mounting manuf. no. 62.62.8.230.0000		



1

No.	380139	Ref. No.	25130100
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		

electronic controllers

EVCO - EVERY CONTROL

universal controllers

built-in version



1

No.	378270	Ref. No.	22192001
description	electronic controller EVERY CONTROL mounting measurements 71x29mm built-in depth 59mm 12/24V voltage AC/DC PTC relay outputs 1 relay with probe protection IP65 -50 up to +150°C display 4 digits cable length 1430mm 16 type EVK411		



1

No.	378280	Ref. No.	22192002 22192005+22192006
description	electronic controller EVERY CONTROL mounting measurements 71x29mm built-in depth 59mm 12V voltage AC/DC PTC with probe protection IP65 -50 up to +150°C display 4 digits cable length 1430mm probe ø 6mm 16 type EVK411		

probes

universal probes

temperature probes



1

No.	379142	Ref. No.	22192003
description	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire		



producer-specific probes

probes

1			
No.	378343	Ref. No.	25192400
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection 2-wire thread probe ø7x30mm cable length 1m		

electronics

PCBs

1			
No.	403775	Ref. No.	25192030
description	control PCB warewashing D35/36/45/46/47 L 170mm W 28mm connection coded plug suitable for ELFRAMO		

1			
No.	403163	Ref. No.	25192040
description	PCB dishwasher C34/C44/C66 230V 50/60A		

1			
No.	402990	Ref. No.	25192020
description	PCB dishwasher D35/40		

keypads

control panel

1			
No.	109182	Ref. No.	00038675
description	control panel fryer GW ELT/GWD ELT W 223mm H 70mm D 20mm		

1			
No.	403262	Ref. No.	00222433
description	control panel warewashing BE35 W 178mm H 48mm D 58mm suitable for ELFRAMO		

solenoïd valves

solenoïd valves (water)

ELBI

1			
No.	370257	Ref. No.	23120003
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C ELBI plastic output B 2.5l/min flow regulating valve outlet B orange		

TP



compagnement par électroautomatisme



1

No.	370021	Ref. No.	00003120 23120001
description solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
spare parts for 370021			
	No.	371013	Ref. No. —
solenoid coil TP 230VAC 50/60Hz			
accessories for 370021			
	No.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance ±15%			
	No.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	No.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance ±15%			
	No.	371223	Ref. No. —
reducer TP flow rate 10l/min white tolerance ±15%			
	No.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance ±15%			
	No.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance ±15%			
	No.	371226	Ref. No. —
reducer TP flow rate 20l/min red tolerance ±15%			
	No.	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance ±25%			
	No.	371231	Ref. No. —
reducer TP flow rate 0.35l/min violet tolerance ±25%			

Table continues on next page

accessories for 370021				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				



1

No.	370111	Ref. No.	00003090 23120002	
description	solenoid valve double straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP			
spare parts for	370111			
	No.	371035	Ref. No.	—
solenoid coil 24VAC				
accessories for	370111			
	No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				

accessories for 370111				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance $\pm 15\%$				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				

componenti per elettrodomestici

1

No.	370017	Ref. No.	23120021	
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar			
spare parts for	370017			
	No.	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz				
accessories for	370017			
	No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance $\pm 15\%$				

Table continues overleaf

accessories for 370017				
	No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				

metal

SIRAI

2-way

L140-B series



1

No.	370239	Ref. No.	00003130 23140006	
description	solenoid valve 2-ways 230VAC connection 1/2" L 41mm DN 10mm slide-on receptacle compact -10 up to +90°C SIRAI type series L140-B coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar			
spare parts for	370239			
	No.	371085	Ref. No.	—
solenoid coil 230VAC 4VA SIRAI coil type ZB10A seat ø 10mm 50/60Hz				
	No.	371163	Ref. No.	—
membrane connection 1/2" series L140-B membrane type NBR (water)				
accessories for	370239			
	No.	371091	Ref. No.	—
power socket plug type DIN 43650B cable lengthmm small				



1

No.	370472	Ref. No.	23140004
description			
solenoid valve 2-ways 24VAC inlet 1/2" connection 1/2" L 41mm DN 10mm -10 up to +90°C SIRAI coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar 24V voltage AC			

L180-B series



1

No.	370329	Ref. No.	00005692 23140003	
description	solenoid valve 2-ways 24VAC inlet 1/2" outlet 1/2" connection 1/2" L 66mm DN 13.5mm slide-on receptacle compact -10 up to +90°C SIRAI type series L180-B coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar			
spare parts for	370329			
	No.	371070	Ref. No.	00005661 23160001
solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm				
	No.	371171	Ref. No.	—
membrane series L180-B membrane type NBR (water)				

accessories for 370329				
	No.	371091	Ref. No.	—
power socket plug type DIN 43650B cable lengthmm small				

1

				
No.	370252	Ref. No.	00005680 23150002	
description	solenoid valve 2-ways 24VAC inlet 3/4" outlet 3/4" L 79mm DN 18mm slide-on receptacle compact -10 up to +90°C SIRAI type series L180-B coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar			
spare parts for	370252			
	No.	371070	Ref. No.	00005661 23160001
	solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm			
	No.	371172	Ref. No.	—
	membrane connection 3/4" series L180-B membrane type NBR (water)			
accessories for	370252			
	No.	371091	Ref. No.	—
	power socket plug type DIN 43650B cable lengthmm small			

solenoid valves steam (water)

2-way

L153-D series

				
1				
No.	370264	Ref. No.	23150003	
description	solenoid valve 2-ways 230VAC inlet 1/2" outlet 1/2" connection 1/2" L 66mm DN 11.5mm slide-on receptacle DIN -10 up to 140°C SIRAI type series L153-D coil type Z134A membranes EPDM (steam/water) p max 8bar p min 0.1bar			
spare parts for	370264			
	No.	371077	Ref. No.	—
solenoid coil 230VAC 24VA SIRAI coil type Z110A/Z114A/Z134A seat ø 14mm				
	No.	371167	Ref. No.	—
membrane connection 1/2" series L153-D membrane type EPDM				
accessories for	370264			
	No.	371090	Ref. No.	—
power socket plug type DIN 43650A screw				

			
1			
No.	370325	Ref. No.	00005660 23150001
description solenoid valve 2-ways 24VAC inlet 3/4" outlet 3/4" connection 3/4" L 79mm DN 17mm slide-on receptacle DIN -10 up to 140°C SIRAI type series L153-D coil type Z134A membranes EPDM (steam/water) p max 8bar p min 0.1bar 50Hz			

spare parts and accessories

solenoid coils



1

No.	371070	Ref. No.	00005661 23160001	
description solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm				
accessories for 371070				
	No.	371091	Ref. No.	—
power socket plug type DIN 43650B cable lengthmm small				

solenoid valves (various)

			
1			
No.	370738	Ref. No.	00065310
description solenoid valve 230VAC inlet 3/4" ET outlet 1" ET L 225mm with in-line particle filter SIRAI coil type Z610A 230V brass warewashing voltage AC			

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal

			
1			
No.	541314	Ref. No.	27100002
description pressure control pressure range 46/26mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm			



1

No.	541006	Ref. No.	27100001
description	pressure control pressure range 60/20mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		



1

No.	541019	Ref. No.	00005960
description	pressure control pressure range 70/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		

electrodes



1

No.	403264	Ref. No.	00013897
description	level electrode total length 125mm angled ø 4mm		



1

No.	403263	Ref. No.	00014133
description	level electrode total length 75mm angled ø 4mm		

pumps

wash and rinse pumps

FIR

pumps



1

No.	500927	Ref. No.	00002501
description	pump inlet ø 53mm outlet ø 44mm type 0213.1600 230V 50/60Hz 1 phase 1kW 1.36HP L 290mm rotation direction right capacitor 12.5µF FIR		
spare parts for	500927		
	No.	365014	Ref. No. 00002630
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	509010	Ref. No. 00002860
	impellor ø 105mm H 20mm M10L rotation direction right blades 4		
	No.	510693	Ref. No. 00003000 06150001 300
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521543	Ref. No. 00002700
	pump cover ELFRAMO inlet ø 53mm outlet ø 44mm turn direction right ø 160mm ID ø 136mm inner height 34mm		
	No.	521717	Ref. No. 00002900 06140008 06140140 290
	O-ring EPDM thickness 1.78mm ID ø 120.37mm Qty 1 pcs		



1

No.	500098	Ref. No.	00002520
description	pump inlet ø 62mm outlet ø 49mm type B215.2500 230/400V 50/60Hz 3 phase 1.5kW 2HP L 332mm rotation direction right FIR		
spare parts for	500098		
	No.	510693	Ref. No.
			00003000 06150001 300
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	511148	Ref. No.
			00002870 287
impellor ø 118mm H 20mm M10L			
	No.	521544	Ref. No.
			00002710
pump cover inlet ø 63mm outlet ø 50mm turn direction right ø 180mm ID ø 165mm inner height 42mm			
	No.	521718	Ref. No.
			00002910 06140010
O-ring EPDM thickness 3.53mm ID ø 164.7mm Qty 1 pcs			



1

No.	499051	Ref. No.	00002513
description	pump inlet ø 62mm outlet ø 50mm type B214 230V 50/60Hz 1 phase 1kW rotation direction right capacitor 12.5µF FIR		
spare parts for	499051		
	No.	365014	Ref. No.
			00002630
operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 455.C3DS.12.5 protection			
	No.	509010	Ref. No.
			00002860
impellor ø 105mm H 20mm M10L rotation direction right blades 4			

spare parts for	499051		
	No.	510693	Ref. No.
			00003000 06150001 300
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	517174	Ref. No.
			—
nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			
	No.	521544	Ref. No.
			00002710
pump cover inlet ø 63mm outlet ø 50mm turn direction right ø 180mm ID ø 165mm inner height 42mm			
	No.	521718	Ref. No.
			00002910 06140010
O-ring EPDM thickness 3.53mm ID ø 164.7mm Qty 1 pcs			
	No.	560312	Ref. No.
			—
plain washer ID ø 10.5mm ED ø 20mm thickness 2mm SS Qty 1 pcs DIN 125A for thread M10			


INSERT STAR

pumps



1

No.	499270	Ref. No.	20160040
description	pump inlet ø 38mm outlet ø 38mm type 2/102FA15 220/240V 50/60Hz 1 phase 0.26kW L 200mm rotation direction right INSERT-STAR		
spare parts for	499270		
	No.	504578	Ref. No.
			—
O-ring EPDM thickness 3.53mm ID ø 94.84mm Qty 1 pcs			
	No.	510693	Ref. No.
			00003000 06150001 300
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	650239	Ref. No.
			—
impellor ø 75mm H 27mm pump type 2/102FA15 shaft intake ø 8mm rotation direction right thread M8L suitable for INSERTSTAR blades 6			
accessories for	499270		
	No.	365093	Ref. No.
			—
operating capacitor capacity 6µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection			



1

No.	500320	Ref. No.	20160042
description	pump inlet ø 38mm outlet ø 38mm type 2/123/FA30 230V 50Hz 1 phase 0.59kW 0.8HP L 235mm rotation direction right capacitor 10µF INSERTSTAR		
spare parts for	500320		
	No.	510693	Ref. No. 00003000 06150001 300
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521000	Ref. No. —
	pump cover FAGOR inlet ø 38mm outlet ø 38mm		
	No.	521255	Ref. No. —
	impellor ø 88mm H 33mm M8L pump type 2/123/FA30 shaft ø 12mm		
	No.	532491	Ref. No. —
	O-ring EPDM thickness 3.53mm ID ø 120.2mm Qty 1 pcs		
accessories for	500320		
	No.	365015	Ref. No. —
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	No.	551227	Ref. No. —
	female faston size 6.3x0.8mm 1.0-2.5mm ² straight CuZn gal Sn t.max. 110°C Qty 10 pcs		

LAFERT

pumps



1

No.	500088	Ref. No.	00002510 00071800
description	pump inlet ø 62mm outlet ø 50mm type AMEE 71Z AA2 230/400V 50/60Hz 3 phase 0.75kW 1HP L 310mm rotation direction right Lafert		
spare parts for	500088		
	No.	509010	Ref. No. 00002860
	impellor ø 105mm H 20mm M10L rotation direction right blades 4		

spare parts for		500088	
	No.	510693	Ref. No. 00003000 06150001 300
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	511132	Ref. No. 00002770
	pump cover bottom part		
	No.	517174	Ref. No. —
	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
	No.	521544	Ref. No. 00002710
	pump cover inlet ø 63mm outlet ø 50mm turn direction right ø 180mm ID ø 165mm inner height 42mm		
	No.	521718	Ref. No. 00002910 06140010
	O-ring EPDM thickness 3.53mm ID ø 164.7mm Qty 1 pcs		
	No.	560312	Ref. No. —
	plain washer ID ø 10.5mm ED ø 20mm thickness 2mm SS Qty 1 pcs DIN 125A for thread M10		



1

No.	500097	Ref. No.	00002523
description	pump inlet ø 62mm outlet ø 50mm type AMM80Z 230V 50Hz 1 phase 1.5kW 2HP L 320mm rotation direction right capacitor 25µF Lafert		
spare parts for	500097		
	No.	511148	Ref. No. 00002870 287
	impellor ø 118mm H 20mm M10L		
	No.	521544	Ref. No. 00002710
	pump cover inlet ø 63mm outlet ø 50mm turn direction right ø 180mm ID ø 165mm inner height 42mm		

LGB


1

No.	499204	Ref. No.	20160048
description	pump inlet ø 28mm outlet ø 26mm type ZF119SX 230V 50Hz 1 phase 0.15kW 0.2HP L 195mm rotation direction right capacitor 5µF auxiliary pressure connection 12mm LGB		
spare parts for	499204		
	No.	365017	Ref. No. —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510703	Ref. No. 06150006
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521057	Ref. No. 20161002
	pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm supporting pressure open turn direction right ø 102mm ID ø 77mm inner height 31mm		
	No.	521114	Ref. No. —
	impellor ø 48mm H 17mm pump type ZF119SX shaft ø 13mm shaft length 12mm		
	No.	528800	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		



1

No.	501556	Ref. No.	20160027
description	pump inlet ø 28mm outlet ø 26mm type ZF119SX 230V 50Hz 1 phase 0.2kW 0.27HP L 186mm rotation direction right capacitor 5µF LGB		
spare parts for	501556		
	No.	521057	Ref. No. 20161002
	pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm supporting pressure open turn direction right ø 102mm ID ø 77mm inner height 31mm		



1

No.	500094	Ref. No.	20160025
description	pump inlet ø 28mm outlet ø 26mm type ZF131SX 230V 50Hz 1 phase 0.2kW 0.15HP L 195mm rotation direction left capacitor 6.3µF LGB		
spare parts for	500094		
	No.	365012	Ref. No. —
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	No.	502266	Ref. No. 20161000
	pump cover inlet ø 28mm outlet ø 26mm		
	No.	510703	Ref. No. 06150006
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521085	Ref. No. —
	impellor ø 72mm H 17mm thread M7L shaft ø 13mm shaft length 12mm blades 3		
	No.	528800	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		



1

No.	500539	Ref. No.	00202481
description	pump inlet ø 28mm outlet ø 26mm type ZF170SX 230V 50Hz 1 phase 0.32kW 0.44HP L 200mm rotation direction right capacitor 8µF LGB		
spare parts for	500539		
	No.	509004	Ref. No. 00210036
	impellor ø 71mm H 16mm M7L rotation direction right shaft ø 13mm shaft length 13mm blades 8		
	No.	510703	Ref. No. 06150006
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		



spare parts for 500539				
	No.	521057	Ref. No.	20161002
pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm supporting pressure open turn direction right ø 102mm ID ø 77mm inner height 31mm				
	No.	528800	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs				
accessories for 500539				
	No.	365013	Ref. No.	—
operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection				



1

No.	500092	Ref. No.	00202480	
description	pump inlet ø 50mm outlet ø 44mm type W300SX 230V 50Hz 1 phase 0.3kW 0.5HP L 170mm rotation direction right capacitor 10µF LGB			
spare parts for	500092			
	No.	365015	Ref. No.	—
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection				
	No.	510554	Ref. No.	00002900 06140008 06140140
O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs				
	No.	510607	Ref. No.	—
impellor ø 85mm H 29mm shaft intake ø 9x8mm rotation direction right blades 6				
	No.	510693	Ref. No.	00003000 06150001 300
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm				
	No.	511178	Ref. No.	00202460
pump cover bottom part				
	No.	521564	Ref. No.	00210028
pump cover				



1

No.	500093	Ref. No.	00202486	
description	pump inlet ø 50mm outlet ø 44mm type W500SX 230V 50Hz 1 phase 0.5kW 0.7HP L 200mm rotation direction right capacitor 16µF LGB			
spare parts for	500093			
	No.	365021	Ref. No.	24100004
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	No.	510607	Ref. No.	—
	impellor ø 85mm H 29mm shaft intake ø 9x8mm rotation direction right blades 6			
	No.	510693	Ref. No.	00003000 06150001 300
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521564	Ref. No.	00210028
	pump cover			
	No.	521717	Ref. No.	00002900 06140008 06140140 290
	O-ring EPDM thickness 1.78mm ID ø 120.37mm Qty 1 pcs			

booster pumps I



1

No.	500540	Ref. No.	20160001	
description	pump inlet ø 1" IT outlet ø 1" IT type PKM60 230V 50Hz 1 phase 0.37kW PEDRELLO 0.5HP			
accessories for	500540			
	No.	365015	Ref. No.	—
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			



			
1			
No.	499067	Ref. No.	20160003
description	pump inlet ø 1" IT outlet ø 1" IT type PKM60 230V 60Hz 1 phase 0.37kW 0.5HP L 247mm rotation direction left capacitor 10µF PEDRELLO		

			
1			
No.	500395	Ref. No.	20160011 20160016
description	pump inlet ø 3/8" IT outlet ø 3/8" IT type PS45DX 230V 50Hz 0.35kW capacitor 8µF LGB		
spare parts for	500395		
	No.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	No.	698400	Ref. No. —
pump cover gasket pump type PS46 thickness 2mm ID ø 66mm Qty 1 pcs			

drain pumps

HANNING

			
1			
No.	500082	Ref. No.	00002570
description	drain pump 230V 100W		

PLASET

			
1			
No.	500083	Ref. No.	20160014
description	drain pump inlet ø 30mm outlet ø 23mm 220-240V 34W 50Hz PLASET		

miscellaneous

			
1			
No.	499001	Ref. No.	20160013
description	drain pump inlet ø 30mm outlet ø 22mm 220V 34W 60Hz PLASET		

condensators & interference suppression filters

operating capacitors

plastic

			
1			
No.	365014	Ref. No.	00002630
description	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		

			
1			
No.	365021	Ref. No.	24100004
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

filters

interference suppression filters

			
1			
No.	365026	Ref. No.	00002650 24100100
description	interference suppression filter capacity 0.47µF(X2)+2x0.01µF(Y2) 0.68MOhm		

			
1			
No.	365089	Ref. No.	24100102
description	interference suppression filter type X1+100R 250V capacity 0.24µF		



fuses

fine fuses



1

No.	358041	Ref. No.	00060970
description	fine fuse size ø10x38mm 20A slow-acting rated 400V type aM Qty 1 pcs		



1

No.	358030	Ref. No.	00060980
description	fine fuse size ø10x38mm 32A slow-acting rated 400V type aM Qty 1 pcs		



1

No.	358038	Ref. No.	00060960 37130999
description	fine fuse size ø10x38mm 10A slow-acting rated 500V type aM Qty 1 pcs		



1

No.	358040	Ref. No.	00006261
description	fine fuse size ø10x38mm 16A slow-acting rated 500V type aM Qty 1 pcs		

fine fuse holders



1

No.	358075	Ref. No.	00006121 37170001
description	fuse holder for for fuse ø10x38mm suitable fuse ø10x38mm 1-pole 32A rated 690V for DIN rail 35mm cross section 10mm ² suitable for for fuse ø10x38mm		

electric accessories

cables

ribbon cables

group 1



1

No.	403776	Ref. No.	25190105
description	ribbon cable 10-pole L 2600mm plug type FC-10P raster size 2.54mm		

terminals

rail-mounted terminals

miscellaneous



1

No.	358505	Ref. No.	00006260
description	rail-mounted terminal 6-10mm ² 1-pole		

gas thermostats

SIT

710 Minisit series



1

No.	107543	Ref. No.	00034620
description	gas thermostat kit SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" IT gas outlet 3/8" IT thermocouple connection M9x1 probe ø 6mm probe L 105mm capillary pipe 1050mm pressure controller no		
spare parts for	107543		
	No.	101135	Ref. No. 00038639
	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type A3 pressure controller no pressure regulator bar gland nut		
	No.	390730	Ref. No. 22170003
	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 4mm probe L 125mm capillary pipe 1550mm capillary pipe isolated 1410mm gland nut probe		



			
No.	101135	Ref. No.	00038639
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller no pressure regulator mbar gland nut		
spare parts for	101135		
	No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102118	Ref. No. —
probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710			
accessories for	101135		
	No.	100809	Ref. No. —
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No. —
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. 00032410
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. —
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No. —
gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			

accessories for	101135		
	No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No. 16100003
knob suitable for Minisit ø 37mm			

			
No.	101434	Ref. No.	00032390
description	gas thermostat without accessories SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 102mm capillary pipe 1200mm probe type type G1 pressure controller no pressure regulator mbar gland nut		
spare parts for	101434		
	No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102105	Ref. No. 16100030
probe 110-200°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 200°C fryer probe type type G1 suitable for MINISIT 710			
accessories for	101434		
	No.	100809	Ref. No. —
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. 00032410
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. —
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			

Table continues overleaf



accessories for 101434				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	16100003
knob suitable for Minisit ø 37mm				

accessories

probes

				
No.	102105	Ref. No.		16100030
description	probe 110-200°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 200°C fryer probe type type G1 suitable for MINISIT 710			

gas valves and ignition boxes

gas control valves

SIT

NOVASIT



1

No.	101187	Ref. No.		16100005
description	gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurembar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt			
spare parts for	101187			
	No.	101065	Ref. No.	—
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT				
accessories for	101187			
	No.	100110	Ref. No.	—
pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm				
	No.	101305	Ref. No.	—
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	No.	101306	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	102116	Ref. No.	17100002
thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"				

ignition parts

pilot burners

SIT

100 series




1

No.	106906	Ref. No.	33120005
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100855	Ref. No. —
pilot burner bracket triple			
	No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
	No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	No.	107701	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	106906		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

accessories for	106906		
	No.	107171	Ref. No. —
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

accessories

ignition electrodes



No.	100706	Ref. No.	33110002
description	ignition electrode connection M4 Qty 1 pcs		

160 series



1

No.	100049	Ref. No.	00032790
description	pilot burner SIT type 160 series 2 flames nozzle ømm gas connectionmm		
spare parts for	100049		
	No.	100907	Ref. No. 33120009
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	100049		
	No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
	No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	No.	100701	Ref. No. 33110001
ignition electrode connection M4 Qty 1 pcs			
	No.	100869	Ref. No. —
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm			
	No.	100906	Ref. No. 33120004
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

Table continues overleaf



accessories for 100049				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101282	Ref. No.	—
olive for pipe ø 4mm L 7.4mm Qty 1 pcs				
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107650	Ref. No.	00032680
pilot burner nozzle SIT LPG code 30 Qty 1 pcs				

190 series



1

No.	106722	Ref. No.	00038491
description	pilot burner SIT type 190 series 3 flames natural/liquid gas nozzle 35/51 nozzle ø 0.35/0.51mm gas connection 6mm complete with nozzle		

POLIDORO

pilot burners



1

No.	104485	Ref. No.	33120030
description	pilot burner POLIDORO 2 flames natural gas code 29.2 gas connection 6mm		

miscellaneous




1

No.	106966	Ref. No.	00038531	
description	pilot burner 2 flames natural/liquid gas nozzle ø 0.45mm gas connection 6mm			
spare parts for	106966			
	No.	100855	Ref. No.	—
	pilot burner bracket triple			
	No.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs			


spare parts for 106966				
	No.	102742	Ref. No.	—
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs				
	No.	102973	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.45mm Qty 1 pcs				

electrodes




1

	No.	100701	Ref. No.	33110001
	description	ignition electrode connection M4 Qty 1 pcs		
	accessories for	100701		
	No.	100906	Ref. No.	33120004
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			



1

No.	100706	Ref. No.	33110002
description	ignition electrode connection M4 Qty 1 pcs		



1

No.	102871	Ref. No.	33110003
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 8mm BL1 18mm BL2 3mm BL3 23mm to clip		

			
1			
No.	100906	Ref. No.	33120004
description screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			

ignition cables

pre-assembled cables

			
1			
No.	100015	Ref. No.	30140002
description ignition cable cable length 600mm connection ø2.4mm / ø2.4mm			

			
1			
No.	100025	Ref. No.	30140001
description ignition cable cable length 600mm connection ø4mm / F6.3mm			

piezoelectric igniters

mounting diameter 22mm

			
1			
No.	100005	Ref. No.	33100003
description piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm SIT			

miscellaneous

			
1			
No.	nla ¹	Ref. No.	00032460
description piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm			

¹no longer available


			
1			
No.	nla ¹	Ref. No.	00032410
description piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
spare parts for 101136			
			
No.	100001	Ref. No.	00032460
description piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm			


¹no longer available

thermocouples


plug-in thermocouples

plug-in thermocouples with interruption

			
1			
No.	107234	Ref. No.	17100003
description thermocouple SIT with interrupter M9x1 L 400mm plug connection ø6.0mm soldering connection			

			
1			
No.	107177	Ref. No.	00032580 17100001
description thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm			

thermopiles

			
1			
No.	102116	Ref. No.	17100002
description thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"			



gas burners

bar burners

bar burners



1

No.	105384	Ref. No.	15100004
description	bar burner 2 row L 450mm W 240mm ømm H 310mm fryer		



1

No.	104483	Ref. No.	15100010
description	bar burner ø 40mm Wmm Hmm L 340mm flange width 50mm flange length 62mm fryer		



1

No.	105430	Ref. No.	15100008
description	bar burner ø 40mm Wmm Hmm L 340mm flange width 60mm flange length 76mm fryer		

gas nozzles

main nozzles

gas nozzles M10x1



1

No.	100067	Ref. No.	18110093 18110121
description	gas injector thread M10x1 WS 12 bore ø 1.1mm G30 gas pressure 30mbar		



1

No.	107343	Ref. No.	18110111 18110130
description	gas injector thread M10x1 WS 12 bore ø 1.2mm LPG gas pressure 30mbar		



1

No.	106290	Ref. No.	18110095 18110110
description	gas injector thread M10x1 WS 12 bore ø 1.85mm inner peaked		

pilot burner nozzles

pilot burner nozzles POLIDORO



1

No.	100000	Ref. No.	18100060
description	pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs		



1

No.	104486	Ref. No.	18100061
description	pilot burner nozzle POLIDORO natural gas code 29.2 bore ø 2x0.29mm Qty 1 pcs		

pilot burner nozzles SIT

160 series



1

No.	107172	Ref. No.	18100094
description	pilot burner nozzle SIT LPG code 25 Qty 1 pcs		



1

No.	107650	Ref. No.	00032680
description	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		



1

No.	107173	Ref. No.	18100095
description	pilot burner nozzle SIT natural gas code 35 Qty 1 pcs suitable for 160 series nozzle ø 0.35mm		



1 			
No.	107175	Ref. No.	00032690
description	pilot burner nozzle SIT natural gas code 51 Qty 1 pcs suitable for 160 series		

auxiliary gas parts

screw connections

union screws

1 			
No.	100906	Ref. No.	33120004
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

1 			
No.	100907	Ref. No.	33120009
description	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		

angle pieces

1 			
No.	104484	Ref. No.	12355007
description	angle piece T1: 1/2" ET T2: 1/2" ET		

equipment-specific units

for deep fryers

lids

1 			
No.	695603	Ref. No.	00030660
description	lid suitable for fryer L 305mm W 210mm with handle		

1 			
No.	695606	Ref. No.	00030690
description	lid suitable for fryer L 340mm W 270mm		

basket holders

1 			
No.	970736	Ref. No.	00038567
description	basket support for fryer W 265mm H 220mm suitable for ELFRAMO GW		



miscellaneous



1

No.	550268	Ref. No.	00032290
description			
cover cap for push-button			

for dishwashers

containers

dosing containers



1

No.	511162	Ref. No.	00003730				
description							
drawer for rinse aid							
accessories for							
511162							
 <table> <tr> <th>No.</th><td>511163</td><th>Ref. No.</th><td>00003731 373A</td></tr> </table>				No.	511163	Ref. No.	00003731 373A
No.	511163	Ref. No.	00003731 373A				
description							
screw for rinse aid container							



1

No.	361739	Ref. No.	00003740
description			
rinse aid container			



1

No.	511126	Ref. No.	00011060
description			
rinse aid container			

salt tanks

1

No.	511895	Ref. No.	12145002
description			
salt tank			



1

No.	510032	Ref. No.	12145002 12145003				
description							
salt tank without gasket new model							
spare parts for							
510032							
 <table> <tr> <th>No.</th><td>506015</td><th>Ref. No.</th><td>—</td></tr> </table>				No.	506015	Ref. No.	—
No.	506015	Ref. No.	—				
O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs							
 <table> <tr> <th>No.</th><td>510018</td><th>Ref. No.</th><td>—</td></tr> </table>				No.	510018	Ref. No.	—
No.	510018	Ref. No.	—				
nut ø 92mm H 10.5mm for salt tank ID ø 64mm							
 <table> <tr> <th>No.</th><td>510071</td><th>Ref. No.</th><td>—</td></tr> </table>				No.	510071	Ref. No.	—
No.	510071	Ref. No.	—				
flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs							
 <table> <tr> <th>No.</th><td>524177</td><th>Ref. No.</th><td>—</td></tr> </table>				No.	524177	Ref. No.	—
No.	524177	Ref. No.	—				
lid ø 69mm H 20mm for salt tank ID ø 50mm							

accessories



1

No.	511487	Ref. No.	00011053
description	funnel		



1

No.	511163	Ref. No.	00003731 373A
description	screw for rinse aid container		

boilers

boilers for dishwashers

1

No.	511899	Ref. No.	00013771
description	boiler		



1

No.	511901	Ref. No.	00003440
description	boiler		



1

No.	511896	Ref. No.	00211009
description	boiler ø 120mm L 270mm		



1

No.	511898	Ref. No.	00210410
description	boiler ø 140mm L 270mm		



1

No.	511897	Ref. No.	00222040
description	boiler ø 140mm L 270mm flange 4 hole inlet ø 50		



1

No.	511900	Ref. No.	00010500
description	boiler ø 170mm L 440mm		

accessories



1

No.	699274	Ref. No.	00010514
description	connecting fitting for boiler thread 1/2" L 75mm W 32mm hose ø 14/5mm		



1

No.	511817	Ref. No.	00010502
description	T-piece connection 1/4" ET - 1/2" IT hose ø 13mm 1/4" ET - 1/2" IT hose ø 13mm		

rotation plates

rotation plate bearings

1

No.	519419	Ref. No.	00005491
description	spindle for rotation plate ø 47mm		

softener cartridges

softening columns



1

No.	530001	Ref. No.	12145001
description	softener 4-fold L 380mm W 180mm		

housing and bezels

fascias



1

No.	403262	Ref. No.	00222433
description	control panel warewashing BE35 W 178mm H 48mm D 58mm suitable for ELFRAMO		

hood mechanics for dishwashers

bolts



1

No.	511888	Ref. No.	00018051
description	screw bolt hood mechanics		

springs



1

No.	511623	Ref. No.	00002320
description	spring for hood mechanics		



1

No.	511625	Ref. No.	00002330
description	spring for hood mechanics		

hood handle supports



1

No.	511560	Ref. No.	00018030 00018049 00018165
description	handle holder hood mechanics H 42mm ø 90mm		

rollers



1

No.	511876	Ref. No.	00013784
description	roller ED ø 40mm ID ø 11mm		



1

No.	511595	Ref. No.	00065842
description	roller set ø 30mm H 24mm for dishwasher hole ø 15mm		

cable controls



1

No.	511118	Ref. No.	00002350
description	cable control foot switch for hood		



1

No.	511152	Ref. No.	00002370
description	hauling cable L 900mm hood mechanics		

miscellaneous



1

No.	511887	Ref. No.	00018050
description	bush hood mechanics		



1

No.	511885	Ref. No.	00018026
description	handle holder hood mechanics		



1

No.	511886	Ref. No.	00018021
description	roller hood mechanics		

basket guides


guide bars



1

No.	699273	Ref. No.	00073240
description	guide for rack conveyor dishwashing machine L 50mm W 45mm H 80mm with rollers		

basket holders



1

No.	971059	Ref. No.	00018060 00018404
description	basket support L 640mm W 560mm H 110mm		

air traps

air traps



1

No.	511067	Ref. No.	00002180
description	air trap		



1

No.	511069	Ref. No.	00205750
description	air trap		

1

No.	511820	Ref. No.	00012716
description	air trap		

1

No.	511821	Ref. No.	00013984
description	air trap		

1 			
No.	511824	Ref. No.	00014098
description	air trap		

1 			
No.	519465	Ref. No.	00014087
description	air trap ø 45mm H 160mm thread 3/8" hose ø 6mm		

air trap accessories

1 			
No.	511823	Ref. No.	00012719
description	hose connector		

backflow preventers

backflow preventers

1 			
No.	511124	Ref. No.	23180200 23180202
description	backflow preventer dishwasher		

1

No.	516101	Ref. No.	23180203	
description	backflow preventer dishwasher hose ø 12mm			
spare parts for	516101			
	No.	506367	Ref. No.	—
	flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs			

door mechanics

springs

roller springs

1 			
No.	519550	Ref. No.	00079740
description	roller spring W 25.35mm		

1 			
No.	519491	Ref. No.	00079730
description	roller spring W 26mm		

1 			
No.	519543	Ref. No.	00065816
description	roller spring with holder W 46mm ID ømm lug lengthmm		

linkage

1 			
No.	511906	Ref. No.	00210993
description	door pin L 210mm tie bar		

1 			
No.	511881	Ref. No.	00210366
description	door pin mounting pos. left complete tie bar		

1			
No.	511872	Ref. No.	00210940
description	tie bar		

2			
No.	511884	Ref. No.	00001710
description	tie bar complete		

1			
No.	511871	Ref. No.	00210983
description	tie bar L 260mm		

1			
No.	511883	Ref. No.	00010730
description	tie bar mounting pos. left complete		

1			
No.	511880	Ref. No.	00210361
description	tie bar mounting pos. right complete		

1			
No.	511882	Ref. No.	00010720
description	tie bar mounting pos. right complete		

threaded shafts

1			
No.	511879	Ref. No.	00210939
description	threaded part threaded part		

sliding plates

1			
No.	511907	Ref. No.	00013777
description	sliding plate		

1			
No.	511878	Ref. No.	00013780
description	sliding plate sliding plate		

rollers

1			
No.	501431	Ref. No.	00013907
description	roller ED ø 9mm for door mechanism shaft diameter 3.5mm W 5mm		

hinges

1			
No.	519417	Ref. No.	00065309
description	door hinge		

1			
No.	511866	Ref. No.	00210902
description	door hinge door hinge left mounting pos. left		



1

No.	511874	Ref. No.	00013744
description	door hinge door hinge left mounting pos. left		



1

No.	511865	Ref. No.	00210903
description	door hinge door hinge right mounting pos. right		



1

No.	511873	Ref. No.	00013743
description	door hinge door hinge right mounting pos. right		

door guides



1

No.	517496	Ref. No.	00065245
description	door guides L 460mm W 34mm H 25mm mounting pos. left/right		

door magnets



1

No.	694539	Ref. No.	25110108
description	door magnet L 63mm W 7.5mm H 19mm mounting distance 52mm		

door bumpers



1

No.	511869	Ref. No.	00013791
description	door bumper end stop		

locks



1

No.	511083	Ref. No.	00011040
description	counterpart door catch		



1

No.	511105	Ref. No.	00001670 00001680
description	counterpart door catch		

1

No.	511104	Ref. No.	00001630 00001640			
description	door catch					
accessories for	511104					
	No. 511105	Ref. No.	00001670 00001680			
counterpart door catch						



1

No.	511082	Ref. No.	00011028	
description	door catch complete catch			
accessories for	511082			
	No.	511083	Ref. No.	00011040
counterpart door catch				

miscellaneous

			
1			
No.	524047	Ref. No.	00013786
description	hauling cable for door mechanism ø 1.5mm L 475mm		



1

No.	511877	Ref. No.	00222059
description	hauling cable hauling cable		

			
1			
No.	511868	Ref. No.	00013829
description	hinge complete hinge		

			
1			
No.	511594	Ref. No.	00220340
description	hinge for dishwasher door set D1 ø 20mm D2 ø 12mm		

			
1			
No.	519408	Ref. No.	00013909
description	linkage guide for tie bar complete		

screw connections

			
1			
No.	519409	Ref. No.	00013785
description	screw		

curtains

curtains

			
1			
No.	533013	Ref. No.	00076010
description	curtain W 620mm H 550mm warewashing		

			
1			
No.	533021	Ref. No.	00062000 00062030
description	curtain W 650mm H 450mm plastic thickness 1.5mm		



washing and rinsing systems



1

No.	511716	Ref. No.	00222102
description	null		



1

No.	511781	Ref. No.	00202632
description	rinse arm support mounting pos. upper		



1

No.	511728	Ref. No.	00018077
description	rinse pipe		



1

No.	511730	Ref. No.	00014042
description	rinse pipe		



1

No.	511732	Ref. No.	00013779
description	rinse pipe		



1

No.	517503	Ref. No.	00018038 00018261 00018352
description	rinse pipe L 770mm		



1

No.	511720	Ref. No.	00211015
description	rinse pipe mounting pos. lower		



1

No.	511714	Ref. No.	00222103
description	rinse pipe mounting pos. upper		



1

No.	511624	Ref. No.	00005080
description	rinse pipe ø 10mm L 400mm connection 3/8"		



1

No.	511016	Ref. No.	00005010
description	screw connection		



1

No.	511741	Ref. No.	02120040
description	throttle disc		



1

No.	511704	Ref. No.	00018076
description	Thumb screw		



1

No.	511484	Ref. No.	00003950
description	T-piece thread 1 1/4" H 82mm L 120mm		



1

No.	511713	Ref. No.	00222111
description	wash arm bearing		



1

No.	511729	Ref. No.	00014041
description	wash arm bearing		



1 			
No.	511592	Ref. No.	00011858 00014286
description	wash pipe L 730mm suitable for ELFRAMO		

1 			
No.	517505	Ref. No.	00018260
description	wash pipe L 870mm SS		

1 			
No.	511492	Ref. No.	00005110
description	wash pipe mounting pos. lower ø 34mm L 153mm		

1 			
No.	511493	Ref. No.	00005120
description	wash pipe mounting pos. lower ø 38mm L 176mm		

1 			
No.	511489	Ref. No.	00005140
description	wash pipe mounting pos. lower ø 39mm L 233mm		

1 			
No.	511491	Ref. No.	00005130
description	wash pipe ø 38mm L 214mm		

handles and hand wheels

bracket handles

1 			
No.	511100	Ref. No.	00001510 00009200
description	pull handle		

1 			
No.	511115	Ref. No.	00001530 00009220
description	pull handle L 445mm H 62mm mounting distance 425mm		

recessed handles


1 			
No.	511889	Ref. No.	00205530
description	recessed handle		

1 			
No.	511890	Ref. No.	00010610
description	recessed handle		

fittings for catering equipment

outlet taps

universal

			
			
No.	541609	Ref. No.	00030401
description	outlet tap chrome-plated brass W 46mm H 40mm thread 1" IT		
spare parts for	541609		
			
No.	540747	Ref. No.	—
outlet tap chrome-plated brass angled W 30mm H 40mm thread 1/2" IT			



drain taps

brass

drain taps



1

No.	540260	Ref. No.	00030400
description	drain tap		

equipment feet and end caps

screw-in feet



1

No.	695604	Ref. No.	00000970
description	equipment foot thread M10 thread L 32mm ø 50mm H 14mm		



1

No.	695601	Ref. No.	00206960
description	equipment foot thread M17 thread L 23mm ø 24mm H 11mm plastic WS 24 Qty 1 pcs		

baskets

warewashing baskets

steel wire baskets round

mix baskets



1

No.	970514	Ref. No.	00206731
description	mix basket ED ø 330mm H 145mm		



1

No.	970515	Ref. No.	00007400
description	mix basket ED ø 440mm H 145mm seat ø 445mm		



1

No.	970516	Ref. No.	00007420
description	mix basket ED ø 500mm H 125mm seat ø 445mm		

plate baskets



1

No.	970513	Ref. No.	00007320
description	plate basket ED ø 495mm H 120mm seat ø 445mm plates 18		

steel wire baskets square

glass basket



1

No.	971052	Ref. No.	00206720
description	glass basket L 470mm W 470mm H 150mm number of rows 3 rows spacing 145mm		

mix baskets



1

No.	970078 ¹	Ref. No.	00007100
description	mix basket		

¹wide-meshed

1

No.	971006 ¹	Ref. No.	00206711
description	mix basket L 345mm W 345mm H 120mm mesh type wide-meshed		

¹wide-meshed

1



No.	970068 ¹	Ref. No.	00206712
description	mix basket L 400mm W 400mm H 170mm		
spare parts for	970068		



No.	970001	Ref. No.	—
sliding corner wire gauge ø 5mm L 120mm W 120mm H 12mm L-shape			

¹wide-meshed

1 			
No.	971049 ¹	Ref. No.	00206713
description	mix basket L 460mm W 460mm		

¹wide-meshed

1 			
No.	970074 ¹	Ref. No.	00007120
description	mix basket L 500mm W 500mm H 130mm mesh type close-meshed		

¹fine-meshed

1 			
No.	970027 ¹	Ref. No.	00007140
description	mix basket L 550mm W 550mm H 125mm mesh type close-meshed		

¹fine-meshed

plate baskets

1 			
No.	971051	Ref. No.	00007000
description	plate basket L 470mm W 470mm H 100mm plates 16 plate ø 240mm		

1 			
No.	971043	Ref. No.	00007040
description	plate basket L 500mm W 500mm H 130mm plates 20 plate ø 240mm		

1 			
No.	970026	Ref. No.	00007060
description	plate basket L 550mm W 550mm H 130mm plates 24 plate ø 270mm		

accessories

cutlery inserts

1 			
No.	976011	Ref. No.	00206721
description	cutlery insert Lmm Wmm ø 110mm H 130mm		

plate inserts

1 			
No.	970047	Ref. No.	00206751 00206752
description	plate insert L 308mm W 100mm plates 15		


gaskets


O-rings


EPDM

1 			
No.	521717	Ref. No.	00002900 06140008 06140140
description	O-ring EPDM thickness 1.78mm ID ø 120.37mm Qty 1 pcs		


1 			
No.	529412	Ref. No.	06140003
description	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs		


			
No.	507313	Ref. No.	06140002
description	O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs		


			
No.	528919	Ref. No.	00004480
description	O-ring EPDM thickness 2.62mm ID ø 20.24mm Qty 1 pcs		

			
No.	505073	Ref. No.	06140005
description	O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs		

			
No.	510769	Ref. No.	06140004
description	O-ring EPDM thickness 2.62mm ID ø 25.07mm Qty 1 pcs		


			
No.	510554	Ref. No.	00002900 06140008 06140140
description	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		

			
No.	521718	Ref. No.	00002910 06140010
description	O-ring EPDM thickness 3.53mm ID ø 164.7mm Qty 1 pcs		

			
No.	532451	Ref. No.	06140028
description	O-ring EPDM thickness 3.53mm ID ø 53.98mm Qty 1 pcs		

			
No.	511828	Ref. No.	06140018
description	O-ring EPDM thickness 3.53mm ID ø 56.74mm Qty 1 pcs		

			
No.	511711	Ref. No.	06140026
description	O-ring EPDM thickness 3.53mm ID ø 78.97mm Qty 1 pcs		

			
No.	505178	Ref. No.	06140035
description	O-ring EPDM thickness 5.34mm ID ø 85.09mm Qty 1 pcs		

sealing washers

fibre gaskets

			
No.	506042	Ref. No.	06110006 06120004
description	flat gasket FIBER ED ø 27mm ID ø 17mm thickness 2mm Qty 1 pcs		

			
No.	511490	Ref. No.	06120001
description	flat gasket fibre ED ø 15mm ID ø 8mm thickness 2mm Qty 1 pcs		

plastic gaskets

			
1			
No.	696557	Ref. No.	06113001
description	flat gasket polyoxymethylene ED ø 14mm ID ø 10mm thickness 1.5mm Qty 1 pcs		

			
1			
No.	696375	Ref. No.	00010504
description	gasket plastic ED ø 19mm ID ø 10.5mm thickness 6mm for boiler Qty 1 pcs		

copper gaskets

DIN-7603-A

			
1			
No.	560523	Ref. No.	02150006
description	flat gasket nickel-plated copper ED ø 18.5mm ID ø 12.2mm thickness 2mm Qty 1 pcs		

PTFE gaskets

			
1			
No.	511589	Ref. No.	06112001
description	flat gasket PTFE ED ø 11mm ID ø 4.5mm thickness 2mm Qty 1 pcs		

shaft gaskets

v-rings


			
1			
No.	511213	Ref. No.	00530523
description	V-ring		

special gaskets

miscellaneous

			
1			
No.	511106	Ref. No.	00001470
description	window gasket		

miscellaneous

			
1			
No.	551099	Ref. No.	CP11011
description	gasket set cram whipping machine Qty set 14-piece		

springs

compression springs

			
1			
No.	511117	Ref. No.	0000235A 00073718
description	compression spring ø 14.2/8.1mm L 53mm wire gauge ø 1.2mm cone-shaped		

roller springs

roller springs

			
1			
No.	511116	Ref. No.	00002301 0000230A
description	roller spring mounting pos. left complete		
spare parts for	511116		
	No.	511622	Ref. No.
			00002310
roller spring mounting pos. right/left W 40mm			

			
No.	511127	Ref. No.	00002300
description	roller spring mounting pos. right complete		
spare parts for	511127		
			
No.	511622	Ref. No.	00002310
roller spring mounting pos. right/left W 40mm			

			
No.	511622	Ref. No.	00002310
description	roller spring mounting pos. right/left W 40mm		

			
No.	519550	Ref. No.	00079740
description	roller spring W 25.35mm		

			
No.	519491	Ref. No.	00079730
description	roller spring W 26mm		

			
No.	519543	Ref. No.	00065816
description	roller spring with holder W 46mm ID ømm lug lengthmm		

tension springs

			
No.	361593	Ref. No.	812
description	spring		

			
No.	511875	Ref. No.	00013719
description	tension spring		

			
No.	511904	Ref. No.	00013717
description	tension spring ø 15.1mm total length 148mm wire gauge ø 1.7mm		

			
No.	511216	Ref. No.	00018056
description	tension spring ø 25mm total length 790mm wire gauge ø 5mm L1 120mm L2 580mm D1 ø 23mm thread M8 thread L 90mm mounting pos. left/right for hood		

dosing pumps

peristaltic dosing pumps

SEKO

built-in version

with frequency control

1

	No.	361215	Ref. No.	20155100 20155111 old version
description	dosing pump SEKO frequency control 0.3-3.0l/h 230VAC detergent hose ø 4x6mm hose type K hose Santoprene suction level 1.5m type PBR protection IP55 dimensions 100x67x68mm power input 3.5W			
spare parts for	361215			
	No.	361136	Ref. No.	—
	roller assembly for dosing pump hole ø 4.8x4mm			
	No.	361226	Ref. No.	—
	PCB L 59mm W 26mm electronic control			
	No.	361815	Ref. No.	20155112
	pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO			
accessories for	361215			
	No.	361142	Ref. No.	—
	mounting set detergent hose type 4x6mm hose length 2m PVC 2x hose/container filter/tank intake transparent			

Table continues overleaf

accessories for 361215				
	No.	520090	Ref. No.	07125002
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent			
	No.	520091	Ref. No.	20155110
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent			

with time control

1

No.	361768 ¹	Ref. No.	00220423 old version 20155104 old version
description	dosing pump SEKO time control 0.4l/h 230VAC rinse aid hose ø 4x6mm hose type D hose Sekobril suction level 1.5m type NBM 0.4 8W with accessories 8VA dosing time 0-30s		
spare parts for	361768		
	No.	361135	Ref. No. 20155109
	pump hose SEKO rinse aid hose ø 3x8mm hose ø 4x6mm hose type D hose Sekobril		
	No.	361141	Ref. No. 20155105
	container filter with weight ceramic hose ø 4mm		
	No.	361821	Ref. No. 00220419
	non-return valve inlet 4x6mm outlet 1/4" L 45mm		
	No.	520091	Ref. No. 20155110
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		
	No.	520242	Ref. No. —
	silicone hose for peristaltic pump ID ø 4mm ED ø 7mm L 5m thickness 1.5mm t.max. 200°C Shore A 55° transparent dosing Qty 5m		

¹with accessories

spare parts

1

No.	361815	Ref. No.	20155112
description	pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO		

1

No.	361135	Ref. No.	20155109
description	pump hose SEKO rinse aid hose ø 3x8mm hose ø 4x6mm hose type D hose Sekobril		
spare parts for	361135		

No.	361866	Ref. No.	—
------------	--------	-----------------	---

union nut for hose connector ø 17mm

membrane dosing pumps

self-priming

SEKO



1

No.	361594	Ref. No.	20155108	
description	dosing pump type DIB3E rinse aid pump rate 0-3cm ³ per stroke pressure connection ø 4x6mm suction connection ø 4x6mm			
spare parts for	361594			
	No.	361240	Ref. No.	—
hose connector 1-way hose ø 6mm plastic connection M10x1				
	No.	361301	Ref. No.	—
hose connector for type DIB3E/DIB5E				
	No.	361302	Ref. No.	—
valve bush for type DIB3E/DIB5E				
	No.	361304	Ref. No.	—
O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E				
	No.	361305	Ref. No.	—
valve disc for type DIB3E/DIB5E DIB3P/DIB5P				
	No.	361306	Ref. No.	—
membrane for type DIB3E/DIB5E ø 49mm hole ø 5mm				
	No.	361481	Ref. No.	—
lip valve for type DIB3P/DIB5P DIB3E/DIB5E				



1

No.	361837 ¹	Ref. No.	2015511+00019656 20155117	
description	dosing pump type DIB5E conversion kit rinse aid pump rate 0-5cm³ per stroke pressure connection ø 4x6mm suction connection ø 6mm SEKO			
spare parts for	361837			
	No.	361301	Ref. No.	—
	hose connector for type DIB3E/DIB5E			
	No.	361302	Ref. No.	—
	valve bush for type DIB3E/DIB5E			

¹auxiliary pressure connection closed

*before installation check

spare parts for 361837				
	No.	361304	Ref. No.	—
O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E				
	No.	361305	Ref. No.	—
valve disc for type DIB3E/DIB5E DIB3P/DIB5P				
	No.	361306	Ref. No.	—
membrane for type DIB3E/DIB5E ø 49mm hole ø 5mm				
	No.	361307	Ref. No.	—
membrane dosing pump ø 68mm hole ø 6mm for type DIB3P/DIB5P				
	No.	361481	Ref. No.	—
lip valve for type DIB3P/DIB5P DIB3E/DIB5E				
accessories for 361837				
	No.	361240	Ref. No.	—
hose connector 1-way hose ø 6mm plastic connection M10x1				
	No.	361241	Ref. No.	—
hose connector 1-way hose ø 9mm plastic connection M10x1				

accessories

	1			
No.	361141	Ref. No.	20155105	
description container filter with weight ceramic hose ø 4mm				

non-return valves

	1			
No.	361821	Ref. No.	00220419	
description non-return valve inlet 4x6mm outlet 1/4" L 45mm				

	1			
No.	361147	Ref. No.	20155106	
description non-return valve inlet 4x6mm outlet 1/8" L 50mm Qty 1 pcs				

hoses

dosing hoses

	1			
No.	511164	Ref. No.	00003780	
description dosing hose ED ø 10mm ID ø 6mm L 1800mm dosing				

PVC hoses

	1			
No.	520090	Ref. No.	07125002	
description PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent				
accessories for 520090				
	No.	361058	Ref. No.	—
container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm				
	No.	361066	Ref. No.	—
container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve				
	No.	361106	Ref. No.	—
container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve				
	No.	361141	Ref. No.	20155105
container filter with weight ceramic hose ø 4mm				
	No.	361230	Ref. No.	—
container filter with weight stainless steel hose ø 4x6mm				
	No.	361462	Ref. No.	—
container filter with weight SS hose ø 4x6mm				
	No.	361728	Ref. No.	—
container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm				

hose couplings

plastic

	1			
No.	511593	Ref. No.	00220440	
description hose connector T-shape plastic thread 1/2" ø 13mm for dosing pump				
spare parts for 511593				
	No.	361083	Ref. No.	—
union nut T1: M10x1 for hose 6mm				

tank inlets


1

No.	361416	Ref. No.	20155114
description	tank inlet SS M12 hose ø 6mm		

hoses
supply hoses
stainless steel flexi hoses
universal hoses


1



No.	520627	Ref. No.	00053360
description	flex hose SS braid straight-straight DN12 connections 3/4" L 2000mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		



1



No.	520395	Ref. No.	00003540
description	flex hose SS braid straight-straight DN8 connections 3/8"-1/2" L 230mm Qty 2 pcs		




1




No.	520459	Ref. No.	00003530
description	flex hose SS braid straight-straight DN8 connections 3/8"-1/2" L 740mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		




1



No.	520007	Ref. No.	336A
description	flex hose SS braid straight-curved DN15 connection 1: 3/4" connection 2: 3/4" L 2500mm approval operating p. 10bar test pressure 32bar burst p. 95bar		




1



No.	520468	Ref. No.	12160008
description	flex hose SS braid straight-curved DN8 connection 1: 1/2" connection 2: 3/8" L 350mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		



1



No.	520396	Ref. No.	00003550
description	flex hose SS straight-curved L 170mm connections 3/8"-1/2"		

PVC supply hoses



No.	520010	Ref. No.	00200720 07130001 07130002
description	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
accessories for	520010		
	No.	520053	Ref. No. —
	screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm		
	No.	520054	Ref. No. —
	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		

pre-rinse hoses

stainless steel flexi hoses



No.	542859	Ref. No.	00980050
description	shower hose connections 1/2" L 1200mm SS operating p. 10bar burst p. 90bar t.max. 90°C for pre-rinse units suitable for drinking water rotary with flexible fabric		


drain hoses



No.	511206	Ref. No.	07130157
description	drain hose		



No.	513718	Ref. No.	00003630 00003640 00200652 00200653
description	drain hose DN19 L 1500mm straight ø inside 24mm straight ext. ø 28mm outer hose ø 23mm		



No.	511205	Ref. No.	07130156 364
description	drain hose DN19 L 1500mm A int. ø 23mm A ext. ø 29mm B int. ø 29mm outer hose ø 29mm B ext. ø 35mm		



No.	530399	Ref. No.	07130158
description	drain hose DN31 L 2000mm A int. ø 33mm A ext. ø 39mm B int. ø 33mm B ext. ø 39mm outer hose ø 35mm		

industrial hoses

nylon hoses



No.	520091	Ref. No.	20155110
description	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		

PVC hoses

PVC hoses without fabric



No.	520090	Ref. No.	07125002
description	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
accessories for	520090		
	No.	361058	Ref. No. —
	container filter with non-return valve SS hose ø 4x6mm L 56mm		
	No.	361066	Ref. No. —
	container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve		
	No.	361106	Ref. No. —
	container filter with weight and non-return valve SS hose ø 4x6mm L 21mm L 51mm non return valve lip valve		
	No.	361141	Ref. No. 20155105
	container filter with weight ceramic hose ø 4mm		
	No.	361230	Ref. No. —
	container filter with weight stainless steel hose ø 4x6mm		
	No.	361462	Ref. No. —
	container filter with weight SS hose ø 4x6mm		
	No.	361728	Ref. No. —
	container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm		

silicone hoses

without fabric



1

No.	530410	Ref. No.	00003750 00011065
description	silicone hose ID ø 4mm ED ø 7mm L 2m thickness 1.5mm t.max. 200°C transparent		

formed hoses

straight



1

No.	511048	Ref. No.	00004060 00200671 00200676 00200678
description	formed hose dishwasher straight equiv. no. 00004060		



1

No.	511858	Ref. No.	00013827
description	formed hose dishwasher straight equiv. no. 00013827		

form L



1

No.	511050	Ref. No.	00004070
description	formed hose end piece A int. ø 50mm ø end piece B 70mm L 190mm warewashing L-shape equiv. no. 00004070		



1

No.	511140	Ref. No.	00010540
description	formed hose warewashing L-shape equiv. no. 00010540		

with branch



1

No.	511859	Ref. No.	00013718
description	formed hose warewashing equiv. no. 00013718 with piggyback		



1

No.	511056	Ref. No.	00206911
description	formed hose warewashing with piggyback		



1

No.	511057	Ref. No.	00206912
description	formed hose warewashing with piggyback		



1

No.	511058	Ref. No.	00206909
description	formed hose warewashing with piggyback		



1

No.	511855	Ref. No.	00210956
description	pressure hose		



1

No.	511857	Ref. No.	00222108
description	pressure hose		



1

No.	511863	Ref. No.	00206901
description	pressure hose		

form S



1

No.	517498	Ref. No.	00018312
description	formed hose hose ext. ø 78mm hose int. ø 63mm L 310mm S-shape		



1

No.	511856	Ref. No.	00222109
description	formed hose S-shape warewashing equiv. no. 00222109		

miscellaneous




1

No.	511047	Ref. No.	00004110
description	formed hose warewashing equiv. no. 00004110		

for dishwashers

miscellaneous



1

No.	511468	Ref. No.	00200691
description	pressure hose		



1

No.	511467	Ref. No.	00003520 00013411
description	pressure hose L 1000mm		

1 			
No.	511464	Ref. No.	00013340
description		pressure hose L 480mm ø 18mm	

1 			
No.	511465	Ref. No.	00200641
description		pressure hose L 690mm ø 25mm	

fittings, hose and pipe connectors

fittings

T-pieces

miscellaneous

1 			
No.	511499	Ref. No.	00000350
description		T-piece thread 3/8" brass L 58mm	

hose connectors

producer-specific

1 			
No.	511071	Ref. No.	00002140
description		hose connector for drain	

valves and tank inlets

ball valves

producer-specific

KOMEL

1 			
No.	514429	Ref. No.	13110004
description		ball valve connection 1" IT - 1" ET total length 71mm	
accessories for		514429	
		No.	540752
		Ref. No.	00030450
		extension for outlet tap L 165mm	
		No.	694062
		Ref. No.	00030470
		extension for outlet tap L 400mm	

1 			
No.	540751	Ref. No.	003041 13110001
description		ball valve connection 1" IT - tube ø25mm total length 59mm	
accessories for		540751	
		No.	540752
		Ref. No.	00030450
		extension for outlet tap L 165mm	
		No.	540753
		Ref. No.	—
		handle L 400mm for outlet tap	
		No.	694062
		Ref. No.	00030470
		extension for outlet tap L 400mm	

1 			
No.	540752	Ref. No.	00030450
description		extension for outlet tap L 165mm	

1 			
No.	694062	Ref. No.	00030470
description		extension for outlet tap L 400mm	

shut-off valves

universal

1 			
No.	693107	Ref. No.	00003770 13100001
description		shut-off valve connection 1/2" 1/2" cold total length 54mm L1 27mm L2 30mm marking blue rosette thread G2 26x19G connection ø M4x0.7 ITmm	
spare parts for		693107	
		No.	514085
		Ref. No.	—
		rosette connection 26x19G chrome-plated total lengthmm mounting pos.	
		No.	514086
		Ref. No.	—
		hexagonal nut connection 26x19G brass total lengthmm mounting pos. H 6mm WS 34 Qty 1 pcs	
		No.	540672
		Ref. No.	—
		gasket suitable for tap head	
		No.	547711
		Ref. No.	—
		hood handle shaft intake ø 8mm marking blue metal H2 21mm D1 ø 33mm type D suitable for MONOLITH shaft length H1 8mm	



spare parts for 693107				
	No.	548168	Ref. No.	—
star handle connection hot total lengthmm mounting pos. ø 57mm marking red				
	No.	548169	Ref. No.	—
star handle connection cold total lengthmm mounting pos. chrome-plated ø 57mm				
accessories for 693107				
	No.	514086	Ref. No.	—
hexagonal nut connection 26x19G brass total lengthmm mounting pos. H 6mm WS 34 Qty 1 pcs				

water cycle components

pressure reduction valves

pressure reduction valves

universal



1

No.	520871	Ref. No.	00074380 23200001 23200002
description	pressure reduction valve MALGORANI series Eurobrass 143 connection 1/2" default settingbar setting range 0.5-6bar p max 25bar t.max. 80°C brass		

supply filters



1

No.	511485	Ref. No.	00003480 00003481
description	T-piece thread 1/2" -3/4" brass with filter H 100mm L 175mm		

ancillary products

clamps

hose clamps

DIN 3017 - W2



1

No.	520116	Ref. No.	05100011
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		



1

No.	520118	Ref. No.	05100002 05100004
description	hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017		



1

No.	520454	Ref. No.	0000407B 05100008
description	hose clamp ø 70-90mm width 9mm Qty 5 pcs DIN 3017		



1

No.	520110	Ref. No.	05100006
description	hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017		

double wire clamps



1

No.	520872	Ref. No.	00003751 05110001
description	hose clamp ø 7mm wire gauge ø 1mm Qty 1 pcs		

measuring equipment

thermometers

built-in thermometers



1

No.	541086	Ref. No.	32110003
description	thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 2000mm probe ø 6mm probe L 23mm		

ø40mm



1

No.	541037	Ref. No.	32110002
description	thermometer mounting ø 40mm t.max. 120°C 0 up to +120°C probe ø 6.5mm probe L 25mm capillary pipe 2000mm		

ø52mm



1

No.	541065	Ref. No.	00006010
description	thermometer mounting ø 52mm t.max. 120°C 0 up to +120°C probe ø 6.5mm probe L 28mm capillary pipe 1500mm		



1

No.	541303	Ref. No.	3053 32100002
description	thermometer mounting ø 52mm t.max. 200°C +150 up to +200°C probe ø 4mm probe L 75mm capillary pipe 1370mm		

ø60mm



1

No.	541791	Ref. No.	00074420 32100003
description	thermometer mounting ø 60mm t.max. 120°C 0-120°C probe ø 6mm probe L 39mm capillary pipe 1500mm		

fastening material

screws

countersunk screws



1

No.	560337	Ref. No.	01350001
description	countersunk screw thread M6 L 20mm WS 4 SS DIN 7991/ISO 10642 Qty 1 pcs intake hexagonal		

miscellaneous



1

No.	511494	Ref. No.	00002160
description	flat-headed bolt thread M5x0.8 thread L 7.8mm head ø 18mm intake slotted		



1

No.	519409	Ref. No.	00013785
description	screw		

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673



1

No.	511212	Ref. No.	03100006
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		



washers

washers

DIN 125A



1

No.	560113	Ref. No.	02120006
description	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 20 pcs DIN 125A for thread M6		



1

No.	511481	Ref. No.	02120008
description	plain washer ID ø 8.4mm ED ø 16mm thickness 1.6mm zinc-coated steel Qty 1 pcs DIN 125A for thread M8		

miscellaneous



1

No.	511591	Ref. No.	02160100
description	disc ID ø 16mm ED ø 20mm thickness 1.5mm brass Qty 1 pcs		

fasteners

clamps

hose clamps

DIN 3017 - W2



1

No.	520116	Ref. No.	05100011
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		



1

No.	520118	Ref. No.	05100002 05100004
description	hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017		

FASTENING MATERIAL/CONSUMABLES KOMEL



1

No.	520454	Ref. No.	0000407B 05100008
description	hose clamp ø 70-90mm width 9mm Qty 5 pcs DIN 3017		



1

No.	520110	Ref. No.	05100006
description	hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017		

double wire clamps



1

No.	520872	Ref. No.	00003751 05110001
description	hose clamp ø 7mm wire gauge ø 1mm Qty 1 pcs		

consumables

fuses

fine fuses

ø10x38mm 400V



1

No.	358041	Ref. No.	00060970
description	fine fuse size ø10x38mm 20A slow-acting rated 400V type aM Qty 1 pcs		



1

No.	358030	Ref. No.	00060980
description	fine fuse size ø10x38mm 32A slow-acting rated 400V type aM Qty 1 pcs		

ø10x38mm 500V



1

No.	358038	Ref. No.	00060960 37130999
description	fine fuse size ø10x38mm 10A slow-acting rated 500V type aM Qty 1 pcs		

			
1			
No.	358040	Ref. No.	00006261
description	fine fuse size ø10x38mm 16A slow-acting rated 500V type aM Qty 1 pcs		