

Professionale pentru echipamente profesionale



heating elements

heating elements for coffee machine





1					
No.	417496	Ref. No.	10203		
description	heating element 2600W 220V heating circuits 2 mounting ø 37mm hole distance 52mm L 415mm W 30mm H 58mm L1 25mm L2 50mm L3 340mm H1 25mm H2 28mm hole ø 10mm tube ø 8mm connecti- on male faston 6.3mm immersion heater				

1		*	
No.	417497	Ref. No.	10218
description	heating element 3500W 245V heating circuits 2 mounting ø 37mm hole distance 51.5mm L 413mm W 28mm H 63mm L1 24mm L2 44mm L3 345mm H1 25mm H2 38mm hole ø 10mm tube ø 8mm connection male faston 6.3mm immersion heater 3 hole flange		

thermostats

bi-metal thermostats

safety bi-metal thermostats




No.	376003	Ref. No.	27104
description	,	ermostat hole dista 50V connection F6.3	ncemm switch-off temp. 165°C

bi-metal thermostats No. 376002 Ref. No. 27103 bi-metal thermostat hole distancemm switch-off temp. 120°C 1NC description 1-pole 10A 250V connection F6.3

switches and momentary switches

rocker/momentary rocker switches



rotary switches

GOTTAK



I		2- 1		
No.		345148	Ref. No.	12188
rotary switch 3 0-1-2 sets of contacts 6 type 4RH 400V 10A shaft ø 4.8x6mm shaft L 21mm shaft oval connection male faston 6.3mm				

miscellaneous 1 Ref. No. No. 347421 15126

rotary switch with cable harness 2 groups ESTRELLA

lamps

description

indicator lights

indicator lights (complete)


ø8mm



1				
No.	357027	Ref. No.	15040	
description	indicator ligh	indicator light, a 8mm 230V green cable length 180mm LFD		








with plug-in socket No. 359142 Ref. No. 12129 description indicator light ø 13mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs

1			
No.	359141	Ref. No.	12111
description	indicator light ø 1 tempresist. 120°C		nection male faston 6.3mm

relays

level relays

No. 402103 Ref. No. 12168 level controller 230/240V voltage AC 50/60Hz connection F6.3 type




electronics

central units





No.	402795	Ref. No.	13208
description	central unit 2	30V 50/60Hz type 3d5 <i>l</i>	Maestro 3GRCTZD voltage AC







No. 400520 Ref. No. 12185 description control box 2-group for coffee machine 230V type ET405



keypads

description

keypad units



1	(a)(a)		
No.	402785	Ref. No.	13240
description keypad unit buttons 6 black/white			

keypad unit buttons 5 black/white edition 1998 lighting LED



solenoid valves

solenoid valves (water)

metal


ODE


solenoid valves steam (water)

212A serie



No.	370617	Ref. No.	13216
description		,	connection cable L 46mm DN be B01 p max 5bar p min 0bar





electrodes







equipment-specific units

for espresso machines

filter holders

filter holders standard

filter holder without spout



description

filter holder suitable for LA ROCCA without outlet mounting ø 83mm hole ø 8mm outlet 3/8" ID ø 62mm wedge hight 10mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass

filter holders short



No. 531024 Ref. No. 12607 filter holder mounting ø 83mm outlet 3/8" ID ø 62mm handle description M12x1.75 wedge hight 10mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass



No. 531023 Ref. No. 12502 coffee filter ø 70mm mounting ø 60mm H 24.5mm cups 1 amount of description coffee 8g perforation ø 0.35mm

for 2 cups



No. 526068 Ref. No. 12500 coffee filter $\,$ ø 70mm mounting ø 60mm H 24.5mm cups 2 amount of description coffee 14g

blind filters



No. 529102 Ref. No. 12510 description blind filter ø 70mm mounting ø 60mm H 17mm

brewing units



No. 531022 Ref. No. 11363 description shower screen ø 55/56mm H 9mm hole ø 5mm

filter holder gaskets



No. 525497 Ref. No. 14455 filter holder gasket D1 ø 72.5mm D2 ø 47.5mm H 8.1mm description

shim gaskets




No. Ref. No. 531026 12198 description shim gasket D1 ø 72mm D2 ø 48mm thickness 1mm steel

components





1			
No.	528321	Ref. No.	11336
description	filter support D1	ø 13mm ID ø 5mm i	nt. ø 1 11mm H 9mm brass






safety valves 3/8" No. 531003 Ref. No. 10414 10415 description safety valve connection 3/8" triggering pressurebar suitable for LA ROCCA sealed




















































nozzles for steam pipes					
1					
No.	531020	Ref. No.	11207		
steam nozzle thread M10x1 ø 16mm L 28mm thread L 13mm 4 hole bore ø 1.5mm stainless steel					





accessories bushes No. 525898 Ref. No. 11149 description bush D1 Ø 14mm D2 Ø 7mm int. Ø 1 5.5mm H 5.5mm brass



gaskets			
10			
No.	531019	Ref. No.	11147
description	gasket PTFE D1 ø steam pipe	15mm D2 ø 11.2mr	n thickness 3mm inner cone for


springs			
1WWW			
No.	531001	Ref. No.	11142
description	compression spr windings 5	ing ø 10.7mm L 25.5	mm wire gauge ø 1.6mm


tube handles				
1				
No.	525042	Ref. No.	11208	
description	tube handle	tube handle for pipe ø 10mm ø 13.5mm L 50mm rubber		

No. 531004 Ref. No. 11148 11171 description union nut thread 3/8" L 35.1mm hole Ø 12.3mm chrome-plated brass

me me	ers		
holders			
1			
No.	528321	Ref. No.	11336
description	filter support	D1 ø 13mm ID ø 5mm	int. ø 1 11mm H 9mm brass

fine filters			
1			
No.	529911	Ref. No.	11337
description	fine filter flat ø 11mm H 0.25mm		
























knobs



handles and hand wheels




lever handles








0


gaskets






































description	gasket copper ED ø 28mm ID ø 34mm thickness 3mm Qty 1 pcs			
PTFE gas	kets			



Ref. No.


flat gasket PTFE ED ø 18mm ID ø 13.5mm thickness 2mm Qty 1 pcs

14410


525609

No.


description











special gaskets


group gaskets




No.	531012	Ref. No.	14427
description		W 71.5mm thicknes	ss 2mm aperture 9.5mm hole A fibre


springs

compression springs













1 MMMM				
No.	525499	Ref. No.	10815	
description	compression spring ø 8mm L 31.5mm wire gauge ø 0.5mm windings 10			


1 WWW	M/M		
No.	525498	Ref. No.	10804
description	compression spring ø 8mm L 34mm wire gauge ø 0.4mm windings 10.5		


, M	M		
No.	531017	Ref. No.	11325
description	push switch ø 8mm L 20mm wire gauge ø 0.8mm windings 4.5		


manometers











fastening material

screws

No.

hexagonal screws 560448 Ref. No. 14042

description		hexagonal screw thread M5 thread L 8mm SS WS 8 Qty 1 pcs head thickness 4mm DIN 933 / ISO 4017			
washei	'S				
washer	S				
miscella	neous				
No.	531021	Ref. No.	14219		
description	plain washer II Qty 1 pcs	D ø 7mm ED ø 11mm th	ickness 1mm stainless steel		

