

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

LA-SOMMELIERE

thermostats

refrigeration thermostats

DANFOSS

service thermostats DANFOSS

All Danfoss thermostats are supplied with fastening material application:

390552 - **fridges

390553 - **Refrigerators with defrosting push button

390554 - **/**Refrigerators with automatic defrosting


390555 - absorption refrigerators

390557 - Deep cooler with active signal

390558 - Freezing with passive signal

390559 - bottle cooler 390559

Danfoss



1

No.	390668	Ref. No.	077B0338 7038042
description	thermostat type 077B0338 capillary pipe 2000mm		

control thermostats

Danfoss



1

No.	390669	Ref. No.	7038257 (old version)
description	thermostat type 077B0303L capillary pipe 2000mm temperature range -8.5 up to -1°C probe Ø 2mm probe Lmm DANFOSS		

Danfoss



1

No.	391036	Ref. No.	7038257
description	thermostat type 077B2220 capillary pipe 860mm temperature range -34 up to -15°C probe Ø 2mm		

RANCO

K50 series

RANCO



1

No.	390670	Ref. No.	A6004206
description	thermostat RANCO type K50-L3363 capillary pipe 2050mm probe Ø9.5x130mm		

miscellaneous producers



1

No.	390671	Ref. No.	152783
description	thermostat capillary pipe 800mm		



1

No.	380869	Ref. No.	7038042
description	thermostat probe Ø 3mm capillary pipe 500mm		

switches and momentary switches

push/momentary push switches

Ø12mm



1

No.	346594	Ref. No.	A07025
description	momentary push switch mounting Ø 12mm black 1NO 250V 4A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



lamps

LED

indicator lamps

miscellaneous



1

No.	700842	Ref. No.	BSF17019
description	lamp LED cable length 115mm ø 140mm		

fluorescent lamps

fluorescent lamps

G13



1

No.	359455	Ref. No.	Z0370019
description	fluorescent lamp socket G13 L 438mm 15W with starter		



1

No.	357007	Ref. No.	AM100B18 AM100B21
description	fluorescent lamp socket G13 L 895mm 30W ø 27mm 230V Qty 1 pcs		
accessories for	357007		



No.	380464	Ref. No.	AM100B19
description	starter 4-65W		



No.	401505	Ref. No.	—
description	electrical ballast 36W 230V Qty 1 pcs		



No.	402065	Ref. No.	—
description	electrical ballast 30W 230V for fluorescent lamps Qty 1 pcs		

accessories

starter



1

No.	380464	Ref. No.	AM100B19
description	starter 4-65W		

lamp accessories

fascias



1

No.	692054	Ref. No.	AM100B24
description	bezel for lighting W 1200mm H 220mm D 45mm		



1

No.	694235	Ref. No.	CF100009
description	cover for lamp L 1260mm W 60mm		

relays

power relays

with bracket mounting



1

No.	380867	Ref. No.	AM100B11
description	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		

miscellaneous



1

No.	380868	Ref. No.	153122
description	relay 230V		

electronic controllers

SHANGFANG

refrigeration controllers

built-in version



1

No.	402150 ¹		Ref. No.	LG208H09	
description	electronic controller SHANGFANG type SF-101S-2 mounting measurements 71x29mm 12V voltage AC NTC relay outputs 1 12VDC NTC front measurements 77x35mm built-in depth 40mm protection IP54 accuracy 1% built-in version alarm yes without accessories defr. funct. yes -45 up to +45°C display 3 digits				
spare parts for	402150				
	No.	379054	Ref. No.	—	
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M				
	No.	380867	Ref. No.	AM100B11	
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1				
	No.	381318	Ref. No.	—	
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug				
	No.	381319	Ref. No.	—	
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug				
accessories for	402150				
	No.	379054	Ref. No.	—	
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M				
	No.	380867	Ref. No.	AM100B11	
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1				
	No.	381318	Ref. No.	—	
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug				
	No.	381319	Ref. No.	—	
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug				

¹without relay, cable harness, probe and transformer

1

No.	402156	Ref. No.	CF100005
description	electronic controller SHANGFANG type SF-821 mounting measurements 71x29mm 230V voltage AC NTC relay outputs 1 NO-16A NTC front measurements 77x35mm built-in depth 60mm accuracy 1% defr. funct. yes -45 up to +100°C		

built-in version 2-piece



1

No.	402148 ¹	Ref. No.	AM100B10 AM33643	
description	electronic controller SHANGFANG type SF-104S mounting measurements 71x29mm 230V voltage AC NTC relay outputs 2 NO-30A NO-30A NTC NTC Comp front measurements 77x35mm built-in depth 40mm protection IP54 accuracy 1% built-in version alarm incl. relay, cable harness, probe and transformer defr. funct. yes -45 up to +45°C display 3 digits			
spare parts for	402148			
	No.	379054	Ref. No.	—
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M			
	No.	380867	Ref. No.	AM100B11
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1			
	No.	381318	Ref. No.	—
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug			
	No.	381319	Ref. No.	—
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug			
accessories for	402148			
	No.	379054	Ref. No.	—
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M			
	No.	380867	Ref. No.	AM100B11
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1			
	No.	381318	Ref. No.	—
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug			
	No.	381319	Ref. No.	—
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug			

¹incl. relay, cable harness, probe and transformer



accessories



1

No.	380867	Ref. No.	AM100B11
description	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		

electronics

PCBs



1

No.	401852	Ref. No.	CVH21021 CVH21021_BIS
description	keypad PCB refrigeration L 180mm W 42mm with display buttons 4		



1

No.	402151	Ref. No.	D123BP0302
description	PCB refrigerator L 100mm W 98mm suitable for CM270		



1

No.	401845	Ref. No.	CVH21046
description	power PCB L 235mm W 70mm suitable for MC209/CVH210 230V 15A		

compressors

EMBRACO / ASPERA

R134A

LBP monophase

Lower evaporation temperature below -20°C

1

No.	605119	Ref. No.	A6001206
description	compressor coolant R134a type NE2121Z 220-240V 50Hz LBP fully hermetic 11.7kg 1/4HP cylinder capacity 9.26cm ³ CSIR H 215mm 163W 217W 285W 368W 465W 575W test method EN 12900		

HBP monophase

High evaporation temperature above -15°C

1

No.	605115	Ref. No.	A6001256
description	compressor coolant R134a type T6217Z 220-240V 50Hz HBP fully hermetic 16.8kg 1/2HP cylinder capacity 22.4cm ³ CSIR H 225mmWWW 718W 973W 1275W 1624W 2020W 2464W test method ASHRAE		

SECOP DANFOSS

R134A

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605052	Ref. No.	AC2PT37
description	compressor coolant R134a type TL5G 220-240V 50Hz LBP/HBP fully hermetic 7.5kg 1/6HP cylinder capacity 5.08cm ³ RSIR/CSIR H 173mm 69W 97W 132W 172W 220W 277W 345W 423W 461W test method ASHRAE		
spare parts for	605052		
	No.	380076	Ref. No. —
start relay DANFOSS 117U6000 HST			

HBP monophase

High evaporation temperature above -15°C



1

No.	605052	Ref. No.	AC2PT37
description	compressor coolant R134a type TL5G 220-240V 50Hz LBP/HBP fully hermetic 7.5kg 1/6HP cylinder capacity 5.08cm ³ RSIR/CSIR H 173mm 69W 97W 132W 172W 220W 277W 345W 423W 461W test method ASHRAE		
spare parts for	605052		
	No.	380076	Ref. No. —
start relay DANFOSS 117U6000 HST			

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605091	Ref. No.	195BO193
description	compressor coolant R134a type FR8.5G 220-240V 50Hz HMBP 10.6kg 1/4HP power input 261W cylinder capacity 7.95cm ³ RSIR/CSIR H 196mm 85W 123W 171W 228W 298W 381W 478W 592W 722WW		
spare parts for	605091		
	No.	380484	Ref. No. —
start relay DANFOSS 117U6015/F394 HST			



1

No.	605193	Ref. No.	LG330H19
description	compressor coolant R134a type NL11MF 220-240V 50Hz HMBP 10.5kg 1/3HP cylinder capacity 11.15cm ³ RSIR/CSIR H 203mmWW 321W 418W 534W 670W 832W 1020W 1239W test method ASHRAE		
spare parts for	605193		
	No.	381530	Ref. No. —
start relay DANFOSS 117U6022 HST			



1

No.	605087	Ref. No.	153117
description	compressor coolant R134a type SC12G 220-240V 50Hz HMBP fully hermetic 12.6kg 1/3HP power input 470W cylinder capacity 12.9cm ³ RSIR/CSIR H 203mm 140W 216W 312W 430W 574W 746W 951W 1191W 1469W test method ASHRAE 79.6W 1790W		
spare parts for	605087		
	No.	380483	Ref. No.
	start relay DANFOSS 117U6003 HST		

miscellaneous

various



1

No.	605121	Ref. No.	BSF17026
description	compressor BAIXUE type QDH28G coolant R134a 230V 50Hz		



1

No.	605116	Ref. No.	AM33633
description	compressor Guangzhou type AQAW77 coolant R134a 220V 50Hz		



1

No.	605118	Ref. No.	AM100B5 CF100031
description	compressor Guangzhou type AQAW91 coolant R134a 220V 50Hz		



1

No.	605117	Ref. No.	BC82A11
description	compressor Guangzhou type AS30 coolant R134a 230V 50Hz		



1

No.	605120	Ref. No.	MB88NAEM134
description	compressor LG type MA57LAEG coolant R134a 230V 50Hz		

fans

axial fans

import



1

No.	601609 ¹	Ref. No.	AC2P-T15 AC2PW04
description	axial fan L 119mm W 119mm H 25mm 230VAC 50-60Hz 14W bearing ball bearing connection male faston 2.8mm input current 0.07A housing aluminium		

¹with ball bearings

1

No.	601604 ¹	Ref. No.	AC2PT33 AM33615 LG208H16
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bearing slide bearing manuf. no. AA1282HS-AT connection cable 300mm fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m³/h 2600rpm		

¹with slide bearings

1

No.	601601 ¹	Ref. No.	SA03018
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22W bearing slide bearing manuf. no. DP200A2123XST.GN SUNON input current 0.14A		

¹with slide bearings

1

No.	601606	Ref. No.	AM100B30
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz bearing slide bearing set 4-piece		

refrigeration fans

refrigeration motors universal

IMPORT

multi fit fan motors



1

No.	601050	Ref. No.	S1000112
description	fan motor 34W 230V 50-60Hz L2 90mm L3 121mm W 84mm cable length 500mm 1300rpm YZF34-45-18/26 5 mounting options bearing slide bearing		



1

No.	601020	Ref. No.	A6002001
description	fan motor 5W 230V 50-60Hz L1 44mm L2 48mm L3 79mm W 84mm cable length 500mm 1300rpm YZF5-13-18/26 5 mounting options bearing slide bearing		



cooling motors (complete)



1

No.	601610	Ref. No.	CF100023
description	fan 230V 5W 50/60Hz fan wheel ø 172mm shaft L 20mm W 105mm blade angle 28° connection with cable mounting distance 208mm ø 220mm		

cold air circulating fans (other)



1

No.	601605	Ref. No.	A6002088
description	fan motor 230V 50-60Hz 26W shaft ø 4.5mm shaft L 42mm		

cross flow fans

EMMEVI - FERGAS

with standard coil




1

No.	601018	Ref. No.	A6002035 A6002036
description	cross flow fan TG 180 roller ø 60mm roller length 180mm motor position right 230V/50Hz 25W universal bearing silicone connection male faston 6.3mm -10 up to +60°C 230V connections 1-2 1950U/min connections 1-4 1500U/min		

equipment-specific units

for fridges

bottom parts



1

No.	691934	Ref. No.	BSF17027
description	bottom L 423mm W 378mm H 58mm for condenser Mini 4F		

housing and bezels

covers



1

No.	691933	Ref. No.	AM100B39
description	cover LG1000 L 1200mm W 68mm H 305mm		



1

No.	691935	Ref. No.	AM3363
description	cover LG336 L 615mm W 180mm plate thickness max. 1mm		
accessories for	691935		
	No.	691936	Ref. No. AM3364
side panel mounting pos. left W 72mm H 183mm thickness 28mm LG336			



1

No.	691936	Ref. No.	AM3364
description	side panel mounting pos. left W 72mm H 183mm thickness 28mm LG336		
accessories for	691936		
	No.	691935	Ref. No. AM3363
cover LG336 L 615mm W 180mm plate thickness max. 1mm			

lids



1

No.	694242	Ref. No.	N1S418* N6A608
description	lid mounting pos. upper W 860mm D 560mm thickness 60mm plastic		

doors

doors



1

No.	694250	Ref. No.	CF100013G
description	door right suitable for refrigerator W 670mm H 1570mm thickness 40mm		



1

No.	694233	Ref. No.	CF100013D
description	door right W 670mm H 1570mm thickness 40mm		



1

No.	195003	Ref. No.	BSF17012
description	door W 425mm H 565mm thickness 17mm glas		



1

No.	694251	Ref. No.	D270CP0201
description	door W 580mm H 1435mm thickness 63mm		



1

No.	694231	Ref. No.	DL115P02
description	glass door W 480mm H 800mm thickness 52mm		

1


No.	694232	Ref. No.	CVH21031
description	glass door W 590mm H 1800mm thickness 32mm		



1

No.	692047	Ref. No.	AM100B35 AM3366
description	glass door W 600mm H 1370mm thickness 40mm		

miscellaneous



1

No.	692048	Ref. No.	138
description	drain tray L 380mm W 178mm H 50mm plastic		



1

No.	692059	Ref. No.	CF100019
description	rack L 210mm W 20mm plastic		



1

No.	692058	Ref. No.	CF100042
description	rack support for fridge plastic		

for freezer cabinets


lids



1

No.	692049	Ref. No.	BG706103
description	lid for deep freezer W 1010mm D 720mm H 60mm with gasket		

housing and bezels



1

No.	692052	Ref. No.	127862
description	front panel for deep freezer W 170mm H 55mm		

for display coolers

glass panels


glass panels



1

No.	692050	Ref. No.	SH01017
description	glass panel H 5mm ø 575mm for fridge glas		

doors



1

No.	694228	Ref. No.	BSF17037
description	door W 575mm H 330mm mounting pos. lateral glas thickness 10.6mm		

for ovens

glass panels



1

No.	691932	Ref. No.	BSF17038
description	glass panel L 570mm W 389mm thickness 7mm mounting pos. rear Mini 4F		

locks

locking devices

universal

articles not yet classified



1

No.	692341	Ref. No.	3414900023
description	key cylinder with key cam length 12mm hole distance 35mm hole ø 4mm ring ø 10.5mm		



hinges

door bearing



1

No.	700844	Ref. No.	SB060420
description	hinge L 34mm W 8mm H 18mm with bolt suitable for VT/VF		

equipment feet and end caps

screw-in feet




1

No.	701004	Ref. No.	C6025141
description	equipment foot thread M10 thread L 45mm ø 42mm H 63.5mm Qty 1 pcs suitable for S1000		

baskets

miscellaneous




1

No.	692051	Ref. No.	157585
description	grid basket L 550mm W 220mm H 340mm for deep freezer		

shelves and shelf rails

bottle racks



1

No.	970657	Ref. No.	CL270M
description	bottle rack mounting pos. upper & center L 493mm H 40mm W 460mm chrome-plated steel		

grates

producer-specific



1

No.	970655	Ref. No.	BSF17010
description	grate W 355mm D 305mm H 18mm chrome-plated steel suitable for Mini 4F		



1

No.	970656	Ref. No.	AM33620
description	grate W 438mm D 500mm H 20mm plastic-coated wire gauge frame 6mm lengthwise wires gauge 3mm crossing wires 2 white suitable for LG336		



1

No.	970702	Ref. No.	ECO1P20
description	grate W 505mm D 405mm H 23mm plastic-coated steel wire gauge frame 6mm lengthwise wires gauge 4mm crossing wires 3 white		



1

No.	970658	Ref. No.	CL1000
description	grate W 550mm D 900mm H 35mm plastic-coated steel 4 shelf supports inclusive wire gauge frame 8mm lengthwise wires gauge 3mm crossing wires 3 suitable for S1000		
accessories for	970658		
	No.	Ref. No.	AM100B32
	shelf support W 22mm H 18mm L1 31mm L2 30mm		

shelf rails and supports

producer-specific



No.	692046	Ref. No.	LG208H11
description	shelf support aluminium		



No.	690969	Ref. No.	B6012054
description	shelf support L 33/28mm W 22mm H 18mm		



No.	692045	Ref. No.	BSF17016
description	shelf support plastic		




No.	692044	Ref. No.	AM100B32
description	shelf support W 22mm H 18mm L1 31mm L2 30mm		

gaskets

refrigeration gaskets


plug-in gaskets

profile 9049




No.	900920	Ref. No.	A6010056
description	refrigeration gasket profile 9049 W 560mm L 775mm plug size		

profile 9011




No.	900942	Ref. No.	CVH13030
description	refrigeration gasket profile 9011 W 560mm L 1175mm plug size		




No.	900943	Ref. No.	CVH21032
description	refrigeration gasket profile 9011 W 560mm L 1770mm plug size		

profile 9156



No.	901648	Ref. No.	AM100B46
description	refrigeration gasket profile 9156 W 595mm L 1340mm plug size Qty 1 pcs		

profile 9967



No.	900921	Ref. No.	BG706102 BG706102/1
description	refrigeration gasket profile 9967 W 960mm L 640mm plug size		



evaporators

for fridges

producer-specific



1

No.	750273	Ref. No.	9200005049 AC2PT07
description	evaporator L 375mm W 50mm H 330mm		



1

No.	750265	Ref. No.	AM33646
description	evaporator L 458mm W 138mm H 145mm suitable for LG336		



1

No.	750264	Ref. No.	CF100002
description	evaporator L 570mm W 140mm H 150mm with capillary pipe		



1

No.	750266	Ref. No.	A6006060
description	evaporator L 775mm W 105mm H 217mm suitable for S1000		

condensers

condensers



1

No.	750274	Ref. No.	CF100024
description	condenser W 410mm D 110mm H 220mm		

evaporation and condensing trays

evaporation trays



1

No.	750275	Ref. No.	B6030249
description	evaporation tray L 887mm W 228mm H 40mm for evaporator		

hoses

industrial hoses

silicone hoses

without fabric



1

No.	530053	Ref. No.	7
description	silicone hose ID ø 8mm ED ø 13mm L 1.85m thickness 2.5mm transparent		