

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

LAMBER

heating elements

coil heating elements

1			
	No.	418823	Ref. No. 0303100
description heating element 1000W 230V L 405mm W 50mm H 25mm tube ø 8.5mm thread M14x1.5 connection M5 heating circuits 1			

immersion heating elements

3 hole flange ø57.5mm

1			
	No.	416229	Ref. No. 0303001
description heating element 2400W 230V mounting ø 57.5mm heating circuits 2 L 235mm W 37mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 225mm thermostat sleeve not clinging tube ø 8mm hole distance 75mm hole ø 7.8mm connection length 29mm connection M5 3 hole flange immersion heater			
For models: DSP1, DSP2, S200, S280, S280Dep, Super-QS, Super-QS-Dep			

1			
	No.	416230	Ref. No. 0300011
description heating element 3000W 230V mounting ø 57.5mm heating circuits 3 L 235mm W 34mm H 48mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 215mm thermostat sleeve upper tube ø 8.5mm hole distance 72mm hole ø 10mm connection length 20mm connection M5 3 hole flange immersion heater			
For models: 015-24L, 050F, 050F-Dep, DSP5, MATIC20, P550			
spare parts for 416230			
 No. 510409 Ref. No. 0200041 O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

1			
	No.	416231	Ref. No. 0300002
description heating element 4500W 230V mounting ø 57.5mm heating circuits 3 L 307mm W 45mm H 36mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 210mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 74mm hole ø 8/10mm connection M5 3 hole flange immersion heater			
For models: DSP4, DSP5, F85, F85-Dep, MATIC20			
spare parts for 416231			
 No. 510409 Ref. No. 0200041 O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

accessories for 416231			
	No.	520258	Ref. No. 0301112
	protection cap		

1			
	No.	416232	Ref. No. 0300012
description heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 293mm W 40mm H 36mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 280mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 74mm hole ø 8x10mm connection M5 3 hole flange immersion heater			
For models: 015-24L, F85, F85-Dep, L20, L21, LP31L, LP6L, M115, M150, MATIC20, P550			
spare parts for 416232			
 No. 510409 Ref. No. 0200041 O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

1			
	No.	416233	Ref. No. 0300299
description heating element 9000W 230V mounting ø 57.5mm heating circuits 3 L 440mm W 42mm H 38mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 290mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 73mm hole ø 8/10mm connection M5 3 hole flange immersion heater			
For models: 015-24L, LP31L, LP6, LP6L, M115, M150, MATIC20			
accessories for 416233			
	No.	520258	Ref. No. 0301112
	protection cap		

1			
	No.	416225	Ref. No. 0303042
description heating element 2400W 230V heating circuits 3 thread 1 1/4" L 275mm W 90mm H 40mm L1 25mm L2 50mm L3 200mm W1 31mm W2 28mm H1 20mm H2 20mm connection M4 immersion heater tube ø 6.3mm flange with thread connection length 40mm WS 32			
For models: DSP5			
spare parts for 416225			
 No. 519179 Ref. No. — O-ring EPDM thickness 3.53mm ID ø 41.28mm Qty 1 pcs			
accessories for 416225			
 No. 510405 Ref. No. — flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs			

accessories for 416225				
	No.	520232	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs				
	No.	528021	Ref. No.	—
flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega				



1

No.	416226	Ref. No.	0300022	
description	heating element 4500W 230V heating circuits 3 thread 1¼" L 260mm W 90mm H 35mm L1 60mm L2 50mm L3 150mm W1 31mm W2 28mm H1 15mm H2 20mm connection M4 immersion heater tube ø 6.3mm flange with thread connection length 42mm			
accessories for	416226			
	No.	510405	Ref. No.	—
flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs				
	No.	520232	Ref. No.	—
nut thread 1¼" H 5mm nickel-plated brass WS 47 Qty 1 pcs				
	No.	528021	Ref. No.	—
flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega				



1

No.	420358	Ref. No.	0303045		
description		heating element 1000W 230V heating circuits 1 L 125mm W 40mm H 35mm thread 1/4" mounting distance 32mm tube ø 8mm connection male faston 6.3mm immersion heater 2 hole fixing			
accessories for		420358			
		No.	501362	Ref. No.	—
		flat gasket fibre ED ø 22mm ID ø 13.5mm thickness 2mm Qty 1 pcs			



1

No.	416227	Ref. No.	0303044
description	heating element 1000W 230V heating circuits 1 L 195mm W 40mm thread 1/4" mounting distance 32mm tube ø 8mm 2 hole fixing immersion heater connection male faston 6.3mm		
For models:	S200		
accessories for	416227		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			

accessories for 416227				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				



1

No.	416228	Ref. No.	0300067	
description heating element 2000W 230V heating circuits 1 L 197mm W 46mm H 33mm thread 1/4" mounting distance 38mm tube ø 8.5mm connection male faston 6.3mm immersion heater 2 hole fixing				
For models: 050F, 050F-Dep, DSP1, DSP2, DSP4, F85, F85-Dep, L20, L21, S280, S280Dep, Super-QS, Super-QS-Dep				
accessories for 416228				
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

 1			
No.	420220	Ref. No.	0303050
description	heating element 3000W 230V heating circuits 1 L 270mm W 39mm H 18mm thread 1/4" mounting distance 31mm tube ø 8mm connection screw 2 hole fixing immersion heater		

thermostats

bi-metal thermostats

safety bi-metal thermostats

A bi-metal safety thermostat component. It features a circular, metallic body with a central screw. Two mounting tabs extend from the side of the body, each with a pre-drilled hole for mounting. The component is shown from a perspective view.

1

No.	375913	Ref. No.	0300302
description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 105°C 1NC 1-pole 16A connection F6.3 2 hole fixing mounting ø 18mm		
For models:	015-24L, DSP4, DSP5, F85-Dep, L20, L21		

			
No.	390681	Ref. No.	0300301
description	bi-metal safety thermostat hole distance 40mm switch-off temp. 105°C 2NC 2-pole 16A 250V connection F6.3		
For models:	050F, 050F-Dep, DSP1, DSP2		


bi-metal thermostats

			
No.	390680	Ref. No.	0300303
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 65°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	DSP1, DSP2, DSP4, DSP5		

control and safety thermostats


IMIT / TEMPOMATIC / ARTHERMO

control thermostats

			
No.	390460	Ref. No.	0300005
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 1950mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

safety thermostats

			
No.	390751	Ref. No.	0300305
description	safety thermostat switch-off temp. 80°C 1-pole 1CO probe ø 5mm probe L 131mm capillary pipe 1000mm capillary pipe isolated 930mm gland nut probe		
For models:	M115, M150, MATIC20		

			
No.	390458	Ref. No.	0300004 0300196
description	safety thermostat switch-off temp. 90-110°C 1-pole 16A probe ø 6.5mm probe L 90mm capillary pipe 2000mm capillary pipe isolated 1950mm gland nut probe		
For models:	F85, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

PRODIGY / FIRT

control thermostats

			
No.	390733	Ref. No.	0300270
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 16A probe ø 6.5mm probe L 85mm capillary pipe 1350mm capillary pipe isolated 1325mm shaft ø 6x4.6mm shaft L 5mm rotation 270° 230V with knob		
For models:	M115, M150, MATIC20		

accessories

plunger sockets

			
No.	506059	Ref. No.	0200270
description	thermowell double		
For models:	015-24L, F85, LP31L, LP6, LP6L, M115, M150, MATIC20, P550		



1

No.	506130	Ref. No.	0300006
description	thermowell thread 1/2" L 107mm SS single ø 6.5mm		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

switches and momentary switches

push/momentary push switches

19x13mm



1

No.	347167	Ref. No.	0301009 0301018
description	momentary push switch mounting measurements 19x13mm black 1NO 250V 16A non-illuminated connection male faston 4.8mm 1-pole		
For models:	DSP1, DSP2, DSP4		



1

No.	359446 ¹	Ref. No.	0301003
description	push switch mounting measurements 19x13mm yellow 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125°C protection IP65 with cover cap		
For models:	DSP1, DSP2, DSP4		

¹illuminated

28.5x28.5mm



1

No.	345498	Ref. No.	0301101
description	momentary push switch mounting measurements 28.5x28.5mm green 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	S200		



1

No.	345497	Ref. No.	0301005
description	push switch mounting measurements 28.5x28.5mm green 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	015-24L, 050F, 050F-Dep, F85, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	345565	Ref. No.	0301000
description	push switch mounting measurements 28.5x28.5mm green 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, L20, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	345499	Ref. No.	0301004
description	push switch mounting measurements 28.5x28.5mm grey 1CO/1NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	050F, 050F-Dep, F85, S280Dep, Super-QS-Dep		

microswitches

lever actuated



1

No.	346969	Ref. No.	0300141
description	microswitch with lever 250V 16A 1NO connection male faston 6.3mm L 59mm L1 29mm ambient temperature max. 120°C mounting distance 22mm actuating force: 50g lever length 50mm		

position switches

SIEMENS

3SE0 series

switches (complete)



1

No.	347236	Ref. No.	0300232
description	position switch with handle with a switch 1NO/1NC 230V		

system switches (ROLD)



1

No.	345537	Ref. No.	0301051
description	element holder mounting measurements 20.6x16.4mm grey arched for push buttons 13x17mm		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85-Dep, L20, L21		

			
1			
No.	346810	Ref. No.	0301068
description	push button size 17x13mm blue		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85-Dep, L20, L21		

			
1			
No.	346809	Ref. No.	0301066
description	push button size 17x13mm green		
For models:	015-24L, 050F, 050F-Dep, DSP5, L20		

			
1			
No.	345539	Ref. No.	0301069
description	push button size 17x13mm grey		
For models:	050F, 050F-Dep, DSP5, F85-Dep		

			
1			
No.	346572	Ref. No.	0301067
description	push button size 17x13mm yellow		
For models:	F85-Dep		

rotary switches

LOVATO

			
1			
No.	347976 ¹	Ref. No.	0301020
description	rotary switch 2 0-1 sets of contacts 2 type GN209775U20 690V 20A shaft ø 6x6mm shaft L 15mm shaft square connection screw		

¹incl. knob and dial plate



1

No.	347429 ¹	Ref. No.	0301022
description	rotary switch 3 0-1-2 sets of contacts 3 type GN209773U20 690V 20A shaft ø 6x6mm shaft L 15mm shaft square connection screw		
For models:	M150, MATIC20		
spare parts for	347429		



No.	112633	Ref. No.	0300352
knob ø 33mm shaft ø 6x6mm grey			

¹incl. knob

1

No.	345799	Ref. No.	0300206 0301019 0301025
description	rotary switch 4 1-2-3-4 sets of contacts 7 type GN20 9779 U20 690V 20A shaft ø 6x6mm shaft L 13.5mm shaft square connection screw		
For models:	015-24L, F85-Dep, L21, LP31L, LP6, LP6L, P550		

accessories for	345799		
	No.	112633	Ref. No. 0300352

knob ø 33mm shaft ø 6x6mm grey

accessories

levers

			
1			
No.	347168	Ref. No.	0301084
description	lever 0-I lever length 118mm L 90mm W 90mm shaft 8x8mm mounting distance 68x68mm		
For models:	M150, MATIC20		

magnetic switches



40x13mm

1

No.	345504	Ref. No.	0300138 0300183
description	magnetic switch L 40mm W 13mm 1NO 250V 0.04A P max. 10W connection cable length 1000mm		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20 L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
accessories for	345504		
	No.	345399	Ref. No. 0800141 0800142
magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			




65x20mm



No.	345116	Ref. No.	0300082
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
For models:	LP31L, LP6, LP6L, M115, M150, MATIC20		
accessories for	345116		
	No.	345399	Ref. No. 0800141 0800142
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

accessories

magnets



No.	345399	Ref. No.	0800141 0800142
description	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		
For models:	015-24L, DSP5		



No.	347653	Ref. No.	0800139
description	magnet ø 8mm L 40mm		
For models:	M115, M150, MATIC20		

magnetic holders



No.	347943	Ref. No.	0200623
description	magnet holder H 75mm thread M10x1.5 ø 17mm		
For models:	M115, M150, MATIC20		

miscellaneous



No.	347938	Ref. No.	0406141
description	bracket L 86mm W 10mm H 12mm for magnetic switch SS		
For models:	015-24L, L20, L21		

control equipment

SIEMENS

3SB series ø22mm new

switches (complete)



No.	347942	Ref. No.	0301010
description	momentary push switch mounting measurements ø22mm blue 1NO non-illuminated		
For models:	LP31L, LP6, LP6L, M115, M150, MATIC20, P550		
spare parts for	347942		
	No.	346630	Ref. No. —
	contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black		



No.	347944	Ref. No.	0301011
description	momentary push switch mounting measurements ø22mm red 1NC/1NO OFF		
For models:	M115, M150, MATIC20		
spare parts for	347944		
	No.	346630	Ref. No. —
	contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black		
	No.	346631	Ref. No. —
	contact block SIEMENS 3SB3400-0C 1NC max 400V 10A black		

miscellaneous



1

No.	347939	Ref. No.	0300397	
description	contact block red L 74mm 1NC 1-pole ø 22mm type ECX1030			
For models:	M150, MATIC20			
accessories for	347939			
	No.	347940	Ref. No.	0301015
emergency stop switch mounting measurements ø22mm red				

1

No.	347940	Ref. No.	0301015
description	emergency stop switch mounting measurements ø22mm red		
For models:	M115, M150, MATIC20		
accessories for	347940		

No.	347939	Ref. No.	0300397
-----	--------	----------	---------

contact block red L 74mm 1NC 1-pole ø 22mm type ECX1030

lamps

			
1			
No.	359807	Ref. No.	0300387
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	M150, MATIC20		

lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

light bulbs

			
1			
No.	359807	Ref. No.	0300387
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	M150, MATIC20		

indicator lights (complete)

ø 6mm

			
1			
No.	359434	Ref. No.	0300284
description	indicator light ø 6mm 230V green		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

ø10mm

with screw socket

			
1			
No.	357023	Ref. No.	0301901
description	indicator light ø 10mm 24V green cable length 200mm		
For models:	LP31L, LP6, M115		

			
1			
No.	360578	Ref. No.	0301907
description	indicator light ø 10mm white 24V connection cable cable length 200mm		
For models:	LP31L, LP6		

			
1			
No.	360579	Ref. No.	0301902
description	indicator light ø 10mm yellow 24V connection cable cable length 200mm		
For models:	LP31L, LP6, M115		

screw-on/push-on fit

light bulbs

for indicator lights

			
1			
No.	359807	Ref. No.	0300387
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	M150, MATIC20		

timers

programme timers



1

No.	402949	Ref. No.	0300829 0301821
description	electronic timer 9.2.21.16G engines chambers operation time 230V shaft ømm shaft Lmm voltage 50/60		
For models:	DSP5		



1

No.	360403	Ref. No.	0300818
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm manif. no. 11803F1 / 0300818 motor type M48R ATS		
spare parts for	360403		
	No.	360118	Ref. No. 0300850
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

No.	360411	Ref. No.	0300818
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm motor type M48R ATS		
spare parts for	360411		
	No.	360118	Ref. No. 0300850
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			




1

No.	360257	Ref. No.	0300117
description	timer CDC 4904F engines 1 chambers 4 operation time 6min 230V shaft ømm shaft Lmm manif. no. 4904F3 / 360257 motor type M48L ATS		
For models:	015-24L		
spare parts for	360257		
	No.	360083	Ref. No. —
motor CDC pinion ø 4.9mm teeth 10 230V turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer			



1

No.	360393	Ref. No.	0300803
description	timer CDC 4905 engines 1 chambers 5 operation time 12min 230V shaft ømm shaft Lmm		
For models:	L21, LP6L, P550		
spare parts for	360393		
	No.	360118	Ref. No. 0300850
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

No.	360457	Ref. No.	0300822
description	timer CDC 4907DV engines 2 chambers 7 operation time 6s / 8min 24V		
For models:	LP31L, LP6		
spare parts for	360457		
	No.	360323	Ref. No. —
motor CDC pinion ø 4.9mm teeth 10 24V voltage AC turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer			




1

No.	360255	Ref. No.	0300101 0300806 0300807 0300812
description	timer CDC 7003F engines 1 chambers 3 operation time 6min 230V shaft ø 6x4.6mm shaft L 20mm manif. no. 7003F3 / 360255 motor type M37LN		
For models:	F85, L20		
spare parts for	360255		
	No.	360131	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer		
accessories for	360255		
	No.	110905	Ref. No. 0300049
	knob switch zero mark ø 42mm shaft ø 6x4.6mm shaft flat right black		



1

No.	360582	Ref. No.	0300804
description	timer CDC 7802 engines 1 chambers 2 operation time 60s 208V 60Hz shaft ømm shaft Lmm manif. no. 7802M1 / 0300804 motor type M37RS warewashing		



1

No.	360254	Ref. No.	0300085
description	timer CDC 7802 engines 1 chambers 2 operation time 60s 230V manif. no. 7802M1 / 0300085 motor type M37RN		
For models:	015-24L, 050F, 050F-Dep, F85, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
spare parts for	360254		
	No.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		



1

No.	360256	Ref. No.	0300143
description	timer CDC 7804F engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm manif. no. 7804F1 / 360256 motor type M37RN		
For models:	050F, 050F-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
spare parts for	360256		
	No.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		



1

No.	360253	Ref. No.	0300297
description	timer CDC 7804F engines 1 chambers 4 operation time 20min 230V manif. no. 7804F1 / 0300297 motor type M37RN		
For models:	050F, 050F-Dep, F85, S280Dep, Super-QS-Dep		
spare parts for	360253		
	No.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		



1

No.	360580	Ref. No.	0300821
description	timer CDC 7805F engines 1 chambers 5 operation time 120s 230V shaft ømm shaft Lmm manif. no. 7805F1 motor type M37RN voltage AC		
For models:	050F, 050F-Dep		




1

No.	360581	Ref. No.	0300805
description	timer CDC 7805F engines 1 chambers 5 operation time 150s 208V shaft ømm shaft Lmm manuf. no. 7805F1 motor type M37RS voltage AC		
For models:	S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	360500	Ref. No.	0300801
description	timer CDC 7806M engines 1 chambers 6 operation time 150s 230V manuf. no. 7806M1 motor type M37RN 5 chambers adjustable, 1 chamber fixed voltage AC		



1

No.	360402	Ref. No.	0300100	
description	timer CDC 9003F engines 1 chambers 3 operation time 6min 230V shaft ø 6x4.6mm shaft L 22mm manuf. no. 9003F3 / 0300100 motor type M48R ATS			
spare parts for	360402			
	No.	360118	Ref. No.	0300850
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			
accessories for	360402			
	No.	110197	Ref. No.	—
	knob switch zero mark ø 42mm shaft ø 6x4.6mm shaft flat adjustable black			

digital timers



1

No.	400946	Ref. No.	0300810
description	timer electronic		

spare parts and accessories

motors

CDC



1

No.	360118	Ref. No.	0300850
description	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380237	Ref. No.	0300392
description	power contactor resistive load 16A 230VAC (AC3/400V) 6A/3kW main contacts 3NO auxiliary contacts 1NC connection male faston 6.3mm type AEG LS0701F		
For models:	015-24L, L21, LP6L, P550		



1

No.	380236	Ref. No.	0300059
description	power contactor resistive load 16A 230VAC (AC3/400V) 6A/3kW main contacts 3NO auxiliary contacts 1NO connection male faston 6.3mm type AEG LS0710F		
For models:	DSP4, DSP5		



1

No.	380238	Ref. No.	0300058
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		



1

No.	380244	Ref. No.	0300390
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		
For models:	P550		

TELEMECANIQUE (Schneider Electric)

power contactors



1

No.	380479	Ref. No.	0300050
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09P7		
For models:	015-24L, LP6L, P550		

relays

power relays

with flange mounting



1


No.	380310	Ref. No.	0300063 0301745
description	power relays FINDER 230VAC 16A 2CO connection male faston 6.3mm screw mounting at 250VA manuf. no. 62.82.8.230.0000+062.10		
For models:	F85-Dep		

with bracket mounting



1

No.	380815	Ref. No.	0301794
description	power relays 230VAC 16A 2NO connection male faston 6.3mm flange dimensions 36x38x68mm		



1

No.	380139	Ref. No.	0301747
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		



1

No.	380808	Ref. No.	0301746
description	power relays FINDER 230VAC 16A 3CO connection male faston 6.3mm bracket mounting manuf. no. 62.83.8.230.0000		
For models:	050F, 050F-Dep, F85, F85-Dep, S280Dep, Super-QS-Dep		



1

No.	380702	Ref. No.	0301795
description	power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V		

relay sockets



1

No.	380885	Ref. No.	0300121
description	relay socket 11-pole dimensions 47x47x20mm		

time relays

time relays



1

No.	401894	Ref. No.	0300823
description	time relay 9.2.21.04G 230V 11-pole model NDWT 30/11		
accessories for	401894		
	No.	380885	Ref. No.
			0300121
	relay socket 11-pole dimensions 47x47x20mm		

electronic controllers

EVCO - EVERY CONTROL

electronic thermometers

built-in version



1

No.	378346	Ref. No.	0500400
description	thermometer EVCO type EVK100P3 mounting measurements 71x29mm 12/24V voltage AC/DC -50 up to +150°C measuring input PTC display 3½ digits front measurements 75x33mm protection IP64 accuracy 1%		

probes

accessories

probe extension cables

1



No.	378309	Ref. No.	0305101
description	probe L 2500mm		

electronics

PCBs



1

No.	402338	Ref. No.	0306011
description	display PCB		



1

No.	403266	Ref. No.	0500406
description	thermometer dishwasher Linear 30/40/60 LS 350/500 L 10mm W 9mm temperature 24V		

keypads

front foils

1 			
No.	506441	Ref. No.	0400041
description	front foil		

1 			
No.	506152	Ref. No.	0500230
description	keypad foil dishwasher S200/240		
For models:	S200		

membrane keypads

1 			
No.	403279	Ref. No.	0502003 0502008
description	membrane keypad warewashing 045F buttons 3 Qty 1 pcs L 317mm W 40mm		

control panel

1 			
No.	506440	Ref. No.	0400192
description	control panel		

solenoid valves

solenoid valves (water)

TP


componenti per elettrovalvole



1

No.	370021	Ref. No.	0300056	
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
spare parts for	370021			
	No.	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz				
accessories for	370021			
	No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				

accessories for	370021			
	No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				



1

No.	370017	Ref. No.	0300025
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
spare parts for	370017		
	No.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370017		
	No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance $\pm 15\%$		
	No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$		
	No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance $\pm 15\%$		
	No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance $\pm 15\%$		
	No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$		
	No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$		
	No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance $\pm 15\%$		
	No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$		
	No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$		
	No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$		
	No.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$		
	No.	371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$		
	No.	371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$		
	No.	371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$		

accessories for	370017		
	No.	371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$		
	No.	371238	Ref. No. —
	reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$		
	No.	371239	Ref. No. —
	reducer TP flow rate 5l/min black tolerance $\pm 25\%$		
	No.	371240	Ref. No. —
	reducer TP flow rate 8l/min blue tolerance $\pm 20\%$		

solenoid valves with reducers



1

No.	370242	Ref. No.	0300096
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm plastic		

various



1

No.	370241	Ref. No.	0301149
description	solenoid valve 2-fold, with reducer straight 230VAC suitable for Lamber		
For models:	050F, 050F-Dep, F85, F85-Dep, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	370636	Ref. No.	0301161
description	solenoid valve single CO 230VAC outlet 10.5mm MILANO 00168401 plastic 3-ways inlet 10.5mm 50/60Hz male faston 6.3mm		
accessories for	370636		
	No.	371142	Ref. No. —
	reducer for solenoid valve $\varnothing$ 8.2mm		

metal

BÜRKERT

solenoid valves (various)



1

No.	370741	Ref. No.	0301159
description	solenoid valve 2-ways 230VAC inlet 1/2" IT outlet 1/2" IT L 135mm BÜRKERT membranes EPDM p max 16bar p min 0.2bar 50/60Hz brass		



1

No.	370544	Ref. No.	0300173
description	solenoid valve 2-ways 24VAC inlet 1/2" outlet 1/2" L 65mm DN 13mm BÜRKERT membranes NBR 24V brass		
For models:	M115, M150, MATIC20		

SIRAI

2-way

L180-B series



1

No.	370391	Ref. No.	0300070
description	solenoid valve 2-ways 24VAC connection 3/4" L 79mm DN 18mm -10 up to +90°C coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar		
For models:	LP31L, LP6		
accessories for	370391		



No.	371091	Ref. No.	—
power socket plug type DIN 43650B cable lengthmm small			

drain valves



1

No.	370543	Ref. No.	0300066
description	drain solenoid valve angled 230V single inlet 46mm outlet 1 1/2" duty cycle 60% SIRAI Z923G plastic		



1

No.	371109	Ref. No.	0301157
description	drain valve 230V 50/60Hz single inlet 50mm outlet 50mm		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



1

No.	541842	Ref. No.	0301503
description	pressure control pressure range 100/40mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 5.5mm		
For models:	L20, L21		



1

No.	541011	Ref. No.	0301501
description	pressure control pressure range 110/70mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	015-24L, LP31L, LP6, LP6L, M115, M150, MATIC20, P550		



1

No.	541165	Ref. No.	0300026 0301502
description	pressure control pressure range 60/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

pumps

wash and rinse pumps

ALBA (C&A)

pumps



1

No.	500417	Ref. No.	0300252
description	pump inlet ø 28mm outlet ø 28mm type C904 230V 50Hz 1 phase 0.15kW 0.2HP L 200mm rotation direction right capacitor 6.3µF ALBA PUMPS (C&A)		
For models:	DSP1, DSP2, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
spare parts for	500417		
	No.	365012	Ref. No. 0300110
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	No.	510693	Ref. No. 0200242 0200340 0209707
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	532490	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 72.69mm Qty 1 pcs		

EBARA

pumps



1

No.	499007	Ref. No.	0301249 0301254
description	pump inlet ø 63mm outlet ø 63mm type DWO150 230/400V 50Hz 3 phase 1.1kW 1.5HP L 360mm EBARA		
For models:	M115, M150		




1

No.	500357	Ref. No.	0301254
description	pump inlet ø 63mm outlet ø 63mm type DWO150 230/400V 50Hz 3 phase 1.1kW 1.5HP L 360mm rotation direction left EBARA inlet ø 63mm outlet ø 63mm		
For models:	015-24L, P550		
spare parts for	500357		
	No.	503147	Ref. No. 0209906
	pump cover gasket thickness 3.53mm ID ø 148.8mm Qty 1 pcs		
	No.	503148	Ref. No. 0209709
	mechanical shaft seal for shaft ø 18mm height counter ring 12.5mm ID ø 18.5mm ED ø 32mm H 31mm mounting ø 33mm int. ø 19mm		
	No.	521270	Ref. No. 0209820
	impellor ø 88mm H 24mm with flute shaft intake ø 13mm rotation direction left blades 6 stainless steel		

FIR

pumps



1

No.	500030	Ref. No.	0300205
description pump inlet ø 28mm outlet ø 26mm type 4226.2540 230/400V 50Hz 3 phase 0.35kW 0.5HP L 260mm rotation direction right FIR			
spare parts for 500030			
	No.	510510	Ref. No. —
pump cover pump type 2212/2228/2229/2211			
	No.	510690	Ref. No. —
mechanical shaft seal for shaft ø 8mm ED ø 24mm mounting ø 24/26mm			
	No.	521202	Ref. No. —
impellor ø 72mm H 17mm thread M5L			
	No.	521703	Ref. No. —
pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs			




1

No.	500375	Ref. No.	0300245
description pump inlet ø 45mm outlet ø 40mm type 3983.1411 230V 50Hz 1 phase 0.37kW 0.5HP L 200mm rotation direction right capacitor 12.5µF FIR			



1

No.	500323	Ref. No.	0300310
description pump inlet ø 63mm outlet ø 47mm type 1227.2721 230/400V 50Hz 3 phase 2kW 2.7HP L 335mm rotation direction right FIR			
spare parts for 500323			
	No.	510599	Ref. No. —
impellor ø 123mm H 34mm M8L			
	No.	510693	Ref. No. 0200242 0200340 0209707
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521513	Ref. No. —
pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner high 32mm			
	No.	524416	Ref. No. 0200290
pump cover gasket thickness 4x4mm Qty 1 pcs			



1

No.	500111	Ref. No.	0300021
description pump inlet ø 63mm outlet ø 53mm type 1241.2500 230/400V 50Hz 3 phase 1.1kW 1.5HP L 330mm rotation direction left FIR			
spare parts for 500111			
	No.	510531	Ref. No. 0200593
pump cover FIR inlet ø 63mm outlet ø 53mm auxiliary pressure connection M16x1.5mm supporting pressure open turn direction left ø 185mm ID ø 150mm inner high 37mm			

Table continues overleaf

spare parts for 500111				
	No.	510612	Ref. No.	—
impellor ø 110mm H 34mm M8R				
	No.	510693	Ref. No.	0200242 0200340 0209707
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm				
	No.	524416	Ref. No.	0200290
pump cover gasket thickness 4x4mm Qty 1 pcs				



No.	499293	Ref. No.	0301243
description pump inlet ø 63mm outlet ø 53mm type 2241.2703 230/400V 50Hz 3 phase 0.89kW 1.2HP L 300mm rotation direction left FIR			

LGB



No.	500353	Ref. No.	0300372
description pump inlet ø 28mm outlet ø 26mm type ZF115SX 230V 50Hz 1 phase 0.2kW 0.27HP L 190mm rotation direction right capacitor 5µF LGB			
spare parts for 500353			
	No.	365017	Ref. No. 0300105
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	No.	510122	Ref. No. 0200595
pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 13mm supporting pressure open ø 98mm ID ø 77mm inner height 31mm			
	No.	510703	Ref. No. 0200397
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			

spare parts for 500353				
	No.	521223	Ref. No.	0209804
impellor ø 61mm H 17mm thread M7L shaft ø 13mm shaft length 12mm				
	No.	528800	Ref. No.	0209905
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs				



No.	500352	Ref. No.	0300373
description pump inlet ø 28mm outlet ø 26mm type ZF130SX 230V 50Hz 1 phase 0.2kW 0.27HP L 195mm rotation direction right capacitor 6.3µF LGB			
spare parts for 500352			
	No.	365012	Ref. No. 0300110
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			
	No.	510122	Ref. No. 0200595
pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 13mm supporting pressure open ø 98mm ID ø 77mm inner height 31mm			
	No.	510703	Ref. No. 0200397
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	521085	Ref. No. —
impellor ø 72mm H 17mm thread M7L shaft ø 13mm shaft length 12mm blades 3			
	No.	528800	Ref. No. 0209905
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs			



1

No.	500355	Ref. No.	0301203 0301204
description	pump inlet ø 45mm outlet ø 40mm type ZF320SX 230V 50Hz 1 phase 0.7kW 0.95HP L 200mm rotation direction right capacitor 12.5µF LGB		
For models:	050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21		
spare parts for	500355		
	No.	365014	Ref. No. 0300081
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510702	Ref. No. —
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		
	No.	512404	Ref. No. —
	bracket mounting distance 130mm		
	No.	521246	Ref. No. —
	impellor ø 103mm H 26mm thread M8L shaft ø 20mm shaft length 7mm seat ø 8.2mm blades 6		
	No.	521542	Ref. No. —
	pump cover LGB inlet ø 45mm outlet ø 40mm auxiliary pressure connection 13mm supporting pressure open ø 150mm ID ø 120mm inner height 25mm		
	No.	521714	Ref. No. —
	pump cover gasket thickness 4x4mm Qty 1 pcs		

booster pumps I



1

No.	500060	Ref. No.	0300361
description	pump inlet ø 1" outlet ø 1" type PQM60 230V 50Hz 1 phase 0.37kW PEDRELLO		
For models:	015-24L, L20, L21, LP6L, P550		
accessories for	500060		
	No.	365015	Ref. No. 0300106
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1

No.	499292	Ref. No.	0100631
description	pump inlet ø 1 1/4" IT outlet ø 1" IT type CDX/A 120/07 230-240V 50Hz 3 phase 0.55kW 0.75HP L 320mm rotation direction left EBARA		
For models:	LP6		

drain pumps

PLASET



1

No.	500354	Ref. No.	0300068
description	drain pump inlet ø 30mm outlet ø 22mm 230V 30W 50Hz PLASET type 64079		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
accessories for	500354		
	No.	506074	Ref. No. 0200521
	drain hose ID ø 32mm ED ø 41mm L 1m wire reinforced		
	No.	506207	Ref. No. 0900006
	drain hose DN19 L 1500mm straight ø inside 19mm straight ext. ø 24mm elbow ø inside 21mm elbow ext. ø 27mm outer hose ø 25mm		

booster pumps II

accessories



1

No.	365015	Ref. No.	0300106
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	F85		



1

No.	365017	Ref. No.	0300105
description	operating capacitor capacity 5 μ F 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	365012	Ref. No.	0300110
description	operating capacitor capacity 6.3 μ F 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C $\varnothing$ 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

condensators & interference suppression filters

operating capacitors

plastic



1

No.	365015	Ref. No.	0300106
description	operating capacitor capacity 10 μ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	F85		



1

No.	365014	Ref. No.	0300081
description	operating capacitor capacity 12.5 μ F 450V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
For models:	050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21		



1

No.	365017	Ref. No.	0300105
description	operating capacitor capacity 5 μ F 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	365012	Ref. No.	0300110
description	operating capacitor capacity 6.3 μ F 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C $\varnothing$ 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

filters

interference suppression filters



1

No.	365046	Ref. No.	0300900
description	interference suppression filter type 10S7E-G1474253105-Q 115/250V 50/60Hz conductor 2 with E connection male faston 6.3mm L 40mm $\varnothing$ 40mm Hmm Wmm M8 plastic Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

fuses

line circuit breakers

miscellaneous



1

No.	358146	Ref. No.	0301723
description	line circuit breaker 3-pole 16A tripping type C rated 400V connection screw		
For models:	M150, MATIC20		



			
1			
No.	358145	Ref. No.	0301729
description	line circuit breaker 3-pole 32A tripping type C rated 400V connection screw		
For models:	M115		

			
1			
No.	358144	Ref. No.	0301730
description	shunt release rated 12-24V Qty 1 pcs		
For models:	M115, M150, MATIC20		

electric accessories

terminals

connection boxes

			
1			
No.	550670	Ref. No.	0300750
description	power terminal block 3-pole contacts P+N+E		
For models:	DSP1, DSP2, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	550671	Ref. No.	0300751
description	power terminal block 6-pole contacts 3P+N+E		
For models:	050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21		

rail-mounted terminals

SIEMENS

feed-through terminals

			
1			
No.	551238	Ref. No.	0300405
description	rail-mounted terminal 16mm ² beige 1-pole		
For models:	LP31L, LP6, M115		

auxiliary gas parts

screw connections

olives



1

No.	101273	Ref. No.	0200182	
description	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
For models:	015-24L, DSP1, DSP2, DSP4, DSP5, L20, L21, LP31L, LP6, LP6L, S200, S280, S280Dep, Super-QS, Super-QS-Dep			
accessories for	101273			
	No.	100944	Ref. No.	—
	union nut thread M18x1.5 for pipe ø 12mm			
	No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			

equipment-specific units

for dough mixers

chains

connectors

			
1			
No.	693276	Ref. No.	0813444
description	connector single DIN/ISO 08 B-1 splitting 1/2" links 1 L 23mm internal width 11.8mm rollerø 4.3mm metal		
For models:	M115, M150, MATIC20		

for espresso machines

brewing units

filter holder gaskets

O-rings



1

No.	510409	Ref. No.	0200041
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

steam/water taps

steam/water pipes

accessories

gaskets



1

No.	510893	Ref. No.	0203012
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		

for dishwashers

drain and intake components

LAMBER

drain /intake bodies



1

No.	517685	Ref. No.	0221333
description	drain connection ø 40mm L 62mm thread 1½"		



1

No.	506035	Ref. No.	0200128
description	drain fitting thread 1¼" ID ø 27mm		
For models:	DSP1, DSP2, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506026	Ref. No.	0200113	
description	drain fitting thread 2"/1¼" ID ø 42mm			
For models:	015-24L, 050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21, P550			
accessories for	506026			
	No.	506043	Ref. No.	0200173
	flat gasket rubber ED ø 75mm ID ø 58.5mm thickness 2mm Qty 1 pcs			



EQUIPMENT-SPECIFIC UNITS LAMBER



1

No.	506017	Ref. No.	0200078	
description	drain fitting with gasket thread 1¼" ID ø 24mm hose ø 32mm			
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep			
spare parts for	506017			
	No.	512073	Ref. No.	—
	flat gasket rubber ED ø 31mm ID ø 22mm thickness 2mm Qty 1 pcs			



1

No.	506028	Ref. No.	0200115
description	flange ED ø 140mm		



1

No.	506072	Ref. No.	0200403
description	flat gasket fibre ED ø 38mm ID ø 27mm thickness 2mm outflow for thread 1¼" Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506121	Ref. No.	0201524 0208153
description	flat gasket rubber ED ø 68mm ID ø 41mm thickness 2mm Qty 1 pcs		
For models:	DSP1, DSP2, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506043	Ref. No.	0200173
description	flat gasket rubber ED ø 75mm ID ø 58.5mm thickness 2mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21, P550		



1

No.	504442	Ref. No.	0201532
description	gasket for intake filter ED ø 140mm ID ø 84mm thickness 2mm hole distance 78mm		

			
1			
No.	506022	Ref. No.	0200098
description	gasket with 4 screw holes ED ø 134mm ID ø 65mm thickness 2.5mm		
For models:	DSP4, DSP5		

			
1			
No.	506106	Ref. No.	0208153 old
description	gasket with 4 screw holes ED ø 68mm ID ø 41mm		

			
1			
No.	506123	Ref. No.	0221305
description	hose connector		



1


No.	506122	Ref. No.	0221302	
description	hose connector plastic straight thread 1¼" hose ø 31mm Qty 1 pcs			
For models:	015-24L, DSP5, L20, L21, P550			
accessories for	506122			
	No.	506072	Ref. No.	0200403
flat gasket fibre ED ø 38mm ID ø 27mm thickness 2mm outflow for thread 1¼" Qty 1 pcs				
	No.	506074	Ref. No.	0200521
drain hose ID ø 32mm ED ø 41mm L 1m wire reinforced				




1

No.	506129	Ref. No.	0221331	
description	hose connector thread 1½" hose ø 40mm			
For models:	050F, 050F-Dep, F85, F85-Dep			
accessories for	506129			
	No.	506015	Ref. No.	0200056
O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs				
	No.	506016	Ref. No.	0200058
quick-fit retaining nut thread 1½"				

			
1			
No.	506096	Ref. No.	0201470
description	intake body		

			
1			
No.	506030	Ref. No.	0200118
description	intake body ED ø 110mm thread 1¼"		
For models:	DSP5, M115, M150, MATIC20		

			
1			
No.	506029	Ref. No.	0200116
description	intake body ED ø 140mm		
For models:	DSP4, DSP5		



1

No.	506034	Ref. No.	0200127	
description	intake body thread 1¼" ID ø 25mm			
For models:	DSP1, DSP2, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep			
accessories for	506034			
	No.	506018	Ref. No.	0200080
nut thread 1¼"				
	No.	506121	Ref. No.	0201524 0208153
flat gasket rubber ED ø 68mm ID ø 41mm thickness 2mm Qty 1 pcs				

			
1			
No.	506018	Ref. No.	0200080
description	nut thread 1¼"		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506027	Ref. No.	0200114
description	nut thread 2" for intake body		
For models:	015-24L, 050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21, P550		



1

No.	506015	Ref. No.	0200056
description	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	532547	Ref. No.	0203009
description	O-ring EPDM thickness 3.53mm ID ø 44.45mm Qty 1 pcs		
For models:	050F, 050F-Dep, F85, F85-Dep		



1

No.	528315	Ref. No.	0800074
description	O-ring EPDM thickness 3.53mm ID ø 47.63mm Qty 1 pcs		



1

No.	506016	Ref. No.	0200058
description	quick-fit retaining nut thread 1½		
For models:	050F, 050F-Dep, F85, F85-Dep, LP31L, LP6, LP6L, M115, M150, MATIC20		

filters



1

No.	517675	Ref. No.	0202015
description	filter for dishwasher L 122mm W 122mm H 100mm SS		



1

No.	517676	Ref. No.	0202000
description	filter for dishwasher L 200mm W 155mm H 120mm SS		



1

No.	517674	Ref. No.	0202008
description	filter for dishwasher L 248mm W 248mm H 41mm SS		
For models:	M115, M150		



1

No.	517673	Ref. No.	0202034
description	filter for dishwasher L 365mm W 292mm H 17mm SS		



1

No.	517672	Ref. No.	0202063
description	filter for dishwasher L 415mm W 203mm H 37mm SS		



1

No.	517681	Ref. No.	0202014
description	filter for dishwasher L 608mm W 180mm H 30mm SS		



1

No.	517680	Ref. No.	0202013
description	filter for dishwasher L 660mm W 200mm H 62mm SS		
For models:	M150		



1


No.	517684	Ref. No.	0200310
description	filter ø 22mm H 93mm SS		
For models:	LP31L, LP6, M115, M150, MATIC20		

			
1			
No.	506115	Ref. No.	0202006
description	flat filter		

			
1			
No.	506133	Ref. No.	0400151
description	flat filter		
For models:	050F, 050F-Dep, F85, F85-Dep		

			
1			
No.	506410	Ref. No.	0202005
description	flat filter L 270mm W 165mm		

			
1			
No.	506134	Ref. No.	0400152
description	flat filter L 320mm W 235mm		
For models:	015-24L, DSP5, L21, P550		

			
1			
No.	506135	Ref. No.	0400153
description	flat filter L 322mm W 216mm		

			
1			
No.	506143	Ref. No.	0400395
description	flat filter mounting pos. centre		
For models:	050F, 050F-Dep, F85, F85-Dep		

			
1			
No.	506144	Ref. No.	0400396
description	flat filter mounting pos. centre		

			
1			
No.	517683	Ref. No.	0202055
description	rectangular filter L 140mm W 60mm H 86mm plastic		

			
1			
No.	506056	Ref. No.	0200247
description	round filters ø 100mm		
For models:	DSP1, DSP2, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506422	Ref. No.	0202003
description	round filters ø 101mm connection ø48x55mm for pump suitable for L25/S		

			
1			
No.	517677	Ref. No.	0202065
description	round filters ø 145mm H 90mm overall height 130mm SS		



1

No.	506009	Ref. No.	0200024
description	round filters ø 165mm H 50mm		
For models:	L20, L21		



1

No.	506119	Ref. No.	0202209
description	round filters ø 185mm H 80mm		
For models:	015-24L, M115, M150, MATIC20, P550		



1

No.	506010	Ref. No.	0200025
description	round filters ø 215mm		
For models:	050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep		

overflow pipes



1

No.	517662	Ref. No.	0800903
description	cover ø 80mm ID ø 55mm H 25mm for overflow pipe		
For models:	LP31L, LP6, LP6L, M115, M150, MATIC20		



1

No.	517663	Ref. No.	0500801
description	knob ø 35.5mm thread M8 H 23.5mm for overflow pipe		
For models:	LP31L, LP6, LP6L, M115, M150, MATIC20		



1

No.	506007	Ref. No.	0200020
description	overflow pipe L 125mm ø 28mm		
For models:	DSP1, DSP2, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506047	Ref. No.	0200180
description	overflow pipe L 140mm ø 45mm		
For models:	050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep		



1

No.	524259	Ref. No.	0204007
description	overflow pipe L 180mm ø 28mm		



1

No.	517668	Ref. No.	0200021
description	overflow pipe L 200mm ø 45mm		



1

No.	506008	Ref. No.	0200022
description	overflow pipe L 226mm ø 45mm		
For models:	L20, L21		



1

No.	506416	Ref. No.	0200023
description	overflow pipe L 320mm ø 45mm		

			
1			
No.	506120	Ref. No.	0204003
description	overflow pipe L 366mm ø 45mm usable height 340mm		
For models:	015-24L, P550		

			
1			
No.	524784	Ref. No.	0204006
description	overflow pipe L 405mm ø 45mm plastic ID ø 38mm		

			
1			
No.	517664	Ref. No.	0204004
description	overflow pipe L 430mm ø 45mm		



1

No.	517661	Ref. No.	0204001 0204001+0200304+0500801	
description	overflow pipe L 530mm ø 45mm			
For models:	M115, M150, MATIC20			
accessories for	517661			
	No.	516255	Ref. No.	0200304
	gasket silicone ED ø 45mm ID ø 35mm thickness 6mm Qty 1 pcs			
	No.	517662	Ref. No.	0800903
	cover ø 80mm ID ø 55mm H 25mm for overflow pipe			
	No.	517663	Ref. No.	0500801
	knob ø 35.5mm thread M8 H 23.5mm for overflow pipe			

			
1			
No.	517665	Ref. No.	0204002
description	overflow pipe L 575mm ø 45mm SS ID ø 33mm		
For models:	LP6, LP6L		

containers

dosing containers

			
1			
No.	506432	Ref. No.	0520003
description	rinse aid container 0.25l		

salt tanks

1

No.	510929	Ref. No.	0200149	
description	salt tank ø 120mm H 117mm hose ø 10mm mounting ø 70mm overall height 157mm			
For models:	050F, 050F-Dep, F85, F85-Dep, S280, S280Dep, Super-QS, Super-QS-Dep			
spare parts for	510929			
	No.	506015	Ref. No.	0200056
O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs				
	No.	510018	Ref. No.	—
nut ø 92mm H 10.5mm for salt tank ID ø 64mm				
	No.	524177	Ref. No.	—
lid ø 69mm H 20mm for salt tank ID ø 50mm				
accessories for	510929			
	No.	510071	Ref. No.	—
flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs				
	No.	510654	Ref. No.	—
gasket H 6mm D1 ø 82mm D2 ø 68mm				
	No.	510883	Ref. No.	—
gasket rubber ED ø 86mm ID ø 66mm thickness 2mm for salt tank Qty 1 pcs				

h1 boilers

h2 boilers for dishwashers



1

No.	506142	Ref. No.	0400268
description	boiler		
For models:	S200, S280, S280Dep, Super-QS, Super-QS-Dep		

1

No.	506145	Ref. No.	0403051
description	boiler		
For models:	015-24L		



1

No.	506136	Ref. No.	0400259 siehe Bemerkung
description	boiler capacity 3l		

1

No.	506141	Ref. No.	0400264
description	boiler capacity 4.5l		



1

No.	506137	Ref. No.	0400260 siehe Bemerkung
description	boiler capacity 4l		



1

No.	506139	Ref. No.	0400262
description	boiler capacity 5l		
For models:	050F, 050F-Dep, F85, F85-Dep		



1

No.	506138	Ref. No.	0400261 old
description	boiler capacity 8l		

1

No.	506140	Ref. No.	0400263
description	boiler capacity 8l		



1

No.	506262	Ref. No.	0400261
description	boiler capacity 8l		
For models:	015-24L, L20, L21, LP6, LP6L, P550		



1

No.	517679	Ref. No.	400266 400266+1x200324+6x300079+1x403012
description	boiler with insulation ø 220mm L 540mm		

rotation plates

rotation plates



No.	506442	Ref. No.	0800027
description	rotation plate for model A81		

softener cartridges

softening columns



No.	530000	Ref. No.	0200011
description	softener 4-fold L 380mm W 180mm		
For models:	050F, 050F-Dep, F85, F85-Dep, S280, S280Dep, Super-QS, Super-QS-Dep		



No.	530001	Ref. No.	200011
description	softener 4-fold L 380mm W 180mm		


housing and bezels

fastening angles



No.	504437	Ref. No.	0406127
description	fastening angle for valve SS L 85mm W 65mm thickness 1mm H 20mm		

fascias



No.	506440	Ref. No.	0400192
description	control panel		

hood mechanics for dishwashers

bolts



No.	506171	Ref. No.	0800117
description	screw bolt for grab handle hood mechanics		
For models:	015-24L, DSP5, L21		



No.	506206	Ref. No.	0899999
description	screw bolt for grab handle hood mechanics		
For models:	015-24L		

bushes



No.	506190	Ref. No.	0800497
description	bush for grab handle hood mechanics		
For models:	015-24L, DSP5, L21		



1

No.	506188	Ref. No.	0800418
description	bush for roller hood mechanics		
For models:	015-24L, DSP5, L21		



1

No.	506211	Ref. No.	0800108
description	bush hood mechanics		
For models:	015-24L, DSP5, L20, L21		



1

No.	506212	Ref. No.	0800109
description	spacer bush hood mechanics		
For models:	015-24L, DSP5, L20, L21		



1

No.	506213	Ref. No.	0800110
description	spacer bush hood mechanics		
For models:	015-24L, DSP5, L20, L21		

guide bars



1

No.	506436	Ref. No.	0800116
description	guide bar L 1115mm ø 31.5mm		
For models:	DSP5, L20, L21		

linkage



1

No.	506426	Ref. No.	0800701
description	linkage L 602mm hood mechanics for dishwasher		
For models:	DSP5		



1

No.	506228	Ref. No.	0800702
description	linkage L 635mm hood mechanics for dishwasher		
For models:	015-24L		
accessories for	506228		



No.	560475	Ref. No.	0800144
hexagonal nut thread M10 H 11.5mm zinc-coated steel WS 17 Qty 1 pcs DIN/ISO DIN 982			

hood handles



1

No.	506176	Ref. No.	0800241
description	hood handle		
For models:	DSP5, L20, L21		

1

No.	506201	Ref. No.	0800750
description	hood handle		
For models:	015-24L		

1

No.	506202	Ref. No.	0800751
description	hood handle		
For models:	015-24L		

rollers



1

No.	506163	Ref. No.	0800048
description	roller hood mechanics dimensions 23/9.4/8mm		
For models:	015-24L, DSP5, L20, L21, M115, M150, MATIC20		



1

No.	506178	Ref. No.	0800244
description	roller hood mechanics dimensions 35x12mm PVC		
For models:	015-24L, DSP5, L21		

miscellaneous



1

No.	506023	Ref. No.	0200099
description	gasket hood mechanics thread M8		
For models:	015-24L, 050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550		



1

No.	506170	Ref. No.	0800115
description	hinge pin hood mechanics		
For models:	015-24L, DSP5, L20, L21		



1

No.	524791	Ref. No.	0200650
description	plate for hood mechanics L 39mm thread M10 zinc-coated steel H 10mm W 21mm		
For models:	015-24L, DSP5, L20, L21		



1

No.	506159	Ref. No.	0150007 0800020 GA0150007
description	rod guide hood mechanics with rollers		
For models:	015-24L, DSP5, L20, L21		



1

No.	506177	Ref. No.	0800242
description	spacer piece hood mechanics		
For models:	015-24L		



1

No.	506189	Ref. No.	0800420
description	spacer piece hood mechanics L 18mm thread M16		
For models:	015-24L, DSP5, L21		

basket guides

guide bars



1

No.	506439	Ref. No.	0400156
description	guide bar for warewashing basket mounting pos. left		
For models:	050F, 050F-Dep, F85, F85-Dep		



1

No.	506438	Ref. No.	0400157
description	guide bar for warewashing basket mounting pos. right		
For models:	050F, 050F-Dep, F85, F85-Dep		

basket holders



No.	971148	Ref. No.	0400360 siehe Bemerkung
description	basket support for dishwasher L 580mm W 510mm H 75mm		
For models:	015-24L		
accessories for	971148		
	No.	971151	Ref. No. 0400370 0400370 (KIT)
mixer coupling L 450mm H 75mm			

miscellaneous



No.	512078	Ref. No.	0800094
description	guide for dishwasher L 99mm W 45mm H 31.5mm		
For models:	M115, M150, MATIC20		



No.	971151	Ref. No.	0400370 0400370 (KIT)
description	mixer coupling L 450mm H 75mm		
For models:	015-24L, DSP5, L20, L21		

air traps

air traps



No.	506221	Ref. No.	0201455 0201455+0200196+0800652
description	air trap L 40mm W 40mm H 85mm thread M12x1.75 ABS plastic		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
accessories for	506221		
	No.	506063	Ref. No. 0200295
gasket suitable for Lamber equiv. no. 0200295 air trap ED ø 15.5mm ID ø 11.5mm Nyltite			

EQUIPMENT-SPECIFIC UNITS LAMBER

accessories for	506221		
	No.	506076	Ref. No. 0200638
hose connector thread M12x1.75 hose ø 6mm			
	No.	506220	Ref. No. 0200196
gasket ø 4mm H 2.5mm nylon			
	No.	560227	Ref. No. 0800652
hexagonal nut thread M3 H 4mm SS WS 5.5 Qty 1 pcs self-locking			



No.	506414	Ref. No.	0200019
description	air trap ø 40mm H 100mm hose ø 10mm plastic		
For models:	DSP2, DSP4		

air trap accessories



No.	506429	Ref. No.	0200289
description	gasket for air trap		
For models:	DSP2, DSP4		



No.	506220	Ref. No.	0200196
description	gasket ø 4mm H 2.5mm nylon		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



No.	506431	Ref. No.	0200200
description	hose ED ø 10/15mm ID ø 4/10mm L 2200mm temp.-resist. 70°C for air trap		
For models:	015-24L, DSP2, DSP4, L20, L21, LP31L, LP6, LP6L		



No.	506040	Ref. No.	0200147
description	hose connector ø 4mm thread M12		
For models:	050F, 050F-Dep, DSP1, DSP5, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506076	Ref. No.	0200638
description	hose connector thread M12x1.75 hose ø 6mm		
For models:	M115, M150, MATIC20, P550		

mechanics for flight type dishwashers

			
1			
No.	524826	Ref. No.	0802051
description	bush for ratchet L 21mm ID ø 8mm ED ø 10mm suitable for Lamber		
For models:	M115, M150, MATIC20		

			
1			
No.	524789	Ref. No.	0800492
description	cable clamp wire gauge ø 5mm SS		
For models:	M115, M150, MATIC20		

			
1			
No.	504436	Ref. No.	0800407
description	coupling for transport system L 55mm ø 70mm ID ø 19mm suitable for Lamber		
For models:	M115, M150, MATIC20		

			
1			
No.	524790	Ref. No.	0802048
description	distance washers for drive shaft H 10mm ID ø 12.4mm ED ø 22mm		
For models:	M115, M150, MATIC20		



1

No.	529272	Ref. No.	0800123 0800150	
description	drive shaft for transport system			
For models:	M115, M150, MATIC20			
accessories for	529272			
	No.	532144	Ref. No.	—
	O-ring EPDM thickness 3.53mm ID ø 98.02mm Qty 10 pcs			
	No.	694970	Ref. No.	0802707
	gear wheel H 28mm ID ø 64mm ED ø 85mm hole ø 20mm			

			
1			
No.	694970	Ref. No.	0802707
description	gear wheel H 28mm ID ø 64mm ED ø 85mm hole ø 20mm		
For models:	M115, M150		

			
1			
No.	524787	Ref. No.	0802046
description	thread bolt for drive shaft L 62mm ø 12mm suitable for Lamber thread M8x1.25		
For models:	M115, M150, MATIC20		

backflow preventers

backflow preventers

			
1			
No.	506210	Ref. No.	0500602
description	backflow preventer dishwasher		

1

No.	516101	Ref. No.	0500605
description	backflow preventer dishwasher hose ø 12mm		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
spare parts for	516101		
	No.	506367	Ref. No.
	—		
flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs			

non-return valves

			
1			
No.	506073	Ref. No.	0200426
description	non-return valve plastic total length 26mm hose ø 11mm		
For models:	050F, 050F-Dep, F85, F85-Dep, S280, S280Dep, Super-QS, Super-QS-Dep		



miscellaneous



No.	506160	Ref. No.	0800028
description	plain washer ID ø 8.6mm ED ø 16mm thickness 1.5mm SS Qty 1 pcs		
For models:	015-24L, DSP5, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20		

door mechanics

springs

tension springs



No.	519494	Ref. No.	0800714
description	tension spring ø 9mm wire gauge ø 1.5mm total length 168mm for door		
For models:	050F, 050F-Dep, F85, F85-Dep		

linkage



No.	506186	Ref. No.	0800408
description	door pin L 180mm door pin ø 5mm		
For models:	DSP1, DSP2, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



No.	506179	Ref. No.	0800400
description	door pin L 305mm door pin ø 5mm		
For models:	050F, 050F-Dep, DSP2, DSP4, DSP5, F85, F85-Dep, LP31L, LP6, LP6L, M115, M150, P550, S280, S280Dep, Super-QS, Super-QS-Dep		

threaded shafts



No.	506180	Ref. No.	0800401
description	threaded part spigot		
For models:	050F, 050F-Dep, DSP1, DSP2, DSP4, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

sliding plates



No.	506182	Ref. No.	0800403 0800403+2x0800187
description	sliding plate plate		
For models:	050F, 050F-Dep, DSP1, DSP2, DSP4, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

hinges



No.	506167	Ref. No.	0800098
description	door bolt door bearing		



No.	506168	Ref. No.	0800099
description	door bolt door bearing		
For models:	DSP1, DSP2, DSP4		



No.	692467	Ref. No.	0800174
description	hinge L 52mm W 57mm H 18mm mounting distance 34mm hole ø 5mm plastic		

rod support



No.	506434	Ref. No.	0400190
description	support bracket		

door bumpers



No.	506181	Ref. No.	0800402 0800402+0800256+0800653
description	door bumper hinge camp		
For models:	050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



No.	506185	Ref. No.	0800406
description	door bumper hinge camp brass		
For models:	LP31L, LP6, LP6L, M115, M150		



locks



1

No.	506157	Ref. No.	0800006
description	door catch catch		
For models:	050F, 050F-Dep, DSP1, DSP2, DSP4, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506183	Ref. No.	0800404 0800404+0800652+0800665
description	door catch counterpart		
For models:	050F, 050F-Dep, DSP1, DSP2, DSP4, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506184	Ref. No.	0800405
description	door catch SS door catch		

miscellaneous



1

No.	506173	Ref. No.	0800169
description	bush for door bolt		
For models:	DSP1, DSP2, DSP4		



1

No.	506187	Ref. No.	0800409
description	bush for door bolt		



1

No.	524254	Ref. No.	0800480
description	hauling cable for door ø 3mm L 1800mm		
For models:	M115, M150, MATIC20		

screw connections



1

No.	506196	Ref. No.	0800673
description	nut brass		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506027	Ref. No.	0200114
description	nut thread 2" for intake body		
For models:	015-24L, 050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21, P550		



1

No.	506132	Ref. No.	0300047
description	nut thread 3/8"		
For models:	050F, 050F-Dep, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

washing and rinsing systems



1

No.	506012	Ref. No.	0200038
description	bearing rinse arm SS		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506174	Ref. No.	0800175
description	bush for rinse arm mounting pos. lower		
For models:	LP31L, LP6, LP6L		

			
1			
No.	506193	Ref. No.	0800500
description	bush for rinse arm mounting pos. lower		
For models:	LP31L, LP6, LP6L		

			
1			
No.	506192	Ref. No.	0800499
description	bush for rinse arm ø 13.3mm		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506191	Ref. No.	0800498
description	bush for rinse arm ø 16.2mm		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	517682	Ref. No.	0200121
description	bush for wash arm mounting pos. upper H 52mm thread 1 1/4" D1 ø 54mm D2 ø 41mm Qty 1 pcs		

			
1			
No.	506197	Ref. No.	0800685
description	disc for wash arm ID ø 18mm ED ø 50mm thickness 2mm nylon		

			
1			
No.	506198	Ref. No.	0800686
description	disc for wash arm ID ø 50mm ED ø 22mm thickness 2mm nylon		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		

			
1			
No.	524264	Ref. No.	0800053
description	disc for wash arm support mounting pos. upper ø 50mm H 2mm		
For models:	DSP4, DSP5		

			
1			
No.	506161	Ref. No.	0800030
description	disc SS for wash arm ID ø 18.2mm ED ø 50mm		

			
1			
No.	506094	Ref. No.	0201458
description	flange thread 1 1/4" ø 110mm		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		

			
1			
No.	524792	Ref. No.	0200259
description	gasket for rinse arm mounting pos. upper/lower ø 22.5mm ID ø 13mm thickness 10mm		
For models:	M115, M150, MATIC20		

			
1			
No.	524786	Ref. No.	0200400
description	gasket for wash arm mounting pos. upper/lower ø 46mm ID ø 36mm		
For models:	M115, M150, MATIC20		

			
1			
No.	524258	Ref. No.	0201504
description	gasket suitable for Lamber for wash arm support L 100mm W 100mm Qty 1m ID ø 61mm		
For models:	LP31L, LP6, LP6L		

			
1			
No.	504440	Ref. No.	0201505
description	gasket suitable for Lamber L 100mm W 100mm ID ø 43mm thickness 3mm		
For models:	M115, M150, MATIC20		

			
1			
No.	504441	Ref. No.	0201503
description	gasket suitable for Lamber L 100mm W 100mm Qty 1m ID ø 40mm thickness 3mm		
For models:	M115, M150, MATIC20		

			
1			
No.	506128	Ref. No.	0221315
description	hose connector curved plastic		

			
1			
No.	506127	Ref. No.	0221314
description	hose connector thread 1¼" for hose ID 30mm curved plastic		
For models:	DSP4, MATIC20		

			
1			
No.	506101	Ref. No.	0201820
description	rinse arm support mounting pos. lower		
For models:	050F, 050F-Dep, F85, F85-Dep		

			
1			
No.	506103	Ref. No.	0201830
description	rinse arm support mounting pos. lower		

			
1			
No.	506020	Ref. No.	0200096
description	rinse pipe		
For models:	DSP1, DSP2, DSP4, DSP5, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506091	Ref. No.	0201344
description	rinse pipe		

			
1			
No.	506104	Ref. No.	0201836
description	rinse pipe		
For models:	015-24L, L20, L21		

			
1			
No.	506437	Ref. No.	0201335
description	rinse pipe		

			
1			
No.	506200	Ref. No.	0800712
description	spring SS for rinse pipe		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506172	Ref. No.	0800130
description	Thumb screw thread M6 thread L 9mm ø 22mm H 6mm SS		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	510338	Ref. No.	0200219
description	union nut dosing pump thread 1/2" ø 32mm H 15mm for dosing pump		



1

No.	506102	Ref. No.	0201822
description	wash arm support mounting pos. lower		

1

No.	506100	Ref. No.	0201811
description	wash pipe		



1

No.	506421	Ref. No.	0800043
description	wash pipe L 200mm nylon size inch 1 1/4"		
For models:	M150		

1

No.	506105	Ref. No.	0201841
description	wash pipe mounting pos. lower		

washing and rinsing systems (sorted by producer)

LAMBER



1

No.	506267	Ref. No.	0200861
description	rinse arm L 372mm mounting pos. upper nozzles 4 mounting ø 16mm		



1

No.	506064	Ref. No.	0200296
description	rinse arm L 375mm mounting pos. lower nozzles 4 mounting ø 17mm complete		
For models:	S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506265	Ref. No.	0200808 0200855
description	rinse arm L 376mm mounting pos. lower nozzles 4		
For models:	DSP2		



1

No.	506261	Ref. No.	0200804 0200807 0200852
description	rinse arm L 420mm mounting pos. upper nozzles 4 thread M18x1		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		



1

No.	517830	Ref. No.	0200850
description	rinse arm L 480mm mounting pos. lower nozzles 6		



1

No.	506276	Ref. No.	0200859
description	rinse arm L 620mm nozzles 6 mounting ø uppermm		



1

No.	517667	Ref. No.	0500515
description	wash arm L 380mm mounting pos. upper/lower nozzles 6		
For models:	M115, M150, MATIC20		



1

No.	506155	Ref. No.	0500502 0500505
description	wash arm L 383mm mounting pos. upper nozzles 6 mounting ø 43.5mm		
For models:	050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506153	Ref. No.	0500500
description	wash arm L 545mm mounting pos. lower nozzles 6 mounting ø 43mm		
For models:	050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21, P550		



1

No.	524783	Ref. No.	0500510
description	wash arm L 550/600mm mounting pos. upper/lower nozzles 8 complete		
For models:	LP31L, LP6, LP6L		



1

No.	524782	Ref. No.	0500516
description	wash arm L 550mm mounting pos. upper/lower nozzles 6 complete		



1

No.	506154	Ref. No.	0200094 0500501
description	wash arm L 550mm mounting pos. upper/lower nozzles 8 mounting ø 43mm		
For models:	015-24L		



1

No.	506061	Ref. No.	0200286 0200287
description	rinse arm L 470mm nozzles 6 mounting ø 17mm mounting pos. lower complete		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		
accessories for	506061		
		No.	506012
		Ref. No.	0200038
	bearing rinse arm SS		



1

No.	505045	Ref. No.	0200303
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506001	Ref. No.	0200012
description	rinse arm L 235mm nozzles 3 thread M12x1 mounting pos. lower		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		

			
1			
No.	506002	Ref. No.	0200013
description	rinse arm L 235mm nozzles 3 thread M12x1 mounting pos. lower		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		

			
1			
No.	506019	Ref. No.	0200086
description	rinse arm boss		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506089	Ref. No.	0201164
description	rinse jet		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
accessories for	506089		
	No.	505045	Ref. No. 0200303
	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
	No.	524788	Ref. No. 0200625
	union nut for rinse jet mounting pos. upper/lower thread M12x1 H 10mm WS 14		

			
1			
No.	506090	Ref. No.	0201165
description	rinse jet ø 1.5mm approval NSF		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506075	Ref. No.	0200608
description	union nut rinse jet		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506079	Ref. No.	0200804
description	rinse arm L 420mm nozzles 4 mounting ø 16mm mounting pos. upper complete		

			
1			
No.	506062	Ref. No.	0200288
description	rinse arm L 422mm nozzles 4 mounting ø 17mm mounting pos. lower complete		

			
1			
No.	505045	Ref. No.	0200303
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506067	Ref. No.	0200370
description	rinse arm L 200mm nozzles 2 thread M12x1 mounting pos. upper		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		

			
1			
No.	506068	Ref. No.	0200371
description	rinse arm L 200mm nozzles 2 thread M12x1 mounting pos. upper		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		

			
1			
No.	506019	Ref. No.	0200086
description	rinse arm boss		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506088	Ref. No.	0201151
description	rinse arm boss		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506089	Ref. No.	0201164	
description	rinse jet			
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep			
accessories for	506089			
	No.	505045	Ref. No.	0200303
O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs				
	No.	524788	Ref. No.	0200625
union nut for rinse jet mounting pos. upper/lower thread M12x1 H 10mm WS 14				

			
1			
No.	506090	Ref. No.	0201165
description	rinse jet ø 1.5mm approval NSF		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506075	Ref. No.	0200608
description	union nut rinse jet		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506215	Ref. No.	0200806
description	rinse arm L 322mm nozzles 4 mounting ø 16mm mounting pos. upper		
For models:	S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506077	Ref. No.	0200801
description	rinse arm L 325mm nozzles 4 mounting ø 17mm mounting pos. lower		
For models:	S200		

			
1			
No.	505045	Ref. No.	0200303
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506003	Ref. No.	0200016
description	rinse arm L 150mm nozzles 2 thread M12x1 mounting pos. upper/lower		
For models:	S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506004	Ref. No.	0200017
description	rinse arm L 150mm nozzles 2 thread M12x1 mounting pos. upper/lower		
For models:	S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506019	Ref. No.	0200086
description	rinse arm boss		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506088	Ref. No.	0201151
description	rinse arm boss		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506089	Ref. No.	0201164				
description	rinse jet						
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep						
accessories for	506089						
	<table> <tr> <td>No.</td> <td>505045</td> <td>Ref. No.</td> <td>0200303</td> </tr> </table>	No.	505045	Ref. No.	0200303	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs	
No.	505045	Ref. No.	0200303				
	<table> <tr> <td>No.</td> <td>524788</td> <td>Ref. No.</td> <td>0200625</td> </tr> </table>	No.	524788	Ref. No.	0200625	union nut for rinse jet mounting pos. upper/lower thread M12x1 H 10mm WS 14	
No.	524788	Ref. No.	0200625				

			
1			
No.	506090	Ref. No.	0201165
description	rinse jet ø 1.5mm approval NSF		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506075	Ref. No.	0200608
description	union nut rinse jet		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506078	Ref. No.	0200802
description	rinse arm L 620mm nozzles 6 mounting ø 16mm mounting pos. lower complete		

			
1			
No.	505045	Ref. No.	0200303
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506069	Ref. No.	0200372
description	rinse arm L 295mm nozzles 3 thread M12x1 mounting pos. upper/lower		
For models:	LP31L, LP6, LP6L		

			
1			
No.	506070	Ref. No.	0200373
description	rinse arm L 295mm nozzles 3 thread M12x1 mounting pos. upper/lower		
For models:	LP31L, LP6, LP6L		

			
1			
No.	506087	Ref. No.	0201150
description	rinse arm boss		
For models:	LP31L, LP6, LP6L		

			
1			
No.	517658	Ref. No.	0201172
description	rinse jet mounting pos. upper/lower ø 1.2mm H 19mm SS		
For models:	LP31L, LP6, LP6L, M115, M150, MATIC20		

			
1			
No.	524788	Ref. No.	0200625
description	union nut for rinse jet mounting pos. upper/lower thread M12x1 H 10mm WS 14		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506080	Ref. No.	0200805
description	rinse arm L 472mm nozzles 6 mounting ø 16mm mounting pos. upper complete		

			
1			
No.	505045	Ref. No.	0200303
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506001	Ref. No.	0200012
description	rinse arm L 235mm nozzles 3 thread M12x1 mounting pos. lower		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		

			
1			
No.	506002	Ref. No.	0200013
description	rinse arm L 235mm nozzles 3 thread M12x1 mounting pos. lower		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		

			
1			
No.	506088	Ref. No.	0201151
description	rinse arm boss		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	517658	Ref. No.	0201172
description	rinse jet mounting pos. upper/lower ø 1.2mm H 19mm SS		
For models:	LP31L, LP6, LP6L, M115, M150, MATIC20		

			
1			
No.	524788	Ref. No.	0200625
description	union nut for rinse jet mounting pos. upper/lower thread M12x1 H 10mm WS 14		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	517656	Ref. No.	0201844
description	rinse arm mounting pos. upper/lower L 500mm nozzles 4 stationary thread M12x1		
For models:	M115, M150		

			
1			
No.	524781	Ref. No.	0200376
description	rinse arm mounting pos. upper/lower L 590mm nozzles 5 stationary thread M12x1		

			
1			
No.	505045	Ref. No.	0200303
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	517658	Ref. No.	0201172
description	rinse jet mounting pos. upper/lower ø 1.2mm H 19mm SS		
For models:	LP31L, LP6, LP6L, M115, M150, MATIC20		

			
1			
No.	506233	Ref. No.	0201171
description	rinse jet mounting pos. upper/lower ø 1.5mm H 20mm SS		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, MATIC20, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	506234	Ref. No.	0201170
description	rinse jet mounting pos. upper/lower ø 1.8mm H 20mm SS		

			
No.	524788	Ref. No.	0200625
description	union nut for rinse jet mounting pos. upper/lower thread M12x1 H 10mm WS 14		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	506216	Ref. No.	0200803
description	rinse arm L 372mm nozzles 4 mounting ø 16mm mounting pos. upper		

			
No.	505045	Ref. No.	0200303
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	506005	Ref. No.	0200014
description	rinse arm L 175mm nozzles 2 thread M12x1 mounting pos. upper/lower		
For models:	S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	506006	Ref. No.	0200015
description	rinse arm L 175mm nozzles 2 thread M12x1 mounting pos. upper/lower		
For models:	S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	506088	Ref. No.	0201151
description	rinse arm boss		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506089	Ref. No.	0201164
description	rinse jet		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
accessories for	506089		
	No.	505045	Ref. No.
			0200303
O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs			
	No.	524788	Ref. No.
			0200625
union nut for rinse jet mounting pos. upper/lower thread M12x1 H 10mm WS 14			

			
No.	506090	Ref. No.	0201165
description	rinse jet ø 1.5mm approval NSF		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	506075	Ref. No.	0200608
description	union nut rinse jet		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	517659	Ref. No.	0200814
description	rinse arm mounting pos. lower L 480mm nozzles 6 mounting ø 20mm		

			
1			
No.	517660	Ref. No.	0200815
description	rinse arm mounting pos. lower nozzles 5		
For models:	DSP4		

			
1			
No.	506019	Ref. No.	0200086
description	rinse arm boss		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506049	Ref. No.	0200186
description	rinse jet thread 1/8" hole ø 0.9mm		
For models:	DSP1, DSP2, DSP4, DSP5		

			
1			
No.	506050	Ref. No.	0200187
description	rinse jet thread 1/8" hole ø 1.8mm		
For models:	DSP1, DSP2, DSP4, DSP5		

			
1			
No.	506048	Ref. No.	0200181
description	union nut thread 3/8" SS cone-shaped		
For models:	015-24L, DSP1, DSP2, DSP4, DSP5, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	517670	Ref. No.	0201174
description	wash jet for pre-rinsing mounting pos. upper/lower H 23mm ø 12mm		

			
1			
No.	506268	Ref. No.	0200853
description	rinse arm L 425mm nozzles 5 mounting ø 18mm		

miscellaneous			
			
1			
No.	506066	Ref. No.	0200315
description	opposite support rinse jet		
For models:	DSP1, DSP2, DSP4, DSP5		
accessories for	506066		
	No.	506417	Ref. No.
			0200089
	swirl H 14mm ø 10mm 2mm H1 5mm		
	No.	506418	Ref. No.
			0200088
	rinse jet		
	No.	506430	Ref. No.
			0200249
	rinse jet holder		

			
1			
No.	506418	Ref. No.	0200088
description	rinse jet		
For models:	DSP1, DSP2, DSP4, DSP5		

			
1			
No.	506037	Ref. No.	0200132
description	rinse jet thread 1/8" brass		

			
1			
No.	506057	Ref. No.	0200250
description	rinse jet holder		

			
1			
No.	506430	Ref. No.	0200249
description	rinse jet holder		
For models:	DSP1, DSP2, DSP4, DSP5		
spare parts for	506430		
	No.	510177	Ref. No.
			0200239
	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		

Table continues overleaf

accessories for 506430				
	No.	506066	Ref. No.	0200315
opposite support rinse jet				
	No.	506417	Ref. No.	0200089
swirl H 14mm ø 10mm 2mm H1 5mm				
	No.	506418	Ref. No.	0200088
rinse jet				

	No.	506417	Ref. No.	0200089
description swirl H 14mm ø 10mm 2mm H1 5mm				
For models: DSP1, DSP2, DSP4, DSP5				

	No.	506099	Ref. No.	0201809
description opposite support mounting pos. lower				

	No.	506033	Ref. No.	0200126
description wash arm support mounting pos. lower				
For models: 050F, 050F-Dep, F85, F85-Dep				

	No.	506427	Ref. No.	0201801
description wash arm support mounting pos. lower				

	No.	524785	Ref. No.	0201452
description wash arm support mounting pos. lower thread 1 1/4" D1 ø 59mm D2 ø 43mm D3 ø 37mm H 65mm ID ø 31.5mm				

	No.	506092	Ref. No.	0201451
description wash arm support mounting pos. lower thread 1 1/4" ø 15.5mm nylon				
For models: DSP1, DSP2, DSP4, S200, S280, S280Dep, Super-QS, Super-QS-Dep				

	No.	506219	Ref. No.	0200032
description wash arm bearing 14 holes ø 54mm D2 ø 41mm H 52mm thread 1 1/4"				

	No.	506116	Ref. No.	0202101
description wash arm bearing mounting pos. lower 2 holes hole ø 16mm seat ø 18mm ø 35.5mm D2 ø 41mm D3 ø 53.5mm H 51.5mm double thread 1 1/4"				
For models: 015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21				

	No.	506117	Ref. No.	0202103
description wash arm bearing mounting pos. lower 4 holes hole ø 16mm seat ø 18mm ø 35mm D2 ø 41mm D3 ø 54mm H 52mm 4-fold thread 1 1/4"				
For models: 015-24L, DSP1, DSP2, DSP4, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep				

	No.	506118	Ref. No.	0202120
description wash arm bearing mounting pos. upper 4 holes hole ø 16mm seat ø 22mm ø 35.5mm D2 ø 41mm D3 ø 54mm H 52mm thread 1 1/4"				
For models: 015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550				

	No.	506227	Ref. No.	0202113
description wash arm bearing mounting pos. upper ø 54mm D2 ø 41mm D3 ø 35.5mm H 51.5mm 4-fold thread M8				
For models: DSP4, DSP5				

rinse arm shafts



1

No.	506084	Ref. No.	0201001
description	rinse arm shaft		



1

No.	506086	Ref. No.	0201003
description	rinse arm shaft		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

1

No.	506085	Ref. No.	0201002
description	rinse arm shaft for rinse arm mounting pos. upper		

gear wheels



1

No.	698414	Ref. No.	0802722
description	gear wheel splitting 1/2" teeth 22 shaft intake ø 45mm H 7mm		
For models:	M115, M150		

knobs

producer-specific knobs

LAMBER



1

No.	112633	Ref. No.	0300352
description	knob ø 33mm shaft ø 6x6mm grey		
For models:	F85-Dep		



1

No.	110905	Ref. No.	0300049
description	knob switch zero mark ø 42mm shaft ø 6x4.6mm shaft flat right black		
For models:	F85, L20		

handles and hand wheels

handle rails

LAMBER



1

No.	508399	Ref. No.	0500017
description	handle rail L 310mm W 25mm H 30mm grey hole distance 180mm Qty 1 pcs		
For models:	DSP1, DSP2, DSP4		

handle rails



1

No.	508399	Ref. No.	0500017
description	handle rail L 310mm W 25mm H 30mm grey hole distance 180mm Qty 1 pcs		
For models:	DSP1, DSP2, DSP4		

bracket handles



1

No.	506147	Ref. No.	0500045 0500049
description	pull handle		
For models:	DSP5, LP31L, LP6, LP6L		




hinges

piano hinges

producer-specific

LAMBER



No.	692467	Ref. No.	0800174
description	hinge L 52mm W 57mm H 18mm mounting distance 34mm hole ø 5mm plastic		

pullouts

rollers

rollers

accessories



No.	560133	Ref. No.	0800063 0800656
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

gaskets

O-rings

EPDM



No.	510302	Ref. No.	0200103
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
For models:	050F, 050F-Dep, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

No.	505045	Ref. No.	0200303
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		


No.	510177	Ref. No.	0200239
description	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		
For models:	DSP1, DSP2, DSP4, DSP5		


No.	532047	Ref. No.	0200211
description	O-ring EPDM thickness 2.62mm ID ø 7.59mm Qty 10 pcs		
For models:	015-24L, F85-Dep, L20, L21		

No.	528800	Ref. No.	0209905
description	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		


No.	510893	Ref. No.	0203012
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		


No.	506015	Ref. No.	0200056
description	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		


			
No.	532547	Ref. No.	0203009
description	O-ring EPDM thickness 3.53mm ID ø 44.45mm Qty 1 pcs		
For models:	050F, 050F-Dep, F85, F85-Dep		

			
No.	528315	Ref. No.	0800074
description	O-ring EPDM thickness 3.53mm ID ø 47.63mm Qty 1 pcs		


			
No.	528793	Ref. No.	0203003
description	O-ring EPDM thickness 3.53mm ID ø 58.74mm Qty 1 pcs		

			
No.	890224	Ref. No.	0203004
description	O-ring EPDM thickness 3.53mm ID ø 98.02mm Qty 1 pcs		
For models:	M115, M150, MATIC20		

			
No.	510811	Ref. No.	0200224
description	O-ring EPDM thickness 3mm ID ø 59.2mm Qty 1 pcs		

			
No.	532577	Ref. No.	0203011
description	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs		
For models:	F85-Dep		

			
No.	510409	Ref. No.	0200041
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	503147	Ref. No.	0209906
description	pump cover gasket thickness 3.53mm ID ø 148.8mm Qty 1 pcs		

sealing washers

fibre gaskets

			
No.	506046	Ref. No.	0200178
description	flat gasket FIBER ED ø 19.5mm ID ø 13mm thickness 2mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	506071	Ref. No.	0200402
description	flat gasket FIBER ED ø 25mm ID ø 18mm thickness 2mm Qty 1 pcs		
For models:	S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
No.	506042	Ref. No.	0200171
description	flat gasket FIBER ED ø 27mm ID ø 17mm thickness 2mm Qty 1 pcs		
For models:	015-24L, DSP1, DSP2, DSP4, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506025	Ref. No.	0200110
description	flat gasket FIBER ED ø 31mm ID ø 21mm thickness 2mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



2

No.	506072	Ref. No.	0200403
description	flat gasket fibre ED ø 38mm ID ø 27mm thickness 2mm outflow for thread 1¼" Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

rubber gaskets



1

No.	506051	Ref. No.	0200188
description	flat gasket rubber ED ø 25mm ID ø 16mm thickness 2mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	516254	Ref. No.	0201500
description	flat gasket rubber ED ø 66mm ID ø 46mm thickness 2.1mm Qty 1 pcs		
For models:	LP31L, LP6, LP6L, M115, M150, MATIC20		



1

No.	506121	Ref. No.	0201524 0208153
description	flat gasket rubber ED ø 68mm ID ø 41mm thickness 2mm Qty 1 pcs		
For models:	DSP1, DSP2, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506043	Ref. No.	0200173
description	flat gasket rubber ED ø 75mm ID ø 58.5mm thickness 2mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21, P550		

PTFE gaskets



1

No.	506164	Ref. No.	0200222 0800052
description	flat gasket PTFE ED ø 57mm ID ø 41mm thickness 2mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506058	Ref. No.	0200268
description	gasket PTFE ED ø 15mm ID ø 12.2mm thickness 9mm beveled size 3/8" Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

silicone gaskets



1

No.	516255	Ref. No.	0200304
description	gasket silicone ED ø 45mm ID ø 35mm thickness 6mm Qty 1 pcs		
For models:	LP31L, LP6, LP6L, M115, M150, MATIC20		

shaft gaskets

shaft gaskets



1

No.	697121	Ref. No.	0800080
description	shaft seal ID ø 17mm ED ø 40mm thickness 7mm		
For models:	M115, M150, MATIC20		



1

No.	698001	Ref. No.	0800078
description	shaft seal ID ø 20mm ED ø 35mm thickness 7mm		
For models:	M115, M150, MATIC20		

			
1			
No.	698413	Ref. No.	0209780
description	shaft sealing ID ø 18mm ED ø 40mm thickness 7mm		

special gaskets

miscellaneous

			
1			
No.	506044	Ref. No.	0200175
description	gasket		
For models:	DSP1, DSP2, DSP4		

			
1			
No.	506039	Ref. No.	0200145
description	gasket ED ø 7mm ID ø 5mm thickness 3mm		
For models:	DSP1, DSP2, DSP4		

			
1			
No.	506429	Ref. No.	0200289
description	gasket for air trap		
For models:	DSP2, DSP4		

			
1			
No.	504442	Ref. No.	0201532
description	gasket for intake filter ED ø 140mm ID ø 84mm thickness 2mm hole distance 78mm		


			
1			
No.	524792	Ref. No.	0200259
description	gasket for rinse arm mounting pos. upper/lower ø 22.5mm ID ø 13mm thickness 10mm		
For models:	M115, M150, MATIC20		

			
1			
No.	524786	Ref. No.	0200400
description	gasket for wash arm mounting pos. upper/lower ø 46mm ID ø 36mm		
For models:	M115, M150, MATIC20		

			
1			
No.	506063	Ref. No.	0200295
description	gasket suitable for Lamber equiv. no. 0200295 air trap ED ø 15.5mm ID ø 11.5mm Nyltite		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		


			
1			
No.	506097	Ref. No.	0201506 0203506
description	gasket suitable for Lamber equiv. no. 0201506 L 100mm W 100mm thickness 3mm		
For models:	015-24L, LP31L, LP6, LP6L, M115, M150, MATIC20, P550		

			
1			
No.	524258	Ref. No.	0201504
description	gasket suitable for Lamber for wash arm support L 100mm W 100mm Qty 1m ID ø 61mm		
For models:	LP31L, LP6, LP6L		



1

No.	504440	Ref. No.	0201505
description	gasket suitable for Lamber L 100mm W 100mm ID ø 43mm thickness 3mm		
For models:	M115, M150, MATIC20		



1

No.	504441	Ref. No.	0201503
description	gasket suitable for Lamber L 100mm W 100mm ID ø 40mm thickness 3mm		
For models:	M115, M150, MATIC20		

gaskets for wash arm support



1

No.	506021	Ref. No.	0200097
description	gasket D1 ø 45mm D2 ø 105mm thickness 3.4mm rubber with 4 screw holes wash arm support equiv. no. 0200097 suitable for Lamber		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, M115, M150, MATIC20, P550		

transmission technology and ball bearings

chains

roller chains 08B-1 single

1

No.	697854	Ref. No.	0800081	
description	roller chain DIN/ISO 08 B-1 splitting 1/2" / 12.7mm links 90 L 226mm internal width 7.75mm rollerø 8.51mm single			
For models:	MATIC20			
accessories for	697854			
	No.	693276	Ref. No.	0813444
	connector single DIN/ISO 08 B-1 splitting 1/2" links 1 L 23mm internal width 11.8mm rollerø 4.3mm metal			

connectors



1

No.	693276	Ref. No.	0813444
description	connector single DIN/ISO 08 B-1 splitting 1/2" links 1 L 23mm internal width 11.8mm roller ø 4.3mm metal		
For models:	M115, M150, MATIC20		

half links



1

No.	697841	Ref. No.	0813534
description	half link single DIN/ISO 08 B-1 splitting 1/2"		
For models:	M115, M150, MATIC20		

springs

spring compressors



1

No.	517160	Ref. No.	0800210
description	spring compressor thread M10		
For models:	015-24L, L20, L21		

tension springs

1 			
No.	506424	Ref. No.	0800033
description	tension spring		

1 			
No.	700730	Ref. No.	0800161
description	tension spring ø 12mm total length 100mm wire gauge ø 1mm		
For models:	LP31L, LP6, LP6L		

1 			
No.	506199	Ref. No.	0800711
description	tension spring ø 40.5mm total length 355mm wire gauge ø 5mm L1 220mm D1 ø 40.5mm for hood H1 30mm L 355mm windings 42		
For models:	015-24L, DSP5, L20, L21		

manometers

1 			
No.	541865	Ref. No.	0301152
description	manometer ø 51mm pressure range 0 up to 4bar thread 1/4" marking 3 connection on the backside		
For models:	M115, M150, MATIC20		

dosing pumps

peristaltic dosing pumps

various

built-in version

1 			
No.	361299	Ref. No.	0500058
description	dosing pump hose ø 5x7mm		

piston pumps

spare parts

1 			
No.	510298	Ref. No.	0200425
description	lip valve dosing pump suitable for DB2/DS5		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

membrane dosing pumps

self-priming

LANG

1 			
No.	361221	Ref. No.	0500057
description	dosing pump type N6 rinse aid pressure connection ø 4x6mm suction connection ø 6x8mm LANG		
For models:	DSP1, DSP2, DSP4, DSP5		
spare parts for	361221		
	No.	361079	Ref. No. —
	spring for type N5/N6 for ball		
	No.	361080	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs		
	No.	361085	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs		
	No.	361309	Ref. No. —
	ball for type N5/N6		
	No.	361310	Ref. No. —
	bracket for type N6 ball guide		
	No.	361311	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
	No.	361314	Ref. No. —
	valve ring for type N6 holder for O-ring		
	No.	361317	Ref. No. —
	sealing disc for type N6		
	No.	361886	Ref. No. —
	non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm		
	No.	505228	Ref. No. —
	spacer bush ID ø 4.5mm ED ø 10mm L 16mm for dosing pump		

various



1

No.	361015	Ref. No.	0599999
description	dosing pump membrane dosing pump rinse aid inlet 6x8mm outlet 4x6mm pressure connection ø 4x6mm suction connection ø 6x8mm		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
spare parts for	361015		
	No.	361132	Ref. No. 0200428
	membrane dosing pump		
	No.	510298	Ref. No. 0200425
	lip valve dosing pump suitable for DB2/DS5		

spare parts



1

No.	510298	Ref. No.	0200425
description	lip valve dosing pump suitable for DB2/DS5		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	361132	Ref. No.	0200428
description	membrane dosing pump		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	510338	Ref. No.	0200219
description	union nut dosing pump thread 1/2" ø 32mm H 15mm for dosing pump		

self-priming with supporting pressure

ELETTROBAR



1

No.	510298	Ref. No.	0200425
description	lip valve dosing pump suitable for DB2/DS5		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

GERMAC

spare parts



1

No.	510298	Ref. No.	0200425
description	lip valve dosing pump suitable for DB2/DS5		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

accessories

container filters



1

No.	361062	Ref. No.	0200443
description	container filter hose ø 4mm		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506095	Ref. No.	0201460
description	filter SS for rinse aid container		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

hoses

dosing hoses



No.	512477	Ref. No.	0200511
description	hose ED ø 6mm ID ø 4mm PVC		
For models:	050F, 050F-Dep, DSP5, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

PVC hoses



No.	520090	Ref. No.	0200091
description	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
accessories for	520090		
	No.	361058	Ref. No. —
	container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm		
	No.	361066	Ref. No. —
	container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve		
	No.	361106	Ref. No. —
	container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve		
	No.	361141	Ref. No. —
	container filter with weight ceramic hose ø 4mm		
	No.	361230	Ref. No. —
	container filter with weight stainless steel hose ø 4x6mm		
	No.	361462	Ref. No. —
	container filter with weight SS hose ø 4x6mm		
	No.	361728	Ref. No. —
	container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm		


tank inlets



No.	506150	Ref. No.	0500090
description	tank inlet		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

hoses

drain hoses



No.	506214	Ref. No.	0200112
description	drain hose		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, P550		



No.	506060	Ref. No.	0200274 0200293 0200529
description	drain hose		
For models:	DSP1, DSP2, DSP4		



No.	506207	Ref. No.	0900006
description	drain hose DN19 L 1500mm straight ø inside 19mm straight ext. ø 24mm elbow ø inside 21mm elbow ext. ø 27mm outer hose ø 25mm		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



No.	506208	Ref. No.	0900027
description	drain hose DN25 L 1500mm straight ø inside 25mm straight ext. ø 30mm elbow ø inside 40mm elbow ext. ø 46mm outer hose ø 32mm		
For models:	DSP1, DSP2, DSP4, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

industrial hoses

pressure control hoses



No.	530068	Ref. No.	0200515
description	pressure hose ID ø 4mm ED ø 8.5mm L 1m operating p. 30bar burst p. 90bar temp.-resist. 60°C L 1000mm Qty 1m		
For models:	050F, 050F-Dep, DSP1, DSP5, F85, F85-Dep, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

PVC hoses

PVC hoses without fabric




No.	520090	Ref. No.	0200091
description	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

accessories for 520090

	No.	361058	Ref. No.	—
container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm				
	No.	361066	Ref. No.	—
container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve				
	No.	361106	Ref. No.	—
container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve				
	No.	361141	Ref. No.	—
container filter with weight ceramic hose ø 4mm				
	No.	361230	Ref. No.	—
container filter with weight stainless steel hose ø 4x6mm				
	No.	361462	Ref. No.	—
container filter with weight SS hose ø 4x6mm				
	No.	361728	Ref. No.	—
container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm				

hoses wire reinforced



No.	506074	Ref. No.	0200521
description	drain hose ID ø 32mm ED ø 41mm L 1m wire reinforced		
For models:	015-24L		

formed hoses

straight



No.	506218	Ref. No.	0201923
description	extraction hose		
For models:	050F, 050F-Dep, F85, F85-Dep		



No.	506011	Ref. No.	0200031
description	formed hose dishwasher straight		



No.	506112	Ref. No.	0201914
description	formed hose dishwasher straight		
For models:	015-24L, P550		

			
1			
No.	504160	Ref. No.	0201900
description	formed hose L 100mm dishwasher straight hose ext. ø 60mm equiv. no. 4085, 3927		
For models:	M115, M150, MATIC20		

			
1			
No.	506036	Ref. No.	0200131
description	formed hose L 100mm dishwasher straight ø 30mm		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, P550		

			
1			
No.	506032	Ref. No.	0200122
description	formed hose L 130mm dishwasher straight hose ext. ø 50mm		

			
1			
No.	506113	Ref. No.	0201919
description	formed hose L 150mm dishwasher straight enlarged mounting pos. lower nominal-ø 60/43mm		
For models:	015-24L, DSP5, P550		

			
1			
No.	506423	Ref. No.	0201924
description	formed hose L 230mm dishwasher straight ø 40mm		
For models:	L20, L21		

			
1			
No.	506031	Ref. No.	0200119
description	formed hose L 50mm dishwasher straight hose ext. ø 35mm		

			
1			
No.	506038	Ref. No.	0200133
description	formed hose L 60mm dishwasher straight mounting pos. lower ø 40mm		

form L

			
1			
No.	506107	Ref. No.	0201904
description	formed hose end piece A ext. ø 37mm AD2 ø 28mm warewashing L-shape equiv. no. 0201904		
For models:	DSP1, DSP2		

			
1			
No.	506108	Ref. No.	0201905
description	formed hose end piece A ext. ø 38mm AD2 ø 29mm warewashing L-shape equiv. no. 0201905		
For models:	DSP1, DSP2, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	506055	Ref. No.	0200244
description	formed hose L 133mm warewashing L-shape equiv. no. 0200244 ID ø 37mm		



1

No.	506435	Ref. No.	0200124
description	formed hose warewashing L-shape		
For models:	DSP4		



1

No.	506110	Ref. No.	0201907
description	formed hose warewashing L-shape equiv. no. 02001907		



1

No.	506109	Ref. No.	0201906
description	formed hose warewashing L-shape equiv. no. 0201906		

form S



1

No.	506217	Ref. No.	0201922
description	formed hose		
For models:	050F, 050F-Dep, F85, F85-Dep		



1

No.	506209	Ref. No.	0200213
description	formed hose S-shape warewashing equiv. no. 0200213		



1

No.	506053	Ref. No.	0200093 0200232
description	formed hose S-shape warewashing equiv. no. 0200232		
For models:	DSP5		

for dishwashers

ventilation hoses



1

No.	506156	Ref. No.	0500600
description	ventilation hose warewashing		
For models:	050F, 050F-Dep, DSP4, F85, F85-Dep		

miscellaneous



1

No.	511642	Ref. No.	0200931
description	flex hose ET 1/2" IT 3/4" L 23mm SS ext. ø 18		
For models:	LP6		



1

No.	506431	Ref. No.	0200200
description	hose ED ø 10/15mm ID ø 4/10mm L 2200mm temp.-resist. 70°C for air trap		
For models:	015-24L, DSP2, DSP4, L20, L21, LP31L, LP6, LP6L		

fittings, hose and pipe connectors

fittings

double nipples



1

No.	520164	Ref. No.	0200698
description	double nipple nickel-plated brass thread 1/4" - 3/8" Qty 1 pcs		



1

No.	506013	Ref. No.	0200040
description	double nipple SS thread 1/4" - 3/8" Qty 1 pcs		
For models:	015-24L, DSP1, DSP2, DSP4, DSP5, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

reducers



1

No.	520880	Ref. No.	0200909
description	reducer thread 1 1/4" ET - 1" IT brass total length 26mm WS 42 Qty 1 pcs		



1

No.	520879	Ref. No.	0200920
description	reducer thread 3/4" ET - 1/2" IT brass total length 17mm WS 26 Qty 1 pcs		
For models:	LP31L, LP6, M115, M150		



1

No.	506083	Ref. No.	0200932
description	reducer thread 1" ET - 1/2" IT brass total length 22mm WS 34		
For models:	015-24L, L20, L21, LP31L, LP6L, P550		

angle pieces



1

No.	541675	Ref. No.	0200905
description	angle piece thread 1/2" ET - 1/2" IT brass		
For models:	LP6, M115, M150, MATIC20		



1

No.	540020	Ref. No.	0200910
description	angle piece thread 1/2" IT - 1/2" IT chrome-plated brass		
For models:	LP31L, LP6, M115, M150, MATIC20		



1

No.	506041	Ref. No.	0200162
description	angle piece thread 3/8" polypropylene		
For models:	015-24L, L20, L21		

hose connectors

plastic



1

No.	506122	Ref. No.	0221302
description	hose connector plastic straight thread 1/4" hose ø 31mm Qty 1 pcs		
For models:	015-24L, DSP5, L20, L21, P550		
accessories for	506122		



No.	506072	Ref. No.	0200403
description	flat gasket fibre ED ø 38mm ID ø 27mm thickness 2mm outflow for thread 1/4" Qty 1 pcs		



No.	506074	Ref. No.	0200521
description	drain hose ID ø 32mm ED ø 41mm L 1m wire reinforced		



1

No.	506125	Ref. No.	0221310
description	hose connector plastic angled thread 3/8" hose ø 12mm Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		
accessories for	506125		



No.	506042	Ref. No.	0200171
description	flat gasket FIBER ED ø 27mm ID ø 17mm thickness 2mm Qty 1 pcs		



No.	506132	Ref. No.	0300047
description	nut thread 3/8"		

producer-specific



1

No.	506082	Ref. No.	0200906
description	hose connector angled brass ø 1/2"mm		
For models:	015-24L, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550		



1

No.	506052	Ref. No.	0200231
description	hose connector connection 3/4" hose ø 12mm		
For models:	LP31L		



1

No.	506126	Ref. No.	0221313
description	hose connector curved plastic ø 3/4"mm		
For models:	LP31L, M115, M150		



1

No.	506081	Ref. No.	0200903
description	hose connector straight ø 1/2"mm		
For models:	015-24L, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550		



1

No.	506014	Ref. No.	0200049
description	hose connector straight ø 3/4"mm		



1

No.	506415	Ref. No.	0221304
description	hose connector thread 2" for hose ø60mm		
For models:	LP31L, LP6L		



1

No.	505256	Ref. No.	0200646
description	hose connector thread M12 ø 13mm 1/2" ET		
For models:	M115, M150, MATIC20		

			
1			
No.	506124	Ref. No.	0221307
description	reducer straight plastic		

			
1			
No.	506098	Ref. No.	0201804
description	T-piece		
For models:	015-24L, P550		

water cycle components

pressure reduction valves

pressure reduction valves

universal

			
1			
No.	520881	Ref. No.	0301151
description	pressure reduction valve. DESBORDES series DN15 connection 1/2" default setting 3bar setting range 1-5.5bar EN1567 p max 25bar t.max. 80°C brass WRAS/ACS		
For models:	M115, M150, MATIC20		

ancillary products

clamps

hose clamps

DIN 3017 - W2

			
1			
No.	520115	Ref. No.	0200298
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	520119	Ref. No.	0200248 0200713
description	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		
For models:	L20, L21, M115, M150, MATIC20, P550		

			
1			
No.	520117	Ref. No.	0200069
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		
For models:	050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21, P550		

DIN 3017 - W4

			
1			
No.	520120	Ref. No.	0200190 0200300
description	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

tools

hand tools

wrenches

miscellaneous

			
1			
No.	801662	Ref. No.	0802792
description	adjusting spanner for clutch L 270mm		
For models:	M115, M150, MATIC20		

measuring equipment

thermometers

built-in thermometers



1

No.	541086	Ref. No.	0500005
description	thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 2000mm probe ø 6mm probe L 23mm		
For models:	M115, M150		



1

No.	541305	Ref. No.	0500008
description	thermometer mounting measurements 62x11mm +20 up to +120°C capillary pipe 1500mm probe ø 6.5mm probe L 16mm		

ø52mm



1

No.	541065	Ref. No.	0500009
description	thermometer mounting ø 52mm t.max. 120°C 0 up to +120°C probe ø 6.5mm probe L 28mm capillary pipe 1500mm		
For models:	F85, LP31L, LP6, LP6L, MATIC20, P550, S280, S280Dep, Super-QS, Super-QS-Dep		

fastening material

screws

sheet metal screws



1

No.	560240	Ref. No.	0800001
description	sheet metal screws ø 3.9mm L 16mm SS Qty 20 pcs DIN 7982/ISO 7050 head ø 7.5mm sunk head		
For models:	DSP1, DSP2, DSP4, DSP5		

hexagonal screws



1

No.	506445	Ref. No.	0800228
description	hexagonal screw thread M10 thread L 35mm SS WS 17 Qty 1 pcs DIN 933 / ISO 4017		
For models:	015-24L, DSP5, L20, L21		



1

No.	560476	Ref. No.	0800661
description	hexagonal screw thread M10 thread L 40mm zinc-coated steel WS 17 Qty 1 pcs head thickness 6.4mm DIN 933 / ISO 4017		
For models:	015-24L, DSP5, L20, L21		



1

No.	560539	Ref. No.	0800667
description	hexagonal screw thread M10 thread L 42mm SS WS 17 Qty 1 pcs head thickness 6.5mm DIN 933 / ISO 4017		
For models:	M115, M150, MATIC20		



1

No.	560085	Ref. No.	0800648
description	hexagonal screw thread M5 thread L 20mm SS WS 8 Qty 20 pcs DIN 933 / ISO 4017		
For models:	DSP1, DSP2, DSP4		



1

No.	560088	Ref. No.	0800062
description	hexagonal screw thread M6 thread L 20mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		
For models:	LP31L, LP6, LP6L, P550		



1

No.	506447	Ref. No.	0800009
description	hexagonal screw thread M8 thread L 16mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		
For models:	DSP4, DSP5, LP31L, LP6, LP6L		



			
1			
No.	506446	Ref. No.	0800016
description	hexagonal screw thread M8 thread L 40mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, P550		

			
1			
No.	560129	Ref. No.	0800257
description	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	DSP1, DSP2, DSP4		

grub screws

DIN 914/ISO 4027

			
1			
No.	560175	Ref. No.	0800682
description	grub screw thread M8 L 16mm DIN 914/ISO 4027 intake internal hexagon WS 4 Qty 1 pcs		
For models:	LP6L, M115, M150, MATIC20		

			
1			
No.	560133	Ref. No.	0800063 0800656
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

knurled screws

			
1			
No.	506172	Ref. No.	0800130
description	Thumb screw thread M6 thread L 9mm ø 22mm H 6mm SS		
For models:	015-24L, 050F, 050F-Dep, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

			
1			
No.	560197	Ref. No.	0800106
description	nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	015-24L, DSP5, L20, L21		

nuts

knurled nuts

			
1			
No.	506146	Ref. No.	0500011
description	knurled nut thread M6		

			
1			
No.	506166	Ref. No.	0800091
description	nut thread M12 H 10mm WS 19 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

hexagonal nuts

DIN 934 / ISO 4032/8673

			
1			
No.	560199	Ref. No.	0800082
description	hexagonal nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 10 pcs		
For models:	M115, M150, MATIC20		

DIN 985

			
1			
No.	560227	Ref. No.	0800652
description	hexagonal nut thread M3 H 4mm SS WS 5.5 Qty 1 pcs self-locking		
For models:	050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	560142	Ref. No.	0800669
description	hexagonal nut thread M6 H 6mm SS WS 10 Qty 20 pcs DIN/ISO DIN 985 self-locking		
For models:	LP31L, LP6, LP6L, M115, M150		



1

No.	560143	Ref. No.	0800093 0800657
description	hexagonal nut thread M8 H 8.5mm SS WS 13 Qty 20 pcs DIN/ISO DIN 985 self-locking		
For models:	015-24L, DSP4, DSP5, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550		

DIN 982 (self-locking, tall version)



1

No.	560475	Ref. No.	0800144
description	hexagonal nut thread M10 H 11.5mm zinc-coated steel WS 17 Qty 1 pcs DIN/ISO DIN 982		
For models:	015-24L, DSP5, L20, L21		



1

No.	560660	Ref. No.	0800653
description	hexagonal nut thread M5 H 5.4mm zinc-coated steel WS 8 Qty 20 pcs DIN/ISO DIN 982 self-locking		

hexagonal nuts metric (without norm)



1

No.	506162	Ref. No.	0800045
description	nut		
For models:	015-24L, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550		



1

No.	521131	Ref. No.	0800205
description	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	521101	Ref. No.	0800664
description	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		

hexagonal nuts inch thread



1

No.	506194	Ref. No.	0800655
description	nut thread 1/2" H 3mm nickel-plated brass WS 24 Qty 1 pcs		
For models:	050F, 050F-Dep, F85, F85-Dep, M115, M150, MATIC20, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	506024	Ref. No.	0200101
description	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
For models:	015-24L, L20, L21, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

union nuts



1

No.	506196	Ref. No.	0800673
description	nut brass		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

washers

spring rings



1

No.	560123	Ref. No.	0800066
description	lock washer ID ø 6.3mm ED ø 11mm SS DIN127 Qty 20 pcs for thread M6		
For models:	015-24L, 050F, 050F-Dep, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

washers

DIN 125A



1

No.	560112	Ref. No.	0800256
description	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
For models:	050F, 050F-Dep, DSP1, DSP2, DSP4, F85, F85-Dep, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	560113	Ref. No.	0800004
description	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 20 pcs DIN 125A for thread M6		
For models:	LP31L, LP6, LP6L		

DIN 9021



1

No.	528761	Ref. No.	0800064
description	plain washer ID ø 6.5mm ED ø 18mm thickness 1.5mm SS Qty 1 pcs		
For models:	050F, 050F-Dep, F85, F85-Dep, LP31L, LP6, LP6L, M115, M150, MATIC20, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

miscellaneous



1

No.	506205	Ref. No.	0800906
description	disc SS		



1

No.	506160	Ref. No.	0800028
description	plain washer ID ø 8.6mm ED ø 16mm thickness 1.5mm SS Qty 1 pcs		
For models:	015-24L, DSP5, L20, L21, LP31L, LP6, LP6L, M115, M150, MATIC20		

tooth lock washers

DIN 6798A



1

No.	560125	Ref. No.	0800101
description	tooth lock washer ID ø 4.2mm ED ø 8mm SS DIN/ISO DIN 6798A Qty 20 pcs for thread M4		
For models:	050F, 050F-Dep, F85, F85-Dep, LP31L, LP6, LP6L, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

fasteners

clamps

hose clamps

DIN 3017 - W2



1

No.	520115	Ref. No.	0200298
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		



1

No.	520119	Ref. No.	0200248 0200713
description	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		
For models:	L20, L21, M115, M150, MATIC20, P550		



1

No.	520117	Ref. No.	0200069
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		
For models:	050F, 050F-Dep, DSP4, DSP5, F85, F85-Dep, L20, L21, P550		



DIN 3017 - W4



No.	520120	Ref. No.	0200190 0200300
description	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
For models:	015-24L, 050F, 050F-Dep, DSP1, DSP2, DSP4, DSP5, F85, F85-Dep, L20, L21, LP31L, LP6, LP6L, P550, S200, S280, S280Dep, Super-QS, Super-QS-Dep		

cable clamps



No.	524789	Ref. No.	0800492
description	cable clamp wire gauge ø 5mm SS		
For models:	M115, M150, MATIC20		

retaining rings

DIN 471



No.	514030	Ref. No.	0800133
description	retaining ring shaft ø 20mm thickness 1.3mm steel DIN 471		

screw caps



No.	505257	Ref. No.	0800166 + 0200295 0802080
description	screw thread 1/8" with gasket thread L 15mm V2A WS 13 head thickness 4mm		
For models:	LP31L, LP6, M115, M150, MATIC20		