

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS

Spare parts suitable for


MBM-ITALIEN

heating elements

heating elements for ovens



No.	416541	Ref. No.	3997001700 RIC0002548
description	heating element 1500W 230V heating circuits 1 L 350mm W 510mm L1 40mm L2 305mm W1 233mm W2 30mm flange length 100mm flange width 22mm hole distance 86mm hole ø 5mm tube ø 6.6mm connection male faston 6.3mm windings 3 rectangular flange dry heating element oven grill settin		
For models:	E6F6, G6SF6, G6SFE6, MINIMA E6F6, MINIMA G6SF6, MINIMA G6SFE6, MINIMA G6SFEA6		




No.	418495	Ref. No.	9303350400 RIC0001836
description	heating element 1800W 230V heating circuits 1 L 320mm W 287mm L1 78mm L2 242mm W1 127mm W2 30mm flange length 100mm flange width 22mm hole distance 86mm bridge length 480mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm connection length 35mm windings 3 rectangular flange dry heating element oven grill settin		
For models:	E4F6, E6FA6, G4SF6, G4SFA6, G4SFE6, G6SFA6, G6SFEA6, MINIMA E4F6, MINIMA E6FA6, MINIMA G4SF6, MINIMA G4SFE6, MINIMA G6SFA6		




No.	418492	Ref. No.	160237
description	heating element 2000W 230V L 521mm W 133mm L1 43mm L2 478mm W1 50mm W2 33mm flange length 70mm flange width 22mm hole distance 56/28mm hole ø 5mm tube ø 8.5mm connection M4 rectangular flange dry heating element		
For models:	EBM90, EBM908, EBM998T, EBM99T, EBMA998		




No.	418493	Ref. No.	160085
description	heating element 2500W 230V heating circuits 1 L 418mm W 133mm L1 41mm L2 477mm W1 50mm W2 33mm flange length 70mm flange width 22mm hole distance 56/28mm hole ø 5mm tube ø 8.5mm connection M4 rectangular flange dry heating element		
For models:	EBM408, EBM45, EBM498T, EBM49T, EBMA498		




No.	418148	Ref. No.	RTCU900186
description	heating element 2500W 230V L 530mm W 615mm L1 88mm L2 437mm W1 585mm W2 30mm flange length 70mm flange width 22mm hole distance 28mm hole ø M4mm tube ø 6.3mm connection M4 heating circuits 1 rectangular flange dry heating element		
For models:	E4F, E6FAR, G4SFE, G6SFEA, G8SF2, G8SF2E, GT2SDFE, GT2SFEA, GTFE		
accessories for	418148		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		



No.	418632	Ref. No.	RTCU900435
description	heating element 2500W 240V L 470mm W 600mm L1 125mm W2 32mm flange length 70mm flange width 22mm hole distance 56mm hole ø 5mm dry heating element oven		
For models:	E6FM, E6FM8, G6SF98MG, G6SFMG8		




No.	418490	Ref. No.	161662 182701
description	heating element 3000W 230V heating circuits 2 L 505mm W 645mm L1 82mm L2 423mm W1 293mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm hole ø 5mm tube ø 6.3mm connection M4 rectangular flange oven heating element		
For models:	E4F, E4F8, E4F9, E4F98Q, E4FP8, E6FA, E6FA8, E6FA9, E6FA98Q, E6FA9Q, EF09, EFB09, G4SFE8, G4SFE9, G4SFE98, G6SFEA, G6SFEA8, G6SFEA9, G6SFEA98		


			
1			
No.	416543	Ref. No.	RTCU700281
description	heating element 3200W 230V heating circuits 1 L 510mm W 526mm L1 53mm L2 457mm W1 248mm W2 31mm flange length 70mm flange width 22mm bridge length 535mm hole distance 56mm hole ø 5mm tube ø 6.5mm connection M4 connection length 38mm windings 6 mounting pos. lower rectangular flange dry heating element oven		
For models:	E4F7, E4F7Q, E6FA7, E6FA7Q, EF07, EFO7, EVC4F7, G2SDMFE7, G2S-SMFE7, G4SFE7, G6SFEA7, GT4SF2E7, OMNIA E4F7, OMNIA E4F7Q, OMNIA E6FA7, OMNIA E6FA7Q, OMNIA EF07, OMNIA EVC4F7, OMNIA G4SFE7, OMNIA G6SFEA7		
accessories for	416543		
	No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

1

A technical diagram of a heating element. It features two horizontal lines representing the main power supply rails. Between these rails, there are eight vertical rectangular loops representing the heating windings. On the right side, there are two connection points: one for the top rail and one for the bottom rail, each with a small screw terminal and a label 'M4'.


No.	418491	Ref. No.	161661	
description	heating element 3750W 230V heating circuits 1 L 505mm W 642mm L1 72mm L2 430mm W1 305mm W2 33mm flange length 70mm flange width 22mm bridge length 460mm hole distance 56mm hole ø 5mm tube ø 8.5mm connection M4 windings 8 rectangular flange oven heating element			
For models:	E4F, E4F8, E4F9, E4F98Q, E4F9Q, E4FP8, E6FA, E6FA8, E6FA9, E6FA98Q, E6FA9Q, EF09, EFB09, G4SFE, G4SFE8, G4SFE9, G4SFE98, G6SFEA, G6SFEA8, G6SFEA9, G6SFEA98			
accessories for	418491			
	No.	510368	Ref. No.	—
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element				


			
1			
No.	419146	Ref. No.	167379
description	heating element 3800W 240V heating circuits 1 L 510mm W 505mm L1 55mm L2 450mm W1 235mm W2 35mm flange length 70mm flange width 22mm bridge length 85mm hole distance 28mm thread M4 tube ø 8.5mm connection M4 connection length 40mm windings 5 rectangular flange dry heating element oven		
For models:	E4F77, E4F77Q, E4FP77Q, E6FA77, E6FA77Q, EF077, ETF77, EVC4F77, G4SFE77, G4SFE77P, G6SFEA77, GT4SF2E77, HE4F77, MG7E4F77, MG7E4F77Q, MG7E4FP77Q, MG7E6FA77Q, MG7ETF77, MG7EVC4F77, MG7G4SFE77, MG7G6SFEA77		

			
1			
No.	416542	Ref. No.	RTCU700282
description	heating element 3950W 230/400V heating circuits 3 L 510mm W 548mm L1 52mm L2 455mm W1 210mm W2 127mm flange length 160mm flange width 22mm hole distance 145mm hole ø 6mm tube ø 6.3mm connection M4 mounting pos. upper rectangular flange dry heating element oven		
For models:	E4F7, E4F7Q, E6FA7, E6FA7Q, EF07, EFO7, EVC4F7, G2SDMFE7, G2S-SMFE7, G4SFE7, G6SFEA7, GT4SF2E7, OMNIA E4F7, OMNIA E4F7Q, OMNIA E6FA7, OMNIA E6FA7Q, OMNIA EF07, OMNIA EVC4F7, OMNIA G4SFE7, OMNIA G6SFEA7		

heating elements for bain maries

			
1			
No.	416194	Ref. No.	53.7.0048.00
description	heating element 1189W 230V heating circuits 1 L 278mm W 150mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing thread 1/8" immersion heater/dry heating element L1 135mm L2 143mm H 22mm mounting distance 144mm		
For models:	6BM61EM		


			
1			
No.	418344	Ref. No.	3710003
description	heating element 1200W 220V heating circuits 1 L 395mm W 220mm H 24mm connection M4 tube ø 8mm dry heating element L1 50mm L2 345mm connection distance 212mm		
For models:	BC2G, BC3G, BC4G, BC6G		

			
1			
No.	416554	Ref. No.	RTCU700280
description	heating element 1500W 230V heating circuits 1 L 355mm W 203mm flange length 70mm flange width 22mm hole distance 56mm connection M4 tube ø 8.5mm rectangular flange hole ø 5mm dry heating element L1 40mm L2 315mm W1 85mm W2 33mm		
For models:	EBM46, EBM47, EBM477, EBM66, EBM77, EBM777, EBMA477, EBMA777, MG7EBM477, MG7EBMA477, MINIMA EBM 46, MINIMA EBM 66, OMNIA EBM 47, OMNIA EBM 77		

			
No.	416556	Ref. No.	RTBF900068
description	heating element 1500W 230V L 570mm W 90mm connection M4 connection distance 81mm connection length 24mm tube ø 8.9mm dry heating element H 68mm		
For models:	EBM90, EFT45L, EFT45LC, EFT45R, EFT45RC, EFT90L, EFT90LC, EFT90LR, EFT90LRC, EFT90R, EFT90RC		

			
No.	416555	Ref. No.	RTBE800038
description	heating element 2000W 240V heating circuits 1 L 570mm W 92mm connection M4 connection distance 77mm tube ø 8.5mm dry heating element H 65mm		
For models:	EFT99L, EFT99LC, EFT99LR, EFT99LRC, EFT99R, EFT99RC		

			
No.	418471	Ref. No.	RTFOC00584
description	heating element 600W 230V heating circuits 1 L 355mm W 215mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 8.5mm rectangular flange hole ø 5.5mm dry heating element L1 38mm L2 317mm W1 91mm W2 33mm		

			
No.	415772	Ref. No.	53.7.0042.00
description	heating element 823W 230V L 276mm W 108mm H 20mm 2 hole fixing connection male faston 6.3mm thread M10x1 tube ø 6.3mm connection length 22mm dry heating element		
For models:	6BM61EM, 6BM62EM, 6BM62ET, 6BS61EM, 6BS62EM, 6CP61EM, 6CP62ET		

			
No.	416032	Ref. No.	013448-00 013448-00R
description	heating element 850W 230V heating circuits 1 L 430mm L1 30mm W 145mm connection M4 connection distance 140mm tube ø 6.5mm dry heating element bain marie L2 400mm H 16mm		


heating elements for frying pans


			
No.	416550	Ref. No.	RTCU600125
description	heating element 1500W 230V heating circuits 1 L 350mm W 155mm hole distance 141mm connection length 23mm connection M4 tube ø 8.6mm bracket mounting hole ø M5mm dry heating element L1 148mm L2 158mm H 30mm lug length 40mm lug width 18mm		
For models:	EBR6, MINIMA EBR 6		

heating elements for fryers

off-center connection

with thread

			
No.	416070	Ref. No.	RTBF700101
description	heating element 10200W 230/400V heating circuits 3 L 300mm W 180mm H 33mm flange length 19.5mm flange length 1 9.5mm flange length 2 9.8mm flange ø1 62mm flange ø2 57mm thermostat sleeves ø 6.5mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 18mm L2 282mm W1 30mm W2 35mm thread M54x1.5 windings 5 tube ø 8.5mm cable length 450mm rotation flange immersion heater fryer connection length 130mm 2		
For models:	FE 15		
spare parts for	416070		
	No.	510243	Ref. No. RTBF800321 RTCU700565
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
	No.	550496	Ref. No. —
	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs		
accessories for	416070		
	No.	510243	Ref. No. RTBF800321 RTCU700565
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
	No.	550662	Ref. No. —
	ring nut thread M54x1.5 H 7mm		



No.	416560	Ref. No.	RTBF800318	
description	heating element 15000W 230/400V heating circuits 3 mounting pos. left L 300mm W 290mm H 34mm flange length 19.5mm flange length 1 9.5mm flange length 2 10mm flange ø1 62mm flange ø2 57mm thermostat sleeves ø 6.5mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 15mm L2 285mm W1 38mm W2 35mm thread M54x1.5 windings 8 tube ø 8.5mm cable length 450mm rotation flange immersion heater fryer connection length 90mm 2			
	For models: EF45, EF90			
accessories for	416560			
	No.	510243	Ref. No.	RTBF800321 RTCU700565
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs			
	No.	550662	Ref. No.	—
	ring nut thread M54x1.5 H 7mm			


with retaining rings




No.	418494	Ref. No.	160035 166412 180953 RIC0003816	
description	heating element 16000W 230/400V heating circuits 3 mounting pos. left L 336mm W 252mm H 31mm flange length 36.2mm flange length 1 23.5mm flange length 2 13.2mm flange ø1 61.8mm flange ø2 57.9mm thermostat sleeves ø 9mm thermostat sleeve upper/ lower windings 6 L1 15mm L2 321mm W1 34mm W2 62mm tube ø 8.5mm cable length 465mm rotation flange immersion heater with accessories fryer connection length 65mm 2 sensor screw connection 2x M10x1			
For models:	EF408, EF45, EF49, EF498, EF498T, EF49T, EF90, EF908, EF99, EF998, EF998T, EF99T			
accessories for	418494			
	No.	510243	Ref. No.	RTBF800321 RTCU700565
O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs				
	No.	510244	Ref. No.	RTMIN00283
retaining ring shaft ø 60mm thickness 2mm steel DIN 471				
	No.	551117	Ref. No.	PACU701198
plug conical ø 6.2/8mm L 37.5mm for probe rubber				




No.	418544	Ref. No.	180950 RIC0003795 RTCU700570	
description	heating element 9000W 230/400V heating circuits 3 mounting pos. left L 285mm W 205mm H 35mm flange length 36.2mm flange length 1 23.5mm flange length 2 12.5mm flange ø1 61.8mm flange ø2 57.9mm thermostat sleeves ø 9mm thermostat sleeve upper/lower windings 5 L1 265mm L2 20mm W1 169mm W2 36mm tube ø 8.5mm cable length 350mm rotation flange immersion heater fryer connection length 60mm 2 sensor screw connection 2x M10x1			
For models:	EF47, EF477, EF477T, EF47T, EF77, EF777, EF777T, EF77T, MG7EF477, MG7EF477T, MG7EF777, MG7EF777T, OMNIA EF 47, OMNIA EF 47T, OMNIA EF 77, OMNIA EF 77T			
accessories for	418544			
	No.	510243	Ref. No.	RTBF800321 RTCU700565
O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs				
	No.	510244	Ref. No.	RTMIN00283
retaining ring shaft ø 60mm thickness 2mm steel DIN 471				
	No.	551117	Ref. No.	PACU701198
plug conical ø 6.2/8mm L 37.5mm for probe rubber				





	No.	418628	Ref. No.	RIC0003794
description	heating element 9000W 230/400V heating circuits 3 mounting pos. right L 285mm W 205mm H 35mm flange length 36.2mm flange length 1 23.5mm flange length 2 13.2mm flange ø1 61.8mm flange ø2 57.9mm thermostat sleeves ø 9mm thermostat sleeve upper/ lower windings 5 L1 20mm L2 265mm W1 37mm W2 36mm tube ø 8.5mm cable length 360mm rotation flange connection length 70mm 2 sensor screw connection 2x M10x1			
	accessories for 418628			
	No.	504790	Ref. No.	165587
	extension for thermowell thread M10x1 L 75mm hole ø 6.5mm brass			
	No.	510243	Ref. No.	RTBF800321 RTCU700565
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs			
	No.	510244	Ref. No.	RTMIN00283
	retaining ring shaft ø 60mm thickness 2mm steel DIN 471			

 			
No.	416558	Ref. No.	166410
description	heating element 9000W 230V heating circuits 3 mounting pos. left windings 5		
For models:	EF477, EF477T, EF777, EF777T		
accessories for	416558		
	No.	510243	Ref. No. RTBF800321 RTCU700565
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
	No.	510244	Ref. No. RTMIN00283
	retaining ring shaft ø 60mm thickness 2mm steel DIN 471		

 			
No.	416557	Ref. No.	166409 180951 RTCU600122
description	heating element 9000W 230V heating circuits 3 mounting pos. right L 290mm W 202mm H 35mm thermostat sleeves ø M10mm number of thermostat sleeves 2 windings 5 L1 18mm L2 272mm W1 32mm W2 35mm tube ø 8.5mm cable length 375mm rotation flange immersion heater connection length 65mm		
For models:	EF46, EF66, MINIMA EF 46, MINIMA EF 66		
accessories for	416557		
	No.	510243	Ref. No. RTBF800321 RTCU700565
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
	No.	510244	Ref. No. RTMIN00283
	retaining ring shaft ø 60mm thickness 2mm steel DIN 471		
	No.	551117	Ref. No. PACU701198
	plug conical ø 6.2/8mm L 37.5mm for probe rubber		

center connection

 			
No.	416559	Ref. No.	180952 RIC0003796 RTCU700592
description	heating element 5250W 230/400V heating circuits 3 L 285mm W 115mm H 33mm flange length 36mm flange length 1 23.2mm flange length 2 13mm flange ø1 61.8mm flange ø2 57.8mm thermostat sleeves ø 10mm sensor screw connection 2x M10x1 number of thermostat sleeves 2 thermostat sleeve upper/lower L1 15mm L2 270mm W1 40mm W2 35mm tube ø 8.5mm cable length 320mm rotation flange immersion heater fryer connection length 75mm		
For models:	EF472V, EF472VT, EF4772V, EF4772VT, EF4982V, MG7EF4772V, MG7EF4772VT, OMNIA EF472V, OMNIA EF472VT		
accessories for	416559		
	No.	510243	Ref. No. RTBF800321 RTCU700565
	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
	No.	510244	Ref. No. RTMIN00283
	retaining ring shaft ø 60mm thickness 2mm steel DIN 471		

 			
No.	416506	Ref. No.	230072 RTCU600235
description	heating element 6600W 230/400V heating circuits 3 L 342mm W 127mm H 230mm rectangular flange connection M4 fryer heaters L1 15mm L2 327mm H1 25mm H2 167mm H3 38mm windings 6 hole distance 72mm hole ø 6mm flange length 160mm flange width 22mm tube ø 8.5mm		

2 hole fixing




 			
No.	416648	Ref. No.	53.7.0033.00
description	heating element 3000W 230V heating circuits 1 L 315mm W 185mm H 180mm L1 28mm L2 277mm thread 1/4" mounting distance 174mm tube ø 8.5mm windings 6 2 hole fixing connection male faston 6.3mm fryer heaters		
For models:	6FQ61E, 6FQ62E		
accessories for	416648		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		


Table continues overleaf



accessories for 416648			
	No.	510417	Ref. No. 437002
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

 			
No.	418497	Ref. No.	RTBF800162
description heating element 5500W 230V heating circuits 1 L 318mm W 104mm H 315mm L1 24mm L2 294mm H1 270mm H2 45mm thread 1/4" tube ø 8.5mm 2 hole fixing connection M5 windings 8 fryer			
For models: EF45, EF90			
accessories for 418497			
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. 437002
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560112	Ref. No. —
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	No.	560132	Ref. No. —
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

 			
No.	415704	Ref. No.	53.7.0035.00
description heating element 1800W 230V heating circuits 1 L 310mm W 60mm H 200mm L1 30mm L2 280mm H1 160mm H2 40mm thread M12x1 mounting distance 50mm tube ø 8.5mm 2 hole fixing connection male faston 6.3mm fryer windings 4			
For models: 6FQ61E, 6FQ62E			
spare parts for 415704			
	No.	521110	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			
accessories for 415704			
	No.	520229	Ref. No. —
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			
	No.	521131	Ref. No. —
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			
	No.	528110	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs			

 			
No.	416891	Ref. No.	161879 180580
description heating element 3000W 230V heating circuits 1 L 362mm W 65mm H 240mm L1 57mm L2 305mm H1 192mm H2 48mm thread 1/4" tube ø 8.5mm 2 hole fixing connection M5 fryer heaters windings 4			
For models: EF12+12B, EF12+12S, EF12B, EF12S, EF20BP, EF60BP			
spare parts for 416891			
	No.	510417	Ref. No. 437002
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for 416891			
	No.	501318	Ref. No. —
nut thread 1/4" H 6.5mm SS WS 22 Qty 1 pcs			
	No.	503045	Ref. No. —
nut thread 1/4" H 4.5mm brass WS 17 Qty 1 pcs			
	No.	560112	Ref. No. —
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	No.	560132	Ref. No. —
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

6 hole fixing



No.	418908	Ref. No.	164717
description	heating element 9000W 230V heating circuits 3 L 350mm W 228mm H 237mm L1 50mm L2 300mm H1 197mm H2 40mm thread 1/4" mounting distance 6 hole fixingmm tube ø 8.5mm connection M5 connection length 25mm immersion heater fryer		
For models:	EF12+12B, EF12+12S, EF12B, EF12S, EF25+25S		

heating elements for griddles



No.	415703	Ref. No.	53.7.0051.00
description	heating element 1000W 230V heating circuits 1 L 333mm W 80mm H 64mm tube ø 6.3mm W1 20mm W2 51mm connection male faston 6.3mm connection length 19mm dry heating element		
For models:	6FT61E, 6FT62E		



No.	416544	Ref. No.	RTCU600183
description	heating element 1250W 240V heating circuits 1 L 416mm W 70mm H 65mm tube ø 8.5mm connection M4 connection distance 53mm dry heating element		
For models:	EFT46L, EFT46LC, EFT46R, EFT46RC, EFT66L, EFT66LC, EFT66LR, EFT66LRC, EFT66R, EFT66RC, MINIMA EFT 46L, MINIMA EFT 46LC, MINIMA EFT 46R, MINIMA EFT 46RC, MINIMA EFT 66L, MINIMA EFT 66LC, MINIMA EFT 66LR, MINIMA EFT 66LRC, MINIMA EFT 66R, MINIMA EFT 66RC, MINIMA EFT106L, MINIMA EFT106LC, MINIMA EFT106LR, MINIMA EFT106LRC		



No.	416547	Ref. No.	RTCU700278
description	heating element 1350W 230V heating circuits 1 L 450mm W 82mm H 64mm tube ø 8.5mm connection male faston 6.3mm connection length 19mm connection distance 80mm dry heating element		
For models:	EFT477L, EFT477LC, EFT477R, EFT477RC, EFT47L, EFT47LC, EFT47R, EFT47RC, EFT777L, EFT777LC, EFT777LR, EFT777LRC, EFT777R, EFT777RC, EFT77L, EFT77LC, EFT77LR, EFT77LRC, EFT77R, EFT77RC, EFTA477L, EFTA477LC, EFTA477R, EFTA477RC, EFTA777L, EFTA777LC, EFTA777LR, EFTA777LRC, EFTA777R, EFTA777RC, MG7EFT477L, MG7EFT477LC, MG7EFT477R, MG7EFT477RC, MG7EFT777L, MG7EFT777LC, MG7EFT777LR, MG7EFT777LRC, MG7EFT777R, MG7EFT777RC, MG7EFTA477L, MG7EFTA477LC, MG7EFTA477R, MG7EFTA477RC, MG7EFTA777L, MG7EFTA777LC, MG7EFTA777LR, MG7EFTA777LRC, MG7EFTA777R, OMNIA EFT 47L, OMNIA EFT 47LC, OMNIA EFT 47R, OMNIA EFT 47RC...(Other models you can see in the webshop)		



No.	416556	Ref. No.	RTBF900068
description	heating element 1500W 230V L 570mm W 90mm connection M4 connection distance 81mm connection length 24mm tube ø 8.9mm dry heating element H 68mm		
For models:	EBM90, EFT45L, EFT45LC, EFT45R, EFT45RC, EFT90L, EFT90LC, EFT90LR, EFT90LRC, EFT90R, EFT90RC		




No.	416555	Ref. No.	RTBE800038
description	heating element 2000W 240V heating circuits 1 L 570mm W 92mm connection M4 connection distance 77mm tube ø 8.5mm dry heating element H 65mm		
For models:	EFT99L, EFT99LC, EFT99LR, EFT99LRC, EFT99R, EFT99RC		

1


No.	416645	Ref. No.	53.7.0041.00
description	heating element 2653W 230V heating circuits 1 warming plate		
For models:	6FT61E, 6FT62E		

heating elements for refrigeration

heating elements for defrosting



No.	416313	Ref. No.	01152700R
description	heating element 1100W 230V L 277mm W 630mm L1 54mm L2 223mm W1 40mm W2 590mm cable length 1500mm tube ø 6.3mm dry heating element defrosting		



No.	416312	Ref. No.	011526-00 011526-00R 011526-01 011526-01R RIC0002969
description	heating element 550W 230V L 420mm W 210mm L1 26mm L2 394mm W1 45mm W2 165mm cable length 1500mm tube ø 6.3mm immersion heater defrosting connection cable suitable for DEXION		
For models:	D70DN2, D70DNB2		



No.	416418	Ref. No.	01447401R 022258-01R
description	heating element 550W 230V L 440mm W 160mm H 60mm W1 85mm W2 42mm cable length 1500mm tube ø 6.3mm connection length 40mm immersion heater defrosting		




No.	420338	Ref. No.	022258-02R
description	heating element 550W 230V L 440mm W 180mm H 80mm W1 60mm W2 60mm connection Faston 6.3mm cable length 1500mm tube ø 6.25mm immersion heater with thermal fuse switch-off temp. 72°C		

heating elements for condensate evaporation



No.	416374	Ref. No.	019430-02R RIC0003315
description	heating element 135W 230V L 480mm W 115mm H mm cable length 2200mm tube ø 6.25mm		



No.	420393	Ref. No.	019014-00
description	heating element 750W 230V L 425mm W 350mm for blast chiller suitable for DEXION		

heating elements for tilting bratt pan



No.	417335	Ref. No.	RTBF800026
description	heating element 1500W 240V L 500mm W 90mm H 70mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm		
For models:	EBR, EBRA, EBRAVI, EBRVI		



No.	417333	Ref. No.	RTCU700646
description	heating element 3000W 240V L 400mm W 200mm H 65mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm connection distance 192mm		
For models:	EBR7, EBR77, EBRI7, EBRI77, MG7EBR77, MG7EBRI77, OMNIA EBR7, OMNIA EBRI7		
accessories for	417333		
	No.	527169	Ref. No. —
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	No.	560110	Ref. No. —
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	No.	560130	Ref. No. —
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

heating elements for pasta cookers



No.	416552	Ref. No.	RTCU700283
description	heating element 1850W 230V L 284mm W 48mm H 28mm 2 hole fixing connection M4 thread M16x1.5 tube ø 8.5mm L1 40mm L2 248mm mounting distance 40mm connection length 26mm pasta cooker immersion heater		
For models:	EC47, EC477, EC477-SC, EC77, LX7EC4, MG7EC477-SC, OMNIA EC 47		
spare parts for	416552		
	No.	521137	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 18mm thickness 1.5mm for thread 3/8" Qty 1 pcs			
accessories for	416552		
	No.	361183	Ref. No. —
nut thread 3/8" H 6mm nickel-plated brass WS 20 Qty 1 pcs			



No.	415701	Ref. No.	53.7.0049.00
description	heating element 2000W 230V L 276mm W 140mm H 20mm 2 hole fixing connection male faston 6.3mm thread M10x1 tube ø 6.5mm W1 140mm mounting distance 133mm immersion heater		
For models:	6CP61EM, 6CP62ET		
accessories for	415701		
	No.	510416	Ref. No. —
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			
	No.	510893	Ref. No. 456015
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			

Table continues overleaf

accessories for 415701				
	No.	520231	Ref. No.	—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	No.	521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			

1

			
No.	416551	Ref. No.	RTCU700284
description	heating element 3000W 230V L 264mm W 58mm H 28mm 2 hole fixing connection M4 thread M16x1.5 tube ø 8.5mm L1 38mm L2 227mm mounting distance 50mm connection length 26mm pasta cooker immersion heater		
For models:	EC47, EC66, EC77, EC777, EC777-SC, EC777T, MG7EC777-SC, MINIMA EC 66, OMNIA EC 77		

				
1				
No.	416553	Ref. No.	RTCU800342	
description	heating element 3000W 230V L 440mm W 50mm H 26mm 2 hole fixing connection M4 thread M16x1.5 tube ø 8.5mm L1 30mm L2 410mm mounting distance 38mm pasta cooker immersion heater			
For models:	EC408-SC, EC45, EC49, EC498-SC, EC498T-SC, EC49T, EC902V, EC9082V-SC, EC992V, EC992VT, EC9982V-SC, EC9982VT-SC			
accessories for	416553			
	No.	504618	Ref. No.	3600035 RIC0004173 RTCU700623
	O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs			

1



No.	415772	Ref. No.	53.7.0042.00
description	heating element 823W 230V L 276mm W 108mm H 20mm 2 hole fixing connection male faston 6.3mm thread M10x1 tube ø 6.3mm connection length 22mm dry heating element		
For models:	6BM61EM, 6BM62EM, 6BM62ET, 6BS61EM, 6BS62EM, 6CP61EM, 6CP62ET		

heating elements for chargrills

			
1			
No.	416549	Ref. No.	RTCU600153
description	heating element 1500W 230V L 439mm W 79mm H 34mm 2 hole fixing mounting distance 64mm connection M4 L1 24mm L2 415mm heating circuits 1 tube ø 8.5mm dry heating element thread M12x1 chargrill		
For models:	EPL46, EPL66, MINIMA EPL 46, MINIMA EPL 66		

heating elements for salamanders/toast-

1

No.	416654	Ref. No.	RIC0002488
description	heating element 2000W 230V L 230mm W 230mm L1 22mm L2 208mm W1 83mm W2 63mm hole distance 96mm tube ø 8.5mm flange length 106mm flange width 32mm heating circuits 1 hole ø 5mm tilt flange dry heating element H 8.5mm		

heating elements for heating bridges

			
1			
No.	416523	Ref. No.	53.7.0044.00
description	heating element 320W 230V L 316mm W 96mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing thread M12x1.5 dry heating element heated bridge mounting distance 90mm chip scuttle		
For models:	5RI61EM, 5RI62EM		

heating elements for heated cabinets

1

			
No.	418344	Ref. No.	3710003
description	heating element 1200W 220V heating circuits 1 L 395mm W 220mm H 24mm connection M4 tube ø 8mm dry heating element L1 50mm L2 345mm connection distance 212mm		
For models:	BC2G, BC3G, BC4G, BC6G		

heating cables

connection on both sides

with wire end ferrules

			
No.	416310	Ref. No.	00-556093 011524-00 011524-00R RIC0003828
description	heating cable 20W 230V L 6190mm L1 (unheated) 800mm L2 (heated) 4590mm silicone ø 3mm		
For models:	A140N2, AX140N2, B140N2, B250xxx, B400xxx, B550xxx, BX1420N2, BX250xxx, BX400xxx, BX550xxx, D140DN2, D140DNB2, D140DNP2, D140DNP3, D140N2, D140N2V, D140P2, D70N1, D70N1V, D70P1, T25TNJ, T35TNJL		



1			
	No.	416311	Ref. No. 011525-00 011525-00R RIC0003840
description heating cable 46W 230V 50Hz L 7560mm L1 (unheated) 800mm L2 (heated) 5960mm silicone door frame heating ø 3mm connection terminal			

with male fastons

1			
No.	418755	Ref. No.	SAG000025
description heating cable 80W 220V ø 3mm connection male faston 6.3mm cable length 5250mm			

ceramic heaters

245x60mm

1

No.	415104	Ref. No.	RTCU600117
description	ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm		
For models:	ECC46, MINIMA ECC 46		
spare parts for	415104		
	No.	415109	Ref. No.
	spring clip		
accessories for	415104		
	No.	415110	Ref. No.
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm		

contact heaters

1			
No.	416237	Ref. No.	999206
description contact heater 1400W 230V heating circuits 1 L 133mm W 120mm H 10mm dishwasher connection soldering connection connection distance 76mm connection length 37mm heat-conducting paste included hole ø 7mm dry heating element			
For models: LF56, LF60, LFD50, LFDX50, LS520-CRP, LS521, LS521-CRP-SP			

coil heating elements

1			
No.	420330	Ref. No.	927132 DRE2
description heating element 2000W 240V L 454mm W 210mm ø 27.5mm thread M14x1 connection M4 for drying warewashing heating circuits 1 2 hole fixing			
For models: LT121, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT81, LT91, LTD101, LTD131, LTD171, LTD212, LTDX172, LTDX222, LTDX272			

immersion heating elements

3 hole flange ø38.5mm

1			
No.	418642	Ref. No.	230113
description heating element 2600W 230V mounting ø 38.5mm heating circuits 1 L 260mm W 33mm H 24mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 175mm thermostat sleeve eccentric, non clinging tube ø 6.5mm hole distance 57mm 3 hole flange connection male faston 6.3mm immersion heater			
For models: KLB40, LB350, LB355, LB400, LB405, LB411, LB411A, LB422, LB425, LB450			
accessories for 418642			
	No.	532577	Ref. No. —
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs		


3 hole flange ø47.5mm


1

No.	415001	Ref. No.	230081 REB230081
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 316mm W 35mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 180mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	BETA50, BETA53, LF55, LF550, LF551, LF55E, LF59, LK1000		
spare parts for	415001		
	No.	510408	Ref. No. 456002 456079 REB456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415001		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

Table continues overleaf


accessories for 415001				
	No.	521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


 				
1				
No.	417440	Ref. No.	230111	
description	heating element 4900W 230V mounting ø 47.5mm heating circuits 3 L 330mm W 32mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 177mm thermostat sleeve not clinging tube ø 6.5mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater			
For models:	LS500, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505T, LS511, LS511A, LS511PV, LS520-CRP, LS521, LS521-CRP-SP, LS522, LS525			
accessories for	417440			
	No.	510408	Ref. No.	456002 456079 REB456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

1

No.	416240	Ref. No.	230083 230083C	
description	heating element 6545W 230/400V mounting ø 48mm heating circuits 3 L 355mm W 31mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 175mm thermostat sleeve upper centre not clinging tube ø 6.5mm hole distance 63mm hole ø 10mm connection M4 3 hole flange immersion heater			
For models:	GOLD74, LK100, LK100EM, LO155, LO65, LO80, LO80H, LO93, LOD102, LOD155, LOD202, LOD302, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LT81, LTD101, LTD209, LTD316, LTDX172, LTDX222			
accessories for	416240			
	No.	510408	Ref. No.	456002 456079 REB456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

				
1				
No.	419043	Ref. No.	230117	
description	heating element 7600W 400V mounting ø 47.5mm heating circuits 3 L 330mm W 40mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 63mm hole ø 10mm connection length 25mm connection M4 3 hole flange immersion heater			
For models:	LK600			
accessories for	419043			
	No.	510408	Ref. No.	456002 456079 REB456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

1

No.	416241	Ref. No.	230020C REB230020	
description	heating element 8000W 230V mounting ø 47.5mm heating circuits 3 L 355mm W 35mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 185mm thermostat sleeve not clinging tube ø 6.3mm hole distance 64mm hole ø 8mm connection M4 3 hole flange immersion heater			
For models:	L62, L64, LFD60, LK1010, LK110, LK1100, LK605, LK622, LK622I, LK625, LKDX110, LO155, LO93, LOD304, LOD402, LOD93, LP155, LP93, LT81, LTD101, LTD131, LTD171, LTD209, LTD212, LTD216, LTD220, LTD316, LTD320, LTDX172, LTDX222			
spare parts for	416241			
	No.	510408	Ref. No.	456002 456079 REB456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
accessories for	416241			
	No.	510093	Ref. No.	467002 69870
	protection cap			
	No.	510408	Ref. No.	456002 456079 REB456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			



No.	416242	Ref. No.	80398 80398C
description	heating element 9500W 230V mounting ø 47.5mm heating circuits 3 L 330mm W 35mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 175mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 72mm hole ø 8/10mm connection M4 3 hole flange immersion heater		
For models:	LK130, LK611, LK620, LK621, LKD130, LO155, LO65, LO93, LOD155, LOD305, LOD502, LTD209, LTD212, LTD216, LTD220, LTD326, LTDX272		



No.	416280	Ref. No.	230091	
description	heating element 2700W 230V heating circuits 1 number of thermostat sleeves 1 thermostat sleeve eccentric, non clinging 3 hole flange immersion heater			
For models:	LBD40			
accessories for	416280			
	No.	510408	Ref. No.	456002 456079 REB456002
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

3 hole flange ø57.5mm



No.	418871	Ref. No.	927276 DRB100	
description	heating element 10000W 230V mounting ø 57.5mm heating circuits 3 L 375mm W 40mm H 33mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 225mm thermostat sleeve upper centre not clinging tube ø 6.3mm hole distance 73mm hole ø 8mm connection length 24mm			
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91			
accessories for	418871			
	No.	510409	Ref. No.	167956 929046 CGG55
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			




No.	417334	Ref. No.	RTCU700619
description	heating element 4500W 230V mounting ø 57.5mm heating circuits 3 L 347mm W 36mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 295mm thermostat sleeve not clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M5 3 hole flange immersion heater		
For models:	E5017, E50177, MG7E50177		



No.	418141	Ref. No.	RTFOC00523
description	heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 297mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 270mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 73mm hole ø 8mm connection length 29mm connection M4 3 hole flange immersion heater		
For models:	FEM107, FEM107SC, FEM108, FEM108EL, FEM109, FEM110, FEM110L, FEM67, FEM67SC, FEM69, FEMD108, FEMD108EL, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM107 SC, JOKER FEM109, JOKER FEM109 AB 2002		



No.	417332	Ref. No.	RTCP800008	
description	heating element 7200W 230V mounting ø 57.5mm heating circuits 3 L 485mm W 34mm H 48mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 265mm thermostat sleeve eccentric, non clenching tube ø 8.5mm hole distance 72mm hole ø 8mm connection M4 3 hole flange immersion heater			
For models:	E100I, E100I8, E100I9, E100I98, E100I9N, E100IA, E100IT9, E100IT9N, E150I, E150I8, E150I9, E150I98, E150I9N, E150IA, E150IT9, E150IT9N			
spare parts for	417332			
	No.	510409	Ref. No.	167956
				929046 CGG55
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs				


 			
No.	418140	Ref. No.	RTFOC00150
description	heating element 7500W 230V mounting ø 57.5mm heating circuits 3 L 295mm W 34mm H 45mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 275mm thermostat sleeve not clinging hole distance 72mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM68, FEM68EL, FEMD68, FEMD68EL, FMM060, FMM061, FMM100, FMM101, JOKER FEM207 SC, JOKER FEM209		




2

No.	415039	Ref. No.	927280 DRB81
description	heating element 8000W 230V mounting ø 57.5mm heating circuits 3 L 375mm W 41mm H 42mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 230mm thermostat sleeve upper centre not clinging tube ø 6mm hole distance 73mm hole ø 10mm connection length 30mm connection M4 3 hole flange immersion heater		
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91		
spare parts for	415039		
	No.	510409	Ref. No.
			167956 929046 CGG55
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
accessories for	415039		
	No.	521103	Ref. No.
			—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.
			—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No.
			—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No.
			—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


with compression flange 50 x 26mm

 			
No.	420538	Ref. No.	230102
description	heating element 1600W 230V heating circuits 1 flange 50x26mm L 305mm W 47mm H 25mm tube ø 8.5mm connection F6.3		

1

No.	420332	Ref. No.	230107
description	heating element 600W 230V heating circuits 1 flange 50x26mm L 125mm W 48mm H 70mm tube ø 8.4mm connection male faston 6.3mm immersion heater compression flange		
For models:	LB42BT-UK, LBD40, LBDX40		
spare parts for	420332		
	No.	510387	Ref. No. 437086
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
	No.	510388	Ref. No. —
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm		

  			
1			
No.	416234	Ref. No.	230098
description	heating element 600W 230V heating circuits 1 flange 50x26mm L 160mm W 45mm H 27mm tube ø 8.8mm connection male faston 6.3mm connection length 40mm immersion heater compression flange		
For models:	KLB40, LB135, LB140, LB35, LB350, LB355, LB35C, LB40, LB400, LB405, LB40E, LB411, LB411A, LB422, LB425		
accessories for	416234		
	No.	510387	Ref. No.
	437086		
gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			
	No.	510388	Ref. No.
	—		
counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm			

No.	420331	Ref. No.	230112
description	heating element 1400W 230V compression flange flange 50x26mm L 160mm heating circuits 1 H 29mm W 190mm connection male faston 6.3mm immersion heater tube ø 8.4mm		

For models:	LK600
--------------------	-------

spare parts for	420331
------------------------	--------

	No.	510387	Ref. No.	437086
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			

Table continues overleaf

spare parts for	420331
	No. 510388 Ref. No. —
counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm	

with compression flange 70 x 26mm

	
1	
No.	415009 Ref. No. 230087
description heating element 2500W 230V heating circuits 1 flange 70x26mm L 280mm W 51mm Hmm tube ø 6.3mm connection M4 immersion heater compression flange	
For models: LB135, LB140, LB145	
accessories for	415009
	No. 521128 Ref. No. 437048
gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK	

	
1	
No.	415000 Ref. No. 230088
description heating element 2900W 230V heating circuits 1 flange 70x26mm L 272mm W 51mm Hmm tube ø 6.3mm connection M4 immersion heater compression flange	
For models: LF50, LF500	
spare parts for	415000
	No. 521128 Ref. No. 437048
gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK	
accessories for	415000
	No. 521128 Ref. No. 437048
gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK	

with expansion flange 70 x 18mm

	
1	
No.	416239 Ref. No. 230100
description heating element 2600W 230V heating circuits 1 flange 70x18mm L 270mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange	
For models: LB135, LB140, LB35, LB35C, LB40, LB40E, LB45	

	
1	
No.	420550 Ref. No. 230109
description heating element 4600W 230V heating circuits 3 flange 70x18mm L 360mm W 60mm L1 45mm H 55mm L2 45mm connection F 6.3mm L3 290mm immersion heater expansion flange for dishwashers tube ø 6.5mm	
For models: LB42BT-UK, LBDX40	

	
1	
No.	419042 Ref. No. 230108
description heating element 7000W 230V heating circuits 3 flange 70x18mm L 415mm W 64mm H 52mm L1 40mm L2 25mm L3 350mm tube ø 6.3mm connection male faston 6.3mm immersion heater expansion flange for dishwasher	
For models: LFDX50	

	
1	
No.	416243 Ref. No. 230106
description heating element 7600W 230V heating circuits 3 flange 70x18mm L 390mm W 60mm H 13mm connection male faston 6.3mm tube ø 6.3mm immersion heater expansion flange INCOLOY-800	
For models: LF56, LF60, LFD50	

with round flange ø47.5mm

	
1	
No.	420057 Ref. No. 230116
description heating element 3000W 230V heating circuits 1 mounting ø 47.5mm L 330mm W 33mm H 19mm tube ø 8.4mm thermostat sleeves ø 7.4mm number of thermostat sleeves 1 length thermostat sleeves 170mm	
For models: LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505M, LS520	
spare parts for	420057
	No. 510408 Ref. No. 456002 456079 REB456002
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs	

miscellaneous

	
1	
No.	417575 Ref. No. 230118
description heating element 2100W 230V W 165mm H 25mm L 270mm format angled	
For models: LK605, LS505M, LS505T, LS522, LS525	

1			
No.	418149	Ref. No.	RTCP900050
description	heating element 1800W 230V L 255mm W 238mm H 88mm tube ø 8.5mm connection M4 dry heating element 2 hole fixing kettle W2 34mm thread 1/4" mounting distance 34mm		
For models:	E100, E100A, E150, E150A		
accessories for	418149		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. 437002
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

1			
No.	415664	Ref. No.	230085
description	heating element 2250W 230V heating circuits 1 L 300mm W 90mm H 25mm thread 1/8" mounting distance 64mm tube ø 6.3mm connection M4 immersion heater 2 hole fixing		
For models:	LB145, LB45, LB450		
accessories for	415664		
	No.	510893	Ref. No. 456015
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	521129	Ref. No. —
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

1			
No.	415665	Ref. No.	230060 230086 REB230060 RIC0001697
description	heating element 2750/3250W 220/240V heating circuits 1 L 380mm W 110mm H 30mm thread M10x1 mounting distance 75mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing		
For models:	L600, L61, L62, L63, L64, LF50, LF500, LF55, LF550, LF551, LF55E, LF59, LK1000, LK1010, LK1100, LK1300, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV, LS520, S58		
spare parts for	415665		
	No.	510893	Ref. No. 456015
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
accessories for	415665		
	No.	510416	Ref. No. —
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			
	No.	520231	Ref. No. —
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	No.	520876	Ref. No. 463007
protection cap for heating element ø 11.5mm H 32mm W 25mm plastic			
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	521129	Ref. No. —
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

1			
No.	416235	Ref. No.	70562 80360
description	heating element 3000W 230V heating circuits 1 L 320mm W 50mm H 40mm thread M10x1 mounting distance 44mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing L1 32mm L2 288mm		
For models:	LFD60, LK100, LK100EM, LK110, LK130, LK611, LK622, LK622L, LK625, LK625L, LKDX110, LK65, LK65L, LP800-00-092, LP92		
spare parts for	416235		
	No.	510893	Ref. No. 456015
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			

Table continues overleaf

accessories for 416235				
	No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				
	No.	510893	Ref. No.	456015
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				
	No.	560192	Ref. No.	—
tooth lock washer ID ø 10.4mm ED ø 18mm SS DIN/ISO DIN 6798A Qty 1 pcs for thread M10				

			
No.	420334	Ref. No.	41211
description	heating element 3000W 230V heating circuits 1 L 380mm W 87mm H 26mm thread M10x1 mounting distance 81mm tube ø 6.3mm connection M4 immersion heater 2 hole fixing		
For models:	LO80, LO80H, LOD80, LOD80H, LP80, LP80H		

heating elements for convection

			
No.	418345	Ref. No.	3710004 RTBF900218
description	heating element 1600W 230V heating circuits 1 ID ø 178mm ED ø 191mm L 250mm H 40mm L1 50mm W1 32mm H1 16mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	BC3G, BC4G, BC6G		
accessories for	418345		
	No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
No.	416030	Ref. No.	011482-01 011482-01R 019522-00 019522-00R
description	heating element 1900W 230V heating circuits 1 ID ø 175mm ED ø 192mm L 255mm H 42mm L1 47mm W1 30mm H1 16mm H2 26mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm convection heating element mounting thread M4 rectangular flange with thread bolt		
spare parts for	416030		
	No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
No.	418142	Ref. No.	RTFOC00307
description	heating element 21600W 230V heating circuits 3 ID ø 398mm ED ø 415mm L 465mm H 148mm L1 50mm W1 106mm H1 28mm H2 120mm flange length 142mm flange width 25mm hole distance 63mm connection M6x1 tube ø 8.5mm convection heating element hole ø 7mm rectangular flange		
For models:	FCE20, FEC200, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEMD200, FEMD201, FEMD207, FEMD-207SC, FEMD209, FEP160, JOKER FEM207 SC, JOKER FEM209, JOKER FEMD207 SC, JOKER FEMD209, JOKER FEP160		

			
No.	418146	Ref. No.	RTCU700451
description	heating element 2200W 230V heating circuits 1 ID ø 180mm ED ø 195mm L 210mm H 36mm L1 10mm W1 32mm H1 8mm H2 28mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm hole ø 7mm		
For models:	EF07V, FEC023, FEMD023, PLANET FEC023, PLANET FEMD023		
accessories for	418146		
	No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
No.	415966	Ref. No.	RIC0001835
description	heating element 2500W 230V heating circuits 1 ID ø 176mm ED ø 188mm L 210mm H 28mm L1 22mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	E4F6, E6F6, E6FA6, G4SFE6, G6SFE6, G6SFEA6, MINIMA E4F6, MINIMA E6F6, MINIMA E6FA6, MINIMA G4SFE6, MINIMA G6SFE6, MINIMA G6SFEA6		
spare parts for	415966		
	No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			
accessories for	415966		
	No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			


1

No.	416842	Ref. No.	RTCU700650
description	heating element 2600W 230V heating circuits 1 ID ø 177mm ED ø 194mm L 212mm H 28mm L1 18mm W1 33mm H1 5mm H2 23mm flange length 70mm flange width 22mm hole distance 55mm connection male faston 6.3mm tube ø 8.5mm convection heating element hole ø 7mm rectangular flange		
For models:	EF0V77, EF0V7, G4SFEV77, MG7E4FVP77Q, MG7G4SFEV77, OMNIA EF0V7		
accessories for	416842		
	No.	510368	Ref. No.
	—		
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
1			
No.	419014	Ref. No.	011482-00-R
description	heating element 2700W 230V heating circuits 1 ID ø 179mm ED ø 192mm L 247mm H 34mm L1 50mm W1 30mm H1 8mm H2 25mm flange length 70mm flange width 23mm hole distance 56mm tube ø 6.3mm mounting thread M4 mounting distance 56mm		

			
1			
No.	418143	Ref. No.	RTFOC00433
description	heating element 7500W 230V heating circuits 3 ID ø 250mm ED ø 265mm L 282mm H 85mm L1 17mm W1 103mm H1 17mm H2 68mm flange length 142mm flange width 25mm hole distance 64mm connection M4 connection length 75mm tube ø 6.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCE6, FCE68, FCG68, FEC065, FEMD065, FEMD066, FEMD67, FEMD-67SC, FEMD68, FEMD68EL, FEMD69, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FEMD 67 SC, JOKER FEMD 69		

			
1			
No.	420059	Ref. No.	RTFOC00013
description	heating element 9000W 230V heating circuits 3 ID ø 245mm ED ø 260mm L 290mm H 127mm L1 30mm W1 102mm H1 27mm H2 100mm flange length 25mm flange width 142mm hole distance 63mm connection M4 tube ø 6.3mm convection heating element hole ø 6mm rectangular flange		
For models:	FEC060, FEM060, FEM061, FEM062, FEMD060, FEMD061, FEP050		


			
1			
No.	418144	Ref. No.	RTFOC00628
description	heating element 1500W 230V heating circuits 1 L 360mm W 110mm L1 30mm L2 330mm W2 88mm flange length 70mm flange width 22mm hole distance 56mm connection M4 tube ø 6.3mm hole ø M5mm W1 18mm rectangular flange convection heating element windings 2		
For models:	FEM610, FEM610L, FEM67, FEM67SC, FEM68, FEM68EL, FEM69, FEMD68, FEMD68EL, FEP050, FGM68, FGM68EL, FGMD68, FGMD68EL, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEP050, JOKER FEP050 AB 2002		

			
1			
No.	418145	Ref. No.	RTFOC00068
description	heating element 2500W 230V heating circuits 1 L 600mm W 120mm L1 30mm L2 570mm flange length 70mm flange width 22mm hole distance 56mm connection length 90mm connection screw tube ø 6.25mm thread M5 W1 35mm rectangular flange convection heating element windings 2 mounting thread M6		
For models:	FCE10, FCE108, FEC100, FEM100, FEM101, FEM102, FEM107, FEM-107SC, FEM108, FEM108EL, FEM109, FEM110, FEM110L, FEMD100, FEMD101, FEMD107, FEMD107SC, FEMD108, FEMD108EL, FEMD109, FEP080, FGM108, FGM108EL, FGM110, FGM110L, FGMD108, FGM-D108EL, JOKER FCE 10, JOKER FCE 10 AB 2002, JOKER FEM107 SC, JOKER FEM109, JOKER FEM109 AB 2002, JOKER FEMD107 SC, JOKER FEMD109, JOKER FEP080, JOKER FEP080 AB 2002		

radiation heaters

			
1			
No.	416545	Ref. No.	RIC0002068
description	radiation heater rectangular 1500W 230V L 452mm W 193mm H 32mm heating circuits 1 connections 2 connection type cable AD		
For models:	ECFT66, MINIMA ECFT 66		


foil heating elements



No.	416416	Ref. No.	01233602R
description	foil heating element L 240mm W 130mm 80W 230V with temperature limiter 80°C t.max.°C plastic cable length 1270mm thickness 0.5mm connection cable		



No.	416315	Ref. No.	01233501R 0123500R
description	heater mat L 470mm W 65mm 87W 230V with temperature limiter t.max. 80°C plastic cable length 3500mm		



No.	416314	Ref. No.	01943001R
description	heating element 110W 230V cable length 2500mm		

accessories

hexagonal nuts



No.	510247	Ref. No.	RTBF800319
description	hexagonal nut thread M54x1.5		
For models:	EF45, EF90		

retaining rings



No.	510244	Ref. No.	RTMIN00283
description	retaining ring shaft ø 60mm thickness 2mm steel DIN 471		
For models:	EF408, EF45, EF46, EF477, EF4772V, EF4772VT, EF477T, EF49, EF498, EF4982V, EF498L, EF498T, EF49T, EF66, EF777, EF777T, EF90, EF908, EF99, EF998, EF998L, EF998T, EF99T, MG7EF477, MG7EF4772V, MG7EF4772VT, MG7EF477T, MG7EF777, MG7EF777T, MINIMA EF 46, MINIMA EF 66		



No.	416546	Ref. No.	RIC0002063
description	radiation heater rectangular 2500W 230V L 452mm W 276mm heating circuits 1 connections 2 connection type cable AD ceramic griddle		
For models:	ECFT46, ECFT66, MINIMA ECFT 46, MINIMA ECFT 66		

1-circuit



No.	490113	Ref. No.	RIC0001040 RIC0001295
description	radiation heater ø 200mm 1800W 230V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		
For models:	EVC26, EVC27, EVC277, EVC46, EVC47, EVC477, EVC4F7, EVC4F77, MG7EVC277, MG7EVC477, MG7EVC4F77, MINIMA EVC26, MINIMA EVC46, OMNIA EVC27, OMNIA EVC47, OMNIA EVC4F7		


2-circuit




No.	490139	Ref. No.	RIC0001294
description	radiation heater ø 250mm 2500W 230V heating circuits 2 energy regulation with temperature signalization partial power 1000W with ribbon heater connections 3+2 connection type male faston 6.3mm EGO		
For models:	EVC26, EVC277, EVC46, EVC477, EVC4F77, MG7EVC277, MG7EVC477, MG7EVC4F77		




No.	490118	Ref. No.	RIC0001041
description	radiation heater ø 250mm 2500W heating circuits 2 partial power 1000W		
For models:	EVC27, EVC47, EVC4F7, MINIMA EVC26, MINIMA EVC46, OMNIA EVC27, OMNIA EVC47, OMNIA EVC4F7		

sealing washers
fibre gaskets



No.	510417	Ref. No.	437002
description	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
For models:	LF500, LK1000		




No.	540796	Ref. No.	RTCP900025
description	gasket fibre ED ø 60mm ID ø 50mm thickness 2mm for outlet tap Qty 1 pcs		
For models:	CP100, CP100A, CP150, CP150A, CPI100, CPI100A, CPI150, CPI150A, E100, E100A, E100I, E100IA, E150, E150A, E150I, E150IA, G100, G100A, G100I, G100IA, G150, G150A, G150I, G150IA, G175, G175I		

O-rings



No.	510893	Ref. No.	456015
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	LB145, LB425, LB45, LB450, LF50, LF500, LF55E, LF59, LK1000, LK621, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV, LS520		




No.	510072	Ref. No.	456016
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	GOLD74, LB140, LB35, LB40, LB40E, LB45, LF50, LF500, LF55, LF550, LF551, LF55E, LF56, LF59, LF60, LK100, LK1000, LK100EM, LK110, LK130, LK611, LKD130, LO80, LO80H, LOD202, LOD302, LOD80, LOD80H, LP80, LS505		




No.	521120	Ref. No.	456075
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	KLB40, LB350, LB355, LB400, LB405, LB411, LB411A, LB422, LB425, LB450		



No.	510408	Ref. No.	456002 456079 REB456002
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	BETA50, BETA53, GOLD74, L600, L61, L62, L63, L64, LB425, LBD40, LF55, LF550, LF551, LF55E, LF59, LFD60, LK100, LK1000, LK100EM, LK1010, LK110, LK1100, LK130, LK1300, LK600, LK605, LK611, LK620, LK621, LK622, LK622I, LK625, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD102, LOD155, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LOD65, LOD80, LOD80H...(Other models you can see in the webshop)		




No.	510409	Ref. No.	167956 929046 CGG55
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	E100I9N, E100IT9N, E150I9N, E150IT9N, FEM107, FEM108, FEM108EL, FEM110, FEM110L, FEM207, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM67, FEM68, FEM68EL, FEMD108, FEMD108EL, FEMD68, FEMD68EL, LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91		



No.	510245	Ref. No.	RTBF800320
description	O-ring Viton thickness 3.53mm ID ø 50.8mm Qty 1 pcs		
For models:	EF45, EF90		



			
No.	510243	Ref. No.	RTBF800321 RTCU700565
description	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		
For models:	EF408, EF45, EF46, EF47, EF472V, EF472VT, EF477, EF4772V, EF4772VT, EF477T, EF47T, EF49, EF498, EF4982V, EF498L, EF498T, EF49T, EF66, EF77, EF777, EF777T, EF77T, EF90, EF908, EF99, EF998, EF998L, EF998T, EF99T, MG7EF477, MG7EF4772V, MG7EF4772VT, MG7EF477T, MG7EF777, MG7EF777T, MINIMA EF 46, MINIMA EF 66, OMNIA EF 47, OMNIA EF 47T, OMNIA EF 77, OMNIA EF 77T, OMNIA EF472V		

flange gaskets



1

No.	510387	Ref. No.	437086
description	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
For models:	KLB40, LB135, LB140, LB35, LB350, LB355, LB35C, LB40, LB400, LB405, LB40E, LB411, LB411A, LB422, LB425, LB42BT-UK, LBD40, LBDX40, LK600, LK605, LS505M, LS505T, LS522, LS525		
accessories for	510387		



No.	510388	Ref. No.	—
counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm			

			
No.	521128	Ref. No.	437048
description	gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK		
For models:	LB135, LB140, LB145, LF50, LF500		

spring clips			
			
No.	550258	Ref. No.	162111
description	probe clip for pipe ø 8mm for probe ø 6mm		
For models:	FG15M, FG20M, GF15+15S, GF15S, GF25+25S, GF25S		

protection caps			
			
No.	510093	Ref. No.	467002 69870
description	protection cap		
For models:	LBD40, LF55, LF550, LF551, LF55E, LF59, LFD60, LK1000, LK600, LK605, LK620, LK621, LK625, LO155, LO65, LO80, LO80H, LO93, LOD102, LOD155, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LOD65, LOD80, LOD93, LP80, LP800-00-092, LP92, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV...(Other models you can see in the webshop)		

			
No.	520876	Ref. No.	463007
description	protection cap for heating element ø 11.5mm H 32mm W 25mm plastic		
For models:	LB135, LB140, LB145, LB35, LB35C, LB40, LB40E, LB45, LB450, LF50, LF500, LF55E, LF59, LK1000, LO80, LO80H, LOD80, LOD80H, LP80, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV, LS520		

			
No.	504790	Ref. No.	165587
description	extension for thermowell thread M10x1 L 75mm hole ø 6.5mm brass		
For models:	FG15M, FG20M, GF15+15S, GF15S, GF25+25S, GF25S, GF4772VB, GF4772VS		

hot plates

square & rectangular

with radiused edge

			
No.	490066 ¹	Ref. No.	RTCU700248
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	E27, E277Q, E27Q, E2A77Q, E47, E477Q, E47Q, E4A77Q, E4F7, E4F77Q, E4F7Q, E67, E677Q, E67Q, E6A77Q, E6FA7, E6FA77Q, E6FA7Q, MG7E277Q, MG7E2A77Q, MG7E477Q, MG7E4A77Q, MG7E4F77Q, MG7E6A77Q, MG7E6FA77Q, OMNIA E27Q, OMNIA E47Q, OMNIA E4F7, OMNIA E4F7Q, OMNIA E67Q, OMNIA E6FA7, OMNIA E6FA7Q		

¹incl. protector

 			
1			
No.	490056 ¹	Ref. No.	RTCU800115
description	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	E29, E298AQ, E298Q, E29Q, E2A, E2AR, E498AQ, E498Q, E49Q, E4A, E4A8, E4AR, E4F, E4F8, E4F98Q, E4F9Q, E698AQ, E698Q, E69Q, E6A, E6AR, E6FA, E6FA8, E6FA98Q, E6FA9Q, E6FAR, E6FM8		

¹incl. protector

 			
1			
No.	490071 ¹	Ref. No.	RTCU800116 RTCU800118
description	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	E498AQ, E498Q, E49Q, E4A, E4A8, E4AR, E4F, E4F8, E4F98Q, E4F9Q, E698AQ, E698Q, E69Q, E6A, E6AR, E6FA, E6FA8, E6FA98Q, E6FA9Q, E6FAR, E6FM8		

¹incl. protector

round

with radiused edge

for domestic and commercial kitchens

 			
1			
No.	490010	Ref. No.	53.7.0021.00
description	hot plate ø 145mm 1000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	6PC61EM, 6PC62EM, 6PC62ET		

 			
1			
No.	490012	Ref. No.	RTCU700087
description	hot plate ø 145mm 1500W 230V connection 4 screw clamps with 8mm spill ring		
For models:	C4EF70, C6EF70, E26, E27, E277, E27Q, E2A77, E46, E47, E477, E47Q, E4A77, E4F6, E4F7, E4F77, E4F7Q, E66, E67, E67Q, E6F6, E6FA6, E6FA7, E6FA77, E6FA7Q, G6SF6, G6SFA6, G6SFE6, G6SFEA6, HE4F77, MG7E2A77, MG7E477, MG7E4A77, MG7E4F77, MG7E6A77, MINIMA E26, MINIMA E46, MINIMA E4F6, MINIMA E66, MINIMA E6F6, MINIMA E6FA6, OMNIA E27, OMNIA E47, OMNIA E4F7, OMNIA E4F7Q, OMNIA E67, OMNIA E6FA7, OMNIA E6FA7Q		

 			
1			
No.	490014	Ref. No.	53.7.0022.00
description	hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring		
For models:	6PC61EM, 6PC62EM, 6PC62ET		

 			
1			
No.	490020	Ref. No.	RTCU700086
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring		
For models:	C4EF70, C6EF70, E26, E27, E277, E27Q, E2A77, E46, E47, E477, E47Q, E4A77, E4F6, E4F7, E4F77, E4F7Q, E66, E67, E67Q, E6F6, E6FA6, E6FA7, E6FA77, E6FA7Q, G6SF6, G6SFA6, G6SFE6, G6SFEA6, HE4F77, MG7E2A77, MG7E477, MG7E4A77, MG7E4F77, MG7E6A77, MINIMA E26, MINIMA E46, MINIMA E4F6, MINIMA E66, MINIMA E6F6, MINIMA E6FA6, OMNIA E27, OMNIA E47, OMNIA E4F7, OMNIA E4F7Q, OMNIA E67, OMNIA E6FA7, OMNIA E6FA7Q		
accessories for	490020		
		No.	550796
		Ref. No.	—
	fixing plate for hot plate ø220mm		

 			
1			
No.	490062	Ref. No.	160369
description	hot plate ø 300mm 3500W 220V connection 4 screw clamps with 8mm spill ring		
For models:	E29, E49, E4F9, E69, E6FA9		

accessories

miscellaneous

 			
1			
No.	490111	Ref. No.	RTCU700083
description	cover for hot plate ø 237mm		
For models:	C4EF70, C6EF70, E26, E27, E277, E27Q, E2A77, E46, E47, E477, E47Q, E4A77, E4A77Q, E4F6, E4F7, E4F77, E4F7Q, E66, E67, E67Q, E6F6, E6FA6, E6FA7, E6FA77, E6FA7Q, G6SF6, G6SFA6, G6SFE6, G6SFEA6, HE4F77, MG7E2A77, MG7E477, MG7E4A77, MG7E4F77, MG7E6A77		



energy regulators

EGO

1-circuit



1

No.	380015	Ref. No.	RTCU800066
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	ECC46, EPL46, EPL66, FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM100, FEM101, FEM200, FEM201, FEMD023, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100... (Other models you can see in the webshop)		



1

No.	380019	Ref. No.	RIC0001299
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		
For models:	EVC26, EVC27, EVC46, EVC47, EVC4F77, MG7EVC27, MG7EVC47, MG7EVC4F77, MINIMA EVC26, MINIMA EVC46, OMNIA EVC27, OMNIA EVC47		

2-circuit



1

No.	380024	Ref. No.	RIC0001010 RIC0001044 RIC0001045
description	energy regulator 240V 13A turn direction right shaft ø 6x4.6mm shaft L 36mm mounting thread M4 no. 50.67079.601 with operation switch 1-pole		
For models:	EVC26, EVC27, EVC277, EVC46, EVC47, EVC477, EVC4F7, EVC4F77, MG7EVC27, MG7EVC47, MG7EVC4F77, MINIMA EVC26, MINIMA EVC46, OMNIA EVC27, OMNIA EVC47, OMNIA EVC4F7		

thermostats

bi-metal thermostats

safety bi-metal thermostats



1

No.	390233	Ref. No.	236039 926189 DRT140
description	bi-metal safety thermostat hole distance 24mm switch-off temp. 110°C 1NC 1-pole 16A connection F6.3 2 hole fixing without holder		
For models:	GOLD74, KLB40, L600, L61, L62, L63, L64, LB135, LB140, LB145, LB35, LB350, LB355, LB35C, LB40, LB400, LB405, LB40E, LB411, LB411A, LB45, LB450, LBD40, LF50, LF500, LF55, LF55E, LF56, LF59, LF60, LFD50, LFD60, LK100, LK1000, LK100EM, LK1010, LK110, LK1100, LK130, LK1300, LK600, LK605, LK611, LK620, LK621, LK622, LK622I, LK625, LKD130, LKDX110... (Other models you can see in the web-shop)		
accessories for	390233		
	No.	504736	Ref. No. —
bracket for contact thermostat			
	No.	550388	Ref. No. —
bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8			

1

No.	390590	Ref. No.	C23114
description	bi-metal safety thermostat hole distance 24mm switch-off temp. °C 1NC 1-pole AV connection plug 2 hole fixing		
For models:	CB955A, CB955W, ICE45W		



1

No.	390459	Ref. No.	236053
description	bi-metal safety thermostat hole distance mm switch-off temp. 200°C 1NC 1-pole 16A connection F6.3 M4		
For models:	LF56, LF60, LFD50, LFDX50, LS520-CRP, LS521, LS521-CRP-SP		



1

No.	390526	Ref. No.	012728-00 01272800R
description	bi-metal safety thermostat hole distance mm switch-off temp. 25°C 1NO 1-pole AV connection F6.3		

			
No.	390959	Ref. No.	2LT135
description	bi-metal safety thermostat switch-off temp. 60°C 1-pole connection F6.3		
For models:	KF165W, KF185W, KL030W		

			
No.	390318	Ref. No.	236047
description	bi-metal safety thermostat switch-off temp. 95°C 1-pole 2 hole fixing		
For models:	KLB40, LB135, LB140, LB35, LB350, LB355, LB35C, LB40, LB400, LB405, LB40E, LB411, LB411A, LB422, LB425, LB42BT-UK, LBD40, LBDX40, LFDX50, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505M, LS505T, LS511, LS511A, LS511PV, LS520, LS520-CRP, LS521, LS521-CRP-SP, LS522, LS525		

bi-metal thermostats

			
No.	390301	Ref. No.	236035
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 60°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	LB135, LB140, LB355, LB405, LK600, LK605		

			
No.	390319	Ref. No.	236048
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 80°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	LB135, LB140, LB355, LB405, LB422, LB425, LK600		

			
No.	390504	Ref. No.	236052
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 90°C 1NO 1-pole 16A 250V connection F6.3 2 hole fixing probe ø 16mm		
For models:	LK600, LK605, LS505M, LS505T, LS522, LS525		

			
No.	390129	Ref. No.	236056
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 125°C 1NC 1-pole 16A connection F6.3 M4		
For models:	LFD50, LFDX50, LS520-CRP, LS521, LS521-CRP-SP		

control and safety thermostats

EGO

control thermostats

51._ series


			
No.	375347	Ref. No.	RTCU700609
description	thermostat t.max. 175°C temperature range 95-175°C 1-pole capillary pipe isolated gland nut shaft ø 6x4.6mm		
For models:	EF45, EF46, EF47, EF472V, EF47T, EF49, EF49T, EF66, EF77, EF77T, EF90, EF99, EF99T, MINIMA EF 46, MINIMA EF 66, OMNIA EF 47T, OMNIA EF 77T		

			
No.	375334	Ref. No.	RTBF800152
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	E2AR, E4AR, E6AR, E6FAR, EBM408, EBM45, EBM46, EBM47, EBM477, EBM498T, EBM49T, EBM77, EBM777, EBMA477, EBMA498, EBMA777, MG7EBM477, MG7EBMA477, MINIMA EBM 46, MINIMA EBM 66, OMNIA EBM 47, OMNIA EBM 77		

55.10/19_series




No.	375777	Ref. No.	161791
description	thermostat t.max. 180°C temperature range 70-180°C 1-pole 1NO 16A probe ø 6mm probe L 87mm capillary pipe 600mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	EF12+12B, EF12+12S, EF12B, EF12S, EF20BP, EF25+25S, EF25S, EF6+6BM, EF60BP, EF6BM, EF8+8B, EF8B, EF8BM		



No.	375765	Ref. No.	166488
description	thermostat t.max. 180°C temperature range 95-180°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 800mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	EF12+12B, EF12+12S, EF12B, EF12S, EF20BP, EF25+25S, EF25S, EF477, EF4772V, EF4772VT, EF477T, EF60BP, EF777, EF777T, EF8+8B, EF8B, MINIMA EF 46, MINIMA EF 66, OMNIA EF 47, OMNIA EF 47T, OMNIA EF 77, OMNIA EF 77T, OMNIA EF472V		



No.	375922	Ref. No.	173501
description	thermostat t.max. 185°C temperature range 101-185°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolated 520mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper		
For models:	GF408N, GF908N		



No.	390046	Ref. No.	53.7.0006.00
description	thermostat t.max. 190°C temperature range 104-190°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position lower rotation 270° probe material SS		
For models:	6FQ61E, 6FQ62E		




No.	375983	Ref. No.	RTFOC00698
description	thermostat t.max. 262°C temperature range 50-255°C 1-pole 1NO 16A probe ø 3mm probe L 230mm capillary pipe 900mm capillary pipe isolated 350mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FCE 10, JOKER FCE 10 AB 2002, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002		




No.	375653	Ref. No.	RTFOC00646
description	thermostat t.max. 262°C temperature range 58-258°C 1-pole 1NO 16A probe ø 3mm probe L 226mm capillary pipe 870mm capillary pipe isolated 330mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	EMT477, EMT777, FEC023, FEMD023, G2SF6G, G3SF6G, PLANET FEC023, PLANET FEMD023		

			
No.	375652	Ref. No.	RTFOC00698
description	thermostat t.max. 266°C temperature range 50-255°C 1-pole 1NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 350mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

			
No.	375354	Ref. No.	RTCU600186
description	thermostat t.max. 270°C temperature range 50-270°C 1-pole 1NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	E4F6, E6F6, E6FA6, G4SFE6, G6SFE6, G6SFEA6, MINIMA E4F6, MINIMA E6F6, MINIMA E6FA6, MINIMA G4SFE6, MINIMA G6SFE6, MINIMA G6SFEA6		

			
No.	375002	Ref. No.	RTCU700455
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	EF07V, EFO7V, OMNIA EF07V		

			
No.	375232	Ref. No.	53.7.0016.00 RTCU700085
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole capillary pipe isolatedmm gland nut		
For models:	6FT61E, 6FT62E, C4EF70, C6EF70, E4F, E6FAR, EBR, EBR7, EBR77, EBR8, EBR9T, EBRA, EBRA9T, EBRAVI, EBRAVI9T, EBRI7, EBRI77, EBRVC98, EBRVC98T, EBRVI, EBRVI8, EBRVI98, EBRVI98T, EBRVI9T, EF0V77, EFT47L, EFT47LC, EFT47R, EFT47RC, EFT77L, EFT77LC, EFT77LR, EFT77LRC, EFT77R, EFT77RC, EFT90L, EFT90LC, EFT90LR, EFT90LRC, EFT90R, EFT90RC, G4SFE, G4SFEV77, G6SFEA, G8SF2, G8SF2E, GBR, GBR8, GBR9T, GBR... (Other models you can see in the webshop)		

			
No.	375332	Ref. No.	RTFOC00275
description	thermostat t.max. 55°C temperature range fixed 55°C 1-pole 1CO 16A probe ø 9/15mm probe L 22mm capillary pipe 1500mm capillary pipe isolated 800mm gland nut		
For models:	FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM200, FEM201, FEM202, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM062, FGM100, FGM101, FGM102, FGM200, FGM201, FGM202, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061... (Other models you can see in the webshop)		

			
No.	375381	Ref. No.	3700002
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 2000mm capillary pipe isolated 2000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	BC2G, BC3G, BC4G, BC6G		


E·G·O



1

No.	375231	Ref. No.	53.7.0015.00
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 600mm gland nut M9x1 shaft L 18mm shaft position upper rotation 270°		
For models:	6BM61EM, 6BM62EM, 6BM62ET, 6BS61EM, 6BS62EM, 6CP61EM, 6CP62ET		

E·G·O



1

No.	375654	Ref. No.	RTFOC00670
description	thermostat t.max. 99°C temperature range fixed 99°C 1-pole 1CO 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolated 900mm gland nut		
For models:	FEMD023, PLANET FEMD023		

55.13_ series

E·G·O



1

No.	375492	Ref. No.	RTBF800163
description	thermostat t.max. 190°C temperature range 94-190°C 1-pole 1NO 16A probe ø 6mm probe L 94mm capillary pipe 1090mm capillary pipe isolated 960mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310° probe material SS		
For models:	EF45, EF90		

55.14_ series

E·G·O



1

No.	390001	Ref. No.	DRT130B	
description	thermostat t.max. 58°C temperature range fixed 58°C 1-pole 1NC 16A probe ø 11mm probe L 35mm capillary pipe 580mm capillary pipe isolated 580mm gland nut shaft Lmm shaft position° shaft position screw-in probe probe thread M14x1			
For models:	BETA50, BETA53			
accessories for	390001			
	No.	510417	Ref. No.	437002
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	550261	Ref. No.	—
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			

55.34_ series

1

No.	375236	Ref. No.	RTFOC00032
description	thermostat capillary pipe isolatedmm gland nut		
For models:	FEC060, FEC100, FEM060, FEM061, FEM100, FEM101, FEMD060, FEMD061, FEMD100, FEMD101, FEP050, FEP080, FGC060, FGC100, FGM060, FGM061, FGM100, FGM101, FGMD060, FGMD061, FGMD100, FGMD101, FGP050, FGP080, FMM060, FMM061, FMM100, FMM101		


E·G·O



1

No.	375385	Ref. No.	53401031820
description	thermostat t.max. 180°C temperature range 100-180°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 2000mm capillary pipe isolated 1800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		


E.G.O



1

No.	375587	Ref. No.	164332 RTBF600067
description	thermostat t.max. 285°C temperature range 100-285°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 1150mm capillary pipe isolated 1130mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	E4F, E4F9, E4F9Q, E6FA, E6FA9, E6FA9Q, EF09, EFB09, G4SFE, G4SFE9, G6SFEA, G6SFEA9		

E.G.O



1

No.	375355	Ref. No.	RTCU600067
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	E4F7, E4F77, E4F77Q, E4F7Q, E4F8, E4F98Q, E4FP77Q, E4FP8, E6FA7, E6FA77, E6FA77Q, E6FA7Q, E6FA8, E6FA98Q, EBR6, EF07, EF077, EFO7, EFT106L, EFT106LC, EFT106LR, EFT106LRC, EFT408L, EFT408LC, EFT408LR, EFT45L, EFT45LC, EFT45R, EFT45RC, EFT46L, EFT46LC, EFT46R, EFT46RC, EFT477L, EFT477LC, EFT477R, EFT477RC, EFT47L, EFT47LC, EFT47R, EFT47RC, EFT498L, EFT498LC, EFT498R, EFT49L, EFT49LC, EFT49R, EFT49RC, EFT66L, EFT66LC...(Other models you can see in the webshop)		

E.G.O



1

No.	375411	Ref. No.	160561 53.7.0008.00
description	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3NO 16A probe ø 6mm probe L 129mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	6BM61EM, 6BM62EM, 6BM62ET, 6CP61EM, 6CP62ET, EBM90, EBM908, EBM998T, EBM99T, EBMA998		

55.40_ series

E.G.O



1

No.	375185	Ref. No.	RTCU900257
description	thermostat t.max. 320°C temperature range 53-320°C 4-pole 4NO 16A probe ø 3.9mm probe L 228mm capillary pipe 880mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	EFT45L, EFT45LC, EFT45R, EFT45RC, EFT90L, EFT90LC, EFT90LR, EFT90LRC, EFT90R, EFT90RC		

63_ series

E.G.O




1

No.	375348	Ref. No.	RTTAV00001
description	thermostat t.max. 90°C temperature range 30-90°C 3-pole capillary pipe isolatedmm gland nut		
For models:	EBM90		

safety thermostats

55.10/19_ series

E.G.O



1


No.	375651	Ref. No.	RTFOC00038
description	safety thermostat capillary pipe 670mm probe ø 6mm 1-pole probe L 77mm 16A capillary pipe isolated 650mm gland nut M10x1 switch-off temp. 350°C probe		
For models:	FCE6, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM200, FEM201, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC100, FGP050, FGP080, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FCE 10, JOKER FCE 10 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM107 SC, JOKER FEM109, JOKER FEM109 AB 2002, JOKER FEM207 SC, JOKER FEM209, JOKER FEMD 67 SC, JOKER FEMD 69, JOKER FEMD107 SC, JOKER FEMD109, JOKER FEMD207 SC, JOKER FEMD209, JOKER FEP050, JOKER FEP050 AB 2002...(Other models you can see in the webshop)		

E·G·O



No.	375676	Ref. No.	RTFOC00173
description	safety thermostat capillary pipe 870mm probe ø 3.1mm 1-pole probe L 226mm 16A capillary pipe isolated 870mm gland nut switch-off temp. 120°C probe SS		

E·G·O




No.	375655	Ref. No.	RTFOC00231
description	safety thermostat capillary pipe 900mm probe ø 3mm 1-pole probe L 174mm 0.5A capillary pipe isolated 900mm gland nut switch-off temp. 300°C probe		
For models:	FEM107, FEM207, FGM100, FGM101, FGM102, FGM107, FGM107SC, FGM108, FGM108EL, FGM109, FGM110, FGM110L, FGM200, FGM201, FGM202, FGM207, FGM207SC, FGM209, FGM610, FGM610L, FGM67, FGM67SC, FGM68, FGM68EL, FGM69, FGM69D108, FGM69D108EL, FGM69D68, FGM69D68EL, FMM100, FMM101, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109, JOKER FGM207 SC, JOKER FGM209		

E·G·O



No.	375200	Ref. No.	236029 REF236029
description	safety thermostat capillary pipe 900mm probe ø 6mm 1-pole probe L 130mm 0.5A capillary pipe isolatedmm gland nut switch-off temp. 235°C probe		

E·G·O



No.	375886	Ref. No.	RTCP800067
description	safety thermostat switch-off temp. 140°C 1-pole 1NC 0.5A probe ø 3mm probe L 226mm capillary pipe 900mm capillary pipe isolated 840mm gland nut probe probe material SS		
For models:	G100, G100A, G100I, G100IB, G100I9, G100I98, G100I9N, G100IA, G100IT9, G100IT9N, G150, G150A, G150I, G150IB, G150I9, G150I98, G150I9N, G150IA, G150IT9, G150IT98, G150IT9N, G175I, G50I7, G50I77, OMNIA G50I7		


E·G·O



No.	375339	Ref. No.	RTBF900094
description	safety thermostat switch-off temp. 225°C 1-pole 0.5A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolatedmm gland nut M10x1 probe		
For models:	EF6+6BM, EF6BM, EF8B, EF8BM, FG15, FG15+15, FG15M, FG20M, GF15+15S, GF15S, GF25+25S, GF25S, GF45, GF46, GF47, GF472V, GF477TS, GF49, GF49T, GF66, GF77, GF777TS, GF90, GF90-1, GF99, GF99T, MINIMA GF 46, MINIMA GF 66, OMNIA GF 47, OMNIA GF 47T, OMNIA GF 77, OMNIA GF 77T, OMNIA GF472V		

accessories for	375339		
	No.	551083	Ref. No.
cap for safety thermostat thread M8x1			—

E·G·O



No.	375233	Ref. No.	53.7.0013.00
description	safety thermostat switch-off temp. 235°C 1-pole 16A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolated 830mm gland nut probe SS		
For models:	6FQ61E, 6FQ62E		
accessories for	375233		
	No.	102067	Ref. No.
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			53.3.0098.00 9404701700

Table continues overleaf


accessories for	375233			
	No.	551083	Ref. No.	—
	cap for safety thermostat thread M8x1			


1

No.	375656	Ref. No.	RTBF800076
description	safety thermostat switch-off temp. 360°C 1-pole 0.5A probe ø 3.1mm probe L 201mm capillary pipe 900mm capillary pipe isolated 870mm gland nut probe SS		
For models:	EBR8, EBRVC98, EBRV18, EBRV198, FGM110, FGM110L, FGM207, FGM207SC, FGM210, FGM210L, FGM610, FGM610L, G2SF6G, G3SF6G, G4SF8, G4SF98, G4SF98P, G6SFA8, G6SFA98, GBR, GBR7, GBR77, GBR8, GBR9T, GBRA, GBRA9T, GBRAVI, GBRAVI9T, GBRI7, GBRI77, GBRVC98, GBRVC98T, GBRVI, GBRVI8, GBRVI98, GBRVI98T, GBRVI9T, GT2SDF8, GTF8, GTF98, MG7GBR77, MG7GBRI77, OMNIA GBR7, OMNIA GBRI7		

1


No.	375968	Ref. No.	RTFOC00483
description	safety thermostat switch-off temp. 360°C 1-pole 1NC 16A probe ø 6mm probe L 77mm capillary pipe 870mm capillary pipe isolated 660mm gland nut M10x1 probe probe material SS M8x1		
For models:	FCE10, FCE20, FCE6, FCG10, FCG20, FCG6, FEM107, FEM107SC, FEM109, FEM110, FEM110L, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM67, FEM67SC, FEM69, FEMD107, FEMD107SC, FEMD109, FEMD207, FEMD207SC, FEMD209, FEMD67, FEMD67SC, FEMD69, FEP050, FEP080, FEP160, FGM107, FGM107SC, FGM109, FGM110, FGM110L, FGM207, FGM207SC, FGM209, FGM210, FGM210L, FGM610, FGM610L, FGM67...(Other models you can see in the webshop)		

55.11_ series			
			
			
No.	375767	Ref. No.	3700014
description	safety thermostat switch-off temp. 170°C 1-pole 16A probe ø 3.1mm probe L 160mm capillary pipe 650mm capillary pipe isolated 600mm gland nut probe		
For models:	BC3G, BC4G, BC6G, EC11803		

55.32_ series			
			
			
No.	375333	Ref. No.	RTCP900074
description	safety thermostat switch-off temp. 135°C 3-pole 20A probe ø 3.1mm probe L 225mm capillary pipe 890mm capillary pipe isolated 890mm gland nut probe SS		
For models:	E100I, E100I8, E100I9, E100I98, E100I9N, E100IA, E100IT9, E100IT9N, E150I, E150I8, E150I9, E150I98, E150I9N, E150IA, E150IT9, E150IT9N, E50I7, E50I77, EC408-SC, EC45, EC477, EC477-SC, EC49, EC498-SC, EC498T-SC, EC49T, EC66, EC777, EC777-SC, EC777T, EC902V, EC9082V-SC, EC992V, EC992VT, EC9982V-SC, EC9982VT-SC, LX7EC4, MG7E50I77, MG7EC477-SC, MG7EC777-SC, MINIMA EC 66		

			
			
No.	375375	Ref. No.	RTBF900081
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		

E.G.O



1

No.	375258	Ref. No.	182253 RTBF800164
description	safety thermostat switch-off temp. 232°C 3-pole 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		
For models:	EF12+12B, EF12+12S, EF12B, EF12S, EF20BP, EF25+25S, EF25S, EF45, EF46, EF47, EF472V, EF472VT, EF477, EF4772V, EF4772VT, EF477T, EF47T, EF49, EF49T, EF60BP, EF66, EF77, EF777, EF777T, EF77T, EF8+8B, EF8B, EF90, EF99, EF99T, MINIMA EF 46, MINIMA EF 66, OMNIA EF 47, OMNIA EF 47T, OMNIA EF 77, OMNIA EF472V, OMNIA EF472VT		

E.G.O



1

No.	375393	Ref. No.	53.7.0014.00
description	safety thermostat switch-off temp. 235°C 3-pole 1CO/2NC 20A probe ø 6mm probe L 87mm capillary pipe 1790mm capillary pipe isolated 1710mm gland nut M9x1 probe SS		
For models:	6FQ61E, 6FQ62E		


E.G.O



1

No.	375228	Ref. No.	RTCU800152
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 3mm probe L 188mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	E4F, E4F77, E4F77Q, E4F8, E4F9, E4F98Q, E4F9Q, E4FP77Q, E4FP8, E6FA, E6FA77, E6FA77Q, E6FA8, E6FA9, E6FA98Q, E6FA9Q, EBM66, EBM90, EBR7, EBRI7, EF077, EF09, EFB09, EFT408L, EFT408LC, EFT408LR, EFT45L, EFT45LC, EFT45R, EFT45RC, EFT498L, EFT498LC, EFT498R, EFT49L, EFT49LC, EFT49R, EFT49RC, EFT908L, EFT908LC, EFT908LR, EFT908LRC, EFT908R, EFT90L, EFT90LC, EFT90LR, EFT90LRC, EFT90R, EFT90RC, EFT998L, EFT998LC...(Other models you can see in the webshop)		

E.G.O



1

No.	390181	Ref. No.	RTBF800192
description	safety thermostat switch-off temp. 420°C 3-pole 20A probe ø 3.9mm probe L 306mm capillary pipe 870mm capillary pipe isolated 850mm gland nut probe SS		
For models:	EBR, EBR7, EBR77, EBR9T, EBRA, EBRA9T, EBRAVI, EBRAVI9T, EBRI7, EBRI77, EBRVC98T, EBRVI, EBRVI98T, EBRVI9T, MG7EBR77, MG7EBRI77, OMNIA EBR7, OMNIA EBRI7		

56._ series

E.G.O




1

No.	390851	Ref. No.	236015
description	safety thermostat set switch-off temp. 225°C 1-pole NC 0.5A probe ø 6mm probe L 80mm capillary pipe 900mm capillary pipe isolated 450mm gland nut M10x1		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats




1

No.	390008	Ref. No.	019310-00 01931000R	
description	thermostat t.max. 210°C temperature range 64-210°C 1-pole 1CO 16A probe ø 5mm probe L 100mm capillary pipe 1000mm capillary pipe isolatedmm gland nut shaft L 19mm rotation 270° probe material copper			
accessories for	390008			
	No.	110102	Ref. No.	—
	knob thermostat t.max. 210°C 40-210°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black			

			
No.	390421	Ref. No.	929107 DRT13B
description	thermostat t.max. 85°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolated 1450mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	BETA50, BETA53, L600, L61, L62, L63, L64, LK1000, LK100EM, LK1010, LK1100, LK1300, LP155, LP80, LP80H, LP93, LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91, LTD212, S58		

			
No.	390005	Ref. No.	236014 926196
description	thermostat t.max. 85°C temperature range 25-85°C 1-pole 1CO 15A probe ø 11mm probe L 35mm capillary pipe 600mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 8mm shaft position upper° rotation 270° screw-in probe		
For models:	LK1000, LK100EM		
accessories for	390005		
	No.	510417	Ref. No. 437002
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	550261	Ref. No. —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		

			
No.	390310	Ref. No.	DRT141
description	thermostat t.max. 85°C temperature range fixed 55°C 1-pole 1CO 16A probe ø 9.5mm probe L 37mm capillary pipe 600mm capillary pipe isolated 540mm gland nut shaft ømm shaft Lmm shaft position rotation° screw-in probe probe thread 3/8" probe material SS		
For models:	L600, L61, L62, L63, L64, LK1000, LK1010, LK1100, LK1300, LP80, LP80H, S58		
accessories for	390310		
	No.	506024	Ref. No. —
	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
	No.	529349	Ref. No. 437030
	flat gasket FIBER ED ø 22mm ID ø 16.5mm thickness 2mm for thread 3/8" Qty 1 pcs		

			
No.	390006	Ref. No.	014688-00 01468800R 929044 DRT13L
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°		
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91		
accessories for	390006		
	No.	110100	Ref. No. 929042 CWM11
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		
	No.	110105	Ref. No. —
	rosette knob ø 42mm ø 56mm zero mark		


safety thermostats



No.	390770	Ref. No.	927057 DRT14
description	safety thermostat switch-off temp. 90-110°C 1-pole 1CO 16/0.5A probe ø 6.5mm probe L 90mm capillary pipe 2000mm capillary pipe isolated 1950mm gland nut probe		
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91, LTD209, LTD212, LTD216, LTD220, LTD316, LTD320, LTD326		

CAEM

control thermostats



No.	390777	Ref. No.	180498
description	thermostat t.max. 185°C temperature range 101-185°C 1-pole 1NC 16A probe ø 5mm probe L 107mm capillary pipe 950mm capillary pipe isolated 480mm gland nut M10x1 shaft ø 6x4.6mm shaft L 22mm rotation 270° 250V		
For models:	EF12+12B, EF12+12S, EF12B, EF12S, EF20BP, EF25+25S, EF25S, EF408, EF477, EF4772V, EF4772VT, EF477T, EF498, EF4982V, EF498L, EF498T, EF6+6BM, EF60BP, EF68BM, EF777, EF777T, EF8+8B, EF8B, EF88BM, EF908, EF998, EF998L, EF998T, MG7EF477, MG7EF4772V, MG7EF4772VT, MG7EF477T, MG7EF777, MG7EF777T		



No.	390672	Ref. No.	236042
description	thermostat t.max. 53°C temperature range fixed 53°C 1-pole 1CO 16A probe ø 9.5mm probe L 30mm capillary pipe 600mm capillary pipe isolated 540mm gland nut shaft Lmm screw-in probe probe thread M14x1		
For models:	KLB40, LB135, LB140, LB145, LB35, LB350, LB35C, LB40, LB400, LB45, LB450, LF50, LF500, LF59, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS520		
spare parts for	390672		
	No.	510417	Ref. No. 437002
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	550261	Ref. No. —
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			



No.	390686	Ref. No.	236043
description	thermostat t.max. 83°C temperature range°C 1-pole 1CO 20A probe ø 6mm probe L 90mm capillary pipe 630mm capillary pipe isolated 550mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	KLB40, LB135, LB140, LB145, LB35, LB350, LB35C, LB40, LB400, LB45, LB450, LF50, LF500, LF59, LK600, LK605, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS520		

safety thermostats



No.	390874	Ref. No.	RTFOC00173
description	safety thermostat switch-off temp. 123°C 1-pole 16A probe ø 3mm probe L 200mm capillary pipe 920mm capillary pipe isolated 770mm gland nut probe SS		
For models:	FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107, FEM107SC, FEM108, FEM108EL, FEM109, FEM110, FEM110L, FEM200, FEM201, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM610, FEM610L, FEM67, FEM67SC, FEM68, FEM68EL, FEM69, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FEP160, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM107 SC, JOKER FEM109, JOKER FEM109 AB 2002, JOKER FEM207 SC, JOKER FEM209		




No.	375996	Ref. No.	173768 180499 RIC0004363
description	safety thermostat switch-off temp. 225°C 1-pole 1NC 16A probe ø 5mm probe L 80mm capillary pipe 900mm capillary pipe isolated 410mm gland nut M10 probe SS 250V		
For models:	BGF777B, EF6+6BM, EF68BM, EF88BM, GF15+15S, GF15S, GF25+25S, GF25S, GF408, GF408N, GF477, GF4772V, GF4772VB, GF477B, GF477TS, GF498B, GF777, GF777B, GF777TS, GF908, GF908N, GF998B, MG7GF477, MG7GF4772V, MG7GF477TS, MG7GF777, MG7GF777TS		

			
No.	390962	Ref. No.	177060
description	safety thermostat switch-off temp. 350°C 1-pole 1NC 16A probe ø 6mm probe L 78mm capillary pipe 900mm capillary pipe isolated 650mm gland nut M10x1 probe SS probe material SS 250V		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE108, FCE68, FCG108, FCG68, FEM108, FEM108EL, FEM68, FEM68EL, FEMD108, FEMD108EL, FEMD48, FEMD68, FEMD68EL, FGM108, FGM108EL, FGM68, FGM68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		

PRODIGY / FIRT

safety thermostats

			
No.	375478	Ref. No.	927106 DRT25
description	safety thermostat switch-off temp. 200°C temperature range °C 1-pole 1CO 20A probe ø 3.3mm probe L 190mm capillary pipe 2150mm capillary pipe isolatedmm gland nut probe SS		
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91, LTD212		

refrigeration thermostats

universal without housing

			
No.	390534	Ref. No.	01272700R
description	thermostat temperature range -35 up to +35°C probe ø6x110mm capillary pipe 1800mm PRODIGY		
accessories for	390534		
	No.	110305	Ref. No.
			—

RANCO

K22 series

			
No.	390524	Ref. No.	23591 R23591
description	thermostat RANCO type K22L1082 probe ømm probe Lmm capillary pipe 2000mm temperature range -22 up to -3°C		
For models:	CB955A, CB955W, ICE45A, ICE45W		

			
No.	390207	Ref. No.	1LT020
description	thermostat RANCO type K22L2030 probe ø 2mm probe Lmm capillary pipe 2000mm temperature range -13 up to -4°C		
For models:	KF165A, KF185A, KL030A		

K50 series

			
No.	390271	Ref. No.	013475-00 01347500R
description	thermostat RANCO type K50L3078 probe ømm probe Lmm capillary pipe 2000mm temperature range -7 up to -3°C		

			
No.	390286	Ref. No.	23005 R23005
description	thermostat RANCO type K50L3383 probe ømm probe Lmm capillary pipe 1500mm temperature range +1 up to +3°C		
For models:	CB955A, CB955W, ICE45A, ICE45W		

RANCO



1

No.	390272	Ref. No.	013477-00 013477-00R
description	thermostat RANCO type K50P1117 probe Ømm probe Lmm capillary pipe 2000mm temperature range -32 up to -12°C		

RANCO



1

No.	390273	Ref. No.	013471-00 01347100R
description	thermostat RANCO type K50L3194 capillary pipe 1870mm temperature range +1 up to +3°C probe Ø10x40mm		

K59 series

RANCO



1

No.	390960	Ref. No.	1LT019
description	thermostat RANCO type K59L1045 probe Ø 2mm probe Lmm capillary pipe 2000mm icemaker		
For models:	KF165A, KF185A		

accessories

axis extensions



1

No.	551063	Ref. No.	163796
description	shaft extension L1 23mm total length 45mm shaft Ø 6mm Qty 1 pcs		

probe clips

spring clips

for thermostat



1

No.	550258	Ref. No.	162111
description	probe clip for pipe Ø 8mm for probe Ø 6mm		
For models:	FG15M, FG20M, GF15+15S, GF15S, GF25+25S, GF25S		

gland nut accessories

ducts



1

No.	550335	Ref. No.	53.3.0084.00
description	gland duct ET M14x1 IT M9x1 chrome-plated brass		
For models:	6BM61EM, 6BM62EM, 6FQ61E, 6FQ62E		

gaskets



1

No.	550982	Ref. No.	RTFOC00751
description	gasket graphite Ø 7.5mm L 7mm Qty 1 pcs for gland nut		
For models:	FEC023, FEMD023		

plunger sockets



1

No.	513031	Ref. No.	929038 DZP22
description	thermowell L 125mm SS single		
For models:	LT150, LT81, LTD101, LTD131, LTD171, LTD212, LTD316, LTD320, LTD326, LTDX172, LTDX222, LTDX272		



1

No.	550995	Ref. No.	999160
description	thermowell thread M14x1 ID Ø 5mm L 40mm SS Ø 9mm		
For models:	LF55E, LS511, LS511A, LS511PV		

connecting bows



1

No.	550060	Ref. No.	3700007 53.7.0012.00 RTBF900037 RTCU900112
description connecting bow long for thermostat Qty 1 pcs			
For models: ?AQE477, 6BM61EM, 6BM62EM, 6BM62ET, 6BS61EM, 6BS62EM, 6CP61EM, 6CP62ET, 6FQ61E, 6FQ62E, 6FT61E, 6FT62E, AQE777, BC2G, BC3G, BC4G, BC6G, E2AR, E4AR, E4F, E4F7, E4F7Q, E4F9, E4F9Q, E6AR, E6FA, E6FA7, E6FA7Q, E6FA9, E6FA9Q, E6FAR, E6FM, E6FM8, EBM408, EBM45, EBM498T, EBM49T, EBM777, EBM90, EBM908, EBM998T, EBM99T, EBMA498, EBMA777, EBMA998, EBR6, EBR8, EBRVC98, EBRVI8, EBRVI98...(Other models you can see in the webshop)			

switches and momentary switches

rocker/momentary rocker switches

30x11mm



1

No.	345381	Ref. No.	017462-00 01746200R
description rocker switch mounting measurements 30x11mm green 1NO/indicator light 24V 16A connection male faston 6.3mm			



1

No.	345382	Ref. No.	013473-00 01347300R
description rocker switch mounting measurements 30x11mm green 1NO/indicator light 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 85°C protection IP40			



1

No.	345386	Ref. No.	018153-00 01815300R
description rocker switch mounting measurements 30x11mm yellow 1NO 250V 16A time/main switch connection male faston 6.3mm ambient temperature max. 90°C protection IP40			



1

No.	345384	Ref. No.	013519-00 01351900R
description rocker switch mounting measurements 30x11mm yellow 1NO/indicator light 250V 16A 0-lighting connection male faston 6.3mm ambient temperature max. 90°C protection IP40			



1

No.	345383	Ref. No.	013474-00 01347400R
description rocker switch mounting measurements 30x11mm yellow 1NO/indicator light 250V 16A fan connection male faston 6.3mm ambient temperature max. 90°C protection IP40			

30x22mm



1

No.	301018	Ref. No.	3700102				
description momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65							
For models: EC11803							
accessories for 301018							
 <table> <tr> <th>No.</th><td>301036</td><th>Ref. No.</th><td>—</td></tr> </table> protective cover internal size 30x22mm for rocker switch mounting measurementsmm				No.	301036	Ref. No.	—
No.	301036	Ref. No.	—				



1

No.	301003	Ref. No.	01273100R				
description rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65							
For models: M140BTAG, M140BTHG, M140BTJG, M140TNAG, M140TNHG, M140TNJG, M70BTAG, M70BTHG, M70BTJG, M70TNAG, M70TNHG, M70TNJG							
accessories for 301003							
 <table> <tr> <th>No.</th><td>301036</td><th>Ref. No.</th><td>—</td></tr> </table> protective cover internal size 30x22mm for rocker switch mounting measurementsmm				No.	301036	Ref. No.	—
No.	301036	Ref. No.	—				

blank



1

No.	345982	Ref. No.	53.7.0017.00				
description rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap							
For models: 5RI61EM, 5RI62EM							
accessories for 345982							
 <table> <tr> <th>No.</th><td>301036</td><th>Ref. No.</th><td>—</td></tr> </table> protective cover internal size 30x22mm for rocker switch mounting measurementsmm				No.	301036	Ref. No.	—
No.	301036	Ref. No.	—				

labelled



1

No.	300125	Ref. No.	23327 3700100
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	CB955A, CB955W, EC11803, ICE45A, ICE45W		
accessories for	300125		
	No.	301036	Ref. No. —
	 protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

push/momentary push switches

20.6x16.4mm



1

No.	346595	Ref. No.	RTCU600189
description	momentary push switch mounting ø 20.6x16.4mm black 1NO 250V 16A ignition connection male faston 6.3mm ambient temperature max. 150/75°C protection IP40		
For models:	G4SF6, G4SFE6, G6SF6, G6SFA6, G6SFE6, G6SFEA6, MINIMA G4SF6, MINIMA G6SF6, MINIMA G6SFA6, MINIMA G6SFE6, MINIMA G6SFEA6		



1

No.	345663	Ref. No.	RTCU600187
description	push switch mounting measurements 20.6x16.4mm black 1NO 250V 16A lamp connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	G4SF6, G6SF6, G6SFA6, G6SFE6, G6SFEA6, MINIMA G4SF6, MINIMA G6SF6, MINIMA G6SFA6, MINIMA G6SFE6, MINIMA G6SFEA6		



1

No.	345667	Ref. No.	RTCU600188
description	push switch mounting ø 20.6x16.4mm black 1NO 250V 16A heating connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	G4SF6, G6SF6, G6SFA6, G6SFE6, G6SFEA6, MINIMA G4SF6, MINIMA G6SF6, MINIMA G6SFA6, MINIMA G6SFE6, MINIMA G6SFEA6		

28.5x28.5mm



1

No.	346373	Ref. No.	RTFOC00387
description	push switch mounting measurements 28.5x28.5mm grey/red 1NO 250V 16A with indicator connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEC065, FEC200, FEM200, FEM201, FEMD065, FEMD066, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC065, FGC200, FGM200, FGM201, FGMD065, FGMD066, FGMD200, FGMD201, FGP050, FGP080, FGP160, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FCE 10, JOKER FCE 10 AB 2002, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002, JOKER FEP160, JOKER FGP050, JOKER FGP050 AB 2002, JOKER FGP080, JOKER FGP080 AB 2002, JOKER FGP160		



1

No.	301179	Ref. No.	RTFOC00362
description	push switch mounting measurements 28.5x28.5mm grey/red 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator		
For models:	FEC065, FEC200, FEM200, FEM201, FEMD065, FEMD066, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC065, FGC200, FGM200, FGM201, FGMD065, FGMD066, FGMD200, FGMD201, FGP050, FGP080, FGP160, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002, JOKER FEP160, JOKER FGP050, JOKER FGP050 AB 2002, JOKER FGP080, JOKER FGP080 AB 2002, JOKER FGP160		

28.5x77.5mm



1

No.	345625	Ref. No.	DEP61
description	switch combination latching mounting measurements 28.5x77.5mm black 2CO/2NO/2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	L61, L62, L63, L64		



1

No.	345622	Ref. No.	DEP81
description	switch combination latching/latching/momentary mounting measurements 28.5x77.5mm black 2CO/2CO/2NO 250V 16A with indicator green/red connection male faston 6.3mm ambient temperature max. 150/75°C protection IP40		
For models:	S58		

accessories


push buttons



1			
No.	111758	Ref. No.	RTFOC00641 RTFOC00782
description	push button external size 23mm internal size 9mm black H 14mm		
For models:	FEC023, FEMD023, PLANET FEC023, PLANET FEMD023		

microswitches

lever actuated



1			
No.	345376	Ref. No.	01273000R
description	microswitch		



1			
No.	346182	Ref. No.	9353445500 RIC0002555
description	microswitch with lever 250V 10A 1CO connection male faston ambient temperature max. 85°C		
For models:	G4SF6, G4SFA6, G6SF6, G6SFA6, MINIMA G4SF6, MINIMA G6SF6, MINIMA G6SFA6		



1			
No.	345255	Ref. No.	161790
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 35mm L1 28mm ambient temperature max. 125°C mounting distance 22mm actuating force: 136g lever length 27mm		
For models:	EF12+12S, EF12S, EF20BP, EF25+25S, EF25S, EF60BP		



1			
No.	345742	Ref. No.	RTBF900277
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 55mm ambient temperature max. 120°C mounting distance 22mm actuating force: 75g lever length 46mm		
For models:	EF46, EF66, FEC023, FEMD023, MINIMA EF 46, MINIMA EF 66, PLANET FEC023, PLANET FEMD023		



1			
No.	345125	Ref. No.	927246 DEM11NT
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 25mm type C99ZP3 actuating force: 25g lever length 63.5mm		
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT81, LT91, LTD101, LTD131, LTD171, LTD209, LTD212, LTD216, LTD220, LTD316, LTD320, LTD326, LTDX172, LTDX222, LTDX272		

pin-plunger actuated



1			
No.	345105	Ref. No.	RTFOC00198
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black		
For models:	FEM062, FEM102, FEM109, FEM110, FEM110L, FEM200, FEM201, FEM202, FEM209, FEM210, FEM210L, FEM69, FEMD109, FEMD209, FEMD69, FGM062, FGM102, FGM109, FGM110, FGM110L, FGM200, FGM201, FGM202, FGM209, FGM210, FGM210L, FGM69, FGMD109, FGMD209, FGMD69, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM109, JOKER FEM109 AB 2002, JOKER FEM209, JOKER FEMD 69, JOKER FEMD109, JOKER FEMD209, JOKER FGM 69, JOKER FGM109, JOKER FGM209, JOKER FGMD 69, JOKER FGMD109, JOKER FGMD209		

M10



1			
No.	346369	Ref. No.	173204 RTFOC00711
description	microswitch with plunger thread M10x0.75 thread L 27mm 250V 16A 1CO connection male faston 6.3mm stroke 14mm mounting distance 22mm L 43mm L1 15mm L2 42mm ambient temperature max. 125°C type VRSRE1DA1 actuating force: 150g		
For models:	FCE10, FCE6, FCG10, FCG6, FEM107, FEM107SC, FEM109, FEM110, FEM110L, FEM610, FEM610L, FEM67, FEM67SC, FEM69, FEMD107, FEMD107SC, FEMD109, FEMD67, FEMD67SC, FEMD69, FEP050, FEP080, FGM107, FGM107SC, FGM109, FGM110, FGM110L, FGM610, FGM610L, FGM67, FGM67SC, FGM69, FGMD107, FGMD107SC, FGMD109, FGMD67, FGMD67SC, FGMD69, FGP050, FGP080, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FCE 10, JOKER FCE 10 AB 2002, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FEM 67 SC, JOKER FEM 69...(Other models you can see in the webshop)		

accessories for		346369		
	No.	100779	Ref. No.	—
		nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs		

			
1			
No.	345032	Ref. No.	RTFOC00035
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	EF45, EF477, EF4772V, EF4772VT, EF477T, EF49, EF49T, EF777, EF777T, EF90, EF99, EF99T, FCE20, FCG20, FEC060, FEC065, FEC100, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM110, FEM110L, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM610, FEM610L, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD207, FEMD207SC, FEMD209, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGM060, FGM061, FGM062...(Other models you can see in the webshop)		

with push button

switches with snap-fit

			
1			
No.	348008	Ref. No.	025063-00R
description	microswitch with push button 250V 2.5A 1NO/1NC connection male faston 2.8mm/6.3mm L 27mm L1 22mm ambient temperature max. 104°C actuating force: 180g		
For models:	M140BTA, M140BTAG, M140BTAH2, M140BTAP, M140BTH, M140BTHG, M140BTHH2, M140BTHP, M140BTJ, M140BTJG, M140BTJH2, M140BTJP, M140TNA, M140TNAG, M140TNAH2, M140TNAP, M140TNH, M140TNHG, M140TNHH2, M140TNHP, M140TNJ, M140TNJG, M140TNJH2, M140TNJP, M140TPJ, M140TPJH2, M70BTA, M70BTAG, M70BTAH, M70BTAP, M70BTH, M70BTHG, M70BTHH, M70BTHP, M70BTJ, M70BTJG, M70BTJH, M70BTJP, M70TNA, M70TNAG, M70TNAH, M70TNAP, M70TNH, M70TNHG, M70TNHH, M70TNHP, M70TNJ, M70TNJG, M70TNJH, M70TNJP...(Other models you can see in the webshop)		

roller actuated

roller 0°

			
1			
No.	346370	Ref. No.	RTBF800113
description	microswitch with roller plunger 230V 16A 1CO connection screw L1 49mm ambient temperature max. 125°C thread L 14mm thread M10 mounting distance 25mm actuating force: 300g type MV15-2		
For models:	EBR, EBR77, EBR9T, EBRA, EBRA9T, EBRAVI, EBRAVI9T, EBRI77, EBRVC98T, EBRVI, EBRVI98T, EBRVI9T, GBR, GBR9T, GBRA, GBRA9T, GBRAVI, GBRAVI9T, GBRVC98T, GBRVI, GBRVI98T, GBRVI9T, MG7EBR77, MG7EBRI77		

accessories

			
1			
No.	690799	Ref. No.	PACU700859
description	lever for microswitch		
For models:	EF45, EF477, EF4772V, EF4772VT, EF477T, EF49, EF49T, EF777, EF777T, EF90, EF99, EF99T		

position switches

HIGHLY

			
1			
No.	347877	Ref. No.	927304
description	position switch 2NC 250V L 56mm W 21mm H 25mm 5A		
For models:	LTD-Rullerie-717066, LTD-Rullerie-717067, LTD-Rullerie-717086, LTD-Rullerie-717087, LT-Rullerie-717066, LT-Rullerie-717067, LT-Rullerie-717086, LT-Rullerie-717087		

system switches (ROLD)

			
1			
No.	345721	Ref. No.	226102
description	blank cap holder		
For models:	LK600, LK605		

			
1			
No.	345627	Ref. No.	226101
description	element holder mounting measurements 20.6x16.4mm black arched for push buttons 13x17mm		
For models:	LK100EM		

			
1			
No.	345537	Ref. No.	226114
description	element holder mounting measurements 20.6x16.4mm grey arched for push buttons 13x17mm		
For models:	LB35, LB35C, LB40, LF50, LF59, LK100EM		

			
1			
No.	347150	Ref. No.	226113
description	element holder mounting measurements 23.6x14.6mm grey arched for push buttons 11x21mm		
For models:	LF59		

			
1			
No.	346201	Ref. No.	226080
description	element holder mounting measurements 28.5x77.5mm grey three-fold element holder		
For models:	LB45, LF50, LF59, LK100EM		

			
1			
No.	345603	Ref. No.	REB226074
description	element holder triple mounting measurements 28.5x77.5mm black for push buttons 23x23mm		
For models:	BETA50, BETA53		

			
1			
No.	345601	Ref. No.	299035
description	indicator lamp holder V ø 11mm		
For models:	KLB40, LB135, LB140, LB145, LB35, LB40, LB45, LF50, LF500, LF59		

			
1			
No.	346241	Ref. No.	207011
description	indicator light lens ø 23.3mm yellow		
For models:	KLB40, LB135, LB140, LB145, LB35, LB40, LB45, LF50, LF500, LF59		

			
1			
No.	345606	Ref. No.	226071
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	KLB40, LB135, LB140, LB145, LB35, LB350, LB355, LB35C, LB40, LB400, LB405, LB45, LB450, LF50, LF500, LF59, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS520		

			
1			
No.	345650	Ref. No.	226095
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	LB140, LF500, LF59		

			
1			
No.	347470	Ref. No.	227065
description	push button ø 21mm grey with lens shaft 3.5x3.5mm suitable for ROLD		

			
1			
No.	347517	Ref. No.	227060
description	push button ø 21mm silver edition		
For models:	LB350, LB400, LB450, LK600, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS520		

			
1			
No.	346211	Ref. No.	227036
description	push button ø 23mm grey with lens		
For models:	LK100EM		

			
1			
No.	347152	Ref. No.	227067
description	push button size 11x21mm blue		
For models:	LF59		

			
1			
No.	345621	Ref. No.	227056
description	push button size 17x13mm black		
For models:	LK100EM		



1

No.	345539	Ref. No.	227068
description	push button size 17x13mm grey		
For models:	LB35, LB35C, LB40, LF50, LF59		



1

No.	346035	Ref. No.	227062
description	push button size 17x13mm silver		
For models:	LK100EM		



1

No.	345608	Ref. No.	409001 REB409001
description	rotary disc green/black disc ø 20.6mm		
For models:	BETA50, BETA53, KLB40, LB135, LB140, LB145, LB35, LB40, LB45, LF50, LF500, LF59, LK100EM		



1

No.	345605	Ref. No.	208010 REB208010
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	BETA50, BETA53, KLB40, LB135, LB140, LB145, LB35, LB350, LB355, LB35C, LB40, LB400, LB405, LB45, LB450, LF50, LF500, LF59, LK600, LK605, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS520		



1

No.	345651	Ref. No.	208011
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	LB140, LF500, LF59		




1

No.	346851	Ref. No.	80804
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	LK100EM		

cam switches

on/off



1

No.	300151	Ref. No.	RTCU700212
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	EBM45, EBM46, EBM47, EBM477, EBM66, EBM77, EBM90, EBMA477, EBR, EBR7, EBR77, EBR9T, EBRA, EBRA9T, EBRAVI, EBRAVI9T, EBRI7, EBRI77, EBRVC98T, EBRVI, EBRVI98T, EBRVI9T, ECC477, ECCA477, EF12+12B, EF12+12S, EF12B, EF12S, EF20BP, EF25+25S, EF25S, EF45, EF47, EF472V, EF472VT, EF477, EF477T, EF47T, EF49, EF49T, EF6+6BM, EF60BP, EF6BM, EF77, EF777, EF777T, EF8+8B, EF8B, EF8BM, EF90... (Other models you can see in the webshop)		

4-position



1

No.	300104	Ref. No.	RTCP900036
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	E100, E100A, E100I, E100I8, E100I9, E100I98, E100IA, E100IT9, E150, E150A, E150I, E150I8, E150I9, E150I98, E150IA, E150IT9, E50I7, E50I77, EC408-SC, EC45, EC477, EC477-SC, EC49, EC498-SC, EC498T-SC, EC49T, EC66, EC777, EC777-SC, EC777T, EC902V, EC9082V-SC, EC992V, EC992VT, EC9982V-SC, EC9982VT-SC, EFP01, LX7EC4, MG7E50I77, MG7EC477-SC, MG7EC777-SC, MINIMA EC 66		

5-position



1

No.	300147	Ref. No.	RTCU900068
description	cam switch 5 operating positions 1NO/2CO sequence 0-1-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection screw 5-position		

7-position



1

No.	300025	Ref. No.	53.7.0003.00 RTCU700078
-----	--------	----------	----------------------------

description cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic

For models: 6PC61EM, 6PC62EM, 6PC62ET, C4EF70, C6EF70, E26, E27, E277, E277Q, E27Q, E29, E298AQ, E298Q, E29Q, E2A, E2A77, E2A77Q, E2AP77Q, E2AP8, E2AR, E46, E47, E477, E477Q, E47Q, E49, E498AQ, E498Q, E49Q, E4A, E4A77, E4A77Q, E4A8, E4AP77Q, E4AP8, E4AR, E4F, E4F6, E4F7, E4F77, E4F77Q, E4F7Q, E4F8, E4F9, E4F98Q, E4F9Q, E4F-P77Q, E4FP8, E66, E67...(Other models you can see in the webshop)

accessories for 300025

No.	112172	Ref. No.	—
	knob universal ø 70mm black without adaptor/dial plate		

No.	112213	Ref. No.	—
	knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm		

No.	112311	Ref. No.	—
	knob adapter shaft ø 6x4.6mm L 0mm with spring		




1

No.	300106	Ref. No.	RTCU800151
-----	--------	----------	------------

description cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper

For models: E498AQ, E498Q, E49Q, E4A, E4A8, E4AR, E4F, E4F8, E4F98Q, E4F9Q, E698AQ, E698Q, E69Q, E6A, E6AR, E6FA, E6FA8, E6FA98Q, E6FA9Q, E6FAR, E6FM, E6FM8



1

No.	301223	Ref. No.	164122 RIC0004532
-----	--------	----------	----------------------

description cam switch 7 operating positions 3NO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 35mm connection male faston 6.3mm 7-position plastic

For models: FEM107, FEM107SC, FEM207, FEM207SC, FEM67, FEM67SC, FEMD107, FEMD107SC, FEMD207, FEMD207SC, FGM107, FGM107SC, FGM207, FGM207SC, FGM67, FGM67SC, FGMD107, FGMD107SC, FGMD207, FGMD207SC, JOKER FEM107 SC

4 operating positions




1

No.	300229	Ref. No.	RTFOC00694
-----	--------	----------	------------

description cam switch 4 operating positions 4NO sequence 0-1-0-2 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic

For models: FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEP050, FEP080, FEP160, FGP050, FGP080, FGP160, GC411-SC, GC911-SC, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FCE 10, JOKER FCE 10 AB 2002, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002, JOKER FEP160, JOKER FGP050, JOKER FGP050 AB 2002, JOKER FGP080, JOKER FGP080 AB 2002, JOKER FGP160

5 operating positions



1

No.	301221	Ref. No.	RTFOC00143
-----	--------	----------	------------

description cam switch 5 operating positions 2NO/1CO sequence 0-4-3-2-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic

For models: FEC200, FEM060, FEM061, FEM100, FEM101, FEM200, FEM201, FEMD023, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP160, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP160, FMM060, FMM061, FMM100, FMM101, PLANET FEMD023

operation switches

E-G-O



1

No.	300166	Ref. No.	RTBF900083
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic 4-pole ambient temperature max. 318°C		

E-G-O



1

No.	300080	Ref. No.	53.7.0002.00 RTBF900007	
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C			
For models:	6BM61EM, 6BM62EM, 6BM62ET, 6CP61EM, 6CP62ET, 6FQ61E, 6FQ62E, EBM908, EBM998T, EBM99T, EBMA998, EBR6, EFT106L, EFT106LC, EFT-106LR, EFT106LRC, EFT408L, EFT408LC, EFT408LR, EFT45L, EFT45LC, EFT45R, EFT45RC, EFT46L, EFT46LC, EFT46R, EFT46RC, EFT477L, EFT477LC, EFT477R, EFT477RC, EFT47L, EFT47LC, EFT47R, EFT47RC, EFT498L, EFT498LC, EFT498R, EFT49L, EFT49LC, EFT49R, EFT49RC, EFT66L, EFT66LC, EFT66LR, EFT66LRC, EFT66R, EFT66RC, EFT777L, EFT777LC...(Other models you can see in the webshop)			
accessories for	300080			
	No.	551456	Ref. No.	—
	gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white			



1

No.	300115	Ref. No.	RTCU900258
description	cam switch 2 operating positions operation switch sequence 0-1 shaft ø 6x4.6mm connection screw clamp 5-pole ambient temperature max. 318°C		
For models:	EFT45L, EFT45LC, EFT45R, EFT45RC, EFT90L, EFT90LC, EFT90LR, EFT90LRC, EFT90R, EFT90RC		

E-G-O




1

No.	300153	Ref. No.	RTCU700454
description	cam switch 3 operating positions operation switch 16A sequence 0-1-2 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic ambient temperature max. 240°C		
For models:	EF07V, EF0V77, EFO7V, G4SFEV77, MG7E4FVP77Q, MG7G4SFEV77, OMNIA EF07V		



1

No.	300191	Ref. No.	RTFOC00647
description	cam switch 3 operating positions operation switch sequence 0-1-2 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 270°C		
For models:	FEC023, PLANET FEC023		



1

No.	300157	Ref. No.	RTCU600185
description	cam switch 4 operating positions operation switch sequence 0-1-2-3 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 300°C		
For models:	E100I9N, E100IT9N, E150I9N, E150IT9N, E4F6, E6F6, E6FA6, G100I9N, G100IT9N, G150I9N, G150IT9N, G4SFE6, G6SFE6, G6SFEA6, MINIMA E4F6, MINIMA E6F6, MINIMA E6FA6, MINIMA G4SFE6, MINIMA G6SFE6, MINIMA G6SFEA6		



1

No.	300073	Ref. No.	RTCU700079
description	cam switch 6 operating positions 2NO/1CO 16A sequence 0-1-2-3-4-5 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic ambient temperature max. 150°C		
For models:	C4EF70, C6EF70, E4F7, E4F7Q, E6FA7, E6FA7Q, EF07, EFO7, EVC4F7, G2SDMFE7, G2SSMFE7, G4SFE7, G6SFEA7, GT4SF2E7, OMNIA E4F7, OMNIA E4F7Q, OMNIA E6FA7, OMNIA E6FA7Q, OMNIA EF07, OMNIA EVC4F7, OMNIA G4SFE7, OMNIA G6SFEA7		



1

miscellaneous



1

rotary switches

A1200 series



1

A3200 series



1

miscellaneous




1

magnetic switches

36x13mm




1





¹with coded connector

65x20mm



No.	347876	Ref. No.	927056
description	magnetic switch L 65mm W 20mm 1NC 24V 4A P max. 100W connection cable length 1940mm		
For models:	LT161, LT221, LT271, LT272, LT362		



No.	345116	Ref. No.	927017 DEM201
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable length 3000mm		
For models:	LO155, LO80, LO80H, LO93, LOD155, LOD80, LOD80H, LOD93, LP155, LP80, LP80H, LP93, LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT81, LT91, LTD101, LTD131, LTD171		

accessories for	345116	No.	345399	Ref. No.	927088 CWM7
		magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			

ø 6mm



No.	345202	Ref. No.	DEM2038
description	magnetic switch 250V 0.04A P max. 10W probe L 29mm 1NO connection plug cable length 1400mm		
For models:	L600, L61, L62, L63, L64, LK1000, LK1010, LK1100, LK1300, S58		



1

No.	345630	Ref. No.	926195
description	magnetic switch 250V 0.04A P max. 10W probe L 29mm 1NO connection plug cable length 350mm		
For models:	LK1000		
accessories for	345630		


		magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4			
--	--	---	--	--	--




No.	345146	Ref. No.	211001
description	magnetic switch 250V 1A P max. 50W probe L 29mm 1NO connection plug cable length 980mm		
For models:	LF56, LF60, LFD50, LFDX50		

accessories


magnets



No.	345399	Ref. No.	927088 CWM7
description	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		
For models:	GOLD74, LK100, LK100EM, LK110, LK130, LK600, LK605, LK611, LK622, LK622I, LKD130, LKDX110, LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT81, LT91, LTD101, LTD131, LTD171, LTD209, LTD212, LTD216, LTD220, LTD316, LTD320, LTD326, LTDX172, LTDX222, LTDX272		

 			
No.	345336	Ref. No.	926014 CWM8
description	magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		
For models:	L600, L61, L62, L63, L64, LK1000, LK1010, LK1100, LK1300, LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT81, LT91, LTD101, LTD131, LTD209, LTD212, LTD216, LTD220, LTD316, LTD320, LTD326, LTDX172, LTDX222, LTDX272, S58		

			
No.	346953	Ref. No.	999108
description	magnet ømm L 23mm H 17mm W 18mm M6 hole ø 6.5mm		
For models:	LB145, LB45, LB450, LF50, LF500, LF55, LF550, LF551, LF55E, LF59, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV, LS520		

 			
No.	345398	Ref. No.	217003
description	magnet ømm L 36mm H 8mm W 13mm hole distance 20mm M3 hole ø 3mm		
For models:	LF56, LF60, LFD50, LFDX50, LS520-CRP, LS521, LS521-CRP-SP		

control equipment

GENERAL ELECTRIC (AEG)

push buttons

			
No.	347486	Ref. No.	DEP41
description	push button mounting measurements ø22mm round red		
For models:	LT121, LT151, LT152, LT202, LT91		

			
No.	345779	Ref. No.	927035 927036 DEB7
description	contact block GENERAL ELECTRIC P9B10VN 1NO max 400V 10A brown		
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91		

TELEMECANIQUE (EFA)

XB2 series

			
No.	345412	Ref. No.	RTBF800125
description	contact block with holder 1NO		
For models:	EBR, EBRA, EBRA9T, EBRVI, EBRVI9T, EBRVI, GBR, GBRA, GBRA9T, GBRVI, GBRVI9T, GBRVI		
spare parts for	345412		
	No.	345220	Ref. No. —
contact block EFA ZB2BE101 1NO max 230V 10(6)A black			
	No.	345221	Ref. No. —
contact block EFA ZB2BE102 1NC max 230V 10(6)A black			
	No.	347526	Ref. No. —
contact block holder for XB2			

encoders and potentiometers

			
No.	300241	Ref. No.	164825
description	potentiometer rotation 360°		
For models:	FEM108, FEM108EL, FEM110, FEM110L, FEM210, FEM210L, FEM220L, FEM610, FEM610L, FEM68, FEM68EL, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGM108, FGM108EL, FGM110, FGM110L, FGM210, FGM210L, FGM610, FGM610L, FGM68, FGM68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø12mm (type SDY-3)



1

No.	359262	Ref. No.	DEP142
description	indicator light housings mounting measurements ø12mm green round Qty 1 pcs		
For models:	L61, L62, L63, L64, S58		



1

No.	359260	Ref. No.	926115 DEP140
description	indicator light housings mounting measurements ø12mm yellow round Qty 1 pcs		
For models:	L61, L62, L63, L64, LK1000, LK1010, LK1100, LK1300, LT121, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91, S58		

indicator lamps for socket type SRZ / SDK / SDY / SFK



1

No.	359130	Ref. No.	216006
description	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		
For models:	KLB40, LB135, LB140, LB145, LB35, LB40, LB45, LF50, LF500, LF59		



1

No.	359129	Ref. No.	927334 DEL99
description	indicator lamp 24V clear connection male faston 6.3mm		
For models:	LT121, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91		



1

No.	359132	Ref. No.	DEL31
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	L61, L62, L63, L64, S58		

indicator lights (complete)

ø 6mm



1

No.	359005	Ref. No.	216003 216025
description	indicator light ø 6mm 230V yellow cable length 400mm		
For models:	LB140, LB35, LB350, LB355, LB35C, LB40, LB400, LB405, LB450, LF50, LF500, LF59, LK600, LK605, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS520		



1

No.	360735	Ref. No.	216032
description	indicator light ø 6mm yellow 12V cable length 280mm		
For models:	LS505M, LS505T		



1

No.	359031	Ref. No.	DEL15
description	indicator light ø 6mm 230V green		
For models:	LK100EM		



1

No.	359038	Ref. No.	DEL14
description	indicator light ø 6mm 230V red		
For models:	LK100EM		

ø10mm

with screw socket



1

No.	359387	Ref. No.	3760002
description	indicator light ø 10mm 230V red cable length 250mm		
For models:	BC2G, BC3G, BC4G, BC6G		

with plug-in socket



1

No.	359036	Ref. No.	53.7.0141.00
description	indicator light ø 10mm clear 230V connection male faston 6.3mm Qty 1 pcs		
For models:	6BM61EM, 6BM62EM, 6BM62ET, 6BS61EM, 6BS62EM, 6CP61EM, 6CP62ET, 6FQ61E, 6FQ62E, 6FT61E, 6FT62E, 6PC61EM, 6PC62EM, 6PC62ET		

			
1			
No.	359230	Ref. No.	160505
description	indicator light ø 10mm green 230V connection male faston 2.8mm Qty 1 pcs		
For models:	E29, E29Q, E2A, E49, E49Q, E4A, E4F, E4F9, E4F9Q, E69, E69Q, E6FA9, E6FA9Q, EBM49T, EBM99T, EBR9T, EBRA9T, EBRAVI9T, EBRVI9T, EC45, EC49, EC49T, EC902V, EC992V, EC992VT, EF09, EF12+12B, EF12B, EF45, EF49, EF49T, EF6+6BM, EF6BM, EF8+8B, EF8B, EF8BM, EF90, EF99, EF99T, EFB09, EFT49L, EFT49LC, EFT49RC, EFT49RC, EFT99L, EFT99LC, EFT99LR, EFT99LRC, EFT99R, EFT99RC...(Other models you can see in the webshop)		

			
1			
No.	359139	Ref. No.	53.7.0142.00
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	6BM61EM, 6BM62EM, 6BM62ET, 6BS61EM, 6BS62EM, 6CP61EM, 6CP62ET, 6FQ61E, 6FQ62E, 6FT61E, 6FT62E		

			
1			
No.	359231	Ref. No.	160506
description	indicator light ø 10mm yellow 230V connection male faston 2.8mm Qty 1 pcs		
For models:	E4F, E4F9, E4F9Q, E6FA9, E6FA9Q, EBM49T, EBM99T, EBR9T, EBRA9T, EBRAVI9T, EBRVI9T, EF09, EF12+12B, EF12B, EF45, EF49, EF49T, EF6+6BM, EF6BM, EF8+8B, EF8B, EF8BM, EF90, EF99, EF99T, EFB09, EFT49L, EFT49LC, EFT49RC, EFT49RC, EFT99L, EFT99LC, EFT99LR, EFT99LRC, EFT99R, EFT99RC, G4SFE9, G4SFEA, G6SFEA9, GBR9T, GBRA9T, GBRAVI9T, GBRVI9T		

			
1			
No.	359140	Ref. No.	216018 DEL10
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	L600, LK1000, LK1010, LK1100, LK1300		

ø12mm

with screw socket

			
1			
No.	359291	Ref. No.	011486-00 01148600R
description	indicator light ø 12mm 400V green connection male faston 6.3mm		

with plug-in socket

			
1			
No.	359042	Ref. No.	216012
description	indicator light ø 12mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		

ø13mm

with screw socket

			
1			
No.	359145	Ref. No.	166465 RTCU900489
description	indicator light ø 13mm 230V green t.max. 120°C		
For models:	?AQE477, AQE777, E100I8, E100I98, E100I9N, E100IT9N, E150I8, E150I98, E150I9N, E150IT9N, E26, E277, E277Q, E298AQ, E298Q, E2A77, E2A77Q, E2AP77Q, E2AP8, E46, E477, E477Q, E498AQ, E498Q, E4A77, E4A77Q, E4A8, E4AP77Q, E4AP8, E4F6, E4F77, E4F77Q, E4F8, E4F98Q, E4FP77Q, E4FP8, E50I77, E66, E677Q, E698AQ, E698Q, E6A77Q, E6F6, E6FA, E6FA6, E6FA77, E6FA77Q, E6FA8, E6FA98Q, E6FM8...(Other models you can see in the webshop)		
accessories for	359145		
	No.	510302	Ref. No. —
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	No.	511505	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		

			
1			
No.	359146	Ref. No.	166466 DEL105A
description	indicator light ø 13mm 230V yellow		
For models:	?AQE477, AQE777, E100I9N, E100IT9N, E150I9N, E150IT9N, E4F6, E4F77, E4F77Q, E4F8, E4F98Q, E4FP77Q, E4FP8, E6F6, E6FA, E6FA6, E6FA77, E6FA77Q, E6FA8, E6FA98Q, E6FM8, EBM408, EBM45, EBM477, EBM498T, EBM66, EBM777, EBM90, EBM908, EBM998T, EBMA477, EBMA498, EBMA777, EBMA998, EBR6, EBR77, EBR8, EBR177, EBRVC98, EBRVC98T, EBRVI8, EBRVI98, EBRVI98T, EF077, EF0V77, EF12+12B, EF12+12S, EF12B, EF12S, EF20BP...(Other models you can see in the webshop)		
accessories for	359146		
	No.	510302	Ref. No. —
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	No.	511505	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		



with plug-in socket



1

No.	359142	Ref. No.	RTCU900070 RTCU900290
description	indicator light ø 13mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	E100, E100A, E100I, E100I9, E100IA, E100IT9, E150, E150A, E150I, E150I9, E150IA, E150IT9, E26, E27, E27Q, E2A, E2AR, E46, E47, E47Q, E4A, E4AR, E4F, E4F6, E4F7, E4F7Q, E50I7, E66, E67, E67Q, E6A, E6AR, E6F6, E6FA6, E6FA7, E6FA7Q, E6FAR, E6FM, EBM45, EBM46, EBM47, EBM66, EBM77, EBM90, EBR, EBR6, EBR7, EBRA, EBRAVI, EBRI7...(Other models you can see in the webshop)		



1

No.	359141	Ref. No.	RTCU900071
description	indicator light ø 13mm red 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	C4EF70, C6EF70, G6SF2, GBR, GBRA		



1

No.	359143	Ref. No.	RTCU900072 RTCU900488
description	indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	C4EF70, C6EF70, E4F, E4F6, E4F7, E4F7Q, E6F6, E6FA6, E6FA7, E6FA7Q, E6FAR, E6FM, EBM45, EBM46, EBM47, EBM66, EBM77, EBM90, EBR, EBR6, EBR7, EBRA, EBRAVI, EBRI7, EBRVI, ECFT46, ECFT66, EF45, EF46, EF47, EF472V, EF472VT, EF47T, EF66, EF77, EF77T, EF90, EFO7V, EFT106L, EFT106LC, EFT106LR, EFT106LRC, EFT45L, EFT45LC, EFT45R, EFT45RC, EFT46L, EFT46LC, EFT46R, EFT46RC...(Other models you can see in the webshop)		

30x11mm



1

No.	359058	Ref. No.	013472-00 01347200R RIC0002907
description	indicator light mounting measurements 30x11mm 230V green		

30x22mm



1

No.	359157	Ref. No.	012732-00 01273200R	
description	indicator light mounting measurements 30x22mm 230V green connection male faston 6.3mm temp.-resist. 125/55°C type RL2			
accessories for	359157			
	No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

LED

indicator lamps

mounting diameter 6mm



1

No.	359404	Ref. No.	216028
description	indicator light LED mounting ø 6mm 5VDC green connection cable 200mm 2mA		
For models:	LK100EM		



1

No.	358098	Ref. No.	216029
description	indicator light LED mounting ø 6mm 5VDC yellow connection cable 200mm 2mA		
For models:	LK100EM, LK600, LK605		

screw-on/push-on fit

light bulbs

for ovens



1

No.	359610	Ref. No.	53.7.0054.00 9303310100 RIC0002592 RTFOC00658
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	5RI61EM, 5RI62EM, E4F6, E6F6, E6FA6, FEC023, FEMD023, FEMD48, G4SF6, G4SFA6, G4SFE6, G6SF6, G6SFA6, G6SFE6, G6SFEA6, MINIMA E4F6, MINIMA E6F6, MINIMA E6FA6, MINIMA G4SF6, MINIMA G4SFE6, MINIMA G6SF6, MINIMA G6SFA6, MINIMA G6SFE6, MINIMA G6SFEA6, PLANET FEC023, PLANET FEMD023		



1

No.	359612	Ref. No.	RTFOC00037
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	FCE10, FCE20, FCE6, FCG10, FCG20, FCG6, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107SC, FEM109, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107SC, FEMD109, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD209, FEMD67SC, FEMD69, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061...(Other models you can see in the webshop)		

for socket G4 / G6.35 / G9



No.	359599	Ref. No.	161282
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	FEM107, FEM107SC, FEM110, FEM110L, FEM207, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM67, FEM67SC, FEM69, FEMD107, FEMD107SC, FEMD109, FEMD67, FEMD-67SC, FEMD69, FGM107, FGM107SC, FGM110, FGM110L, FGM207, FGM210, FGM210L, FGM610, FGM610L, FGM67, FGM67SC, FGMD107, FGMD107SC, FGMD67, FGMD67SC, FGMD69, JOKER FEM 69 AB 2002, JOKER FEM109 AB 2002		



No.	359946	Ref. No.	177059
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE108, FCE68, FCG108, FCG68, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		

oven lamps

universal oven lamps

mounting diameter 35.5mm



No.	359718	Ref. No.	53.7.0079.00 9303310000 RIC0002549	
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas			
For models:	5RI61EM, 5RI62EM, E4F6, E6F6, E6FA6, G4SF6, G4SFA6, G4SFE6, G6SF6, G6SFA6, G6SFE6, G6SFEA6, MINIMA E4F6, MINIMA E6F6, MINIMA E6FA6, MINIMA G4SF6, MINIMA G4SFE6, MINIMA G6SF6, MINIMA G6SFA6, MINIMA G6SFE6, MINIMA G6SFEA6			
spare parts for	359718			
	No.	359701	Ref. No.	RTFOC00653
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			
	No.	359740	Ref. No.	—
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT			



No.	359701	Ref. No.	RTFOC00653	
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			
For models:	FEC023, FEMD023, FEMD48, PLANET FEC023, PLANET FEMD023			
accessories for	359701			
	No.	359705	Ref. No.	RTFOC00654
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C			
	No.	359709	Ref. No.	—
	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C			
	No.	359721	Ref. No.	—
	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs			
	No.	359942	Ref. No.	—
	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C			



No.	359705	Ref. No.	RTFOC00654	
description	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C			
For models:	FEC023, FEMD023, FEMD48, PLANET FEC023, PLANET FEMD023			
accessories for	359705			
	No.	359610	Ref. No.	53.7.0054.00 9303310100 RIC0002592 RTFOC00658
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips				
	No.	359700	Ref. No.	—
gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm				
	No.	359721	Ref. No.	—
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs				
	No.	359837	Ref. No.	RTFOC00657
gasket ID ø 33mm ED ø 46mm thickness 1mm graphite				
	No.	359838	Ref. No.	RTFOC00656
gasket ID ø 33mm ED ø 45mm				



1

No.	359838	Ref. No.	RTFOC00656
description	gasket ID ø 33mm ED ø 45mm		
For models:	FEC023, FEMD023, PLANET FEC023, PLANET FEMD023		



1

No.	359837	Ref. No.	RTFOC00657
description	gasket ID ø 33mm ED ø 46mm thickness 1mm graphite		
For models:	FEC023, FEMD023, PLANET FEC023, PLANET FEMD023		

55x70mm



1

No.	357105	Ref. No.	177058	
description	lamp socket socket G9 250V mounting measurements 55x70mm connection male faston 6.3mm H 32mm			
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE108, FCE68, FCG108, FCG68, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL			
accessories for	357105			
	No.	359297	Ref. No.	—
frame L 95mm W 81mm mounting distance 68/83mm thickness 6mm				
	No.	359299	Ref. No.	—
gasket L 91mm W 77mm hole ø 3mm for oven lamp				
	No.	359937	Ref. No.	—
lamp glass L 80mm W 65mm mounting measurements 52x67mm				
	No.	359945	Ref. No.	—
halogen lamp socket G9 230V 25W temp.-resist. 300°C				



1

No.	357105	Ref. No.	177058	
description	lamp socket socket G9 250V mounting measurements 55x70mm connection male faston 6.3mm H 32mm			
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE108, FCE68, FCG108, FCG68, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL			
accessories for	357105			
	No.	359297	Ref. No.	—
	frame L 95mm W 81mm mounting distance 68/83mm thickness 6mm			

accessories for		357105		
	No.	359299	Ref. No.	—
	gasket L 91mm W 77mm hole ø 3mm for oven lamp			
	No.	359937	Ref. No.	—
	lamp glass L 80mm W 65mm mounting measurements 52x67mm			
	No.	359945	Ref. No.	—
	halogen lamp socket G9 230V 25W temp.-resist. 300°C			

55x100mm



1

No.	359698	Ref. No.	RTFOC00036	
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm			
For models:	FCE10, FCE20, FCE6, FCG10, FCG20, FCG6, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107SC, FEM109, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107SC, FEMD109, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD209, FEMD67SC, FEMD69, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061...(Other models you can see in the webshop)			
spare parts for	359698			
	No.	358119	Ref. No.	—
frame L 118mm W 72mm mounting distance 143mm for bulb socket				
	No.	358122	Ref. No.	—
gasket L 112mm W 68mm silicone thickness 3mm for bulb socket				
	No.	358123	Ref. No.	—
lamp glass L 112mm W 68mm				
	No.	359612	Ref. No.	RTFOC00037
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips				
	No.	359714	Ref. No.	161283 RTFOC00202
gasket for bulb socket				
	No.	359715	Ref. No.	RTFOC00201
lamp glass L 110mm W 65mm thickness 5mm				
	No.	359716	Ref. No.	RTFOC00382
frame for bulb socket				
accessories for	359698			
	No.	359612	Ref. No.	RTFOC00037
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips				
	No.	359938	Ref. No.	—
borosilicate glass L 115mm W 69mm				

			
1			
No.	359716	Ref. No.	RTFOC00382
description	frame for bulb socket		
For models:	FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEM107, FEM107SC, FEM108, FEM108EL, FEM109, FEM110, FEM110L, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM610, FEM610L, FEM67, FEM67SC, FEM68, FEM68EL, FEM69, FEMD107, FEMD107SC, FEMD108, FEMD108EL, FEMD109, FEMD207, FEMD207SC, FEMD209, FEMD67, FEMD67SC, FEMD68, FEMD68EL, FEMD69, FEP050, FEP080, FEP160, FGM107, FGM107SC, FGM108, FGM108EL, FGM109...(Other models you can see in the webshop)		

			
1			
No.	359714	Ref. No.	161283 RTFOC00202
description	gasket for bulb socket		
For models:	FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107, FEM107SC, FEM108, FEM108EL, FEM109, FEM110, FEM110L, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM610, FEM610L, FEM67, FEM67SC, FEM68, FEM68EL, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107, FEMD107SC...(Other models you can see in the webshop)		

			
1			
No.	359715	Ref. No.	RTFOC00201
description	lamp glass L 110mm W 65mm thickness 5mm		
For models:	FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107, FEM107SC, FEM108, FEM108EL, FEM109, FEM110, FEM110L, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM610, FEM610L, FEM67, FEM67SC, FEM68, FEM68EL, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107, FEMD107SC...(Other models you can see in the webshop)		

			
1			
No.	359698	Ref. No.	RTFOC00036
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
For models:	FCE10, FCE20, FCE6, FCG10, FCG20, FCG6, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107SC, FEM109, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107SC, FEMD109, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD209, FEMD67SC, FEMD69, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061...(Other models you can see in the webshop)		
spare parts for	359698		
	No.	358119	Ref. No. —
	frame L 118mm W 72mm mounting distance 143mm for bulb socket		
	No.	358122	Ref. No. —
	gasket L 112mm W 68mm silicone thickness 3mm for bulb socket		
	No.	358123	Ref. No. —
	lamp glass L 112mm W 68mm		
	No.	359612	Ref. No. RTFOC00037
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	No.	359714	Ref. No. 161283 RTFOC00202
	gasket for bulb socket		
	No.	359715	Ref. No. RTFOC00201
	lamp glass L 110mm W 65mm thickness 5mm		
accessories for	359698		
	No.	359612	Ref. No. RTFOC00037
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	No.	359938	Ref. No. —
	borosilicate glass L 115mm W 69mm		

lamps

light bulbs

			
1			
No.	359610	Ref. No.	53.7.0054.00 9303310100 RIC0002592 RTFOC00658
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	SRI61EM, SRI62EM, E4F6, E6F6, E6FA6, FEC023, FEMD023, FEMD48, G4SF6, G4SFA6, G4SFE6, G6SF6, G6SFA6, G6SFE6, G6SFEA6, MINIMA E4F6, MINIMA E6F6, MINIMA E6FA6, MINIMA G4SF6, MINIMA G4SFE6, MINIMA G6SF6, MINIMA G6SFA6, MINIMA G6SFE6, MINIMA G6SFEA6, PLANET FEC023, PLANET FEMD023		



1

No.	359612	Ref. No.	RTFOC00037
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	FCE10, FCE20, FCE6, FCG10, FCG20, FCG6, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107SC, FEM109, FEM200, FEM201, FEM202, FEM207, FEM-207SC, FEM209, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107SC, FEMD109, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD209, FEMD67SC, FEMD69, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061...(Other models you can see in the webshop)		

halogen lamps

for socket G4 / G6.35 / G9



1

No.	359599	Ref. No.	161282
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	FEM107, FEM107SC, FEM110, FEM110L, FEM207, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM67, FEM67SC, FEM69, FEMD107, FEMD107SC, FEMD109, FEMD67, FEMD-67SC, FEMD69, FGM107, FGM107SC, FGM110, FGM110L, FGM207, FGM210, FGM210L, FGM610, FGM610L, FGM67, FGM67SC, FGMD107, FGMD107SC, FGMD67, FGMD67SC, FGMD69, JOKER FEM 69 AB 2002, JOKER FEM109 AB 2002		



1

No.	359946	Ref. No.	177059
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE108, FCE68, FCG108, FCG68, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		

timers

programme timers



1

No.	360005	Ref. No.	238052
description	timer BIGATTI D94 engines 1 chambers 1 operation time 20min 230V shaft ømm shaft Lmm manuf. no. WE006 motor type 82354021L		
For models:	KLB40, LB135, LB140, LB145, LB35, LB35C, LB40, LB45		



1

No.	360340	Ref. No.	RTFOC00030 (old version)
description	timer BIGATTI D94 engines 1 chambers 3 operation time 80min 230V shaft ø 6x4.6mm shaft L 18mm manuf. no. SYC001/RTFOC0030 motor type UDS40NE1RK impulse electric		



1

No.	361650	Ref. No.	RTFOC00042 RTFOC00184
description	timer BIGATTI engines 1 chambers 1 230V manuf. no. SYC002 motor type UDS40NE1LK		
For models:	FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM100, FEM101, FEM200, FEM201, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002...(Other models you can see in the webshop)		



1

No.	360349	Ref. No.	238046 238046.AG 238053
description	timer CDC 11803 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. 11803F1BEE000.0010 motor type M48R ATS type 11803F1 / 238046		
For models:	KLB40, LB135, LB140, LB145, LB35, LB35C, LB40, LB45		
spare parts for	360349		
	No.	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

			
1			
No.	360723	Ref. No.	RTFOC00030
description	timer CDC 11903F3 engines 1 chambers 3 operation time 80min 230V shaft ø 6x4.6mm shaft L 18mm manuf. no. 11903F3EVE000.0000		
For models:	FEC060, FEC100, FEC200, FEM060, FEM061, FEM100, FEM101, FEM200, FEM201, FEMD060, FEMD061, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002, JOKER FEP160, JOKER FGP050, JOKER FGP050 AB 2002, JOKER FGP080, JOKER FGP080 AB 2002, JOKER FGP160		

1

No.	360525	Ref. No.	23247
description	timer CDC 11904 engines 1 chambers 4 operation time 10min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BCR000.0000 motor type M48R ATS		
For models:	CB955A, CB955W		
spare parts for	360525		

No.	360118	Ref. No.	—
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			

1

No.	360524	Ref. No.	23222
description	timer CDC 11904 engines 1 chambers 4 operation time 12min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BDR000.0000 motor type M48R ATS		
For models:	CB955A, CB955W, ICE45A, ICE45W		
spare parts for	360524		

No.	360118	Ref. No.	—
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			

			
1			
No.	360566	Ref. No.	23259
description	timer CDC 11904 engines 1 chambers 4 operation time 15min 115V 60Hz shaft ømm shaft Lmm manuf. no. 11904F1BEI000.0010 motor type M48R ATS voltage AC		
For models:	CB955A, CB955W, ICE45A, ICE45W		

1

No.	360550	Ref. No.	23248
description	timer CDC 11904 engines 1 chambers 4 operation time 15min 230V 50/60Hz shaft ømm shaft Lmm manuf. no. 11904F1 / BER000.0000		
For models:	CB955A, CB955W, ICE45A, ICE45W		

spare parts for	360550		
------------------------	--------	--	--

No.	360118	Ref. No.	—
------------	--------	-----------------	---

motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W

			
1			
No.	360565	Ref. No.	23780
description	timer CDC 11904 engines 1 chambers 4 operation time 18min 230V 50/60Hz shaft ømm shaft Lmm manuf. no. 11904F1BFE000.0030 motor type M48R ATS voltage AC		
For models:	CB955A, CB955W		


			
1			
No.	360025	Ref. No.	238050AG REB238050
description	timer CDC 7003F engines 1 chambers 3 operation time 360s 230V 50Hz shaft ø 6x7mm shaft L 26mm manuf. no. 7003F3 / 360025 motor type M37LN		
For models:	L600, LK1000, LK1010, LK1100, LK1300		
spare parts for	360025		
	No.	360131	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer		
accessories for	360025		
	No.	110085	Ref. No. 226051
	push button t.max.°C ø 36mm shaft ømm shaft flat grey for knob		
	No.	110086	Ref. No. 447089
	knob switch zero mark t.max.°C ø 45mm shaft ømm shaft flat special black		
	No.	110087	Ref. No. 499066
retaining ring shaft ø 8mm DIN 471			

			
1			
No.	360133	Ref. No.	238066
description	timer CDC 7804DV engines 2 chambers 4 operation time 60s / 20min 230V shaft ømm shaft Lmm manuf. no. 7804DV / 360133 motor type M37RN/M37LN		
For models:	LF50, LF500, LF55, LF550, LF551		
spare parts for	360133		
	No.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		
	No.	360131	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			

			
1			
No.	360264	Ref. No.	238073
description	timer CDC 7805DV engines 2 chambers 5 operation time 72s/20min 230V shaft ømm shaft Lmm manuf. no. 7805DV / 238073 motor type M37RN/M37LN		
For models:	LF59		
spare parts for	360264		
	No.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		
	No.	360131	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			

			
1			
No.	360051	Ref. No.	1LT017
description	timer FIBER P36 engines 1 chambers 2 operation time 15min 230V shaft ømm shaft Lmm manuf. no. P365JR2J717 motor type M51B-J0R6400		
For models:	KL030A, KL030W		
spare parts for	360051		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

electric timers

			
1			
No.	350082	Ref. No.	RTFOC00699 old
description	timer 1CO/1NO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral 2-pole operation time 120min		



1

No.	350118	Ref. No.	RIC0004523 RTCFOC00699
description	timer MS65 operation time 120min time spreadmin 1CO/1NO permanent position no impulse electric 16(4)A shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm 2-pole		
accessories for	350118		
	No.	112070	Ref. No. 160910
	knob zero mark ø 56mm shaft ø 6x4.6mm shaft flat upper silver		

mechanical timers



1

No.	350003	Ref. No.	RTFOC00568
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
For models:	FEC023, FEMD023, PLANET FEC023, PLANET FEMD023		
accessories for	350003		
	No.	110366	Ref. No. —
	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	No.	111199	Ref. No. —
	dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm		

defrost timers

BIGATTI



1

No.	360053	Ref. No.	013467-00 01346700R
description	defrost timer BIGATTI type D94.44 defrosting interval 4x per 24h defrosting time 10min fan delaymin 230V defr. funct. every 12h for 20 min.		



1

No.	360058	Ref. No.	012720-01 01272001R
description	defrost timer type SB3.82 defrosting interval 1-12x in 24h defrosting time 2-54min fan delay 0-15min 230V defr. funct. 1-12x per 24h		

alarm devices

buzzers



1

No.	350084	Ref. No.	RTFOC00046
description	buzzer 230VAC buzzer		
For models:	FCE10, FCE20, FCE6, FCG10, FCG20, FCG6, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM100, FEM101, FEM200, FEM201, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061...(Other models you can see in the webshop)		

contactors

LS Industrial Systems

power contactors



1

No.	381167	Ref. No.	229042 H.775599-001
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection screw connection type GMC-9M/4		
For models:	LF55E, LS505T, LS511, LS511A, LS511PV, LS520-CRP, LS521-CRP-SP, LS522, LS525		

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380231	Ref. No.	926147
description	power contactor resistive load 16A 230VAC (AC3/400V) 6A/3kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS0701A		
For models:	GOLD74		



1

No.	380239	Ref. No.	926040
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		
For models:	LTD171, LTDX222, LTDX272		



1

No.	380238	Ref. No.	229032
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		
For models:	LF55E		



1

No.	380245	Ref. No.	DTC112
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS4K 01A type GE CL00A 301 H 85mm		
For models:	L61, L62, L63, L64, LK1000, LK1010, LK1100, LK1300		

CONTACTORS MBM-ITALIEN



1

No.	381191	Ref. No.	926282 DTC112NO
description	power contactor resistive load 25A 400VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL01A310T6		
For models:	LK130, LK621, LKD130, LO155, LO80, LO80H, LO93, LOD155, LOD304, LOD402, LOD80, LOD80H, LOD93, LP80		

ISKRA (FANAL)

power contactors



1

No.	380211	Ref. No.	3700037
description	power contactor 230VAC		
For models:	BC3G, BC4G		



1

No.	380213	Ref. No.	019033-00 01903300R 3700080
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		
For models:	EC11803		

LOVATO

power contactors



1

No.	380888	Ref. No.	164608 RTCU600233 RTFOC00465
description	power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.7kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 11BG1201A230		
For models:	CME4-V380, CME6-V380, CMFE6-V380, CMFG6-V380, CMG6-V380, CYE6-V380, CYG6-V380, E50I77, EBR77, EBRI77, EF12+12B, EF12+12S, EF12B, EF12S, EF20BP, EF25+25S, EF25S, EF46, EF47, EF4772V, EF4772VT, EF477T, EF60BP, EF66, EF777, EF777T, EF8+8B, EF8B, EFT45L, EFT45LC, EFT45R, EFT45RC, EPL46, EPL66, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEM107, FEM107SC, FEM109, FEM207, FEM207SC, FEM209, FEM67, FEM67SC, FEM69...(Other models you can see in the webshop)		



2

No.	380525	Ref. No.	RTBF800165 RTCU600371
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 4NO auxiliary contacts connection screw connection type BF09T4A230		
For models:	EF45, EF90, EFT47L, EFT47LC, EFT47R, EFT47RC, EFT77L, EFT77LC, EFT77LR, EFT77LRC, EFT77R, EFT77RC		

SIEMENS

power contactors



1

No.	381391	Ref. No.	25005108
description	power contactor resistive load 16A 24VAC (AC3/400V) 4kW main contacts 3NO auxiliary contacts 1NO connection F6.3 type 3TG1010-1AC2		



1

No.	381387	Ref. No.	73350
description	power contactor resistive load 22A 230VAC (AC3/400V) 4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT2016-1AP01		
For models:	LK605, LK622, LK622I, LTD212		



1

No.	380389	Ref. No.	229037
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		
For models:	LF56, LF60, LFD50, LFD60, LFDX50, LK100, LK100EM, LK110, LK611, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD155, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LS521, LT81		



1

No.	380957	Ref. No.	927160
description	power contactor resistive load 22A 24VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-17-1AB01 50/60Hz		
For models:	LTD316, LTD320, LTD326, LTDX172, LTDX222, LTDX272		



1

No.	380390	Ref. No.	80351
description	power contactor resistive load 40A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-24-1AL20 50/60Hz		
For models:	LOD305, LOD502, LT81, LTD101, LTD131, LTD171, LTD209, LTD212, LTD216, LTD220		



1

No.	380524	Ref. No.	RTFOC00598
description	power contactor resistive load 50A 230VAC (AC3/400V) 32A/15kW main contacts 3NO connection screw connection type 3RT10-34-1AL20		
For models:	EF45, EF49, EF49T, EF90, EF99, EF99T, FCE20, FEM107, FEM207, FEM207SC, FEM209, FEMD207, FEMD207SC, FEMD209, FEP160, FGM207, JOKER FEM207 SC, JOKER FEM209, JOKER FEMD207 SC, JOKER FEMD209, JOKER FEP160		

auxiliary contacts



1

No.	381389	Ref. No.	DEI4
description	auxiliary contact contacts 1NO/1NC AC15 6A for contactors 3RT1 connection screw AC1 10A type 3RH1921-1DA11		
For models:	LOD305, LOD502		

motor protection circuit breakers



1

No.	380541	Ref. No.	927368 DEI35
description	motor protection circuit breaker type 3RV1011-0JA10 setting range 0.7-1A (AC3/400V) 0.25kW		
For models:	LT81, LTD101, LTD131, LTD171, LTD209, LTD212, LTD216, LTD220, LTD316, LTD320, LTD326, LTDX172, LTDX222, LTDX272		

ALLEN BRADLEY

power contactors



1

No.	380523	Ref. No.	RTFOC00466
description	power contactor resistive load 32A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 100-C09KF10		
For models:	?AQE477, AQE777, E100I, E100I8, E100I9, E100I98, E100I9N, E100IT9, E100IT9N, E150I, E150I8, E150I9, E150I98, E150I9N, E150IT9, E150IT9N, EBR8, EBRVC98, EBRVC98T, EBRV18, EBRV198, EBRV198T, EF477, EF4772V, EF4772VT, EF477T, EF4982V, EF777, EF777T, EF99, EF99T, EMT477, EMT777, FCE10, FCE108, FCE6, FCE68, FCG68, FEM107, FEM107SC, FEM109, FEM207, FEM207SC, FEM209, FEMD107, FEMD107SC, FEMD109, FEP080, JOKER FCE 6, JOKER FCE 6 AB 2002...(Other models you can see in the webshop)		

solid state relays

CELDUC



1

No.	403040	Ref. No.	RIC0003591
description	solid state relay CELDUC 1 phase 25A 24-520V 4-30VDC L 58mm W 44mm screw type SC762110V 4-30VDC		
For models:	FEM108, FEM108EL, FEM110, FEM110L, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM68, FEM68EL, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGM108, FGM108EL, FGM110, FGM110L, FGM210, FGM210L, FGM610, FGM610L, FGM68, FGM68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		

relays

power relays

with DIN rail mounting

lateral



1

No.	380313	Ref. No.	229036
description	power relays FINDER 230VAC 16A 3CO connection male faston DIN rail manuf. no. 62.83.8.230.0008		
For models:	LF55, LF55E, LF59, LK100EM, LTD131, LTD171		

with bracket mounting



1

No.	380312	Ref. No.	019032-00 01903200R 229023 229024 DER100 DER11 RTFOC00144
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		
For models:	BETA50, BETA53, FEM060, FEM061, FEM100, FEM101, FEM107, FEM107SC, FEM109, FEM200, FEM201, FEM207, FEMD023, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107, FEMD107SC, FEMD108, FEMD108EL, FEMD109, FEMD200, FEMD201, FGM060, FGM061, FGM062, FGM100, FGM101, FGM102, FGM107, FGM107SC, FGM109, FGM200, FGM201, FGM202, FGM207, FGM207SC, FGM209, FGM67, FGM67SC, FGM69, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101...(Other models you can see in the webshop)		

No.	380139	Ref. No.	929115 DER1108
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	L600, L61, L62, L63, L64, LB40E, LB42BT-UK, LBD40, LBDX40, LF50, LFD60, LK100, LK1000, LK100EM, LK1010, LK110, LK1100, LK130, LK1300, LK611, LK620, LK621, LK622, LK622I, LK625, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD102, LOD155, LOD202, LOD302, LOD305, LOD502, LOD65, LOD80, LOD80H, LOD93, LP155, LP80, LP800-00-092, LP80H, LP92, LP93, LTD209, LTD212...(Other models you can see in the webshop)		

No.	380702	Ref. No.	229039 229040
description	power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V		
For models:	LB355, LB405, LB411, LB411A, LB422, LB425, LBD40, LBDX40, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV, LS520, LS522		

No.	380311	Ref. No.	229030
description	power relays Italiana Relè 230VAC 20A 1NC/1NO connection F6.3 bracket mounting manuf. no. A1B-230AC-FA		
For models:	LB145, LB45, LF500, LF550, LF551		



1

No.	380185	Ref. No.	1LT028 229029 DER111
description	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A10-230AC-FA		
For models:	KF165A, KF165W, KF185A, KF185W, L600, L61, L62, LB411, LB411A, LB422, LB425, LF55, LF55E, LF56, LF59, LF60, LFD50, LFD60, LFDX50, LK100, LK1000, LK100EM, LK1010, LK110, LK600, LK605, LK611, LK620, LK621, LK622, LK622I, LK625, LKDX110, LO65, LOD102, LOD65, LP800-00-092, LP92, LS505M, LS511, LS520-CRP, LS521, LS521-CRP-SP, LTD171, S58		

with male contacts

bullet connectors, 8 contacts



1

No.	380135	Ref. No.	927044 DER163
description	power relays FINDER 24VAC 10A 2CO connection plug-in connection round 8-pole manuf. no. 60.12.8.024.0040 90.26/ZVE8 250V 8-pole		
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91		
accessories for	380135		
	No.	380137	Ref. No.
	927045		
description	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8		
	No.	380638	Ref. No.
	—		
description	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		

relay sockets



1

No.	380667	Ref. No.	022031-00
description	relay socket 11-pole dimensions 56x43x31mm 250V voltage AC 10A FINDER manuf. no. 90.27		
accessories for	380667		
	No.	380805	Ref. No.
	—		
description	support bracket		



1

No.	380137	Ref. No.	927045
description	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8		
For models:	LT161, LT221, LT271, LT272, LT362		
accessories for	380137		
	No.	380805	Ref. No.
	—		
description	support bracket		

level relays

GICAR



1

No.	400018	Ref. No.	RTFOC00146
description	level relay 230V voltage AC connection F6.3 type RL30/3ES/F/G		
For models:	FEM060, FEM061, FEM100, FEM101, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FMM060, FMM061, FMM100, FMM101		

time relays

time relays



1

No.	360172	Ref. No.	019028-00 01902800R
description	time relay 2CO connection plug-in connection 100-240V 11-pole voltage AC 0.1s - 100h at 250V 5A		
accessories for	360172		
	No.	360345	Ref. No.
	—		
description	mounting frame for time relay for PM4H/LT4H		
	No.	380136	Ref. No.
	—		
description	relay socket 11-pole connection plug-in connection round 11-pole dimensions 65x28x40mm 250V voltage AC 10A Italiana Relè manuf. no. ZVE11		
	No.	380667	Ref. No.
	022031-00		
description	relay socket 11-pole dimensions 56x43x31mm 250V voltage AC 10A FINDER manuf. no. 90.27		

			
1			
No.	380611	Ref. No.	929113 DET237
description	time relay FINDER 81.01.0.230 time range 0.1s-10h 12-230V AC/DC 16A mounting measurements DIN railmm 1CO connection grip connection		
For models:	L61, L62, L63, L64, LT121, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91, S58		

transformers

open transformers

with clamp terminal

			
1			
No.	401604	Ref. No.	DET313
description	transformer primary 230/400VAC secondary 12VAC 160VA		
For models:	LT150		

encapsulated transformers

with screw connection

			
1			
No.	402016	Ref. No.	014687-00 01468700R
description	transformer 65VA		

PMA

			
1			
No.	379054	Ref. No.	014675-00 01467500R DET64 RTFOC00039
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM100, FEM101, FEM200, FEM201, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002...(Other models you can see in the webshop)		

electronic controllers

EKTRON

refrigeration controllers

built-in version

			
1			
No.	402020	Ref. No.	014673-00 01467300R 014673-01 01467301R
description	electronic controller EKTRON type REK33-0020 mounting measurements 71x29mm 12V voltage AC/DC PTC relay outputs 3 NO-8A(4) NO-8A(4) NO-8A(4) PTC PTC built-in depth 71mm -50 up to +95°C display 3 digits		



ELIWELL

refrigeration controllers

built-in version



1

No.	402017	Ref. No.	019045-00 01904500R 019046-00 01904600R 019047-00 01904700R
description	electronic controller ELIWELL type EWPC974 mounting measurements 71x29mm		



2

No.	379645	Ref. No.	019497-00 024169-00 RIC0002683
description	electronic controller ELIWELL type ID961 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 relay -55 up to +150°C display 3½ digits compressor relay 15A		
accessories for	379645		
	No.	379053	Ref. No. —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379064	Ref. No. 014674-00 01467400R 014674-01 01467401R RIC0002906
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379161	Ref. No. —
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379782	Ref. No. —
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

EVCO - EVERY CONTROL

universal controllers

built-in version



1

No.	378131	Ref. No.	RTFOC00029
description	electronic controller EVERY CONTROL EVK411M mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC/Pt100/Pt1000 relay outputs 1 CO-16A(8) NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA yes protection IP65 depend on probe°C display 3½ digits		
For models:	FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM100, FEM101, FEM200, FEM201, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002...(Other models you can see in the webshop)		
accessories for	378131		
	No.	379050	Ref. No. —
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
	No.	379160	Ref. No. —
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379781	Ref. No. —
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379944	Ref. No. —
	temperature probe Pt1000 cable Vetrotex probe -70 up to +500°C cable -50 up to +350°C connection 2-wire thread probe ø6x180mm cable length 1.7m		

LAE

refrigeration controllers

built-in version



1

No.	378300	Ref. No.	025057-00R
description	electronic controller LAE mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 3 -50 to +120°C display 3 digits fan relay 7A 7A compressor relay 16A		
For models:	M140BTA, M140BTAG, M140BTAH2, M140BTAP, M140BTH, M140BTHG, M140BTHH2, M140BTHP, M140BTJ, M140BTJG, M140BTJH2, M140BTJP, M140TNA, M140TNAG, M140TNAH2, M140TNAP, M140TNH, M140TNHG, M140TNHH2, M140TNHP, M140TNJ, M140TNJG, M140TNJH2, M140TNJP, M140TPJ, M140TPJH2, M62TNJ, M62TNJD2, M62TNJD2P, M62TNJD3, M62TNJD3P, M62TNJDB, M62TNJDBP, M62TNJP, M63TNJ, M63TNJD2, M63TNJD2P, M63TNJD3, M63TNJD3P, M63TNJDB, M63TNJDBP, M63TNJP, M64TNJ, M64TNJD2, M64TNJD2P, M64TNJD3, M64TNJD3P, M64TNJDB, M64TNJDBP, M64TNJP...(Other models you can see in the webshop)		



2

No.	378420	Ref. No.	020518-01	
description	electronic controller LAE type AT1-5AS2E-G mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 NO-16A(4) NO-7A(2) NTC/PTC front measurements 77x35mm built-in depth 70mm protection IP55 yes -50 to +120°C display 3 digits			
accessories for	378420			
	No.	379805	Ref. No.	025461-00
	temperature probe NTC 10kOhm cable TPE probe -40 up to +110°C cable -40 up to +110°C probe ø6x28mm cable length 2m cable colours grey 2-wire			



1

No.	378260	Ref. No.	023382-00	
description	electronic controller LAE type LD2-15B4E mounting measurements 71x29mm 230V voltage AC NTC relay outputs 3 relays yes yes -50 up to +80°C display 3 digits RoomTempIN yes DEF Relay 7A fan relay 7A compressor relay 16A			
For models:	A70N1, AX140B2, AX70B1, B250xxx, B400xxx, B550xxx, B70N1, BX140B2, BX70B1			
accessories for	378260			
	No.	378261	Ref. No.	020519-00 020519-00R RIC0003793
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire			

accessories for 378260

No.	379784	Ref. No.	02128300 021283-00R RIC0003862
temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm			

SHANGFANG

accessories



1

No.	379054	Ref. No.	014675-00 01467500R DET64 RTFOC00039
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM100, FEM101, FEM200, FEM201, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002...(Other models you can see in the webshop)		

miscellaneous

electronic thermometers



1

No.	402047	Ref. No.	DET164
description	thermometer 14V voltage AC/DC display 2 digit PTC temperature restriction 0-60°C incl. probe		
For models:	L63, L64, LT121, LT150, LT151, LT152, LT202, LT91		



1

No.	403327	Ref. No.	927333
description	thermometer ARTHERMO type ROF-DIG/12 mounting measurements 58x26mm 12V voltage AC -30 jusqu'à +110°C measuring input NTC display 3 digits front measurements 64x31mm		
For models:	LT161, LT221, LT271, LT272, LT362		



1

No.	379022	Ref. No.	527601R
description	thermometer mounting measurements 28.5x70.5mm -55 up to +99°C type EWTM 101		

probes

universal probes

temperature probes



1

No.	379784	Ref. No.	02128300 021283-00R RIC0003862
description	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
For models:	A140N2, A70N1, AX140B2, AX140N2, AX70B1, AX70N1, B140N2, B250xxx, B400xxx, B550xxx, B70N1, BX140B2, BX1420N2, BX250xxx, BX400xxx, BX550xxx, BX70B1, BX70N1		



1

No.	378261	Ref. No.	020519-00 020519-00R RIC0003793
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire		
For models:	A140N2, A70N1, AX140B2, AX140N2, AX250xxx, AX400xxx, AX70B1, AX70N1, B140N2, B250xxx, B400xxx, B550xxx, B70N1, BX140B2, BX1420N2, BX250xxx, BX400xxx, BX550xxx, BX70B1, BX70N1		



1

No.	379805	Ref. No.	025461-00
description	temperature probe NTC 10kOhm cable TPE probe -40 up to +110°C cable -40 up to +110°C probe ø6x28mm cable length 2m cable colours grey 2-wire		



1

No.	379142	Ref. No.	927335 DWS96
description	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire		
For models:	L63, L64, LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91		



1

No.	379064	Ref. No.	014674-00 01467400R 014674-01 01467401R RIC0002906
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		



1

No.	379051	Ref. No.	RTFOC00034	
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire			
For models:	FEC060, FEC065, FEC100, FEM060, FEM061, FEM100, FEM101, FEM107, FEM107SC, FEM109, FEM207, FEM207SC, FEM209, FEM67, FEM67SC, FEM69, FEMD060, FEMD061, FEMD100, FEMD101, FEP050, FEP080, FGC060, FGC065, FGC100, FGM060, FGM061, FGM100, FGM101, FGM107, FGM107SC, FGM109, FGM207, FGM207SC, FGM209, FGM67, FGM67SC, FGM69, FGMD060, FGMD061, FGMD100, FGMD101, FGMD67, FGMD67SC, FGMD68, FGMD68EL, FGMD69, FGP050, FGP080, FMM060...(Other models you can see in the web-shop)			
accessories for	379051			
	No.	379877	Ref. No.	—
	electronic controller HONEYWELL type DC10N-400 mounting measurements 92x92mm 24/230V voltage AC TC (J) relay outputs 1 CO-10A(6) TC (J) universal built-in depth 55mm protection IP54 accuracy 1% built-in version defr. funct. no 0 up to +400°C display 3 digits			

producer-specific probes

probes

1

No.	403942	Ref. No.	231016
description	temperature probe		
For models:	LB411, LB411A, LB422, LB425, LK605, LK620, LK621, LK622, LK622I, LK625, LOD102, LOD202, LOD302, LOD402, LOD502, LS505M, LS505T, LS511, LS511A, LS511PV, LS520-CRP, LS521-CRP-SP, LS522, LS525, LTD209, LTD212, LTD220, LTD316, LTD320, LTD326		

1

No.	379101	Ref. No.	DWS100
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection plug thread probe ø4.5x30mm cable length 0.35m		
For models:	LK100, LK110, LK130		

1

No.	400910	Ref. No.	231014
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø4.5x30mm cable length 0.35m		
For models:	GOLD74, LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LF56, LF60, LFD50, LFD60, LFDX50, LK100, LK100EM, LK110, LK130, LK611, LK621, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD102, LOD155, LOD202, LOD302, LOD304, LOD305, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LS511, LS521, LT81, LTD101, LTD131, LTD171		

			
No.	379793	Ref. No.	164729
description	temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread M10x1.5 probe ø3x40mm cable length 2.5m		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FEM108, FEM108EL, FEM110, FEM110L, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM68, FEM68EL, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGM108, FGM108EL, FGM110, FGM110L, FGM210, FGM210L, FGM610, FGM610L, FGM68, FGM68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		

			
No.	379794	Ref. No.	164484
description	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C connection 2-wire thread probe ø6x100mm cable length 1.45m		
For models:	FEM108, FEM108EL, FEM110, FEM110L, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM68, FEM68EL, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGM108, FGM108EL, FGM110, FGM110L, FGM210, FGM210L, FGM610, FGM610L, FGM68, FGM68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		

			
No.	379950	Ref. No.	RTFOC00321
description	temperature probe thermocouple T (Cu-CuNi) cable silicone probe -150 up to +300°C cable -50 up to +180°C connection 2-wire thread M10x1 probe ø3x12/40mm cable length 2.4m		
For models:	FEC200, FEM107, FEM107SC, FEM109, FEM200, FEM201, FEM207, FEM207SC, FEM67, FEM67SC, FEM69, FEMD065, FEMD066, FEMD107, FEMD107SC, FEMD108, FEMD108EL, FEMD109, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD209, FEMD67, FEMD67SC, FEMD68, FEMD68EL, FEMD69, FEP050, FEP080, FEP160, FGC200, FGM107, FGM107SC, FGM109, FGM200, FGM201, FGM207, FGM207SC, FGM209, FGM67, FGM67SC, FGM69, FGMD065, FGMD066, FGMD107, FGMD107SC, FGMD108, FGMD108EL, FGMD109...(Other models you can see in the webshop)		

core probes

			
No.	378258	Ref. No.	161390
description	core temperature probe PTC 1kOhm cable PTFE probe -40 up to +120°C cable -40 up to +250°C connection plug probe ø4x100mm thread cable length 1m handle ø 10mm handle length 80mm		
For models:	FEM107, FEM107SC, FEM109, FEM207, FEM207SC, FEM67, FEM67SC, FEM69, FEMD107SC, FEMD109, FEMD207SC, FEMD67SC, FEMD69, FGM107, FGM107SC, FGM207, FGM207SC, FGM67, FGM67SC, FGMD107SC, FGMD109, FGMD207SC, FGMD67SC, FGMD69		

			
No.	378259	Ref. No.	161389
description	core temperature probe PTC 1kOhm cable PTFE probe -50 to +120°C cable -40 up to +250°C connection plug probe ø2x100mm thread cable length 1.75m handle ø 10mm handle length 80mm		
For models:	FEM107SC, FEM109, FEM207SC, FEM67SC, FEM69, FEMD107SC, FEMD109, FEMD207SC, FEMD67SC, FEMD69, FGM207SC, FGMD107SC, FGMD109, FGMD69		

			
No.	379748	Ref. No.	RIC.S506/3 RIC0003230
description	core temperature probe PTC 1kOhm cable silicone probe -40 up to +120°C cable -50 up to +180°C connection 2-wire probe ø4x75mm thread cable length 5m handle ø 10mm handle length 120mm L1 150mm L2 85mm		
For models:	S10M, S14M, S20M, S5M, S7M		

			
No.	379949	Ref. No.	RTFOC00464
description	core temperature probe thermocouple J (Fe-CuNi) cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread cable length 1.7m handle ø 9mm handle length 80mm		
For models:	FEM107SC, FEM109, FEM207SC, FEM209, FEM67SC, FEMD107SC, FEMD109, FEMD207SC, FEMD209, FEMD67SC, FEMD69, FEP050, FEP080, FEP160, FGM107SC, FGM109, FGM207SC, FGM209, FGM67SC, FGM69, FGMD107SC, FGMD109, FGMD207SC, FGMD209, FGMD67SC, FGMD69, FGP050, FGP080, FGP160, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM107 SC, JOKER FEM109, JOKER FEM207 SC, JOKER FEM209, JOKER FEMD 67 SC, JOKER FEMD 69, JOKER FEMD107 SC, JOKER FEMD109, JOKER FEMD207 SC, JOKER FEMD209, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002, JOKER FEP160, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109...(Other models you can see in the webshop)		

accessories

screw connections

			
No.	550339	Ref. No.	53.3.0184.00
description	screw connection for probe		
For models:	6BM61G, 6BM62G		



electronics

electronics accessories



1

No.	699373	Ref. No.	419040
description	spacer piece for PCB thread M3 L 19.5mm H 10mm plastic black		
For models:	LS505M, LS505T		

EPROMS



1

No.	400900	Ref. No.	225029
description	EPROM CODE 225029-3		
For models:	LB40E, LF55E, LF56, LF60		



1

No.	401917	Ref. No.	225034
description	EPROM CODE 225034		



1

No.	401558	Ref. No.	81000 810001
description	EPROM CODE 81000-1		
For models:	GOLD74, LK100, LK110, LK130, LK611, LKD130, LO65, LTD-Rullerie-717066, LTD-Rullerie-717067, LTD-Rullerie-717086, LTD-Rullerie-717087, LT-Rullerie-717066, LT-Rullerie-717067, LT-Rullerie-717086, LT-Rullerie-717087		



1

No.	403247	Ref. No.	225031
description	EPROM for dishwasher CODE 225031-5		
For models:	LB40E, LB411, LF55E, LS511		



1

No.	403249	Ref. No.	225044
description	EPROM for dishwasher CODE 225044-2		
For models:	LFD50		



1

No.	403244	Ref. No.	81008
description	EPROM for dishwasher CODE 81008		
For models:	LTD131, LTD171		



1

No.	403241	Ref. No.	81001
description	EPROM type U61E for dishwasher CODE 81001-3		
For models:	LFD60, LO155, LO65, LO80, LO80H, LO93, LOD155, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92		


PCBs

1



No.	404016	Ref. No.	215032-4
description	control PCB warewashing Toptech 24-20GT 230V 50Hz		
For models:	LB425, LK625, LS525		
accessories for	404016		
	No.	403874	Ref. No.
	—		
	 programmer KIT BOOT-LOADER suitable for EUROTEC GROUP		

1



No.	400897	Ref. No.	227059 227084 DES10
description	display PCB dishwasher GS 60		
For models:	LB40E, LB411, LB411A, LB42BT-UK, LBD40, LBDX40, LF55E, LF56, LF60, LFD50, LFD60, LFDX50, LO65, LOD102, LOD65, LP800-00-092, LP92, LS511, LS511A, LS511PV, LS520-CRP, LS521, LS521-CRP-SP		
accessories for	400897		
	No.	403250	Ref. No.
	80933 926272 DWS99		
	 ribbon cable 10-pole L 3000mm plug type coded 2 row plug: number of poles 10		

1



No.	401230	Ref. No.	RTFOC00546
description	keypad PCB		
For models:	FEM109, FEM209, FEM69, FEMD109, FEMD209, FEMD69, FGM109, FGM209, FGM69, FGMD109, FGMD209, FGMD69, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM109, JOKER FEM109 AB 2002, JOKER FEM209, JOKER FEMD 69, JOKER FEMD109, JOKER FEMD209, JOKER FGM 69, JOKER FGM109, JOKER FGM209, JOKER FGMD 69, JOKER FGMD109, JOKER FGMD209		

1




No.	401232	Ref. No.	RTFOC00672
description	keypad PCB combi-steamer FEM 67/207		
For models:	FEM107, FEM107SC, FEM207, FEM207SC, FEM67, FEM67SC, FEMD107, FEMD107SC, FEMD108, FEMD108EL, FEMD207, FEMD207SC, FEMD67, FEMD67SC, FEMD68, FEMD68EL, FGM107, FGM107SC, FGM207, FGM207SC, FGM67, FGM67SC, FGMD107, FGMD107SC, FGMD108, FGMD108EL, FGMD207, FGMD207SC, FGMD67, FGMD67SC, FGMD68, FGMD68EL, JOKER FEM 67 SC, JOKER FEM207 SC, JOKER FEMD 67 SC, JOKER FEMD107 SC, JOKER FEMD207 SC, JOKER FGM 67 SC, JOKER FGM107 SC, JOKER FGM207 SC, JOKER FGMD 67 SC, JOKER FGMD107 SC, JOKER FGMD207 SC		

1



No.	400898	Ref. No.	80889 80900
description	keypad PCB dishwasher LP10/20/30 with display		
For models:	GOLD74, LK100, LK110, LK130, LK611, LK620, LK621, LKD130, LKDX110, LO155, LO80, LO80H, LO93, LOD155, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LOD80, LOD80H, LOD93, LP80, LT81, LTD101, LTD131, LTD171, LTD209, LTD212, LTD216, LTD220		
accessories for	400898		
	No.	402970	Ref. No.
	41523		
	 ribbon cable 10-pole L 1200mm plug type 2 row coded Qty 1m		

1



No.	401936	Ref. No.	24000001
description	keypad PCB with control		



No.	401231	Ref. No.	RTFOC00547
description	main PCB		



No.	401234	Ref. No.	RTFOC00671 old
description	main PCB		



No.	401550	Ref. No.	RTFOC00547
description	main PCB		
For models:	FEM109, FEM209, FEM69, FEMD109, FEMD209, FEMD69, FGM109, FGM209, FGM69, FGMD109, FGMD209, FGMD69, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM109, JOKER FEM109 AB 2002, JOKER FEM209, JOKER FEMD 69, JOKER FEMD109, JOKER FEMD209, JOKER FGM 69, JOKER FGM109, JOKER FGM209, JOKER FGMD 69, JOKER FGMD109, JOKER FGMD209		



No.	401668	Ref. No.	RTFOC00671
description	main PCB combi-steamer FEM 67/207		
For models:	FEM107, FEM107SC, FEM207, FEM207SC, FEM67, FEM67SC, FEMD107, FEMD107SC, FEMD207, FEMD207SC, FEMD67, FEMD67SC, FGM107, FGM107SC, FGM207, FGM207SC, FGM67, FGM67SC, FGMD107, FGMD107SC, FGMD207, FGMD207SC, FGMD67, FGMD67SC, JOKER FEM 67 SC, JOKER FEM107 SC, JOKER FEM207 SC, JOKER FEMD 67 SC, JOKER FEMD107 SC, JOKER FEMD207 SC, JOKER FGM 67 SC, JOKER FGM107 SC, JOKER FGM207 SC, JOKER FGMD 67 SC, JOKER FGMD107 SC, JOKER FGMD207 SC		
accessories for	401668		
	No.	550802	Ref. No. RTFOC00593
PCB terminal block 4-pole raster size 5mm			




No.	403780	Ref. No.	215034-6
description	main PCB dishwasher ELETTROBAR / COLGED L 136mm W 85mm		
For models:	LB355, LB405		




No.	401236	Ref. No.	RTFOC00663
description	PCB		
For models:	FEC023, FEMD023, PLANET FEC023, PLANET FEMD023		



No.	403041	Ref. No.	164493
description	PCB cable length 220mm with relay		
For models:	FEM110, FEM110L, FEM210, FEM210L, FEM220L, FEM610, FEM610L, FEM68, FEM68EL, FEMD68, FEMD68EL, FGM110, FGM110L, FGM210, FGM210L, FGM610, FGM610L, FGM68, FGM68EL, FGMD68, FGM-D68EL		



No.	401235	Ref. No.	RTFOC00673
description	PCB determination der core temperature		
For models:	FEM107, FEM107SC, FEM207, FEM207SC, FEM67, FEM67SC, FEMD107SC, FEMD108, FEMD108EL, FEMD207SC, FEMD67SC, FEMD68, FEMD68EL, FGM107, FGM107SC, FGM207, FGM207SC, FGM67, FGM67SC, FGMD107SC, FGMD108, FGMD108EL, FGMD207SC, FGMD67SC, FGMD68, FGMD68EL, JOKER FEM 67 SC, JOKER FEM107 SC, JOKER FEM207 SC, JOKER FEMD 67 SC, JOKER FEMD107 SC, JOKER FGM 67 SC, JOKER FGM107 SC, JOKER FGM207 SC, JOKER FGMD 67 SC, JOKER FGMD107 SC, JOKER FGMD207 SC		



1

No.	403621	Ref. No.	215036
description	PCB dishwasher 25/26/27-05 26/27-20 L 60mm W 40mm		
For models:	LB355, LB405, LB422, LK605, LK622, LK622I, LS505M, LS505T, LS522		



1

No.	403622	Ref. No.	215039
description	PCB dishwasher 25/26/27-05 26/27-20 L 90mm W 50mm starting relay		
For models:	LS522, LS525		




1

No.	403734	Ref. No.	215034-3
description	PCB dishwasher COLGED L 135mm W 85mm		
For models:	LS505M, LS505T		



1

No.	403093	Ref. No.	215038
description	PCB dishwasher L 135mm W 82mm		
For models:	LB355		



1

No.	401049	Ref. No.	215022
description	PCB dishwasher LP10/20/30		
For models:	LB42BT-UK, LBDX40, LFDX50, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD155, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LT81, LTD101, LTD131, LTD171		



1

No.	403572	Ref. No.	215032-1
description	PCB dishwasher Protech 1113/611 TR10 L 178mm W 125mm		
For models:	LK620, LOD402, LOD502, LS521-CRP-SP, LTD212		



1

No.	403518	Ref. No.	215034-5
description	PCB dishwasher R4258E1120T7S L 136mm W 85.5mm 230V		
For models:	LK605		



1

No.	401900	Ref. No.	215029
description	PCB L 120mm W 80mm		
For models:	LB350, LB400, LB405, LB450, LK600, LK605, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS520		




No.	361870	Ref. No.	164826
description	PCB L 130mm W 100mm		
For models:	FEM108, FEM108EL, FEM110, FEM110L, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM68, FEM68EL, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGM108, FGM108EL, FGM110, FGM110L, FGM210, FGM210L, FGM610, FGM610L, FGM68, FGM68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		



No.	402015	Ref. No.	016369-00R
description	PCB refrigerated counter Skin		




No.	403045	Ref. No.	215032
description	PCB suitable for ELETTOBAR		
For models:	LK620, LK621, LOD102, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LS520-CRP, LS521, LTD209, LTD212, LTD216, LTD220		



No.	403784	Ref. No.	215037
description	PCB warewashing ELETTOBAR / COLGED L 60mm W 30mm		
For models:	LK605, LS505M, LS505T		



No.	403509	Ref. No.	999298
description	PCB warewashing NIAGARA/SILVER		
For models:	LB411, LB411A, LK611, LS511, LS511A, LS511PV		




No.	400899	Ref. No.	215023 DES102
description	power PCB dishwasher LP10/20/30 without EPROM		
For models:	GOLD74, LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LF56, LF60, LFD50, LFD60, LFDX50, LK100, LK100EM, LK110, LK130, LK611, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD155, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LS511, LT81, LTD101, LTD131, LTD171		
accessories for	400899		
	No.	400761	Ref. No. CN5
description	plug connector 5-pole		
	No.	400900	Ref. No. 225029
description	EPROM CODE 225029-3		
	No.	401558	Ref. No. 81000 810001
description	EPROM CODE 81000-1		
	No.	403241	Ref. No. 81001
description	EPROM type U61E for dishwasher CODE 81001-3		
	No.	550048	Ref. No. —
description	female bullet		

keypads

front foils



No.	401238	Ref. No.	RTFOC00505
description	front foil		
For models:	FEM107, FEM107SC, FEM207SC, FEMD107, FEMD107SC, FEMD207SC, FEP160, FGM107SC, FGM207SC, FGMD107SC, FGMD207, FGMD-207SC, JOKER FEM107 SC, JOKER FEM207 SC, JOKER FEMD107 SC, JOKER FEMD207 SC, JOKER FEP160, JOKER FGM107 SC, JOKER FGM207 SC, JOKER FGMD107 SC, JOKER FGMD207 SC		



No.	401240	Ref. No.	RTFOC00665
description	front foil		
For models:	FEM67SC, FEMD67SC, FGM67SC, FGMD67SC, JOKER FEM 67 SC, JOKER FEMD 67 SC, JOKER FGM 67 SC, JOKER FGMD 67 SC		

1 			
No.	402030	Ref. No.	01271301R
description	front foil		

1 			
No.	402031	Ref. No.	01345001R
description	front foil		

1 			
No.	402032	Ref. No.	01654900R
description	front foil		


1 			
No.	401239	Ref. No.	RTFOC00506
description	keypad foil		
For models:	FEM67, FEM67SC, FEMD67, FEMD67SC, FGM67SC, FGMD67, FGMD-67SC, JOKER FEM 67 SC, JOKER FEMD 67 SC, JOKER FGM 67 SC, JOKER FGMD 67 SC		


1 			
No.	401252	Ref. No.	RTFOC00548
description	keypad foil		
For models:	FEM69, FEMD69, FGM69, FGMD69, JOKER FEM 69, JOKER FEMD 69, JOKER FGM 69, JOKER FGMD 69		

1 			
No.	400896	Ref. No.	80302
description	keypad foil dishwasher Gold74		
For models:	GOLD74		

1 			
No.	505276	Ref. No.	36784
description	keypad foil dishwasher L25 L 494mm W 84mm buttons 4		

membrane keypads

1 			
No.	402023	Ref. No.	01086805R
description	membrane keypad		

1 			
No.	402024	Ref. No.	01087005R
description	membrane keypad		

solenoid valves

solenoid valves (water)

ELBI

straight

A detailed view of a solenoid valve, model 373017. It features a white plastic body with a yellow solenoid coil on top. The valve has a 3/4 inch inlet and an 11.5mm outlet. A small blue and white 'elbi' logo is visible in the top right corner of the image area.

1

No.	373017	Ref. No.	240016 240021 DEV3516
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
For models:	GOLD74, L61, L62, L63, L64, LB350, LB400, LB405, LB411, LB411A, LB422, LB425, LFD60, LK100, LK100EM, LK110, LK1100, LK130, LK1300, LK600, LK605, LK611, LK622, LK622I, LKD130, LO65, LS500, LS500A, LS500GA, LS501, LS501A, LS501GA, LS505M, LS505T, LS511A, LS520		
spare parts for	373017		
	No.	370467	Ref. No.
	solenoid valve filter suitable for ELBI		

			
No.	370315	Ref. No.	929172
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm input 16l/min t.max. 90°C ELBI plastic flow regulating valve inlet black		
For models:	LO155, LO93, LOD155, LOD93, LT81, LTD101, LTD131, LTD171, LTD209, LTD212, LTD216, LTD220		

			
No.	370246	Ref. No.	240010
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C ELBI plastic output B 0.5l/min flow regulating valve outlet B red		
For models:	KLB40, LB135, LB140, LB145, LB35, LB35C, LB40, LB40E, LB411, LB45, LBD40, LF50, LF500, LF55, LF550, LF551, LF55E, LF56, LF59, LF60, LFD50, LS511		

			
No.	370247	Ref. No.	240002
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C ELBI plastic flow regulating valve inlet orange output B 0.5l/min flow regulating valve outlet B red		
For models:	LB140, LF500		

ELTEK			
			
No.	370779	Ref. No.	2DR025
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm input 7l/min output 1.2l/min DN10 ELTEK		
For models:	KF165W, KF185W, KL030A		

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C
ambient temperature: 60°C 25°C 60°C
duty cycle: 40% 100% 100%

spare parts and accessories

reducers

outlet side

			
No.	374050	Ref. No.	RTFOC00120
description	reducer flow rate 0.25l/min		
For models:	FCE10, FCE6, FCG10, FCG20, FCG6, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107, FEM107SC, FEM109, FEM110, FEM110L, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM220L, FEM610, FEM610L, FEM67, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107, FEMD107SC, FEMD109, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD67, FEMD67SC, FEMD69...(Other models you can see in the webshop)		

			
No.	371250	Ref. No.	172834
description	reducer type EATON (INVENSYS) flow rate 0.25l/min pressure range 0 up to 10bar tolerance ±15/25% white		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CMG10-V380, CMG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE108, FCE68, FCG108, FCG68, FEM107, FEM108, FEM108EL, FEM207, FEM67, FEM68, FEM68EL, FEMD023, FEMD108, FEMD108EL, FEMD48, FEMD68, FEMD68EL, FGM107, FGM108, FGM108EL, FGM207, FGM67, FGM68, FGM68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		

			
No.	371252	Ref. No.	172833
description	reducer type EATON (INVENSYS) flow rate 1.2l/min pressure range 0 up to 10bar tolerance ±15/25% blue		
For models:	FEM107, FEM108EL, FEM207, FEM210L, FEM67, FEM68, FEM68EL, FEMD108EL, FEMD68, FEMD68EL, FGM107, FGM108EL, FGM207, FGM210L, FGM67, FGM68, FGM68EL, FGMD108EL, FGMD68, FGMD68EL		

			
No.	374051	Ref. No.	RTFOC00145
description	reducer white		
For models:	FCE20, FEC065, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107, FEM107SC, FEM109, FEM110, FEM110L, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM220L, FEM610, FEM610L, FEM67, FEM67SC, FEM69, FEMD065, FEMD066, FEMD200, FEMD201, FEMD207SC, FEMD209, FEP160, FGC065, FGC200, FGM060, FGM061, FGM062, FGM100, FGM101, FGM102, FGM107, FGM107SC, FGM109, FGM110, FGM110L, FGM200, FGM201...(Other models you can see in the webshop)		

RPE


1

No.	374021	Ref. No.	RTFOC00203
description	solenoid valve double straight 230VAC inlet 3/4" outlet 10mm DN10 RPE		
For models:	CME10-V380, CME6-V380, FEC060, FEC065, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107, FEM108, FEM108EL, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM67, FEM68, FEM68EL, FEMD060, FEMD061, FEMD065, FEMD066, FEMD107, FEMD107SC, FEMD108, FEMD108EL, FEMD109, FEMD200, FEMD201, FEMD67, FEMD67SC, FEMD68, FEMD68EL, FEMD69, FEP050, FEP160, FGC065, FGC100, FGC200...(Other models you can see in the web-shop)		



1

No.	374017	Ref. No.	3740017 RTFOC00022
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		
For models:	CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, EC11803, FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEC023, FEC060, FEC100, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM110L, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM610L, FEMD023, FEMD100, FEMD101, FEMD207, FEMD207SC, FEMD209, FEMD48, FEP050, FEP080, FEP160, FGC060, FGC100, FGM060, FGM061, FGM062, FGM100...(Other models you can see in the webshop)		



1

No.	374025	Ref. No.	RTFOC00520
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 10mm DN10 RPE		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CMG10-V380, CMG6-V380, FEM107, FEM107SC, FEM108EL, FEM109, FEM110, FEM110L, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM67, FEM67SC, FEM68EL, FEM69, FEMD108EL, FEMD68EL, FGM107, FGM107SC, FGM108EL, FGM109, FGM110, FGM110L, FGM210, FGM210L, FGM610, FGM610L, FGM67, FGM67SC, FGM68EL, FGM69, FGMD108EL, FGMD68EL, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM107 SC...(Other models you can see in the webshop)		

solenoid valves with reducers
2-fold


1

No.	370835	Ref. No.	2DR026
description	solenoid valve double straight 230VAC inlet 3/4 outlet 10.5mm input 7l/min output 2x1.2l/min DN10 t.max. 90°C RPE		
For models:	KLO30W		



1

No.	374004	Ref. No.	178257
description	solenoid valve double straight 230VAC outlet JG 8 input 10-12l/min t.max. 60°C RPE plastic flow regulating valve inlet white		
For models:	FEM110L, FEM210, FEM210L, FEM610L, FGM110L, FGM210, FGM210L, FGM610L		

TP


1

No.	370021	Ref. No.	240003
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
For models:	LB135, LB140, LB145, LB35, LB40, LB40E, LB45, LF500, LF56, LF60		
spare parts for	370021		
	No.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370021		
	No.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance ±15%			
	No.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	No.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance ±15%			
	No.	371223	Ref. No. —
reducer TP flow rate 10l/min white tolerance ±15%			
	No.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance ±15%			
	No.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance ±15%			

Table continues overleaf

accessories for 370021		No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance $\pm 15\%$	No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$	No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$	No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$	No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$	No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$	No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$	No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$	No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$	No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$	No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance $\pm 25\%$	No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance $\pm 20\%$	No.		Ref. No.	

	
No.	370111
Ref. No.	927001 DEV32416
description	solenoid valve double straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91
spare parts for 370111	
	solenoid coil 24VAC
accessories for 370111	
	reducer TP flow rate 3l/min red tolerance $\pm 15\%$
	reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$

accessories for 370111		No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance $\pm 15\%$	No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance $\pm 15\%$	No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$	No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$	No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance $\pm 15\%$	No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$	No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$	No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$	No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$	No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$	No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$	No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$	No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$	No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$	No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance $\pm 25\%$	No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance $\pm 20\%$	No.		Ref. No.	

			
No.	370017	Ref. No.	240011 240018
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
For models:	KLB40, LB135, LB140, LB145, LB35, LB350, LB355, LB35C, LB40, LB400, LB405, LB40E, LB411, LB411A, LB422, LB42BT-UK, LB45, LB450, LBD40, LBDX40, LF50, LF500, LF55, LF550, LF551, LF55E, LF56, LF59, LF60, LFD50, LFDX50, LK1000, LK620, LK621, LK625, LKDX110, LO65, LOD102, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LOD65, LP800-00-092, LP92, LS500, LS500A, LS500G...(Other models you can see in the webshop)		
spare parts for	370017		
		No. 371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370017		
		No. 371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
		No. 371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
		No. 371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
		No. 371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
		No. 371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
		No. 371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
		No. 371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
		No. 371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
		No. 371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
		No. 371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
		No. 371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
		No. 371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance ±25%		
		No. 371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance ±25%		

accessories for	370017		
		No. 371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
		No. 371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
		No. 371238	Ref. No. —
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
		No. 371239	Ref. No. —
	reducer TP flow rate 5l/min black tolerance ±25%		
		No. 371240	Ref. No. —
	reducer TP flow rate 8l/min blue tolerance ±20%		

			
No.	370015	Ref. No.	015552-00 01555200R
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP		
accessories for	370015		
		No. 371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
		No. 371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
		No. 371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
		No. 371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
		No. 371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
		No. 371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
		No. 371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
		No. 371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
		No. 371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
		No. 371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		

Table continues overleaf

accessories for 370015				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				

solenoid valves with reducers

	No.	370437	Ref. No.	23010
description solenoid valve double angled 230VAC inlet 3/4" input 10l/min output 1.2/1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve inlet white outlet 11.5mm output A 1.2l/min output B 1.2l/min flow regulating valve outlet A dark brown flow regulating valve outlet B dark brown				
For models: CB955W, ICE45W				

	No.	370449	Ref. No.	23220
description solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 2.5l/min outputl/min DN10 t.max. 90°C TP plastic flow regulating valve inlet yellow				
For models: CB955A				

	No.	370427	Ref. No.	23001
description solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input/min output 1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve outlet dark brown				
For models: CB955A, ICE45A				

	No.	370245	Ref. No.	927242 DEV34S16
description solenoid valve single straight 24VAC inlet 3/4" outlet 11.5mm input 16l/min t.max. 90°C TP plastic flow regulating valve inlet light brown				
For models: LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91				

various

	No.	370726	Ref. No.	999288
description solenoid valve double straight 220-240VAC inlet 11mm outlet 11mm MILANO plastic output B red				
For models: LB405, LB411, LB411A, LB422, LB425, LS500A, LS500GA, LS501A, LS501GA, LS505M, LS505T, LS511A, LS520				

	No.	370636	Ref. No.	240020
description solenoid valve single CO 230VAC outlet 10.5mm MILANO 00168401 plastic 3-ways inlet 10.5mm 50/60Hz male faston 6.3mm				
For models: LB350, LB400, LB425, LS500, LS500A, LS501, LS501A				
accessories for 370636				
	No.	371142	Ref. No.	133009
reducer for solenoid valve ø 8.2mm				

metal

PARKER

2-way

VE-123 series



1

No.	370727	Ref. No.	927142
description	solenoid valve brass 2-ways 24VAC inlet 1/2" IT outlet 1/2" IT connection 1/2" L 72mm DN 13mm t.max. 140°C -10 up to 140°C PARKER type series VE123 coil type ZB09 membranes Viton p max 5bar 50/60Hz 24V voltage AC		
For models:	LT161, LT221, LT271, LT272, LT362		

solenoid valves (refrigeration)

CASTEL

valve bodies

STANDARD series

suitable for refrigerants R22, R134a, R404A, R407C, R410A, R507



1

No.	370151	Ref. No.	20410
description	solenoid valve body NC type 1028/2 S p max 45bar connection 1/4" soldering connection DN 2.2mm -35 up to +105°C L 125mm refrigeration straight CASTEL		
For models:	CB955A, CB955W, ICE45A, ICE45W		
accessories for	370151		
	No.	371084	Ref. No. —
solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2			
	No.	371090	Ref. No. —
power socket plug type DIN 43650A screw			
	No.	371301	Ref. No. —
solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2			
	No.	371314	Ref. No. —
solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm			
	No.	371321	Ref. No. —
solenoid coil CASTEL 12/24VAC 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2			



1

No.	370383	Ref. No.	20409
description	solenoid valve body NC type 1068/M10S p max 45bar connection 10mm soldering connection DN 7mm -35 up to +105°C L 111mm refrigeration straight CASTEL		
For models:	CB955A, CB955W		
accessories for	370383		
	No.	371084	Ref. No. —
solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2			
	No.	371090	Ref. No. —
power socket plug type DIN 43650A screw			
	No.	371301	Ref. No. —
solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2			
	No.	371314	Ref. No. —
solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm			
	No.	371321	Ref. No. —
solenoid coil CASTEL 12/24VAC 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2			

spare parts and accessories



1

No.	371041	Ref. No.	23091
description	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HM2		
For models:	CB955A, CB955W, ICE45A, ICE45W		
accessories for	371041		
	No.	371090	Ref. No. —
power socket plug type DIN 43650A screw			
	No.	371092	Ref. No. —
power socket plug type DIN large cable length 1000mm			

DANFOSS

valve bodies



No.	370160	Ref. No.	012719-00 01271900R
description	solenoid valve body NC type EVR 3 p max 45.2bar DN 3.2mm connection 6mm soldering connection -40° up to 105°C refrigeration straight DANFOSS		
For models:	B250xxx, B400xxx, B550xxx		
accessories for	370160		
	No.	371046	Ref. No. —
console for solenoid valve for EVR2,3,6,10			

PARKER

valves



No.	370782	Ref. No.	1RF123
description	solenoid valve 230V connection 16mm soldering connection PARKER refrigeration straight		
For models:	KL030A, KL030W		
spare parts for	370782		
	No.	371033	Ref. No. —
solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm			

Solenoid valve - accessories



No.	371142	Ref. No.	133009
description	reducer for solenoid valve ø 8.2mm		
For models:	LB350, LB400, LS500, LS500A, LS501, LS501A		

ball valves electric



No.	401386 ¹	Ref. No.	RTFOC00550
description	ball valve inlet 1/2" IT outlet 1/2" IT 230V L 60mm 50/60Hz off-current open mode of operation electric connection cable 450mm IT 1/2"		
For models:	FEM107, FEM107SC, FEM109, FEM207, FEM207SC, FEM209, FEM67, FEM67SC, FEM69, FGM107, FGM107SC, FGM109, FGM207, FGM-207SC, FGM209, FGM67, FGM67SC, FGM69, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM107 SC, JOKER FEM109, JOKER FEM109 AB 2002, JOKER FEM207 SC, JOKER FEM209, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109, JOKER FGM207 SC, JOKER FGM209		
spare parts for	401386		
	No.	401246	Ref. No. RTFOC00559
gear motor for ball valve 230V L 75mm 50/60Hz W 60mm H 72mm TCR shaft ø 31mm			

¹off-current open



No.	401246	Ref. No.	RTFOC00559
description	gear motor for ball valve 230V L 75mm 50/60Hz W 60mm H 72mm TCR shaft ø 31mm		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



No.	541002	Ref. No.	224002
description	pressure control pressure range 110/60mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	GC411-SC, GC911-SC, LFD60, LK100, LK100EM, LK110, LK620, LK621, LK625, LO65, LOD102, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LOD65, LP800-00-092, LP92		

			
1			
No.	541011	Ref. No.	224010
description	pressure control pressure range 110/70mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	LF50, LF55E, LK621, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505M, LS505T, LS511, LS511A, LS511PV, LS520		

			
1			
No.	541647	Ref. No.	224011
description	pressure control pressure range 115/85mbar connection 6mm ø 58mm pressure connection ø 6mm		
For models:	LF59, LS505		

			
1			
No.	543024	Ref. No.	224026
description	pressure control pressure range 120/95mbar connection F6.3 ø 5.5mm		
For models:	LB422, LB425		

			
1			
No.	541899	Ref. No.	224022 224025
description	pressure control pressure range 125/105mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	LK600, LK605, LS522, LS525		

			
1			
No.	541166	Ref. No.	224008
description	pressure control pressure range 140/110mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	LF56, LF60		

			
1			
No.	543025	Ref. No.	224027
description	pressure control pressure range 155/130mbar connection F6.3 ø 5.5mm		
For models:	LB422, LB425		

			
1			
No.	541898	Ref. No.	224023
description	pressure control pressure range 165/140mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	LK600, LK605, LS522, LS525		

			
1			
No.	541105	Ref. No.	926049 DEP45
description	pressure control pressure range 180/70mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	GOLD74, L63, L64, LK1100, LK130, LK1300, LKD130, LO155, LO80, LO80H, LO93, LOD155, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LOD80, LOD80H, LOD93, LP155, LP80, LP80H, LP93, LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT81, LT91, LTD101, LTD131, LTD171, LTD209, LTD212, LTD216, LTD220, LTD316, LTD320, LTD326, LTDX172, LTDX222, LTDX272		

			
1			
No.	541778	Ref. No.	224009
description	pressure control pressure range 208/178mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	LF56, LF60		

			
No.	541001	Ref. No.	224004
description	pressure control pressure range 35/17mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	KLB40, LB135, LB140, LB35, LB350, LB355, LB35C, LB40, LB400, LB405, LB40E, LB411, LB411A, LB42BT-UK, LBDX40, LFD50, LFDX50, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD155, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LS505M, LS505T		

			
No.	543014	Ref. No.	224024
description	pressure control pressure range 35/22mbar connection 6mm suitable for COLGED		
For models:	LS520-CRP, LS521, LS521-CRP-SP, LS525		

			
No.	541132	Ref. No.	224015
description	pressure control pressure range 40/18mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	LFD50, LS520-CRP		

			
No.	541010	Ref. No.	224028
description	pressure control pressure range 50/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	LB425		

			
No.	541013	Ref. No.	929039 DEP4
description	pressure control pressure range 55/25mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	L600, L61, L62, LK1000, LK1010, S58		

			
No.	541003	Ref. No.	224003
description	pressure control pressure range 55/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	LB145, LB42BT-UK, LB45, LB450, LBD40, LBDX40, LF50, LF500, LF55E, LF59, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV, LS520		

			
No.	541106	Ref. No.	224005
description	pressure control pressure range 90/56mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	LF50, LF500, LF55E		

			
No.	541951	Ref. No.	224029
description	pressure control pressure range 90/60mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	LS505M, LS505T		

			
No.	541866	Ref. No.	224016
description	pressure control pressure range 90/75mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	LB42BT-UK, LBD40, LBDX40, LFD50, LS520-CRP		

			
1			
No.	541017	Ref. No.	69850
description	pressure control with mounting strap pressure range 40/20mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	LK611, LK620, LK622, LK622I, LK625, LOD102		

miscellaneous

			
1			
No.	541701	Ref. No.	224999/A
description	pressure control analogue with plug		
For models:	LKDX110		

			
1			
No.	541950	Ref. No.	224018
description	pressure control kit pressure range 0-30mbar connection 6mm warewashing		
For models:	LK621, LS521, LS521-CRP-SP		

accessories

			
1			
No.	541109	Ref. No.	035031
description	Y-piece plastic hose ø 8-6-8mm for pressure switch		
For models:	LB42BT-UK, LBD40, LBDX40, LF50, LF500, LF55E, LF56, LF59, LF60, LFD50, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV, LS520, LS520-CRP		

for steam control

			
1			
No.	541351	Ref. No.	RTCP800143
description	pressure control pressure connection vertical steam control pressure range adjustable 0.2-0.9bar connection male faston 6.3mm pressure connection ø 1/4"mm		
For models:	E100I, E100I9, E100IA, E100IT9, E150I, E150I9, E150IA, E150IT9, E50I7, E50I77		

for refrigeration

SAGI NO MIYA			
			
1			
No.	541479	Ref. No.	23175
description	pressure control HD reset automatic refrigeration type HTB-X114 connection 2.4mm		
For models:	CB955A, CB955W, ICE45W		

electrodes

			
1			
No.	401363	Ref. No.	PAFOC00559
description	level electrode 1/4" total length 110mm probe L 85mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FEM67, FEM67SC, FEM69, FGM67, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002		

			
1			
No.	401241	Ref. No.	RTFOC00709
description	level electrode 1/4" total length 121mm probe L 94mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FEM107, FGM107, FGM107SC, FGM109, FGM67, FGM67SC, FGM69, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109		

1



No.	401243	Ref. No.	RTFOC00210
description	level electrode 1/4" total length 131mm probe L 105mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FEM060, FEM061, FEM062, FGM060, FGM061, FGM062, FGM100, FGM101, FGM102, FGM200, FGM201, FGM202, FGM207, FGM207SC, FGM209, FMM060, FMM061, JOKER FGM207 SC, JOKER FGM209		

2



No.	400020	Ref. No.	RTFOC00148
description	level electrode 1/4" total length 150mm probe L 124mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FEM060, FEM061, FEM062, FEM100, FEM101, FMM060, FMM061, FMM100, FMM101		

1



No.	401242	Ref. No.	RTFOC00207
description	level electrode 1/4" total length 155mm probe L 128mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FEM107, FEM107SC, FEM109, FGM060, FGM061, FGM062, FGM102, FGM200, FGM201, FGM202, FGM207, FGM207SC, FGM209, JOKER FEM107 SC, JOKER FEM109, JOKER FEM109 AB 2002, JOKER FGM207 SC, JOKER FGM209		

1



No.	401365	Ref. No.	PAFOC00703
description	level electrode 1/4" total length 172mm probe L 145mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FEM207, FEM207SC, FEM209, JOKER FEM207 SC, JOKER FEM209		

1



No.	401364	Ref. No.	PAFOC00570
description	level electrode 1/4" total length 181mm probe L 155mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		

1



No.	401361	Ref. No.	RTFOC00255
description	level electrode 1/4" total length 190mm probe L 164mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FEM100, FEM101, FEM200, FEM201, FEM202, FEM207, FEM207SC, FMM100, FMM101, JOKER FEM207 SC, JOKER FEM209		

1



No.	401161	Ref. No.	PAFOC00572
description	level electrode 1/4" total length 210mm probe L 184mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FEM107, FEM107SC, FEM109, JOKER FEM107 SC, JOKER FEM109, JOKER FEM109 AB 2002		

1



No.	401362	Ref. No.	PAFOC00560
description	level electrode 1/4" total length 89mm probe L 64mm insulated probe length 27mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FEM67, FEM67SC, FEM69, FGM67, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002		

1



No.	401244	Ref. No.	RTFOC00710
description	level electrode 1/4" total length 91mm probe L 65mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	FGM107, FGM107SC, FGM109, FGM67, FGM67SC, FGM69, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109		

flow meters and flow sensors

flow meters

miscellaneous



1

No.	402680	Ref. No.	240017 240998
description	flow meter pressure range 0.2-10bar connection 10mm L 69mm		
For models:	GOLD74, LB40E, LF55E, LF56, LF60, LK130, LTDX172, LTDX222, LTDX272		

compressors

ACC/ZEL

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605009	Ref. No.	022260-00
description	compressor coolant R134a type GL90TB 220-240V 50Hz HMBP fully hermetic 10.8kg 1/4HP power input 293W cylinder capacity 8.8cm ³ CSIR H 175.5mmW 143W 194W 259W 339W 432W 539W 661W 796W test method ASHRAE		
For models:	A70N1, AX400xxx, B400xxx, B550xxx, BX400xxx, BX550xxx, D140DN2, D140DNB2, D140DNP2, D140DNP3, D70DN2, D70DNB2, D70N1, D70N1V, D70P1		

EMBRACO / ASPERA

R404a/R507

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605161	Ref. No.	23505
description	compressor coolant R404a/R507 type NEK6210GK 220-240V 50Hz HMBP fully hermetic 8.5kg 3/8HP cylinder capacity 8.78cm ³ CSIR H 200mmW 566W 674W 815W 988W 1195W 1435W 1707W		
For models:	ICE45A, ICE45W		

L'UNITE HERMETIQUE / TECUMSEH

R404A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605036	Ref. No.	23444
description	compressor coolant R404A type AEZ4425Z 220-240V 50Hz 9.8kg 1/5HP power inputW cylinder capacity 4.5cm ³ CSIR H 186mmWW 198W 263W 341W 432W		
For models:	CB955A, CB955W		



fans

axial fans

ebm-papst



1

No.	601089 ¹	Ref. No.	01348001R
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 19W bearing slide bearing manuf. no. 4650N metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 55°C		
For models:	M62TNJ, M62TNJD2, M62TNJD2P, M62TNJD3, M62TNJD3P, M62TNJDB, M62TNJDBP, M62TNJP, M63TNJ, M63TNJD2, M63TNJD2P, M63TNJD3, M63TNJD3P, M63TNJDB, M63TNJDBP, M63TNJP, M64TNJ, M64TNJD2, M64TNJD2P, M64TNJD3, M64TNJD3P, M64TNJDB, M64TNJDBP, M64TNJP, M72BTJP, M72TNJD2P, M72TNJD3P, M72TNJDBP, M72TNJP, M73BTJP, M73TNJD2P, M73TNJD3P, M73TNJDBP, M73TNJP, M74BTJP, M74TNJD2P, M74TNJD3P, M74TNJDBP, M74TNJP, M82BTJP, M82TNJP, M83BTJP, M83TNJP, MP2BTJP, MP2TNJP, MP3BTJP, MP3TNJP, MP4BTJP, MP4TNJP		
accessories for	601089		
	No.	550898	Ref. No. —
connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	No.	691104	Ref. No. —
guard ø 115mm mounting distance 105mm for axial fan 119mm			

¹with slide bearings



1

No.	601030 ¹	Ref. No.	RGF00254 RTFOC000254
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
For models:	FCE20, FCG20, FEM207, FEM207SC, FEMD207, FEMD207SC, FEP160, FGM207, FGM207SC, FGMD207, FGMD207SC, FGP160		
accessories for	601030		
	No.	550898	Ref. No. —
connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	No.	692497	Ref. No. —
guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm			

¹with ball bearings



1

No.	601082 ¹	Ref. No.	01468000R 01979700R
description	axial fan L 92mm W 92mm H 25mm 230VAC 50/60Hz 9/11W bearing ball bearing manuf. no. 3956 metal connection male faston 2.8mm ebm-papst fan wheel ø 85mm temp.-resist. 80°C		
accessories for	601082		
	No.	691103	Ref. No. —
guard ø 90mm mounting distance 83mm for axial fan 92mm			

¹with ball bearings



1

No.	601074 ¹	Ref. No.	01904100R
description	axial fan L 92mm W 92mm H 25mm 24VDC 2.3W bearing ball bearing manuf. no. 3414N connection cable 300mm ebm-papst fan wheel ø 85mm temp.-resist. 70°C		
accessories for	601074		
	No.	691103	Ref. No. —
guard ø 90mm mounting distance 83mm for axial fan 92mm			

¹with ball bearings




1

No.	601632 ¹	Ref. No.	01904100
description	axial fan L 92mm W 92mm H 25mm 24VDC 2.3W bearing slide bearing manuf. no. 3414NG connection cable 310mm ebm-papst		
accessories for	601632		
	No.	691103	Ref. No. —
guard ø 90mm mounting distance 83mm for axial fan 92mm			

¹with slide bearings

ebm papst

1

No.	601088 ¹	Ref. No.	01468500R
description	axial fan L 172mm W 150mm H 55mm 230VAC 50/60Hz 39/45W bearing ball bearing connection cable 350mm manuf. no. 7855ES metal ebm-papst fan wheel ø 140mm temp.-resist. 50°C		

¹with ball bearings

import



1

No.	601080 ¹	Ref. No.	RGFOC00254 RTFOC00254
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CMG10-V380, CMG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE108, FCE68, FCG108, FCG20, FCG68, FEC200, FEM062, FEM102, FEM107, FEM-107SC, FEM108, FEM108EL, FEM109, FEM110, FEM110L, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEM210, FEM210L, FEM220, FEM220L, FEM240, FEM240L, FEM610, FEM610L, FEM67, FEM67SC, FEM68, FEM68EL, FEM69, FEMD107, FEMD107SC...(Other models you can see in the webshop)		
accessories for	601080		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	692519	Ref. No. —
	guard L 120mm W 120mm plastic		

¹with ball bearings

ADDA



1

No.	601055 ¹	Ref. No.	01468000 RTFOC00659
description	axial fan L 92mm W 92mm H 25mm 230VAC 50/60Hz 14.5/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 85mm temp.-resist. 70°C		
For models:	FEC023, FEMD023, PLANET FEC023, PLANET FEMD023		
accessories for	601055		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	691103	Ref. No. —
	guard ø 90mm mounting distance 83mm for axial fan 92mm		

¹with ball bearings

refrigeration fans

refrigeration motors universal

IMPORT

multi fit fan motors

WEIGUANG
MOTORS & PUMPS




1

No.	601022	Ref. No.	01272500R
description	fan motor 10W 230V 50-60Hz L1 44mm L2 54mm L3 85mm W 84mm cable length 500mm 1300rpm YZF10-20-18/26 5 mounting options bearing slide bearing		


accessories

fan wheels

aluminium




No.	601071	Ref. No.	013479-00
description	fan wheel sucking ø 230mm fan wheel mounting 25.4mm blade angle 25° W 37mm aluminium		
For models:	D140B2, D140DN2, D140DNB2, D140DNP2, D140DNP3, D140N2, D140N2V, D140P2, D70B1, D70DN2, D70DNB2, D70N1, D70N1V, D70P1		



No.	601414	Ref. No.	20031
description	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 31° W 46mm aluminium		
For models:	CB955A		

plastic



No.	601412	Ref. No.	10213
description	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
For models:	CB955A, CB955W, ICE45A, ICE45W		

cooling motors (various)

refrigeration motors with foot



No.	601418	Ref. No.	23029
description	fan motor 10W 230V 50Hz L1 48mm L2 70mm L3 85mm W 83mm feet depth 72mm cable length 500mm connection with plug		
For models:	CB955W		




No.	601419	Ref. No.	23067
description	fan motor 20W 230V 50/60Hz L1 42mm L3 91.5mm W 83mm feet depth 88mm cable length 500mm connection with plug		
For models:	CB955A		

cold air circulating fans (complete)



ebm-papst

A2E series



No.	601663 ¹	Ref. No.	019027-00
description	fan A2E200-AI38-10 fan wheel ø 200mm blades 9 230V 50/60Hz 64W 2600rpm cable length 450mm ebm-papst sucking suitable capacitor 1.5µF with protective grid		
spare parts for	601663		
	No.	365171	Ref. No.
	capacitor capacity 1.5µF 400V tolerance 5% 50/60Hz ambient temperature max. -40 up to +85°C ø 25mm L 50mm M8 plastic connection cable 250mm MLR25PRL		
	No.	601958	Ref. No.
guard ø 210mm for fan hole distance 258mm			

¹incl. capacitor and guard

1

No.	601964	Ref. No.	GF650/2 GF651
description	fan A2E250AM06-12 fan wheel ø 250mm blades 9 230V 50/60Hz 115/150W ø 250mm 2450rpm cable length 1400mm sucking suitable capacitor 3µF		
spare parts for	601964		
	No.	365137	Ref. No. —
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection		

cross flow fans

COPREL


with moulded coils



1


No.	601456	Ref. No.	01272600R
description	cross flow fan roller ø 45mm roller length 180mm laminated core thickness 15mm motor position right 230V/50Hz 26W universal bearing silicone connection male faston 6.3mm -30 up to +100°C 230V 50/60Hz		

hot air motors


1

No.	601228	Ref. No.	RTFOC00011
description	fan motor		
For models:	FEC060, FEC065, FEM060, FEM061, FEM062, FEM67, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD67, FEMD67SC, FEMD69, FEP050, FGC060, FGC065, FGM060, FGM061, FGM062, FGM67, FGM67SC, FGM69, FGMD060, FGMD061, FGMD065, FGMD066, FGMD67, FGMD67SC, FGMD69, FGP050, FMM060, FMM061, JOKER FCG 6 AB 2002, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEMD 67 SC, JOKER FEMD 69, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGMD 67 SC, JOKER FGMD 69, JOKER FGP050, JOKER FGP050 AB 2002		


1

No.	601678	Ref. No.	161232
description	fan motor 220-240V 1 phase 50/60Hz 0.09/0.37kW 700/1400rpm speeds 2 L1 189mm L2 45mm L3 46mm D1 ø 24mm D2 ø 20mm 0.6/1.8A suitable capacitor 20µF Cos(φ) 0.84/0.92 type LM/FB80 no. 532259		
For models:	FCE108, FCG108, FEM107, FEM107SC, FEMD107, FEMD107SC, FEMD109, FGM107, FGM107SC, FGM207, FGM207SC, FGMD107, FGMD107SC, FGMD109, FGMD207, FGMD207SC		


1

No.	601230	Ref. No.	RTFOC00697
description	fan motor 220-240V 1 phase 50/60Hz 0.37kW 1400/1700rpm speeds 1 L1 188mm L2 47mm L3 47mm D1 ø 24mm D2 ø 20mm M8L IT 2.7A suitable capacitor 16 µF Cos(φ) 0.95 at 50Hz 1400rpm at 60Hz 1700rpm type LM80/4 no. 483066		
For models:	FCE10, FCE20, FCG10, FCG20, JOKER FCE 10, JOKER FCE 10 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002		


1

No.	601379	Ref. No.	168843
description	fan motor 220-240V 1 phase 50Hz 0.074/0.37kW 1400/2800rpm speeds 2 L1 145mm L2 77mm L3 45mm D1 ø 15mm D2 ø 12mm M10L ET 2.0/0.7A suitable capacitor 20µF/450V at 50Hz 1400/2800rpm type 1075.3163		
For models:	FEM67, FGM67		


1

No.	601229	Ref. No.	RTFOC00066
description	fan motor 220-240V 1 phase 50Hz 0.09/0.37kW 700/1400rpm speeds 2 L1 188mm L2 47mm L3 47mm D1 ø 24mm D2 ø 20mm M8L IT 0.6/1.8A suitable capacitor 20µF/450V Cos(φ) 0.84/0.92 4P/8P type LM/FB80 no. 649148		
For models:	FEC100, FEM100, FEM101, FEM102, FEM107SC, FEM109, FEM207, FEM207SC, FEM209, FEMD100, FEMD101, FEMD107SC, FEMD109, FEMD207, FEMD207SC, FEMD209, FEP080, FEP160, FGC100, FGM100, FGM101, FGM102, FGM107SC, FGM109, FGM207SC, FGM209, FGMD100, FGMD101, FGMD107SC, FGMD109, FGMD207, FGMD-207SC, FGMD209, FGP080, FGP160, FMM100, FMM101, JOKER FEM107 SC, JOKER FEM109, JOKER FEM207 SC, JOKER FEM209, JOKER FEMD107 SC, JOKER FEMD109, JOKER FEMD207 SC, JOKER FEMD209, JOKER FEP080, JOKER FEP080 AB 2002, JOKER FEP160, JOKER FGM107 SC, JOKER FGM109...(Other models you can see in the webshop)		

1

No.	601231	Ref. No.	168844 176014 RTFOC00696
description	fan motor 220-240V 1 phase 50Hz 0.37kW 2800rpm speeds 1 L1 145mm L2 77mm L3 47mm D1 ø 15mm D2 ø 12mm M10L ET 2.5A suitable capacitor 10µF/450 V Cos(φ) 0.95 at 50Hz 2800rpm type 1057A2251		
For models:	FCE6, FCE68, FCG6, FCG68, FEM610, FEM610L, FEM68, FEM68EL, FEMD68, FEMD68EL, FGM610, FGM610L, FGM68, FGM68EL, FGMD68, FGMD68EL, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FCG 6		
accessories for	601231		
	No.	365015	Ref. No. 206002 REB206002 RTFOC00701
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			

1

No.	601863	Ref. No.	RIC0004598 RTFOC00322
description	fan motor 230V 1 phase 50Hz 0.05/0.4kW 700/1400rpm speeds 2 L1 190mm L2 45mm L3 48mm D1 ø 20mm D2 ø 24mm M12L IT 1/3A suitable capacitor 31.5µF 4P/8P type 1022C2353		
For models:	FEC200, FEM200, FEM201, FEM202, FEMD200, FEMD201, FEP160, FGC200, FGM200, FGM201, FGM202, FGMD200, FGMD201, FGP160		



1

No.	601225	Ref. No.	RTFOC00473
description	fan wheel D1 ø 220mm H1 100mm blades 12 D2 ø 11.5mm D3 ø 16mm H2 29mm		
For models:	FCE6, FCE68, FCG6, FCG68, FEM67SC, FEM69, FEMD67, FEMD67SC, FEMD69, FEP050, FGM67SC, FGM69, FGMD67, FGMD67SC, FGMD69, FGP050, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEMD 67 SC, JOKER FEMD 69, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGMD 67 SC, JOKER FGMD 69, JOKER FGP050, JOKER FGP050 AB 2002		



1

No.	601685	Ref. No.	RTFOC00531
description	fan wheel D1 ø 220mm H1 100mm blades 12 D2 ø 11.5mm D3 ø 16mm H2 29mm		
For models:	FCE6, FCG6, FEM67SC, FEM69, FEMD67SC, FEMD69, FEP050, FGM67, FGM67SC, FGM69, FGMD67, FGMD67SC, FGMD69, FGP050		

			
1			
No.	601226	Ref. No.	RTFOC00517
description	fan wheel D1 ø 270mm H1 120mm blades 12 D2 ø 19.5mm D3 ø 23mm H2 46mm		
For models:	FCE10, FCE108, FCG10, FCG108, FEM107SC, FEM109, FEMD107SC, FEMD109, FEP080, FGM107SC, FGM109, FGMD107SC, FGMD109, FGP080, JOKER FCE 10, JOKER FCE 10 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FEM107 SC, JOKER FEM109, JOKER FEMD107 SC, JOKER FEMD109, JOKER FEP080, JOKER FEP080 AB 2002, JOKER FGM107 SC, JOKER FGM109, JOKER FGMD107 SC, JOKER FGMD109, JOKER FGP080, JOKER FGP080 AB 2002		

			
1			
No.	601227	Ref. No.	RTFOC00314
description	fan wheel D1 ø 350mm H1 120mm blades 12 D2 ø 19.5mm D3 ø 23mm H2 45mm		
For models:	FCE20, FCG20, FEC200, FEM200, FEM201, FEM202, FEM207, FEM207SC, FEM209, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD209, FEP160, FGC200, FGM200, FGM201, FGM202, FGM207SC, FGM209, FGMD200, FGMD201, FGMD207, FGMD207SC, FGMD209, FGP160, JOKER FEM207 SC, JOKER FEM209, JOKER FEMD207 SC, JOKER FEMD209, JOKER FEP160, JOKER FGM207 SC, JOKER FGM209, JOKER FGMD207 SC, JOKER FGMD209, JOKER FGP160		

			
1			
No.	601054	Ref. No.	RTFOC00623
description	hot air fan 220-240V 32W 50/60Hz L1 60mm L2 10mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C20X0E01/46		
For models:	EF0V77, EF07V, FEC023, FEMD023, G4SFEV77, MG7E4FVP77Q, MG7G4SFEV77, OMNIA EF07V, PLANET FEC023, PLANET FEMD023		
spare parts for	601054		
	No.	601441	Ref. No. —
	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7		
accessories for	601054		
	No.	550879	Ref. No. —
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		


hot air fans

miscellaneous

			
1			
No.	601124	Ref. No.	9343420000 RIC0002339
description	hot air fan 220-240V 30W L1 60mm L2 12mm L3 25mm L4 84mm fan wheel ø 150mm IMS type VRB150H2028		
For models:	E4F6, E6F6, E6FA6, G4SFE6, G6SFE6, G6SFEA6, MINIMA E4F6, MINIMA E6F6, MINIMA E6FA6, MINIMA G4SFE6, MINIMA G6SFE6, MINIMA G6SFEA6		



1



No.	601123	Ref. No.	11950057000 RIC0004212
description	hot air fan 220-240V 47W 50/60Hz L1 80mm L2 12mm L3 20mm L4 87mm fan wheel ø 150mm FIME type C30R6086		

motors

gear motors

for ovens

for flues



1

No.	361651	Ref. No.	RIC0004507 RTFOC00197
description	gear motor CROUZET type 82524421 5W 230V 50Hz 1rpm shaft ø 4mm L 66mm W 50mm H 44mm		
For models:	FEM062, FEM102, FEM109, FEM110, FEM110L, FEM200, FEM201, FEM202, FEM209, FEM210, FEM210L, FEM610, FEM610L, FEM69, FEMD109, FEMD209, FEMD69, FGM062, FGM102, FGM109, FGM110, FGM110L, FGM200, FGM201, FGM202, FGM209, FGM210, FGM210L, FGM610, FGM610L, FGM69, FGMD109, FGMD209, FGMD69, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM109, JOKER FEM109 AB 2002, JOKER FEM209, JOKER FEMD 69, JOKER FEMD109, JOKER FEMD209, JOKER FGM 69, JOKER FGM109, JOKER FGM209, JOKER FGMD 69, JOKER FGMD109, JOKER FGMD209		

for dishwashers



1

No.	601861	Ref. No.	927105 DPM1205
description	gear motor FIR type 71-B5 180W 400V voltage AC 50/60Hz 3 phase 900/1100rpm shaft ø 14mm L 227mm for transport system without gearbox		
For models:	LT121, LT150, LT151, LT152, LT202, LT221, LT271, LT272, LT362, LTD131, LTD171, LTD212, LTD216, LTD220, LTD316, LTD326, LTDX172, LTDX222, LTDX272		

motors

for ice-cube maker

complete



1

No.	601968	Ref. No.	1LT027
description	motor 184W 220/240V 50/60Hz 1 phase shaft ø 11mm 1300rpm type 11037703 L 185mm 1.5A 0.184kW		
For models:	KF165A, KF165W, KF185A, KF185W		

for tilting bratt pans



1

No.	500813	Ref. No.	RTBF900122
description	motor 120W 230V 50Hz 1 phase shaft ø 9mm shaft length 20mm 2750rpm type M TUBO 56 ø 100mm H 155mm capacitor 6.3µF AMI 0.12kW		
For models:	EBR, EBRA, EBRAVI, EBRVI, GBR, GBRA, GBRAVI, GBRVI		

accessories

fan wheels




No.	601677	Ref. No.	927108 DWV9
description	fan wheel motor type 63B14 ø 220mm shaft intake ø 11mm H 65mm		
For models:	LT121, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91		

pumps

wash and rinse pumps

FIR

pumps



No.	500037	Ref. No.	929167 DPE112
description	pump inlet ø 28mm outlet ø 26mm type 2211.1410 230V 50Hz 1 phase 0.074kW 0.1HP L 190mm rotation direction left capacitor 5µF FIR		
For models:	LKDX110, LO65, LO80, LO80H, LOD155, LOD65, LOD80, LOD80H, LP80, LP800-00-092, LP80H, LP92		
spare parts for	500037		
	No.	365017	Ref. No. 206010
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510384	Ref. No. 929182
	pump cover inlet ø 28mm outlet ø 26mm ø 100mm ID ø 76mm		
	No.	510695	Ref. No. 927190
	mechanical shaft seal height counter ring 5.5mm ID ø 11mm		
	No.	521203	Ref. No. 929173
	impellor ø 72mm H 18mm thread M7 shaft ø 11mm shaft length 32mm blades 3		
	No.	521703	Ref. No. 456038 456063
	pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs		



No.	499279	Ref. No.	927137 DPE116
description	pump inlet ø 28mm outlet ø 26mm type B246.2520 230/400V 50Hz 3 phase 0.18kW 0.25HP L 265mm rotation direction right FIR		
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT272, LT362, LT91		
spare parts for	499279		
	No.	510510	Ref. No. —
	pump cover pump type 2212/2228/2229/2211		
	No.	510532	Ref. No. 80813
	impellor ø 72mm H 22mm shaft ø 11mm shaft length 32mm blades 3		
	No.	510695	Ref. No. 927190
	mechanical shaft seal height counter ring 5.5mm ID ø 11mm		
	No.	521703	Ref. No. 456038 456063
	pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs		



No.	502287	Ref. No.	77047
description	pump inlet ø 30mm outlet ø 26mm type 5213.4050 230/400V 50Hz 3 phase 0.11kW 0.15HP L 200mm rotation direction left		
For models:	LTD316, LTD326, LTDX172, LTDX222, LTDX272		
spare parts for	502287		
	No.	699372	Ref. No. 80814
	flange for pump with cover type 5213 L 103mm W 103mm H 69mm		



1

No.	500544	Ref. No.	926151 DPE210
description	pump inlet ø 60mm outlet ø 50mm type 4223.1900 230V 50Hz 1 phase 0.73kW 1HP L 225mm rotation direction right capacitor 16µF FIR		
For models:	L600, LK1000, S58		
spare parts for	500544		
	No.	365021	Ref. No. 206004
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	No.	510552	Ref. No. 437049 RAG52
pump cover gasket pump type 1292-2/3942/3981/3911/3983			
	No.	510693	Ref. No. 141002 80121 RAT72
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	518067	Ref. No. 926152 RAG299
impellor ø 103mm H 29mm M7L			
	No.	521512	Ref. No. 116015 RAC441
pump cover FIR inlet ø 60mm outlet ø 50mm			



1

No.	499281	Ref. No.	80134
description	pump inlet ø 60mm outlet ø 50mm type 4298.1404 230V 50Hz 1 phase 1.1kW L 210mm rotation direction right capacitor 12.5µF FIR		
For models:	LK620, LK622, LK622I, LK625, LOD102		
spare parts for	499281		
	No.	365014	Ref. No. 206012 80191 DEC212L
operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 455.C3D5.12.5 protection			

spare parts for		499281	
	No.	510600	Ref. No. 80197
impellor ø 102mm H 29mm shaft intake ø 9/8mm rotation direction right blades 6			
	No.	510692	Ref. No. 80193 RAT19
mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm			
	No.	521702	Ref. No. —
pump cover gasket thickness 3.5x4.5mm Qty 1 pcs			



1

No.	499336	Ref. No.	929175
description	pump inlet ø 62 outlet ø 62 type 2250.2732 230/400V 50Hz 2.95kW 4HP		
For models:	LO155, LO93, LOD155, LOD305, LOD502		
spare parts for	499336		
	No.	510687	Ref. No. 929179 RAT20
mechanical shaft seal for shaft ø 18mm height counter ring 8mm ID ø 17mm ED ø 39mm H 15mm mounting ø 42mm int. ø 1 21mm			
	No.	521026	Ref. No. —
pump cover gasket ID ø 182.5mm thickness 5x4.5mm			
	No.	521028	Ref. No. —
pump cover FIR inlet ø 62mm outlet ø 62mm turn direction right ø 215mm ID ø 175mm inner height 40mm			
	No.	521277	Ref. No. 929181 RAG28
impellor ø 135mm H 39mm pump type Fir 2275 - 3.6HP thread M14L			



1

No.	499334	Ref. No.	929174 DPE453D
description	pump inlet ø 62mm outlet ø 62mm type 2250.2731 230/400V 50Hz 1 phase 3kW FIR		
For models:	LO155, LO93, LOD155, LOD304, LOD305, LOD402, LOD502, LOD93, LP155, LP93		
spare parts for	499334		
	No.	510687	Ref. No. 929179 RAT20
	mechanical shaft seal for shaft ø 18mm height counter ring 8mm ID ø 17mm ED ø 39mm H 15mm mounting ø 42mm int. ø 1 21mm		
	No.	512455	Ref. No. 929189
	fan wheel ø 155mm H 18mm shaft intake ø 18mm plastic blades 12		
	No.	521026	Ref. No. —
	pump cover gasket ID ø 182.5mm thickness 5x4.5mm		
	No.	521028	Ref. No. —
	pump cover FIR inlet ø 62mm outlet ø 62mm turn direction right ø 215mm ID ø 175mm inner height 40mm		
	No.	521277	Ref. No. 929181 RAG28
	impellor ø 135mm H 39mm pump type Fir 2275 - 3.6HP thread M14L		



1

No.	501513	Ref. No.	41990
description	pump inlet ø 63mm outlet ø 47mm type 1227.2711M10 230/400V 50Hz 3 phase 1.7kW L 340mm rotation direction right FIR		
For models:	LOD302		
spare parts for	501513		
	No.	510693	Ref. No. 141002 80121 RAT72
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	511667	Ref. No. —
	fan wheel ø 123mm H 17mm shaft intake ø 15mm		
	No.	521513	Ref. No. 116002 80118
	pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm		
	No.	524416	Ref. No. 80120
	pump cover gasket thickness 4x4mm Qty 1 pcs		
	No.	698772	Ref. No. 41991
	impellor ø 113mm H 34mm M10L pump type 1227.2711M10 rotation direction right suitable for FIR blades 6		



1

No.	500117	Ref. No.	926150 DPE2640
description	pump inlet ø 63mm outlet ø 47mm type 4225.22725 230/400V 50Hz 3 phase 1.4kW 2HP L 280mm rotation direction right FIR		
For models:	L64, LK1300, LTD220, LTDX172, LTDX222		
spare parts for	500117		
	No. 510602	Ref. No.	124002 927186 RAG298
impellor ø 110mm H 34mm rotation direction right thread M8L shaft ø 28mm seat ø 12.2mm blades 6			
	No. 510693	Ref. No.	141002 80121 RAT72
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No. 521513	Ref. No.	116002 80118
pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm			
	No. 524416	Ref. No.	80120
pump cover gasket thickness 4x4mm Qty 1 pcs			



1

No.	500570	Ref. No.	75175 DPE2102
description	pump inlet ø 63mm outlet ø 47mm type 422512725 230/400V 50Hz 3 phase 1.1kW 1.5HP L 285mm rotation direction right FIR		
For models:	L63, LK1100, LT81, LTD101, LTD131, LTD171, LTD209, LTD212, LTD216		
spare parts for	500570		
	No. 510693	Ref. No.	141002 80121 RAT72
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No. 521082	Ref. No.	80881
impellor ø 96mm H 32mm rotation direction right thread M8L			
	No. 521513	Ref. No.	116002 80118
pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm			
	No. 524416	Ref. No.	80120
pump cover gasket thickness 4x4mm Qty 1 pcs			



1

No.	499283	Ref. No.	75175HZ
description	pump inlet ø 63mm outlet ø 47mm type 422512760 230/400V 60Hz 3 phase 1.1kW L 290mm rotation direction right FIR		
For models:	LTD212		




1

No.	501540	Ref. No.	929123
description	pump inlet ø 63mm outlet ø 47mm type 422522726 230/400V 50Hz 3 phase 1.4kW 2HP L 280mm rotation direction right FIR		
For models:	LO80, LO80H, LOD80, LP80		
spare parts for	501540		
	No.	510602	Ref. No. 124002 927186 RAG298
impellor ø 110mm H 34mm rotation direction right thread M8L shaft ø 28mm seat ø 12.2mm blades 6			
	No.	510693	Ref. No. 141002 80121 RAT72
mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521513	Ref. No. 116002 80118
pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm			
	No.	524416	Ref. No. 80120
pump cover gasket thickness 4x4mm Qty 1 pcs			

spare parts for	499280		
	No.	510693	Ref. No. 141002 80121 RAT72
mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521022	Ref. No. —
fanwheel cover ID ø 137mm ED ø 142mm H 70mm for wash pump			
	No.	524416	Ref. No. 80120
pump cover gasket thickness 4x4mm Qty 1 pcs			
	No.	698773	Ref. No. —
pump cover inlet ø 63mm outlet ø 47mm turn direction right ø 194mm ID ø 158mm			

LGB



1

No.	500556	Ref. No.	DPE219
description	pump		
For models:	L61, L62, LK1000		




1

No.	499280	Ref. No.	80115
description	pump inlet ø 63mm outlet ø 47mm type 5295.5050 230/400V 50Hz 3 phase 1.5kW L 300mm rotation direction right FIR		
For models:	LKD130, LOD202		
spare parts for	499280		
	No.	502277	Ref. No. 80119
impellor ø 111mm H 31mm thread M8L			



1				
No.	501503	Ref. No.	130166	
description	pump inlet ø 28mm outlet ø 22/27mm type CF 2745 230V 50Hz 1 phase 0.19kW L 175mm rotation direction right capacitor 4µF LGB with capacitor			
For models:	LB422, LB425			
spare parts for	501503			
	No.	365031	Ref. No.	206013
	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection			
	No.	509002	Ref. No.	456083 456084
	O-ring EPDM thickness 2.62mm ID ø 82.22mm Qty 1 pcs			
	No.	510703	Ref. No.	141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	698765	Ref. No.	124063
	impellor ø 70mm H 21mm rotation direction right thread M7L suitable for LGB shaft ø 13mm shaft length 20mm blades 4			
	No.	698770	Ref. No.	116035
	pump cover LGB inlet ø 28mm outlet ø 22/28mm ø 108mm ID ø 84mm			



1				
No.	501525	Ref. No.	130168	
description	pump inlet ø 28mm outlet ø 22/27mm type CF 3091 230V 60Hz 1 phase 0.2kW L 175mm rotation direction right capacitor 4µF LGB with capacitor			
For models:	LB422, LB425			
spare parts for	501525			
	No.	365031	Ref. No.	206013
	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection			
	No.	509002	Ref. No.	456083 456084
	O-ring EPDM thickness 2.62mm ID ø 82.22mm Qty 1 pcs			
	No.	510703	Ref. No.	141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	698765	Ref. No.	124063
	impellor ø 70mm H 21mm rotation direction right thread M7L suitable for LGB shaft ø 13mm shaft length 20mm blades 4			
	No.	698770	Ref. No.	116035
	pump cover LGB inlet ø 28mm outlet ø 22/28mm ø 108mm ID ø 84mm			



1				
No.	499099	Ref. No.	130163 80627	
description	pump inlet ø 28mm outlet ø 26mm type CRC-R DX 230V 50Hz 1 phase 0.2kW L 175mm rotation direction left capacitor 4µF LGB			
For models:	LB425, LK620, LK621, LK625, LOD102, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LS520-CRP, LS521, LS521-CRP-SP, LS525			
spare parts for	499099			
	No.	365031	Ref. No.	206013
	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection			

Table continues overleaf

spare parts for 499099				
	No.	509002	Ref. No.	456083 456084
	O-ring EPDM thickness 2.62mm ID ø 82.22mm Qty 1 pcs			
	No.	510703	Ref. No.	141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	521091	Ref. No.	—
	pump cover LGB inlet ø 28mm outlet ø 26mm pump type CRC-R DX			
	No.	521092	Ref. No.	—
	impellor ø 80mm H 25mm pump type CRC-R DX thread M6R shaft ø 13mm shaft length 20mm			



1

No.	501526	Ref. No.	80629	
description	pump inlet ø 28mm outlet ø 26mm type CRC-R DX 230V 60Hz 1 phase 0.21kW L 175mm rotation direction left capacitor 4µF LGB			
For models:	LB425, LK620, LK621, LK625, LOD102			
spare parts for	501526			
	No.	365031	Ref. No.	206013
	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection			
	No.	509002	Ref. No.	456083 456084
	O-ring EPDM thickness 2.62mm ID ø 82.22mm Qty 1 pcs			
	No.	510703	Ref. No.	141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	521091	Ref. No.	—
	pump cover LGB inlet ø 28mm outlet ø 26mm pump type CRC-R DX			
	No.	521092	Ref. No.	—
	impellor ø 80mm H 25mm pump type CRC-R DX thread M6R shaft ø 13mm shaft length 20mm			



1

No.	500979	Ref. No.	130148
description	pump inlet ø 28mm outlet ø 26mm type ZFC121DX 230V 50Hz 1 phase 0.25kW L 198mm rotation direction left capacitor 6.3µF LGB		
For models:	LB42BT-UK, LBDX40, LFDX50		
spare parts for	500979		
	No.	365012	Ref. No. 206009
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521098	Ref. No. —
	pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm ID ø 77mm		
	No.	521099	Ref. No. —
	impellor ø 72mm H 17mm thread M7R shaft ø 13mm shaft length 12mm		
	No.	528800	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		



1

No.	500351	Ref. No.	130994
description	pump inlet ø 29mm outlet ø 39mm type X5SX 230V 50Hz 1 phase 0.8kW 1.09HP L 210mm rotation direction right capacitor 16µF LGB		
For models:	LF56, LF60		
spare parts for	500351		
	No.	365021	Ref. No. 206004
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	No.	510703	Ref. No. 141007 80843
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	518294	Ref. No. 437087
flat gasket rubber ED ø 85mm ID ø 71mm thickness 2mm Qty 1 pcs			
	No.	521234	Ref. No. 124052
impellor thread M8L ED ø 93mm W 16mm			
	No.	523509	Ref. No. 314001
deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1			
	No.	532537	Ref. No. 456067
O-ring EPDM thickness 3.53mm ID ø 113.9mm Qty 1 pcs			



1


No.	499138	Ref. No.	130993 999241
description	pump inlet ø 33mm outlet ø 26mm type X3SX 230V 50Hz 1 phase 0.26kW L 300mm rotation direction right capacitor 6.3µF LGB		
For models:	LB42BT-UK, LBD40, LBDX40		
spare parts for	499138		
	No.	365012	Ref. No. 206009
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			
	No.	509004	Ref. No. 124049
impellor ø 71mm H 16mm M7L rotation direction right shaft ø 13mm shaft length 13mm blades 8			
	No.	510703	Ref. No. 141007 80843
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	521088	Ref. No. 116030
pump cover LGB inlet ø 33mm outlet ø 26mm			
	No.	521147	Ref. No. 315024
flange			
	No.	521703	Ref. No. 456038 456063
pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs			
	No.	523501	Ref. No. 314009
deep-groove ball bearing type 608-2RS shaft ø 8mm ED ø 22mm W 7mm with sealing discs deep-groove ball bearing DIN 625-1			



No.	499100	Ref. No.	130982
description	pump inlet ø 42mm outlet ø 24/37mm type LA50 230V 50Hz 1 phase 0.47kW L 220mm rotation direction right capacitor 10µF LGB with flange and hoses		
For models:	LS522, LS525		
spare parts for	499100		
	No.	365015	Ref. No. 206002 REB206002 RTFOC00701
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	No.	510702	Ref. No. —
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		
	No.	521024	Ref. No. 124057
	impellor ø 88mm H 30mm rotation direction right thread M7L shaft ø 12mm blades 6		
	No.	698767	Ref. No. 335015
	fan blade ø 110mm H 18mm shaft intake ø 12mm plastic blades 6		
	No.	698768	Ref. No. 480148
	pump cover LGB inlet ø 42mm pump type LA50 AP ø 115mm ID ø 36mm		
	No.	698810	Ref. No. 456078
	O-ring EPDM thickness 3.56mm ID ø 112mm Qty 1 pcs		
	No.	698827	Ref. No. 429074
	threaded ring LGB pump type LA50 ø 120mm ID ø 70mm		



No.	499190	Ref. No.	69120
description	pump inlet ø 42mm outlet ø 24/37mm type LA50 230V 50Hz 1 phase 0.47kW L 225mm rotation direction right capacitor 10µF LGB		
For models:	LK600		
spare parts for	499190		
	No.	365015	Ref. No. 206002 REB206002 RTFOC00701
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	No.	510702	Ref. No. —
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		
	No.	521024	Ref. No. 124057
	impellor ø 88mm H 30mm rotation direction right thread M7L shaft ø 12mm blades 6		
	No.	698767	Ref. No. 335015
	fan blade ø 110mm H 18mm shaft intake ø 12mm plastic blades 6		
	No.	698768	Ref. No. 480148
	pump cover LGB inlet ø 42mm pump type LA50 AP ø 115mm ID ø 36mm		
	No.	698793	Ref. No. —
	pump cover outlet ø 24/36mm pump type LGB		
	No.	698810	Ref. No. 456078
	O-ring EPDM thickness 3.56mm ID ø 112mm Qty 1 pcs		
	No.	698827	Ref. No. 429074
	threaded ring LGB pump type LA50 ø 120mm ID ø 70mm		



1

No.	501484	Ref. No.	69122
description	pump inlet ø 42mm outlet ø 37/24mm type LA50 230V 50Hz 1 phase 0.47kW L 220mm rotation direction right capacitor 10µF auxiliary pressure connection 8mm LGB		
For models:	LK600, LK605		
spare parts for	501484		
	No.	365015	Ref. No. 206002 REB206002 RTFOC00701
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			
	No.	510702	Ref. No. —
mechanical shaft seal height counter ring 5.5mm ID ø 12mm			
	No.	521024	Ref. No. 124057
impellor ø 88mm H 30mm rotation direction right thread M7L shaft ø 12mm blades 6			
	No.	698767	Ref. No. 335015
fan blade ø 110mm H 18mm shaft intake ø 12mm plastic blades 6			
	No.	698768	Ref. No. 480148
pump cover LGB inlet ø 42mm pump type LA50 AP ø 115mm ID ø 36mm			
	No.	698769	Ref. No. 116032
pump casing ø 125mm outlet ø 24/37mm			
	No.	698810	Ref. No. 456078
O-ring EPDM thickness 3.56mm ID ø 112mm Qty 1 pcs			
	No.	698827	Ref. No. 429074
threaded ring LGB pump type LA50 ø 120mm ID ø 70mm			



1

No.	501485	Ref. No.	130977
description	pump inlet ø 42mm outlet ø 37mm type LA500 230V 50Hz 1 phase 0.47kW L 220mm rotation direction right capacitor 10µF auxiliary pressure connection 8mm LGB		
For models:	LS505M, LS505T, LS522, LS525		
spare parts for	501485		
	No.	365015	Ref. No. 206002 REB206002 RTFOC00701
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			
	No.	510702	Ref. No. —
mechanical shaft seal height counter ring 5.5mm ID ø 12mm			
	No.	521024	Ref. No. 124057
impellor ø 88mm H 30mm rotation direction right thread M7L shaft ø 12mm blades 6			
	No.	698767	Ref. No. 335015
fan blade ø 110mm H 18mm shaft intake ø 12mm plastic blades 6			
	No.	698768	Ref. No. 480148
pump cover LGB inlet ø 42mm pump type LA50 AP ø 115mm ID ø 36mm			
	No.	698769	Ref. No. 116032
pump casing ø 125mm outlet ø 24/37mm			
	No.	698810	Ref. No. 456078
O-ring EPDM thickness 3.56mm ID ø 112mm Qty 1 pcs			
	No.	698827	Ref. No. 429074
threaded ring LGB pump type LA50 ø 120mm ID ø 70mm			



1

No.	501528	Ref. No.	130976
description	pump inlet ø 42mm outlet ø 37mm type LA500 230V 60Hz 1 phase 0.46kW L 220mm rotation direction right capacitor 10µF auxiliary pressure connection 8mm LGB		
For models:	LS505M, LS505T		
spare parts for	501528		
	No.	365015	Ref. No. 206002 REB206002 RTFOC00701
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			
	No.	510702	Ref. No. —
mechanical shaft seal height counter ring 5.5mm ID ø 12mm			
	No.	521024	Ref. No. 124057
impellor ø 88mm H 30mm rotation direction right thread M7L shaft ø 12mm blades 6			
	No.	698767	Ref. No. 335015
fan blade ø 110mm H 18mm shaft intake ø 12mm plastic blades 6			
	No.	698768	Ref. No. 480148
pump cover LGB inlet ø 42mm pump type LA50 AP ø 115mm ID ø 36mm			
	No.	698769	Ref. No. 116032
pump casing ø 125mm outlet ø 24/37mm			
	No.	698810	Ref. No. 456078
O-ring EPDM thickness 3.56mm ID ø 112mm Qty 1 pcs			
	No.	698827	Ref. No. 429074
threaded ring LGB pump type LA50 ø 120mm ID ø 70mm			



1

No.	500156	Ref. No.	130109
description	pump inlet ø 50mm outlet ø 50mm type ZF400SX 230V 50Hz 1 phase 0.6kW 0.8HP L 210mm rotation direction right capacitor 16µF LGB		
For models:	LF50, LF500, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505M, LS505T, LS511, LS511A, LS511PV, LS520		
spare parts for	500156		
	No.	509020	Ref. No. 124031 RAG291
impellor ø 104mm H 25mm M8L			
	No.	510703	Ref. No. 141007 80843
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	513713	Ref. No. 315017
pump cover bottom part			
	No.	521548	Ref. No. 116019
pump cover LGB inlet ø 50mm outlet ø 50mm			
	No.	521562	Ref. No. 116021
pump cover			
	No.	521734	Ref. No. 315022
pump cover bottom part			
	No.	523509	Ref. No. 314001
deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1			
	No.	532623	Ref. No. 80844
O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs			
accessories for	500156		
	No.	365021	Ref. No. 206004
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			




1

No.	500543	Ref. No.	130126
description	pump inlet ø 50mm outlet ø 50mm type ZF400V5X 230V 50Hz 1 phase 0.85kW 1.2HP L 245mm rotation direction right capacitor 16µF LGB		
For models:	LF55, LF550, LF551, LF55E		
spare parts for	500543		
	No.	365021	Ref. No. 206004
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	509020	Ref. No. 124031 RAG291
	impellor ø 104mm H 25mm M8L		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521548	Ref. No. 116019
	pump cover LGB inlet ø 50mm outlet ø 50mm		
	No.	521734	Ref. No. 315022
	pump cover bottom part		
	No.	532623	Ref. No. 80844
	O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs		



1

No.	500361	Ref. No.	80112
description	pump inlet ø 60mm outlet ø 49mm type ZF400SX 230V 50Hz 1 phase 0.8kW 1HP L 210mm rotation direction right capacitor 16µF LGB		
For models:	LFD60, LK100, LK100EM, LK110, LK130, LK611, LOD102		
spare parts for	500361		
	No.	365021	Ref. No. 206004
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	509020	Ref. No. 124031 RAG291
	impellor ø 104mm H 25mm M8L		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521547	Ref. No. 116013
	pump cover LGB inlet ø 60mm outlet ø 50mm supporting pressure M8 turn direction right ø 160mm ID ø 127mm inner height 36mm		
	No.	521736	Ref. No. 315011
	pump cover bottom part bottom part		
	No.	532623	Ref. No. 80844
	O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs		
accessories for	500361		
	No.	513264	Ref. No. 80545
	fastening angle for wash pump		



No.	501527	Ref. No.	80113HZ
description	pump inlet ø 60mm outlet ø 49mm type ZF400SX 230V 60Hz 1 phase 0.77kW 1HP L 210mm rotation direction right capacitor 16µF LGB		
For models:	LK620, LK621, LK625		
spare parts for	501527		
	No.	365021	Ref. No. 206004
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	509020	Ref. No. 124031 RAG291
	impellor ø 104mm H 25mm M8L		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521547	Ref. No. 116013
	pump cover LGB inlet ø 60mm outlet ø 50mm supporting pressure M8 turn direction right ø 160mm ID ø 127mm inner height 36mm		
	No.	532623	Ref. No. 80844
	O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs		



No.	499282	Ref. No.	77553
description	pump inlet ø 60mm outlet ø 49mm type ZF400VSX 220-230/380-400V 50Hz 3 phase 0.7kW L 270mm rotation direction right LGB		
For models:	LTD216, LTD220, LTD326, LTDX222, LTDX272		
spare parts for	499282		
	No.	502279	Ref. No. —
	impellor H 31mm ED ø 100mm blades 6		
	No.	510702	Ref. No. —
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		

spare parts for	499282		
	No.	510709	Ref. No. 926255 RAT211
	mechanical shaft seal		
	No.	521058	Ref. No. —
	fanwheel cover suitable for LGB ID ø 138mm ED ø 142mm H 59mm plastic		
	No.	521547	Ref. No. 116013
	pump cover LGB inlet ø 60mm outlet ø 50mm supporting pressure M8 turn direction right ø 160mm ID ø 127mm inner height 36mm		
	No.	532623	Ref. No. 80844
	O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs		




No.	499126	Ref. No.	80113
description	pump inlet ø 60mm outlet ø 50mm type ZF400SX 230V 50Hz 1 phase 1.1kW L 215mm rotation direction right capacitor 16µF LGB		
For models:	LK621, LP92		
spare parts for	499126		
	No.	365021	Ref. No. 206004
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521090	Ref. No. 80845
	impellor ø 101mm H 32mm thread M8L shaft ø 13mm shaft length 12mm		
	No.	521547	Ref. No. 116013
	pump cover LGB inlet ø 60mm outlet ø 50mm supporting pressure M8 turn direction right ø 160mm ID ø 127mm inner height 36mm		
	No.	532623	Ref. No. 80844
	O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs		



1

No.	500362	Ref. No.	926146 DPE2251R
description	pump inlet ø 62mm outlet ø 50mm type CE150SX 230/400V 50Hz 3 phase 1.1kW 1.5HP L 280mm rotation direction right LGB		
For models:	L61, L62, LK1010		
spare parts for	500362		
	No.	510551	Ref. No. 456023 926084 RAG61
pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs			
	No.	510693	Ref. No. 141002 80121 RAT72
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521240	Ref. No. RAG29
impellor ø 110mm H 32mm rotation direction left thread M8L shaft ø 20mm shaft length 10mm seat ø 8.2mm blades 6			
	No.	521536	Ref. No. 926086 RAC435
pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm			
	No.	602013	Ref. No. RAV400
fan wheel ø 100mm H 28mm shaft intake ø 17.5mm plastic			



1

No.	500360	Ref. No.	80114
description	pump inlet ø 62mm outlet ø 50mm type ZF522SX 230V 50Hz 1 phase 1.1kW 1.5HP L 220mm rotation direction right capacitor 16µF LGB		
For models:	LK100, LK110, LK130, LKDX110, LO65, LOD65, LP800-00-092, LP92		
spare parts for	500360		
	No.	365021	Ref. No. 206004
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	No.	510551	Ref. No. 456023 926084 RAG61
pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs			
	No.	510693	Ref. No. 141002 80121 RAT72
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521280	Ref. No. —
impellor ø 107mm H 26mm thread M8L shaft ø 20mm shaft length 15mm seat ø 8.2mm blades 6			
	No.	521536	Ref. No. 926086 RAC435
pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm			



No.	501363	Ref. No.	927022 DPE190T
description	pump inlet ø 62mm outlet ø 52mm type AM5226 230/400V 50Hz 0.65kW L 295mm rotation direction left LGB		
For models:	LT121, LT150, LT151, LT152, LT161, LT202, LT221, LT271, LT362, LT91		
spare parts for	501363		
	No.	510551	Ref. No. 456023 926084 RAG61
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	No.	510694	Ref. No. 926274
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	No.	521141	Ref. No. —
	impellor ø 70mm H 32mm thread M8R shaft ø 20mm shaft length 9mm		
	No.	521516	Ref. No. —
	pump cover LGB inlet ø 62mm outlet ø 52mm auxiliary pressure connection 12mm supporting pressure closed turn direction left ø 190mm ID ø 150mm inner height 40mm		



No.	500733	Ref. No.	80116
description	pump inlet ø 63mm outlet ø 48mm type AM5225SX 230/400V 50Hz 3 phase 0.9kW 1.2HP L 300mm rotation direction right LGB		
For models:	LK100, LK110, LK130		



No.	499119	Ref. No.	130987
description	pump inlet ø outlet ø 38mm type RV54 230V 50Hz 1 phase 0.8kW L 380mm rotation direction right capacitor 16µF LGB with holder		
For models:	LFD50, LFDX50, LS520-CRP, LS521, LS521-CRP-SP		
spare parts for	499119		
	No.	365021	Ref. No. 206004
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	502280	Ref. No. 111034
	pump sump LGB auxiliary pressure connection 7mm supporting pressure closed pump type RV54		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521234	Ref. No. 124052
	impellor thread M8L ED ø 93mm W 16mm		
	No.	523509	Ref. No. 314001
	deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1		
	No.	532537	Ref. No. 456067
	O-ring EPDM thickness 3.53mm ID ø 113.9mm Qty 1 pcs		



1

No.	500153	Ref. No.	999134
description	pump inlet ø outlet ø type W180SX 230V 50Hz 1 phase 0.19kW 0.26HP L 220mm rotation direction right capacitor 5µF LGB		
For models:	LB135, LB35, LB350, LB355, LB35C		
spare parts for	500153		
	No.	365017	Ref. No. 206010
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	513267	Ref. No. 480054
	end cap for wash pump suitable for pump casing		
	No.	513283	Ref. No. 437082
	gasket		
	No.	518177	Ref. No. 111023
	drain unit thread 3/4" ID ø 35mm hose ø 24mm		
	No.	518204	Ref. No. 429065
	screw connection for filter ø 67mm		
	No.	518205	Ref. No. 437079 80182
	flat gasket rubber ED ø 61mm ID ø 47mm thickness 2mm Qty 1 pcs		
	No.	521147	Ref. No. 315024
	flange		
	No.	521221	Ref. No. 124048
	impellor ø 67mm H 16mm rotation direction right thread M7L shaft ø 13mm shaft length 12mm blades 8		
	No.	528800	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		



1

No.	500150	Ref. No.	999135
description	pump inlet ø outlet ø type W210SX 230V 50Hz 1 phase 0.24kW 0.33HP L 230mm rotation direction right capacitor 6.3µF LGB		
For models:	KLB40, LB140, LB40, LB400, LB405, LB40E, LB411, LB411A		
spare parts for	500150		
	No.	365012	Ref. No. 206009
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	No.	509004	Ref. No. 124049
	impellor ø 71mm H 16mm M7L rotation direction right shaft ø 13mm shaft length 13mm blades 8		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	513267	Ref. No. 480054
	end cap for wash pump suitable for pump casing		
	No.	513275	Ref. No. 456074
	O-ring EPDM thickness 1.78mm ID ø 82.27mm Qty 1 pcs		
	No.	518177	Ref. No. 111023
	drain unit thread 3/4" ID ø 35mm hose ø 24mm		
	No.	518204	Ref. No. 429065
	screw connection for filter ø 67mm		
	No.	518205	Ref. No. 437079 80182
	flat gasket rubber ED ø 61mm ID ø 47mm thickness 2mm Qty 1 pcs		
	No.	521147	Ref. No. 315024
	flange		

OLYMPIA

pumps



1

No.	500152	Ref. No.	130122
description	pump inlet ø 44mm outlet ø 30mm type T90 230V 50Hz 1 phase 0.33kW 0.45HP L 220mm rotation direction left capacitor 8µF OLYMPIA		
For models:	LB145, LB45, LB450		
spare parts for	500152		
	No.	365013	Ref. No. 206001
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	No.	509007	Ref. No. 124043
	impeller ø 85mm H 20mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 12		
	No.	510693	Ref. No. 141002 80121 RAT72
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521703	Ref. No. 456038 456063
	pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs		

booster pumps I



1

No.	500359	Ref. No.	130143 DPE127
description	pump inlet ø 12 outlet ø 12 type PPL46DX 230V 50Hz 0.33kW capacitor 10µF LGB		
For models:	LFD60, LK100, LK100EM, LK110, LK130, LK611, LK622, LK622I, LKD130, LO65		
spare parts for	500359		
	No.	698663	Ref. No. —
	impeller ø 60mm H 12mm with flute shaft intake ø 12mm W 60mm suitable for LGB		

accessories for	500359		
	No.	365015	Ref. No. 206002 REB206002 RTFOC00701
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1

No.	500358	Ref. No.	130120 DPE125R
description	pump inlet ø 3/8" outlet ø 3/8" type PS46 230V 50Hz 0.45kW ø 100mm L 200mm capacitor 10µF LGB		
For models:	L600, LF50, LF500, LF55, LF55E, LF59, LO155, LO93, LOD93, LP155, LP93, S58		
spare parts for	500358		
	No.	510713	Ref. No. 141009
	slide ring for shaft ø 12mm ED ø 24mm H 16mm		
	No.	510723	Ref. No. —
	counter ring H 8mm ED ø 26mm ID ø 13.5mm for mechanical shaft seal		
	No.	698400	Ref. No. —
	pump cover gasket pump type PS46 thickness 2mm ID ø 66mm Qty 1 pcs		
accessories for	500358		
	No.	365015	Ref. No. 206002 REB206002 RTFOC00701
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	No.	511279	Ref. No. —
	hose connector brass straight thread 3/8" hose ø 12mm Qty 1 pcs		
	No.	520202	Ref. No. 927015 DZR263
	hose connector nickel-plated brass straight thread 3/8" hose ø 12mm Qty 1 pcs		
	No.	520677	Ref. No. —
	hose connector brass straight thread 3/8" hose ø 13mm Qty 1 pcs		

drain pumps

ASKOLL



1

No.	500210	Ref. No.	130123
description	drain pump 230V 40W		
For models:	KLB40, LB135, LB140, LB145, LB35, LB350, LB35C, LB40, LB400, LB40E, LB411, LB45, LB450, LF56, LF59, LF60, LFD50, LFDX50, LS505, LS520-CRP, LS521, LS521-CRP-SP		



1

No.	499333	Ref. No.	130181 80117UL
description	drain pump 32W 220V inlet ø 30mm outlet ø 22mm 60Hz ASKOLL type R26 complete		
For models:	LB422, LB425, LK600, LK620, LK625		



1

No.	501514	Ref. No.	130175
description	drain pump 40W 220-240V inlet ø 30mm outlet ø 22mm 50Hz ASKOLL type M231 XP		
For models:	LS505M, LS505T		



1

No.	501541	Ref. No.	130177
description	drain pump 40W 220-240V inlet ø 30mm outlet ø 22mm 50Hz ASKOLL type M231 XP		
For models:	LB422, LS522, LS525		



1

No.	499310	Ref. No.	130146
description	drain pump 40W 220V inlet ø 24mm outlet ø 22mm 50Hz ASKOLL type M231 XP complete		
For models:	LB42BT-UK, LBD40, LBDX40		

Askoll



1

No.	499315	Ref. No.	130178
description	drain pump inlet ø 24/30/35/39mm outlet ø 22/31mm 230V 40W 50Hz ASKOLL type M231 XP kit		
For models:	LB355, LB405, LB411, LB411A		



1

No.	500214	Ref. No.	130105
description	drain pump inlet ø 30mm outlet ø 22mm 230/240V 30W 50Hz ASKOLL type R113		
For models:	LF50, LF500, LF55, LF550, LF551, LF55E, LS500, LS500GPV, LS500PV, LS501, LS501GPV, LS501PV, LS511, LS511PV, LS520		



1

No.	501364	Ref. No.	999234
description	drain pump inlet ø 30mm outlet ø 22mm 230V 25W 50Hz ASKOLL type R113 conversion kit		
For models:	LFD50		
spare parts for	501364		
	No.	517572	Ref. No.
			144992
backflow preventer for drain hose ø 31/21mm			



1

No.	500215	Ref. No.	130138
description	drain pump inlet ø 30mm outlet ø 22mm 230V 40W 50Hz ASKOLL type M231 XP with holder		
For models:	LB140		

GRE



1

No.	500247	Ref. No.	926103
description	drain pump inlet ø 34mm outlet ø 29mm 100W 230V 50Hz GRE		
For models:	LK1000		



1

No.	500350	Ref. No.	DPE1108R
description	drain pump inlet ø 34mm outlet ø 29mm 100W 230V 50Hz GRE		
For models:	L600, L61, L62, L63, L64, S58		

HANNING



1

No.	500363	Ref. No.	80117
description	drain pump 40W 230V		
For models:	LB425, LK100, LK100EM, LK110, LK130, LK600, LK605, LK611, LK620, LK621, LK622, LK622I, LK625, LKD130, LKDX110, LOD65, LOD102, LOD65, LP800-00-092, LP92		



accessories

holders



1

No.	513717	Ref. No.	035064
description	fastening angle for drain pump		
For models:	LF50, LF55, LF55E, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505M, LS505T, LS511, LS511A, LS511PV, LS520		
accessories for	513717		
	No.	518171	Ref. No. 111019 111030 REB111019
opposite support mounting pos. lower for wash arm support			

booster pumps II

accessories



1

No.	365015	Ref. No.	206002 REB206002 RTFOC00701
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	BETA50, BETA53, FCE6, FCE68, FCG6, FCG68, FEMD68, FEMD68EL, FGMD68, FGMD68EL, LB45, LF50, LF500, LF55, LF55E, LF59, LFD50, LK600, LK605, LO155, LO93, LOD155, LOD93, LS505M, LS505T, LS522, LS525		



1

No.	365017	Ref. No.	206010
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	LB135, LB140, LB35, LB350, LB355, LB35C, LKDX110, LO65, LO80, LO80H, LOD65, LOD80, LOD80H, LP80, LP800-00-092, LP92		



1

No.	365012	Ref. No.	206009
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
For models:	KLB40, LB140, LB40, LB400, LB405, LB40E, LB411, LB411A, LB42BT-UK, LBD40, LBDX40		

pumps for ice machines



1

No.	601413	Ref. No.	10014
description	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		
For models:	CB955A, CB955W, ICE45A, ICE45W		



1

No.	500590	Ref. No.	23377
description	pump FIR type 4240.2300 120W 230V 50/60Hz inlet ø 22mm outlet ø 22mm L 240mm rotation direction right for ice-cube maker capacitor 5µF		
For models:	CB955A, CB955W		
spare parts for	500590		
	No.	601412	Ref. No. 10213
fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic			
	No.	601413	Ref. No. 10014
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

			
1			
No.	499341	Ref. No.	2DR100
description	pump MIGEL 100W 230V 50Hz inlet ø 23mm outlet ø 25mm L 170mm rotation direction right ice maker		
For models:	KL030A, KL030W		

			
1			
No.	499003	Ref. No.	1DR037 2DR093
description	pump MIGEL type 100W 230V 50Hz inlet ø 25mm outlet ø 23mm L 170mm rotation direction right for ice maker		

1

No.	500165	Ref. No.	23002 RIC0002004
description	pump REBO type 63/35 120W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 180mm rotation direction right for ice-cube maker capacitor 5µF		
For models:	CB955A, CB955W, ICE45A, ICE45W		
spare parts for	500165		
	No.	365017	Ref. No. 206010
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	601412	Ref. No. 10213
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	No.	601413	Ref. No. 10014
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

accessories

pump covers

			
1			
No.	521563	Ref. No.	929191 RAC434
description	pump cover		
For models:	LO155, LO93, LOD155, LOD304, LOD305, LOD402, LOD502, LOD93, LP155, LP93		

			
1			
No.	521570	Ref. No.	RAC436
description	pump cover		
For models:	L61, L62, LK100, LK1000, LK100EM, LK110, LK130		

pump cover gaskets

A black, cylindrical pump cover gasket with a central circular hole. It has a slightly raised outer rim and a recessed inner area.

1

No.	513283	Ref. No.	437082
description	gasket		
For models:	LB135, LB35, LB350, LB355, LB35C, LB405		

A black, oval-shaped pump cover gasket. It has a thin, uniform profile and a smooth surface.

1

No.	524535	Ref. No.	929180 RAG54
description	pump cover gasket thickness 4.5x4.5mm ID ø 182mm Qty 1 pcs		
For models:	LO155, LO93, LOD155, LOD304, LOD305, LOD402, LOD502, LOD93, LP155, LP93		



1

No.	521081	Ref. No.	80199
description	pump cover gasket thickness 4mm Qty 1 pcs		
For models:	LK620, LK622, LK622L, LK625, LOD102		
spare parts for	521081		
	No.	499281	Ref. No. 80134
	pump inlet ø 60mm outlet ø 50mm type 4298.1404 230V 50Hz 1 phase 1.1kW L 210mm rotation direction right capacitor 12.5µF FIR		

condensators & interference suppression filters

starting capacitors

starting capacitors



1

No.	365061	Ref. No.	020551-00
description	starting capacitor 220/300V 50Hz DANFOSS duty cycle 1.7/0.10% capacity 80µF for FR/NL		

operating capacitors

plastic



1

No.	365015	Ref. No.	206002 REB206002 RTFOC00701
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	BETA50, BETA53, FCE6, FCE68, FCG6, FCG68, FEMD68, FEMD68EL, FGMD68, FGMD68EL, LB45, LF50, LF500, LF55, LF55E, LF59, LFD50, LK600, LK605, LO155, LO93, LOD155, LOD93, LS505M, LS505T, LS522, LS525		



1

No.	365014	Ref. No.	206012 80191 DEC212L
description	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
For models:	LK620, LK622, LK622L, LK625, LOD102		



1

No.	365021	Ref. No.	206004
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
For models:	LF50, LF500, LF55, LF550, LF551, LF55E, LF56, LF60, LFD50, LFDX50, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505M, LS505T, LS511, LS511A, LS511PV, LS520, LS520-CRP, LS521, LS521-CRP-SP		



1

No.	365019	Ref. No.	206005 DEC220L RTFOC00053 RTFOC00700
description	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		
For models:	FCE10, FCE108, FCE20, FCG10, FCG108, FCG20, FCG6, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM100, FEM101, FEM107, FEM107SC, FEM109, FEM200, FEM201, FEM207, FEM207SC, FEM209, FEM67, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107, FEMD107SC, FEMD109, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD209, FEMD67, FEMD67SC, FEMD69, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200...(Other models you can see in the webshop)		



1

No.	365031	Ref. No.	206013
description	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection		
For models:	LB422, LB425		



1

No.	365017	Ref. No.	206010
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	LB135, LB140, LB35, LB350, LB355, LB35C, LKDX110, LO65, LO80, LO80H, LOD65, LOD80, LOD80H, LP80, LP800-00-092, LP92		

			
1			
No.	365012	Ref. No.	206009
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
For models:	KLB40, LB140, LB40, LB400, LB405, LB40E, LB411, LB411A, LB42BT-UK, LBD40, LBDX40		

			
1			
No.	365013	Ref. No.	206001
description	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
For models:	LB145, LB45, LB450		

metal

			
1			
No.	365005	Ref. No.	DEC268L
description	operating capacitor capacity 10µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 90mm M8 aluminium connection cable 300mm MKP protection IP65		
For models:	L61, L62, L63, L64, LK1000, LK1010, LK1100, LK1300, LO155, LO93, LP155, LP93, S58		

filters

interference suppression filters

			
1			
No.	365047	Ref. No.	926144 DEC50
description	interference suppression filter capacity 0.33µF(X2)+2x0.015µF		
For models:	KLB40, L600, L61, L62, L63, L64, LB135, LB140, LB35, LB40, LB40E, LF56, LF60, LK1000, LK1010, LK1100, LK1300, LP155, LP80, LP80H, LP93, LT150, S58		

			
1			
No.	365051	Ref. No.	RTFOC00309
description	interference suppression filter capacity 0.47uF(X2)+2x0.025uF(Y)+2x0.5mH 0.68MOhm		
For models:	FCG10, FCG20, FCG6, FEM67, FGC065, FGC200, FGM107, FGM-107SC, FGM109, FGM200, FGM201, FGM202, FGM207, FGM207SC, FGM209, FGM67, FGM67SC, FGM69, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD107, FGMD107SC, FGMD109, FGMD200, FGMD201, FGMD207, FGMD207SC, FGMD209, FGMD67, FGMD67SC, FGMD69, FGP050, FGP080, FGP160, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109, JOKER FGM207 SC, JOKER FGM209... (Other models you can see in the webshop)		

			
1			
No.	365044	Ref. No.	RTFOC00312
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs		
For models:	EF45, EF49, EF49T, EF90, EF99, EF99T, FCE10, FCE20, FCE6, FEC065, FEC200, FEM107, FEM107SC, FEM109, FEM200, FEM201, FEM207, FEM207SC, FEM209, FEM67, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107, FEMD107SC, FEMD109, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD209, FEMD67, FEMD67SC, FEMD69, FEP160, JOKER FCE 6, JOKER FCE 6 AB 2002, JOKER FCE 10, JOKER FCE 10 AB 2002, JOKER FEM 67 SC, JOKER FEM 69, JOKER FEM 69 AB 2002, JOKER FEM107 SC, JOKER FEM109, JOKER FEM109 AB 2002...(Other models you can see in the webshop)		

			
1			
No.	365048	Ref. No.	212001
description	interference suppression filter type KPB7028 275V 50/60Hz conductor 2 with E connection male faston 6.3mm L 50mm ø 38mm Hmm Wmm M8 aluminium Qty 1 pcs		
For models:	LB145, LB45, LF50, LF500, LF55E		

RC circuits

			
1			
No.	365211	Ref. No.	C23457
description	interference suppression filter type XRY RC MKPX2 275V connection plug		
For models:	CB955A, CB955W		



fuses

fine fuses

			
1			
No.	358661	Ref. No.	RTFOC00047
description	fine fuse size ø5x20mm 0.1A fast-acting rated 250V Qty 10 pcs		
For models:	FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM100, FEM101, FEM200, FEM201, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD200, FEMD201, FEP050, FEP080, FEP160, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, JOKER FEP050, JOKER FEP050 AB 2002, JOKER FEP080, JOKER FEP080 AB 2002...(Other models you can see in the webshop)		

			
1			
No.	358530	Ref. No.	926284
description	fine fuse size ø5x20mm 0.8A fast-acting rated 250V Qty 10 pcs		
For models:	LFD60, LK100, LK100EM, LK110, LK611, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD155, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LT81, LTD101, LTD131, LTD171		

			
1			
No.	358677	Ref. No.	228004 228010
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		
For models:	LB350, LB355, LB400, LB405, LB40E, LB411, LB411A, LB422, LB42BT-UK, LB450, LBD40, LBDX40, LF55E, LF56, LF60, LFD50, LFD60, LFDX50, LK100, LK100EM, LK110, LK600, LK605, LK611, LK620, LK621, LK622, LK622I, LK625, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD102, LOD155, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092...(Other models you can see in the webshop)		

			
1			
No.	358533	Ref. No.	RTFOC00284
description	fine fuse size ø5x20mm 6.3A fast-acting rated 250V Qty 10 pcs		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CMG10-V380, CMG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE10, FCE20, FCE6, FCG10, FCG20, FCG6, FEC065, FEC200, FEM062, FEM102, FEM107, FEM107SC, FEM109, FEM200, FEM201, FEM207, FEM207SC, FEM209, FEM67, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100, FEMD101, FEMD107, FEMD107SC, FEMD109, FEMD200, FEMD201, FEMD207, FEMD207SC, FEMD209, FEMD67...(Other models you can see in the webshop)		

			
1			
No.	358693	Ref. No.	80874
description	fine fuse size ø5x20mm 2A medium lag rated 250V Qty 10 pcs		
For models:	LOD305, LOD502		

			
1			
No.	358594	Ref. No.	228012
description	fine fuse size ø5x20mm 0.16A slow-acting rated 250V Qty 10 pcs		
For models:	LK620, LK621, LK625, LOD102, LOD202, LOD302, LOD304, LOD402, LOD502, LS520-CRP, LS521, LS521-CRP-SP, LS525, LTD209, LTD212, LTD216, LTD220		

			
1			
No.	358603	Ref. No.	228011
description	fine fuse size ø5x20mm 2A slow-acting rated 250V Qty 10 pcs		
For models:	LK620, LK621, LK625, LOD102, LOD202, LOD302, LOD304, LOD402, LS520-CRP, LS521, LS521-CRP-SP, LS525, LTD209, LTD212, LTD216, LTD220		

			
1			
No.	358606	Ref. No.	228014
description	fine fuse size ø5x20mm 4A slow-acting rated 250V Qty 10 pcs		
For models:	LB355, LB405		

			
1			
No.	358760	Ref. No.	926283
description	fine fuse size ø6.3x32mm 0.315A medium lag rated 250V Qty 10 pcs		
For models:	LFD60, LK100, LK100EM, LK110, LK611, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD155, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LT81, LTD101, LTD131, LTD171		

various

			
1			
No.	358117	Ref. No.	RIC0004491
description	set with fine fuses suitable for MBM 20x fine fuses ø5x20mm fast-acting 250V 0.5A 10x fine fuses ø5x20mm fast-acting 250V 1.25A 20x fuse holders 5x20mm mounting instructions		

fine fuse holders



No.	551234	Ref. No.	210010
description	fuse holder suitable fuse $\phi 5 \times 20$ mm 1-pole 6.3A rated 600V L 52mm W 8mm H 51mm connection screw clamp cross section 4mm ²		
For models:	LB350, LB355, LB400, LB405, LB411, LB411A, LB422, LB450, LBDX40, LFD50, LFDX50, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV, LS520, LS522		



No.	550499	Ref. No.	H.228047
description	fuse holder suitable fuse $\phi 5 \times 20$ mm 6.3A rated 500V		
For models:	GOLD74, LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LF56, LF60, LFD50, LFD60, LFDX50, LK100, LK100EM, LK110, LK130, LK600, LK605, LK611, LK622, LK622I, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD155, LOD305, LOD502, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LTD209, LTD212, LTD216, LTD220, LTD316, LTD320, LTD326		



No.	550104	Ref. No.	RTFOC00048
description	fuse holder WIELAND type WK4/THSI 5 U/V0 suitable fuse $\phi 5 \times 30$ mm 0.5-6mm ² top-hat rail 35mm 10A rated 600V		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CMG10-V380, CMG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107, FEM107SC, FEM109, FEM200, FEM201, FEM207, FEM207SC, FEM209, FEM67, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100...(Other models you can see in the webshop)		



No.	550519	Ref. No.	H.228048
description	cover plate suitable fuseA ratedV connection for fuse holder		
For models:	GOLD74, LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LF56, LF60, LFD50, LFD60, LFDX50, LK100, LK100EM, LK110, LK130, LK600, LK605, LK611, LK622, LK622I, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD155, LOD305, LOD502, LOD65, LOD80, LOD80H, LOD93, LP80, LP800-00-092, LP92, LTD209, LTD212, LTD216, LTD220		

overload switches



No.	348037	Ref. No.	1LT030
description	overload switch 1-pole drop-away current 1.5A rated 240V nominal 0.05-16A connection male faston 6.3mm with plunger ambient temperature max.°C		
For models:	KF165A, KF165W, KF185A, KF185W		

electric accessories

cables

ribbon cables

group 1



No.	402970	Ref. No.	41523
description	ribbon cable 10-pole L 1200mm plug type 2 row coded Qty 1m		
For models:	LO155, LO80, LO80H, LO93, LOD155, LOD80, LOD80H, LOD93, LP80, LT81, LTD101, LTD131, LTD171		



No.	400903	Ref. No.	211009
description	ribbon cable 10-pole L 2290mm plug type FC-10P raster size 2.54mm		
For models:	LB40E, LB411, LF55E, LF56, LF60, LFD50, LFDX50, LS511		



No.	403450	Ref. No.	211013
description	ribbon cable 10-pole L 2300mm warewashing Qty 1 pcs		
For models:	LS505M, LS505T, LS511, LS511A, LS511PV, LS520-CRP, LS521, LS521-CRP-SP, LS522, LS525		



No.	403250	Ref. No.	80933 926272 DWS99
description	ribbon cable 10-pole L 3000mm plug type coded 2 row plug: number of poles 10		
For models:	LFD60, LO65, LOD102, LOD202, LOD302, LOD304, LOD305, LOD402, LOD502, LOD65, LP800-00-092, LP92		



No.	402927	Ref. No.	211011
description	ribbon cable 10-pole L 500mm plug type FC-10P raster size 2.54mm		
For models:	LB42BT-UK, LBD40, LBDX40		



No.	400902	Ref. No.	80934 DWS90
description	ribbon cable 10-pole L 750mm plug type FC-10P raster size 2.54mm		
For models:	GOLD74, LK100, LK110, LK130, LK605, LK611, LK620, LK621, LK622, LK622I, LK625, LOD202, LTD209, LTD212, LTD216, LTD220		



No.	550966	Ref. No.	RIC0002148
description	ribbon cable 26-pole L 280mm plug type FC-26P raster size 2.54mm		
For models:	FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGMD108, FGMD108EL, FGMD68, FGMD68EL		



No.	403451	Ref. No.	211017
description	ribbon cable L 2100mm Qty 1m		
For models:	LB411, LB411A, LB422, LB425		

plug connectors



No.	551395	Ref. No.	CN6
description	female bullet ø 2.5mm CuZn gal Sn Qty 1 pcs suitable for CN2, CN3, CN4		
For models:	LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LFD50, LFDX50, LS511		



No.	551394	Ref. No.	CN7
description	female bullet ø 2.8mm CuZn gal Sn Qty 1 pcs suitable for CN5		
For models:	LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LFD50, LFDX50, LS511		



No.	400761	Ref. No.	CN5
description	plug connector 5-pole		
For models:	LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LFD50, LFDX50, LS511		
accessories for	400761		
	No.	550048	Ref. No.
	female bullet		
	No.	551394	Ref. No.
	female bullet ø 2.8mm CuZn gal Sn Qty 1 pcs suitable for CN5		



No.	403854	Ref. No.	CN3
description	plug connector 5-pole raster size 5mm		
For models:	LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LFD50, LFDX50, LS511		
accessories for	403854		
	No.	551395	Ref. No.
	female bullet ø 2.5mm CuZn gal Sn Qty 1 pcs suitable for CN2, CN3, CN4		



No.	403853	Ref. No.	CN4
description	plug connector 6-pole raster size 5mm		
For models:	LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LFD50, LFDX50, LS511		
accessories for	403853		
	No.	551395	Ref. No.
	female bullet ø 2.5mm CuZn gal Sn Qty 1 pcs suitable for CN2, CN3, CN4		



No.	403852	Ref. No.	CN2
description	plug connector 8-pole raster size 5mm		
For models:	LB40E, LB411, LB42BT-UK, LBD40, LBDX40, LF55E, LFD50, LFDX50, LS511		
accessories for	403852		
	No.	551395	Ref. No.
	female bullet ø 2.5mm CuZn gal Sn Qty 1 pcs suitable for CN2, CN3, CN4		

terminals

terminal blocks



No.	550239	Ref. No.	RTBF900045
description	lustre terminal 12-pole cross section 16mm ² max. 75A max 500V temp.-resist. 150°C		
For models:	C4EF70, C6EF70, E100, E100A, E100I, E100I9, E100I9N, E100IA, E100IT9, E100IT9N, E150, E150A, E150I, E150I9, E150I9N, E150IA, E150IT9, E150IT9N, E26, E27, E277, E277Q, E27Q, E29, E29Q, E2A, E2A77, E2A77Q, E2AR, E46, E47, E477, E477Q, E47Q, E49, E49Q, E4A, E4A77, E4A77Q, E4AR, E4F, E4F6, E4F7, E4F77, E4F7Q, E4F9, E4F9Q, E50I7, E50I77, E66...(Other models you can see in the webshop)		

connection terminals with screw/faston connections



No.	550278	Ref. No.	53.7.0076.00
description	power terminal block 3-pole max. 40A max 400V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	5RI61EM, 5RI62EM, 6BM61EM, 6BM62EM, 6BM62ET, 6BS61EM, 6BS62EM, 6CP61EM, 6CP62ET, 6FQ61E, 6FQ62E, 6FT61E, 6FT62E, 6PC61EM, 6PC62EM, 6PC62ET		



No.	550349	Ref. No.	220010
description	power terminal block 4-pole max. 40A max 400V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	LB145, LB422, LB425, LB42BT-UK, LB45, LB450, LBD40, LBDX40		

			
1			
No.	550411	Ref. No.	220011 53.7.0077.00
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	6BM61EM, 6BM62EM, 6BM62ET, 6CP61EM, 6CP62ET, 6FQ61E, 6FQ62E, 6PC61EM, 6PC62EM, 6PC62ET, GOLD74, L61, L62, L63, L64, LF50, LF500, LF55, LF55E, LF56, LF59, LF60, LFD50, LFD60, LFDX50, LK100, LK1000, LK100EM, LK1010, LK110, LK1100, LK130, LK1300, LK600, LK605, LK611, LK620, LK621, LK622, LK622I, LK625, LKD130, LKDX110, LO155, LO65, LO80, LO80H, LO93, LOD102, LOD155...(Other models you can see in the webshop)		

connection boxes

			
1			
No.	550300	Ref. No.	459018
description	power terminal block 3-pole contacts P+N+E		
For models:	KL840, LB135, LB140, LB35, LB350, LB355, LB35C, LB40, LB405, LB40E, LB411		

PCB terminal blocks

			
1			
No.	550802	Ref. No.	RTFOC00593
description	PCB terminal block 4-pole raster size 5mm		
For models:	FEM107, FEM207, FEM67, FEMD108, FEMD108EL, FEMD68, FEMD68EL, FGM107, FGM207, FGM67, FGM108, FGM108EL, FGM68, FGM68EL		

rail-mounted terminals

WIELAND

fuse terminal blocks

			
1			
No.	550104	Ref. No.	RTFOC00048
description	fuse holder WIELAND type WK4/THSI 5 U/V0 suitable fuse ø5x30mm 0.5-6mm ² top-hat rail 35mm 10A rated 600V		
For models:	CME10-V380, CME4-V380, CME6-V380, CMFE102-V380, CMFE10-V380, CMFE6-V380, CMFG10-V380, CMFG6-V380, CMG10-V380, CMG6-V380, CYE10-V380, CYE6-V380, CYG10-V380, CYG6-V380, FCE10, FCE108, FCE20, FCE6, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FEC060, FEC065, FEC100, FEC200, FEM060, FEM061, FEM062, FEM100, FEM101, FEM102, FEM107, FEM107SC, FEM109, FEM200, FEM201, FEM207, FEM207SC, FEM209, FEM67, FEM67SC, FEM69, FEMD060, FEMD061, FEMD065, FEMD066, FEMD100 (Other models you can see in the webshop)		

miscellaneous

			
1			
No.	551234	Ref. No.	210010
description	fuse holder suitable fuse ø5x20mm 1-pole 6.3A rated 600V L 52mm W 8mm H 51mm connection screw clamp cross section 4mm ²		
For models:	LB350, LB355, LB400, LB405, LB411, LB411A, LB422, LB450, LBDX40, LFD50, LFDX50, LS500, LS500A, LS500G, LS500GA, LS500GPV, LS500PV, LS501, LS501A, LS501G, LS501GA, LS501GPV, LS501PV, LS505, LS505M, LS505T, LS511, LS511A, LS511PV, LS520, LS522		

			
1			
No.	550996	Ref. No.	927115
description	rail-mounted terminal 0.5-4mm ² green/yellow for TS 35 (plastic)		
For models:	LT161, LT221, LT271, LT272, LT362, LTD316, LTD320, LTD326		

gas taps

PEL

21S series

1

No.	101397	Ref. No.	RTCU700259	
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower			
For models:	G2S7, G2SDM7, G2SDMF7, G2SDMFE7, G2SSM7, G2SSMF7, G2SSMFE7, G4S7, G4SF7, G4SFE7, G4SM7, G4SMFA7, G6S7, G6SF72P, G6SFA7, G6SFEA7, GC47, GC66, GPL46P, GPL47, GPL47P, GPL77, GPL77P, GPL86P, GT2SD7, GT2SDF7, GT2SS7, GT2SSFA7, GT4S7, GT4SF27, GT4SF2E7, GT4SFA7, GT7, GTF7, GTS7, MINIMA GC 66, MINIMA GPL 46, MINIMA GPL 46P, MINIMA GPL 86, MINIMA GPL 86P, OMNIA G2S7, OMNIA G4S7, OMNIA G4SF7, OMNIA G4SFE7, OMNIA G4SMFA7, OMNIA G6S7, OMNIA G6SFA7, OMNIA G6SFEA7, OMNIA GC 47, OMNIA GPL 47...(Other models you can see in the webshop)			
spare parts for	101397			
	No.	100408	Ref. No.	—
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No.	RTCU700573
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101206	Ref. No.	—
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21			
	No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			

Table continues overleaf



accessories for 101397				
	No.	100908	Ref. No.	RTCU900133
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	RTCP800038 RTCU900019
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	RTCU900012
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	RTCU900018
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	RTCU700297
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110081	Ref. No.	—
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

1

No.	106986	Ref. No.	167069 167997
description	gas tap PEL type 21S gas inlet pipe flange ø21mm bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 30/23mm shaft flat upper		
For models:	BG6SF77M, G2S77, G2S77P, G2S8, G2S928P, G2S98, G2SA77, G2SA77P, G2SA98, G2SA98P, G2SF6, G2SF6G, G2SSM77, G2SSMA77, G3SF6, G3SF6G, G4S77, G4S77P, G4S8, G4S948P, G4S98, G4SA77, G4SA77P, G4SA98, G4SA98P, G4SF77, G4SF77P, G4SF8, G4SF98, G4SF98P, G4SFE77, G4SFE77P, G4SFE8, G4SFE98, G4SFEV77, G4SM77, G4S-MA77, G4SMFA77, G6S77, G6S8, G6S98, G6SA77, G6SA98, G6SF77M, G6SFA77, G6SFA8, G6SFA98, G6SFEA77, G6SFEA8, G6SFEA98...(Other models you can see in the webshop)		

22S/O series



1

	No.	101086	Ref. No.	RTCU900011
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower			
For models:	BST2LV, BST2RV, BST6LV, BST6RV, C2A, C4A, C4F, C4FV702P, C62F, C6A, C6AV70, C6F, C6FA, C6FV70, C6FV702P, C8A, C8F, FP01V, G2S, G2SAP, G2SP, G4S, G4SAP, G4SF, G4SFE, G4SFP, G507, G5017, G6S, G6SF2, G6S-FA, G6SFEA, G8S, G8SAP, G8SF2, G8SF2E, G8SF2P, GC45, GC49, GC49T, GC77, GC902V, GC992V, GC992VT, GPL45, GPL45-P, GPL49-P, GPL90, GPL90-P, GPL99-P...(Other models you can see in the webshop)			
spare parts for	101086			
	No.	100259	Ref. No.	RTCU700250
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No.	—
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	No.	101240	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101086			
	No.	100908	Ref. No.	RTCU900133
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	RTCP800038 RTCU900019
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No.	RTCU900014
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No.	RTCU900016
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No.	RTCU900017
	union nut thread M20x1.5 for pipe ø 10mm			

Table continues overleaf

accessories for 101086				
	No.	101251	Ref. No.	RTCU900015
	union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No.	RTCU900018
	olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

22S/V series



1

No.	101887	Ref. No.	160344 168001	
description	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat right			
For models:	G2S, G2S9, G2SA11, G4S, G4S9, G4S9-48, G4SA11, G4SF, G4SF-1, G4SF11, G4SF9, G4SF9-1, G4SF9-2, G4SFE, G4SFE9, G6S, G6S9, G6SF2, G6SF29, G6SFA, G6SFA9, G6SFEA, G6SFEA9, G6SFM, GT2SD9, GT2SDF, GT2SDF9, GT2SS9			
spare parts for	101887			
	No.	101058	Ref. No.	—
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard			
	No.	101202	Ref. No.	—
	gas tap front part shaft ø 8x10mm shaft L 25/17mm shaft flat right/ left suitable for PEL22			
	No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	No.	101236	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101887			
	No.	100908	Ref. No.	RTCU900133
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	RTCP800038 RTCU900019
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			

accessories for 101887				
	No.	101248	Ref. No.	RTCU900014
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No.	RTCU900016
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No.	RTCU900017
	union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No.	RTCU900015
	union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No.	RTCU900018
	olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

23S/O series



1

No.	101091	Ref. No.	RTCP800019	
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 35/19mm shaft flat upper			
	G100, G1009, G100A, G100I, G100I9, G100IA, G100IT9, G100T9, G150, G1509, G150A, G150I, G150I9, G150IA, G150IT9, G150T9, G175, GBR, GBRA, GC90			
spare parts for	101091			
	No.	100455	Ref. No.	—
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101045	Ref. No.	—
	magnet unit T1: M9x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M9x1			
	No.	101244	Ref. No.	—
	gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps			
	No.	101336	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 35/17mm shaft flat upper/lower suitable for PEL23S			
	No.	101463	Ref. No.	—
	screw suitable for PEL23S Qty 4 pcs			
	No.	528455	Ref. No.	—
	O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs			

Table continues overleaf



accessories for 101091				
	No.	100908	Ref. No.	RTCU900133
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	RTCP800038 RTCU900019
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101252	Ref. No.	—
union nut thread M24x1.5 for pipe ø 12mm				
	No.	101253	Ref. No.	—
union nut thread M24x1.5 PEL for pipe ø 16mm				
	No.	101254	Ref. No.	—
union nut thread M28x1.5 tube ø 20mm				
	No.	101255	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs				
	No.	101256	Ref. No.	RTCP800023
olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	—
olive for pipe ø 20mm Qty 1 pcs				
	No.	101286	Ref. No.	RTCU900018
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				



1

No.	106985	Ref. No.	168000
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0mm gas outlet M24x1.5 (tube ø 16/12mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper		
For models:	G1008, G10098, G100I8, G100I98, G100T98, G1508, G15098, G150I8, G150I98, G150IT98, G5077, G50I77, GC411-SC, GC777, GC777T, GC911-SC, GTA911, GTF911		

SABAF



1

No.	101890	Ref. No.	170414 RTCU600016	
description	gas tap SABAF type 10 gas inlet pipe flange ø16mm bypass nozzle ø 0mm gas outlet 1/4" (tube ø 8mm) front fixing thermocouple connection plug-in connection shaft ø 8x6.5mm shaft L 26/12mm shaft flat upper			
For models:	G2S6, G4S6, G4SF6, G4SFE6, G6S6, G6SF6, G6SFA6, G6SFE6, G6SFEA6, MINIMA G2S6, MINIMA G4S6, MINIMA G4SF6, MINIMA G4SFE6, MINIMA G6S6, MINIMA G6SF6, MINIMA G6SFA6, MINIMA G6SFE6, MINIMA G6SFEA6			
spare parts for	101890			
	No.	101376	Ref. No.	—
gasket ID ø 8mm ED ø 12mm H 3/5mm				
	No.	106723	Ref. No.	—
magnet unit L 29mm D1 ø 12.5mm D2 ø 8.5mm suitable for SABAF				
accessories for	101890			
	No.	101277	Ref. No.	RTCU600049
olive ID ø 8mm Qty 1 pcs				
	No.	101751	Ref. No.	RTCU600054
bracket				
	No.	520656	Ref. No.	—
union nut thread 1/4" tube ø 6/8mm				
	No.	560082	Ref. No.	—
hexagonal screw thread M4 thread L 16mm SS WS 7 Qty 20 pcs DIN 933 / ISO 4017				

SKG



1

No.	101154	Ref. No.	53.1.0023.00	
description	gas tap SKG without ignition flame connection			
For models:	6PC61G, 6PC62G			
spare parts for	101154			
	No.	101060	Ref. No.	RTCU700573
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
accessories for	101154			
	No.	101060	Ref. No.	RTCU700573
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101351	Ref. No.	53.3.0181.00
	mounting strap for gas tap			

Table continues on next page

accessories for 101154				
	No.	101376	Ref. No.	—
	gasket ID ø 8mm ED ø 12mm H 3/5mm			

gas thermostats

SIT


710 Minisit series



No.	101135	Ref. No.	53.1.0027.00 RTCU700574 RTCU700642	
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller no pressure regulatormbar gland nut			
For models:	6FQ61G, 6FQ62G, GF15+15S, GF15S, GF25+25S, GF25S, GF46, GF47, GF472V, GF47T, GF49, GF49T, GF66, GF77, GF77T, GF90, GF90-1, GF99, GF99T, MINIMA GF 46, MINIMA GF 66, OMNIA GF 47, OMNIA GF 47T, OMNIA GF 77, OMNIA GF 77T, OMNIA GF472V			
spare parts for	101135			
	No.	101053	Ref. No.	53.1.0012.00
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102118	Ref. No.	—
	probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710			
accessories for	101135			
	No.	100809	Ref. No.	53.6.0005.00
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No.	—
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No.	—
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No.	53.6.0007.00 RTCU900221
	cover cap without piezoelectric igniter			
	No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			


accessories for 101135				
	No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No.	RTCU800195
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No.	53.6.0006.00 RTCU900222
	knob suitable for Minisit ø 37mm			

				
No.	106984	Ref. No.	167549	
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller no pressure regulator mbar gland nut			
For models:	BGF777B, FG15M, FG20M, GF15+15S, GF15S, GF25+25S, GF25S, GF408, GF45, GF477, GF4772V, GF4772VB, GF4772VS, GF477B, GF477S, GF477TS, GF498B, GF777, GF777B, GF777S, GF777TS, GF90, GF908, GF998B, MG7GF477, MG7GF4772V, MG7GF477TS, MG7GF777, MG7GF777TS			
spare parts for	106984			
	No.	101053	Ref. No.	53.1.0012.00
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102118	Ref. No.	—
probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710				
accessories for	106984			
	No.	110068	Ref. No.	53.6.0006.00 RTCU900222
knob suitable for Minisit ø 37mm				



No.	101132	Ref. No.	53.1.0026.00 RTCU900064
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no		
For models:	6FT61G, 6FT62G, C4F, C62F, C6F, C6FA, C8F, GBR7, GBR77, GBRI7, GBRI77, MG7GBR77, MG7GBRI77, OMNIA GBR7, OMNIA GBRI7		
spare parts for	101132		
	No.	101053	Ref. No. 53.1.0012.00
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102102	Ref. No. 53.1.0140.00
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for	101132		
	No.	100809	Ref. No. 53.6.0005.00
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. —
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. 53.6.0007.00 RTCU900221
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No. —
gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No. RTCU800195
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			

accessories for	101132		
	No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No. 53.6.0006.00 RTCU900222
knob suitable for Minisit ø 37mm			



No.	101130	Ref. No.	53.1.0028.00
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 100°C 30-100°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 122mm capillary pipe 1050mm probe type type A1 pressure controller no pressure regulator mbar gland nut		
For models:	6BM61G, 6BM62G		
spare parts for	101130		
	No.	101053	Ref. No. 53.1.0012.00
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102100	Ref. No. 53.1.0142.00
probe 30-100°C probe ø 5mm probe L 122mm capillary pipe 1050mm t.max. 100°C bain marie probe type type A1 suitable for MINISIT 710			
accessories for	101130		
	No.	100809	Ref. No. 53.6.0005.00
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No. —
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. —
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. 53.6.0007.00 RTCU900221
cover cap without piezoelectric igniter			

Table continues overleaf

accessories for 101130				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	RTCU800195
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	53.6.0006.00 RTCU900222
knob suitable for Minisit ø 37mm				

				
1 				
No.	101131	Ref. No.	GRCU900012	
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulator mbar gland nut			
For models:	GF45, GF90			
spare parts for	101131			
	No.	101053	Ref. No.	53.1.0012.00
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102103	Ref. No.	—
probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710				
accessories for	101131			
	No.	100809	Ref. No.	53.6.0005.00
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100820	Ref. No.	—
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22				

accessories for 101131				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	—
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	53.6.0007.00 RTCU900221
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	RTCU800195
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	53.6.0006.00 RTCU900222
knob suitable for Minisit ø 37mm				

accessories

probes

No.	102102	Ref. No.	53.1.0140.00
description	probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710		
For models:	6FT61G, 6FT62G		



No.	102100	Ref. No.	53.1.0142.00
description	probe 30-100°C probe Ø 5mm probe L 122mm capillary pipe 1050mm t.max. 100°C bain marie probe type type A1 suitable for MINISIT 710		
For models:	6BM61G, 6BM62G		

PEL

24ST series



No.	106667	Ref. No.	168002 RTCU800011
description	gas thermostat PEL type 24ST 100-300°C gas inlet M20x1.5 (tube Ø 12mm) bypass nozzle Ø 0.9mm gas outlet M20x1.5 (tube Ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe Ø 6mm probe L 100mm shaft Ø 10x8mm shaft L 27/17mm shaft flat upper		
For models:	G4SF, G4SF-1, G4SF11, G4SF77, G4SF9, G4SF9-1, G4SF9-2, G4SF9, G6SF2, G6SF29, G6SFA, G6SFA9, G6SFM, G8SF2, G8SF2P, GF09, GF09T, GFB09, GFT45L, GFT45LC, GFT45R, GFT45RC, GFT90L, GFT90LC, GFT90LR, GFT90LRC, GFT90R, GFT90RC, GT2SDF, GT2SDF9, GT2SFA, GTF, GTF77, GTF9, GTF911		

spare parts for 106667			
	No.	100597	Ref. No. RTCU800071
bypass nozzle type PEL23/24 bore Ø 0.9mm thread M8x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 Ø 15.4mm D2 Ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	106200	Ref. No. —
nut thread M9x1 suitable for PEL 24/25S			
accessories for 106667			
	No.	100908	Ref. No. RTCU900133
union screw thread M10x1 for pipe Ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. RTCP800038 RTCU900019
union screw thread M10x1 for pipe Ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. —
olive for pipe Ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. RTCU900014
olive for pipe Ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. RTCU900016
olive for pipe Ø 10mm Qty 1 pcs			
	No.	101250	Ref. No. RTCU900017
union nut thread M20x1.5 for pipe Ø 10mm			
	No.	101251	Ref. No. RTCU900015
union nut thread M20x1.5 for pipe Ø 12mm			
	No.	101286	Ref. No. RTCU900018
olive ID Ø 6mm Qty 1 pcs			



No.	101078	Ref. No.	RTBF800003	
description	gas thermostat PEL type 24ST 55-110°C gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 160mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper			
For models:	GBM90			
spare parts for	101078			
	No.	100455	Ref. No.	—
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101058	Ref. No.	—
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	106200	Ref. No.	—
	nut thread M9x1 suitable for PEL 24/25S			
accessories for	101078			
	No.	100908	Ref. No.	RTCU900133
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	RTCP800038 RTCU900019
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No.	RTCU900014
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No.	RTCU900016
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No.	RTCU900017
	union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No.	RTCU900015
	union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No.	RTCU900018
	olive ID ø 6mm Qty 1 pcs			
	No.	110079	Ref. No.	—
	knob dial plate gas thermostat 1-8 silver			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			

24STS series


No.	107209	Ref. No.	160225 168003 174035
description	gas thermostat PEL type 24STS 100-300°C gas inlet M20x1.5 (tube ø 12/10mm) bypass nozzle ø 1.2mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper		
For models:	GFT45L, GFT45LC, GFT45R, GFT45RC, GFT49L, GFT49LC, GFT49R, GFT49RC, GFT90L, GFT90LC, GFT90LR, GFT90LRC, GFT90R, GFT90RC, GFT99L, GFT99LC, GFT99LR, GFT99LRC, GFT99R, GFT99RC, GFTA911L, GFTA911LC, GFTA911LR, GFTA911LRC		
spare parts for	107209		
	No.	100659	Ref. No. —
bypass nozzle type PEL23/24 bore ø 1.2mm thread M8x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101331	Ref. No. —
adapter suitable for PEL22 for flanged cable 10/12mm			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			
	No.	106165	Ref. No. —
gasket ø 27mm			
	No.	106200	Ref. No. —
nut thread M9x1 suitable for PEL 24/25S			
accessories for	107209		
	No.	101250	Ref. No. RTCU900017
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No. RTCU900015
union nut thread M20x1.5 for pipe ø 12mm			



No.	101888	Ref. No.	160220
description	gas thermostat PEL type 24STS t.max. 90°C		
For models:	GBM45, GBM49T, GBM90, GBM99T		
spare parts for	101888		
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			

accessories for	101888		
	No.	100908	Ref. No. RTCU900133
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. RTCP800038 RTCU900019
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101236	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. RTCU900014
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. RTCU900016
olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No. RTCU900017
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No. RTCU900015
union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No. RTCU900018
olive ID ø 6mm Qty 1 pcs			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			
	No.	101465	Ref. No. —
union nut thread M16x1.5 for pipe ø 8mm			
	No.	110079	Ref. No. —
knob dial plate gas thermostat 1-8 silver			
	No.	110080	Ref. No. —
knob ø 70mm shaft ø 10x8mm shaft flat universal			



25ST series



1

No.	101172	Ref. No.	RTCU700289
description	gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
For models:	G2SDM7, G2SDMF7, G2SDMFE7, G2SSM7, G2SSMF7, G2SSMFE7, G4SF7, G4SM7, G4SMA7, G6SFA7, GBR6, GF07, GFO7, GFT106L, GFT106LC, GFT106LR, GFT106LRC, GFT117L, GFT117LC, GFT117LR, GFT117LRC, GFT46L, GFT46LC, GFT46R, GFT46RC, GFT47L, GFT47LC, GFT47R, GFT47RC, GFT66L, GFT66LC, GFT66LR, GFT66LRC, GFT66R, GFT66RC, GFT77L, GFT77LC, GFT77LR, GFT77LRC, GFT77R, GFT77RC, GT2SDFA7, GT2SSFA7, GT4SF27, GT4SFA7, GTF7, MINIMA GBR 6, MINIMA GFT 46L, MINIMA GFT 46LC, MINIMA GFT 46R...(Other models you can see in the webshop)		
spare parts for	101172		
	No.	100259	Ref. No. RTCU700250
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	No.	101060	Ref. No. RTCU700573
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
accessories for	101172		
	No.	100908	Ref. No. RTCU900133
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. RTCP800038 RTCU900019
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	No.	101278	Ref. No. RTCU900012
	olive for pipe ø 10mm Qty 1 pcs		
	No.	101286	Ref. No. RTCU900018
	olive ID ø 6mm Qty 1 pcs		
	No.	101300	Ref. No. RTCU700297
	union nut thread M16x1.5 tube ø 10mm		
	No.	101450	Ref. No. —
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	No.	101451	Ref. No. —
	union nut thread M16x1.5 tube ø 8mm		
	No.	110079	Ref. No. —
	knob dial plate gas thermostat 1-8 silver		
	No.	110081	Ref. No. —
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		



1

No.	106987	Ref. No.	168005
description	gas thermostat PEL type 25ST 100-300°C gas inlet pipe flange ø21mm bypass nozzle ø 0.95mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 26/15mm shaft flat upper pressure regulator 50mbar		
For models:	BG6SF77M, G2SF6, G2SF6G, G3SF6, G3SF6G, G6SF77M, GFT1177L, GFT1177LC, GFT1177LR, GFT1177LRC, GFT1177R, GFT1177RC, GFT408L, GFT408LC, GFT408R, GFT477L, GFT477LC, GFT477R, GFT477RC, GFT498L, GFT498LC, GFT498R, GFT777L, GFT777LC, GFT777LR, GFT777LRC, GFT777R, GFT777RC, GFT908L, GFT908LC, GFT908LR, GFT908LRC, GFT908R, GFT998L, GFT998LC, GFT998LR, GFT998LRC, GFT998R, GFTA477L, GFTA477LC, GFTA477R, GFTA477RC, GFTA498L, GFTA498LC, GFTA498R, GFTA777L, GFTA777LC, GFTA777LR, GFTA777LRC, GFTA777R...(Other models you can see in the webshop)		



1

No.	101441	Ref. No.	RTCU700363
description	gas thermostat PEL type 25ST 30-90°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 160mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
For models:	GBM46, GBM47, GBM66, GBM77, MINIMA GBM 46, MINIMA GBM 66, OMNIA GBM 47, OMNIA GBM 77		
spare parts for	101441		
	No.	100259	Ref. No. RTCU700250
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	No.	101060	Ref. No. RTCU700573
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	106200	Ref. No. —
	nut thread M9x1 suitable for PEL 24/255		
accessories for	101441		
	No.	100908	Ref. No. RTCU900133
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. RTCP800038 RTCU900019
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	No.	101278	Ref. No. RTCU900012
	olive for pipe ø 10mm Qty 1 pcs		
	No.	101286	Ref. No. RTCU900018
	olive ID ø 6mm Qty 1 pcs		

Table continues overleaf

accessories for 101441				
	No.	101300	Ref. No.	RTCU700297
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				

SABAF

				
1 				
No.	101886	Ref. No.	RTCU600179 RTCU600180	
description	gas thermostat SABAF t.max. 300°C gas inlet pipe flange ø16mm bypass nozzle ø 0.37mm gas outlet M13x1 IT (tube ø 8mm) gas outlet 2 thermocouple connection M8x1 pilot connection capillary pipe 850mm probe ø 4mm probe L 140mm shaft ø 8x6.5mm shaft L 17/12mm shaft flat upper			
For models:	G3S6, G4SF6, G4SFA6, G6SF6, G6SFA6, MINIMA G4SF6, MINIMA G6SF6, MINIMA G6SFA6			
spare parts for	101886			
	No.	101060	Ref. No.	RTCU700573
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
	No.	101376	Ref. No.	—
gasket ID ø 8mm ED ø 12mm H 3/5mm				
accessories for	101886			
	No.	101277	Ref. No.	RTCU600049
olive ID ø 8mm Qty 1 pcs				
	No.	101477	Ref. No.	—
union screw thread M13x1 tube ø 8mm Qty 1 pcs				
	No.	101751	Ref. No.	RTCU600054
bracket				

gas valves and ignition boxes

gas control valves

SIT

ELETTROSIT



1


No.	101126	Ref. No.	RTBF800077	
description	gas valve SIT type ELETTROSIT 230V gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.136			
For models:	GBR, GBRA, GBRAVI, GBRVI			
spare parts for	101126			
	No.	101312	Ref. No.	—
microswitch				
	No.	101352	Ref. No.	—
solenoid coil 230V 50Hz suitable for ELETTROSIT				
accessories for	101126			
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101301	Ref. No.	—
gas connection thread 1/2" straight ELETTROSIT screw with O-ring				
	No.	101303	Ref. No.	—
gas connection straight thread 3/4" ELETTROSIT				
	No.	101309	Ref. No.	—
extension				

**MINISIT**

1

No.	101106	Ref. No.	53.1.0110.00
description	gas valve gas inlet 3/8" gas outlet 3/8" operable temperature range manual thermocouple connection M9x1 pilot connection M10x1 Minisit SIT		
For models:	6BM61G, 6BM62G, 6FQ61G, 6FQ62G, 6FT61G, 6FT62G, 6PC61G, 6PC62G		
spare parts for	101106		
	No.	100809	Ref. No. 53.6.0005.00
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	101053	Ref. No. 53.1.0012.00
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. —
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. 53.6.0007.00 RTCU900221
cover cap without piezoelectric igniter			
	No.	110068	Ref. No. 53.6.0006.00 RTCU900222
knob suitable for Minisit ø 37mm			
accessories for	101106		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No. —
gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No. RTCU800195
olive for pipe ø 12mm L 9.5mm brass Qty 1			

accessories for	101106		
	No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			

NOVASIT

1

No.	101162	Ref. No.	RTFOC00095
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010		
For models:	FCG10, FCG108, FCG20, FCG6, FCG68, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, GBR, GBR8, GBR9T, GBRA9T, GBRAVI9T, GBRVC98, GBRVC98T, GBRVI8, GBRVI98, GBRVI98T, GBRVI9T, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FGP050, JOKER FGP050 AB 2002, JOKER FGP080, JOKER FGP080 AB 2002, JOKER FGP160		
spare parts for	101162		
	No.	101065	Ref. No. RTFOC00188
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
	No.	101313	Ref. No. —
solenoid coil 230V 50Hz			
accessories for	101162		
	No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	101305	Ref. No. —
gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101307	Ref. No. —
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101308	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			

Table continues overleaf

accessories for 101162				
	No.	101312	Ref. No.	—
	microswitch			
	No.	101314	Ref. No.	—
	solenoid coil 24V 50Hz			
	No.	101317	Ref. No.	—
	plug with cable L 1000mm suitable for NOVASIT			
	No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			



1

No.	101956	Ref. No.	16100020	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurembar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.031			
For models:	GF477I, GF477IM, GF49-I, GF49T-I, GF777IM, GF99-I, GF99T-I			
spare parts for	101956			
	No.	101065	Ref. No.	RTFOC00188
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT				
	No.	101313	Ref. No.	—
solenoid coil 230V 50Hz				
accessories for	101956			
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	101305	Ref. No.	—
gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	No.	101306	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101312	Ref. No.	—
microswitch				
	No.	101314	Ref. No.	—
solenoid coil 24V 50Hz				

accessories for 101956				
	No.	101317	Ref. No.	—
	plug with cable L 1000mm suitable for NOVASIT			
	No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			



1

No.	106005	Ref. No.	RTFOC00258	
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection closed ignition pressure 6-10mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.822.112			
	For models: FGM107SC, FGM109, FGM202, FGM207, FGM207SC, FGM209, FGM210, FGM210L, FGM67SC, FGM69, FGMD207, FGMD207SC, FGMD209, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109, JOKER FGM207 SC, JOKER FGM209, JOKER FGMD207 SC, JOKER FGMD209			
spare parts for	106005			
	 No.	101313	Ref. No.	—
	No.	101542	Ref. No.	—
	solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V			
accessories for	106005			
	 No.	101305	Ref. No.	—
	No.	101306	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101317	Ref. No.	—
	plug with cable L 1000mm suitable for NOVASIT			
	No.	101503	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs			
	No.	101924	Ref. No.	—
	plug with cable L 1090mm suitable for NOVA 822/826/827			



No.	106001	Ref. No.	RTFOC00577
description	gas valve SIT series Novasit 826 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection closed ignition pressure 3-5mbar pressure range 2-50mbar pressure regulator connection standard equiv. no. 0.826.011 power supply for modulator 230VAC rectified		
For models:	FGM107, FGM107SC, FGM108, FGM108EL, FGM109, FGM110, FGM110L, FGM610, FGM610L, FGM67, FGM67SC, FGM68, FGM68EL, FGM69, FGMD107, FGMD107SC, FGMD108, FGMD108EL, FGMD109, FGMD67, FGMD67SC, FGMD68, FGMD68EL, FGMD69, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109, JOKER FGMD 67 SC, JOKER FGMD 69, JOKER FGMD107 SC, JOKER FGMD109		
spare parts for	106001		
	No.	101542	Ref. No. —
	solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V		
accessories for	106001		
	No.	101305	Ref. No. —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	No.	101306	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	No.	101307	Ref. No. —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	No.	101308	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	No.	101859	Ref. No. —
	panel-mounted inlet with cable L 1000mm for rectifier suitable for NOVASIT		

accessories



No.	111759	Ref. No.	RTFOC00391
description	knob extension L 75mm NOVA 820/824/825 suitable for MBM		
For models:	FCE108, FCE68, FCG10, FCG108, FCG20, FCG6, FCG68, FGC065, FGC200, FGM200, FGM201, FGMD065, FGMD066, FGMD200, FGMD201, FGP050, FGP080, FGP160, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FGP050, JOKER FGP050 AB 2002, JOKER FGP080, JOKER FGP080 AB 2002, JOKER FGP160		



No.	101065	Ref. No.	RTFOC00188
description	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT		
For models:	FCG10, FCG6, FGP050, FGP080, FGP160, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FGP050, JOKER FGP050 AB 2002, JOKER FGP080, JOKER FGP080 AB 2002, JOKER FGP160		

ignition boxes

BRAHMA



No.	106006	Ref. No.	175780 RTFOC00305 RTFOC00785
description	ignition box BRAHMA type CE11F electrodes 2 waiting time 1.5s safety time 10s 220-240V 7VA 50-60Hz		
For models:	FEM210, FEM210L, FEMD108, FEMD108EL, FGM107, FGM107SC, FGM108, FGM108EL, FGM109, FGM110, FGM110L, FGM202, FGM207, FGM207SC, FGM209, FGM210, FGM210L, FGM610, FGM610L, FGM67, FGM67SC, FGM68, FGM68EL, FGM69, FGMD107, FGMD107SC, FGMD108, FGMD108EL, FGMD109, FGMD207, FGMD207SC, FGMD209, FGMD67, FGMD67SC, FGMD68, FGMD68EL, FGMD69, FGP160, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109, JOKER FGM207 SC, JOKER FGM209, JOKER FGMD 67 SC, JOKER FGMD 69, JOKER FGMD107 SC, JOKER FGMD109, JOKER FGMD207 SC, JOKER FGMD209		

ignition parts

pilot burners

SIT

100 series

			
No.	107139	Ref. No.	RTCU900025
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connectionmm		
For models:	BST2LV, BST2RV, BST6LV, BST6RV, C2A, C4A, C4A70, C4AV70, C4F, C4F70, C4F702P, C4FV70, C4FV702P, C62F, C6A, C6A70, C6AV70, C6F, C6F70, C6F702P, C6FA, C6FV70, C6FV702P, C8A, C8F, G2S, G2SAP, G2SP, G3S6, G4S, G4SAP, G4SF, G4SFE, G4SFP, G6S, G6SF2, G6SFA, G6SFEA, G8S, G8SAP, G8SF2, G8SF2E, G8SF2P, GT2S, GT2SD, GT2SDF, GT2SDFE, GT2SFA, GT2SFEA, TPF70...(Other models you can see in the webshop)		
spare parts for	107139		
		No.	100854 Ref. No. —
	pilot burner bracket double		
		No.	100885 Ref. No. —
	air mixing sleeve for pilot burner Qty 1 pcs		
		No.	107160 Ref. No. —
	pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs		
accessories for	107139		
		No.	100904 Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
		No.	100905 Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
		No.	100998 Ref. No. —
	pilot burner bottom part nozzle ø 0.21mm suitable for 100 series		
		No.	102110 Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
		No.	102111 Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

			
No.	107141	Ref. No.	RTCU700372
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.35mm gas connection 6mm		
For models:	BG6SF77M, G2S, G2S7, G2S77, G2S77P, G2S8, G2S9, G2S928P, G2S98, G2SA11, G2SA77, G2SA77P, G2SA98, G2SA98P, G2SDM7, G2SDMF7, G2SDMFE7, G2SSM7, G2SSM77, G2SSMA77, G2SSMF7, G2SSMFE7, G4S, G4S7, G4S77, G4S77P, G4S8, G4S9, G4S9-48, G4S948P, G4S98, G4SA11, G4SA77, G4SA77P, G4SA98, G4SA98P, G4SF, G4SF-1, G4SF11, G4SF7, G4SF77, G4SF77P, G4SF8, G4SF9, G4SF9-1, G4SF9-2, G4SF98, G4SF98P, G4SFE, G4SFE7...(Other models you can see in the webshop)		
spare parts for	107141		
		No.	100885 Ref. No. —
	air mixing sleeve for pilot burner Qty 1 pcs		
		No.	100905 Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
		No.	107160 Ref. No. —
	pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs		
accessories for	107141		
		No.	100904 Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
		No.	106733 Ref. No. 172882 RTCU700407
	pilot burner bracket suitable for MBM		
		No.	107167 Ref. No. RTCU700389
	pilot burner nozzle SIT LPG code 21 bore ø 0.21mm Qty 1 pcs		
		No.	107168 Ref. No. RTCU700647
	pilot burner nozzle SIT natural gas bore ø 0.35mm Qty 1 pcs thread M4x0.75 WS 5		

			
No.	106906	Ref. No.	RTCU900074 RTCU900079
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:	BST2LV, BST2RV, C4F702P, C4FV702P, CP100, CP100A, CP150, CP150A, CP1100, CP1100A, CP1150, CP1150A, EC47, EC77, FG15, FG15+15, GBR, GBRA, GF45, GF47T, GF77T, GF90, GT, GT2S, GT2SD, GT2SDF, GT2SDFE, GT2SFA, GT2SFEA, GTF, GTFE, OMNIA EC 47, TPA, TPF		
spare parts for	106906		
		No.	100245 Ref. No. 4370001
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
		No.	100855 Ref. No. —
	pilot burner bracket triple		

Table continues overleaf



spare parts for 106906				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				

accessories for 106906				
	No.	100245	Ref. No.	4370001
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				

accessories


pilot burner nozzles

				
1				
No.	100245	Ref. No.	4370001	
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			

				
1				
No.	107167	Ref. No.	RTCU700389	
description	pilot burner nozzle SIT LPG code 21 bore ø 0.21mm Qty 1 pcs			
For models:	G2S7, G2S9, G2SDM7, G2SDMF7, G2SDMFE7, G2SSM7, G2SSMF7, G2SSMFE7, G4S7, G4SF7, G4SFE7, G4SM7, G4SMFA7, G6S7, G6S9, G6SFA7, G6SFEA7, GT2SD7, GT2SDFA7, GT2SS7, GT2SSFA7, GT4S7, GT4SF27, GT4SF2E7, GT4SFA7, OMNIA G2S7, OMNIA G4S7, OMNIA G4SF7, OMNIA G4SFE7, OMNIA G6S7, OMNIA G6SFA7, OMNIA G6SFEA7, OMNIA GT2SD7, OMNIA GT4S7, OMNIA GT4SF27, WG2S7			

				
1				
No.	107168	Ref. No.	RTCU700647	
description	pilot burner nozzle SIT natural gas bore ø 0.35mm Qty 1 pcs thread M4x0.75 WS 5			

ignition electrodes

				
1				
No.	100706	Ref. No.	RTCU800109 RTCU900073	
description	ignition electrode connection M4 Qty 1 pcs			
For models:	BST2LV, BST2RV, BST6LV, BST6RV, C4F70, C4F702P, C4FV70, C4FV702P, C6F70, C6FV70, CP100, CP100A, CP150, CP150A, CP100, CP100A, CP150, CP150A, FG15, FG15+15, GBR, GBRA, GF45, GF47, GF77, GF90, GT, GT2S, GT2SD, GT2SDF, GT2SDFE, GT2SFA, GT2SFEA, GTF, GTFE, TPA, TPF70, TPFV70			

				
1				
No.	100707	Ref. No.	RTCP800033	
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs			
For models:	BG6SF77M, C4F, C62F, C6F, C6FA, C8F, FCG10, FCG108, FCG20, FCG6, FCG68, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGMD060, FGMD061, FGMD065, FGMD066, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, G100, G100A, G100I, G100IA, G150, G150A, G150I, G150IA, G175, G2SDM7, G2SDMFE7, G2SF6, G2SF6G, G2SSM7, G2SSM77...(Other models you can see in the webshop)			

140 - 145 -150 series



No.	107133	Ref. No.	RTCP800034
description	pilot burner SIT type 140 series 1 flame nozzle 0mm gas connection		
For models:	BG6SF77M, BST2LV, BST2RV, BST6LV, BST6RV, C4F, C62F, C6F, C6F702P, C6FA, C6FV702P, C8F, FCG10, FCG108, FCG20, FCG6, FCG68, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGM202, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, FP01V, G100, G100A, G100I, G150, G150A...(Other models you can see in the webshop)		
accessories for	107133		
	No.	100204	Ref. No. RTCP800058
pilot burner nozzle SIT LPG code 14 bore 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No. RTCP800041
pilot burner nozzle SIT LPG code 19 bore 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100206	Ref. No. RTCP800040
pilot burner nozzle SIT natural gas code 36 bore 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No. RTCP800059
pilot burner nozzle SIT natural gas code 27 bore 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No. —
pilot burner nozzle SIT natural gas code 38 bore 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No. RIC0003189 RTCU900010
ignition electrode connection M4 Qty 1 pcs			
	No.	100897	Ref. No. —
olive for pipe 4mm Qty 1 pcs for pilot burner			
	No.	100898	Ref. No. RTCU800183
olive for pipe 6mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 0mm for thermocouple			
	No.	100908	Ref. No. RTCU900133
union screw thread M10x1 for pipe 4mm Qty 1 pcs			
	No.	100909	Ref. No. RTCP800038 RTCU900019
union screw thread M10x1 for pipe 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe 6mm thickness 1mm L 3000mm			

No.	107114 ¹	Ref. No.	7090028 RIC0003049
description	pilot burner SIT type 140 series 2 flames nozzle 0mm gas connection		
For models:	GPL45, GPL45-P, GPL49-P, GPL90, GPL90-P, GPL99-P		
spare parts for	107114		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 0mm for thermocouple			
accessories for	107114		
	No.	100204	Ref. No. RTCP800058
pilot burner nozzle SIT LPG code 14 bore 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No. RTCP800041
pilot burner nozzle SIT LPG code 19 bore 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100206	Ref. No. RTCP800040
pilot burner nozzle SIT natural gas code 36 bore 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No. RTCP800059
pilot burner nozzle SIT natural gas code 27 bore 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No. —
pilot burner nozzle SIT natural gas code 38 bore 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No. RIC0003189 RTCU900010
ignition electrode connection M4 Qty 1 pcs			
	No.	100801	Ref. No. —
gasket for pilot burner Qty 1 pcs			
	No.	100897	Ref. No. —
olive for pipe 4mm Qty 1 pcs for pilot burner			
	No.	100898	Ref. No. RTCU800183
olive for pipe 6mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No. RTCU900133
union screw thread M10x1 for pipe 4mm Qty 1 pcs			
	No.	100909	Ref. No. RTCP800038 RTCU900019
union screw thread M10x1 for pipe 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe 6mm thickness 1mm L 3000mm			

¹incl. thermocouple fitting



160 series



1

No.	100049	Ref. No.	RTCU900007
description	pilot burner SIT type 160 series 2 flames nozzle �mm gas connectionmm		
For models:	BST6LV, BST6RV, EBM90, FT2GL70, FT2GR70, FT4GL, FT4GL70, FT4GLR, FT4GLR70, FT4GR, FT4GR70, GC45, GC90, GC902V		
spare parts for	100049		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 �mm for thermocouple			
accessories for	100049		
	No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle � 0.41mm			
	No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle � 0.25mm			
	No.	100701	Ref. No. RIC0003189 RTCU900010
ignition electrode connection M4 Qty 1 pcs			
	No.	100869	Ref. No. —
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle � 0.51mm			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No. RTCU900133
union screw thread M10x1 for pipe � 4mm Qty 1 pcs			
	No.	100909	Ref. No. RTCP800038 RTCU900019
union screw thread M10x1 for pipe � 6mm Qty 1 pcs			
	No.	101282	Ref. No. —
olive for pipe � 4mm L 7.4mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe � 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe � 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe � 6mm thickness 1mm L 3000mm			
	No.	107650	Ref. No. 53.3.0202.00 611008 RTCU900216
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			



1

No.	100052	Ref. No.	RTBF800034
description	pilot burner SIT type 160 series 2 flames nozzle �mm gas connectionmm		
For models:	GBM45, GBM90		
spare parts for	100052		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 �mm for thermocouple			
accessories for	100052		
	No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle � 0.41mm			
	No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle � 0.25mm			
	No.	100701	Ref. No. RIC0003189 RTCU900010
ignition electrode connection M4 Qty 1 pcs			
	No.	100801	Ref. No. —
gasket for pilot burner Qty 1 pcs			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No. RTCU900133
union screw thread M10x1 for pipe � 4mm Qty 1 pcs			
	No.	100909	Ref. No. RTCP800038 RTCU900019
union screw thread M10x1 for pipe � 6mm Qty 1 pcs			
	No.	101282	Ref. No. —
olive for pipe � 4mm L 7.4mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe � 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe � 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe � 6mm thickness 1mm L 3000mm			
	No.	107650	Ref. No. 53.3.0202.00 611008 RTCU900216
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			

			
No.	100054	Ref. No.	53.3.0115.00
description	pilot burner SIT type 160 series 2 flames nozzle ømm gas connectionmm		
For models:	6FT61G, 6FT62G		
spare parts for	100054		
	No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100054		
	No.	100202	Ref. No. —
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
	No.	100203	Ref. No. —
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
	No.	100701	Ref. No. RIC0003189 RTCU900010
	ignition electrode connection M4 Qty 1 pcs		
	No.	100801	Ref. No. —
	gasket for pilot burner Qty 1 pcs		
	No.	100869	Ref. No. —
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		
	No.	100906	Ref. No. —
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	No.	100908	Ref. No. RTCU900133
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. RTPC800038 RTCU900019
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101282	Ref. No. —
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs		
	No.	101287	Ref. No. —
	olive for pipe ø 6mm Qty 1 pcs		
	No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	No.	107650	Ref. No. 53.3.0202.00 611008 RTCU900216
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

			
No.	100056	Ref. No.	53.3.0110.00 RTCU700464
description	pilot burner SIT type 160 series 3 flames nozzle ømm gas connectionmm		
For models:	6BM61G, 6BM62G, 6FQ61G, 6FQ62G, BGF777B, FG15M, FG20M, GC66, GF15+15S, GF15S, GF25+25S, GF25S, GF408, GF408N, GF411, GF46, GF47, GF477, GF477B, GF477S, GF477TS, GF47T, GF498B, GF66, GF77, GF777, GF777B, GF777S, GF777TS, GF77T, GF908, GF908N, GF911, GF99, GF998B, MG7GF477, MG7GF477TS, MG7GF777, MG7GF777TS, MINIMA GC 66, MINIMA GF 46, MINIMA GF 66, OMNIA GF 47, OMNIA GF 47T, OMNIA GF 77, OMNIA GF 77T		
spare parts for	100056		
	No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100056		
	No.	100202	Ref. No. —
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
	No.	100203	Ref. No. —
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
	No.	100701	Ref. No. RIC0003189 RTCU900010
	ignition electrode connection M4 Qty 1 pcs		
	No.	100801	Ref. No. —
	gasket for pilot burner Qty 1 pcs		
	No.	100869	Ref. No. —
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		
	No.	100870	Ref. No. RTCU900134
	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner		
	No.	100906	Ref. No. —
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	No.	100908	Ref. No. RTCU900133
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. RTPC800038 RTCU900019
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101287	Ref. No. —
	olive for pipe ø 6mm Qty 1 pcs		
	No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	No.	107650	Ref. No. 53.3.0202.00 611008 RTCU900216
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		



POLIDORO

pilot burners



No.	100076	Ref. No.	RTBF800363
description	pilot burner POLIDORO 3 flames natural gas code 29.2 gas connection 6mm		
spare parts for	100076		
	No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100076		
	No.	100000	Ref. No. —
	pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs		
	No.	100208	Ref. No. —
	pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs		
	No.	100209	Ref. No. —
	pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs		
	No.	100701	Ref. No. RIC0003189 RTCU900010
	ignition electrode connection M4 Qty 1 pcs		
	No.	100906	Ref. No. —
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
	No.	100908	Ref. No. RTCU900133
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. RTCP800038 RTCU900019
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	No.	102508	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs		
	No.	102509	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs		
	No.	102699	Ref. No. —
	pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores		
	No.	102795	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	No.	102797	Ref. No. —
	olive for pipe ø 6mm Qty 1 pcs		

accessories for	100076		
	No.	106703	Ref. No. —
	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs		
	No.	106704	Ref. No. —
	pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs		
	No.	106763	Ref. No. —
	pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs		
	No.	106859	Ref. No. —
	pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs		

miscellaneous



No.	101316	Ref. No.	RIC0004528
description	conversion kit for pilot burner		

accessories universal

pilot burner brackets



No.	690798	Ref. No.	PACU701022
description	pilot burner bracket		
For models:	GBR, GBR77, GBR8, GBR9T, GBRA, GBRA9T, GBRAVI, GBRAVI9T, GBRI77, GBRCV98, GBRCVI, GBRI8, GBRI98, GBRI9T, MG7GBR77, MG7GBRI77		

→ gas components



For models:

**description**

description

description

description

description



1

No.	100818	Ref. No.	9353457100 RIC0002551
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 18mm BL1 12mm BL2 41mm connection F 2.8x0.8mm fixing dimensions ø5x4mm with flange		
For models:	G4SF6, G4SFA6, G6SF6, G6SFA6, MINIMA G4SF6, MINIMA G6SF6, MINIMA G6SFA6		



1

No.	102810	Ref. No.	PAFOC00367
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 25mm L2 12mm BL1 24mm BL2 29mm fixing dimensions ø5x4mm with flange connection ø 6mm		
For models:	FEM210, FEM210L, FGM202, FGM207, FGM207SC, FGM209, FGM210, FGM210L, FGMD207, FGMD207SC, FGMD209, JOKER FGM207 SC, JOKER FGM209, JOKER FGMD207 SC, JOKER FGMD209		



1

No.	100734	Ref. No.	PAFOC00252
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 40mm L2 12mm BL1 24mm BL2 29mm fixing dimensions ø5x4mm with flange connection ø 6mm		
For models:	FGM062, FGM102, FGM107, FGM107SC, FGM108, FGM108EL, FGM109, FGM110, FGM110L, FGM610, FGM610L, FGM67, FGM67SC, FGM68, FGM68EL, FGM69, FGMD107, FGMD107SC, FGMD108, FGMD108EL, FGMD109, FGMD67, FGMD67SC, FGMD68, FGMD68EL, FGMD69, JOKER FGM107 SC, JOKER FGM109, JOKER FGMD 67 SC, JOKER FGMD 69, JOKER FGMD107 SC, JOKER FGMD109		




1

No.	102807	Ref. No.	PAFOC00368 RTFOC00368
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 48mm L2 43mm BL1 21mm BL2 32mm fixing dimensions ø5x4mm with flange connection ø 4mm		
For models:	FGM202, FGM207, FGM207SC, FGM209, FGM210, FGM210L, FGMD207, FGMD207SC, FGMD209, JOKER FGM207 SC, JOKER FGM209, JOKER FGMD207 SC, JOKER FGMD209		



1

No.	100735	Ref. No.	PAFOC00249
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 52mm L2 36mm BL1 24mm BL2 29mm fixing dimensions ø5x4mm with flange connection ø 4mm		
For models:	FGM062, FGM102, FGM107, FGM107SC, FGM108, FGM108EL, FGM109, FGM110, FGM110L, FGM610, FGM610L, FGM67, FGM67SC, FGM68, FGM68EL, FGMD107, FGMD107SC, FGMD108, FGMD108EL, FGMD109, FGMD67, FGMD67SC, FGMD68, FGMD68EL, FGMD69, JOKER FGM107 SC, JOKER FGM109, JOKER FGMD 67 SC, JOKER FGMD 69, JOKER FGMD107 SC, JOKER FGMD109		



1

No.	100729	Ref. No.	53.7.0027.00
description	ignition electrode L1 5mm D1 ø 8mm D2 ø 10mm BL1 41mm BL2 14mm connection F 2.8x0.8mm to clip with spring		
For models:	6PC61G, 6PC62G		



No.	102809	Ref. No.	PAFOC00250
description	monitoring electrode flange length 23mm flange width 15mm D1 ø 7mm L1 30mm L2 38mm BL1 21mm BL2 32mm fixing dimensions ø5x4mm with flange connection ø 4mm		
For models:	CMFG10-V380, CMFG6-V380, CMG10-V380, CMG6-V380, CYG10-V380, CYG6-V380, FGM062, FGM102, FGM107, FGM107SC, FGM108, FGM108EL, FGM109, FGM110, FGM110L, FGM202, FGM207, FGM207SC, FGM210, FGM210L, FGM610, FGM610L, FGM67, FGM67SC, FGM68, FGM68EL, FGM69, FGMD108, FGMD108EL, FGMD68, FGMD68EL, JOKER FGM 67 SC, JOKER FGM 69, JOKER FGM107 SC, JOKER FGM109		

No.	106068	Ref. No.	RTCU600047
description	spring clip for igniter		
For models:	G4SF6, G4SFE6, G6SF6, G6SFA6, G6SFE6, G6SFEA6, MINIMA G4SF6, MINIMA G4SFE6, MINIMA G6SF6, MINIMA G6SFA6, MINIMA G6SFE6, MINIMA G6SFEA6		

No.	106797	Ref. No.	RTCU900215
description	union screw thread M10x1 WS 10 bore ø 7.3mm		
For models:	BG6SF77M, BGF777B, FCG10, FCG108, FCG20, FCG6, FCG68, FG15M, FG20M, FGC060, FGC065, FGC100, FGC200, FGM060, FGM061, FGM100, FGM101, FGM200, FGM201, FGM202, FGMD060, FGMD061, FGMD065, FGMD066, FGMD100, FGMD101, FGMD200, FGMD201, FGP050, FGP080, FGP160, FMM060, FMM061, FMM100, FMM101, FT4GL, FT4GLR, FT4GR, G100, G1008, G1009, G10098, G100A, G100I, G100I8, G100I9, G100I98, G100IT9, G100T9, G100T98...(Other models you can see in the webshop)		

ignition cables

pre-assembled cables

No.	100026	Ref. No.	RTCU900384 RTCU900385
description	ignition cable cable length 1000mm connection ø4mm / F6.3mm		
For models:	C4F, C62F, C6F, C6FA, C8F, G2SSM77, G2SSMA77, G4SF77P, G4SM77, G4SMA77, G4SMFA77, G6SFM, GBM45, GBM46, GBM47, GBM49T, GBM66, GBM77, GBM90, GBM99T, GBR7, GBR77, GBR7I, GBR77I, GF077, GFT1177L, GFT1177LC, GFT1177LR, GFT1177LRC, GFT1177R, GFT1177RC, GFT45L, GFT45LC, GFT45R, GFT45RC, GFT477L, GFT477LC, GFT477R, GFT477RC, GFT49L, GFT49LC, GFT49R, GFT49RC, GFT777L, GFT777LC, GFT777LR, GFT777LRC, GFT777R, GFT777RC, GFT90L...(Other models you can see in the webshop)		

No.	102180	Ref. No.	RTCP800043 RTCU800144
description	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm		
For models:	G100, G100A, G100I, G100IA, G150, G150A, G150I, G150IA, G175, G4SF, G4SFP, G5077, G50I7, G50I77, G6SF2, G6SFA, G6SFA9, G8SF2, G8SF2P, GC45, GC477, GC49, GC49T, GC777, GC902V, GC992V, GC992VT, GF09, GF45, GF472V, GF49, GF49T, GF90, GF90-1, GF99, GF99T, GFB09, GFT45L, GFT45LC, GFT45R, GFT45RC, GT, GT25, GT25D, GT25DF, GT25DFE, GT25FA, GT25FEA, GTF, GTFE...(Other models you can see in the webshop)		

No.	100174	Ref. No.	9363490000 RIC0002554
description	ignition cable cable length 1500mm connection F2.8mm / F2.8mm		
For models:	G4SF6, G4SFA6, G6SF6, G6SFA6, MINIMA G4SF6, MINIMA G6SF6, MINIMA G6SFA6		

No.	102163	Ref. No.	RTBF800214 RTCP800201 RTCU700005
description	ignition cable cable length 1500mm connection F2.8mm / ø2.4mm		
For models:	BST6LV, BST6RV, C4F70, C4FV70, C6F70, C6FV70, FCG10, FCG108, FCG20, FCG6, FCG68, FGP050, FGP080, FGP160, G100, G100A, G150, G150A, GBR, GBRA, GBRAVI, GBRVI, GF45, GF90, JOKER FCG 6, JOKER FCG 6 AB 2002, JOKER FCG 10, JOKER FCG 10 AB 2002, JOKER FGP050, JOKER FGP050 AB 2002, JOKER FGP080, JOKER FGP080 AB 2002, JOKER FGP160, TPA, TPF, TPF70, TPFV70		

No.	102181	Ref. No.	RTCU900293
description	ignition cable cable length 1500mm connection ø2.4mm / ø2.4mm		
For models:	G6SF2, G6SF29		

No.	102160	Ref. No.	RTCU800144
description	ignition cable cable length 2000mm connection ø2.4mm / ø2.4mm		