

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

MACAP

switches and momentary switches

rocker/momentary rocker switches

30x22mm

labelled



1

No.	300125	Ref. No.	C00061001
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
accessories for	300125		
	No.	301036	Ref. No.
			—
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

No.	345648	Ref. No.	C00061021
description	rocker switch mounting measurements 30x22mm white 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65 with cover cap		
accessories for	345648		
	No.	301036	Ref. No.
			—
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

push/momentary push switches

ø12mm



1

No.	527725	Ref. No.	C0006M103
description	push button mounting ø 12mm red 1NO connection cable 300mm ambient temperature max. 85°C protection IP40		

microswitches

pin-plunger actuated



1

No.	527736	Ref. No.	C00061019
description	microswitch 250V 16A 1CO connection male faston 4.8mm ambient temperature max. 125°C mounting distance 22mm with plunger blue/black		

miscellaneous



1

No.	527714	Ref. No.	C0006M104+C0002M135+C0007M171B
description	switch L 60mm W 50mm chrome-plated buttons 1		
spare parts for	527714		
	No.	403513	Ref. No.
			C0006M104
description	encoder shaft L 15mm for coffee grinder cable length 400mm shaft 6x4.6mm		

encoders and potentiometers



1

No.	403513	Ref. No.	C0006M104
description	encoder shaft L 15mm for coffee grinder cable length 400mm shaft 6x4.6mm		

timers

mechanical timers



1

No.	350020	Ref. No.	C00061004
description	timer M2 2-pole operation time 4min 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350020		
	No.	110366	Ref. No.
			—
description	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	No.	110370	Ref. No.
			—
description	dial plate graduation 4min permanent position no rotation 30-330° ø 60mm timers knob ø 45mm		



contactors

LOVATO

power contactors



1

No.	380705	Ref. No.	C00061002
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0910A230		
accessories for	380705		
	No.	380057	Ref. No.
			—
	auxiliary contact contacts 1NO/1NC AC1 10A for contactors BG series connection screw type BGX1011		

electronics

PCBs



1

No.	527713	Ref. No.	C0006M105
description	display PCB for dosing pump		



1

No.	527724	Ref. No.	C0006M101
description	PCB L 75mm W 48mm suitable for dosing pump		

pumps

booster pumps II

accessories



1

No.	365015	Ref. No.	C00061107
description	operating capacitor capacity 10μF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1

No.	365012	Ref. No.	C00061126
description	operating capacitor capacity 6.3μF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

condensators & interference suppression filters

operating capacitors

plastic



1

No.	365015	Ref. No.	C00061107
description	operating capacitor capacity 10μF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		




1

No.	365014	Ref. No.	C00061111
description	operating capacitor capacity 12.5μF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		




			
1			
No.	365021	Ref. No.	C00061108
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

			
1			
No.	365019	Ref. No.	C00061128
description	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		

			
1			
No.	365012	Ref. No.	C00061126
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

electromechanical circuit breakers

			
1			
No.	527807	Ref. No.	C00061130
description	electromechanical circuit breaker 320/480VAC 50/60Hz		


equipment-specific units

for bar blender

blenders

jar components

gaskets

			
1			
No.	651007	Ref. No.	C0007F323
description	gasket ED ø 75mm ID ø 55mm thickness 3mm Qty 1 pcs		

holders

			
1			
No.	696744	Ref. No.	C0007F321
description	bracket for jar ø 87mm ID ø 74mm		


blades


blades with adaptor (complete)

			
1			
No.	696742	Ref. No.	C0007F305
description	slicing unit ø 52mm P100/P102/P103/P105		

mixers

mixer discs

			
1			
No.	696747	Ref. No.	C0007F216
description	mixer disc ø 26mm H 28.5mm M6		

			
1			
No.	696746	Ref. No.	C0004F213
description	mixer disc ø 26mm ID ø 6.2mm 7		

miscellaneous



1

No.	698278	Ref. No.	C0007F215A
description	housing for motor L 150mm W 105mm H 60mm plastic F4/F6		

for citrus juicers

spillage trays



1

No.	696743	Ref. No.	C0007S820
description	drip tray for citrus juicers ø 79.5mm plastic		



1

No.	650268	Ref. No.	C0007S810
description	tray ø 145mm H 78mm		

housings



1

No.	650269	Ref. No.	C0007S807
description	protective cover ø 205mm H 52mm		

juicer insert



1

No.	650244	Ref. No.	C0007S822
description	juicer insert for citrus juicers MACAP		



1

No.	650267	Ref. No.	C0004S803
description	juicer insert for citrus juicers ø 110mm H 48mm		



1

No.	650266	Ref. No.	C0004S817
description	juicer insert ø 91mm H 64mm mounting pos. upper		

for coffee grinders

grinding burrs

grinding burrs straight

standard




1

No.	527701	Ref. No.	C0004M135
description	grinding burrs pair turn direction right D1 ø 58mm ID ø 34mm H 8.5mm tooth spacing 3mm hole ø 4.5mm bore ø 7.5mm mounting ø 47		



1


No.	527700	Ref. No.	C0004M122
description	grinding burrs pair turn direction right D1 ø 64.5mm ID ø 38mm H 8.5mm tooth spacing 3mm hole ø 5mm bore ø 8.5mm mounting ø 48		

			
1			
No.	527703	Ref. No.	C0004M122A
description	grinding burrs pair turn direction right D1 ø 64.5mm ID ø 38mm H 8.5mm tooth spacing 3mm hole ø 5mm bore ø 8.5mm mounting ø 50		

			
1			
No.	527704	Ref. No.	C0004M121
description	grinding burrs pair turn direction right D1 ø 74mm ID ø 42.5mm H 9.2mm tooth spacing 3.5mm hole ø 5.5mm bore ø 8.5mm mounting ø 57		


			
1			
No.	527699	Ref. No.	C0004M121A
description	grinding burrs pair turn direction right D1 ø 74mm ID ø 42.5mm H 9.2mm tooth spacing 3.5mm hole ø 5mm bore ø 8.5mm mounting ø 59		

grinding burrs conical


			
1			
No.	527705	Ref. No.	C0004M122B
description	grinding burrs pair turn direction right D1 ø 63mm D2 ø 40mm H 23.5mm shaft ø 13mm		

grinding burrs holders

			
1			
No.	527681	Ref. No.	2M109 C0002M109
description	grinding burr holder D1 ø 57.5mm H 41mm		


			
1			
No.	527694	Ref. No.	C0002M108
description	grinding burr holder D1 ø 58mm		

			
1			
No.	527679	Ref. No.	C0002M118
description	grinding burr holder D1 ø 63mm H 40mm		


			
1			
No.	527695	Ref. No.	C0002M104
description	grinding burr holder D1 ø 64.5mm		


			
1			
No.	527697	Ref. No.	C0002M1041
description	grinding burr holder D1 ø 64.5mm		

			
1			
No.	527678	Ref. No.	C0002M101 C0002M133
description	grinding burr holder D1 ø 64mm H 41mm		


			
1			
No.	527693	Ref. No.	C0002M113
description	grinding burr holder D1 ø 65mm		

			
1			
No.	527677	Ref. No.	C0002M110 C0002M134
description	grinding burr holder D1 ø 73mm H 41mm		


			
1			
No.	527696	Ref. No.	C0002M111
description	grinding burr holder D1 ø 74mm		


			
1			
No.	527698	Ref. No.	C0002M111A
description	grinding burr holder D1 ø 74mm		

spillage trays


			
1			
No.	527673	Ref. No.	C0007M7041
description	drain tray L 140mm W 135mm		

			
1			
No.	527676	Ref. No.	C00071800 C0007M1031
description	drain tray L 160mm W 170mm		

			
1			
No.	527674	Ref. No.	C0007M115
description	drain tray ø 138mm		

			
1			
No.	527675	Ref. No.	C0007M103
description	drain tray ø 180mm		

miscellaneous

			
1			
No.	527730	Ref. No.	C0007M141
description	grid for motor		


dosing containers


dosing container lids


			
1			
No.	527672	Ref. No.	C0007M105
description	lid for dosing container ø 122.5mm		


springs

group 1

			
1			
No.	527718	Ref. No.	C0008M108
description	compression spring ø 10mm wire gauge ø 1mm L1 50mm		

			
1			
No.	527717	Ref. No.	C0008M107
description	compression spring ø 5.5mm wire gauge ø 0.5mm L1 25mm		

			
1			
No.	527719	Ref. No.	C0008M110
description	compression spring ø 5mm L 23mm wire gauge ø 0.5mm		

			
1			
No.	527715	Ref. No.	C0008M102
description	torsion spring ø 21mm wire gauge ø 1.5mm		

glass cylinders



1

No.	527668	Ref. No.	C0007M1062
description	cylinder for automatic grinder ø 123mm H 113mm polycarbonate		



1

No.	527669	Ref. No.	C0007M1591
description	cylinder for automatic grinder ø 123mm H 90mm polycarbonate		



1

No.	527667	Ref. No.	C0007M159
description	cylinder ø 123mm H 90mm polycarbonate		



1

No.	527670	Ref. No.	C0007M106
description	cylinder ø 124mm H 113mm polycarbonate		

levers

bolts



1

No.	527731	Ref. No.	C0004M111
description	bolt for dosing pump D1 ø 2mm L 17mm		



1

No.	527732	Ref. No.	C0001M138
description	bolt for dosing pump D1 ø 6mm L 6mm		



1

No.	527733	Ref. No.	C0004M112
description	bolt for dosing pump L 24mm		

levers



1

No.	527680	Ref. No.	C0002M103
description	lever dosing pump		

coffee presses

components

bolts



1

No.	527721	Ref. No.	C0004M127
description	bolt D1 ø 8mm D2 ø 12mm L 137mm T1: M8 T2: M8 stainless steel		

springs



1

No.	527716	Ref. No.	C0008M111
description	compression spring ø 10.5mm L 66mm wire gauge ø 1mm		

holders



1

No.	527688	Ref. No.	C0007M1071
description	bracket for coffee press H 19mm L 75mm plastic		



1

No.	527687	Ref. No.	C0007M134
description	bracket for coffee press H 65mm plastic		

pressers



1

No.	527692	Ref. No.	C0007M135A
description	coffee press ø 51.5mm H 18mm		



1

No.	527689	Ref. No.	C0007M102B
description	coffee press ø 52mm H 25mm		



1

No.	527691	Ref. No.	C0007M135
description	coffee press ø 57mm H 18mm		



1

No.	527690	Ref. No.	C0007M102A
description	coffee press ø 57mm H 25mm		

automatic grinding

automatic grinding



1

No.	527709	Ref. No.	C0007M139B
description	housing complete		



1

No.	527710	Ref. No.	C0007M139A
description	housing complete		

sector plates



1

No.	527711	Ref. No.	C0004M108
description	sector plates		

miscellaneous



1

No.	527684	Ref. No.	C0007M138
description	lid plastic		



1

No.	527723	Ref. No.	C0007M110
description	protector plastic		



1

No.	527734	Ref. No.	C0004M110
description	ring		

ratches

ratches



1

No.	527726	Ref. No.	C0002M106
description	ratchet ø 26mm int. ø 18mm CE 423 005 J customized		

stars

centrical



1

No.	527707	Ref. No.	C0002M1241
description	star mounting pos. centre ø 108mm H 48mm		

upper



1

No.	527708	Ref. No.	C0002M124
description	star mounting pos. upper ø 108mm hole ø 19mm H 16mm		

bottom



1

No.	527706	Ref. No.	C0002M1242
description	star mounting pos. lower ø 108mm		

accessories



1

No.	527729	Ref. No.	C0007M123
description	knob plastic		



1

No.	527735	Ref. No.	C0004M120
description	washer ø 35mm		

adjustment mechanism

lockable adjustment



1

No.	527722	Ref. No.	C0002M102
description	push button shaft ø 7mm		

springs



1

No.	527720	Ref. No.	C0008M109
description	compression spring		

gearboxes



1

No.	527712	Ref. No.	C0004M140
description	gearbox motor shaft ø 11mm flange ø 79mm drive shaft ø 13mm fixing dimensions 51mm		

coffee beans containers

container lids



1

No.	357013	Ref. No.	C0007M156
description	lid for coffee beans container ø 164mm		



1

No.	527671	Ref. No.	C0007M114
description	lid for coffee beans container ø 229mm		

coffee beans containers



1

No.	527666	Ref. No.	C0007M161
description	coffee beans container ø 163mm H 150mm seat ø 59mm		



1

No.	527665	Ref. No.	C0007M157
description	coffee beans container ø 164mm H 194mm seat ø 58.5mm		



1

No.	527664	Ref. No.	C0007M113
description	coffee beans container ø 230mm H 265mm seat ø 67mm		

support for filter holder



1

No.	527685	Ref. No.	C0004M109 C000M109
description	filter holder support L 106mm W 85mm H 5mm		



1

No.	527682	Ref. No.	C0001M710
description	filter holder support L 146mm W 65mm H 21mm		



1

No.	527683	Ref. No.	C0001M114
description	filter holder support L 146mm W 65mm H 21mm		



1

No.	696745	Ref. No.	C2040131
description	filter holder support L 85mm ø 10mm		



1

No.	527727	Ref. No.	C0004M109A
description	nut thread M5 H 5mm SS WS 8 Qty 1 pcs		

counters

counters



1

No.	527686	Ref. No.	C0009M102
description	counter for dosing unit		

equipment feet and end caps

equipment feet with stem



1

No.	527728	Ref. No.	C00071614
description	foot ø 14mm H 9mm mounting ø 12mm overall height 20mm Qty 1 pcs rubber bore ø 3mm		

gaskets

sealing washers

silicone gaskets



1

No.	651007	Ref. No.	C0007F323
description	gasket ED ø 75mm ID ø 55mm thickness 3mm Qty 1 pcs		

springs

torsion springs



1

No.	527715	Ref. No.	C0008M102
description	torsion spring ø 21mm wire gauge ø 1.5mm		

compression springs



1

No.	527720	Ref. No.	C0008M109
description	compression spring		



1

No.	527716	Ref. No.	C0008M111
description	compression spring ø 10.5mm L 66mm wire gauge ø 1mm		



1

No.	527718	Ref. No.	C0008M108
description	compression spring ø 10mm wire gauge ø 1mm L1 50mm		



1

No.	527717	Ref. No.	C0008M107
description	compression spring ø 5.5mm wire gauge ø 0.5mm L1 25mm		



1

No.	527719	Ref. No.	C0008M110
description	compression spring ø 5mm L 23mm wire gauge ø 0.5mm		



1

No.	696748	Ref. No.	C0008CPS056
description	spring ø 19mm L 43mm wire gauge ø 2mm windings 10 steel		

fastening material

nuts

hexagonal nuts

DIN 6923 / ISO 4161



1

No.	527727	Ref. No.	C0004M109A
description	nut thread M5 H 5mm SS WS 8 Qty 1 pcs		