
Professionale pentru echipamente profesionale




heating elements

heating elements for coffee machine





1			
No.	417069	Ref. No.	N/A
description	heating element 1100W 400V heating circuits 1 mounting ø 40mm hole distance 52mm L 330mm W 38mm H 56mm L1 22mm L2 40mm L3 268mm H1 30mm windings 1 hole ø 9mm connection cable immersion heater 3 hole flange suitable for Marcfi Ancas cable lengt 108mm		

1			
No.	417070	Ref. No.	N/A
description	heating element 1350W 230V heating circuits 1 mounting ø 40mm hole distance 52mm L 334mm W 38mm H 30mm L1 20mm L2 40mm L3 270mm H2 21.5mm windings 1 hole ø 9mm tube ø 8.5mm connection cable immersion heater 3 hole flange suitable for Marcfi Ancas cable length 65mm		





1				
No.	417072	Ref. No.	1	N/A
description	heating element 3000W 230V heating circuits 2 mounting ø 40mm hole distance 52mm L 355mm W 36mm H 25mm hole ø 9mm connection cable immersion heater 3 hole flange suitable for Marcfi Ancas cable length 105mm			
accessories for	417072			
	No.	528027	Ref. No.	_
0	gasket ID ø 41mm fibre thickness 2mm hole ø 10mm hole distance 50mm for heating element coffee machine parts			





accessories









switches and momentary switches

rocker/momentary rocker switches

No. 347422¹ Ref. No. BH-2214 description rocker switch mounting measurements 25x25mm blue 2NO 250V 10A 0-I connection male faston 6.3mm protection IP40 accessories for 347422 No. 301323 Ref. No. — protective cover external size 35x35mm H 11mm transparent suitable for rocker switch mounting measurements 25.5x25mm L 35mm

¹illuminated

contactors

LS Industrial Systems

No. 380922 Ref. No. BL-2029 power contactor resistive load 20A 230VAC (AC3/400V) 5A/2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type GMC-6M

rotary switches

GOTTAK



No.	346088	Ref. No.	N/A
description	rotary switch 40-	1-2-3 400V 16A shai	ft round connection male faston

lamps

indicator lights

indicator lights (complete)

g 9mm



No.	359135	Ref. No.	BJ-2057	
description	indicator light ø 9mm 230V red connection male faston 6.3mm temp-resist 120°C with lens			

relays

level relays

GICAR



	No.	402103	Ref. No.	BH-2226
	description	level controller 230/240V voltage AC 50/60Hz connection F6.3 typ NRL30/1E-2C/F		50/60Hz connection F6.3 type


keypads


keypad units



No.	402846	Ref. No.	BM-2020 BM-2020G
description	keypad unit buttons 5 red/black suitable for Marcfi Ancas type 1d5 GRC NKP S10 lighting LED 250V L 137mm W 43mm		







equipment-specific units

filter holders filter holders standard filter holders long No. 529153 Ref. No. N/A description filter holder mounting ø 75mm hole ø 8mm outlet 3/8" ID ø 63.5mm handle M8 number of wedges 3


















filter holder gaskets flat standard No. 528059 Ref. No. N/A description filter holder gasket D1 ø 65mm D2 ø 53mm H 5.3mm Qty 1 pcs






brewing units manual components gaskets No. 526856 Ref. No. E-732 description gasket D1 ø 13mm ID ø 4mm thickness 4mm Viton

components				
nozzles				
with thread				
No.	526889	Ref. No.	F.2.003	
description	nozzle bore ø	nozzle bore ø 0.6mm thread M5 L 20mm		
description	nozzle bore ø 0.6mm thread M5 L 20mm			












































knobs

steam/water taps steam/water taps No. 111398 Ref. No. BL-3046 BM-3162 description turning handle ø 39.5mm L 50mm shaft 7.5x7.5mm black


gaskets


description






O-ring EPDM thickness 2.62mm ID ø 13.1mm Qty 1 pcs








sealing washers





special gaskets group gaskets No. 529189 Ref. No. TKD-5053

suitable for Marcfi Ancas fibre

group gasket L91mm W73mm thickness 2mm hole distance 58mm





description

manometers



