

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

MARENO

heating elements

heating elements for ovens




No.	415088	Ref. No.	1890500 213443 MA1890500
description	heating element 1000W 220V L 557mm W 132mm flange length 175mm flange width 32mm hole distance 160mm tube ø 8.5mm connection length 33mm heating circuits 1 hole ø 6mm connection M5 dry heating element		
For models:	C9F4E, C9F6E, C9FE6GS, C9V2E, C9V4E, NXBV7FC4, NXBV7FC8, V9F4E, V9FP4E, V9V2E, V9V4E, V9VP2E, V9VP4E, XBV7FC4, XBV7FC8, XBV9FC4, XBV9FC8		




No.	416808	Ref. No.	CM018102 MACM018102
description	heating element 1000W 230V L 555mm W 63mm flange length 100mm flange width 22mm hole distance 86mm tube ø 8.5mm connection length 55mm heating circuits 1 hole ø 5.5mm connection male faston 6.3mm rectangular flange dry heating element		
For models:	BF78E, BF98E, C7FE12G, C7FE8E, C7FE8EC, C7FE8G, C9FE12G, C9FE8E, C9FE8EC, C9FE8G		




No.	415968	Ref. No.	1037302400 MA1037302400
description	heating element 1200W 230V heating circuits 1 L 346mm W 342mm L1 36mm L2 310mm W1 141mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm hole ø 5mm tube ø 6.5mm connection male faston 6.3mm mounting pos. lower rectangular flange dry heating element		
For models:	FOE60M, OFOE60M		



No.	418696	Ref. No.	0410150 CR0410150 CR410150
description	heating element 1300W 230V heating circuits 1 L 350mm W 380mm L1 35mm L2 315mm W1 160mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm bridge length 400mm hole ø 3.2mm tube ø 6mm connection male faston 6.3mm connection length 10mm windings 2		
For models:	CFE60, CFE60P, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, OCFE60, OCFGE61		




No.	420111	Ref. No.	CR0681390
description	heating element 1500W 230V heating circuits 1 L 555mm W 210mm L1 70mm L2 485mm W1 88mm W2 33mm flange length 70mm flange width 22mm hole distance 56mm hole ø 5mm tube ø 8.5mm connection male faston 6.3mm connection length 17mm windings 3 flange connection dry heating element for oven		
For models:	NC7FE12G36, NC7FE8E, NC7FE8EQ, NC7FE8G24, NC9FE12G44, NC9FE12G52, NC9FE8E, NC9FE8E2, NC9FE8G28, NC9FE8G36, NC9FE8G48		



No.	415967	Ref. No.	1037302300 MA1037302300
description	heating element 2600W 230/400V heating circuits 2 L 355mm W 360mm L1 40mm L2 315mm W1 140mm W2 60mm flange length 100mm flange width 22mm hole distance 76mm bridge length 485mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm mounting pos. upper rectangular flange dry heating element		
For models:	FOE60M, OFOE60M		



No.	415972	Ref. No.	1890600 MA1890600
description	heating element 750W 230V L 483mm W 64mm H 21mm flange length 100mm flange width 22mm hole distance 85mm connection M5 tube ø 8.5mm heating circuits 1 rectangular flange hole ø 5mm dry heating element		
For models:	C7011EFE, C7011EFEQ, C707EFE, C707EFEQ, CFE70, EC74EVG, EC78EVG, EC7FE8E		



No.	418695	Ref. No.	CR0410140
description	heating element 900W 230V heating circuits 1 L 350mm W 390mm L1 40mm L2 310mm W1 165mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm bridge length 300mm hole ø 3.2mm tube ø 6mm connection male faston 6.3mm connection length 10mm windings 4 oven		
For models:	CFE60, CFE60P, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, OCFE60, OCFGE61		




heating elements for bain maries



1

No.	415091	Ref. No.	1037039513 892600 MA1037039513
description	heating element 1000W 230V heating circuits 1 L 295mm W 85mm connection length 20mm connection M3 tube ø 6.5mm 2 hole fixing thread M14x1 immersion heater/dry heating element bain marie/chip scuttle L1 145mm L2 150mm H 18mm mounting distance 79mm		
For models:	BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BSE40M, BSE140M, CSP6220, CSP6230, NSP74E, NSP94E, OBSE140M, SP74E, SP94E		
spare parts for	415091		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	415091		
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521133	Ref. No. 1325313 MA1325313
nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	527169	Ref. No. —
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	No.	550261	Ref. No. —
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560110	Ref. No. —
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	No.	560130	Ref. No. —
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



1

No.	415092	Ref. No.	1037039613 MA1037039613
description	heating element 1300W 230V L 290mm W 130mm connection M4 tube ø 6.3mm 2 hole fixing thread M14x1.5 immersion heater L1 140mm L2 150mm H 18mm mounting distance 127mm		
For models:	BME40M, BME60, BME602, BME60M, BME80M		
accessories for	415092		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	520230	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 zinc-coz			

accessories for	415092		
	No.	521101	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



1

No.	415979	Ref. No.	1634100 MA1634100
description	heating element 1500W 230V heating circuits 1 L 497mm W 90mm flange length 124mm flange width 30mm hole distance 108mm connection length 33mm connection M5 tube ø 10mm rectangular flange hole ø 4mm dry heating element bain marie suitable for 700 series		
For models:	BM74E, BM77E		



1

No.	415992	Ref. No.	1634200 MA1634200
description	heating element 1800W 230V heating circuits 1 L 495mm W 90mm flange length 124mm flange width 30mm hole distance 108mm connection length 33mm connection M5 tube ø 10mm rectangular flange hole ø 4mm dry heating element bain marie		
For models:	B74E, B78E, B94E, B98E, B9SB2E, B9SB4E, B9V2E, B9V4E, NB74E, NB78E, NB94E, NB98E		



1

No.	415081	Ref. No.	627510 MA627510
description	heating element 1800W 240V heating circuits 1 L 500mm W 34mm connection M5 tube ø 8.5mm expansion flange bain marie flange 40x16mm		



1

No.	415083	Ref. No.	1368400 1634300 MA1634300
description	heating element 2100W 220V heating circuits 1 L 500mm W 90mm flange length 124mm flange width 30mm hole distance 108mm connection length 33mm connection M5 tube ø 10mm rectangular flange hole ø 5mm bain marie suitable for 900 series		
For models:	B9SB2E, B9SB4E, B9V2E, B9V4E, B9VP2E, B9VP4E, BM74E, BM77E		

1			
No.	415082	Ref. No.	33610
description	heating element 2200W 230V L 410mm W 34mm connection M5 tube ø 8.5mm expansion flange immersion heater flange 40x16mm		

1			
No.	418694	Ref. No.	CR0502320
description	heating element 750W 230V heating circuits 1 L 410mm W 63mm flange length 100mm flange width 22mm hole distance 86mm connection length 27mm connection male faston 6.3mm tube ø 8.5mm rectangular flange hole ø 5.5mm dry heating element		

h3>heating elements for frying pans

1			
No.	416698	Ref. No.	1037317700 MA1037317700
description	heating element 1350W 230V L 460mm W 95mm connection M4 tube ø 6.3mm dry heating element multi purpose roasting pan H 40mm connection distance 89mm		
For models:	NVB74E, NVB74E2, NVB76E, NVB76E2, NVB96E, OVBE40, OVBE60, VB12C9E, VB74E, VB76E, VB96E, VBE40, VBE402, VBE40D, VBE40DB, VBE60, VBE602, VBE60D, VBE60DB		

h3>heating elements for chip scuttles

1			
No.	415091	Ref. No.	1037039513 892600 MA1037039513
description	heating element 1000W 230V heating circuits 1 L 295mm W 85mm connection length 20mm connection M3 tube ø 6.5mm 2 hole fixing thread M14x1 immersion heater/dry heating element bain marie/ chip scuttle L1 145mm L2 150mm H 18mm mounting distance 79mm		
For models:	BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BSE40M, BSEI40M, CSP6220, CSP6230, NSP74E, NSP94E, OBSEI40M, SP74E, SP94E		
spare parts for	415091		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
accessories for	415091		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	521133	Ref. No. 1325313 MA1325313
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	527169	Ref. No. —
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	No.	550261	Ref. No. —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm		


accessories for	415091		
	No.	560110	Ref. No. —
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	No.	560130	Ref. No. —
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

h3>heating elements for fryers

h4>side connection


h4>with thread


1			
No.	416813	Ref. No.	CM032101 CM032101R MACM032101 MACM032101R
description	heating element 10500W 230/400V heating circuits 3 mounting pos. right L 320mm W 240mm H 32mm flange length 21mm flange length 1 2mm flange length 2 19mm flange ø1 63mm flange ø2 57.5mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 20mm L2 300mm W1 204mm W2 33mm thread M54x1.5 windings 5 tube ø 8.5mm cable length 460mm rotation flange fryer fryer connection length 90mm 2		
For models:	EF74E12, F12C4E12, F74E10, F74E12, F76E10, F78E12, F94E10, F94E12, F94E18, F94E18K, F96E10, F98E12, F98E18, F98E18K, F9S4E12, F9S4E18, F9S4E18K, F9S8E12, F9S8E18, F9S8E18K		
accessories for	416813		
	No.	550449	Ref. No. —
	special wrench for ring nut		
	No.	550496	Ref. No. CM099200 MACM099200
	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs		
	No.	550662	Ref. No. CM021600 MACM021600
	ring nut thread M54x1.5 H 7mm		


 			
No.	416814	Ref. No.	CM032401 CM032401R MACM032401 MACM032401R
description	heating element 16500W 230/400V heating circuits 3 mounting pos. right L 400mm W 315mm H 36mm flange length 23mm flange length 1 2mm flange length 2 21mm flange ø1 63mm flange ø2 57.5mm sensor screw connection 2x M10x1 thermostat sleeve eccentric L1 15mm L2 378mm W1 282mm W2 33mm thread M54x1.5 windings 6 for o-ring ø 50.39mm tube ø 8.5mm cable length 280mm connection cable rotation flange immersion heater fryer connection length 75mm 2		
For models:	F74E10, F74E12, F76E10, F78E12, F94E10, F94E12, F94E18, F94E18K, F96E10, F98E12, F98E18, F98E18K, F954E12, F954E18, F954E18K, F958E12, F958E18, F958E18K		
accessories for	416814		
	No.	106605	Ref. No. CM012401 MACM012401
	union screw thread M10x1 probe ø max. 4.5mm		
	No.	528687	Ref. No. CM097900 MACM097900
	O-ring Viton thickness 1.78mm ID ø 3.69mm Qty 1 pcs		
	No.	550496	Ref. No. CM099200 MACM099200
	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs		
	No.	550662	Ref. No. CM021600 MACM021600
	ring nut thread M54x1.5 H 7mm		


off-center connection


with thread


				
No.	420113	Ref. No.	CR0583860 CR0583860R	
description	heating element 12000W 230V heating circuits 3 L 385mm W 205mm H 32mm flange length 21mm flange length 1 2mm flange length 2 19mm flange ø1 63mm flange ø2 54mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 20mm L2 365mm W1 45mm W2 32mm thread M54x1.5 tube ø 8.5mm cable length 300mm rotation flange immersion heater with probe intake ø 4mm for fryer			
For models:	NF74E15, NF78E15, NF94E15, NF98E15			
accessories for	420113			
	No.	532681	Ref. No.	CR0582140
O-ring Viton thickness 3.53mm ID ø 66.27mm Qty 1 pcs				
	No.	550496	Ref. No.	CM099200 MACM099200
O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs				
	No.	550662	Ref. No.	CM021600 MACM021600
ring nut thread M54x1.5 H 7mm				


			
No.	420112	Ref. No.	CR0583740 CR0583740R
description	heating element 18000W 400V heating circuits 3 L 387mm W 305mm H 34mm flange length 21mm flange length 1 2.5mm flange length 2 18.5mm flange ø1 63mm flange ø2 54mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 25mm L2 362mm W1 45mm W2 32mm thread M54x1.5 tube ø 8.5mm cable length 350mm rotation flange immersion heater with probe intake ø 4mm for fryer		
For models:	NF94E22, NF94E222, NF94E222K, NF94E22K, NF98E22, NF98E222, NF98E222K, NF98E22K		
accessories for	420112		
	No.	550496	Ref. No. CM099200 MACM099200
O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs			


 				
No.	416812	Ref. No.	1037316601 1037316601R MA1037316601 MA1037316601R	
description	heating element 9000W 230/400V heating circuits 3 mounting pos. right L 360mm W 170mm H 35mm flange length 21mm flange length 1 2mm flange length 2 19mm flange ø1 63mm flange ø2 57.5mm thermostat sleeves ø 6.5mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 25mm L2 335mm W1 40mm W2 33mm thread M54x1.5 tube ø 8.7mm cable length 250mm rotation flange immersion heater with probe intake ø 4mm fryer code 3000 2			
For models:	EF74E10VG, F74E10, F74E6, F76E10, F94E10, F94E6, F96E10, FQE41R, FQE41RL, FQE41RL2, FQE61R, FQE61RL, NF74E10, NF76E10, NF94E10, NF96E10			
accessories for	416812			
	No.	550496	Ref. No.	CM099200 MACM099200
O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs				
	No.	550662	Ref. No.	CM021600 MACM021600
ring nut thread M54x1.5 H 7mm				


 			
No.	415090	Ref. No.	1037039900 1037039915 892900 MA1037039915
description	heating element 5500W 230/400V heating circuits 3 L 325mm W 200mm H 210mm L1 15mm L2 310mm W1 67mm W2 66mm H1 183mm H2 25mm windings 12 flange length 115mm flange width 30mm hole distance 95mm hole ø 7mm connection M4 rectangular flange fryer heaters		
For models:	FQE40, FQE40D, FQE40DSP, FQE60, FQE60D, FQE60DSP		
accessories for	415090		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

 			
No.	415963	Ref. No.	1037301600 1037301615 MA1037301615
description	heating element 7500W 230/400V heating circuits 3 L 330mm W 194mm H 212mm L1 20mm L2 310mm W1 63mm W2 68mm H1 177mm H2 35mm windings 12 flange length 115mm flange width 30mm hole distance 95mm hole ø 6.5mm connection clamp tube ø 8.5mm rectangular flange fryer		
For models:	FQE40, FQE40D, FQE40DSP, FQE60, FQE60D, FQE60DSP, FR74E10, FR77E10, FR92E10, FR94E10, FR9P2E10, FR9P4E10		

2 hole fixing			
 			
No.	415962	Ref. No.	1037314944
description	heating element 2000W 230V heating circuits 1 L 318mm W 58mm H 200mm W1 8mm W2 40mm H1 155mm H2 45mm mounting distance 33mm thread M12x1 tube ø 8.5mm connection length 30mm connection male faston 6.3mm 2 hole fixing immersion heater		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, FR92E10, FR92E10L, FR92E10L2, FR94E10, FR94E10L, FR94E10L2		
accessories for	415962		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

 			
No.	415961	Ref. No.	1037313044
description	heating element 3000W 230V heating circuits 1 L 325mm W 54mm H 206mm W1 9mm W2 37mm H1 167mm H2 42mm mounting distance 25mm thread M12x1 tube ø 8.5mm connection male faston 6.3mm 2 hole fixing immersion heater		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, FR92E10, FR92E10L, FR92E10L2, FR94E10, FR94E10L, FR94E10L2		
accessories for	415961		
	No.	520229	Ref. No. —
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			
	No.	521110	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			
	No.	521131	Ref. No. —
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			
	No.	528110	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs			

							
No.	415976	Ref. No.	1750000 MA1750000				
description heating element 2300W 230V heating circuits 1 L 210mm W 66mm H 315mm L1 40mm L2 170mm H1 270mm H2 45mm thread M14x1.5 tube ø 10mm 2 hole fixing connection M5 windings 4 suitable for 700 series							
For models: FR74E, FR77E							
accessories for 415976							
 <table> <tr> <td>No.</td><td>560112</td><td>Ref. No.</td><td>15830499 MA15830499</td></tr> </table> plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5				No.	560112	Ref. No.	15830499 MA15830499
No.	560112	Ref. No.	15830499 MA15830499				
 <table> <tr> <td>No.</td><td>560132</td><td>Ref. No.</td><td>—</td></tr> </table> hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				No.	560132	Ref. No.	—
No.	560132	Ref. No.	—				

							
No.	415986	Ref. No.	1464000 1466200 MA1464000 MA1466200				
description heating element 5000W 220V heating circuits 1 L 346mm W 58mm H 330mm L1 26mm L2 320mm H1 288mm H2 42mm thread M14x1.25 tube ø 10mm 2 hole fixing connection M5 fryer windings 5 suitable for 900 series							
For models: FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E13, FR94E132, FR94E13T, FR94E13T2, FR94E22, FR94E22T							
accessories for 415986							
 <table> <tr> <td>No.</td><td>560112</td><td>Ref. No.</td><td>15830499 MA15830499</td></tr> </table> plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5				No.	560112	Ref. No.	15830499 MA15830499
No.	560112	Ref. No.	15830499 MA15830499				
 <table> <tr> <td>No.</td><td>560132</td><td>Ref. No.</td><td>—</td></tr> </table> hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				No.	560132	Ref. No.	—
No.	560132	Ref. No.	—				

							
No.	416576	Ref. No.	1037305600 MA1037305600				
description heating element 2500W 220V heating circuits 1 L 285mm W 98mm H 214mm L1 20mm L2 265mm H1 174mm H2 40mm thread M12x1 tube ø 8.5mm 2 hole fixing connection M4 connection length 77mm fryer heaters windings 5							
For models: FQE4							
accessories for 416576							
 <table> <tr> <td>No.</td><td>520229</td><td>Ref. No.</td><td>—</td></tr> </table> nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs				No.	520229	Ref. No.	—
No.	520229	Ref. No.	—				
 <table> <tr> <td>No.</td><td>521103</td><td>Ref. No.</td><td>—</td></tr> </table> nut thread M4 H 3mm WS 7 brass Qty 20 pcs				No.	521103	Ref. No.	—
No.	521103	Ref. No.	—				
 <table> <tr> <td>No.</td><td>521104</td><td>Ref. No.</td><td>—</td></tr> </table> washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				No.	521104	Ref. No.	—
No.	521104	Ref. No.	—				
 <table> <tr> <td>No.</td><td>521110</td><td>Ref. No.</td><td>—</td></tr> </table> flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs				No.	521110	Ref. No.	—
No.	521110	Ref. No.	—				
 <table> <tr> <td>No.</td><td>521131</td><td>Ref. No.</td><td>—</td></tr> </table> nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs				No.	521131	Ref. No.	—
No.	521131	Ref. No.	—				
 <table> <tr> <td>No.</td><td>528110</td><td>Ref. No.</td><td>—</td></tr> </table> O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs				No.	528110	Ref. No.	—
No.	528110	Ref. No.	—				
 <table> <tr> <td>No.</td><td>560111</td><td>Ref. No.</td><td>—</td></tr> </table> plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				No.	560111	Ref. No.	—
No.	560111	Ref. No.	—				
 <table> <tr> <td>No.</td><td>560131</td><td>Ref. No.</td><td>—</td></tr> </table> hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				No.	560131	Ref. No.	—
No.	560131	Ref. No.	—				






							
No.	416577	Ref. No.	1037305700 MA1037305700				
description heating element 3500W 230V heating circuits 1 L 288mm W 146mm H 210mm L1 23mm L2 265mm H1 165mm H2 45mm thread 1/4" mounting distance 138mm tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 6							
For models: FQE6, FQE6+6							
accessories for 416577							
 <table> <tr> <td>No.</td><td>361182</td><td>Ref. No.</td><td>—</td></tr> </table> nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				No.	361182	Ref. No.	—
No.	361182	Ref. No.	—				


Table continues overleaf


accessories for 416577				
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


1  				
No.	41 5969	Ref. No.	1982700 MA1982700	
description	heating element 2400W 230V heating circuits 1 L 212mm W 74mm H 310mm L1 42mm L2 170mm W1 12mm W2 50mm H1 263mm H2 47mm tube ø 10mm connection M5 thread M14x1.25 2 hole fixing windings 5 mounting distance 54mm fryer connection length 22mm suitable for 700 series			
For models:	FR74E, FR74E2, FR77E, FR77E2			
accessories for	415969			
	No.	560112	Ref. No.	15830499 MA15830499
	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	No.	560132	Ref. No.	—
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


 				
No.	415990	Ref. No.	1982900 MA1982900	
description	heating element 5800W 230V heating circuits 1 L 343mm W 110mm H 328mm L1 28mm L2 315mm W1 28mm W2 55mm H1 283mm H2 45mm tube ø 10mm connection M5 thread M14x1.25 2 hole fixing windings 7 mounting distance 96mm fryer connection length 35mm suitable for 900 series			
For models:	FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E13, FR94E132, FR94E13T, FR94E13T2, FR94E22, FR94E22T			
accessories for	415990			
	No.	560112	Ref. No.	15830499 MA15830499
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5				
	No.	560132	Ref. No.	—
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

				
No.	415089	Ref. No.	132522	
description	heating element 1850W 240V heating circuits 1 L 355mm W 38mm H 287mm L1 21mm L2 334mm H1 240mm H2 47mm thread 1/4" mounting distance 25mm tube ø 8.5mm 2 hole fixing connection male faston 6.3mm connection length 32mm fryer heaters windings 2			
accessories for	415089			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

 			
No.	415985	Ref. No.	1463900 1466100 MA1463900 MA1466100
description	heating element 3000W 220V L 350mm W 55mm H 330mm 2 hole fixing connection M5 heating circuits 1 fryer heaters L1 32mm L2 100mm L3 218mm H1 95mm H2 70mm H3 125mm H4 40mm tube ø 10mm thread M14x1.5 mounting distance 45mm connection length 10mm windings 3		
For models:	FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E13, FR94E132, FR94E13T, FR94E13T2, FR94E22, FR94E22T		
accessories for	415985		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	521101	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	No.	560112	Ref. No. 15830499 MA15830499
	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
	No.	560132	Ref. No. —
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

 			
No.	415989	Ref. No.	1982800 MA1982800
description	heating element 3000W 230V L 345mm W 65mm H 325mm 2 hole fixing connection grip connection heating circuits 1 immersion heater L1 30mm L2 95mm L3 220mm H1 96mm H2 55mm H3 130mm H4 44mm tube ø 10mm thread M14x1.25 mounting distance 58mm connection length 35mm windings 5 suitable for 900 series		
For models:	FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E13, FR94E132, FR94E13T, FR94E13T2, FR94E22, FR94E22T		

6 hole fixing			
 			
No.	416810	Ref. No.	1037317100 MA1037317100
description	heating element 6000W 230/400V heating circuits 3 L 320mm W 175mm H 205mm W1 5mm H1 165mm H2 40mm thread M12x1 tube ø 8.5mm connection male faston 6.3mm immersion heater 6 hole fixing		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, OFQE41, OFQE61		

 			
No.	416811	Ref. No.	1037317200 MA1037317200
description	heating element 9000W 230V heating circuits 3 L 320mm W 175mm H 205mm W1 5mm H1 165mm H2 40mm thread M12x1 tube ø 8.5mm connection male faston 6.3mm immersion heater 6 hole fixing		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, OFQE41, OFQE61		
spare parts for	416811		
	No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
accessories for	416811		
	No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		
	No.	528110	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		

heating elements for griddles


			
1			
No.	415087	Ref. No.	892800
description	heating element 1300W 220V heating circuits 1 L 428mm W 80mm H 66mm tube ø 6.3mm W1 13mm W2 43mm connection M4 dry heating element		

			
1			
No.	415982	Ref. No.	1941800 MA1941800
description	heating element 1300W 230V heating circuits 1 L 405mm W 85mm H 100mm tube ø 6.3mm W1 16mm W2 53mm connection clamp connection distance 40mm for grill		
For models:	FT74E, FT74E2, FT74ER, FT74ER2, FT77E, FT77E2, FT77EC, FT77EC2, FT77ECRL, FT77ECRL2, FT77ERL, FT77ERL2		

				
1				
No.	415076	Ref. No.	1037300700 1037300713 MA1037300713	
description	heating element 1300W 230V heating circuits 1 L 490mm W 78mm H 70mm tube ø 6.3mm W1 17mm W2 44mm connection M4 connection length 20mm dry heating element			
For models:	BIE40, BIE40B, BIE60, BIE60B, EFT74ELVG, EFT74ERVG, EFT78ELVG, EFT78EMVG, FTE100B, FTE100BR, FTE100C, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60BRR, FTE60C, FTE60D, FTE60DC, FTE60DCRL, FTE60DR, OFTE100CRL, OFTE40B, OFTE40BR, OFTE40C, OFTE60B, OFTE60BR, OFTE60BRR, OFTE60C			
accessories for	415076			
	No.	521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
1			
No.	415085	Ref. No.	167622
description	heating element 1400W 240V heating circuits 1 L 583mm W 50mm H 36mm tube ø 10mm connection M5 griddle dry heating element		

			
1			
No.	416175	Ref. No.	CM164800 MACM164800
description	heating element 1600W 230V heating circuits 1 L 417mm W 87mm H 90mm tube ø 8.5mm L1 32mm L2 385mm connection M5 griddle connection distance 79mm dry heating element		
For models:	FT129ELC, FT129EM, FT12C9EL, FT12C9ELC, FT12C9EM, FT12C9EMC, FT74EL, FT74ELC, FT74ER, FT76EL, FT76ELC, FT76EM, FT76EMC, FT78EL, FT78ELC, FT78EM, FT78EMC, FT94EL, FT94ELC, FT94ER, FT96EL, FT96ELC, FT96EM, FT96EMC, FT98EL, FT98ELC, FT98EM, FT98EMC, PM129E		

			
1			
No.	415975	Ref. No.	1730000 MA1730000
description	heating element 1800W 240V heating circuits 1 L 488mm W 84mm H 63mm tube ø 8.5mm W2 47mm connection M5 connection distance 35mm suitable for 700 series for grill		
For models:	FT74E, FT74ER, FT74ERL, FT77E, FT77EC, FT77ERL		

			
1			
No.	415958	Ref. No.	1941900 MA1941900
description	heating element 1900W 230V heating circuits 1 L 585mm W 90mm H 80mm tube ø 6.3mm L1 585mm W2 50mm connection grip connection length 20mm connection distance 70mm suitable for 900 series for grill		
For models:	F9V2E, F9V2E2, F9V2ER, F9V2ER2, F9V4E, F9V4E2, F9V4EC, F9V4EC2, F9V4ECRL, F9V4ECRL2, F9V4ER, F9V4ER2, F9V4ERL, F9V4ERL2		



No.	415086	Ref. No.	1029200 MA1029200
description	heating element 2000W 220V heating circuits 1 L 600mm W 80mm H 70mm tube ø 6.3mm W1 10mm W2 58mm connection M4 griddle connection distance 45mm dry heating element		
For models:	F9V2E, F9V2ER, F9V4E, F9V4EC, F9V4ECR, F9V4ER, F9V4ERL		
accessories for	415086		
	No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		



No.	420105	Ref. No.	CR0731580
description	heating element 2000W 230V heating circuits 1 L 480mm W 90mm H 42mm tube ø 8.5mm IRCA L1 50mm L2 430mm W1 49mm W2 20mm flange connection connection M5 hole distance 89mm flange length 100mm flange width 35mm hole ø 6mm windings 2 dry heating element		
For models:	NG74E, NG74E2, NG78E, NG78E2		



No.	416180	Ref. No.	CM165100 MACM165100
description	heating element 2200W 230V heating circuits 1 L 420mm W 130mm H 92mm tube ø 8.5mm L1 24mm L2 396mm connection M5 connection distance 122mm dry heating element		
For models:	FT74EL, FT74ELC, FT74ER, FT76EL, FT76ELC, FT76EM, FT76EMC, FT78EL, FT78ELC, FT78EM, FT78EMC, FT94EL, FT94ELC, FT94ER, FT96EL, FT96ELC, FT96EM, FT96EMC, FT98EL, FT98ELC, FT98EM, FT98EMC		



No.	416694	Ref. No.	CM164900 MACM164900
description	heating element 2200W 230V heating circuits 1 L 570mm W 110mm H 90mm tube ø 8.5mm L1 20mm L2 550mm connection M5 griddle connection distance 102mm suitable for 900 series dry heating element		
For models:	FT74EL, FT74ELC, FT74ER, FT76EL, FT76ELC, FT76EM, FT76EMC, FT78EL, FT78ELC, FT78EM, FT78EMC, FT94EL, FT94ELC, FT94ER, FT96EL, FT96ELC, FT96EM, FT96EMC, FT98EL, FT98ELC, FT98EM, FT98EMC		



No.	420109	Ref. No.	CR0582840
description	heating element 2500W 230V heating circuits 1 L 635mm W 90mm H 80mm L1 30mm connection M5 connection distance 81.5mm tube ø 8.5mm connection length 18mm dry heating element for griddle		
For models:	NFT94EL, NFT94ELC, NFT94ELO, NFT94ER, NFT96EL, NFT96ELC, NFT96EM, NFT96EMC, NFT98EL, NFT98ELC, NFT98ELO, NFT98EM, NFT98EMC		



No.	420415	Ref. No.	CR0937830
description	heating element 2600W 230V heating circuits 1 L 480mm W 90mm H 42mm tube ø 8.5mm L1 50mm L2 430mm W1 49mm W2 20mm flange connection connection M5 hole distance 89mm flange length 100mm flange width 35mm hole ø 6mm windings 2 dry heating element		



No.	416695	Ref. No.	CM165200 MACM165200
description	heating element 3300W 230V heating circuits 1 L 570mm W 130mm H 90mm tube ø 8.5mm L1 20mm L2 550mm griddle dry heating element		
For models:	FT74EL, FT74ELC, FT74ER, FT76EL, FT76ELC, FT76EM, FT76EMC, FT78EL, FT78ELC, FT78EM, FT78EMC, FT94EL, FT94ELC, FT94ER, FT96EL, FT96ELC, FT96EM, FT96EMC, FT98EL, FT98ELC, FT98EM, FT98EMC		

heating elements for refrigeration


heating elements for defrosting



No.	416325	Ref. No.	24769.35 MA2476935
description	heating element 105W 230V L 410mm W 295mm H 6.5mm L1 93mm L2 317mm W1 257mm W2 38mm cable length 2500mm tube ø 6.3mm immersion heater defrosting		
For models:	AF140B, AF140C, AF140F, AF140I, AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF140N, AF140P, AF14F, AF14G, AF14N, AF70B, AF70C, AF70F, AF70I, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AF70N, AF70P, AF72B, AF72C, AF72F, AF72I, AF72N, AF72P, AF7C, AF7F, AF7G, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF70DF, EF70DN, EF70DP, EF70MB, EF70MC...(Other models you can see in the webshop)		



No.	416326	Ref. No.	24752.00 24752.15 MA2475215
description	heating element 365W 230V L 435mm W 133mm H 50mm cable length 1200mm tube ø 6.5mm connection length 55mm defrosting		
For models:	AF140B, AF140C, AF140F, AF140I, AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF140N, AF140P, AF14F, AF14G, AF14N, AF70B, AF70C, AF70F, AF70I, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AF70N, AF70P, AF72B, AF72C, AF72F, AF72I, AF72N, AF72P, AF7C, AF7F, AF7G, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB...(Other models you can see in the webshop)		

			
No.	418744	Ref. No.	2315200
description	heating element 450W 220V L 400mm W 400mm L1 70mm L2 330mm W1 50mm W2 350mm defrosting		
For models:	AFC14, AFC14V, AFC7, AFC7V, AFPC214, AFPC214P, AFPC214V, AFR1143P, AFR14, AFR14V, AFR214P, AFR214PV, AFR7, AFR7P, AFR7PV, AFR7V, AFRC214, AFRC214V		

h1>heating elements for tilting bratt pan


1

			1037300700 1037300713 MA1037300713
No.	415076	Ref. No.	
description	heating element 1300W 230V heating circuits 1 L 490mm W 78mm H 70mm tube ø 6.3mm W1 17mm W2 44mm connection M4 connection length 20mm dry heating element		
For models:	BIE40, BIE40B, BIE60, BIE60B, EFT74ELVG, EFT74ERVG, EFT78ELVG, EFT78EMVG, FTE100B, FTE100BR, FTE100C, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60BRR, FTE60C, FTE60D, FTE60DC, FTE60DCRL, FTE60DR, OFTE100CRL, OFTE40B, OFTE40BR, OFTE40C, OFTE60B, OFTE60BR, OFTE60BRR, OFTE60C		
accessories for	415076		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


			
No.	415973	Ref. No.	1685100 1686900 MA1686900
description	heating element 2700W 240V heating circuits 1 L 360mm W 141mm H 85mm L1 55mm connection M4 connection distance 133mm tube ø 10mm connection length 25mm tilting bratt pan L2 305mm suitable for 700 series		
For models:	BR707E, BR707EI, BR78EF, BR78EI, BR912EFM, BR912EIM, BR98EF, BR98EFM, BR98EI, BR98EIM, BR9S8EF, BR9S8EI		



No.	415084	Ref. No.	1475600 1878700 MA1878700	
description	heating element 3900W 240V L 520mm W 170mm H 94mm connection M4 tilting bratt pan heating circuits 1 tube ø 10mm L1 58mm L2 200mm connection length 25mm connection distance 160mm			
For models:	BR78EF, BR78EI, BR912EFM, BR912EIM, BR94E, BR94EI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR9M4E, BR9M4EI, BR9M4GI, BR9M6E, BR9M6EI, BR9S8EF, BR9S8EI, BR9S84E, BR9S84EI			
accessories for	415084			
   	No.	521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No.	—
 	No.	560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
No.	415987	Ref. No.	1493800 1878800 MA1878800
description	heating element 5850W 230V L 530mm W 295mm H 90mm connection male faston for grill heating circuits 1 tube ø 10mm L1 80mm connection distance 275mm		
For models:	BR78EF, BR78EI, BR912EFM, BR912EIM, BR94E, BR94EI, BR96E, BR96EI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR9M4E, BR9M4EI, BR9M4GI, BR9M6E, BR9M6EI, BR9S8EF, BR9S8EI, BR9S84E, BR9S84EI		

			
No.	420104	Ref. No.	CR0683221
description	heating element for tilting bratt pan 5000W 230V L 555mm W 180mm H 30mm connection M5 dry heating element heating circuits 1 tube ø 8.5mm L1 25mm L2 530mm W1 45mm W2 90mm flange connection flange length 170mm flange width 30mm hole ø 6.3mm windings 3		
For models:	NBR912EFM, NBR912EIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM		

			
No.	420106	Ref. No.	CR0684240
description	heating element for tilting bratt pan 6350W 230V L 550mm W 320mm H 24mm connection M5 dry heating element heating circuits 1 tube ø 8.5mm L1 45mm L2 505mm W1 48mm W2 225mm flange connection flange length 305mm flange width 30mm hole ø 6mm windings 4		
For models:	NBR912EFM, NBR912EIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM		

			
No.	415077	Ref. No.	1037301700 1037301713 MA1037301713
description	heating element stock pot 1300W 230V L 280mm W 150mm H 40mm connection male faston 6.3mm tilting bratt pan heating circuits 1 tube ø 8.5mm bracket mounting hole distance 142mm hole ø 5mm lug length 25mm lug width 15mm		
For models:	BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, OBRE40		

heating elements for pasta cookers

			
No.	415020	Ref. No.	110331
description	heating element 4500W 230V mounting ø 57.5mm heating circuits 3 L 355mm W 35mm H 47mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 295mm thermostat sleeve upper tube ø 8.5mm hole distance 70mm hole ø 10mm connection length 25mm connection male faston 6.3mm 3 hole flange immersion heater		

			
No.	420096	Ref. No.	CR0731030 CR0731030R
description	heating element 5600W 230V heating circuits 3 L 255mm W 210mm H 32mm rotation flange thread M54x1.5 tube ø 8.4mm L1 60mm L2 195mm W1 180mm W2 30mm cable length 1200mm windings 2 flange length 12mm flange length 2 20mm flange length 21mm flange ø1 63mm flange ø2 54mm for pasta cooker immersion heater		
For models:	NPC74E, NPC78E		

1

No.	415977	Ref. No.	1870000 1870000R MA1870000 MA1870000R
description	heating element 5670W 230V heating circuits 3 L 292mm W 225mm H 26mm rotation flange tube ø 6.3mm thermostat sleeves ø 9mm length thermostat sleeves 185mm L1 42mm L2 250mm W1 197mm W2 28mm cable length 460mm number of thermostat sleeves 1 connection length 50mm flange length 1 9mm flange length 2 15.5mm flange length 24.5mm flange ø1 43.8mm flange ø2 39.7mm thermostat sleeve centred, adjacent pasta cooker sensor screw connection M10x1		
For models:	CP704E, EPC74E, PC12C4E, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC9S4E, PC9S6E, PC9S8E		
accessories for	415977		
	No.	514016	Ref. No. 1036500400 1814500 MA1814500
	flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable for MARENO		
	No.	514017	Ref. No. 0105246 1036500200 1814400 MA1814400 R0105246 SIR0105246
	O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
	No.	514018	Ref. No. 1033703500 1814600 MA1814600
	bush		
	No.	514020	Ref. No. 1036500100 1815000 1815014 MA1815014
	bush		
	No.	514021	Ref. No. 1036500300 1814700 MA1814700
	O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs		
	No.	514022	Ref. No. 1032300100 14044599 MA14044599
	nut thread 1½" H 12mm SS WS 59 Qty 1 pcs		
	No.	540435	Ref. No. 1869600 MA1869600
	threaded rod thread M10 hollow		
	No.	540436	Ref. No. 1033514900 MA1033514900
	hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs		
	No.	540438	Ref. No. 1868700 MA1868700
	long nut thread M10 L 25mm WS 13 brass Qty 1 pcs		
	No.	540439	Ref. No. 1869500 MA1869500
	distance washer		



1

No.	415991	Ref. No.	1814213 1869900 1869900R MA1869900 MA1869900R
description	heating element 8499W 230V heating circuits 3 L 405mm W 225mm H 25mm rotation flange tube ø 6.3mm thermostat sleeves ø 9mm length thermostat sleeves 223mm L1 40mm L2 365mm W1 196mm W2 29mm cable length 1250mm number of thermostat sleeves 1 connection length 48mm flange length 1 9mm flange length 2 15.5mm flange length 24.5mm flange ø1 43.8mm flange ø2 39.7mm suitable for 900 series thermostat sleeve centred, adjacent pasta cooker sensor screw connection M10x1		
For models:	CP92E, CP92E2, CP94E, CP94E2, CP95B2E, CP95B2E2, CP95B4E, CP95- B4E2, DE92142, DE94242, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC954E, PC956E, PC958E		
accessories for	415991		
	No.	514016	Ref. No.
	1036500400 1814500 MA1814500		
flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable for MARENO			
	No.	514017	Ref. No.
	0105246 1036500200 1814400 MA1814400 R0105246 SIR0105246		
O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	514018	Ref. No.
	1033703500 1814600 MA1814600		
bush			
	No.	514019	Ref. No.
	1033202200 1033709000 MA1033202200		
threaded rod thread M8 L 45mm brass			
	No.	514020	Ref. No.
	1036500100 1815000 1815014 MA1815014		
bush			
	No.	514021	Ref. No.
	1036500300 1814700 MA1814700		
O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	514022	Ref. No.
	1032300100 14044599 MA14044599		
nut thread 1½" H 12mm SS WS 59 Qty 1 pcs			
	No.	540435	Ref. No.
	1869600 MA1869600		
threaded rod thread M10 hollow			
	No.	540436	Ref. No.
	1033514900 MA1033514900		
hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs			
	No.	540438	Ref. No.
	1868700 MA1868700		
long nut thread M10 L 25mm WS 13 brass Qty 1 pcs			
	No.	540439	Ref. No.
	1869500 MA1869500		
distance washer			

				
1				
No.	420098	Ref. No.	CR0582040 CR0582040R	
description	heating element 8500W 230V heating circuits 3 L 378mm W 210mm H 32mm rotation flange thread M54x1.5 tube ø 8.4mm L1 68mm L2 310mm W1 178mm W2 32mm cable length 1250mm windings 3 flange length 1 2mm flange length 2 19mm flange length 21mm flange ø1 63mm flange ø2 54mm for pasta cooker immersion heater			
For models:	NPC94E, NPC98E			
accessories for	420098			
	No.	514419	Ref. No.	—
	bracket for heating element L 68mm W 20mm H 28mm			
	No.	550496	Ref. No.	CM099200 MACM099200
	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs			




1

No.	415971	Ref. No.	1037305810 1870100 1870100R MA1870100 MA1870100R
description	heating element 9000W 230/415V heating circuits 3 L 245mm W 320mm H 25mm rotation flange tube ø 6.3mm thermostat sleeves ø 7mm length thermostat sleeves 210mm L1 55mm L2 190mm W1 28mm W2 292mm cable length 600mm number of thermostat sleeves 1 connection length 35mm flange length 1 9mm flange length 2 15.5mm flange length 24.5mm flange ø1 43.8mm flange ø2 39.7mm mounting pos. left suitable for 600 series thermostat sleeve centred, adjacent pasta cooker sensor screw connection M10x1		
For models:	CPE60, CPE602, CPE60DB, OCPE6, OCPE60, PC12C4E, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC954E, PC956E, PC958E		
accessories for	415971		
	No.	514016	Ref. No.
	1036500400 1814500 MA1814500		
flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable for MARENO			
	No.	514017	Ref. No.
	0105246 1036500200 1814400 MA1814400 R0105246 SIR0105246		
O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	514018	Ref. No.
	1033703500 1814600 MA1814600		
bush			
	No.	514019	Ref. No.
	1033202200 1033709000 MA1033202200		
threaded rod thread M8 L 45mm brass			

Table continues overleaf

accessories for 415971				
	No.	514020	Ref. No.	1036500100 1815000 1815014 MA1815014
	bush			
	No.	514021	Ref. No.	1036500300 1814700 MA1814700
	O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	514022	Ref. No.	1032300100 14044599 MA14044599
	nut thread 1½" H 12mm SS WS 59 Qty 1 pcs			
	No.	540435	Ref. No.	1869600 MA1869600
	threaded rod thread M10 hollow			
	No.	540436	Ref. No.	1033514900 MA1033514900
	hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs			
	No.	540438	Ref. No.	1868700 MA1868700
	long nut thread M10 L 25mm WS 13 brass Qty 1 pcs			
	No.	540439	Ref. No.	1869500 MA1869500
	distance washer			



No.	420097	Ref. No.	CR0688330
description			
heating element 9000W 230V heating circuits 3 L 250mm W 325mm H 32mm rotation flange thread M54x1.5 tube ø 8.3mm L1 200mm L2 50mm W1 293mm W2 32mm cable length 1200mm windings 2 flange length 1 2mm flange length 2 19mm flange length 21mm flange ø1 63mm flange ø2 54mm for pasta cooker immersion heater			
For models:			
NPC76E, NPC96E			

accessories for 420097				
	No.	504230	Ref. No.	15119299 MA15119299
	grub screw thread M5 L 8mm A2-A2L DIN 914/ISO 4027 WS 2.5 Qty 1 pcs			
	No.	550496	Ref. No.	CM099200 MACM099200
	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs			
	No.	550662	Ref. No.	CM021600 MACM021600
	ring nut thread M54x1.5 H 7mm			

			
1			
No.	415094	Ref. No.	1037305800
description heating element 9000W 230V heating circuits 3 rotation flange pasta cooker immersion heater			
accessories for 415094			
	No.	514016	Ref. No.
			1036500400 1814500 MA1814500
flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable fo			

accessories for 415094				
	No.	514017	Ref. No.	0105246 1036500200 1814400 MA1814400 R0105246 SIR0105246
	O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	514018	Ref. No.	1033703500 1814600 MA1814600
	bush			
	No.	514019	Ref. No.	1033202200 1033709000 MA1033202200
	threaded rod thread M8 L 45mm brass			
	No.	514020	Ref. No.	1036500100 1815000 1815014 MA1815014
	bush			
	No.	514021	Ref. No.	1036500300 1814700 MA1814700
	O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	514022	Ref. No.	1032300100 14044599 MA14044599
	nut thread 1½" H 12mm SS WS 59 Qty 1 pcs			
	No.	540435	Ref. No.	1869600 MA1869600
	threaded rod thread M10 hollow			
	No.	540436	Ref. No.	1033514900 MA1033514900
	hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs			
	No.	540438	Ref. No.	1868700 MA1868700
	long nut thread M10 L 25mm WS 13 brass Qty 1 pcs			
	No.	540439	Ref. No.	1869500 MA1869500
	distance washer			

heating elements for pizza ovens

1			
No.	416573	Ref. No.	1037316400 MA1037316400
description			
heating element 1000W 230V L 428mm W 162mm flange length 100mm flange width 22mm connection length 20mm connection male faston 6.3mm L3 360mm W1 50mm W2 50mm tube ø 6.3mm heating circuits 1 rectangular flange dry heating element			
For models:			
SPE60M			



			
No.	415164	Ref. No.	59741 MA59741
description	heating element 900W 240V L 295mm W 88mm flange length 34mm flange width 24mm connection length 26mm connection M5 L3 200mm W1 30mm W2 28mm tube ø 6.3mm heating circuits 1 rectangular flange hole ø 5mm dry heating element bain marie		
For models:	SBA, SBAC, SVAC, SVAC12, SVAC16, SVAC20, SVCG, SVCG08, SVCG12, SVCG16, SVCG20		

h2>heating elements for chargrills

			
No.	420467	Ref. No.	CR0681360 CR0842340
description	heating element 3300W 230V L 620mm W 95mm H 40mm W1 20mm W2 48mm L1 15mm L2 30mm L3 575mm flange length 100mm flange width 35mm hole distance 88mm connection M5 heating circuits 1 tube ø 8.5mm connection length 45mm hole ø 6.5mm rectangular flange dry heating element		
For models:	NG912E, NG912E2, NG94E, NG94E2, NG98E, NG98E2		

			
No.	415095	Ref. No.	1037300000 MA1037300000
description	heating element 1500W 220V L 465mm W 75mm H 55mm 2 hole fixing thread 1/4" mounting distance 70mm connection M4 L1 25mm L2 440mm tube ø 6.3mm dry heating element heating circuits 1		
accessories for	415095		
	No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

			
No.	415965	Ref. No.	1037311315 MA1037311315
description	heating element 1800W 230V L 486mm W 83mm H 30mm 2 hole fixing mounting distance 72mm connection M4 L1 38mm L2 448mm heating circuits 1 tube ø 6.3mm dry heating element thread M12x1 for sausage warmer		
For models:	CWE42, CWE422, CWE62, CWE622, OCWE42, OCWE422, OCWE62, OCWE622		
accessories for	415965		
	No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		

accessories for	415965		
	No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		
	No.	528110	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		

h2>heating elements for salamanders/toast-

			
No.	416572	Ref. No.	1037316500 MA1037316500
description	heating element 1000W 230V heating circuits 1 L 425mm W 62mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm tube ø 6.3mm rectangular flange hole ø 5mm dry heating element		
For models:	TSE60M		

			
No.	415140	Ref. No.	1037041200 1037316100 MA1037041200 MA1037316100
description	heating element 2000W 230V heating circuits 1 L 435mm W 170mm L1 20mm L2 60mm L3 355mm W1 52mm W2 61mm flange length 100mm flange width 22mm hole distance 86mm tube ø 6.3mm connection length 54mm for salamander grill connection male faston 6.3mm rectangular flange hole ø 5mm H 6.3mm		
For models:	SME62M, SME63M, SME70M		

			
No.	415141	Ref. No.	1037042200 1037316200 MA1037316200
description	heating element 2900W 230V heating circuits 1 L 425mm W 165mm L1 25mm L2 50mm L3 350mm W1 52mm W2 60mm flange length 100mm flange width 22mm hole distance 88mm tube ø 8.5mm connection length 17mm dry heating element rectangular flange hole ø 5mm H 8.5mm		
For models:	SME62M, SME63M, SME70M		

			
No.	415142	Ref. No.	1037042300 1037316300 MA1037316300
description	heating element 3500W 230V heating circuits 1 L 525mm W 167mm L1 15mm L2 50mm L3 460mm W1 63mm W2 50mm flange length 100mm flange width 22mm hole distance 31mm tube ø 9mm connection length 54mm dry heating element connection male faston 6.3mm rectangular flange hole ø 10mm H 9mm		
For models:	SME62M, SME63M, SME70M		

heating cables

connection on both sides (metal braided)

			
No.	416323	Ref. No.	5576.12
description	heating cable 42.7W 230V L1 (unheated) 1530mm L2 (heated) 2960mm door frame heating ø 4mm L 6020mm connection cable		

			
No.	416324	Ref. No.	5576.22 5577.12 MA557622 MA557712
description	heating cable 43W 230V L1 (unheated) 2x1500mm L2 (heated) 3000mm door frame heating ø 4mm L 6000mm connection cable		
For models:	AF140B, AF140C, AF140F, AF140I, AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF140N, AF140P, AF70B, AF70C, AF70F, AF70I, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AF70N, AF70P, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143DNF, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN, EF70MP, EF72DNF, EF72MNF, F140DF, F140DI, F140DN, F140DP...(Other models you can see in the webshop)		

			
No.	416321	Ref. No.	2524612 4653500 MA2524612 MA4653500
description	heating cable 49W 230V L1 (unheated) 830mm L2 (heated) 7600mm door frame heating ø 4mm L 9230mm connection cable		
For models:	IR13C, IR13CC, IR13CV, IR13M, IR13MC, IR13MV, IR13V, IR17C, IR17CC, IR17CV, IR17M, IR17MC, IR17MV, IR17V, TR13C2P, TR13I4C, TR13I4CC, TR13I4CV, TR13N2C1P, TR13N2C1PC, TR13N2C1PV, TR13N2P, TR13N2PC, TR13N2PV, TR13N4C, TR13N4CC, TR13N4CV, TR17C3P, TR17I6C, TR17I6CC, TR17I6CV, TR17N2C2P, TR17N2C2PC, TR17N2C2PV, TR17N2P, TR17N3P, TR17N3PC, TR17N3PV, TR17N4C1P, TR17N4C1PC, TR17N4C1PV, TR17N6C, TR17N6CC, TR17N6CV, TR21N2C3P, TR21N-2C3PC, TR21N2C3PV, TR21N2P, TR21N4C2P, TR21N4C2PC...(Other models you can see in the webshop)		

			
No.	415938	Ref. No.	1037303813
description	heating element 1800W 230V heating circuits 1 L 330mm W 82mm H 25mm thread M10x1 mounting distance 72mm tube ø 6.3mm 2 hole fixing connection length 20mm immersion heater		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		
accessories for	415938		
	No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	No.	510893	Ref. No. 200810
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		

heating elements for heating bridges

			
No.	416665	Ref. No.	1037041600 1037041613 MA1037041613
description	heating element 1000W 230V heating circuits 1 L 427mm W 60mm hole distance 87mm connection length 30mm connection M4 tube ø 6.3mm rectangular flange hole ø 5mm dry heating element flange length 100mm flange width 22mm		
For models:	RIE40M, RIEP40M, TSE60M		

heating cartridges

			
No.	420223	Ref. No.	4646700 MA4646700
description	heating cartridge 240W 230V ø 12mm L 240mm thread 3/8" cable length 3000mm connection cable flange with thread immersion heater		
For models:	FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FS140F, FS140FI, FS140FN, FS140I, FS140N, FS140NG, FS140NI, FS140NN, FS140P, FS140PN, FS140PP, FS143F, FS143FI, FS143N, FS143NF, FS143NI, FS143NN, FS143NP, FS143P, FS70F, FS70FG, FS70I, FS70N, FS70NG, FS70P, FS72F, FS72FI, FS72IN...(Other models you can see in the webshop)		

heating elements for heated cabinets

			
No.	416575	Ref. No.	1215400 MA1215400
description	heating element 770W 240V heating circuits 1 L 462mm W 33mm flange length 70mm flange width 22mm hole distance 56mm connection length 32mm connection M5 tube ø 8.5mm rectangular flange hole ø 5mm for heated trolley		
For models:	TP13E, TP17E, TP213E, TP217E, TP21E, TP221E		

ceramic heaters

245x60mm

1



No.	415104	Ref. No.	1037039600 1037317601 MA1037317601
description	ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm		
For models:	BSEI40M, NSP74E, NSP94E, OBSEI40M, SP74E, SP94E		
spare parts for	415104		
	No.	415109	Ref. No. —
	spring clip		
accessories for	415104		
	No.	415110	Ref. No. —
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm		

immersion heating elements

3 hole flange ø47.5mm

1



No.	415935	Ref. No.	1037305400
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 320mm W 34mm H 30mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 300mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 63mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLC65, MLC653, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MPLS30P		
spare parts for	415935		
	No.	510408	Ref. No. 200820 BN0118462630
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415935		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

3 hole flange ø57.5mm

1



No.	420101	Ref. No.	0589130R CR0589130 CR0589130R
description	heating element 10500W 400V heating circuits 3 L 580mm W 36mm H 42mm tube ø 8.4mm number of thermostat sleeves 0 cable length 700mm immersion heater 3 hole flange hole distance 73mm mounting ø 57.5mm hole ø 10mm		
For models:	NPI98E10, NPI98E15		
accessories for	420101		
	No.	521146	Ref. No. CM046200 MACM046200
	O-ring Viton thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

1



No.	416818	Ref. No.	CM183900 MACM183900
description	heating element 3400W 230V heating circuits 3 L 437mm W 45mm H 40mm tube ø 10mm connection cable cable length 1270mm connection length 10mm kettle 3 hole flange hole distance 72mm mounting ø 57.5mm hole ø 8/10mm suitable for 700 series		
For models:	PI76E5, PI96E5		

1





No.	416819	Ref. No.	CM182300 MACM182300
description	heating element 7600W 230V heating circuits 3 L 590mm W 48mm H 65mm tube ø 8.5mm cable length 1170mm connection length 26mm immersion heater 3 hole flange hole distance 72mm mounting ø 57.5mm hole ø 8x10mm		
For models:	PI98E10, PI98E15, PI9S8E10		


1




No.	415060	Ref. No.	110363
description	heating element 3000W 230V mounting ø 57.5mm heating circuits 1 L 330mm W 45mm H 29mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 295mm thermostat sleeve not clinging tube ø 6.25mm hole distance 73mm hole ø 8mm connection male faston 6.3mm 3 hole flange immersion heater		

 			
No.	415934	Ref. No.	1037312600
description	heating element 3500W 230V mounting ø 57.5mm heating circuits 3 L 192mm W 38mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection male faston 6.3mm 3 hole flange immersion heater		
For models:	MLC50, MLC503, MLC65, MLC653		

 			
No.	415020	Ref. No.	110331
description	heating element 4500W 230V mounting ø 57.5mm heating circuits 3 L 355mm W 35mm H 47mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 295mm thermostat sleeve upper tube ø 8.5mm hole distance 70mm hole ø 10mm connection length 25mm connection male faston 6.3mm 3 hole flange immersion heater		

 			
1			
No.	415021	Ref. No.	1037305500 110349 MA1037305500
description	heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 343mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 294mm thermostat sleeve not clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M5 3 hole flange		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLC50, MLC503, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		
spare parts for	415021		
	No.	510409	Ref. No. 1036504200 LA70045010 LAR70045010 R70045010
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
accessories for	415021		
	No.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

 			
No.	415937	Ref. No.	1037312700
description	heating element 9000W 230V mounting ø 57.5mm heating circuits 3 L 340mm W 37mm H 52mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 300mm thermostat sleeve clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M5 3 hole flange immersion heater		
For models:	MLC65, MLC653		
spare parts for	415937		
	No.	510409	Ref. No. 1036504200 LA70045010 LAR70045010 R70045010
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

with expansion flange 70 x 18mm

			
No.	415016	Ref. No.	110227
description	heating element 3000W 230V heating circuits 3 flange 70x18mm L 398mm W 60mm H 24mm connection male faston 6.3mm immersion heater expansion flange tube ø 6.3mm		

with round flange ø47.5mm

1

				
No.	416272	Ref. No.	110262	
description	heating element 2400W 230V heating circuits 1 mounting ø 47.5mm L 220mm W 35mm H 37mm round flange connection male faston 6.3mm immersion heater tube ø 6.5mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 195mm			
spare parts for	416272			
	No.	510408	Ref. No.	200820 BN0118462630
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
accessories for	416272			
	No.	510408	Ref. No.	200820 BN0118462630
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	520235	Ref. No.	—
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm				
	No.	520236	Ref. No.	—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	550002	Ref. No.	—
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				

Table continues overleaf

accessories for	416272			
	No.	550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm			

with round flange ø57.5mm

1				
No.	415849	Ref. No.	R65020420 R65020421	
description	heating element 1500W 230V heating circuits 3 mounting ø 57.5mm L 530mm W 45mm H 30mm round flange connection M4 immersion heater tube ø 8.5mm connection length 15mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 272mm thermostat sleeve eccentric, clinging			
For models:	ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC40M, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P			
accessories for	415849			
	No.	550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

1				
No.	415848	Ref. No.	R65020350	
description	heating element 7500W 230V heating circuits 3 mounting ø 57.5mm L 365mm W 36mm H 50mm round flange connection M4 immersion heater tube ø 8.5mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 270mm thermostat sleeve eccentric, clinging			
For models:	EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, ME061D, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, MEC24H, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P			
spare parts for	415848			
	No.	510409	Ref. No.	1036504200 LA70045010 LAR70045010 R70045010
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
accessories for	415848			
	No.	550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

1				
No.	415957	Ref. No.	5152300 MA5152300	
description	heating element 9000W 400V heating circuits 3 mounting ø 57.5mm L 402mm W 33mm H 43mm round flange cable length 1270mm immersion heater tube ø 8.5mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 270mm thermostat sleeve clinging			
For models:	CSM102E, CSM102EP, CSM10E, CSM10EP, CSM201E, CSM201EP, CSM202E, CSM202EP, CSM6E, CSM6EP			
accessories for	415957			
	No.	550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

miscellaneous

1				
No.	415994	Ref. No.	1677000 1878100 MA1878100	
description	heating element 3400W 230V heating circuits 3 L 430mm W 38mm H 46mm tube ø 10mm hole distance 58mm hole ø 10mm cable length 1300mm 4 hole flange kettle			
For models:	P915E, PI707E			
accessories for	415994			
	No.	505092	Ref. No.	2604100 BN0119472130 MA2604100
	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs			

1				
No.	415984	Ref. No.	1414300 1878200 MA1878200	
description	heating element 6000W 240-415V heating circuits 3 L 584mm W 70mm H 65mm tube ø 8.5mm hole distance 96mm hole ø 6.5mm cable length 1300mm connection length 38mm 8 hole flange immersion heater flange width 116mm flange length 116mm			
For models:	P9D10E, P9D15E, P9DA10E, P9DA15E, P9I10E, P9I15E, P9IA10E, P9IA15E			
accessories for	415984			
	No.	521116	Ref. No.	1422200 MA1422200
	O-ring Viton thickness 3.53mm ID ø 78.97mm Qty 1 pcs			

1				
No.	416815	Ref. No.	1878300 MA1878300	
description	heating element 7500W 230V heating circuits 3 L 580mm W 66mm H 64mm tube ø 8.5mm cable length 1290mm immersion heater hole distance 37mm flange length 110mm flange width 110mm hole ø 6mm			
For models:	P9I10E, P9I15E, P9IA10E			

1"				
1				
No.	420074	Ref. No.	CR0682160 CR0682160R	
description	heating element 260W 230V heating circuits 1 L 242mm W 18mm H 6.25mm tube ø 6.25mm thermostat sleeves ø 5mm length thermostat sleeves 230mm number of thermostat sleeves 1 thermostat sleeve centred, adjacent connection male faston 6.3mm connection length 35mm immersion heater flange with thread WS 32 thread 1"			
For models:	NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A			
spare parts for	420074			
	No.	503158	Ref. No.	—
	flat gasket FIBER ED ø 44mm ID ø 33mm thickness 2mm Qty 1 pcs			

Table continues overleaf

accessories for 420074	
No.	507532
Ref. No.	—
nut thread 1" H 10mm WS 40 brass Qty 1 pcs	



1

No.	416816	Ref. No.	1414400 1879000 MA1879000
description heating element 2000W 230V heating circuits 1 L 270mm W 242mm H 44mm tube ø 8.5mm connection M5 connection length 38mm kettle 2 hole fixing kettle W2 43mm thread 1/4" mounting distance 43mm			
For models: P9D10E, P9D15E, P9DA10E, P9DA15E, P9DSB10E, P9I10E, P9IA10E, PDASB10E			

accessories for 416816	
No.	361182
Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs	
No.	510417
Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs	
No.	520228
Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14	
No.	550262
Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm	

2 connections

straight



1

No.	416817	Ref. No.	CM096300 CM096301 CR0682150 MACM096301
description heating element 4000W 230V heating circuits 1 L 619mm W 150mm Hmm tube ø 8.5mm cable length 790mm connection length 18mm kettle suitable for 900 series			
For models: NPD98E10, NPD98E15, PD98E10, PD98E15, PD9S8E10			

heating elements for convection



1

No.	415828	Ref. No.	R65011310
description heating element 15000W 230V heating circuits 3 ID ø 388mm ED ø 408mm L 428mm H 132mm L1 20mm W1 105mm H1 114mm H2 18mm flange length 140mm flange width 25mm hole distance 126mm connection M4 connection length 65mm tube ø 8.5mm convection heating element hole ø 6.3mm rectangular flange			
For models: EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, MACE10M, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M...(Other models you can see in the webshop)			



1

No.	418197	Ref. No.	R65011250
description heating element 15000W 230V heating circuits 3 ID ø 512mm ED ø 530mm L 545mm H 130mm L1 15mm W1 105mm H1 25mm H2 105mm flange length 142mm flange width 25mm hole distance 126mm connection M4 connection length 68mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange			
For models: EC210M, EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, ME102D, ME102M, ME102P, ME102T, ME202D, ME202M, ME202P, ME202T, MEC24H, MEC40M, MEMENT20D, MEMENT20P, MEMENT40D, MEMENT40P, MEVT20D, MEVT20P, MEVT40D, MEVT40P			

1

No.	415966	Ref. No.	1037300200 1037300400 4330700 MA1037300200 MA4330700
description	heating element 2500W 230V heating circuits 1 ID ø 176mm ED ø 188mm L 210mm H 28mm L1 22mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, FOE60M, OFOE60M, SNA12, SNA16, SNA20, SNAC12, SNAC16, SNAC20, SNG08, SNG12, SNG16, SNG20, SVAC16, SVAC20, SVCG08, SVCG12, SVCG16, SVCG20, SVCG8		
accessories for	415966		
			
No.	510368	Ref. No.	—
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

1

No.	415251	Ref. No.	65010200 7800400 LA65010200 LAR65010200 MA7800400
description	heating element 2500W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 242mm H 35mm L1 46mm W1 31mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm horizontal tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	AC, AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, AU04, AU05, AU08, AU10, AU20, EAR612PA, EAR612PP, EAR612PS, EAR613PA, EAR613PP, EAR613PS, EAR614PA, EAR614PP, EAR614PS, EAR615PA, EAR615PP, EAR615PS, EAR616PA, EAR616PP, EAR616PS, EAR617PA, EAR617PP...(Other models you can see in the webshop)		
spare parts for	415251		
	No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
1			
No.	415845	Ref. No.	R65010320
description	heating element 3150W 230V heating circuits 3 ID ø 201mm ED ø 215mm L 272mm H 35mm L1 57mm W1 60mm H1 8mm H2 27mm flange length 95mm flange width 22mm hole distance 77mm connection male faston 6.3mm connection length 20mm tube ø 6.5mm convection heating element hole ø 6mm rectangular flange		
For models:	CVE004H, CVE004M, MACE04M, MVE042P, VE004M, VE004X		

			
1			
No.	415855	Ref. No.	R65010450
description	heating element 3900W 230V heating circuits 3 ID ø 176mm ED ø 244mm L 282mm H 43mm L1 38mm W1 61mm H1 13mm H2 30mm flange length 92mm flange width 22mm hole distance 78mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 6.3mm rectangular flange		
For models:	CVE104H, CVE104M, VE104M, VE104X		

			
1			
No.	418196	Ref. No.	R65011530
description	heating element 6000W 230V heating circuits 3 ID ø 215mm ED ø 228mm L 266mm H 78mm L1 38mm W1 102mm H1 10mm H2 68mm flange length 142mm flange width 25mm hole distance 57mm connection M4 connection length 66mm tube ø 6.3mm convection heating element hole ø 6mm rectangular flange		
For models:	MACE05M, MVE051P		

			
1			
No.	415871	Ref. No.	R65011520
description	heating element 6000W 230V heating circuits 3 ID ø 217mm ED ø 230mm L 267mm H 75mm L1 38mm W1 103mm H1 65mm H2 10mm flange length 140mm flange width 23mm hole distance 67mm connection M4 connection length 25mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
For models:	CVE105H, CVE105M, MVE042P, VE105M, VE105X		



1

No.	415993	Ref. No.	R65010680
description	heating element 7200W 230V heating circuits 3 ID ø 215mm ED ø 230mm L 270mm H 78mm L1 30mm W1 102mm H1 10mm H2 68mm flange length 140mm flange width 22mm hole distance 63mm connection M4 connection length 65mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	FE105M, FE105X, PE040M, PE040X		



1

No.	415829	Ref. No.	R65011540
description	heating element 7500W 230V heating circuits 3 ID ø 248mm ED ø 260mm L 287mm H 88mm L1 20mm W1 105mm H1 23mm H2 65mm flange length 142mm flange width 25mm hole distance 64mm connection M4 connection length 78mm convection heating element hole ø 5mm rectangular flange		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, MACE07M, ME061D, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, VE106M, VE106P, VE106X		
accessories for	415829		
	No.	531270	Ref. No. —
gasket L 141mm W 22mm D1 ø 10mm D2 ø 9mm 9 holes graphite thickness 1mm suitable for UNOX			



1

No.	415827	Ref. No.	R65011210
description	heating element 9000W 230V heating circuits 3 ID ø 508mm ED ø 526mm L 550mm H 122mm L1 24mm W1 105mm H1 26mm H2 96mm flange length 140mm flange width 25mm hole distance 126mm connection M4 connection length 68mm tube ø 9mm convection heating element hole ø 6.3mm rectangular flange		
For models:	ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, VE210M, VE210P, VE210X, VE220M, VE220P, VE220X		



1

No.	415737	Ref. No.	R65010180
description	heating element 2500W 230V heating circuits 1 L 655mm W 120mm L1 30mm L2 625mm W2 90mm flange length 70mm flange width 22mm hole distance 56mm connection length 100mm connection M4 tube ø 6.3mm hole ø 5.5mm W1 30mm rectangular flange convection heating element windings 2		
For models:	FE110M, FE110X, PE080M, PE080X		



1

No.	415998	Ref. No.	5152100 MA5152100
description	heating element 3000W 400V heating circuits 1 L 513mm W 120mm L1 33mm L2 480mm W2 100mm flange length 50mm flange width 26mm connection M4 tube ø 8.5mm hole ø 6mm W1 20mm compression flange convection heating element		
For models:	CON10E, CON10EP, CON201E, CON201EP, CSM102E, CSM102EP, CSM10E, CSM10EP, CSM201E, CSM201EP		



1

No.	415736	Ref. No.	R65010390
description	heating element 3500W 230V heating circuits 1 L 655mm W 125mm L1 30mm L2 625mm W2 88mm flange length 70mm flange width 22mm hole distance 56mm connection length 97mm connection M4 tube ø 6.25mm hole ø 5mm W1 30mm rectangular flange convection heating element windings 2 mounting distance 58mm		
For models:	FE210M		

radiation heaters



1

No.	416963	Ref. No.	1037308900 1037308913 CR0419950 MA1037308913
description	radiation heater octagonal 2400W 230V L 230mm W 230mm heating circuits 1 with heating coil energy regulation with temperature signalization connections 2+2 connection type cable AD		
For models:	CFVE60, CT78EC, CT7FE8EC, PCVE40, PCVE40D, PCVE40DB, PCVE60, PCVE60D, PCVE60DB, V74EC, V76EC		


			
1			
No.	490200	Ref. No.	CR0509610
description	radiation heater octagonal 3400W 230V L 300mm W 300mm heating circuits 2 H 30mm with heating coil energy regulation with temperature signalization connections 2+2 connection type cable cable length 800mm AD		
For models:	CT98EC, CT9FE8EC		

			
1			
No.	490079	Ref. No.	CR0509620
description	radiation heater octagonal 3400W 230V L 300mm W 300mm heating circuits 2 H 30mm with heating coil energy regulation with temperature signalization connections 4+2 connection type cable AD		
For models:	V94E, V98E		
spare parts for	490079		
	No.	390931	Ref. No.
	—		
	safety thermostat for radiation heater		

			
1			
No.	490153	Ref. No.	CM189500 MACM189500
description	radiation heater octagonal 3400W 230V L 300mm W 300mm heating circuits 2 H 30mm with heating coil energy regulation with temperature signalization connections 4+2 connection type cable cable length 900mm AD		
For models:	CT98EC, CT9FE8EC, V94E, V98E		

square

			
1			
No.	490202	Ref. No.	CR0735680
description	radiation heater L 300mm W 300mm 4000W 400V H 40mm connection type screw with pan detection		

			
1			
No.	490195	Ref. No.	CR0688660
description	radiation heater L 300mm W 300mm 4000W 400V heating circuits 2 H 40mm connection type screw without pan detection EGO		
For models:	NCT98E, NCT98E2, NCT9FE8E, NCT9FE8E2, NV94E, NV98E, NV9FE8E		

			
1			
No.	418029	Ref. No.	1037311013 MA1037311013
description	radiation heater rectangular 1500W 230V L 450mm W 190mm heating circuits 1 connections 2 IRCA		
For models:	FTVE100, FTVE40, FTVE40D, FTVE60, FTVE60D		

			
1			
No.	418030	Ref. No.	1037311213 MA1037311213
description	radiation heater rectangular 2500W 230V L 450mm W 295mm heating circuits 1 connections 2 IRCA		
For models:	FTVE100, FTVE40, FTVE40D, FTVE60, FTVE60D		

1-circuit

			
1			
No.	490116	Ref. No.	1037309600 1037309613 MA1037309613
description	radiation heater ø 165mm 1200W 230V heating circuits 1 H 33mm 7-position control with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		
For models:	CFVE60, PCVE40, PCVE40D, PCVE40DB, PCVE60, PCVE60D, PCVE60DB, V74EC, V76EC		



1

No.	490113	Ref. No.	1037309000 1037309013
description	radiation heater ø 200mm 1800W 230V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm CERAMASPEED		
For models:	CFVE60, PCVE40, PCVE40D, PCVE40DB, PCVE60, PCVE60D, PCVE60DB, V74EC, V76EC		



1

No.	490150	Ref. No.	CR0791310
description	radiation heater ø 250mm 2500W 230V heating circuits 1 energy regulation with temperature signalization with heating coil connections 2+2 connection type male faston 6.3mm EGO		
For models:	NCT78E, NCT7FE8E, NV74EC, NV78EC, NV7FE8E		

2-circuit



1

No.	490139	Ref. No.	CR0511560
description	radiation heater ø 250mm 2500W 230V heating circuits 2 energy regulation with temperature signalization partial power 1000W with ribbon heater connections 3+2 connection type male faston 6.3mm EGO		
For models:	CFVE60, PCVE40, PCVE40D, PCVE40DB, PCVE60, PCVE60D, PCVE60DB, V74EC, V76EC		

foil heating elements



1

No.	420439	Ref. No.	4330600 MA4330600
description	foil heating element L 460mm W 270mm 700W 220V t.max. 150°C thickness 1.5mm		
For models:	SNA12, SNA16, SNA20, SNAC12, SNAC16, SNAC20, SNG08, SNG12, SNG16, SNG20, SVAC16, SVAC20, SVCG08, SVCG12, SVCG16, SVCG20, SVCG8		



1

No.	417701	Ref. No.	BN1666273
description	heater mat L 430mm W 120mm 30W 230V cable length 1200mm connection male faston 6.3mm		

accessories

hexagonal nuts



1

No.	540436	Ref. No.	1033514900 MA1033514900
description	hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs		
For models:	C74GS, C78GS, C79G, C7FE12GS, C7FE8GS, C7FG12GS, C7FG8GS, C7FG9G, CFGE61, CFGE61D, CFGE61L, CFGE61P, CP704E, CP92E, CP92E2, CP94E, CP94E2, CP9SB2E, CP9SB2E2, CP9SB4E, CP9SB4E2, CPE40, CPE402, CPE60, CPE602, CPE60DB, DE92142, DE94242, EC74GVG, EC78GVG, EC7FG8G, EPC74E, OCFGE61, OCPE6, OCPE60, OPCG41, OPCG61, PC12C4E, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC9S4E, PC9S6E, PC9S8E, PCG41, PCG41L...(Other models you can see in the webshop)		



1

No.	514022	Ref. No.	1032300100 14044599 MA14044599
description	nut thread 1½" H 12mm SS WS 59 Qty 1 pcs		
For models:	CP704E, CP92E, CP92E2, CP94E, CP94E2, CP9SB2E, CP9SB2E2, CP9SB4E, CP9SB4E2, CPE40, CPE402, CPE60, CPE602, CPE60DB, DE92142, DE94242, EPC74E, OCPE6, OCPE60, PC12C4E, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC9S4E, PC9S6E, PC9S8E		



1

No.	521133	Ref. No.	1325313 MA1325313
description	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BM74G, BM77G, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C78G, C7FE12G, C7FE8G, C7FG12G, C7FG8G, C7FGM12G, C912G, C912GS, C94G, C94GP, C94GS, C98G, C98GP, C98GS, C9F4E, C9F4GS, C9F6E, C9F6GS, C9F8GS, C9FE12G, C9FE12GS, C9FE4GS, C9FE6GS, C9FE8G, C9FE8GS, C9FEP4GS, C9FEP6GS, C9FEP8GS, C9FG12G...(Other models you can see in the webshop)		

washers

			
1			
No.	560112	Ref. No.	15830499 MA15830499
description	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
For models:	BR707E, BR707EI, BR707G, BR707GI, BR94E, BR94EI, BR94G, BR94GI, BR96E, BR96EI, BR96G, BR96GI, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, BR9SB4E, BR9SB4EI, BR9SB4G, BR9SB4GI, EPC74E, EPC74G, PC12C4E, PC12C4G, PC12C9E, PC12C9G, PC74E, PC74G, PC76E, PC76G, PC78E, PC78G, PC94E, PC94G, PC96E, PC96G, PC98E, PC98G, PD707G, PI707E, PI707G, SER15, SER15A, SER18, SER18A, SER21		

ring nuts


			
1			
No.	550662	Ref. No.	CM021600 MACM021600
description	ring nut thread M54x1.5 H 7mm		
For models:	EF74E10VG, EF74E12, F12C4E12, F74E10, F74E12, F74E6, F76E10, F78E12, F94E10, F94E12, F94E18, F94E18K, F94E6, F96E10, F98E12, F98E18, F98E18K, F9S4E18K, F9S8E18K, FQE41R, FQE41RL, FQE41RL2, FQE61R, FQE61RL, NF74E10, NF74E15, NF76E10, NF78E15, NF94E10, NF94E15, NF94E22, NF94E222, NF94E22K, NF94E22K, NF96E10, NF98E15, NF98E22, NF98E222, NF98E22K, NF98E22K, NPC74E, NPC76E, NPC78E, NPC94E, NPC96E, NPC98E		
accessories for	550662		
	No.	550449	Ref. No.
	special wrench for ring nut		

sealing washers

fibre gaskets

			
1			
No.	510404	Ref. No.	CR0682770
description	flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs		
For models:	NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A		


PTFE gaskets


			
1			
No.	514016	Ref. No.	1036500400 1814500 MA1814500
description	flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable for MARENO		
For models:	CP704E, CP92E, CP92E2, CP94E, CP94E2, CP9SB2E, CP9SB2E2, CP9SB4E, CP9SB4E2, CPE40, CPE402, CPE60, CPE602, CPE60DB, DE92142, DE94242, EPC74E, OCPE6, OCPE60, PC12C4E, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC9S4E, PC9S6E, PC9S8E		


O-rings


			
1			
No.	510893	Ref. No.	200810
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		


			
1			
No.	510901	Ref. No.	200843
description	O-ring EPDM thickness 2mm ID ø 13mm Qty 1 pcs		

			
No.	510408	Ref. No.	200820 BN0118462630
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		


			
No.	550496	Ref. No.	CM099200 MACM099200
description	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs		
For models:	EF74E10VG, EF74E12, F12C4E12, F74E10, F74E12, F74E6, F76E10, F78E12, F94E10, F94E12, F94E18, F94E18K, F94E6, F96E10, F98E12, F98E18, F98E18K, F9S4E12, F9S4E18, F9S4E18K, F9S8E12, F9S8E18, F9S8E18K, FQE41R, FQE41RL, FQE41RL2, FQE61R, FQE61RL, NF74E10, NF74E15, NF76E10, NF78E15, NF94E10, NF94E15, NF94E22, NF94E222, NF94E222K, NF94E22K, NF96E10, NF98E15, NF98E22, NF98E222, NF98E222K, NF98E22K, NPC74E, NPC76E, NPC78E, NPC94E, NPC96E, NPC98E		

			
No.	510409	Ref. No.	1036504200 LA70045010 LAR70045010
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MLC50, MLC503, MLC65, MLC653, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		

			
No.	521116	Ref. No.	1422200 MA1422200
description	O-ring Viton thickness 3.53mm ID ø 78.97mm Qty 1 pcs		
For models:	P9D10E, P9D15E, P9DA10E, P9DA15E, P9I10E, P9I15E, P9IA10E, P9IA15E		

			
No.	514017	Ref. No.	0105246 1036500200 1814400 MA1814400 R0105246 SIR0105246
description	O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	CP704E, CP92E, CP92E2, CP94E, CP94E2, CP9S82E, CP9S82E2, CP9S-B4E, CP9S84E2, CPE40, CPE402, CPE60, CPE602, CPE60DB, DE92142, DE94242, EPC74E, OCPE6, OCPE60, PC12C4E, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC9S4E, PC9S6E, PC9S8E		

capillary tube clips			
			
No.	550970	Ref. No.	1033709500 MA1033709500
description	capillary tube clip for pipe ø 8.5mm		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, FR92E10, FR92E10L, FR92E10L2, FR94E10, FR94E10L, FR94E10L2, OFQE41, OFQE61		

			
No.	514021	Ref. No.	1036500300 1814700 MA1814700
description	O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs		
For models:	CP704E, CP92E, CP92E2, CP94E, CP94E2, CP9S82E, CP9S82E2, CP9S-B4E, CP9S84E2, CPE40, CPE402, CPE60, CPE602, CPE60DB, EPC74E, OCPE6, OCPE60, PC12C4E, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC9S4E, PC9S6E, PC9S8E		

spring clips			
			
No.	550419	Ref. No.	1567200 MA1567200
description	probe clip for pipe ø 8.5mm for probe ø 6mm Qty 1 pcs		
For models:	FR74E, FR74E2, FR77E, FR77E2, FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E13, FR94E132, FR94E13T, FR94E13T2, FR94E22, FR94E22T		

			
1			
No.	550417	Ref. No.	1033515200 MA1033515200
description	probe clip for pipe ø 2x8.5mm for probe ø 6mm for heating elements spacing 15-19mm Qty 1 pcs		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, FR92E10, FR92E10L, FR92E10L2, FR94E10, FR94E10L, FR94E10L2, OFQE41, OFQE61		

			
1			
No.	691354	Ref. No.	1041304334 MA1041304334
description	lever for tilting element		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, OFQE41, OFQE61		

protection caps

			
1			
No.	510490	Ref. No.	161102
description	protection cap for heating element ø 62mm H 54mm mounting distance 70mm		

			
1			
No.	514018	Ref. No.	1033703500 1814600 MA1814600
description	bush		
For models:	CP704E, CP92E, CP92E2, CP94E, CP94E2, CP9SB2E, CP9SB2E2, CP9SB4E, CP9SB4E2, CPE40, CPE402, CPE60, CPE602, CPE60DB, DE92142, DE94242, EPC74E, OCPE6, OCPE60, PC12C4E, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC9S4E, PC9S6E, PC9S8E		

			
1			
No.	514020	Ref. No.	1036500100 1815000 1815014 MA1815014
description	bush		
For models:	CP704E, CP92E, CP92E2, CP94E, CP94E2, CP9SB2E, CP9SB2E2, CP9SB4E, CP9SB4E2, CPE40, CPE402, CPE60, CPE602, CPE60DB, DE92142, DE94242, EPC74E, OCPE6, OCPE60, PC12C4E, PC12C9E, PC74E, PC76E, PC78E, PC94E, PC96E, PC98E, PC9S4E, PC9S6E, PC9S8E		

			
1			
No.	691335	Ref. No.	1033715314 MA1033715314
description	lever for tilting element		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, OFQE41, OFQE61		

hot plates

square & rectangular

with radiused edge

			
1			
No.	490066 ¹	Ref. No.	1712913 CR1078117R MA1712913
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	C7011EFE, C7011EFEQ, C707EFE, C707EFEQ, C74EC, C78EC, C78EQC, C7FE8E, C7FE8EC, C7FE8EQ, C94E, C94EC, C98E, C98EC, C9FE8E, C9FE8EC, NC74E2, NC74EQC, NC78E2, NC78EQC, NC7FE8E2, NC7FE8EQ		

¹incl. protector

			
1			
No.	490056 ¹	Ref. No.	1340800 1937100 MA1340800 MA1937100
description	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	C9F4E, C9F6E, C9V2E, C9V4E		

¹incl. protector



1

No.	490073	Ref. No.	1937200 MA1937200
description	hot plate dimensions 300x300mm 3000W 400V with spill ring connection 4 screw clamps protector no square		
For models:	C9F4E, C9F6E, C9V2E, C9V4E		



1

No.	490071 ¹	Ref. No.	1340900 1937300 MA1937300 MA1937300R
description	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	C74EC, C78EC, C78EQC, C7FE8E, C7FE8EC, C7FE8EQ, C7FG12G, C7FG8G, C94E, C94EC, C98E, C98EC, C9F4E, C9F6E, C9FE8E, C9FE8EC, C9V2E, C9V4E, NC94E, NC94E2, NC98E, NC98E2, NC9FE8E, NC9FE8E2		

¹incl. protector




1

No.	490074 ¹	Ref. No.	1937400 MA1937400
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		
For models:	C74EC, C78EC, C78EQC, C7FE8E, C7FE8EC, C7FE8EQ, C7FG12G, C7FG8G, C94E, C94EC, C98E, C98EC, C9F4E, C9F6E, C9FE8E, C9FE8EC, C9V2E, C9V4E, NC94E, NC94E2, NC98E, NC98E2, NC9FE8E, NC9FE8E2		


¹incl. protector

tiltable



1

No.	490088	Ref. No.	279111
description	hot plate dimensions 300x300mm 2500W 400V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		



1

No.	490089	Ref. No.	783700 MA783700
description	hot plate dimensions 300x300mm 4000W 230V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		

round

with radiused edge

for domestic and commercial kitchens



1

No.	490014	Ref. No.	1037040900 1037044000 1641600
description	hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring		



1

No.	490129	Ref. No.	1839813 MA1839813
description	hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring		
For models:	C7011E, C7011EFE, C7011GFE, C704E, C707E, C707EFE, C707GFE, CFE60, CFE60P, CFE70, EC74EVG, EC78EVG, EC7FE8E, OCFE60, OPCE40, OPCE60, PCE40, PCE40D, PCE40DB, PCE60, PCE60D, PCE60DB		

			
No.	490016	Ref. No.	CM059900 MACM059900
description	hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	C74EC, C78EC, C78EQC, C7FE8E, C7FE8EC, C7FE8EQ, C7FG12G, C7FG8G, C94E, C94EC, C98E, C98EC, C9FE8E, C9FE8EC		


			
No.	490018	Ref. No.	1037043900 1037079100 1641500
description	hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring		

			
No.	490130	Ref. No.	1647013 MA1647013
description	hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	C7011E, C7011EFE, C7011GFE, C704E, C707E, C707EFE, C707GFE, CFE60, CFE60P, OCFE60, PCE100, PCE40, PCE40M, PCE60		

			
No.	490020	Ref. No.	1832313 MA1832313
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring		
For models:	C7011E, C7011EFE, C7011GFE, C704E, C707E, C707EFE, C707GFE, C74EC, C78EC, C78EQC, C7FE8E, C7FE8EC, C7FE8EQ, C7FG12G, C7FG8G, C94E, C94EC, C98E, C98EC, C9FE8E, C9FE8EC, CFE60, CFE60P, CFE70, EC74EVG, EC78EVG, EC7FE8E, NC74E2, NC74EC, NC78E2, NC78EC, NC7FE8E, NC7FE8E2, OCFE60, OPCE40, OPCE60, PCE40, PCE40D, PCE40DB, PCE60, PCE60D, PCE60DB		
accessories for	490020		
	No.	550796	Ref. No. —
 fixing plate for hot plate ø220mm			

with cast brim

with screw connection

			
No.	490106	Ref. No.	779111
description	hot plate ø 400mm 5000W 400V connection 2x 3 screw clamps with cast edge screw bolt H 42mm		
For models:	FP1E		

energy regulators

EGO

1-circuit

			
No.	380015	Ref. No.	1037035310 1037110113 426710 MA1037110113
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	CFVE60, CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CP704E, CP92E, CP92E2, CP94E, CP94E2, CP95B2E, CP95B2E2, CP95B4E, CP95B4E2, CPE60, CRE6220, CRE6230, CRE6320, CRE6330, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CWE42, CWE62, FC10E, FC10G, FC20E...(Other models you can see in the webshop)		

2-circuit

			
No.	380024	Ref. No.	1037108713 MA1037108713
description	energy regulator 240V 13A turn direction right shaft ø 6x4.6mm shaft L 36mm mounting thread M4 no. 50.67079.601 with operation switch 1-pole		
For models:	CFVE60, PCVE40, PCVE40D, PCVE40DB, PCVE60, PCVE60D, PCVE60DB, V74EC, V76EC, V94E, V98E		

E-G-O



1

No.	380027	Ref. No.	CM189600 CM293900 MACM189600 MACM293900
description	energy regulator EGO 230V 13A dual circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-70% no. 50.55021.100		
For models:	CFVE60, CP704E, CP92E, CP92E2, CP94E, CP94E2, CPE60, CPE602, CPE60DB, DE92142, DE94242, EPC74E, ERA10, ERA12, ERA14, ERA16, ERA18, ERA20, ERA210, ERA212, ERA214, ERA216, ERA218, ERA220, FTVE100, FTVE40, FTVE40D, FTVE60, FTVE60D, NPC74E, NPC74G, NPC76E, NPC76G, NPC78E, NPC78G, NPC94E, NPC94G, NPC96E, NPC96G, NPC98E, NPC98G, NPD76G5, NPD78G8, NPD96G5, NPD98E10, NPD98E15, NPD98G10, NPD98G15, NPD98G15A, NPI76E5...(Other models you can see in the webshop)		

thermostats

bi-metal thermostats

bi-metal thermostats



1

No.	390293	Ref. No.	2430400 2578300 MA2578300
description	bi-metal thermostat 1NO 1-pole probe L 21mm probe ø 21mm		



1

No.	390025	Ref. No.	120524
description	bi-metal thermostat hole distance 40mm switch-off temp. 55/42°C NC/NO 2-pole 16A 250V connection F6.3 2 hole fixing		
accessories for	390025		
	No.	512154	Ref. No. 200494
gasket for thermostat ID ø 20mm equiv. no. 200494/H200494 hole distance 41mm suitable for COMENDA, HOONVED			



1

No.	390232	Ref. No.	1037304000
description	bi-metal thermostat switch-off temp. 55°C 1-pole		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLC50, MLC503, MLC65, MLC653, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		

control and safety thermostats

EGO

control thermostats

55.10/19_ series

E-G-O



1

No.	390265	Ref. No.	4644600 MA4644600
description	thermostat t.max. 100°C temperature range fixed 100°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 3000mm capillary pipe isolatedmm gland nut		
For models:	F140DF, F140DI, F140DN, F140DP, F14DFG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG		

E-G-O



1

No.	375548	Ref. No.	CR0682740
description	thermostat t.max. 142°C temperature range fixed 142°C 1-pole 1CO 16A probe ø 4mm probe L 157mm capillary pipe 870mm capillary pipe isolated 870mm gland nut shaft ø 6x4.6mm shaft Lmm shaft position		
For models:	NPD78G8, NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A		



			
No.	375198	Ref. No.	1568600 1873500 1981900 MA1568600 MA1873500 MA1981900
description	thermostat t.max. 190°C temperature range 100-190°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 3000mm capillary pipe isolated 2650mm gland nut M9x1 shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	F74E10, F74E12, F76E10, F78E12, F94E10, F94E12, F94E18, F94E18K, F96E10, F98E12, F98E18, F98E18K, F9S4E12, F9S4E18, F9S4E18K, F9S8E12, F9S8E18, F9S8E18K, FQE40, FQE40D, FQE40DSP, FQE41, FQE41L, FQE41L2, FQE60, FQE60D, FQE60DSP, FQE61, FQE61L, FQE61L2, FR74E, FR74E10, FR74E10L, FR74E10L2, FR74E2, FR77E, FR77E10, FR77E10L, FR77E10L2, FR77E2, FR92E10, FR92E10L, FR92E10L2, FR92E13, FR92E132, FR92E22, FR94E10, FR94E10L, FR94E10L2, FR94E13...(Other models you can see in the webshop)		

			
No.	390046	Ref. No.	1037035800 1450200 1450900 1450914 MA1037035800 MA1450200
description	thermostat t.max. 190°C temperature range 104-190°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position lower rotation 270° probe material SS		
For models:	FQE4, FQE6, FQE6+6, FR74E, FR74E10, FR77E, FR77E10, FR92E10, FR92E13, FR92E22, FR92G22, FR94E10, FR94E13, FR94E22, FR94G22, FR94G23, FR9P2E10, FR9P4E10, P9D10E, P9D15E, P9DA10E, P9DA15E, P9I10E, P9I10G, P9I15E, P9I5E, P9IA10E, P9IA10G, P9IA15E		

			
No.	375201	Ref. No.	2992900 MA2992900
description	thermostat t.max. 270°C temperature range 50-270°C 1-pole 1CO 16A probe ø 3mm probe L 219mm capillary pipe 3000mm capillary pipe isolated 2500mm gland nut M10x1 shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

			
No.	375216	Ref. No.	LA65070210 LAR65070210
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 228mm capillary pipe 1300mm capillary pipe isolated 1150mm gland nut shaft L 23mm shaft position upper rotation 318°		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME106M, ME106X, ME110M...(Other models you can see in the webshop)		


			
No.	375322	Ref. No.	1037103500 MA1037103500
description	thermostat t.max. 295°C temperature range fixed 295°C 1-pole 1NO 15A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut		
For models:	SPE60M, SPW60M		

E-G-O




No.	375184	Ref. No.	1037102300 MA1037102300
description	thermostat t.max. 298°C temperature range 55-294°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 350mm gland nut shaft L 23mm shaft position upper probe material SS		
For models:	BR707E, BR707EI, BR78EF, BR78EI, BR912EFM, BR912EIM, BR912GFM, BR912GIM, BR94E, BR94EI, BR94G, BR94GI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, BR9S8EF, BR9S8EI, BR9S8GF, BR9S8GI, BR9SB4E, BR9SB4EI, BR9SB4G, BR9SB4GI, CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, FOE60M, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS... (Other models you can see in the webshop)		

E-G-O



No.	375667	Ref. No.	R65070360
description	thermostat t.max. 300°C temperature range 68-300°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		

E-G-O



No.	375884	Ref. No.	CM293800 CM293801 MACM293801	
description	thermostat t.max. 400°C temperature range 65-400°C 1-pole 1NO probe ø 3.9mm probe L 163mm capillary pipe 870mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°			
For models:	CT78EC, CT7FE8EC, CT98EC, CT9FE8EC			
accessories for	375884			
	No.	112172	Ref. No.	—
knob universal ø 70mm black without adaptor/dial plate				
	No.	112311	Ref. No.	—
knob adapter shaft ø 6x4.6mm L 0mm with				

accessories for 375884



No.	112405	Ref. No.	—
knob dial plate silver thermostat t.max. 350°C 100-350°C rotation 270° ED ø 63mm ID ø 45.5mm			

E-G-O




No.	375945	Ref. No.	CR0734520
description	thermostat t.max. 470°C temperature range 90-470°C 1-pole 1NO 16A probe ø 3.9mm probe L 163mm capillary pipe 870mm capillary pipe isolated 600mm shaft ø 4.5x6mm shaft L 23mm shaft position upper rotation 270°		
For models:	NCT78E, NCT7FE8E, NCT98E, NCT98E2, NCT9FE8E, NCT9FE8E2		

E-G-O



No.	375219	Ref. No.	R65070100	
description	thermostat t.max. 55°C temperature range fixed 55°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 850mm gland nut shaft Lmm shaft position probe material SS			
For models:	EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M, MG106M, MG106X, MG110M, MG110X, MG120M, MG120X, MG201M, MG202M, MG210M, MG210X, MG220M, MG220X, MGC20X			
accessories for	375219			
	No.	550148	Ref. No.	—
gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone				

 			
No.	375215	Ref. No.	R65070165
description	thermostat t.max. 65°C temperature range fixed 65°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm shaft position		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M...(Other models you can see in the webshop)		

 			
No.	375217	Ref. No.	R65070240
description	thermostat t.max. 70°C temperature range fixed 70°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm shaft position probe material SS		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M...(Other models you can see in the webshop)		

 			
No.	375211	Ref. No.	1037314600
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	MLC50, MLC503, MLC65, MLC653, MLS35, MLS353		

 			
No.	390040	Ref. No.	7800300 MA7800300
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 2040mm capillary pipe isolated 1940mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, EAR612PA, EAR612PP, EAR612PS, EAR613PA, EAR613PP, EAR613PS, EAR614PA, EAR614PP, EAR614PS, EAR615PA, EAR615PP, EAR615PS, EAR616PA, EAR616PP, EAR616PS, EAR617PA, EAR617PP, EAR617PS, EAR618PA, EAR618PP, EAR618PS, EAR619PA, EAR619PP...(Other models you can see in the webshop)		

55.13_series

 			
No.	375505	Ref. No.	643800 MA643800
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	BR94E, BR94EI, BR94G, BR94GI, BR96G, BR96GI, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, BR9SB4E, BR9SB4EI		

55.14_ series



No.	375874	Ref. No.	1037117700 MA1037117700
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolated 800mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position 180° shaft position rotation 270°		
For models:	BME40DM, BME40DMB, BME40M, BME60DM, BME60DMB, BME60M, BME80M, BSEI40M, CSP6220, CSP6230, NSP74E, NSP94E, OBSEI40M, SP74E, SP94E		

55.34_ series




No.	375188	Ref. No.	CR0500540
description	thermostat t.max. 110°C temperature range 30-110°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 1160mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310°		




No.	375385	Ref. No.	8219601 BN8219601
description	thermostat t.max. 180°C temperature range 100-180°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 2000mm capillary pipe isolated 1800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



No.	375410	Ref. No.	1037101400 1616000 MA1037101400
description	thermostat t.max. 180°C temperature range 95-180°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 1780mm capillary pipe isolated 1400mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	PI707E		



No.	390135	Ref. No.	426011
description	thermostat t.max. 220°C temperature range 90-220°C 3-pole capillary pipe isolatedmm gland nut		



No.	375559	Ref. No.	CR0686120
description	thermostat t.max. 230°C temperature range 95-230°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 1250mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	NG74E, NG74E2, NG78E, NG78E2, NG912E, NG912E2, NG94E, NG94E2, NG98E, NG98E2		

			
No.	375183	Ref. No.	1037100600 MA1037100600
description	thermostat t.max. 298°C temperature range 50-298°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40C, FTE60B, FTE60BR, FTE60C		

			
No.	375192	Ref. No.	1309100 1309115 MA1309115
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	BF78E, BF98E, BIE40, BIE40B, BIE60, BIE60B, BR707E, BR707EI, BR94E, BR94EI, BR96E, BR96EI, BR9M4E, BR9M4EI, BR9M6E, BR9M6EI, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, C12FEP9G, C7011EFE, C7011EFEQ, C707EFE, C707EFEQ, C7FE12G, C7FE8E, C7FE8EC, C7FE8G, C9F4E, C9F6E, C9FE12G, C9FE6GS, C9FE8E, C9FE8EC, C9FE8G, C9V2E, C9V4E, CFE70, CWE42, CWE422, CWE62, CWE622, EC74EVG, EC78EVG, EC7FE8E, EFT74ELVG, EFT74ERVG... (Other models you can see in the webshop)		

			
No.	390020	Ref. No.	425900
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole capillary pipe isolatedmm gland nut		

			
No.	375412	Ref. No.	1037035200 1732000 BN6A044600 MA1037035200 MA1732000 No More Available
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	BIE40, BIE60, BRE40, BRE40G, FT74E, FT74ER, FT74ERL, FT77E, FT77EC, FT77ERL, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40C, FTE60B, FTE60BR, FTE60C		

			
No.	375944	Ref. No.	CR0582770
description	thermostat t.max. 350°C temperature range 100-350°C 3-pole 3NOA probe ø 3mm probe L 147mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 26mm shaft position upper rotation 270° probe material SS		
For models:	NFT74EL, NFT74ELC, NFT74ELCO, NFT74ELO, NFT74ER, NFT74ERC, NFT76EL, NFT76ELC, NFT76EM, NFT76EMC, NFT76ER, NFT78EL, NFT78ELC, NFT78ELCO, NFT78ELO, NFT78EM, NFT78EMC, NFT78ER, NFT78ERC, NFT94EL, NFT94ELC, NFT94ELO, NFT94ER, NFT96EL, NFT96ELC, NFT96EM, NFT96EMC, NFT98EL, NFT98ELC, NFT98ELO, NFT98EM, NFT98EMC		

			
No.	375092	Ref. No.	1037035000
description	thermostat t.max. 90°C temperature range 30-90°C 3-pole capillary pipe isolatedmm gland nut		
For models:	BME40M, BME60, BME60M, BME80M, BSE40M		

E·G·O



No.	375210	Ref. No.	1037304900
description	thermostat t.max. 90°C temperature range 38-90°C 3-pole 3CO 16A probe ø 6mm probe L 215mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm rotation 270°		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MPLS30P		

E·G·O




No.	375411	Ref. No.	1037035015 1230200 MA1037035015 MA1230200
description	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3NO 16A probe ø 6mm probe L 129mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	B124E, B74E, B78E, B94E, B98E, BM74E, BM77E, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BSE40M, NB74E, NB78E, NB94E, NB98E, SNA12, SNA16, SNA20, SNAC12, SNAC16, SNAC20, SNG08, SNG12, SNG16, SNG20, SVAC16, SVAC20, SVCG08, SVCG12, SVCG16, SVCG20, SVCG8, TP13E, TP17E, TP213E, TP217E, TP21E, TP221E		

safety thermostats


55.10/19_ series

E·G·O



No.	390061	Ref. No.	732913 BN6A049401 MA732913
description	safety thermostat switch-off temp. 220°C 1-pole 0.5A probe ø 6mm probe L 140mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe M9x1		
For models:	FR74E, FR74E10, FR74G, FR77E, FR77E10, FR77G, FR92E10, FR92E13, FR92E22, FR92G22, FR94E10, FR94E13, FR94E22, FR94G23, FR9P2E10, FR9P4E10, P9D10E, P9D15E, P9DA10E, P9DA15E, P9I10E, P9I10G, P9I15E, P9I5E, P9IA10E, P9IA10G, P9IA15E, P1707G		

E·G·O



No.	375197	Ref. No.	1568700 MA1568700
description	safety thermostat switch-off temp. 220°C 1-pole 16A probe ø 6mm probe L 142mm capillary pipe 2970mm capillary pipe isolated 2600mm gland nut probe SS		
For models:	FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E13, FR94E132, FR94E13T, FR94E13T2, FR94E22, FR94E22T		


55.31_ series

E·G·O



No.	390066	Ref. No.	893100 MA893100
description	safety thermostat switch-off temp. 220°C 3-pole 20A probe ø 14mm probe L 105mm capillary pipe 820mm capillary pipe isolated 660mm gland nut probe with half round bulb		

E·G·O



No.	375104	Ref. No.	1037035900 MA1037035900
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 167mm capillary pipe 830mm capillary pipe isolated 600mm gland nut M10x1 probe		

 			
No.	390168	Ref. No.	1878000 733100
description	safety thermostat switch-off temp. 230°C 3-pole 3NC 20A probe ø 6mm probe L 239mm capillary pipe 830mm capillary pipe isolated-mm gland nut M9x1 probe SS		
For models:	PI707E		

 			
No.	375394	Ref. No.	2613300 MA2613300
description	safety thermostat switch-off temp. 135°C 3-pole 1CO/2NC 20A probe ø 6mm probe L 73mm capillary pipe 1490mm capillary pipe isolated 1350mm gland nut M9x1 probe SS		
For models:	CS4E, CS4EP, FV4E, FV4E1		

55.32_ series

 			
No.	375947	Ref. No.	CR0585120
description	safety thermostat switch-off temp. 120°C 3-pole 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 850mm gland nut starting temperature 111°C probe		
For models:	NB74E, NB78E, NB94E, NB98E		

 			
No.	375208	Ref. No.	2865100 MA2865100
description	safety thermostat switch-off temp. 139°C 3-pole 2x20/1x0.5A probe ø 6mm probe L 77mm capillary pipe 890mm capillary pipe isolated-mm gland nut M9x1 probe SS		
For models:	CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

 			
No.	375199	Ref. No.	1878900 MA1878900
description	safety thermostat switch-off temp. 132°C 3-pole 2x20/1x0.5A probe ø 6mm probe L 77mm capillary pipe 890mm capillary pipe isolated-mm gland nut M10x1 probe SS		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, CP704E, CP92E, CP92E2, CP94E, CP94E2, CP95B2E, CP95B2E2, CP95B4E, CP95B4E2, CPE60, CPE602, CPE60DB, DE92142, DE94242, EAR612PA, EAR612PP, EAR612PS, EAR613PA, EAR613PP, EAR613PS, EAR614PA, EAR614PP, EAR614PS...(Other models you can see in the webshop)		


 			
No.	375668	Ref. No.	R65070020
description	safety thermostat switch-off temp. 140°C 3-pole 20A probe ø 6mm probe L 88mm capillary pipe 890mm capillary pipe isolated 800mm gland nut		
For models:	AC, AU04, AU05, AU08, AU10, AU20		

E·G·O



No.	375209	Ref. No.	1037305000
description	safety thermostat switch-off temp. 140°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLC50, MLC503, MLC65, MLC653, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		

E·G·O



No.	390159	Ref. No.	R65070080 R65070081
description	safety thermostat switch-off temp. 150°C 1-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 800mm gland nut probe		
For models:	EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M...(Other models you can see in the webshop)		

E·G·O




No.	375358	Ref. No.	1871100 MA1871100
description	safety thermostat switch-off temp. 230°C 2-pole 1x20/1x0.5A probe ø 6mm probe L 74mm capillary pipe 880mm capillary pipe isolated-mm gland nut M9x1 probe SS automatic		
For models:	CP9A15GD, FQG40, FQG60, FR74G, FR77G, FR92G13, FR92G22, FR92G22T, FR94G13, FR94G22, FR94G22T, MM10IG, P910E, P910G, P915E, P915G, P91A10E, P91A10G, PI707G		

E·G·O



No.	375189	Ref. No.	1982000 MA1982000
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 3000mm capillary pipe isolated 2650mm gland nut M9x1 probe SS		
For models:	FR74E, FR74E10, FR74E10L, FR74E10L2, FR74E2, FR77E, FR77E10, FR77E10L, FR77E10L2, FR77E2, FR92E10, FR92E10L, FR92E10L2, FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E10, FR94E10L, FR94E10L2, FR94E13, FR94E132, FR94E13T, FR94E13T2, FR94E22, FR94E22T		

E·G·O



No.	375445	Ref. No.	097700 CM097701 MACM097701
description	safety thermostat switch-off temp. 230°C 3-pole 2x20/1x0.5A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 700mm gland nut probe		
For models:	EF74E10VG, EF74E12, EF74G15, EF74G8VA, EF74G8VG, F12C4E12, F12C4G15, F74E10, F74E12, F74E6, F74G10, F74G15, F74G6, F76E10, F76G10, F78E12, F78G15, F94E10, F94E12, F94E18, F94E18K, F94E6, F94G10, F94G15, F94G22, F94G22K, F94G6, F96E10, F96G10, F98E12, F98E18, F98E18K, F98G15, F98G22, F98G22K, FQE41R, FQE41RL, FQE61R, FQE61RL, FQG41, FQG61, NF74E10, NF74E15, NF74G10, NF74G15, NF74G15T, NF74G8, NF76E10, NF76G10, NF76G8...(Other models you can see in the webshop)		



No.	375873	Ref. No.	1878600 MA1878600
description	safety thermostat switch-off temp. 236°C 3-pole 20A probe ø 6mm probe L 77mm capillary pipe 1190mm capillary pipe isolated 990mm gland nut starting temperature 218°C probe		
For models:	FQE40, FQE40D, FQE40DSP, FQE41, FQE41L, FQE41L2, FQE60, FQE60D, FQE60DSP, FQE61, FQE61L, FQE61L2, OFQE41, OFQE61, P915E, P1707E		
accessories for	375873		
	No.	550148	Ref. No. —
gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone			



No.	375357	Ref. No.	1942900 MA1942900
description	safety thermostat switch-off temp. 325°C 1-pole 0.5A probe ø 3mm probe L 188mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe		
For models:	FTG40B, FTG40BLC, FTG40BR, FTG60B, FTG60BLC, FTG60BR, FTG60BRR, FTG80B, FTG80BLC, FTG80BR		



No.	375206	Ref. No.	2864714 MA2864714
description	safety thermostat switch-off temp. 325°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 900mm capillary pipe isolated 700mm gland nut M10x1 probe SS		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10G, CS4E, CS4EP, CS6E, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP...(Other models you can see in the webshop)		



No.	375220	Ref. No.	R65070050
description	safety thermostat switch-off temp. 330°C 3-pole 20A probe ø 11mm probe L 18.5mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		



No.	375291	Ref. No.	R65070060
description	safety thermostat switch-off temp. 344°C 1-pole 20A probe ø 6mm probe L 79mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe		
For models:	FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, PE040M, PE040X, PE080M, PE080X, PG040M, PG040X, PG080M, PG080X		



No.	375455	Ref. No.	R65070070
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106M...(Other models you can see in the webshop)		

E.G.O



No.	375163	Ref. No.	1475513
description	safety thermostat switch-off temp. 350°C 3-pole 0.5A probe ø 6mm probe L 79mm capillary pipe 3000mm capillary pipe isolated 2800mm gland nut probe SS		
For models:	F9V4EC, F9V4ECR, FT74E, FT74ER, FT74ERL, FT77E, FT77EC		

E.G.O



No.	375684	Ref. No.	R65070350
description	safety thermostat switch-off temp. 360°C 1-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D...(Other models you can see in the webshop)		

E.G.O



No.	375187	Ref. No.	1878500 MA1878500
description	safety thermostat switch-off temp. 360°C 3-pole 3NC 2x20/1x0.5A probe ø 6mm probe L 79mm capillary pipe 890mm capillary pipe isolatedmm gland nut probe SS		
For models:	BF78E, BF98E, BIE40, BIE40B, BIE60, BIE60B, BR707E, BR707EI, BR78EF, BR78EI, BR912EFM, BR912EIM, BR912GFM, BR912GIM, BR94E, BR94EI, BR94G, BR94GI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, BR9S8EF, BR9S8EI, BR9S8GF, BR9S8GI, BR9SB4E, BR9SB4EI, BR9SB4G, BR9SB4GI, C12FEP9G, C7011EFE, C7011EFEQ, C707EFE, C707EFEQ, C7FE12G, C7FE8E, C7FE8EC...(Other models you can see in the webshop)		

56._ series

E.G.O




No.	390854	Ref. No.	CR1074320
description	safety thermostat switch-off temp. 245°C 1-pole 1NC 16A probe ø 3.1mm probe L 155mm capillary pipe 1130mm capillary pipe isolatedmm gland nut M9x1 probe		

control thermostats with operation switch

55.10/19_ series

E.G.O




No.	375875	Ref. No.	1037317300 MA1037317300
description	thermostat t.max. 180°C temperature range 53-180°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 1170mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270° outer switch 2NO		
For models:	FQE40, FQE40D, FQE40DSP, FQE41, FQE41L, FQE41L2, FQE60, FQE60D, FQE60DSP, FQE61, FQE61L, FQE61L2, OFQE41, OFQE61		

E.G.O




No.	375180	Ref. No.	CR0589660
description	thermostat t.max. 185°C temperature range 99-185°C 1-pole 1NO 0.5A probe ø 4mm probe L 235mm capillary pipe 870mm capillary pipe isolated 700mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position rotation 270° outer switch 2NO		
For models:	EF74E10VG, NF74E10, NF74E15, NF76E10, NF78E15, NF94E10, NF94E15, NF94E22, NF94E222, NF96E10, NF98E15, NF98E22, NF98E222		

E-G-O



No.	375331	Ref. No.	CM097800 MACM097800
description	thermostat t.max. 189°C temperature range 62-189°C 1-pole 1NO 0.5A probe ø 4mm probe L 116mm capillary pipe 900mm capillary pipe isolated 700mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	EF74E12, F12C4E12, F74E10, F74E12, F74E6, F76E10, F78E12, F94E10, F94E12, F94E18, F94E18K, F94E6, F94G22, F96E10, F98E12, F98E18, F98E18K, F98G22, F9S4E12, F9S4E18, F9S4E18K, F9S4G22, F9S8E12, F9S8E18, F9S8E18K, F9S8G22, FQE41R, FQE41RL, FQE41RL2, FQE61R, FQE61RL, PI76E5, PI96E5, PI98E10, PI98E15, PI98G10, PI98G14, PI98G14A, PI9S8E10		


E-G-O



No.	375946	Ref. No.	CR0581280
description	thermostat t.max. 350°C temperature range 100-350°C 1-pole 1NO 16A probe ø 3mm probe L 145mm capillary pipe 900mm capillary pipe isolated 800mm gland nut shaft ø 4.5x6mm shaft L 25mm shaft position upper rotation 275° outer switch 2NC		
For models:	NBR78EF, NBR78EI, NBR912EFM, NBR912EIM, NBR912GFM, NBR912GIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM		

55.34_ series


E-G-O




No.	375140	Ref. No.	21351299 CR0688650
description	thermostat t.max. 650°C temperature range 50°C/50-600°C/70-650°C 3-pole 3NO 16A probe ø 4mm probe L 228mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position left rotation 318° outer switch 2NO		
For models:	NV94E, NV98E, NV9FE8E, V9F4E, V9V2E, V9V4E		

IMIT / TEMPOMATIC / ARTERMO


control thermostats



No.	390014	Ref. No.	120525
description	thermostat t.max. 85°C temperature range 40-78 / 47-85°C 2-pole 2CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolated 1450mm gland nut shaft ø 6x4.6mm shaft L 15mm shaft position right rotation 270°		




No.	390006	Ref. No.	120501
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°		
accessories for	390006		
	No.	110100	Ref. No. 450315
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		
	No.	110105	Ref. No. —
	rosette knob ø 42mm ø 56mm zero mark		



No.	390022	Ref. No.	120522
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 9.5mm probe L 50mm capillary pipe 1000mm capillary pipe isolated 1000mm gland nut shaft L 19mm rotation 270°		


safety thermostats



No.	390773	Ref. No.	120519
description	safety thermostat switch-off temp. 135°C temperature range 95-135°C 1-pole 1CO 16A probe ø 5mm probe L 130mm capillary pipe 1000mm capillary pipe isolated 900mm gland nut probe		

RANCO

safety thermostats



No.	390024	Ref. No.	120523
description	safety thermostat t.max. 110°C temperature range°C 1-pole 1NC 16A probe ø 6mm probe L 50mm capillary pipe 1540mm capillary pipe isolated 160mm gland nut shaft ømm shaft Lmm shaft position rotation° probe material copper with coiled probe switch-off temp. 110°C		

refrigeration thermostats

RANCO

K22 series



No.	390261	Ref. No.	24759.12 995352 FR6639240 FR995352 MA2475912
description	thermostat RANCO type K22L2557 probe ømm probe Lmm capillary pipe 2550mm temperature range -5 up to +13°C		
For models:	AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143DNF, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN, EF70MP, EF72DNF, EF72MNF, F140DF, F140DI, F140DN, F140DP, F14DFG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG, HF140DPF, IR13C, IR13CC, IR13CV... (Other models you can see in the webshop)		

K50 series



No.	390255	Ref. No.	2523400 MA2523400
description	thermostat RANCO type K50P1115/012 capillary pipe 2000mm temperature range +1.5 up to +11°C		



No.	390292	Ref. No.	2523500 MA2523500
description	thermostat RANCO type K50P1118 probe ømm probe Lmm capillary pipe 1250mm temperature range -3 up to +2.5°C		



No.	390547	Ref. No.	MA2478500
description	thermostat RANCO type K50H2005 probe ø 10mm probe L 48mm capillary pipe 1500mm temperature range°C		

K55 series



No.	390262	Ref. No.	24756.12 MA2475612
description	thermostat RANCO type K55L5085 capillary pipe 2500mm temperature range -0.5 up to +4°C		
For models:	AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143MNI, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN, EF70MP, EF72MNF, SF100MB, SF100MC, SF100MF, SF100MI, SF100MN, SF100MP, SF110MF, SF110MI, SF110MN, SF110MP, SF50MB, SF50MC, SF50MF, SF50MI, SF50MN, SF50MP, SF55MF, SF55MI, SF55MN, SF55MP, SPAR, SPAR15, SPAR16, SPAR18... (Other models you can see in the webshop)		

			
1			
No.	390263	Ref. No.	24757.12 MA2475712
description	thermostat RANCO type K55L5086 temperature range -10 up to -2°C		
For models:	AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143MNI, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN, EF70MP, EF72MNF, SF100MB, SF100MC, SF100MF, SF100MI, SF100MN, SF100MP, SF110MF, SF110MI, SF110MN, SF110MP, SF50MB, SF50MC, SF50MF, SF50MI, SF50MN, SF50MP, SF55MF, SF55MI, SF55MN, SF55MP, SPAR, SPAR15, SPAR16, SPAR18...(Other models you can see in the webshop)		

h2>accessories

h3>probe clips

h3>spring clips

h3>for thermostat

1			
No.	550419	Ref. No.	1567200 MA1567200
description	probe clip for pipe ø 8.5mm for probe ø 6mm Qty 1 pcs		
For models:	FR74E, FR74E2, FR77E, FR77E2, FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E13, FR94E132, FR94E13T, FR94E13T2, FR94E22, FR94E22T		

h3>for safety thermostat

1			
No.	550417	Ref. No.	1033515200 MA1033515200
description	probe clip for pipe ø 2x8.5mm for probe ø 6mm for heating elements spacing 15-19mm Qty 1 pcs		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, FR92E10, FR92E10L, FR92E10L2, FR94E10, FR94E10L, FR94E10L2, OFQE41, OFQE61		

1			
No.	551080	Ref. No.	1033515800 MA1033515800
description	probe clip for pipe ø 8.5mm for probe ø 4mm Qty 1 pcs		
For models:	EF74E10VG, EF74E12, F74E10, F74E6, F76E10, F94E10, F94E18K, F94E6, F96E10, F98E18K, F954E18K, F958E18K, FQE41R, FQE41RL, FQE41RL2, FQE61R, FQE61RL, NF74E10, NF74E15, NF76E10, NF78E15, NF94E10, NF94E15, NF94E22, NF94E222, NF94E222K, NF94E22K, NF96E10, NF98E15, NF98E22, NF98E222, NF98E222K, NF98E22K		

h3>capillary tube clips

1			
No.	550970	Ref. No.	1033709500 MA1033709500
description	capillary tube clip for pipe ø 8.5mm		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, FR92E10, FR92E10L, FR92E10L2, FR94E10, FR94E10L, FR94E10L2, OFQE41, OFQE61		

h3>gland nut accessories

h4>ducts

1			
No.	100820	Ref. No.	1395714 MA1395714
description	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		
For models:	FR74G, FR77G, FR92G13, FR94G13		

h3>locking screws

1			
No.	106605	Ref. No.	CM012401 MACM012401
description	union screw thread M10x1 probe ø max. 4.5mm		
For models:	EF74E10VG, EF74E12, EF74G15, EF74G8VA, EF74G8VG, F12C4E12, F12C4G15, F74E10, F74E12, F74E6, F74G10, F74G15, F74G6, F76E10, F76G10, F78E12, F78G15, F94E10, F94E12, F94E18, F94E18K, F94E6, F94G10, F94G15, F94G22, F94G22K, F94G6, F96E10, F96G10, F98E12, F98E18, F98E18K, F98G15, F98G22, F98G22K, F954E12, F954E18, F954E18K, F954G15, F954G22, F954G22K, F958E12, F958E18, F958E18K, F958G15, F958G22, F958G22K, FQE41R, FQE41RL, FQE41RL2...(Other models you can see in the webshop)		

h3>plunger sockets

1			
No.	510935	Ref. No.	450515
description	thermowell thread 1/2" L 107mm SS single ø 8mm		
accessories for	510935		
No.	361184	Ref. No.	—
description	nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs		
No.	521122	Ref. No.	—
description	flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs		



1

No.	510987	Ref. No.	450519
description	thermowell thread 1/2" L 44mm SS single ø 10mm		
accessories for	510987		
	No.	361184	Ref. No. —
	nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs		
	No.	521122	Ref. No. —
	flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs		

connecting bows



1

No.	550060	Ref. No.	1037003300 1037033300 1988500 1998500 921200 MA1988500 MA921200
description	connecting bow long for thermostat Qty 1 pcs		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, B9SB2E, B9SB2G, B9SB4E, B9SB4G, B9V2E, B9V2G, B9V4E, B9V4G, BIE40, BIE40B, BIE60, BIE60B, BM74E, BM77E, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M...(Other models you can see in the webshop)		

switches and momentary switches

rocker/momentary rocker switches

19x13mm



1

No.	345314	Ref. No.	1037102500 MA1037102500
description	momentary rocker switch mounting measurements 19x13mm black 1NO 250V 10A 0-I connection male faston 4.8mm ambient temperature max. 85°C protection IP40		

25.5x25mm



1

No.	345278 ¹	Ref. No.	2770400 2770500 MA2770400 MA2770500
description	rocker switch mounting measurements 25.5x25mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm protection IP40		
For models:	BR120, BR160, FC5E, FC5G, TAR134C2I, TAR176C2I		
accessories for	345278		
	No.	301323	Ref. No. —
	protective cover external size 35x35mm H 11mm transparent suitable for rocker switch mounting measurements 25.5x25mm L 35mm W 35mm		

¹illuminated

27.8x25mm



1

No.	345843 ¹	Ref. No.	130471
description	momentary rocker switch mounting measurements 27.8x25mm green 2CO 24V 16A illuminated outflow connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

¹illuminated

1

No.	345123	Ref. No.	130447
description	rocker switch mounting measurements 27.8x25mm black 2CO 250V 16A auto/manual connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



1

No.	510281	Ref. No.	160733
description	blank black mounting measurements 27.8x25mm		

30x22mm



1

No.	347791	Ref. No.	4640500 MA4640500
description	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		
For models:	B124E, CRE6220, CRE6230, CRE6320, CRE6330, CSP6220, CSP6230, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143DNF, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN, EF70MP, EF72DNF, EF72MNF, F140DF, F140DI, F140DN, F140DP, F14DFG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG, HF140DPF, IR13C, IR13CC, IR13CV, IR13M, IR13MC, IR13MV, IR13V, IR17C...(Other models you can see in the webshop)		

			
No.	301003	Ref. No.	0109015 211101.99
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AFC14, AFC14V, AFC7, AFC7V, AFPC214, AFPC214P, AFPC214V, AFR1143P, AFR14, AFR14V, AFR214P, AFR214PV, AFR7, AFR7P, AFR7PV, AFR7V, AFRC214, AFRC214V, AFRV14, AFRV14A, AFRV14V, AFRV7, AFRV7A, AFRV7V, C9F6E, C9FE6GS, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143MNI, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN... (Other models you can see in the webshop)		
accessories for	301003		
	No.	301036	Ref. No. —
	 protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

			
No.	301017	Ref. No.	211102.99 MA21110299
description	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, SER15, SER15A, SER18, SER18A, SER21		
accessories for	301017		
	No.	301036	Ref. No. —
	 protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

blank			
			
No.	347706	Ref. No.	R65260510
description	momentary rocker switch mounting measurements 30x22mm black 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65 with cover cap		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, PE040M, PE040X, PE080M, PE080X, PG040M, PG040X, PG080M... (Other models you can see in the webshop)		
accessories for	347706		
	No.	301036	Ref. No. —
	 protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

			
No.	345983	Ref. No.	40563-00 MA4056300
description	momentary rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		
For models:	CRE6220, CRE6230, CRE6320, CRE6330, SBA, SBAC, SVAC, SVAC12, SVAC16, SVAC20, SVCG, SVCG08, SVCG12, SVCG16, SVCG20		
accessories for	345983		
	No.	301036	Ref. No. —
	 protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

			
No.	345982	Ref. No.	4640400 MA4640400
description	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	F140DF, F140DI, F140DN, F140DP, F14DFG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG, IR13C, IR13CC, IR13CV, IR13M, IR13MC, IR13MV, IR13V, IR17C, IR17CC, IR17CV, IR17M, IR17MC, IR17MV, IR17V, NF140DF, NF140DFN, NF140DN, NF140DNI, NF140DNN, NF140DP, NF140DPN, NF140DPP, NF143DNF, NF143DNI, NF143DNP, NF14DNG, NF70DF, NF70DI, NF70DN, NF70DP, NF72DNF, NF72DNI, NF72DNN, NF7DFG, NF7DNG, SPAR16, SPAR20, SPRG12...(Other models you can see in the webshop)		
accessories for	345982		
	No.	301036	Ref. No. —
	 protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

labelled			
			
No.	301200	Ref. No.	R65260050
description	rocker switch mounting measurements 30x22mm black 2NO 230V 16A 0-1 connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		
For models:	AC, AU04, AU05, AU08, AU10, AU20, EC106M, EC110M, EC210M, EM106M, EM110M, EM210M, EV006M, EV106M, EV110M, EV210M, FE105X, FG105X, FG110X, FG210X, GC106M, GC110M, GC210M, GM106M, GM110M, GM210M, GV106M, GV110M, GV210M, PE040X, PG040X, PG080X		
accessories for	301200		
	No.	301036	Ref. No. —
	 protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



with symbol



1

No.	301228	Ref. No.	R65260210	
description	rocker switch mounting measurements 30x22mm black 2CO 250V 16A I-II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
For models:	FE105X, FG105X, FG110X, FG210X, PE040X, PG040X, PG080X			
accessories for	301228			
	No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

push/momentary push switches

28.5x28.5mm



1

No.	345846	Ref. No.	130459
description	momentary push switch mounting measurements 28.5x28.5mm grey 2CO 250V 16A START connection male faston 6.3mm ambient temperature max. 150°C protection IP40		



1

No.	345845	Ref. No.	130460
description	push switch mounting measurements 28.5x28.5mm green/red 2CO 250V 16A ON-OFF connection male faston 6.3mm ambient temperature max. 150°C protection IP40		

ø16mm



1

No.	301172	Ref. No.	R65260610
description	momentary push switch mounting ø 16mm black 1NO 250V 16A connection male faston 6.3mm protection IP40 ambient temperature max. 150°C		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		



1

No.	346287 ¹	Ref. No.	R65260480
description	momentary push switch mounting ø 16mm red 1NO 250V 3A illuminated connection male faston 2.8mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P		

¹illuminated

1

No.	301227	Ref. No.	R65260120 R65260600
description	push switch mounting ø 16mm black 1NO 250V 16A connection male faston 6.3mm protection IP40 ambient temperature max. 150°C		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MEC40M, MG061M, MG101M, MG102M, MG201M, MG202M		

ø25mm



1

No.	345038	Ref. No.	CR0410290
description	momentary push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	CFG70, CFG70M, NBR912EFM, NBR912EIM, NBR912GFM, NBR912GIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM		



1

No.	345039	Ref. No.	1037115000 CR0410310 MACR0410310
description	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		
For models:	CFG70, CFG70M, EF140DF, EF140DN, EF140DP, EF143DNF, EF70DF, EF70DN, EF70DP, EF72DNF, F140DF, F140DI, F140DN, F140DP, F14D-FG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG, FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FR92G22T, FR94G22T, FS140F, FS140FI, FS140FN, FS140L...(Other models you can see in the webshop)		
accessories for	345039		
	No.	345001	Ref. No.
	momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65		

microswitches

lever actuated



No.	345254	Ref. No.	1037111300 1037304200 MA1037111300 MA1037304200
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 120°C mounting distance 22mm actuating force: 60g lever length 58mm		
For models:	BR78EF, BR78EI, BR78GF, BR78GI, BR912EFM, BR912EIM, BR912GFM, BR912GIM, BR98EF, BR98EFM, BR98EI, BR98EIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR98SEF, BR98SEI, BR98SGF, BR98SGI, DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143DNF, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN, EF70MP, EF72DNF, EF72MNF, EF74E10VG...(Other models you can see in the webshop)		

pin-plunger actuated



No.	345326	Ref. No.	1037312900 MA1037312900
description	microswitch with plunger 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type XP52Z11 actuating force: 350g red stroke 15mm		
For models:	FQE40, FQE40D, FQE40DSP, FQE41, FQE41L, FQE41L2, FQE60, FQE60D, FQE60DSP, FQE61, FQE61L, FQE61L2, FR74E10, FR74E10L, FR74E10L2, FR77E10, FR77E10L, FR77E10L2, FR92E10, FR92E10L, FR92E10L2, FR94E10, FR94E10L, FR94E10L2, OFQE41, OFQE61		

M10



No.	345032	Ref. No.	1267300 MA1267300 R65260540
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	BR94G, BR94GI, BR9M4G, BR9M4GI, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X...(Other models you can see in the webshop)		

M12



No.	345350	Ref. No.	R65260530
description	microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, VE004M, VE004X, VE104M, VE104X, VE105M, VE105X, VG105M, VG105X		
accessories for	345350		
	No.	345351	Ref. No. —
nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs			

position switches

PIZZATO

FD series



No.	345075	Ref. No.	120343
description	position switch cast aluminum 1NO/1NC 400V 3A L 141mm W 40mm H 35mm protection IP67 actuating force: 300g screw connection PG13.5 mounting distance 30x60mm type FD503		

FR series



No.	345144	Ref. No.	1871500 MA1871500
description	position switch plastic 1NC/1NO 400V 3A L 92mm W 31mm H 31mm protection IP67 actuating force: 360g screw connection PG13.5 mounting distance 22mm screw		
For models:	BR707E, BR707EI, BR94E, BR94EI, BR94G, BR94GI, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, BR9SB4E, BR9SB4EI, BR9SB4G, BR9SB4GI, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS		



No.	345181	Ref. No.	1037307700 MA1037307700
description	position switch plastic 1NC/1NO 400V 3A L 92mm W 31mm H 31mm protection IP67 actuating force: 450g screw connection PG13.5 mounting distance 22mm screw		
For models:	MLC50, MLC503, MLC65, MLC653		



system switches (ROLD)



1

No.	345131	Ref. No.	190140
description	element holder mounting measurements 28.5x28.5mm grey single element holder		



1

No.	345130	Ref. No.	130449
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		



1

No.	345133	Ref. No.	450321
description	push button ø 23mm grey		



1

No.	345851	Ref. No.	450331
description	push button ø 23mm grey START		

cam switches

on/off



1

No.	300021	Ref. No.	1230100 MA1230100
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	B124E, B74E, B78E, B94E, B98E, B9VP2E, B9VP4E, BR94E, BR94EI, BR96E, BR96EI, BR9M4E, BR9M4EI, BR9M4GI, BR9M6E, BR9M6EI, BR9SB4E, BR9SB4EI, BSEI40M, FTE100B, FTE100BR, FTE100C, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60BRR, FTE60C, FTE60D, FTE60DC, FTE60DCRL, FTE60DR, NB74E, NB78E, NB94E, NB98E, NF94E222K, NF94E22K, NF94G23K, NF98E222K, NF98E22K, NF98G23K, NSP74E, NSP94E, OBSEI40M, OFTE100CRL...(Other models you can see in the webshop)		



1

No.	300102	Ref. No.	1475900 MA1475900
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	BR707E, BR707EI, BR94E, BR94EI, BR9M4E, BR9M4EI, FT74E, FT74ER, FT74ERL, FT77E, FT77EC		



1

No.	300083	Ref. No.	1037307900 1037307900 (NML)
description	cam switch ON-OFF		
For models:	MLC50, MLC503, MLC65, MLC653		

4-position



1

No.	300103	Ref. No.	501400 MA501400
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	C9F4E, C9F6E, C9V2E, C9V4E		



1

No.	300104	Ref. No.	1037100500 790700 MA790700
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	CP704E, CP92E, CP94E, CP9SB2E, CP9SB4E, CPE40, CPE402, CPE60, CPE602, FP1E		

7-position



1


No.	300025	Ref. No.	1037033100 1616100 MA1616100
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
For models:	C7011E, C7011EFE, C7011EFEQ, C7011GFE, C704E, C707E, C707EFE, C707EFEQ, C707GFE, C74EC, C78EC, C78EQC, C7FE8E, C7FE8EC, C7FE8EQ, C7FG12G, C7FG8G, C94E, C94EC, C98E, C98EC, C9F4E, C9F6E, C9FE8E, C9FE8EC, C9V2E, C9V4E, CFE60, CFE60P, CFE70, EC74EVG, EC78EVG, EC7FE8E, NC74E2, NC74EC, NC74EQC, NC78E2, NC78EC, NC78EQC, NC7FE8E, NC7FE8E2, NC7FE8EQ, NC94E, NC94E2, NC98E, NC98E2, NC9FE8E, NC9FE8E2, OCPE60, OPCE40...(Other models you can see in the webshop)		
accessories for	300025		
	No.	112172	Ref. No. —
	knob universal ø 70mm black without adaptor/dial plate		
	No.	112213	Ref. No. —
	knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm		
	No.	112311	Ref. No. —
	knob adapter shaft ø 6x4.6mm L 0mm with spring		



1

No.	300106	Ref. No.	1937800 21131099 MA1937800
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		
For models:	C74EC, C78EC, C78EQC, C7FE8E, C7FE8EC, C7FE8EQ, C94E, C94EC, C98E, C98EC, C9FE8E, C9FE8EC, NC94E, NC94E2, NC98E, NC98E2, NC9FE8E, NC9FE8E2		

2 operating positions



1

No.	300085	Ref. No.	1037303100
description	cam switch 2 operating positions programme sequence 0-1 shaft ø 6x4.6mm connection male faston 6.3mm 4-pole		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		


3 operating positions



1

No.	300086	Ref. No.	1037303200
description	cam switch 3 operating positions programme sequence 1-0-2 shaft ø 6x4.6mm connection male faston 10-pole		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MPLS30P		

4 operating positions



1

No.	300010	Ref. No.	R65080010
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	EC106M, EC110M, EC210M, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, PE040M, PE040X, PE080M, PE080X, PG040M, PG040X, PG080M, PG080X		



1


No.	300081	Ref. No.	1309000 MA1309000
description	cam switch 4 operating positions 3NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	BF78E, BF98E, C12FEP9G, C7011EFE, C7011EFEQ, C707EFE, C707EFEQ, C7FE12G, C7FE8E, C7FE8EC, C7FE8G, C9F4E, C9F6E, C9FE12G, C9FE6G5, C9FE8E, C9FE8EC, C9FE8G, C9V2E, C9V4E, CFE70, EC74EVG, EC78EVG, EC7FE8E, NC7FE12G36, NC7FE8E, NC7FE8EQ, NC7FE8G24, NC9FE12G44, NC9FE12G52, NC9FE8E, NC9FE8E2, NC9FE8G28, NC9FE8G36, NC9FE8G48, V9F4E, V9FP4E, V9V2E, V9V4E, V9VP2E, V9VP4E		



2

No.	300239	Ref. No.	CR0581810
description	operation switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	NPC74E, NPC74G, NPC76E, NPC76G, NPC78E, NPC78G, NPC94E, NPC94G, NPC96E, NPC96G, NPC98E, NPC98G, NPD76G5, NPD78G8, NPD96G5, NPD98E10, NPD98E15, NPD98G10, NPD98G15, NPD98G15A, NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A		

5 operating positions



1

No.	347191	Ref. No.	R65080020
description	cam switch 5 operating positions 9NO sequence 1-0-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME061M, ME101M, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M, MG106M...(Other models you can see in the webshop)		

10 operating positions



1

No.	345666	Ref. No.	1037103800 MA1037103800
description	cam switch 10 operating positions 6NO/1CO sequence 0-1-2-3-4-5-6-7-8-9 8A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	FOE60M, OFOE60M		

with potentiometer



1


No.	300252	Ref. No.	CR0737320
description	potentiometer 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection coded plug cable length 1420mm 10kOhm 12V with cable and indicator light		
For models:	NI74E, NI78E, NI94E, NI98E, NIW74TE, NIW74TE2, NIW94TE, NIW94TE2		

operation switches



1

No.	300080	Ref. No.	1037033200 218111 65085010 710300 LAR65085010 MA218111 MA710300
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
For models:	B9SB2E, B9SB2G, B9SB4E, B9SB4G, B9V2E, B9V2G, B9V4E, B9V4G, BIE40, BIE40B, BIE60, BIE60B, BM74E, BM77E, BME40DM, BME40D-MB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BR912GFM, BR912GIM, BR94G, BR94GI, BR96G, BR96GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSE40M, C7011EFE, C7011E-FEQ...(Other models you can see in the webshop)		
accessories for	300080		
	No.	551456	Ref. No.
	—		
gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white			

			
1			
No.	300180	Ref. No.	CR0686110
description	cam switch 2 operating positions operation switch 32A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	NFT74EL, NFT74ELC, NFT74ELCO, NFT74ELO, NFT74ER, NFT74ERC, NFT76EL, NFT76ELC, NFT76EM, NFT76EMC, NFT76ER, NFT78EL, NFT78ELC, NFT78ELCO, NFT78ELO, NFT78EM, NFT78EMC, NFT78ER, NFT78ERC, NFT94EL, NFT94ELC, NFT94ELO, NFT94ER, NFT96EL, NFT96ELC, NFT96EM, NFT96EMC, NFT98EL, NFT98ELC, NFT98ELO, NFT98EM, NFT98EMC, NG912E, NG912E2, NG94E, NG94E2, NG98E, NG98E2		

			
1			
No.	300200	Ref. No.	1037313200 65260030 LAR65260030 MA1037313200
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, BME40DM, BME40DMB, BME40M, BME60DM, BME60DMB, BME60M, BME80M, BR707E, BR707EI, BR78EF, BR78EI, BR912EFM, BR912EIM, BR912GFM, BR912GIM, BR94E, BR94EI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR98GF, BR98GFM...(Other models you can see in the webshop)		

			
1			
No.	300091	Ref. No.	1037035700 MA1037035700
description	operation switch EGO 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	FQE4, FQE6, FQE6+6		

rotary switches

BREMAS

A1200 series

			
1			
No.	345019	Ref. No.	120712
description	rotary switch sets of contacts 2 2 0-1 type CA0120002 380V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw		

A1600 series

			
1			
No.	345840	Ref. No.	120737
description	rotary switch 3 0-1-2 sets of contacts 4 type CS0168308 400V 16A shaft ø 5x5mm shaft L 23mm shaft square connection screw		

			
1			
No.	345842	Ref. No.	120716
description	rotary switch 5 0-1-2-3-4 sets of contacts 6 type CS0168359 400V 16A shaft ø 5x5mm shaft L 23mm shaft square connection screw		

			
1			
No.	345024	Ref. No.	120729
description	rotary switch 6 0-1-2-3-4-5 sets of contacts 8 type CS0168339 400V 16A shaft ø 5x5mm shaft L 25mm shaft square connection screw		

TECNOMATIC

			
1			
No.	300365	Ref. No.	1037308000 MA1037308000
description	rotary switch 4 0-1-2-3 sets of contacts 4 type HD12X274R000 600V 12A shaft ø 5x5mm shaft L 22mm shaft square connection male faston 6.3mm		
For models:	MLC50, MLC503, MLC65, MLC653		

touch sensitive light switches



1


No.	346388	Ref. No.	R65260750
description	touch sensitive light switch 1NOVA for combi-steamer L 47mm W 20mm H 30mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P...(Other models you can see in the webshop)		

magnetic switches

36x13mm



1



No.	345335	Ref. No.	5169100 MA5169100
description	magnetic switch L 36mm W 13mm 1NO 250V 0.04A P max. 10W connection cable cable length 960mm		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		
accessories for	345335		
	No.	519049	Ref. No.
	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		

37x16mm




1

No.	347790	Ref. No.	R65265100
description	magnetic switch L 37mm W 16mm 1NO 250V connection cable cable length 1960mm 10W with magnet nominal 0.04A		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D...(Other models you can see in the webshop)		

65x20mm




1




No.	345122 ¹	Ref. No.	120333
description	magnetic switch L 65mm W 20mm 1NO 24V 8A P max. 192W connection male faston 6.3mm cable length 344mm		

¹with coded connector



1



No.	345116	Ref. No.	120348 BN161801
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
accessories for	345116		
	No.	345399	Ref. No.
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		


miscellaneous



No.	401961	Ref. No.	R66110300
description	magnetic switch door contact		
For models:	GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061M, ME061P, ME061T, ME101M, ME101P, ME101T, ME102M, ME102P, ME102T, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061M, MG061P, MG061T, MG101M, MG101P...(Other models you can see in the webshop)		

accessories

magnets



No.	345336	Ref. No.	5169200 BN3108890 MA5169200
description	magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

3SB series ø22mm new

rotary switches



No.	346629	Ref. No.	2998200 CR0413380
description	rotary selector mounting measurements ø22mm black momentary sequence 1-0-2		
For models:	BR78EF, BR78EI, BR78GF, BR78GI, BR912EFM, BR912EIM, BR912GFM, BR912GIM, BR98EF, BR98EFM, BR98EI, BR98EIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9S8EF, BR9S8EI, BR9S8GF, BR9S8GI, CP9A15GD, F94E18K, F94G22K, F98E18K, F98G22K, NBR912EFM, NBR912EIM, NBR912GFM, NBR912GIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM		
accessories for	346629		
No.	346602	Ref. No.	—
description	contact block SIEMENS 3SB3400-0D 2NO max 400V 10A black		
No.	346603	Ref. No.	—
description	contact block SIEMENS 3SB3400-0E 2NC max 400V 10A black		
No.	346630	Ref. No.	—
description	contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black		
No.	346631	Ref. No.	—
description	contact block SIEMENS 3SB3400-0C 1NC max 400V 10A black		
No.	346632	Ref. No.	—
description	contact block SIEMENS 3SB3400-0D 1NC/1NO max 400V 10A black		

encoders and potentiometers



No.	401338	Ref. No.	R65301450
description	encoder		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, ME061D, ME061P, ME061T, ME101D, ME101P, ME101T, ME102D, ME102P, ME102T, ME201D, ME201P, ME201T, ME202D, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061P, MG061T, MG101D, MG101P, MG101T, MG102D, MG102P, MG102T, MG201D, MG201P...(Other models you can see in the webshop)		

control equipment

SIEMENS

3SB series ø22mm old

rotary switches



No.	345526	Ref. No.	2860600 MA2860600 SI0102505 SIR0102505
description	rotary selector mounting measurements ø22mm sequence 0-1 latching black		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS4E, CS4EP, CS6E, CS6EP, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP...(Other models you can see in the webshop)		



1

No.	300252	Ref. No.	CR0737320
description	potentiometer 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection coded plug cable length 1420mm 10kOhm 12V with cable and indicator light		
For models:	NI74E, NI78E, NI94E, NI98E, NIW74TE, NIW74TE2, NIW94TE, NIW94TE2		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø 6mm (type SQ-20)



1

No.	359806	Ref. No.	130707
description	indicator light lens clear Qty 1 pcs ø 6mm		



1

No.	359803	Ref. No.	130704
description	indicator light lens green Qty 1 pcs ø 6mm		



1

No.	359805	Ref. No.	130706
description	indicator light lens red Qty 1 pcs ø 6mm		

ø12mm (type SDY-3)



1

No.	359262	Ref. No.	130711 BN6A001438
description	indicator light housings mounting measurements ø12mm green round Qty 1 pcs		



1

No.	359261	Ref. No.	130710
description	indicator light housings mounting measurements ø12mm red round Qty 1 pcs		

indicator lamps for socket type SRZ / SDK / SDY / SFK



1

No.	359129	Ref. No.	130170
description	indicator lamp 24V clear connection male faston 6.3mm		



1

No.	359132	Ref. No.	1037303400
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLC50, MLC503, MLC65, MLC653, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		

indicator lights (complete)

ø 6mm



1

No.	359004	Ref. No.	2998600 MA2998600
description	indicator light ø 6mm 230V green cable length 400mm temp.-resist. 106°C		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP		



1

No.	359005	Ref. No.	2998700 MA2998700
description	indicator light ø 6mm 230V yellow cable length 400mm		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP		



1

No.	359284	Ref. No.	2959600 MA2959600
description	indicator light ø 6mm 24V green cable length 150mm		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS4E, CS4EP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

			
1			
No.	359285	Ref. No.	2959700 MA2959700
description	indicator light ø 6mm 24V yellow cable length 150mm		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS4E, CS4EP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

			
1			
No.	359031	Ref. No.	130157
description	indicator light ø 6mm 230V green		

ø10mm

with screw socket

			
1			
No.	359378	Ref. No.	1037300810 MA1037300810
description	indicator light ø 10mm 230V green connection male faston 6.3mm socket screw base		
For models:	B9SB2E, B9SB4E, B9V2E, B9V4E, BIE40, BIE40B, BIE60, BIE60B, BM74E, BM77E, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSE40M, BSEI40M, CB3, CB5, CD24, CFE60, CFE60P, CFE70, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, CPE40, CPE402, CPE60, CPE602, CWE42, CWE422, CWE62, CWE622, F9V2E, F9V2E2, F9V2ER...(Other models you can see in the webshop)		

			
1			
No.	359379	Ref. No.	CR0587500
description	indicator light ø 10mm 230V yellow connection male faston 6.3mm socket screw base		
For models:	EF74E10VG, EF74E12, NB74E, NB78E, NBR78EF, NBR78EI, NBR912EFM, NBR912EIM, NBR912GFM, NBR912GIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM, NC74E2, NC74EC, NC74EQC, NC78E2, NC78EC, NC78EQC, NC7FE8E, NC7FE8E2, NC7FE8EQ, NC94E, NC94E2, NC98E, NC98E2, NC9FE8E, NC9FE8E2, NCT78E, NCT7FE8E, NCT98E, NCT98E2, NCT9FE8E, NCT9FE8E2, NF74E10, NF74E15, NF76E10, NF78E15, NF94E10, NF94E15, NF94E22, NF94E222, NF96E10, NF98E15, NF98E22...(Other models you can see in the webshop)		

with plug-in socket

			
1			
No.	359140	Ref. No.	1037300900 1037300910 MA1037300910
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, B124E, B74E, B78E, B94E, B98E, B9SB2E, B9SB4E, B9V2E, B9V4E, BF78E, BF98E, BIE40, BIE40B, BIE60, BIE60B, BM74E, BM77E, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM...(Other models you can see in the webshop)		

ø12mm

with screw socket

			
1			
No.	359027	Ref. No.	R65270230
description	indicator light ø 12mm 250V green connection male faston 6.3mm		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME106M, ME106X, ME110M...(Other models you can see in the webshop)		

			
1			
No.	359290	Ref. No.	R65270220
description	indicator light ø 12mm 400V yellow connection male faston 6.3mm		
For models:	AC, AU04, AU05, AU08, AU10, AU20, CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M...(Other models you can see in the webshop)		

ø13mm

with plug-in socket

1



No.	359142	Ref. No.	1819800 21016199 MA1819800 MA21016199
description	indicator light ø 13mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	B95B2E, B95B4E, B9V2E, B9V4E, B9VP2E, B9VP4E, BM74E, BM77E, BR707E, BR707EI, C7011E, C7011EFE, C7011EFEQ, C704E, C707E, C707EFE, C707EFEQ, C9F4E, C9F6E, C9V2E, C9V4E, F9V2E, F9V2ER, F9V4E, F9V4EC, F9V4ECR, F9V4ER, F9V4ERL, FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G, FR74E, FR74E10, FR77E, FR77E10, FR92E10, FR92E13, FR92E132, FR92E22, FR94E10, FR94E13, FR94E132, FR94E22, FR9P2E10, FR9P4E10...(Other models you can see in the webshop)		

2



No.	359143	Ref. No.	1819900 21016299 MA1819900 MA21016299
description	indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	B95B2E, B95B4E, B9V2E, B9V4E, B9VP2E, B9VP4E, BM74E, BM77E, BR707E, BR707EI, C7011E, C7011EFE, C7011EFEQ, C707EFE, C707EFEQ, C9F4E, C9F6E, C9V2E, C9V4E, CP704E, CP92E, CP94E, CP95B2E, CP95B4E, F9V2E, F9V2ER, F9V4E, F9V4EC, F9V4ECR, F9V4ER, F9V4ERL, FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G, FP1E, FR74E, FR74E10, FR77E, FR77E10, FR92E10, FR92E13, FR92E132, FR92E22, FR94E10, FR94E13, FR94E132...(Other models you can see in the webshop)		

ø16mm

with plug-in socket

1



No.	359788	Ref. No.	R65270160
description	indicator light ø 16mm 230V green connection male faston 6.3mm		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		

1



No.	359789	Ref. No.	R65270150
description	indicator light ø 16mm 230V yellow connection male faston 6.3mm		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		

14x11mm

1



No.	359270	Ref. No.	1037036300 MA1037036300
description	indicator light mounting measurements 14x11mm 230V green connection male faston 6.3mm		
For models:	RIE40M, RIEP40M		

26.5x25.6mm

1



No.	345853	Ref. No.	130168
description	indicator light mounting measurements 27.8x25mm green 230V connection male faston 6.3mm		

1



No.	345854	Ref. No.	130169
description	indicator light mounting measurements 27.8x25mm green 230V connection male faston 6.3mm		

1



No.	345855	Ref. No.	130152
description	indicator light mounting measurements 27.8x25mm green 230V connection male faston 6.3mm temp.-resist. 125°C		

1



No.	359012	Ref. No.	130136
description	indicator light mounting measurements 27.8x25mm yellow 230V connection male faston 6.3mm		

30x11mm



1

No.	359160	Ref. No.	1230300
description	indicator light mounting measurements 30x11mm 230V green connection male faston 6.3mm rectangular temp.-resist. 125°C		
For models:	B9SB2E, B9SB2G, B9SB4E, B9SB4G, B9V2E, B9V2G, B9V4E, B9V4G, F9V2E, F9V2ER, F9V4E, F9V4EC, F9V4ECR, F9V4ER, F9V4ERL, FR92E13, FR92E22, FR92G22, FR94E13, FR94E22, FR94G23, P9D10E, P9D15E, P9DA10E, P9DA15E, P9I10E, P9I10G, P9IA10E, P9IA10G, TP13E, TP17E, TP213E, TP217E, TP21E, TP221E		



2

No.	359159	Ref. No.	912800
description	indicator light mounting measurements 30x11mm 230V yellow connection male faston 6.3mm temp.-resist. 125°C		
For models:	B9SB2E, B9SB2G, B9SB4E, B9SB4G, B9V2E, B9V2G, B9V4E, B9V4G, C9F4E, C9F6E, C9V2E, C9V4E, CB3, CB5, CD24, CP92E, CP94E, F9V2E, F9V2ER, F9V4E, F9V4EC, F9V4ECR, F9V4ER, F9V4ERL, FR92E13, FR92E22, FR92G22, FR94E13, FR94E22, FR94G23, P9D10E, P9D15E, P9DA10E, P9DA15E, P9I10E, P9I10G, P9IA10E, P9IA10G, TP13E, TP17E, TP213E, TP217E, TP21E, TP221E		

30x22mm



1

No.	359164	Ref. No.	1314400
description	indicator light mounting measurements 30x22mm 230V green/white connection male faston 6.3mm temp.-resist. 125°C		
For models:	BR94E, BR94EI, BR94G, BR94GI, BR96E, BR96EI, BR96G, BR96GI, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, C9F6E, C9F6GS		

screw-on/push-on fit

light bulbs

for ovens



1

No.	359612	Ref. No.	2861900 MA2861900
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

halogen lamp

for socket E14 / E27



1

No.	359728	Ref. No.	4625800 MA4625800
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	F140DF, F140DI, F140DN, F140DP, F143, F70DF, F70DI, F70DN, F70DP, F72, F7DFG, F7DNG, FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FS140F, FS140FI, FS140FN, FS140I, FS140N, FS140NG, FS140NI, FS140NN, FS140P, FS140PN, FS140PP, FS143F, FS143FI, FS143N, FS143NF, FS143NI...(Other models you can see in the webshop)		

for socket G4 / G6.35 / G9



1

No.	359599	Ref. No.	R65270020
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105X, FG105X, FG110X, FG210X, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D...(Other models you can see in the webshop)		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

No.	359718	Ref. No.	1037300100 1037317000 MA1037300100 MA1037317000
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, FOE60M, OCFE60, OCFGE61, OFOE60M		
spare parts for	359718		
	No.	359701	Ref. No. —
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	No.	359740	Ref. No. —
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT		

55x70mm



1

No.	359375	Ref. No.	R65270510
description	lamp socket complete without lamp socket E14 mounting measurements 55x70mm		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		

55x100mm



1

No.	101372	Ref. No.	2862100 MA2862100
description	oven lamp complete L 100mm W 55mm 230V 25W socket E14 rectangular temp.-resist. 300°C connection male faston 6.3mm		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		
spare parts for	101372		
	No.	359612	Ref. No. 2861900 MA2861900
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	No.	359698	Ref. No. —
lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm			
	No.	359714	Ref. No. —
gasket for bulb socket			
	No.	359715	Ref. No. —
lamp glass L 110mm W 65mm thickness 5mm			
	No.	359716	Ref. No. —
frame for bulb socket			

lamps

light bulbs



1

No.	359612	Ref. No.	2861900 MA2861900
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

halogen lamps

for socket E14 / E27



1

No.	359728	Ref. No.	4625800 MA4625800
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	F140DF, F140DI, F140DN, F140DP, F143, F70DF, F70DI, F70DN, F70DP, F72, F7DFG, F7DNG, FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FS140F, FS140FI, FS140FN, FS140I, FS140N, FS140NG, FS140NI, FS140NN, FS140P, FS140PN, FS140PP, FS143F, FS143FI, FS143N, FS143NF, FS143NI...(Other models you can see in the webshop)		

for socket G4 / G6.35 / G9



1

No.	359599	Ref. No.	R65270020
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105X, FG105X, FG110X, FG210X, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D...(Other models you can see in the webshop)		

residual heat indicators



1

No.	359326	Ref. No.	1037309400 MA1037309400
description	residual heat indicator 4-fold		
For models:	CFVE60, PCVE40, PCVE40D, PCVE40DB, PCVE60, PCVE60D, PCVE60DB, V74EC, V76EC, V94E, V98E		



1

No.	359327	Ref. No.	1037309310 MA1037309310
description	residual heat indicator single		
For models:	PCVE40, PCVE40D, PCVE40DB, PCVE60, PCVE60D, PCVE60DB		

timers

programme timers



1

No.	403577	Ref. No.	R65095000
description	gear motor CDC 4901F1 engines 1 chambers 1 operation time 20s 230V 50Hz shaft ø 6x4.6mm shaft L 24mm		
For models:	ME061P, ME061T, ME101P, ME101T, ME102P, ME102T, ME106P, ME110P, ME120P, ME201P, ME201T, ME202P, ME202T, ME210P, ME220P, MEC24H, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MEVT06P, MEVT10P, MEVT20P, MEVT21P, MEVT40P, MG061P, MG061T, MG101P, MG101T, MG102P, MG102T, MG106P, MG110P, MG120P, MG201P, MG201T, MG202P, MG202T, MG210P, MG220P, MGC24H, MGC40H, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, MGVT06P, MGVT10P...(Other models you can see in the webshop)		




1

No.	360752	Ref. No.	R65090190
description	timer CDC 4902F1 engines 1 chambers 2 operation time 8min 230V shaft ømm shaft Lmm		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, MACE04M, MACE05M, MACE07M...(Other models you can see in the webshop)		



1

No.	360047	Ref. No.	120268
description	timer CDC 4905DV engines 2 chambers 5 operation time 4s / 150s 230V shaft ømm shaft Lmm manif. no. 4905DV / 360047 motor type M48L ATS		
spare parts for	360047		
	No.	360083	Ref. No.
			—
	motor CDC pinion ø 4.9mm teeth 10 230V turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer		



1

No.	360080	Ref. No.	120277
description	timer CEM HH3M16 engines 1 chambers 3 operation time 20min 230V manif. no. HH3M16 / 120277 motor type UDS11NE1RH		
spare parts for	360080		
	No.	360112	Ref. No.
			—
	motor SAIA pinion ø 4mm teeth 12 230V turn direction right motor ø 48mm motor type UDS11NE1RHZ for timer		



1

No.	360043	Ref. No.	120262
description	timer CEM HH4M16 engines 1 chambers 4 operation time 120s 230V shaft 0mm shaft Lmm manuf. no. HH4M16 / 120262 motor type UDS11NE1RH		
spare parts for	360043		
	No.	360112	Ref. No.
			—



1

No.	360044	Ref. No.	120263
description	timer CEM HH4M16 engines 1 chambers 4 operation time 150s 230V shaft 0mm shaft Lmm manuf. no. HH4M16 / 120263 motor type UDS11NE1RH		
spare parts for	360044		
	No.	360112	Ref. No.
			—



1

No.	360332	Ref. No.	2971200 MA2971200
description	timer FIBER P25 engines 1 chambers 1 operation time 60s 230V shaft 0mm shaft Lmm manuf. no. P255J01H191 motor type M51BJ0R6400		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CS102E, CS102EP, CS102G, CS102GP		
spare parts for	360332		
	No.	360673	Ref. No.
			—



1

No.	350034	Ref. No.	5151700 MA5151700
description	timer FIBER P25 engines 1 chambers 1 operation time 60s 24V shaft 0mm shaft Lmm manuf. no. P255201H191 motor type M51B20R6400 voltage AC		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		
spare parts for	350034		
	No.	360675	Ref. No.
			—



1

No.	360331	Ref. No.	2971100 MA2971100
description	timer FIBER P25 engines 1 chambers 3 operation time 60min 230V shaft 6x4.6mm shaft L 20mm manuf. no. P255J03W190 motor type M51BJ0L6400 impulse electric		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CP9A15GD, CS102E, CS102EP, CS102G, CS102GP		
spare parts for	360331		
	No.	360674	Ref. No.
			—

			
1			
No.	350033	Ref. No.	5151600 MA5151600
description	timer FIBER P25 engines 1 chambers 3 operation time 60min 24V shaft ø 6x4.6mm shaft L 20mm manuf. no. P255203W190 motor type M51B20L6400 impulse electric		
For models:	CP9A15GD, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

			
2			
No.	360120	Ref. No.	1037303000
description	timer FIBER P25 engines 1 chambers 5 operation time 180s 230V shaft ø 6x4.6mm shaft L 40mm manuf. no. P255J05H542 motor type M51BJ0R6400 for devices with electric dosing pump edition until year of construction 2000		
For models:	DLS30, DLS303, DLS30P3, DLS31, DLS313, DLS31P3, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		
spare parts for	360120		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

			
1			
No.	360050	Ref. No.	120275
description	timer FIBER P25 engines 2 chambers 6 operation time 6s / 3min 230V 50/60Hz shaft ømm shaft Lmm manuf. no. P255J06JB61 motor type M51BJ0R6400 / M51BJ0L6400		
spare parts for	360050		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		


			
1			
No.	360287	Ref. No.	121218
description	timer FIBER P25 engines 2 chambers 6 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. P255J06JB6 motor type M51B-J0R6400 / M51BJ0L6400		
spare parts for	360287		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

			
1			
No.	360398	Ref. No.	1037318000
description	timer FIBER P25 engines 2 chambers 7 operation time 12s / 2min 230V shaft ømm shaft Lmm manuf. no. P255J07JGJ7 motor type M51BJ0R6400 / M51BJ0L6400		
For models:	MLC65, MLC653		

			
1			
No.	360122	Ref. No.	1037307600
description	timer FIBER P25 engines 2 chambers 8 operation time 12s / 2min 230V shaft ømm shaft Lmm manuf. no. P255J08JG75 motor type M51BJ0R6400 / M51BJ0L6400		
For models:	MLC65, MLC653		
spare parts for	360122		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

			
1			
No.	360121	Ref. No.	1037307500
description	timer FIBER P25 engines 2 chambers 8 operation time 40s / 120s 230V shaft ømm shaft Lmm manif. no. P255J08JH76 motor type M51BJ0R6400 / M51BJ0L6400		
For models:	MLC50, MLC503		
spare parts for	360121		
	No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

			
1			
No.	360041	Ref. No.	120290
description	timer FIBER P26 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm manif. no. P265J03H322 motor type M61B40R6400 / M61B40L6400		

			
1			
No.	350038	Ref. No.	R65090020
description	timer FIBER P34 engines 1 chambers 2 operation time 144min 230V shaft ø 6x4.6mm shaft L 20mm manif. no. P345J02N765 motor type M51BJ0L6400 impulse electric		
For models:	EC106M, EC110M, EC210M, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, PE040M, PE040X, PE080M, PE080X, PG040M, PG040X, PG080M, PG080X		
spare parts for	350038		
	No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

digital timers

			
1			
No.	400946	Ref. No.	120254
description	timer electronic		

mechanical timers

			
1			
No.	350003	Ref. No.	2709900 2812300 MA2709900
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
For models:	FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G		
accessories for	350003		
	No.	110366	Ref. No. —
	knob switch zero mark t.max. °C °C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	No.	111199	Ref. No. —
	dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm		

			
1			
No.	350049	Ref. No.	1037103400 MA1037103400
description	timer M2 with bell 2-pole operation time 30min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
For models:	SPE60M, SPW60M		
accessories for	350049		
	No.	110366	Ref. No. —
	knob switch zero mark t.max. °C °C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	No.	111205	Ref. No. —
	dial plate graduation 30min permanent position yes rotation 30-300° ø 60mm		

audible timers

			
1			
No.	350036	Ref. No.	1031006400 2600200 MA1031006400
description	audible timer operation time 60min ø 55mm shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm		
For models:	CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, FOE60M, FV4E, FV4E1, OCFE60, OCFGE61, OFOE60M		

alarm devices

alarm units

			
1			
No.	350081	Ref. No.	R65330020
description	alarm device 9-15VDC H 14.5mm wall-mounted version 75dB protection IPx0		
For models:	EM106H, EM106P, EM110H, EM110P, EM210H, EM210P, EV106H, EV106P, EV110H, EV110P, EV210H, EV210P, GM106H, GM106P, GM110H, GM110P, GM210H, GM210P, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P		

buzzer boards

			
1			
No.	350078	Ref. No.	2864400 MA2864400
description	buzzer board		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CP9A15GD, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G		

			
1			
No.	350079	Ref. No.	5152000 MA5152000
description	buzzer board		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

			
1			
No.	400143	Ref. No.	R65300670
description	buzzer board		
For models:	ME106P, ME110P, ME120P, ME210P, ME220P, MG106P, MG110P, MG120P, MG210P, MG220P, VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		

buzzers

			
1			
No.	350055	Ref. No.	R65330040
description	buzzer 12VDC connection cable 200mm PCB buzzer 20dB		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, ME106P, ME110P, ME120P, ME210P, ME220P, MEC24H, MG106P, MG110P, MG120P, MG210P, MG220P, MGC24H, MGC40H, VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		

			
1			
No.	350086	Ref. No.	R65301440 RA919008
description	buzzer 12VDC connection cable 200mm PCB buzzer 20dB		
For models:	DP018T, DP112T, DPC20T, DPC40T, DX018T, DX110T, DX112T, DXC20T, DXC40T, GMT06D, GMT20D, GVT06D, GVT20D, MDP112T, MDPC20T, MDPC40T, MDX112T, MDXC20T, MDXC40T, ME061D, ME061P, ME061T, ME101D, ME101P, ME101T, ME102D, ME102P, ME102T, ME201D, ME201P, ME201T, ME202D, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P...(Other models you can see in the webshop)		

			
1			
No.	350050	Ref. No.	R65330010
description	buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, MACE04M, MACE05M, MACE07M...(Other models you can see in the webshop)		



contactors

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380248	Ref. No.	120429
description	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		

LOVATO

power contactors



1

No.	380083	Ref. No.	120444
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF0901A230		

MOELLER/EATON

power contactors



1

No.	380550	Ref. No.	R65140550
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type DILM9 01		
For models:	GMT06D, GVT06D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MVE042P, MVE051P		
accessories for	380550		
	No.	380555	Ref. No. —
	No.	380556	Ref. No. —

accessories for	380550		
	No.	380557	Ref. No. —
	No.	380558	Ref. No. —
	No.	380559	Ref. No. —
	No.	380568	Ref. No. —



1

No.	381005	Ref. No.	R65140560
description	power contactor resistive load 35A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type DILM 17-01		
For models:	MACE10M, MACE20M, MEMT10D, MEMT10P, MEVT10D, MEVT10P		

overload switches



1

No.	381006	Ref. No.	R65160420
description	overload switch connection screw setting range 1-1.6A type ZB12		
For models:	MACE10M, MACE20M, MEMT10D, MEVT10D		

auxiliary contacts



1

No.	380565	Ref. No.	R65140600
description	auxiliary contact contacts 1NO/1NC AC15 10A for contactors DIL 17-32 connection screw type DILM 32-CHI11-S		
For models:	MEMT10D, MEMT10P, MEVT10D, MEVT10P		

SIEMENS

power contactors



1

No.	380645	Ref. No.	R65140240
description	power contactor 230VAC with auxiliary contacts		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, ME-C40M, PE080M, PE080X, VE110M, VE110X, VE120M, VE120P, VE120X, VE210M, VE210P, VE210X, VE220M, VE220P, VE220X		



1

No.	381387	Ref. No.	CM187301 MACM187301
description	power contactor resistive load 22A 230VAC (AC3/400V) 4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT2016-1AP01		



1

No.	380652	Ref. No.	R65140380
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 3RT10-16-1AP02		
For models:	GMT20D, GVT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T...(Other models you can see in the webshop)		



1

No.	380389	Ref. No.	1037104800 21450299 21453199 CM187300 MACM187300
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		
For models:	AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF-70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, BR707E, BR707EI, BR78EF, BR78EI, BR912EFM, BR912EIM, BR94E, BR94EI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR9M4E, BR9M4EI, BR9M6E, BR9M6EI, BR-9S8EF, BR9S8EI, BR9SB4E, BR9SB4EI, CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CP704E, CP92E, CP92E2, CP94E, CP94E2, CP9SB2E...(Other models you can see in the webshop)		



1

No.	380390	Ref. No.	21407999 21452399 21453599 CM187400 CM187401 MACM187400 MACM187401
description	power contactor resistive load 40A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-24-1AL20 50/60Hz		
For models:	BR78EF, BR78EI, BR912EFM, BR912EIM, BR94E, BR94EI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR9M4E, BR9M4EI, BR9M6E, BR9M6EI, BR9S8EF, BR9S8EI, BR9SB4E, BR9SB4EI, CON102E, CON102EP, CON10E, CON10EP, CON201E, CON201EP, CS10E, CS10EP, F74E12, F78E12, F94E12, F94E18, F94E18K, F98E12, F98E18, F98E18K, F9S4E12, F9S4E18, F9S4E18K, F9S8E12, F9S8E18, F9S8E18K, FC7E, FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E13, FR94E132, FR94E13T...(Other models you can see in the webshop)		



1

No.	380646	Ref. No.	R65140400
description	power contactor resistive load 40A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-25-1AL20		
For models:	ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P		



1

No.	380530	Ref. No.	187500 CM187500 MACM187500
description	power contactor resistive load 60A 230VAC (AC3/400V) 40A/18.5kW main contacts 3NO connection screw connection type 3RT10-35-1AL20		

auxiliary contacts



1

No.	380653	Ref. No.	R65140420
description	auxiliary contact contacts 1NO/1NC AC15 3A for contactors 3RT101 connection screw connection type 3RH1911-1FA11		
For models:	ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T		



1

No.	380647	Ref. No.	R65140430
description	auxiliary contact contacts 1NO/1NC AC15 3A for contactors 3RT102 3 RT103 connection screw connection type 3RH1921-1EA11 resistive load 10A AC-12 10A		
For models:	ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P		

overload switches



1

No.	380655	Ref. No.	R65160150
description	overload switch setting range 0.25-0.4A		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		



1

No.	380656	Ref. No.	R65160100 R65160110
description	overload switch setting range 0.63-1A		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EM110H, EM110P, EM210H, EM210P, EV110H, EV110P, EV210H, EV210P, ME106M, ME106P, ME106X, ME110P, ME110X, ME120P, ME120X, ME210P, ME210X, ME220P, ME220X, MEC24H, MG106M, MG106P, MG106X, VE105M, VE105X, VE106M, VE106P, VE106X, VE110X, VE120P, VE120X, VE210P, VE210X, VE220P, VE220X, VG105M, VG105X, VG106M, VG106P, VG106X		



1

No.	380659	Ref. No.	R65160570
description	overload switch setting range 0.7-1A connection screw type 3RU1116-0JB0 (AC3/400V) 0.25kW		
For models:	ME101P, ME101T, ME102P, ME102T, ME201P, ME201T, ME202P, ME202T, MEMENT20P, MEMENT21P, MEMENT40P, MEVT20P, MEVT21P, MEVT40P		



1

No.	380661	Ref. No.	R65160620
description	overload switch setting range 1.4-2.0A connection screw type 3RU1116-1BB0 (AC3/400V) 0.75kW		
For models:	ME101D, ME101M, ME101P, ME101T, ME201D, ME201M, ME201P, ME201T, MEMENT21D, MEMENT21P, MEVT21D, MEVT21P, MG101P, MG101T, MG201P, MG201T, MG202P, MG202T, MGMT21P, MGMT40P, MGVT21P, MGVT40P		

			
1			
No.	380657	Ref. No.	R65160120
description	overload switch setting range 1.8-2.5A		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110X, FG210X, GM110H, GM110P, GM210H, GM210P, GV110H, GV110P, GV210H, GV210P, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG110P, MG110X, MG120P, MG120X...(Other models you can see in the webshop)		

motor protection circuit breakers

			
1			
No.	382000	Ref. No.	R65160590
description	motor protection circuit breaker type 3RU1116-1EBO setting range 2.8-4A (AC3/400V) 1.5kW		
For models:	GMT20D, GVT20D, MG101D, MG101M, MG101P, MG101T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P		

miscellaneous

kits



1

No.	381158	Ref. No.	R65160130
description	overload switch kit		
For models:	FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, PG080M, PG080X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X, VG220M, VG220P...(Other models you can see in the webshop)		
spare parts for	381158		
	No.	380652	Ref. No. R65140380
	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 3RT10-16-1AP02		
	No.	380660	Ref. No. —
	base		

spare parts for		381158		
	No.	381071	Ref. No.	—
	description	overload switch setting range 3.5-5A		

power contactors

			
1			
No.	380654	Ref. No.	R65140150 R65140170
description	power contactor 230V with auxiliary contacts		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

relays

power relays

with DIN rail mounting

upper

			
1			
No.	380330	Ref. No.	1037312400
description	power relays Italiana Relè 230VAC 16A 2CO connection male faston 6.3mm DIN rail manuf. no. A2S-230AC-AD		
For models:	MLC50, MLC503, MLC65, MLC653		

lateral



1

No.	380336	Ref. No.	R65170100
description	power relays FINDER 230VAC 16A 2NO connection male faston 6.3mm DIN rail manuf. no. 62.82.8.230.0308		
For models:	CVE004H, CVE104H, MVE042P, MVE051P, MVG051P		
accessories for	380336		
	No.	380703	Ref. No. —
adapter for flange mounting suitable for Finder relay 62 series.			
	No.	380811	Ref. No. —
adapter with bracket mounting suitable for Finder relay 62 series.			
	No.	380954	Ref. No. —
adapter hole distance 54mm bracket mounting suitable for Finder relay 62 series. L 41mm W 39mm H 49mm			
	No.	381003	Ref. No. —
adapter for DIN rail mounting suitable for Finder relay 62 series.			
	No.	381039	Ref. No. —
adapter for DIN rail mounting suitable for Finder relay 62 series.			



1

No.	380379	Ref. No.	890029 SIRA890029 SIRRA890029
description	power relays SCHRACK 230VAC 25A 2CO connection male faston 6.3mm DIN rail manuf. no. RM809730		

with flange mounting



1


No.	380310	Ref. No.	23685.00
description	power relays FINDER 230VAC 16A 2CO connection male faston 6.3mm screw mounting at 250VA manuf. no. 62.82.8.230.0000+062.10		
For models:	AF140B, AF140C, AF140F, AF140I, AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF140N, AF140P, AF14F, AF14G, AF14N, AF70B, AF70C, AF70F, AF70I, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AF70N, AF70P, AF72B, AF72C, AF72F, AF72I, AF72N, AF72P, AF7C, AF7F, AF7G, AFC14, AFC14V, AFC7, AFC7V, AF72P, AF72N, AF72P, AF72N, AFR1143P, AFR14, AFR14V, AFR214P, AFR214PV, AFR7, AFR7P...(Other models you can see in the webshop)		



1

No.	380131	Ref. No.	120459
description	power relays Italiana Relè 230VAC 16A 3CO connection male faston 6.3mm screw mounting manuf. no. B2-3-230AC		

with bracket mounting



1

No.	380139	Ref. No.	CR0413170
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, SPAR16, SPAR20, SPRG12, SPRG16, SPRG20, SVAR16, SVAR20, SVRG12, SVRG16, SVRG20		

with male contacts

bullet connectors, 8 contacts



1

No.	380951	Ref. No.	0683840 CR0683840
description	power relays FINDER 230VAC 10A 2CO connection plug-in connection round 8-pole manuf. no. 60.12.4.101.0040 90.26/ZVE8 250V		
For models:	NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A		



1

No.	380134	Ref. No.	2863600 MA2863600
description	power relays Italiana Relè 230VAC 10A 2CO connection plug-in connection round 8-pole manuf. no. C42-230VAC 90.26/ZVE8 250V		
For models:	CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, HF140DPF, NF140DF, NF140DFN, NF140DN, NF140DNI, NF140DNN, NF140DP, NF140DPN, NF140DPP, NF143DNF, NF143DNI, NF143DNP, NF14DNG, NF70DF, NF70DI, NF70DN, NF70DP, NF72DNF, NF72DNI, NF72DNN, NF7DFG, NF7DNG, SPAR16, SPAR20, SPRG12, SPRG16, SPRG20, SVAR16, SVAR20, SVRG12, SVRG16, SVRG20		
accessories for	380134		
	No.	380137	Ref. No. —
	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8		
	No.	380638	Ref. No. 2609500 MA2609500
	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		

female contact 2.0mm



1


No.	380382	Ref. No.	2998400 MA2998400
description	power relays 16A 1CO plug-in connection 250V connection 2mm		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP		
accessories for	380382		
	No.	380341	Ref. No. 2998500
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4		

accessories for	380382		
	No.	380378	Ref. No. —
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72		
	No.	380384	Ref. No. —
	relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for		
	No.	380399	Ref. No. —
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3		

plug-in/print relays



1



No.	380333	Ref. No.	R65170050
description	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75		
For models:	ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21P, MEMENT40P, MG061M, MG101M, MG102M, MG106M, MG106X, MG110M, MG110X, MG120M, MG120X, MG201M, MG202M, MG210M, MG210X, MG220M, MG220X, MGC20X, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, VE106M, VE106X, VE110M, VE110X, VE120M, VE120X, VE210M...(Other models you can see in the webshop)		
accessories for	380333		
	No.	380340	Ref. No. 5151400 MA5151400
	relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5		
	No.	380505	Ref. No. —
	relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3		
	No.	381181	Ref. No. —
	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75		




1

No.	380331	Ref. No.	51513.00 MA5151300
description	print relay 24VAC 1CO at 250V 10A connection pins raster size 5mm		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CP9A15GD, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		
accessories for	380331		
	No.	380340	Ref. No. 5151400 MA5151400
relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5			
	No.	380505	Ref. No. —
relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3			
	No.	381181	Ref. No. —
relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75			

relay sockets



1



No.	380341	Ref. No.	2998500
description	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CP9A15GD		
accessories for	380341		
	No.	380804	Ref. No. —
support bracket			




1

No.	380638	Ref. No.	2609500 MA2609500
description	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		
For models:	CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, FV4E, FV4E1, HF140DPF, NF140DF, NF140DFN, NF140DN, NF140DNI, NF140DNN, NF140DP, NF140DPN, NF140DPP, NF143DNF, NF143DNI, NF143DNP, NF14DNG, NF70DF, NF70DI, NF70DN, NF70DP, NF72DNF, NF72DNI, NF72DNN, NF7DFG, NF7DNG, NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A, SPAR16, SPAR20, SPRG12, SPRG16, SPRG20, SVAR16, SVAR20, SVRG12, SVRG16...(Other models you can see in the webshop)		



1



No.	380340	Ref. No.	5151400 MA5151400
description	relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CP9A15GD, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

level relays

GICAR



1

No.	401224	Ref. No.	R65120010
description	level relay 230V connection F6.3 type RL30/3ES/F/G		
For models:	EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M, MG106M, MG106X, MG110M, MG110X, MG120M, MG120X, MG201M, MG202M, MG210M, MG210X, MG220M, MG220X, MGC20X		

time relays

time relays



1

No.	381421	Ref. No.	R65090450
description	time relay CROUZET EMAR7 88 829 117 time range 0.1s-20h 240VAC 5A NO connection grip connection		
For models:	CVG105H, CVG105M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102D, ME102M, ME201M, ME202M, MEC40M, MG061M, MG101M, MG102M, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG201M, MG202M, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, VG105M, VG105X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X...(Other models you can see in the webshop)		



1

No.	380489	Ref. No.	R65090480
description	time relay CROUZET MUR1-88826105 time range 0.1s-100h 24-240VAC/24VDC 8A mounting measurements DIN railmm 1CO connection grip connection		
For models:	EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, MVE042P		



1

No.	380329	Ref. No.	R65090460
description	time relay FIBER 85.02.8.240 time range 0.05s - 100h 230-240VAC 10A mounting measurements 20.6x27.7mm 2CO connection 2.0		
For models:	ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME210M, ME210X, ME220M, ME220X, MG106M, MG106X, MG110M, MG110X, MG120M, MG120X, MG210M, MG210X, MG220M, MG220X		
accessories for	380329		
	No.	380378	Ref. No. —
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manif. no. 94.72		
	No.	380803	Ref. No. —
	relay socket 2-pole dimensions 76.2x27x86.1mm 250V voltage AC 10A FINDER manif. no. 94.92.3		

transformers

open transformers

with clamp terminal



1

No.	400947	Ref. No.	120608
description	transformer primary 220/230-240-380/400-415V secondary 12-24V 150VA secondary 4.17A 50/60Hz		



1

No.	401152	Ref. No.	5153000 MA5153000
description	transformer primary 230/400V secondary 12V 100VA		
For models:	CP9A15GD, CSM102G, CSM102GP, CSM10G, CSM10GP, CSM6E, CSM6EP, CSM6G, CSM6GP		



1

No.	401153	Ref. No.	5153100 MA5153100
description	transformer primary 230/400V secondary 12V 160VA		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CSM102E, CSM102EP, CSM10E, CSM10EP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP		

toroidal core transformers



1

No.	401151	Ref. No.	5159300 MA5159300
description	transformer primary 230V secondary 12V 20VA		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CP9A15GD, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

encapsulated transformers

with screw connection



1

No.	402950	Ref. No.	CR0684780
description	transformer primary 230V secondary 24V 100VA connection screw 50/60Hz type 192		
For models:	NBR912EFM, NBR912EIM, NBR912GFM, NBR912GIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM		



1

No.	400127	Ref. No.	R65180430
description	transformer primary 230VAC secondary 12VAC 40VA secondary 3.2A H 63mm L 75mm W 78mm connection 2-wire connection systems 50/60Hz moulded		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FG110X, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M+SC, GV210P, GVT20D, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME110P, ME110X, ME120P...(Other models you can see in the webshop)		

PMA



1

No.	401340	Ref. No.	R65180770
description	transformer primary 220/240V secondary 24V 50VA secondary 2.1A connection screw 50/60Hz		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P		



1

No.	400125	Ref. No.	R65180410
description	transformer primary 220-240V secondary 12V 16VA secondary 12V/0.3A/1AA connection screw 50Hz		
For models:	EM106P, EM110P, EM210P, EV106P, EV110P, EV210P, GM106P, GM110P, GM210P, GV106P, GV110P, GV210P, ME106P, ME110P, ME120P, ME210P, ME220P, MG106P, MG110P, MG120P, MG210P, MG220P, VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		



1

No.	400126	Ref. No.	R65180420
description	transformer primary 230VAC secondary 12VAC 20VA secondary 2.1A connection screw 50Hz		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105X, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101P, ME101T, ME102P, ME102T, ME106P, ME106X, ME201P, ME201T, ME202P, ME202T, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D...(Other models you can see in the webshop)		



			
1			
No.	379054	Ref. No.	24706.00 MA2470600
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	SER15, SER15A, SER18, SER18A, SER21		

electronic controllers

ELIWELL

universal controllers

built-in version

1

No.	379563	Ref. No.	2959300 MA2959300	
description	electronic controller ELIWELL type ICPlus902 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 relay CO-8A(4) defr. funct. no -55 up to +150°C display 3½ digits Templn1 yes 8A			
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CP9A15GD, CS4E, CS4EP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP			
accessories for	379563			
	No.	379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			
	No.	379064	Ref. No.	23745.00 MA2374500
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
	No.	379161	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	No.	379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			

EVCO - EVERY CONTROL

refrigeration controllers

built-in version

			
1			
No.	379850	Ref. No.	1681118 BN1681118
description	electronic controller EVERY CONTROL type EVC20S35N7ALX40 mounting measurements 165x45mm 230V voltage AC NTC relay outputs 4 NO-16A(5) NO-8A(4) CO-8A(4) NO-8A(4) NTC NTC DI DI for fridge front measurementsmm built-in depth 56mm protection IP00 yes yes yes -40 up to +99°C display 4 digits		

SHANGFANG

accessories

			
1			
No.	379054	Ref. No.	24706.00 MA2470600
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	SER15, SER15A, SER18, SER18A, SER21		

probes

universal probes

temperature probes

			
1			
No.	379343	Ref. No.	4671600 46716000 MA4671600
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
For models:	FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FS140F, FS140FI, FS140FN, FS140I, FS140N, FS140NG, FS140NI, FS140NN, FS140P, FS140PN, FS140PP, FS143F, FS143FI, FS143N, FS143NF, FS143NI, FS143NN, FS143NP, FS143P, FS70F, FS70FG, FS70I, FS70N, FS70NG, FS70P, FS72F, FS72FI, FS72IN...(Other models you can see in the webshop)		

			
No.	379130 ¹	Ref. No.	R65325000
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 3-wire resistance at 0°C 100Ohm		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM106H, EM106P, EM110H, EM110P, EM210H, EM210P, EV106H, EV106P, EV110H, EV110P, EV210H, EV210P, GM106H, GM106P, GM110H, GM110P, GM210H, GM210P, GMT06D, GMT20D, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P, GVT06D, GVT20D, ME061D, ME061P, ME061T, ME101D, ME101P, ME101T, ME102P, ME102T, ME106P, ME110P, ME120P, ME201D, ME201P, ME201T, ME202D, ME202P, ME202T, ME210P... (Other models you can see in the webshop)		

¹3-wire

			
No.	379050 ¹	Ref. No.	R65325010
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
For models:	ME201D, ME202D, ME220P, MEC24H, MEMT21D, MEMT21P, MEMT40D, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG201D, MG202D, MG220P, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGV21D, MGV21P, MGV40D, MGV40P		

¹3-wire

			
No.	379064	Ref. No.	23745.00 MA2374500
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
For models:	BR120, BR160, EF140DF, EF140DN, EF140DP, EF143DNF, EF70DF, EF70DN, EF70DP, EF72DNF, F140DF, F140DI, F140DN, F140DP, F14DFG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG, IR13C, IR13CC, IR13CV, IR13M, IR13MC, IR13MV, IR13V, IR17C, IR17CC, IR17CV, IR17M, IR17MC, IR17MV, IR17V, NF140DF, NF140DN, NF140DP, NF140DNI, NF140DNN, NF140DP, NF140DPN, NF140DPP, NF143DNF, NF143DNI, NF143DNP, NF14DNG, NF70DF, NF70DI... (Other models you can see in the webshop)		

producer-specific probes

probes

			
No.	379387	Ref. No.	1957600
description	temperature probe Pt100 cable PTFE probe -100 up to 450°C cable -40 up to +250°C connection 2-wire thread probe ø4x350mm cable length 0.85m		
For models:	FR92G22T, FR94G22T		

			
No.	379143	Ref. No.	R65325020
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C connection 2-wire thread probe ø3-6x90mm cable length 5m		
For models:	ME220P, MG220P, MGC40H, VE220P, VG220P		
spare parts for	379143		
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			


			
No.	379711	Ref. No.	RA932001
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C connection coded plug thread probe ø6x40mm cable length 3.5m		
For models:	10-teglie-GN-MISTI-FR-STD, 10-teglie-GN-MISTI-FR-TOP, 10-teglie-GN-MISTI-IT-STD, 10-teglie-GN-MISTI-IT-TOP, 10-teglie-GN-MISTI-TX-STD, 10-teglie-GN-positivi-FR-STD, 10-teglie-GN-positivi-FR-TOP, 10-teglie-GN-positivi-IT-STD, 10-teglie-GN-positivi-IT-TOP, 10-teglie-GN-positivi-TX-STD, 12-teglie-GN-MISTI-FR-STD, 12-teglie-GN-MISTI-FR-TOP, 12-teglie-GN-MISTI-IT-STD, 12-teglie-GN-MISTI-IT-TOP, 12-teglie-GN-MISTI-TX-STD, 12-teglie-GN-positivi-FR-STD, 12-teglie-GN-positivi-FR-TOP, 12-teglie-GN-positivi-IT-STD, 12-teglie-GN-positivi-IT-TOP, 12-teglie-GN-positivi-TX-STD, 14-teglie-GN-MISTI-FR-STD, 14-teglie-GN-MISTI-FR-TOP, 14-teglie-GN-MISTI-IT-STD, 14-teglie-GN-MISTI-IT-TOP, 14-teglie-GN-MISTI-TX-STD, 14-teglie-GN-positivi-FR-STD, 14-teglie-GN-positivi-FR-TOP, 14-teglie-GN-positivi-IT-STD, 14-teglie-GN-positivi-IT-TOP, 14-teglie-GN-positivi-TX-STD, 15-teglie-GN-MISTI-FR-STD, 15-teglie-GN-MISTI-FR-TOP, 15-teglie-GN-MISTI-IT-STD, 15-teglie-GN-MISTI-IT-TOP, 15-teglie-GN-MISTI-TX-STD, 15-teglie-GN-positivi-FR-STD, 15-teglie-GN-positivi-FR-TOP, 15-teglie-GN-positivi-IT-STD, 15-teglie-GN-positivi-IT-TOP, 15-teglie-GN-positivi-TX-STD, 17-teglie-GN-MISTI-FR-STD, 17-teglie-GN-MISTI-FR-TOP, 17-teglie-GN-MISTI-IT-STD, 17-teglie-GN-MISTI-IT-TOP, 17-teglie-GN-MISTI-TX-STD, 17-teglie-GN-positivi-FR-STD, 17-teglie-GN-positivi-FR-TOP, 17-teglie-GN-positivi-IT-STD, 17-teglie-GN-positivi-IT-TOP, 17-teglie-GN-positivi-TX-STD, 17-teglie-GN-positivi-FR-dep-STD, 17-teglie-GN-positivi-FR-dep-TOP, 17-teglie-GN-positivi-IT-dep-STD, 17-teglie-GN-positivi-IT-dep-TOP, 17-teglie-GN-positivi-TX-dep-STD, 17-teglie-GN-positivi-TX-dep-TOP, 17-teglie-GN-positivi-FR-dep-STD, 17-teglie-GN-positivi-FR-dep-TOP, 17-teglie-GN-positivi-IT-dep-STD, 17-teglie-GN-positivi-IT-dep-TOP, 17-teglie-GN-positivi-TX-dep-STD, 17-teglie-GN-positivi-TX-dep-TOP... (Other models you can see in the webshop)		

			
No.	379388	Ref. No.	CM295900 MACM295900
description	temperature probe thermocouple J (Fe-CuNi) cable TP probe -50 up to +750°C cable -40 up to +110°C connection 2-wire thread probe ø4x250mm cable length 0.7m		
For models:	F94E18K, F94G22K, F98E18K, F98G22K, NF94E222K, NF94E22K, NF94G23K, NF98E222K, NF98E22K, NF98G23K		

core probes

			
No.	379134	Ref. No.	R65320900
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø4x100mm thread cable length 1m handle ø 15mm handle length 83mm		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM010M+SC, EM106H, EM106M+SC, EM106P, EM110H, EM110M+SC, EM110P, EM210H, EM210M+SC, EM210P, EV106H, EV106M+SC, EV106P, EV110H, EV110M+SC, EV110P, EV210H, EV210M+SC, EV210P, GM106H, GM106M+SC, GM106P, GM110H, GM110M+SC, GM110P, GM210H, GM210M+SC, GM210P, GV106H, GV106M+SC, GV106P, GV110H, GV110M+SC, GV110P, GV210H, GV210M+SC, GV210P, ME061M, ME101M, ME102M, ME106P, ME106X, ME110P, ME110X, ME120P, ME120X... (Other models you can see in the webshop)		

			
No.	379132	Ref. No.	2912400 LAR65320180
description	core temperature probe Pt100 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread 1/8" cable length 2.5m handle ø 9mm handle length 85mm		
For models:	CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G		

			
No.	379544	Ref. No.	RA 930013 SIRA930013 SIRRA930013
description	core temperature probe Pt1000 cable silicone probe -40 up to +120°C cable -50 up to +180°C connection 2-wire probe ø4x100mm thread cable length 3.6m handle ø 16mm handle length 120mm		
For models:	10-tegliche-GN-MISTI-FR-STD, 10-tegliche-GN-MISTI-IT-STD, 10-tegliche-GN-MISTI-TX-STD, 10-tegliche-GN-positivi-FR-STD, 10-tegliche-GN-positivi-IT, 10-tegliche-GN-positivi-IT-STD, 10-tegliche-GN-positivi-TX-STD, 12-tegliche-PA-MISTI-FR-STD, 12-tegliche-PA-MISTI-IT-STD, 12-tegliche-PA-positivi-FR-STD, 12-tegliche-PA-positivi-IT-STD, 14-tegliche-GN-MISTI-FR-dep-STD, 14-tegliche-GN-MISTI-FR-STD, 14-tegliche-GN-MISTI-IT-dep-STD, 14-tegliche-GN-MISTI-IT-STD, 14-tegliche-GN-MISTI-TX-STD, 14-tegliche-GN-positivi-FR-dep-STD, 14-tegliche-GN-positivi-FR-STD, 14-tegliche-GN-positivi-IT-dep-STD, 14-tegliche-GN-positivi-IT-STD, 14-tegliche-GN-positivi-TX-STD, 15-tegliche-PA-MISTI-FR-STD, 15-tegliche-PA-MISTI-TX-STD, 17-tegliche-PA-MISTI-FR-dep, 17-tegliche-PA-MISTI-FR-STD, 17-tegliche-PA-MISTI-IT-dep, 17-tegliche-PA-MISTI-IT-STD, 17-tegliche-PA-positivi-FR-dep-STD, 17-tegliche-PA-positivi-FR-STD, 17-tegliche-PA-positivi-IT-dep-STD, 17-tegliche-PA-positivi-IT-STD, 20-tegliche-GN-misti-FR-STD, 20-tegliche-GN-positivi-FR-STD, 20-tegliche-GN-positivi-IT-STD, 21-tegliche-PA-MISTI-TX-STD		

			
No.	379757	Ref. No.	RA 930014 SIRA930014 SIRRA930014
description	core temperature probe Pt1000 cable silicone probe -40 up to +120°C cable -50 up to +180°C connection 2-wire probe ø4x100mm thread cable length 3.6m handle ø 16mm handle length 125mm		
For models:	10-tegliche-GN-MISTI-FR-TOP, 10-tegliche-GN-MISTI-IT-TOP, 10-tegliche-GN-positivi-FR-TOP, 10-tegliche-GN-positivi-IT-TOP, 12-tegliche-PA-MISTI-FR-TOP, 12-tegliche-PA-MISTI-IT-TOP, 12-tegliche-PA-positivi-FR-TOP, 12-tegliche-PA-positivi-IT-TOP, 14-tegliche-GN-MISTI-FR-dep-TOP, 14-tegliche-GN-MISTI-FR-TOP, 14-tegliche-GN-MISTI-IT-dep-TOP, 14-tegliche-GN-MISTI-IT-TOP, 14-tegliche-GN-positivi-FR-dep-TOP, 14-tegliche-GN-positivi-FR-TOP, 14-tegliche-GN-positivi-IT-dep-TOP, 14-tegliche-GN-positivi-IT-TOP, 17-tegliche-PA-MISTI-FR-dep-TOP, 17-tegliche-PA-MISTI-FR-TOP, 17-tegliche-PA-MISTI-IT-dep-TOP, 17-tegliche-PA-MISTI-IT-TOP, 17-tegliche-PA-positivi-FR-dep-TOP, 17-tegliche-PA-positivi-FR-TOP, 17-tegliche-PA-positivi-IT-dep-TOP, 17-tegliche-PA-positivi-IT-TOP, 20-tegliche-GN-positivi-FR-TOP, 20-tegliche-GN-positivi-IT-TOP		

			
No.	379510	Ref. No.	R65321100
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 6-pin connector probe ø3.5x90mm thread cable length 1.1m handle ømm handle length 90mm		
For models:	ME061T, ME101T, ME102T, ME201T, ME202T, MG061T, MG101T, MG102T, MG201T, MG202T		

			
No.	379773 ¹	Ref. No.	R65321120
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x90mm thread cable length 1.1m handle ømm handle length 90mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, ME061D, ME061P, ME101D, ME101P, ME102D, ME102P, ME201D, ME201P, ME202D, ME202P, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061P, MG101D, MG101P, MG102D, MG102P, MG201D, MG201P, MG202D, MG202P, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P...(Other models you can see in the webshop)		

¹ multipoint probe

accessories

plugs/bushes

			
No.	378016	Ref. No.	R65320920
description	female connector 4-pole		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM010M+SC, EM106H, EM106M+SC, EM106P, EM110H, EM110M+SC, EM110P, EM210H, EM210M+SC, EM210P, EV106H, EV106M+SC, EV106P, EV110H, EV110M+SC, EV110P, EV210H, EV210M+SC, EV210P, GM106H, GM106M+SC, GM106P, GM110H, GM110M+SC, GM110P, GM210H, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M+SC, GV106P, GV110H, GV110M+SC, GV110P, GV210H, GV210M+SC, GV210P, GVT06D, GVT20D, ME061D, ME061M, ME061P, ME101D, ME101M...(Other models you can see in the webshop)		

			
No.	378017	Ref. No.	R65321020
description	lid for plug contact		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM010M+SC, EM106H, EM106M+SC, EM106P, EM110H, EM110M+SC, EM110P, EM210H, EM210M+SC, EM210P, EV106H, EV106M+SC, EV106P, EV110H, EV110M+SC, EV110P, EV210H, EV210M+SC, EV210P, GM106H, GM106M+SC, GM106P, GM110H, GM110M+SC, GM110P, GM210H, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M+SC, GV106P, GV110H, GV110M+SC, GV110P, GV210H, GV210M+SC, GV210P, GVT06D, GVT20D, ME061D, ME061M, ME061P, ME101T, ME101D...(Other models you can see in the webshop)		

miscellaneous




1

No.	379856	Ref. No.	R86020420
description	bag for core temperature probe		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM010M+SC, EM106H, EM106M+SC, EM106P, EM110H, EM110M+SC, EM110P, EM210H, EM210M+SC, EM210P, EV106H, EV106M+SC, EV106P, EV110H, EV110M+SC, EV110P, EV210H, EV210M+SC, EV210P, GM106H, GM106M+SC, GM106P, GM110H, GM110M+SC, GM110P, GM210H, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M+SC, GV106P, GV110H, GV110M+SC, GV110P, GV210H, GV210M+SC, GV210P, GVT06D, GVT20D, ME061D, ME061M, ME101D, ME101M, ME102D... (Other models you can see in the webshop)		

electronics

PCBs



1

No.	403472	Ref. No.	R65301400
description	control PCB combi-steamer VE 061/1011 L 410mm W 150mm suitable for LAINOX		
For models:	MEVT06P, MEVT10P, MEVT20P, MEVT21P, MEVT40P, MGVTO6P, MGVT10P, MGVTO20P, MGVTO21P, MGVTO40P		



1

No.	402427	Ref. No.	R65301370 R65301390
description	control PCB L 410mm W 150mm for LAINOX buttons 13		
For models:	ME061P, ME101P, ME102P, ME201P, ME202P, MEMT06P, MEMT10P, MEMT20P, MGMT21P, MGMT40P, MEVT06P, MEVT10P, MEVT20P, MEVT21P, MEVT40P, MG061P, MG101P, MG102P, MG201P, MG202P, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, MGVT06P, MGVT10P, MGVT20P, MGVT21P, MGVT40P		




1

No.	400149	Ref. No.	R65300580
description	keypad PCB		
For models:	VE004X, VE104X, VE105X, VG105X		



1

No.	401332	Ref. No.	R65300540
description	keypad PCB		
For models:	EM010M+SC, EM106M+SC, EM110M+SC, EM210M+SC, EV106M+SC, EV110M+SC, EV210M+SC, GM106M+SC, GM110M+SC, GM210M+SC, GV106M+SC, GV110M+SC, GV210M+SC, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M, MGC20X		



1

	No.	401591	Ref. No.	R65301410 R65301420 R65301460
description		keypad PCB combi-steamer ME061T complete		
For models:		ME061T, ME101T, ME102T, ME201T, ME202T, MG061T, MG101T, MG102T, MG201T, MG202T		
spare parts for		401591		
	No.	350086	Ref. No.	R65301440 RA919008
		buzzer 12VDC connection cable 200mm PCB buzzer 20dB		
	No.	401338	Ref. No.	R65301450
		encoder		



1

No.	400140	Ref. No.	R65300500
description	keypad PCB combi-steamer ME106M with keypad		
For models:	ME106M, ME110M, ME120M, ME210M, MG106M, MG110M, MG120M, MG210M, MG220M, VE106M, VE110M, VE120M, VE210M, VE220M, VG106M, VG110M, VG120M. VG210M. VG220M		

			
1			
No.	401661	Ref. No.	R65301800 R65301810 R65301820
description	keypad PCB combi-steamer MVE04 kit		
For models:	MVE042P, MVE051P, MVG051P		

			
1			
No.	400687	Ref. No.	CM295800 MACM295800
description	keypad PCB fryer EFE....K		
For models:	F94E18K, F94G22K, F98E18K, F98G22K, NF94E222K, NF94E22K, NF94G23K, NF98E222K, NF98E22K, NF98G23K		

			
1			
No.	400142	Ref. No.	R65300570
description	keypad PCB L 100mm W 95mm buttons 8		
For models:	ME106X, ME110X, ME120X, ME210X, ME220M, ME220X, MG106X, MG110X, MG120X, MG210X, MG220X, VE106X, VE110X, VE120X, VE210X, VE220X, VG106X, VG110X, VG120X, VG210X, VG220X		

			
1			
No.	401352	Ref. No.	R65301330
description	keypad PCB temperature		
For models:	GMT06D, GMT20D, ME061D, ME101D, ME102D, ME201D, MG061D, MG101D, MG102D, MG201D, MG202D		

			
1			
No.	400150	Ref. No.	R65300830
description	main PCB		
For models:	CVE004H, CVE104H, CVE105H, CVG105H		

			
1			
No.	400148	Ref. No.	R65300550
description	PCB		
For models:	VE004X, VE104X, VE105X, VG105X		

			
1			
No.	401333	Ref. No.	R65300490
description	PCB		
For models:	EM010M+SC, EM106M+SC, EM110M+SC, EM210M+SC, EV106M+SC, EV110M+SC, EV210M+SC, GM106M+SC, GM110M+SC, GM210M+SC, GV106M+SC, GV110M+SC, GV210M+SC, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M, MGC20X		



1

No.	401341	Ref. No.	R63130020
description	PCB		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P		



2

No.	400141	Ref. No.	R65300520
description	PCB blast chiller suitable for LAINOX		
For models:	ME106X, ME110X, ME120X, ME210X, ME220X, MG106X, MG110X, MG120X, MG210X, MG220X, VE106X, VE110X, VE120X, VE210X, VE220X, VG106X, VG110X, VG120X, VG210X, VG220X		



1

No.	402825	Ref. No.	R65301480
description	PCB combi-steamer GEMT L 130mm W 86mm new edition level control steam generator EVCO		
For models:	GMT06D, GMT20D, ME061D, ME061P, ME101D, ME101P, ME102D, ME102P, ME201D, ME201P, ME202D, ME202P, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MG061D, MG061P, MG101D, MG101P, MG102D, MG102P, MG201D, MG201P, MG202D, MG202P, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P		



1

No.	400152	Ref. No.	R65300850
description	PCB core temperature		
For models:	CVE004H, CVE104H, CVE105H, CVG105H		



1

No.	401767	Ref. No.	RA910059 SIRRA910059
description	power PCB		



1

No.	402972	Ref. No.	011AD1600001 0509630R BN011AD1600001 CR0509630R
description	relay PCB L 69mm W 59mm		
For models:	V94E, V98E		

keypads

front foils



1

No.	401304	Ref. No.	R67010450
description	front foil		
For models:	CVE004M, CVE104M, VE004M, VE104M		



1

No.	401308	Ref. No.	R67010530
description	front foil		
For models:	VE106M, VE110M, VE120M, VE210M, VE220M, VG106M, VG110M, VG120M, VG210M, VG220M		

			
1			
No.	401313	Ref. No.	R67012950
description	front foil		
For models:	ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		

			
1			
No.	511409	Ref. No.	461073
description	front foil		

			
1			
No.	511411	Ref. No.	461074
description	front foil		

			
1			
No.	511412	Ref. No.	461101
description	front foil		

			
1			
No.	511414	Ref. No.	461138
description	front foil		

			
1			
No.	511416	Ref. No.	461075
description	front foil		

			
1			
No.	401305	Ref. No.	R67010460
description	front foil suitable for LAINOX L 399mm W 74mm		
For models:	VE004X, VE104X		


			
1			
No.	401306	Ref. No.	R67010490
description	front foil suitable for LAINOX L 493mm W 75mm		
For models:	CVE105M, CVG105M, VE105M, VG105M		

			
1			
No.	401307	Ref. No.	R67010500
description	keypad foil		
For models:	VE105X, VG105X		

			
1			
No.	401309	Ref. No.	R67010550
description	keypad foil		
For models:	VE106X, VE110X, VE120X, VE210X, VE220X, VG106X, VG110X, VG120X, VG210X, VG220X		

			
1			
No.	401311	Ref. No.	R67010630
description	keypad foil		
For models:	ME106X, ME110X, ME120X, ME210X, ME220X, MG106X, MG110X, MG120X, MG210X, MG220X		

			
1			
No.	401312	Ref. No.	R67012960
description	keypad foil		
For models:	ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		

			
1			
No.	401324	Ref. No.	R67010660
description	keypad foil		
For models:	MEC24H, MGC24H, MGC40H		

			
1			
No.	401326	Ref. No.	R67010920
description	keypad foil		
For models:	ME106P, ME110P, ME120P, ME210P, ME220P, MG106P, MG110P, MG120P, MG210P, MG220P		

			
No.	401327	Ref. No.	R67010950
description	keypad foil		
For models:	VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		

			
No.	401329	Ref. No.	R67010870
description	keypad foil		
For models:	CVE004H, CVE104H		

			
No.	401330	Ref. No.	R67012910
description	keypad foil		
For models:	MG101P		

			
No.	401349	Ref. No.	R67013461
description	keypad foil		
For models:	MVE042P, MVE051P, MVG051P		

			
No.	400688	Ref. No.	CM247301 MACM247301
description	keypad foil fryer F94/F98		
For models:	F94E18K, F94G22K, F98E18K, F98G22K		

			
No.	504294	Ref. No.	CR0588380
description	keypad foil suitable for 900 series L 92mm W 54mm buttons 4		
For models:	NF94E222K, NF94E22K, NF94G23K, NF98E222K, NF98E22K, NF98G23K		

solenoid valves

solenoid valves (water)

ELBI

straight



No.	373021	Ref. No.	R65110040 R65115000	
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm output 1x 4.7l/min DN10 ELBI			
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG106M, MG106P, MG106X, MG110M...(Other models you can see in the webshop)			
spare parts for	373021			
	No.	370467	Ref. No.	—
solenoid valve filter suitable for ELBI				
	No.	371263	Ref. No.	—
reducer ELBI type EATON (INVENSYS) flow rate 4.7l/min pressure range 0 up to 10bar tolerance ±15/25% grey				



No.	373017	Ref. No.	R65110010	
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI			
For models:	EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, ME106M...(Other models you can see in the webshop)			
spare parts for	373017			
	No.	370467	Ref. No.	—
solenoid valve filter suitable for ELBI				

angled



1

No.	370833	Ref. No.	CR0682320 CR0682320R
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 18.5-20l/min DN10 ELBI		
For models:	NBR912EFM, NBR912EIM, NBR912GFM, NBR912GIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM, NPD76G5, NPD78G8, NPD96G5, NPD98E10, NPD98E15, NPD98G10, NPD98G15, NPD98G15A, NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A		



1

No.	370360	Ref. No.	R65115040
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm output 0.25l/min t.max. 90°C ELBI plastic flow regulating valve outlet white flow regulating valve inlet clear		
For models:	EC110M, EC210M, EV110M, EV110M+SC, EV210M, EV210M+SC, GC110M, GC210M, GV110M, GV110M+SC, GV210M, GV210M+SC, VE106M, VE106P, VE106X, VE110M, VE110X, VE210M, VE210P, VE210X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG210M, VG210P, VG210X		



1

No.	370359	Ref. No.	R65115050
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm input 5.5l/min t.max. 90°C ELBI plastic flow regulating valve inlet yellow output A 5.5l/min output B 2l/min output A brown output B white		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		



1

No.	370361	Ref. No.	R65115060
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm plastic output A 0.25l/min		
For models:	VE120M, VE120P, VE120X, VE220M, VE220P, VE220X, VG120M, VG120P, VG120X, VG220M, VG220P, VG220X		

spare parts and accessories

reducers

outlet side



1

No.	371060	Ref. No.	R65110520
description	reducer ELBI flow rate 0.25l/min pressure range 0 up to 10bar tolerance ±15/25% green		
For models:	MGVT10D, MGVT10P		

RPE

JOHN GUEST



1

No.	374032 ¹	Ref. No.	R65110230
description	solenoid valve double straight 230VAC inlet 3/4" outlet 10mm DN10 plastic output A w/t membrane (constantly open)		
For models:	GVT06D, GVT20D, ME061P, ME061T, ME101P, ME101T, ME102P, ME102T, ME201P, ME201T, ME202P, ME202T, MGMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MG061P, MG061T, MG101P, MG101T, MG102P, MG102T, MG201P, MG201T, MG202P, MG202T, MGMT06P, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT40P, MVE042P, MVE051P, MVE051P		

¹cylindrical outlet


1

No.	370768 ¹	Ref. No.	R65110200
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input/ min output/ min DN10 t.max. 90°C duty cycle 100% RPE		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME101D, ME101M, ME102D, ME102M, ME201D, ME201M, ME202D, ME202M, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061M, MG101D, MG101M, MG102D, MG102M, MG201D, MG201M...(Other models you can see in the webshop)		

¹cylindrical outlet

reducers

outlet side



1

No.	371269	Ref. No.	R65110420 R65110500
description	reducer flow rate 0.07-0.14l/min brown		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, EV106H, EV106P, EV110H, GMT06D, GV106H, GV106P, MACE04M, MACE05M, MACE07M, MACG05M, ME202D, ME202M, ME202P, MEMT06D, MEMT06P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT40D, MEVT40P, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT40D, MGMT40P, MGVT40D, MGVT40P, MVE042P, MVE051P, MVG051P, VE004M, VE004X, VE104M, VE104X		

solenoid valves with reducers

2-fold



1

No.	374031	Ref. No.	R65110210
description	solenoid valve double straight 230VAC inlet 3/4 outlet JG 10 input 10-12l/min t.max. 90°C RPE plastic flow regulating valve inlet white + outlet reducer red		
For models:	GMT06D, GMT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M...(Other models you can see in the webshop)		



1

No.	374000	Ref. No.	CR0586050 CR0586050R CR1220370R
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm input 10-12l/min DN10 t.max. 90°C RPE flow regulating valve inlet white output A 0.32-0.42l/min flow regulating valve outlet A dark green		
For models:	NPC74E, NPC74G, NPC76E, NPC76G, NPC78E, NPC78G, NPC94E, NPC94G, NPC96E, NPC96G, NPC98E, NPC98G		
accessories for	374000		
	No.	371256	Ref. No. —
reducer RPE flow rate 10-12l/min pressure range 0.5-10bar white			

3-fold



1

No.	374033	Ref. No.	R65110240
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 10mm input 10-12l/min t.max. 90°C RPE plastic flow regulating valve inlet white output B w/t membrane (constantly open)		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG102T, MG201T, MG202T, MGMT40P, MGVT21D, MGVT21P, MGVT40D		

TP



1

No.	370017	Ref. No.	2709000 MA2709000
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
For models:	B124E, CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CRE6220, CRE6230, CRE6320, CRE6330, CS102E, CS102EP, FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G, SBA, SBAC, SNA12, SNA16, SNA20, SNAC12, SNAC16, SNAC20, SNG08, SNG12, SNG16, SNG20, SVAC, SVAC12, SVAC16, SVAC20, SVCG, SVCG08, SVCG12, SVCG16, SVCG20, SVCG8		
spare parts for	370017		
	No.	371013	Ref. No. —
solenoid coil TP 230VAC 50/60Hz			
accessories for	370017		
	No.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance ±15%			
	No.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	No.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance ±15%			
	No.	371223	Ref. No. —
reducer TP flow rate 10l/min white tolerance ±15%			
	No.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance ±15%			
	No.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance ±15%			
	No.	371226	Ref. No. —
reducer TP flow rate 20l/min red tolerance ±15%			
	No.	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance ±25%			

accessories for 370017				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				



1

No.	370029	Ref. No.	2956900	
description	solenoid valve single straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS4E, CS4EP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP			
spare parts for	370029			
	No.	371035	Ref. No.	—
solenoid coil 24VAC				
accessories for	370029			
	No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				

accessories for 370029				
	No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance $\pm 15\%$				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance $\pm 15\%$				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				

			
No.	370019	Ref. No.	120142
description	solenoid valve double angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP plastic		
spare parts for	370019		
		No. 371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370019		
		No. 371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance $\pm 15\%$		
		No. 371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$		
		No. 371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance $\pm 15\%$		
		No. 371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance $\pm 15\%$		
		No. 371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$		
		No. 371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$		
		No. 371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance $\pm 15\%$		
		No. 371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$		
		No. 371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$		
		No. 371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$		
		No. 371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$		
		No. 371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$		
		No. 371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$		
		No. 371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$		
		No. 371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$		

accessories for	370019		
		No. 371238	Ref. No. —
	reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$		
		No. 371239	Ref. No. —
	reducer TP flow rate 5l/min black tolerance $\pm 25\%$		
		No. 371240	Ref. No. —
	reducer TP flow rate 8l/min blue tolerance $\pm 20\%$		

			
No.	370109	Ref. No.	5151500 MA5151500
description	solenoid valve double angled 24VAC inlet 3/4" outlet 11.5mm DN10 t.max. 90°C TP plastic flow regulating valve inlet white		
For models:	CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP		
spare parts for	370109		
		No. 371035	Ref. No. —
	solenoid coil 24VAC		
accessories for	370109		
		No. 371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance $\pm 15\%$		
		No. 371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$		
		No. 371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance $\pm 15\%$		
		No. 371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance $\pm 15\%$		
		No. 371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$		
		No. 371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$		
		No. 371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance $\pm 15\%$		
		No. 371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$		
		No. 371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$		
		No. 371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$		

Table continues overleaf

various

1

No.	374057	Ref. No.	R65115120
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm output 0.12l/min ELBI		
For models:	EC106M, EV006M, EV106M, EV106M+SC, GC106M, GV106M, GV-106M+SC		

1

No.	370363	Ref. No.	R65110260
description	solenoid valve single straight cable length 600mm suitable for LAINOX		
For models:	ME061T, ME101T, ME102T, ME201T, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21P, MEMENT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

metal

SIRAI

2-way

L180-B series

1

No.	370329	Ref. No.	120131	
description	solenoid valve 2-ways 24VAC inlet 1/2" outlet 1/2" connection 1/2" L 66mm DN 13.5mm slide-on receptacle compact -10 up to +90°C SIRAI type series L180-B coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar			
spare parts for	370329			
	No.	371070	Ref. No.	630948
solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm				
	No.	371171	Ref. No.	—
membrane series L180-B membrane type NBR (water)				
accessories for	370329			
	No.	371091	Ref. No.	—
power socket plug type DIN 43650B cable lengthmm small				

solenoid valves steam (water)

2-way

L153-D series



1

	No.	370326	Ref. No.	21504199
description	solenoid valve 2-ways 230VAC connection 1" L 105mm DN 22mm slide-on receptacle DIN -10 up to 140°C SIRAI type series L153-D coil type Z914A membranes EPDM (steam/water) p max 8bar p min 0.1bar			
spare parts for	370326			
	No.	371161	Ref. No.	—
	solenoid coil 230VAC 27VA SIRAI coil type Z923A seat ø 16mm 50Hz			



1

No.	370327	Ref. No.	120166
description	solenoid valve 2-ways 24VAC connection 1" L 105mm DN 22mm -10 up to 140°C SIRAI coil type Z923A membranes EPDM (steam/water) p max 8bar p min 0.1bar		

spare parts and accessories

solenoid coils



1

	No.	371070	Ref. No.	630948
description	solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm			
accessories for	371070			
	No.	371091	Ref. No.	—
	power socket plug type DIN 43650B cable lengthmm small			



1

No.	371068	Ref. No.	630972
description	solenoid coil 24VAC 14VA SIRAI coil type Z534A seat ø 12mm		

			
1			
No.	371162	Ref. No.	630976
description	solenoid coil 24VAC 27VA SIRAI seat ø 16mm		

membranes			
			
1			
No.	371169	Ref. No.	630629
description	membrane connection 1" series L153-D membrane type EPDM		

			
1			
No.	371168	Ref. No.	630628
description	membrane connection 3/4" series L153-D membrane type EPDM		

ball valves electric

			
1			
No.	403042	Ref. No.	R65110560
description	ball valve inlet 3/4" IT outlet 3/4" IT 230V L 68mm closed off-current mode of operation electric connection cable 400mm		
For models:	GMT06D, GMT20D, ME061D, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P...(Other models you can see in the webshop)		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal

1

No.	541830	Ref. No.	CR0585951
description	pressure control pressure range 260/230mbar connection 6mm ø 58mm pressure connection ø 6mm		
For models:	NPC74E, NPC74G, NPC76E, NPC76G, NPC78E, NPC78G, NPC94E, NPC94G, NPC96E, NPC96G, NPC98E, NPC98G		
accessories for	541830		
	No.	541831	Ref. No.
	CR0731840		
bracket metal for pressure switch mounting distance 38.5mm			

			
1			
No.	541047	Ref. No.	1037308700
description	pressure control pressure range 340/200mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	MLC50, MLC503, MLC65, MLC653		

			
1			
No.	541046	Ref. No.	1037302800
description	pressure control pressure range 45/20mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		

			
1			
No.	541039	Ref. No.	130621
description	pressure control pressure range 45/25mbar connection 6mm ø 58mm pressure connection horizontal warewashing		



1

No.	541010	Ref. No.	130605
description	pressure control pressure range 50/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing		



1

No.	541003	Ref. No.	1662600
description	pressure control pressure range 55/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		



1

No.	541012	Ref. No.	130604
description	pressure control pressure range 68/40mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		

miscellaneous



1

No.	541038	Ref. No.	1037302900
description	pressure control double		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MPLS30P		

accessories



1

No.	541831	Ref. No.	CR0731840
description	bracket metal for pressure switch mounting distance 38.5mm		
For models:	NPC94E, NPC94G, NPC98E, NPC98G		

for gas equipment



1

No.	541051	Ref. No.	5151000 MA5151000
description	pressure control ø 45mm pressure range adjustable 10-50mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		
For models:	CON102G, CON102GP, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CP9A15GD, CSM102G, CSM102GP, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G, CSM6GP		



1

No.	541073	Ref. No.	R63070010
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		
For models:	CVG105H, CVG105M, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG106M...(Other models you can see in the webshop)		

for steam control



1

No.	541795	Ref. No.	CR0587800
description	pressure control ø 45mm pressure connection vertical steam control pressure range -1 up to +1bar connection male faston 6.3mm BECK pressure connection 3/8"		
For models:	NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A		

			
No.	541074	Ref. No.	R63070050
description	pressure control ø 45mm triggering pressure 0.5bar reset pressure 0.35bar pressure connection vertical steam control pressure range 0.35/0.51bar connection 1/8" pressure connection 1/8"		
For models:	EV106H, EV106P, EV110H, EV110P, EV210H, EV210P, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P, GVT06D, GVT20D, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVE042P, MVE051P, MVE051P, MVE051P, VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		

electrodes

			
No.	401154	Ref. No.	2911600
description	level electrode 1/4" total length 126mm probe L 100mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS6G, CSM6G, CSM6GP		

			
No.	401162	Ref. No.	2916100
description	level electrode 1/4" total length 129mm probe L 103mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS4E, CS4EP, CS6E, CS6EP, CSM6E, CSM6EP		

			
No.	401155	Ref. No.	2911700
description	level electrode 1/4" total length 133mm probe L 106mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS6G, CSM6G, CSM6GP		

			
No.	401163	Ref. No.	2916200
description	level electrode 1/4" total length 136mm probe L 110mm insulated probe length 27mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS4E, CS4EP, CS6E, CS6EP, CSM6E, CSM6EP		

			
No.	401164	Ref. No.	2899600
description	level electrode 1/4" total length 147mm probe L 120mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS10E, CS10EP, CSM10E, CSM10EP		

			
No.	401157	Ref. No.	2908300
description	level electrode 1/4" total length 150mm probe L 122mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS102E, CS102EP, CS10G, CSM102E, CSM102EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP		

			
No.	401156	Ref. No.	2911800
description	level electrode 1/4" total length 150mm probe L 124mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS6G, CSM10E, CSM10EP, CSM6E, CSM6EP, CSM6G, CSM6GP		

			
No.	401158	Ref. No.	2908200
description	level electrode 1/4" total length 162mm probe L 134mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS102E, CS102EP, CS10G, CSM102E, CSM102EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP		

			
No.	401165	Ref. No.	2899800
description	level electrode 1/4" total length 165mm probe L 138mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS10E, CS10EP, CSM10E, CSM10EP		

			
No.	401160	Ref. No.	2908100
description	level electrode 1/4" total length 186mm probe L 158mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS102E, CS102EP, CS102G, CS102GP, CS10G, CSM102G, CSM102GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP		

compressors

ACC/ZEL

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605073	Ref. No.	25017199 MA25017199
description	compressor coolant R404a/R507 type MP14FB 220-240V 50Hz LBP fully hermetic 13.9kg 1/2HP cylinder capacity 14cm ³ CSIR H 203.6mm 439W 584W 746W 926W 1124WWWWWW test method ASHRAE		
For models:	EF143MNI, EF70MF, EF70MN, EF70MP, EF72MNF, FB140FN, FB140NN, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FS140FI, FS140FN, FS140I, FS140NI, FS140NN, FS140PN, FS140PP, FS143FI, FS143NF, FS143NI, FS143NN, FS143NP, FS70F, FS70FG, FS70I, FS70N, FS70NG, FS70P, FS72F, FS72IF, FS72IN, FS72N, FS72NF, FS72NN, FS72P, HF140D-FN, HF140DNN, HF140DPF, HF140DPN...(Other models you can see in the webshop)		

CUBIGEL

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605138	Ref. No.	25016899
description	compressor coolant R404a/R507 type MP12FB 220-240V 50Hz LBP 12kg 3/8HP cylinder capacity 12cm ³ CSIR H 215mm 381W 510W 657W 819W 999WWWWWW test method ASHRAE		
For models:	EF143MNI, EF70MF, EF70MN, EF70MP, EF72MNF, FB140FN, FB140NN, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FS140FI, FS140FN, FS140I, FS140NI, FS140NN, FS140PN, FS140PP, FS143FI, FS143NF, FS143NI, FS143NN, FS143NP, FS70F, FS70FG, FS70I, FS70N, FS70NG, FS70P, FS72F, FS72IF, FS72IN, FS72N, FS72NF, FS72NN, FS72P, HF140D-FN, HF140DNN, HF140DPF, HF140DPN...(Other models you can see in the webshop)		

1			
No.	401159	Ref. No.	2987000
description	level electrode 1/4" total length 187mm probe L 160mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS102G, CS102GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202G, CSM202GP		

1			
No.	401161	Ref. No.	2927500 MA2927500
description	level electrode 1/4" total length 210mm probe L 184mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS102G, CS102GP, CSM102G, CSM102GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202G, CSM202GP		

1			
No.	400130	Ref. No.	R65320010
description	level electrode M14x1.25 total length 220mm probe L 194mm insulated probe length 26mm connection male faston 6.3mm ø 2.5mm		
For models:	EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, ME061D, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P...(Other models you can see in the webshop)		

L'UNITE HERMETIQUE / TECUMSEH

R404A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605027	Ref. No.	RA070029
description	compressor coolant R404A type CAJ4517Z 220-240V 50Hz HMBP fully hermetic 24kg 1.2HP cylinder capacity 25.95cm ³ CSR H 282mmWW 1588W 1987W 2451W 2971W 3536W 4132W test method EN 12900 4742W		

fans

axial fans

ebm-papst



1

No.	601030 ¹	Ref. No.	R65060050	
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C			
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P...(Other models you can see in the webshop)			
accessories for	601030			
	No.	550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	No.	692497	Ref. No.	—
	guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm			

¹with ball bearings


1

No.	601038 ¹	Ref. No.	CM250700 MACM250700	
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 12W bearing ball bearing manuf. no. 8556N metal connection cable 300mm ebm-papst fan wheel ø 75mm temp.-resist. 90°C airflow 50m³/h			
For models:	F94E18K, F94G22K, F98E18K, F98G22K, F9S4E18K, F9S4G22K, F9S8E18K, F9S8G22K			
accessories for	601038			
	No.	691102	Ref. No.	—
	guard ø 75mm mounting distance 71mm for axial fan 80mm			

¹with ball bearings

import



1

No.	601080 ¹	Ref. No.	CM303000 MACM303000
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	CT78EC, CT7FE8EC, CT98EC, CT9FE8EC, NCT78E, NCT7FE8E, NCT98E, NCT98E2, NCT9FE8E, NCT9FE8E2, NF94G23K, NF98G23K		
accessories for	601080		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	692519	Ref. No. —
	guard L 120mm W 120mm plastic		


¹with ball bearings



1

No.	601081 ¹	Ref. No.	R65060010
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 14/13.5W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MVE042P, MVE051P, MVG051P, VE105M, VE105X, VE106M, VE106P, VE106X, VE110M, VE110X, VE120M, VE120P, VE120X, VE210M, VE210P, VE210X...(Other models you can see in the webshop)		
accessories for	601081		
	No.	691102	Ref. No. —
	guard ø 75mm mounting distance 71mm for axial fan 80mm		

¹with ball bearings

1

No.	602151	Ref. No.	R65060060
description	axial fan L 172mm W 150mm H 51mm 220-240V 50-60Hz manuf. no. AA1752HB-AW connection cable cable length 3000mm ADDA suitable for combi-steamer fan wheel ø 140mm 0.27/0.23A		
For models:	ME101M, ME101P, ME101T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MGMT40D, MGMT40P, MEVT40D, MEVT40P, MG101M, MG101P, MG101T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT40D, MGMT40P, MGVT40D, MGVT40P		

refrigeration fans

refrigeration motors universal

ELCO

N series - multi fit



1

No.	601528	Ref. No.	12214099 25314099 MA25314099
description	fan motor ELCO 16W 230V 50/60Hz bearing slide bearing L1 48mm L2 64mm L3 91.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT16-25/029		
For models:	SER15, SER15A, SER18, SER18A, SER21		
spare parts for	601528		
	No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

IMPORT

multi fit fan motors



1

No.	601022	Ref. No.	253071.99
description	fan motor 10W 230V 50-60Hz L1 44mm L2 54mm L3 85mm W 84mm cable length 500mm 1300rpm YZF10-20-18/26 5 mounting options bearing slide bearing		

WEIGUANG
MOTORS & FANS


1

No.	601023	Ref. No.	25314399 253154.99 MA25303099 MA25314399
description	fan motor 16W 230V 50-60Hz L1 45mm L2 61mm L3 92mm W 84mm cable length 500mm 1300rpm YZF16-25-18/26 5 mounting options bearing slide bearing		
For models:	AF140B, AF140C, AF140F, AF140I, AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF140N, AF140P, AF14F, AF14G, AF14N, AF70B, AF70C, AF70F, AF70I, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AF70N, AF70P, AF72B, AF72C, AF72F, AF72I, AF72N, AF72P, AF7C, AF7F, AF7G, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB...(Other models you can see in the webshop)		

WEIGUANG
MOTORS & FANS


2

No.	601020	Ref. No.	23766.00 253151.99 MA2376600 MA25315199
description	fan motor 5W 230V 50-60Hz L1 44mm L2 48mm L3 79mm W 84mm cable length 500mm 1300rpm YZF5-13-18/26 5 mounting options bearing slide bearing		
For models:	BR120, BR160, SER15, SER15A, SER18, SER18A, SER21		

accessories

fan wheels

aluminium



1

No.	601172	Ref. No.	25315699 MA25315699
description	fan wheel sucking ø 230mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		
For models:	AF140B, AF140C, AF140F, AF140I, AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF140N, AF140P, AF14F, AF14G, AF14N, AF70B, AF70C, AF70F, AF70I, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AF70N, AF70P, AF72B, AF72C, AF72F, AF72I, AF72N, AF72P, AF7C, AF7F, AF7G, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB...(Other models you can see in the webshop)		




1

No.	601387	Ref. No.	25315599 MA25315599
description	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		
For models:	AF140B, AF140C, AF140F, AF140I, AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF140N, AF140P, AF14F, AF14G, AF14N, AF70B, AF70C, AF70F, AF70I, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AF70N, AF70P, AF72B, AF72C, AF72F, AF72I, AF72N, AF72P, AF7C, AF7F, AF7G, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB...(Other models you can see in the webshop)		

cold air circulating fans (complete)


ebm-papst

A2E series



No.	601750	Ref. No.	RA880002
description	fan A2E250-AL06-09 fan wheel ø 250mm blades 7 230V 50/60Hz 120/160W 2500rpm cable length 200mm ebm-papst sucking suitable capacitor 3µF		
For models:	14-teglie-GN-MISTI-FR-dep-STD, 14-teglie-GN-MISTI-FR-dep-TOP, 14-teglie-GN-MISTI-FR-STD, 14-teglie-GN-MISTI-FR-TOP, 14-teglie-GN-MISTI-IT-dep-STD, 14-teglie-GN-MISTI-IT-dep-TOP, 14-teglie-GN-MISTI-IT-STD, 14-teglie-GN-MISTI-IT-TOP, 14-teglie-GN-MISTI-TX-STD, 14-teglie-GN-positivi-FR-dep-STD, 14-teglie-GN-positivi-FR-dep-TOP, 14-teglie-GN-positivi-FR-STD, 14-teglie-GN-positivi-FR-TOP, 14-teglie-GN-positivi-IT-dep-STD, 14-teglie-GN-positivi-IT-dep-TOP, 14-teglie-GN-positivi-IT-STD, 14-teglie-GN-positivi-IT-TOP, 14-teglie-GN-positivi-TX-STD, 15-teglie-PA-MISTI-FR-STD, 17-teglie-PA-MISTI-FR-dep, 17-teglie-PA-MISTI-FR-dep-TOP, 17-teglie-PA-MISTI-FR-STD, 17-teglie-PA-MISTI-FR-TOP, 17-teglie-PA-MISTI-IT-dep, 17-teglie-PA-MISTI-IT-dep-TOP, 17-teglie-PA-MISTI-IT-STD, 17-teglie-PA-MISTI-IT-TOP, 17-teglie-PA-positivi-FR-dep-STD, 17-teglie-PA-positivi-FR-dep-TOP, 17-teglie-PA-positivi-FR-STD, 17-teglie-PA-positivi-FR-TOP, 17-teglie-PA-positivi-IT-dep-STD, 17-teglie-PA-positivi-IT-dep-TOP, 17-teglie-PA-positivi-IT-STD, 17-teglie-PA-positivi-IT-TOP, 20-teglie-GN-misti-FR-STD, 20-teglie-GN-misti-FR-TOP, 20-teglie-GN-misti-IT-STD, 20-teglie-GN-misti-IT-TOP, 20-teglie-GN-positivi-FR-STD, 20-teglie-GN-positivi-FR-TOP, 20-teglie-GN-positivi-IT-STD, 20-teglie-GN-positivi-IT-TOP, 21-teglie-PA-MISTI-TX-STD, 3-teglie-GN-positivi-FR-STD, 3-teglie-GN-positivi-TX-STD, 5-teglie-GN-positivi-FR-dep-STD, 5-teglie-GN-positivi-FR-STD, 5-teglie-GN-positivi-FR-TOP...(Other models you can see in the webshop)		
accessories for	601750		
	No.	365137	Ref. No.
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection		

A4E series



No.	601623	Ref. No.	RA880046
description	fan A4E315-AC08-19 fan wheel ø 315mm blades 5 230V 50Hz 95W 1370rpm cable length 450mm ebm-papst sucking suitable capacitor 3µF		
For models:	10-teglie-GN-MISTI-FR-STD, 10-teglie-GN-MISTI-FR-TOP, 10-teglie-GN-MISTI-IT-STD, 10-teglie-GN-MISTI-IT-TOP, 10-teglie-GN-MISTI-TX-STD, 10-teglie-GN-positivi-FR-STD, 10-teglie-GN-positivi-FR-TOP, 10-teglie-GN-positivi-IT, 10-teglie-GN-positivi-IT-STD, 10-teglie-GN-positivi-IT-TOP, 10-teglie-GN-positivi-TX-STD, 12-teglie-PA-MISTI-FR-STD, 12-teglie-PA-MISTI-FR-TOP, 12-teglie-PA-MISTI-IT-STD, 12-teglie-PA-MISTI-IT-TOP, 12-teglie-PA-positivi-FR-STD, 12-teglie-PA-positivi-FR-TOP, 12-teglie-PA-positivi-IT-STD, 12-teglie-PA-positivi-IT-TOP, 15-teglie-PA-MISTI-TX-STD, 3-teglie-GN-misti-FR-STD, 3-teglie-GN-misti-FR-TOP, 5-teglie-dep-GN-misti-FR-STD, 5-teglie-dep-GN-misti-IT-STD, 5-teglie-GN-misti-FR-STD, 5-teglie-GN-misti-FR-TOP, 5-teglie-GN-misti-IT-STD, 5-teglie-GN-misti-IT-TOP, 5-teglie-GN-misti-TX-STD, 5-teglie-PA-misti-FR-STD, 6-teglie-PA-misti-FR-dep, 6-teglie-PA-misti-FR-STD, 6-teglie-PA-misti-FR-TOP, 6-teglie-PA-misti-IT-dep, 6-teglie-PA-misti-IT-STD, 6-teglie-PA-misti-IT-TOP, 6-teglie-PA-misti-TX-STD		
accessories for	601623		
	No.	365137	Ref. No.
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection		

cross flow fans

ebm-papst



No.	602167	Ref. No.	2590900 MA2590900
description	cross flow fan ebm-papst QLK45/1200A39-2513L roller ø 45mm roller length 120mm laminated core thickness 13mm motor position right 230VAC refrigeration bearing rubber connection male faston 6.3mm airflow 80m³/h 0 up to +60°C		
For models:	IR13C, IR13CC, IR13CV, IR13M, IR13MC, IR13MV, IR13V, IR17C, IR17CC, IR17CV, IR17M, IR17MC, IR17MV, IR17V, SIPR12, SIPR16, SIPR20, SIVR12, SIVR16, SIVR20, SPAR16, SPAR20, SPRG12, SPRG16, SPRG20, SVAR16, SVAR20, SVRG12, SVRG16, SVRG20, TR13C2P, TR13I4C, TR13I4CC, TR13I4CV, TR13N2C1P, TR13N2C1PC, TR13N2C1PV, TR13N2P, TR13N2PC, TR13N2PV, TR13N4C, TR13N4CC, TR13N4CV, TR17C3P, TR17I6C, TR17I6CC, TR17I6CV, TR17N2C2P, TR17N2C2PC, TR17N2C2PV...(Other models you can see in the webshop)		

EMMEVI - FERGAS

with standard coil



1			
No.	601718	Ref. No.	2522700 MA2522700
description	cross flow fan TG 60/3-420/30 roller ø 60mm roller length 420mm laminated core thickness 30mm motor position right 230V/50Hz 32W universal bearing silicone connection male faston 6.3mm -10 up to +60°C 230V protection F housing aluminium fixing dimensions 40x442.5mm		
For models:	TAR134C2I, TAR176C2I		

COPREL

with standard coil



1			
No.	601025	Ref. No.	25320500
description	cross flow fan COPREL TFR(FN) roller ø 60mm roller length 180mm laminated core thickness 15mm motor position right 230V/50Hz 19W refrigeration bearing rubber connection male faston 6.3mm coil type airflow 120m³/h -10 up to +60°C		



1			
No.	601452	Ref. No.	25320599 MA25320599
description	cross flow fan TFL 180 roller ø 60mm roller length 180mm laminated core thickness 20mm motor position left 230V/50Hz 19W universal bearing silicone connection male faston 6.3mm airflow 100m³/h -30 up to +100°C 230V 50Hz		

double fans



1			
No.	601455	Ref. No.	1215500 1215512
description	cross flow fan roller ø 60mm roller length 2x180mm laminated core thickness 35mm motor position centre 230V/50Hz 30W universal bearing silicone connection F 6.3 airflow 280m³/h -30 up to +100°C total length 470mm		
For models:	TP13E, TP17E, TP213E, TP217E, TP21E, TP221E		


hot air motors



1			
No.	550857	Ref. No.	R58003870
description	counterflange for fan motor ED ø 50mm int. ø 2 125mm int. ø 2 16mm thickness 6mm brass		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		




1			
No.	550859	Ref. No.	R58003850
description	counterflange for fan motor ED ø 60mm int. ø 1 34mm int. ø 2 25mm thickness 6mm brass		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		


1

No.	500656	Ref. No.	R65040520
description	fan motor 200-240/415V 3 phase 50/60Hz 0.15/0.55kW 900/1400rpm speeds 2 L1 150mm L2 50mm L3 48mm D1 ø 24mm D2 ø 20mm M12L IT 2.3/1.3-1.2/0.7A at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 900/1400rpm at 60Hz 1100/1700rpm type 3042D4050		
For models:	ME101P, ME101T, ME201P, ME201T		
spare parts for	500656		
		No. 511172	Ref. No. R70020050
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		


1

No.	500135	Ref. No.	R65040031
description	fan motor 200-240V 1 phase 50Hz 0.185/0.55kW 900/1400rpm speeds 2 L1 195mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 3.6/2A suitable capacitor 16µF-450V/12.5µF-450V at 50Hz 900/1400rpm type 1063D2250		
For models:	FG110X, FG210X, GM110H, GM110P, GM210H, GM210P, GV110H, GV110P, GV210H, GV210P, MG102P, MG102T, MG110P, MG110X, MG120P, MG120X, MG210P, MG210X, MG220P, MG220X, MGC24H, MGC40H, MGMT10P, MGMT20P, MGMT21P, MGMT10P, MGMT20P, MGMT21P, PG080X, VG110P, VG110X, VG120P, VG120X, VG210P, VG210X, VG220P, VG220X		


1

No.	500671	Ref. No.	R65040071
description	fan motor 200-240V 1 phase 50/60Hz 0.11kW 2760/3320rpm speeds 1 L1 130mm L2 55mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET at 50Hz 2760rpm at 60Hz 3320rpm		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, VE105M, VE105X, VG105M, VG105X		


1

No.	601046	Ref. No.	R65040061
description	fan motor 220/380V 3 phase 50/60Hz 0.75kW 1350/1650rpm speeds 1 L1 185mm L2 42mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 1.9/3.3A Cos(φ) 0.83 at 50Hz 200-240/346-415V at 60Hz 200-277/346-480V at 50Hz 1350rpm at 60Hz 1650rpm type ST80/4 no. 661512		
For models:	EC110M, EC210M, EM010M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE110M, FE210M, ME102D, ME102M, ME110M, ME120M, ME202D, ME202M, ME210M, ME220M, MEC40M, MEMENT10D, MEMENT20D, MEMENT21D, MEMENT40D, MEVT10D, MEVT20D, MEVT21D, MEVT40D, PE080M, VE110M, VE120M, VE210M, VE220M		

1

No.	500134	Ref. No.	R65040021
description	fan motor 200-240V 1 phase 50/60Hz 0.25HP 1400/1700rpm speeds 1 L1 115mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1A suitable capacitor 5µF/400V at 50Hz 1400rpm at 60Hz 1700rpm type 1060.1950		
For models:	ME106M, MG106M, VE106M, VG106M		
accessories for	500134		
		No. 380659	Ref. No. R65160570
	overload switch setting range 0.7-1A connection screw type 3RU1116-0JB0 (AC3/400V) 0.25kW		

1

No.	500662	Ref. No.	R65041000
description	fan motor 220-240V 1 phase 50/60Hz 0.12kW 2800/3200rpm speeds 1 L1 85mm L2 7mm L3 47mm L4 12mm D1 ø 8/6mm D2 ø 12mm M5R ET 1.6A power input 0.25W suitable capacitor 5µF/400V		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		



1

No.	501587	Ref. No.	R65040051
description	fan motor 220-240V 1 phase 50/60Hz 0.55kW 1400/1700rpm L1 190mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 3.6A type 1063A2250		
For models:	EM110H, EM110P, EM210H, EM210P, EV110H, EV110P, EV210H, EV210P, ME102P, ME102T, ME110P, ME110X, ME120P, ME120X, ME202P, ME202T, ME210P, ME210X, ME220P, ME220X, MEC24H, MEMENT10P, MEMENT20P, MEMENT21P, MEMENT40P, MEVT10P, MEVT20P, MEVT21P, MEVT40P, VE110X, VE120P, VE120X, VE210P, VE210X, VE220P, VE220X		



1

No.	500136	Ref. No.	R65040041
description	fan motor 220-240V 1 phase 50/60Hz 0.55kW 1400rpm speeds 1 L1 190mm L2 47mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 3.6A suitable capacitor 16µF/450V Cos(φ) 0.9 at 50Hz 1400rpm at 60Hz 1700rpm type 1063/4M		
For models:	FG110M, FG210M, GC110M, GC210M, GM110M, GM110M+SC, GM210M, GM210M+SC, GMT20D, GV110M, GV110M+SC, GV210M, GV210M+SC, GVT20D, MG102D, MG102M, MG110M, MG120M, MG210M, MG220M, MGC20X, MGMT10D, MGMT20D, MGMT21D, MGMT21D, MGMT21D, MGMT21D, PG080M, VG110M, VG120M, VG210M, VG220M		
accessories for	500136		
	No.	511172	Ref. No. R70020050
shaft sealing ID ø 24mm ED ø 29mm thickness 3mm			



1

No.	500661	Ref. No.	R65040431
description	fan motor 220-240V 1 phase 50Hz 0.03/0.2kW 0.05/0.25HP 1400/2700rpm speeds 2 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1.6/0.6A suitable capacitor 10µF/450 V at 50Hz 1400/2700rpm type 1057D1901		
For models:	ME061P, ME061T, MEMENT06P, MEVT06P, MG061P, MGMT06P, MGVT06P		



1

No.	500133	Ref. No.	R65040011
description	fan motor 220-240V 1 phase 50Hz 0.1/0.25HP 900/1400rpm speeds 2 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1/0.6A suitable capacitor 5µF/450V at 50Hz 900/1400rpm at 60Hz 1100/1700rpm type 1061.1950		
For models:	ME106P, ME106X, MG106P, MG106X, VE106P, VE106X, VG106P, VG106X		



1

No.	601043	Ref. No.	R65040260
description	fan motor 220-240V 1 phase 50Hz 0.37/0.07kW 0.1/0.5HP 1400/2700rpm speeds 2 L1 123mm L2 107mm L3 15mm D1 ø 15mm D2 ø 12mm M10L ET 2/0.7A suitable capacitor 20µF/250V at 50Hz 1400/2700rpm type 1057		
For models:	FE105M, FE105X, FG105M, FG105X, PE040M, PE040X, PG040M, PG040X		
accessories for	601043		
	No.	365019	Ref. No. —
operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection			




1

No.	500658	Ref. No.	R65040530
description	fan motor 230/400V 3 phase 50/60Hz 0.55kW 1400/1700rpm speeds 1 L1 145mm L2 47mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 2.6-2.3/1.5-1.3A (at 50-60Hz)A Cos(φ) 0.73 at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 1400rpm at 60Hz 1700rpm		
For models:	MACE10M, MACE20M, ME101D, ME101M, ME201D, ME201M		
spare parts for	500658		
	No.	511172	Ref. No. R70020050
shaft sealing ID ø 24mm ED ø 29mm thickness 3mm			


Table continues overleaf




accessories for 500658	
	No. 560449 Ref. No. R58004000
hexagonal screw thread M12x1.5 L thread L 22mm bore $\varnothing$ 6.3mm WS 19 total length 30mm	
	No. 601244 Ref. No. R75400440
fan wheel D1 $\varnothing$ 350mm H1 114mm blades 12 D2 $\varnothing$ 19.5mm D3 $\varnothing$ 23mm H2 45mm	



No.	500659	Ref. No.	R65040550	
description	fan motor 230V 1 phase 50/60Hz 0.55kW 1400/1700rpm speeds 1 L1 150mm L2 52mm L3 45mm D1 ø 24mm D2 ø 20mm M12L IT 3A suitable capacitor 20µF/450V Cos(φ) 0.9 at 50Hz 1400rpm at 60Hz 1700rpm type 3042A2350			
For models:	GMT20D, GVT20D, MACG10M, MACG20M, MG101D, MG101M, MG201D, MG201M, MG202D, MG202M, MGMT40D, MGVT40D			
spare parts for	500659			
	No.	511172	Ref. No.	R70020050
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm			



No.	500657	Ref. No.	R65040540	
description	fan motor 230V 1 phase 50Hz 0.15/0.55kW 900/1400rpm speeds 2 L1 150mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 1.3/3.0A suitable capacitor 20/10µF Cos(φ) 0.98 at 50Hz 900/1400rpm at 60Hz 1100/1700rpm 4P/6P type LM/FB 100L no. 472986			
For models:	MG101P, MG101T, MG201P, MG201T, MG202P, MG202T, MGMT40P, MGVT40P			
spare parts for	500657			
	No.	511172	Ref. No.	R70020050
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm			

			
No.	500663	Ref. No.	R65040421
description	fan motor 230V 1 phase 50Hz 0.18kW 0.25HP 2800rpm speeds 1 L1 123mm L2 77mm L3 30mm D1 $\varnothing$ 15mm D2 $\varnothing$ 12mm M10L ET 1.6A suitable capacitor 10 μ F/400V Cos(f) 0.95 at 50Hz 2800rpm type 1057C2401		
For models:	GMT06D, GVT06D, MACE07M, MACG07M, ME061D, ME061M, MEMENT06D, MEVT06D, MG061D, MG061M, MGMT06D, MGVT06D		

1

No.	500680	Ref. No.	R65040420
description	fan motor 230V 1 phase 50Hz 0.37kW 2800rpm speeds 1 L1 121mm L2 77mm L3 31mm D1 $\varnothing$ 16mm D2 $\varnothing$ 11mm 2.5A Cos(fi) 0.95 at 50Hz 230V at 50Hz 2800rpm type 1057.2155		
For models:	EC106M, EM106M, EM106M+SC, EV006M, EV106M, EV106M+SC, GC106M, GM106M, GM106M+SC, GV106M, GV106M+SC		
accessories for	500680		
	No.	601060	Ref. No.
			R75400130
fan wheel D1 $\varnothing$ 180mm H1 60mm blades 16 D2 $\varnothing$ 11mm D3 $\varnothing$ 16mm H2 30mm			

			
No.	601067	Ref. No.	R75400040
description	fan wheel D1 $\varnothing$ 150mm H1 38mm blades 36 D2 $\varnothing$ 6mm D3 $\varnothing$ 6mm H2 14mm		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		

			
1			
No.	601353	Ref. No.	R75400510
description	fan wheel D1 ø 150mm H1 50mm blades 36 D2 ø 8mm D3 ø 6/8mm H2 26mm		
For models:	MACE04M, MVE042P		

			
1			
No.	601068	Ref. No.	R75400080
description	fan wheel D1 ø 160mm H1 70mm blades 16 D2 ø 12mm D3 ø 16mm H2 29mm		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, VE105M, VE105X, VG105M, VG105X		

			
1			
No.	601060	Ref. No.	R75400130
description	fan wheel D1 ø 180mm H1 60mm blades 16 D2 ø 11mm D3 ø 16mm H2 30mm		
For models:	FE105M, FE105X, FG105M, FG105X, PE040M, PE040X, PG040M, PG040X		

			
1			
No.	601246	Ref. No.	R75400410
description	fan wheel D1 ø 180mm H1 77mm blades 12 D2 ø 8mm D3 ø 6mm H2 25.5mm		
For models:	MACE05M, MACG05M, MVE051P, MVG051P		

			
1			
No.	601243	Ref. No.	R75400400
description	fan wheel D1 ø 220mm H1 78mm blades 12 D2 ø 11mm D3 ø 16mm H2 29mm		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MGMT06D, MGMT06P, MGMT06D, MGMT06P		

			
1			
No.	601064	Ref. No.	R75400230
description	fan wheel D1 ø 220mm H1 78mm blades 20 D2 ø 11.5mm D3 ø 16.5mm H2 30mm		
For models:	ME106M, ME106P, ME106X, MG106M, MG106P, MG106X, VE106M, VE106P, VE106X, VG106M, VG106P, VG106X		

			
1			
No.	601065	Ref. No.	R75400290
description	fan wheel D1 ø 300mm H1 120mm blades 20 D2 ø 19.5mm D3 ø 23mm H2 46mm		
For models:	EC110M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EV110H, EV110M, EV110M+SC, EV110P, GC110M, GM110H, GM110M, GM110M+SC, GM110P, GV110H, GV110M, GV110M+SC, GV110P, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MGC20X, VE110M, VE110X, VE120M, VE120P, VE120X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X		



1

No.	514037	Ref. No.	2919900 MA2919900
description	fan wheel D1 ø 330mm H1 110mm blades 12 D2 ø 12mm D3 ø 24mm H2 47mm		
For models:	CON10E, CON10EP, CON10G, CON10GP, CS10E, CS10EP, CS10G, CSM10E, CSM10EP, CSM10G, CSM10GP		



1

No.	601244	Ref. No.	R75400440
description	fan wheel D1 ø 350mm H1 114mm blades 12 D2 ø 19.5mm D3 ø 23mm H2 45mm		
For models:	GMT20D, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T...(Other models you can see in the webshop)		



1

No.	601066	Ref. No.	R75400380
description	fan wheel D1 ø 350mm H1 120mm blades 24 D2 ø 19.5mm D3 ø 23.5mm H2 45mm		
For models:	EC210M, EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, GC210M, GM210H, GM210M, GM210M+SC, GM210P, GV210H, GV210M, GV210M+SC, GV210P, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC24H, MGC40H, VE210M, VE210P, VE210X, VE220M, VE220P, VE220X, VG210M, VG210P, VG210X, VG220M, VG220P, VG220X		



1

No.	514038	Ref. No.	2939414 MA2939414
description	fan wheel D1 ø 350mm H1 150mm blades 16 D2 ø 12mm D3 ø 23mm H2 48mm		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON201E, CON201EP, CON201G, CON201GP, CS102E, CS102EP, CS102G, CS102GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM201E, CSM201EP, CSM201G, CSM201GP		



1

No.	514039	Ref. No.	5103414
description	fan wheel D1 ø 350mm H1 190mm blades 16 D2 ø 12mm D3 ø 23.5mm H2 47mm		
For models:	CON202E, CON202EP, CON202G, CON202GP, CSM202E, CSM202EP, CSM202G, CSM202GP		



1

No.	550855	Ref. No.	R58005510
description	flange for fan motor ED ø 35mm int. ø 1 22mm int. ø 2 8mm thickness 8mm brass		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		



1

No.	550856	Ref. No.	R58003860
description	flange for fan motor ED ø 50mm int. ø 1 19.5mm int. ø 2 16mm thickness 3mm brass		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		

			
1			
No.	550858	Ref. No.	R58003840
description	flange for fan motor ED ø 60mm int. ø 1 28.5mm int. ø 2 25mm thickness 4mm brass		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		

			
1			
No.	550860	Ref. No.	R58005500
description	flange for gasket ED ø 35mm int. ø 1 22mm int. ø 2 9mm thickness 8mm brass		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		

			
1			
No.	560449	Ref. No.	R58004000
description	hexagonal screw thread M12x1.5 L thread L 22mm bore ø 6.3mm WS 19 total length 30mm		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		



1

No.	500639	Ref. No.	R65040101
description	motor kit 220/240V 1 phase 50/60Hz 0.25kW type K48210		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		
spare parts for	500639		
	No.	511170	Ref. No. R70020010
shaft seal ID Ø 7mm ED Ø 22mm thickness 7mm			
	No.	550855	Ref. No. R58005510
flange for fan motor ED Ø 35mm int. Ø 1 22mm int. Ø 2 8mm thickness 8mm brass			
	No.	601067	Ref. No. R75400040
fan wheel D1 Ø 150mm H1 38mm blades 36 D2 Ø 6mm D3 Ø 6mm H2 14mm			
	No.	601856	Ref. No. —
fan motor 230V 1 phase 50Hz 0.075kW 2650rpm speeds 1 L1 85mm L2 30mm L3 23mm L4 12mm D1 Ø 8x6mm D2 Ø 8mm 0.6A suitable capacitor 5µF/400V			

			
1			
No.	550861	Ref. No.	R70020020
description	shaft seal for fan motor ID ø 7.5mm ED ø 22mm thickness 7mm		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		

			
1			
No.	511171	Ref. No.	LA70020040 LAR70020040
description	shaft seal ID ø 14.5mm ED ø 20mm thickness 3mm		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		

			
1			
No.	511170	Ref. No.	R70020010
description	shaft seal ID ø 7mm ED ø 22mm thickness 7mm		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		

			
1			
No.	511172	Ref. No.	R70020050
description	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		




hot air fans

miscellaneous




1



No.	601054	Ref. No.	1037117200 7800200 MA1037117200 MA7800200
description	hot air fan 220-240V 32W 50/60Hz L1 60mm L2 10mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C20X0E01/46		
For models:	CFE60, CFE60P, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, OCFE60, OCFGE61, TP12, TP126, TP126E, TP12E, TP13, TP136, TP136E, TP13E, TP14, TP146, TP146E, TP14E, TP15, TP156, TP156E, TP15E, TP16, TP166, TP166E, TP16E, TP17, TP176, TP176E, TP17E, TP18, TP186, TP186E, TP18E, TP19, TP196, TP196E, TP19E, TP20, TP206, TP206E, TP20E, TP21, TP212, TP2126, TP2126E, TP212E...(Other models you can see in the webshop)		
spare parts for	601054		
	No.	601441	Ref. No.
	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7		
accessories for	601054		
	No.	550879	Ref. No.
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		



1



No.	601696	Ref. No.	4330800 MA4330800
description	hot air fan 230V 40W 50/60Hz L1 70mm L2 11mm L3 29mm L4 87mm fan wheel ø 155mm with ball bearing		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, EAR612PA, EAR612PP, EAR612PS, EAR613PA, EAR613PP, EAR613PS, EAR614PA, EAR614PP, EAR614PS, EAR615PA, EAR615PP, EAR615PS, EAR616PA, EAR616PP, EAR616PS, EAR617PA, EAR617PP, EAR617PS, EAR618PA, EAR618PP, EAR618PS, EAR619PA, EAR619PP...(Other models you can see in the webshop)		
spare parts for	601696		
	No.	550879	Ref. No.
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		

accessories

fan wheels for hot air fans



1

No.	601630	Ref. No.	1034400200 MA1034400200
description	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm chrome-plated blades 7		
For models:	CFE60, CFE60P, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, OCFE60, OCFGE61		


miscellaneous



1

No.	551434	Ref. No.	R58004010
description	plain washer ø 30mm thickness 3mm hole ø 12.5mm for fan wheel combi-steamer		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		

radial fans



1

No.	601245	Ref. No.	R63130010
description	radial fan 24V voltage DC 50Hz 45W H1 170mm L1 170mm D1 ø 50mm W1 90mm W2 44mm H2 57mm W3 83mm H3 83mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P		
accessories for	601245		
	No.	104309	Ref. No.
gasket L 106mm W 100mm H 3mm 4 holes			

motors

gear motors

for tilting bratt pans



1


No.	600000	Ref. No.	CM056300 MACM056300
description	gear motor NERI type M63B4 120W 230V voltage DC 50Hz 1360rpm shaft ø 14mm L 308mm W 140mm H 170mm for tilting bratt pan		
For models:	BR78EF, BR78EI, BR78GF, BR78GI, BR912EFM, BR912EIM, BR912GFM, BR912GIM, BR98EF, BR98EFM, BR98EI, BR98EIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9S8EF, BR9S8EI, BR9S8GF, BR9S8GI		

pumps

wash and rinse pumps

FIR

pumps



1

No.	500019	Ref. No.	100702	
description	pump inlet ø 28mm outlet ø 26mm type B229.1405 230V 50Hz 1 phase 0.22kW 0.3HP L 200mm rotation direction right capacitor 5µF FIR			
spare parts for	500019			
	No.	365017	Ref. No.	—
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	No.	510510	Ref. No.	630125
	pump cover pump type 2212/2228/2229/2211			
	No.	510532	Ref. No.	—
	impellor ø 72mm H 22mm shaft ø 11mm shaft length 32mm blades 3			
	No.	510695	Ref. No.	630514
	mechanical shaft seal height counter ring 5.5mm ID ø 11mm			
	No.	521703	Ref. No.	—
	pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs			




1


No.	500127	Ref. No.	100740
description	pump inlet ø 37mm outlet ø 41mm type 4247.1900 230V 50Hz 1 phase 0.44kW 0.6HP L 200mm rotation direction right capacitor 10µF FIR		
spare parts for	500127		
	No.	365015	Ref. No.
	631206 LA65190180 LAR65190180 R65190180		
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			
	No.	510608	Ref. No.
	631683		
impellor ø 93mm H 32mm shaft intake ø 9/8mm blades 6 inner height 11mm			
	No.	510692	Ref. No.
	—		
mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm			
	No.	521505	Ref. No.
	630129		
pump cover FIR inlet ø 37mm outlet ø 40mm turn direction right ø 160mm ID ø 125mm inner height 25mm			
	No.	521702	Ref. No.
	630419		
pump cover gasket thickness 3.5x4.5mm Qty 1 pcs			



1

No.	500038	Ref. No.	1037304600
description	pump inlet ø 45mm outlet ø 40mm type 3911.1425 230V 50Hz 1 phase 0.55kW 0.75HP L 205mm rotation direction right capacitor 10µF FIR		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		
spare parts for	500038		
	No.	365015	Ref. No.
	631206 LA65190180 LAR65190180 R65190180		
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			
	No.	510508	Ref. No.
	—		
pump cover FIR inlet ø 45mm outlet ø 40mm pump type PU 0.5/3911 turn direction right ø 160mm ID ø 125mm inner height 25mm			
	No.	510610	Ref. No.
	—		
impellor ø 95.5mm H 23mm shaft intake ø 9/8mm rotation direction right seat ø 16mm blades 6			
	No.	510692	Ref. No.
	—		
mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm			
	No.	521702	Ref. No.
	630419		
pump cover gasket thickness 3.5x4.5mm Qty 1 pcs			
accessories for	500038		
	No.	551286	Ref. No.
	—		
adapter L 120mm 4-pole for Meiko pump suitable for 500038 plug type dependent on equipment			

			
1			
No.	500023	Ref. No.	1037307400
description	pump inlet ø 63mm outlet ø 47mm type 1225.2725 230/400V 50Hz 3 phase 1.1kW 1.5HP L 335mm rotation direction right FIR		
For models:	MLC50, MLC503, MLC65, MLC653		
spare parts for	500023		
	No.	510602	Ref. No. —
	impellor ø 110mm H 34mm rotation direction right thread M8L shaft ø 28mm seat ø 12.2mm blades 6		
	No.	510693	Ref. No. 630501
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521513	Ref. No. —
	pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm		
	No.	524416	Ref. No. —
	pump cover gasket thickness 4x4mm Qty 1 pcs		

			
1			
No.	500111	Ref. No.	100663
description	pump inlet ø 63mm outlet ø 53mm type 1241.2500 230/400V 50Hz 3 phase 1.1kW 1.5HP L 330mm rotation direction left FIR		
spare parts for	500111		
	No.	510531	Ref. No. 630114
	pump cover FIR inlet ø 63mm outlet ø 53mm auxiliary pressure connection M16x1.5mm supporting pressure open turn direction left ø 185mm ID ø 150mm inner height 37mm		
	No.	510612	Ref. No. 631653
	impellor ø 110mm H 34mm M8R		

spare parts for	500111		
	No.	510693	Ref. No. 630501
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	524416	Ref. No. —
	pump cover gasket thickness 4x4mm Qty 1 pcs		

			
1			
No.	501467	Ref. No.	100717
description	pump inlet ø 63mm outlet ø 53mm type 2241.2501 230/400V 50Hz 3 phase 0.89kW 1.5HP L 305mm rotation direction left FIR		

LGB


			
1			
No.	500513	Ref. No.	100727
description	pump inlet ø 45mm outlet ø 40mm type FM4023SX 230V 50Hz 1 phase 0.75kW 1HP L 300mm rotation direction right capacitor 16µF LGB		
spare parts for	500513		
	No.	365021	Ref. No. 631202 LAR65190030 R65190030
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510703	Ref. No. —
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		

Table continues overleaf



spare parts for 500513				
	No.	521246	Ref. No.	631674
impellor ø 103mm H 26mm thread M8L shaft ø 20mm shaft length 7mm seat ø 8.2mm blades 6				
	No.	521542	Ref. No.	—
pump cover LGB inlet ø 45mm outlet ø 40mm auxiliary pressure connection 13mm supporting pressure open ø 150mm ID ø 120mm inner height 25mm				
	No.	521714	Ref. No.	630420
pump cover gasket thickness 4x4mm Qty 1 pcs				

miscellaneous



1

No.	500016	Ref. No.	100399
description	pump type AL15 1 phase IBMEI		

drain pumps

ASKOLL



1

No.	500210	Ref. No.	1037304700 MA1037304700
description	drain pump 230V 40W		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		

GRE



1

No.	500961	Ref. No.	100342
description	drain pump inlet ø 30mm outlet ø 23mm 100W 230V 50Hz GRE		
accessories for	500961		
	No.	524719	Ref. No.
	—		
	formed hose hose ext. ø 40mm hose int. ø 30mm L 65mm warewashing black Qty 1		

miscellaneous



1

No.	500201	Ref. No.	R65110300
description	drain pump inlet ø 24mm outlet ø 22mm 230V 100W		
For models:	GMT06D		

booster pumps II

accessories



1

No.	365015	Ref. No.	631206 LA65190180 LAR65190180
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG201D, MG201M, MG201P, MG201T...(Other models you can see in the webshop)		

vibration pumps

			
1			
No.	500568	Ref. No.	R65110600
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		
spare parts for	500568		
	No.	390698	Ref. No. —
	thermal fuse switch-off temp. 110°C suitable for ULKA pump		
	No.	520153	Ref. No. —
	bracket rubber dimensions 53x34x28mm		

accessories

pump cover gaskets

			
1			
No.	510399	Ref. No.	630413
description	pump cover gasket		


			
1			
No.	510550	Ref. No.	630416
description	pump cover gasket pump type 2212/1290/2211/2228/2229/2213 EPDM thickness 2.62mm ID ø 82.22mm Qty 1 pcs		

condensators & interference suppression filters

operating capacitors

plastic

			
1			
No.	365015	Ref. No.	631206 LA65190180 LAR65190180
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG201D, MG201M, MG201P, MG201T...(Other models you can see in the webshop)		

			
1			
No.	365034	Ref. No.	R65190090
description	operating capacitor capacity 12µF with plastic sheathing		
For models:	GM110H, GM110P, GM210H, GM210P, GV110H, GV110P, GV210H, GV210P, MG102P, MG102T, MG110P, MG110X, MG120P, MG120X, MG210P, MG210X, MG220P, MG220X, MGC24H, MGC40H, MGMT20P, MGMT20P, VG110P, VG110X, VG120P, VG120X, VG210P, VG210X, VG220P, VG220X		

			
1			
No.	365021	Ref. No.	631202 LAR65190030
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
For models:	GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MG102D, MG102M, MG102P, MG102T, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT20D, MGMT20P, MGMT20D, MGMT20P, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M...(Other models you can see in the webshop)		

			
No.	365033	Ref. No.	R65190080
description	operating capacitor capacity 5µF with plastic sheathing		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, ME106M, ME106P, ME106X, MG106M, MG106P, MG106X, VE004M, VE004X, VE104M, VE104X, VE105M, VE105X, VE106M, VE106P, VE106X, VG105M, VG105X, VG106M, VG106P, VG106X		

ferrite rings

			
No.	691295	Ref. No.	R65280450
description	ferrite ring ID ø 17mm ED ø 28mm H 20mm for protection		
For models:	EM106H, EM106P, EM110H, EM110P, EM210H, EM210P, EV106H, EV106P, EV110H, EV110P, EV210H, EV210P, GM106H, GM106P, GM110H, GM110P, GM210H, GM210P, GMT06D, GMT20D, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P, GVT06D, GVT20D, ME061D, ME061P, ME061T, ME101D, ME101P, ME101T, ME102P, ME102T, ME201D, ME201P, ME201T, ME202D, ME202P, ME202T, MEC24H, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D...(Other models you can see in the webshop)		

filters

interference suppression filters

			
No.	365046	Ref. No.	631209
description	interference suppression filter type 1057E-G1474253105-Q 115/250V 50/60Hz conductor 2 with E connection male faston 6.3mm L 40mm ø 40mm Hmm Wmm M8 plastic Qty 1 pcs		

			
No.	365045	Ref. No.	1037116500 MA1037116500
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 40mm ø 30mm Hmm Wmm plastic Qty 1 pcs		
For models:	CPE60, CPE602, CPE60DB, FQE40, FQE40D, FQE40DSP, FQE41, FQE41L, FQE41L2, FQE60, FQE60D, FQE60DSP, FQE61, FQE61L, FQE61L2, FTVE100, FTVE40, FTVE40D, FTVE60, FTVE60D, OCPE6, OCPE60, OFQE41, OFQE61, PCVE40, PCVE40D, PCVE40DB, PCVE60, PCVE60D, PCVE60DB, SME62M, SME63M, SME70M, TSE60M, V74EC, V76EC, V94E, V98E		

			
No.	365044	Ref. No.	1984000 MA1984000 R65280200
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs		
For models:	CP704E, CP92E, CP92E2, CP94E, CP94E2, CP95B2E, CP95B2E2, CP95B4E, CP95B4E2, DE92142, DE94242, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FR74E, FR74E10, FR74E10L, FR74E10L2, FR74E2, FR77E, FR77E10, FR77E10L, FR77E10L2, FR77E2...(Other models you can see in the webshop)		

RC circuits

			
No.	365155	Ref. No.	R65280130
description	RC circuit 250/630V connection male faston 6.3mm cable length 65mm capacity 47nF 100Ohm		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102D, ME102M, ME201M, ME202M, MEC40M, MG061M, MG101M...(Other models you can see in the webshop)		

fuses

fine fuses

			
No.	358532	Ref. No.	R65200200
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

			
1			
No.	358593	Ref. No.	R65200086
description	fine fuse size ø5x20mm 0.125A slow-acting rated 250V Qty 10 pcs		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM010M+SC, EM106H, EM106M+SC, EM106P, EM110M+SC, EM110P, EM210M+SC, EM210P, EV106H, EV106M+SC, EV106P, EV110M+SC, EV110P, EV210M+SC, EV210P, GM106H, GM106M+SC, GM106P, GM110M+SC, GM110P, GM210M+SC, GM210P, GV106H, GV106M+SC, GV106P, GV110M+SC, GV110P, GV210M+SC, GV210P, ME061P, ME061T, ME101P, ME101T, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201P, ME201T...(Other models you can see in the webshop)		

			
1			
No.	358592	Ref. No.	R65200140
description	fine fuse size ø5x20mm 0.1A slow-acting rated 250V Qty 10 pcs		
For models:	GMT20D, MG061M, MG101D, MG101M, MG102D, MG102M, MG201D, MG201M, MGMT20D		

			
1			
No.	358595	Ref. No.	R65200320
description	fine fuse size ø5x20mm 0.2A slow-acting rated 250V Qty 10 pcs		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110P, EM210H, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110P, EV210H, EV210P, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM210H, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV210H, MACE10M, MACE20M, ME061P, ME061T, ME101D, ME101M, ME102D, ME102M, ME106P, ME106X, ME110P, ME120P, ME201D, ME201M, ME210P, ME220P, MEC24H, MEMT10D...(Other models you can see in the webshop)		

			
1			
No.	358703	Ref. No.	R65200350
description	fine fuse size ø5x20mm 0.4A slow-acting rated 250V Qty 10 pcs		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105X, FG110X, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, ME110P, ME110X, ME120P, ME120X, ME210P, ME210X, ME220P, ME220X, MEC24H, MEC40M...(Other models you can see in the webshop)		

			
1			
No.	358033	Ref. No.	130259
description	fine fuse size ø10x38mm 1A slow-acting rated 500V type aM Qty 1 pcs		

			
1			
No.	358034	Ref. No.	130260
description	fine fuse size ø10x38mm 2A slow-acting rated 500V type aM Qty 1 pcs		

			
1			
No.	358035	Ref. No.	130230
description	fine fuse size ø10x38mm 4A slow-acting rated 500V type aM Qty 1 pcs		

			
1			
No.	358196	Ref. No.	130246
description	fine fuse size ø10x38mm 12A rated 500V type Gg fast-acting Qty 1 pcs		

			
1			
No.	358028	Ref. No.	130248
description	fine fuse size ø10x38mm 20A rated 500V type Gg fast-acting Qty 1 pcs		

			
1			
No.	358024	Ref. No.	130245
description	fine fuse size ø10x38mm 8A rated 500V type gl fast-acting Qty 1 pcs		



fine fuse holders



1

No.	358512	Ref. No.	208021-99 208021-99 n.m.liefe LA65210020 LAR65210020
description	fuse holder		
For models:	CS102E, CS102EP, CS102G, CS102GP, CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X...(Other models you can see in the webshop)		



2

No.	358075	Ref. No.	150710
description	fuse holder for fuse ø10x38mm suitable fuse ø10x38mm 1-pole 32A rated 690V for DIN rail 35mm cross section 10mm ² suitable for fuse ø10x38mm		

overload switches



1

No.	358514	Ref. No.	R65160300
description	overload switch drop-away current 0.8A		
For models:	EM106H, EM106P, EV106H, EV106P, GM106H, GM106P, GV106H, GV106P, ME061P, ME061T, MEMT06P, MEVT06P, MG061P, MG061T, MGMT06P, MGVT06P		



1

No.	358515	Ref. No.	R65160310
description	overload switch drop-away current 2.5A		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GV106H, GV106M, GV106M+SC, GV106P, MG061T		



1

No.	358520	Ref. No.	R65160220
description	overload switch drop-away current 2.5A connection male faston 6.3mm		
For models:	FE105M, FE105X, FG105M, FG105X, PE040M, PE040X, PG040M, PG040X		



1

No.	358516	Ref. No.	R65160320
description	overload switch drop-away current 2A		
For models:	GMT06D, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MGMT06D, MGMT06P, MGVT06D, MGVT06P		

electric accessories

cables

accessories

cable glands

threaded cable glands

screw connections



1

No.	550971	Ref. No.	1037115100 MA1037115100
description	cable gland thread PG16 cable ø 14mm mounting ø 22.5mm Qty 1 pcs plastic WS 27		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, B124E, B95B2E, B95B4E, B9V2E, B9V4E, BIE40, BIE40B, BIE60, BIE60B, BME40DM, BME40DMB, BME40M, BME60, BME60D, BME60DM, BME60DMB, BME60M, BME80M, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB...(Other models you can see in the webshop)		



1

No.	550973	Ref. No.	1037112400 MA1037112400
description	cable gland thread PG21 cable ø 17mm mounting ø 28mm Qty 1 pcs plastic WS 34		
For models:	CP92E, CP92E2, CP94E, CP94E2, CP95B2E, CP95B2E2, CP95B4E, CP95B4E2, EC74EVG, EC78EVG, EC7FE8E, EF74E12, F12C4E12, F74E10, F74E6, F76E10, F94E10, F94E6, F96E10, FQE40, FQE40D, FQE40DSP, FQE41, FQE41L, FQE41L2, FQE41R, FQE41RL, FQE41RL2, FQE60, FQE60D, FQE60DSP, FQE61, FQE61L, FQE61L2, FQE61R, FQE61RL, NBR78EF, NBR78EI, NBR912EFM, NBR912EIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NF74E10, NF76E10, NF94E10, NF96E10, NPC74E, NPC74G...(Other models you can see in the webshop)		

fastening nuts



1			
No.	550972	Ref. No.	1037115200 MA1037115200
description	nut thread PG16 WS 30 plastic Qty 1 pcs thickness 6mm mounting ømm cable ømm		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR- 714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, B124E, B9SB2E, B9SB4E, B9V2E, B9V4E, BIE40, BIE40B, BIE60, BIE60B, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB...(Other models you can see in the webshop)		



1			
No.	550974	Ref. No.	1037114500 MA1037114500
description	nut thread PG21 WS 34 plastic Qty 1 pcs thickness 7.5mm mounting ømm cable ømm		
For models:	CP92E, CP92E2, CP94E, CP94E2, CP9SB2E, CP9SB2E2, CP9SB4E, CP9SB4E2, EC74EVG, EC78EVG, EC7FE8E, EF74E12, F12C4E12, F74E10, F74E6, F76E10, F94E10, F94E6, F96E10, FQE40, FQE40D, FQE40DSP, FQE41, FQE41L, FQE41L2, FQE41R, FQE41RL, FQE41RL2, FQE60, FQE60D, FQE60DSP, FQE61, FQE61L, FQE61L2, FQE61R, FQE61RL, NBR78EF, NBR78EI, NBR912EFM, NBR912EIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NF74E10, NF76E10, NF94E10, NF96E10, NPC74E, NPC74G...(Other models you can see in the webshop)		

ribbon cables

group 1



1			
No.	403107	Ref. No.	R65301470
description	ribbon cable 16-pole L 85mm plug type 2 row coded		
For models:	ME061P, ME101P, ME102P, ME201P, ME202P, MEMT06P, MEMT10P, MENT20P, MENT21P, MENT40P, MEVT06P, MEVT10P, MEVT20P, MEVT21P, MEVT40P, MG061P, MG101P, MG102P, MG201P, MG202P, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, MGVT06P, MGVT10P, MGVT20P, MGVT21P, MGVT40P		

miscellaneous



1			
No.	401960	Ref. No.	R66110320
description	kable set		
For models:	GMT20D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT10D, MEMT10P, MEMT20D, MENT20P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT10D, MGMT10P...(Other models you can see in the webshop)		

terminals and connectors

not insulated

female bullets



1			
No.	100023	Ref. No.	MA20418099
description	female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs		

terminals

porcelain clamps



1			
No.	550115	Ref. No.	1037117600 MA1037117600
description	porcelain terminal block 2-pole 10mm ² max. 30A max 450V L 37mm W 37mm H 23mm mounting distancemm Qty 1 pcs		
For models:	CT78EC, CT7FE8EC, CT98EC, CT9FE8EC, ERA10, ERA12, ERA14, ERA16, ERA18, ERA20, ERA210, ERA212, ERA214, ERA216, ERA218, ERA220, NSP74E, NSP94E, SP74E, SP94E		



1			
No.	550414	Ref. No.	112800
description	porcelain terminal block 4-pole 10mm ² hole distance 29mm max. 30A max 450V t.max. 200°C L 60mm W 28mm H 20mm mounting distance 29mm Qty 1 pcs		
For models:	B9SB2E, B9SB4E, B9V2E, B9V4E, BR707E, BR707EI, BR94E, BR94EI, BR96E, BR96EI, BR9M4E, BR9M4EI, BR9M4GI, BR9M6E, BR9M6EI, BR9SB4E, BR9SB4EI, C7011E, C7011EFE, C7011EFEQ, C704E, C707E, C707EFE, C707EFEQ, C9F4E, C9F6E, C9FE6GS, C9V2E, C9V4E, CP92E, CP94E, CP9SB2E, CP9SB4E, F9V2E, F9V2ER, F9V4E, F9V4EC, F9V4ECR, F9V4ER, F9V4ERL, FC10E, FC10G, FC20E, FC20G, FC5E, FC7E, FC7G, FP1E, FR92E13, FR92E22...(Other models you can see in the webshop)		

connection terminals with screw/faston connections



No.	550278	Ref. No.	1037117300 MA1037117300
description	power terminal block 3-pole max. 40A max 400V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, B124E, BME40DM, BME40DMB, BME40M, BME60DM, BME60DMB, BME60M, BME80M, BSEI40M, EAR612PA, EAR612PP, EAR612PS, EAR613PA, EAR613PP, EAR613PS, EAR614PA, EAR614PP, EAR614PS, EAR615PA, EAR615PP, EAR615PS, EAR616PA, EAR616PP...(Other models you can see in the webshop)		



No.	550411	Ref. No.	1037104000 1616200 MA1037104000
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		
For models:	BIE40B, BIE60B, BM74E, BM77E, BME40M, BME60, BME602, BME60M, BME80M, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSE40M, CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, CPE60, CPE602, CPE60DB, CRE6220, CRE6230, CRE6320, CRE6330, CSP6220, CSP6230, CWE42, CWE422, CWE62, CWE622, DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, FQE40, FQE40D, FQE40DSP, FQE41, FQE41L, FQE41L2...(Other models you can see in the webshop)		



No.	550977 ¹	Ref. No.	CR0588170
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² with ground lug		
For models:	EC74EVG, EC78EVG, EC7FE8E, EFT74ELVG, EFT74ERVG, EFT78ELVG, EFT78EMVG, EPC74E, NBR78EF, NBR78EI, NC74E2, NC74EC, NC74EQC, NC78E2, NC78EC, NC78EQC, NC7FE8E, NC7FE8E2, NC7FE8EQ, NC94E, NC94E2, NC98E, NC98E2, NC9FE8E, NC9FE8E2, NCT78E, NCT7FE8E, NFT74EL, NFT74ELC, NFT74ELCO, NFT74ELO, NFT74ER, NFT74ERC, NFT76EL, NFT76ELC, NFT76EM, NFT76EMC, NFT76ER, NFT78EL, NFT78ELC, NFT78ELCO, NFT78ELO, NFT78EM, NFT78EMC, NFT78ER, NFT78ERC, NFT94EL, NFT94ELC, NFT94ELO, NFT94ER...(Other models you can see in the webshop)		

¹with ground lug

terminal boards



No.	550413	Ref. No.	1229800 MA1229800
description	terminal board 3-pole thread M5 L 55mm W 36mm		
For models:	B9SB2E, B9SB2G, B9SB4E, B9SB4G, B9V2E, B9V2G, B9V4E, B9V4G, BR707E, BR707EI, C7011EFE, C7011EFEQ, C707EFE, C707EFEQ, C9F4E, C9F6E, C9FE6GS, C9V2E, C9V4E, CP704E, CP92E, CP94E, CP95B2E, CP95B4E, CPE60, F9V2E, F9V2ER, F9V4E, F9V4EC, F9V4ECR, F9V4ER, F9V4ERL, FC5E, FR74E, FR77E, P9D10E, P9D15E, P9DA10E, P9DA15E, P9DSB10E, P9I10E, P9IA10E, PDASB10E, PI707E, SBA, SBAC, SVAC, SVAC12, SVAC16, SVAC20...(Other models you can see in the webshop)		

rail-mounted terminals

rail-mounted terminal blocks



No.	550421 ¹	Ref. No.	R65220090
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.0-10mm²		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FE110M, FE110X, FG110M, FG110X, FG210M, FG210X, MACE04M, MACE05M, MACE07M, MACG05M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X...(Other models you can see in the webshop)		

¹with fused terminal block


No.	550420	Ref. No.	R65220080
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.5-16mm²		
For models:	EC110M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EV110H, EV110M, EV110M+SC, EV110P, FE210M, MACE10M, ME101D, ME101M, ME101P, ME101T, ME110M, ME110P, ME110X, MEMT10D, MEMT10P, MEVT10D, MEVT10P, VE110M, VE110X, VE210P		

			
1			
No.	550422	Ref. No.	R65220130
description	rail-mounted terminal block 9-pole		
For models:	EC210M, EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, ME102D, ME102M, ME102P, ME102T, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG202P, MG202T, MG-MT40P, MGVT40P, VE120M, VE120P...(Other models you can see in the webshop)		

various

			
1			
No.	693955	Ref. No.	1878400 MA1878400
description	terminal grounding cable		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, BIE40B, BIE60B, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSE40M, BSEI40M, CRE6220, CRE6230, CRE6320, CRE6330...(Other models you can see in the webshop)		

gas taps

PEL

20S series

			
1			
No.	101094	Ref. No.	1341700 SIR0100730
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
For models:	C9F6G, C9F6GS, T9F6GS		
spare parts for	101094		
	No.	100408	Ref. No. —
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	No.	101060	Ref. No. 24030199 MA24030199 SI0100752 SIR0100752
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	101205	Ref. No. —
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20		

spare parts for	101094		
	No.	101230	Ref. No. 24030299 MA24030299
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
accessories for	101094		
	No.	101278	Ref. No. 867-20 MA86720
	olive for pipe ø 10mm Qty 1 pcs		
	No.	101300	Ref. No. 1326500 MA1326500
	union nut thread M16x1.5 tube ø 10mm		
	No.	101450	Ref. No. —
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	No.	101451	Ref. No. —
	union nut thread M16x1.5 tube ø 8mm		
	No.	110081	Ref. No. —
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		
	No.	110083	Ref. No. —
	knob dial plate gas tap without ignition flame silver		

21S series

			
1			
No.	101095	Ref. No.	1700200 1700500 MA1700200
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
For models:	C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, FT74G, FT74GR, FT77G, FT77GRL, GB707G		
spare parts for	101095		
	No.	100408	Ref. No. —
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	No.	101060	Ref. No. 24030199 MA24030199 SI0100752 SIR0100752
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	101206	Ref. No. —
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21		
	No.	101230	Ref. No. 24030299 MA24030299
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
accessories for	101095		
	No.	100908	Ref. No. 0100777 673500 MA673500 R0100777 SIR0100777
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		



accessories for 101095				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	867-20 MA86720
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	1326500 MA1326500
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110081	Ref. No.	—
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

1

No.	101397	Ref. No.	1888700 1888800 1888900 1916900 CM226800 MA1888700
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
For models:	BR78GF, BR78GI, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C74GS, C78G, C78GS, C79G, C7FE12G, C7FE12GS, C7FE8G, C7FE8GS, C7FG12G, C7FG12GS, C7FG8G, C7FG8GS, C7FG9G, C7FGM12G, C912G, C912GS, C94G, C94GP, C94GS, C98G, C98GP, C98GS, C9F4GS, C9F6GS, C9F8GS, C9FE12G, C9FE12GS, C9FE4GS, C9FE6GS, C9FE8G, C9FE8GS, C9FEP4GS, C9FEP6GS, C9FEP8GS, C9FG12G, C9FG12GS, C9FG16G, C9FG8G, C9FG8GP...(Other models you can see in the webshop)		
spare parts for	101397		
	No.	100408	Ref. No. —
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No. 24030199 MA24030199 SI0100752 SI0100752
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101206	Ref. No. —
gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21			

spare parts for 101397				
	No.	101231	Ref. No.	—
thermocouple nut T1: M9x1 T2: M18x1				
accessories for 101397				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SI0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	867-20 MA86720
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	1326500 MA1326500
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110081	Ref. No.	—
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

1

No.	101693	Ref. No.	1031500200 MA1031500200
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.7mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 35/28mm shaft flat right		
For models:	BIG40, BIG60, CFG101, CFG70, CFG70M, CFGE61, CFGE61D, CFGE61L, CFGE61P, OCFG101, OCFG70, OCFG61, OPG41, OPG61, PCG41, PCG41L, PCG61, PCG61L		
spare parts for	101693		
	No.	100552	Ref. No. 0102067 1884200 MA1884200 R0102067 SIR0102067
bypass nozzle type PEL20/21 bore ø 0.7mm thread M5x0.5			
	No.	101060	Ref. No. 24030199 MA24030199 SI0100752 SIR0100752
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			

spare parts for 101693				
	No.	101230	Ref. No.	24030299 MA24030299
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101877	Ref. No.	—
gas tap front part shaft ø 6x4.6mm type PEL21				
accessories for 101693				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	867-20 MA86720
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	1326500 MA1326500
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				



1

No.	101913	Ref. No.	1031501300 MA1031501300
description gas tap PEL type 215 gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.9mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 35/28mm shaft flat right			
For models: CFG101, CFG70, CFG70M, CFGE61, CFGE61D, CFGE61L, CFGE61P, OCFG101, OCFG70, OCFGE61, OPGC41, OPGC61, OPLG40, OPLG80, PCG41, PCG41L, PCG42, PCG61, PCG61L, PCG82, PLG40, PLG80			
spare parts for		101913	
	No.	100528	Ref. No. 1033720200 1889000 MA1033720200 MA1889000
bypass nozzle type PEL20/21 bore ø 0.9mm thread M5x0.5			
	No.	101060	Ref. No. 24030199 MA24030199 SIO100752 SIR0100752
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101230	Ref. No. 24030299 MA24030299
thermocouple nut T1: M8x1 T2: M18x1 aluminium			

spare parts for 101913				
	No.	101877	Ref. No.	—
gas tap front part shaft ø 6x4.6mm type PEL21				
accessories for 101913				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	867-20 MA86720
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	1326500 MA1326500
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110078	Ref. No.	—
knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

1

No.	101824	Ref. No.	CR0580450
description	gas tap PEL type 215 gas inlet pipe flange ø21mm bypass nozzle ø 0.9mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper pipe input ø 9mm		
For models:	NC712G36, NC74G12, NC78G24, NC7FE12G36, NC7FE8G24, NC7FG12G44, NC7FG8G32, NC7FGM12G, NC912G44, NC94G16, NC94G20, NC98G28, NC98G40, NC9FE12G44, NC9FE8G28, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NC9FGM12G, NTF74GL, NTF74GR, NTF76GL, NTF76GM, NTF76GR, NTF78GL, NTF78GM, NTF78GR, NTF94GL, NTF94GR, NTF96GL, NTF96GM, NTF98GL, NTF98GM, NTF98GR, NS78GS, NS7FG12GS, NS7FG8GS, NT7FG12G, NT9FG12G		



22N/O series



1

No.	101443	Ref. No.	1337600 673800 MA1337600
description	gas tap PEL type 22N/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		
For models:	C9F4G, C9F6G, C9F8G, C9SB4GS, C9V2G, C9V4G, C9V6G, C9V8G		
spare parts for	101443		
	No.	100259	Ref. No. —
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101201	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101240	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101443		
	No.	100908	Ref. No. 0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. 673600 MA673600
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. 673300 MA673300
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. 673400 MA673400
olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No. 673200 MA673200
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No. 673100 MA673100
union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			

22S/O series



1

No.	101089	Ref. No.	1093600 1093700 1337200 MA1093600
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper		
For models:	704S, 706S, C9F4GS, C9F6GS, C9F8GS, C9SB4GS, C9V2GS, C9V4GS, C9V6GS, C9V8GS, CP707G, CP92G, CP94G, F9SB2G, F9SB2GR, F9SB4G, F9SB4GR, F9SB4GRL, F9V2G, F9V2GR, F9V4G, F9V4GR, F9V4GRL, P9D2G, PD707G, T7011GFG, T707G, T707GFG, TPF706S		
spare parts for	101089		
	No.	100259	Ref. No. —
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101230	Ref. No. 24030299 MA24030299
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101240	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101089		
	No.	100908	Ref. No. 0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101241	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No. 673600 MA673600
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. 673300 MA673300
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			

Table continues overleaf

accessories for 101089				
	No.	101249	Ref. No.	673400 MA673400
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No.	673200 MA673200
	union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No.	673100 MA673100
	union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

1

No.	101086	Ref. No.	1888600 1926800 MA1888600 MA1926800
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		
For models:	C124G, C129G, C12C2G9, C12C9G, C12FG9G, C712G, C74G, C78G, C7FE12G, C7FE8G, C7FG12G, C7FG8G, C7FGM12G, C912G, C912GS, C94G, C94GP, C94GS, C98G, C98GP, C98GS, C9FE12G, C9FE12GS, C9FE8G, C9FE8GS, C9FG12G, C9FG12GS, C9FG16G, C9FG8G, C9FG8GP, C9FG8GS, C9FGM12G, CP704G, CP92G, CP94G, CP9SB2G, CP9SB4G, ET78GVG, ET7FG8G, FB1GS, FP1GS, NG74G, NG78G, NG94G, NG98G, NT78G, NT7FG12G, NT7FG8G, NT98G, NT9FG12G... (Other models you can see in the webshop)		
spare parts for	101086		
	No.	100259	Ref. No. —
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101231	Ref. No. —
thermocouple nut T1: M9x1 T2: M18x1			
	No.	101240	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			

accessories for 101086				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No.	673600 MA673600
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No.	673300 MA673300
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No.	673400 MA673400
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No.	673200 MA673200
	union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No.	673100 MA673100
	union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

22S/V series



1

No.	101457	Ref. No.	1031027900 932500 MA1031027900 MA932500	
description gas tap alternatives to JUNKERS type CH110 gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat with pipe outlet				
For models: 704S, 706S, TPF706S				
spare parts for 101457				
No.		100259	Ref. No.	—
 bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				

Table continues overleaf



spare parts for 101457				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	101058	Ref. No.	—
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard				
	No.	101200	Ref. No.	—
gas tap front part shaft ø 10mm shaft L 25mm shaft flat suitable for 22S/O				
	No.	101230	Ref. No.	24030299 MA24030299
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101241	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
accessories for 101457				
	No.	100945	Ref. No.	—
roll pin ø 3.2mm L 10mm				
	No.	101218	Ref. No.	—
shaft extension JUNKERS				
	No.	101219	Ref. No.	—
shaft extension L 25mm JUNKERS				
	No.	101231	Ref. No.	—
thermocouple nut T1: M9x1 T2: M18x1				
	No.	101248	Ref. No.	673300 MA673300
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	673400 MA673400
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	673200 MA673200
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	673100 MA673100
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101290	Ref. No.	—
thermocouple nut T1: M10x1 T2: M18x1 suitable for PEL20/21				
	No.	110064	Ref. No.	932600 MA932600
knob				
	No.	110066	Ref. No.	932700 MA932700
knob screw				

accessories for 101457				
	No.	550396	Ref. No.	—
shaft extension L 25mm JUNKERS				

1

No.	101909	Ref. No.	1031503700	
description	gas tap type PEL22S			
For models:	BRG40, BRG40G			
spare parts for	101909			
	No.	100628	Ref. No.	—
bypass nozzle type PEL23/24 bore ø 1.05mm thread M8x0.5				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	101058	Ref. No.	—
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard				
	No.	101200	Ref. No.	—
gas tap front part shaft ø 10mm shaft L 25mm shaft flat suitable for 22S/O				
	No.	101230	Ref. No.	24030299 MA24030299
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101241	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
accessories for	101909			
	No.	101248	Ref. No.	673300 MA673300
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	673400 MA673400
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	673200 MA673200
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	673100 MA673100
union nut thread M20x1.5 for pipe ø 12mm				

23S/V series



1

No.	101630	Ref. No.	745700 MA745700
description	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat		
spare parts for	101630		
	No.	100455	Ref. No. —
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101059	Ref. No. —
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1			
	No.	102767	Ref. No. —
gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S			
accessories for	101630		
	No.	100908	Ref. No. 0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	100945	Ref. No. —
roll pin ø 3.2mm L 10mm			
	No.	101218	Ref. No. —
shaft extension JUNKERS			
	No.	101219	Ref. No. —
shaft extension L 25mm JUNKERS			
	No.	101246	Ref. No. 673600 MA673600
olive for pipe ø 4mm Qty 1 pcs			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	110064	Ref. No. 932600 MA932600
knob			
	No.	110066	Ref. No. 932700 MA932700
knob screw			
	No.	550396	Ref. No. —
shaft extension L 25mm JUNKERS			



1

No.	101093	Ref. No.	1345300 19546-00 MA1345300 MA1954600
description	gas tap PEL type 23S/V gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		
For models:	MM10DG, MM10DGS, MM15DG, P9D10G, P9D15G, P9DA10G, P9DA15G, P9DASB10G, P9DSB10G, PD98G10, PD98G15, PD98G15A, PD9S8G10, PDASB10G, PI98G10, PI98G14, PI98G14A, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS		
spare parts for	101093		
	No.	100455	Ref. No. —
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101059	Ref. No. —
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1			
	No.	101204	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S			
	No.	101245	Ref. No. —
gas connection thread M24x1.5 tube ø 12/16mm vertical for PEL gas taps			
	No.	101463	Ref. No. —
screw suitable for PEL23S Qty 4 pcs			
	No.	528455	Ref. No. —
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs			
accessories for	101093		
	No.	100908	Ref. No. 0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. 673600 MA673600
olive for pipe ø 4mm Qty 1 pcs			
	No.	101252	Ref. No. —
union nut thread M24x1.5 for pipe ø 12mm			
	No.	101253	Ref. No. 1421000 MA1421000
union nut thread M24x1.5 PEL for pipe ø 16mm			
	No.	101254	Ref. No. 1346900 MA1346900
union nut thread M28x1.5 tube ø 20mm			
	No.	101255	Ref. No. —
olive for pipe ø 12mm Qty 1 pcs			

Table continues next page



accessories for 101093				
	No.	101256	Ref. No.	1127400 MA1127400
olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	1347000 MA1347000
olive for pipe ø 20mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

alternatives to JUNKERS



1

No.	101457	Ref. No.	1031027900 932500 MA1031027900 MA932500	
description	gas tap alternatives to JUNKERS type CH110 gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat with pipe outlet			
For models:	704S, 706S, TPF706S			
spare parts for	101457			
	No.	100259	Ref. No.	—
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	101058	Ref. No.	—
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard				
	No.	101200	Ref. No.	—
gas tap front part shaft ø 10mm shaft L 25mm shaft flat suitable for 22S/O				
	No.	101230	Ref. No.	24030299 MA24030299
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101241	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				

spare parts for 101457				
	No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
accessories for 101457				
	No.	100945	Ref. No.	—
roll pin ø 3.2mm L 10mm				
	No.	101218	Ref. No.	—
shaft extension JUNKERS				
	No.	101219	Ref. No.	—
shaft extension L 25mm JUNKERS				
	No.	101231	Ref. No.	—
thermocouple nut T1: M9x1 T2: M18x1				
	No.	101248	Ref. No.	673300 MA673300
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	673400 MA673400
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	673200 MA673200
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	673100 MA673100
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101290	Ref. No.	—
thermocouple nut T1: M10x1 T2: M18x1 suitable for PEL20/21				
	No.	110064	Ref. No.	932600 MA932600
knob				
	No.	110066	Ref. No.	932700 MA932700
knob screw				
	No.	550396	Ref. No.	—
shaft extension L 25mm JUNKERS				

				
1				
No.	101630	Ref. No.	745700 MA745700	
description	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat			
spare parts for	101630			
	No.	100455	Ref. No.	—
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5				
	No.	101059	Ref. No.	—
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1				

spare parts for 101630				
	No.	102767	Ref. No.	—
gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S				
accessories for 101630				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	100945	Ref. No.	—
roll pin ø 3.2mm L 10mm				
	No.	101218	Ref. No.	—
shaft extension JUNKERS				
	No.	101219	Ref. No.	—
shaft extension L 25mm JUNKERS				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110064	Ref. No.	932600 MA932600
knob				
	No.	110066	Ref. No.	932700 MA932700
knob screw				
	No.	550396	Ref. No.	—
shaft extension L 25mm JUNKERS				

1

No.	101909	Ref. No.	1031503700	
description	gas tap type PEL22S			
For models:	BRG40, BRG40G			
spare parts for	101909			
	No.	100628	Ref. No.	—
bypass nozzle type PEL23/24 bore ø 1.05mm thread M8x0.5				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	101058	Ref. No.	—
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard				

spare parts for 101909				
	No.	101200	Ref. No.	—
gas tap front part shaft ø 10mm shaft L 25mm shaft flat suitable for 22S/O				
	No.	101230	Ref. No.	24030299 MA24030299
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101241	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
accessories for 101909				
	No.	101248	Ref. No.	673300 MA673300
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	673400 MA673400
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	673200 MA673200
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	673100 MA673100
union nut thread M20x1.5 for pipe ø 12mm				

SKG



1

No.	101154	Ref. No.	1031028200 1031028300 MA1031028300	
description	gas tap SKG without ignition flame connection			
spare parts for	101154			
	No.	101060	Ref. No.	24030199 MA24030199 SI0100752 SIR0100752
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
accessories for	101154			
	No.	101060	Ref. No.	24030199 MA24030199 SI0100752 SIR0100752
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101351	Ref. No.	—
	mounting strap for gas tap			

Table continues overleaf



accessories for	101154		
	No.	101376	Ref. No.
			—
gasket ID ø 8mm ED ø 12mm H 3/5mm			


gas thermostats

SIT


630 Eurosit series



No.	107688	Ref. No.	CR0585671
description	gas thermostat 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm		



No.	101188	Ref. No.	CM097000 MACM097000
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
For models:	F12C4G15, F74G10, F74G15, F74G6, F76G10, F78G15, F94G10, F94G15, F94G6, F96G10, F98G15, F954G15, F958G15, PI76G5, PI96G5		
accessories for	101188		
	No.	100904	Ref. No.
			1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.
			1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101273	Ref. No.
			0100842 417810 MA417810 R0100842 SIR0100842
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No.
			459300 MA459300
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No.
			1888200 MA1888200
plug thread 3/8" with O-ring			



No.	103076	Ref. No.	CR0508680
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
For models:	EF74G15, EF74G8VA, EF74G8VG, FQG41, FQG61, NF74G10, NF74G15, NF74G15T, NF74G8, NF76G10, NF76G8, NF78G15, NF78G15T, NF94G15, NF94G23, NF96G10, NF98G15, NF98G23, OFQG41, OFQG61		




No.	101409	Ref. No.	1031504800 MA1031504800
description	gas thermostat type 630 Eurosit series t.max. 280°C 40-280°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
spare parts for	101409		
	No.	101333	Ref. No.
			1888200 MA1888200
plug thread 3/8" with O-ring			
accessories for	101409		
	No.	100904	Ref. No.
			1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.
			1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101273	Ref. No.
			0100842 417810 MA417810 R0100842 SIR0100842
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No.
			459300 MA459300
union screw thread 3/8" tube ø 12mm Qty 1 pcs			

			
No.	101125	Ref. No.	1887600 MA1887600
description	gas thermostat type 630 Eurosit series t.max. 340°C 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
For models:	BF78G, BF912G, BF912GH, BF98G, BR707G, BR707GI, BR78GF, BR78GI, C12FGP9G, C7FG12G, C7FG8G, C7FGM12G, C9F4E, C9F4GS, C9F6E, C9F6GS, C9F8GS, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FG-M12G, C9FP, C9FP4GS, C9FP6GS, C9FP8GS, FT129GLC, FT129GM, FT12C9GL, FT12C9GM, FT12C9GTL, FT12C9GTMC, FT12G7L70, FT12G7LC70, FT12G7R70, FT12G7RC70, FT12G7RL70, FT12G7RLC70, FT14G8L90, FT14G8LC90, FT14G8R2L90, FT14G8R2LC90, FT14G8R90, FT14G8RC90, FT6G4L70, FT6G4LC70, FT6G4RC70, FT74GL, FT74GLC...(Other models you can see in the webshop)		
accessories for	101125		
	No.	100825	Ref. No. —
	gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT		
	No.	100904	Ref. No. 1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. 1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	100949	Ref. No. —
	gasket suitable for 630 Eurosit series		
	No.	101273	Ref. No. 0100842 417810 MA417810 R0100842 SIR0100842
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101276	Ref. No. 459300 MA459300
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	No.	101333	Ref. No. 1888200 MA1888200
	plug thread 3/8" with O-ring		
	No.	101390	Ref. No. 1905525 MA1905525
	gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT		
	No.	101392	Ref. No. 1868600 MA1868600
	adapter suitable for 630 Eurosit series		
	No.	110357	Ref. No. —
	gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series		
	No.	110358	Ref. No. —
	adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series		

			
No.	101700	Ref. No.	CR0585670
description	gas thermostat type 630 Eurosit series t.max. 340°C 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
For models:	NBR78GF, NBR78GI, NC7FG12G44, NC7FG8G32, NC7FG8G36, NC7FG8G48, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NFT74GTLC, NFT74GTLCO, NFT74GTLO, NFT74GTRC, NFT76GLC, NFT76GMC, NFT76GRC, NFT76GTLC, NFT76GTMC, NFT78GTL, NFT78GTLC, NFT78GTLCO, NFT78GTLO, NFT78GTM, NFT78GTMC, NFT78GTR, NFT78GTRC, NFT94GTLC, NFT94GTLO, NFT-94GTRC, NFT96GLC, NFT96GMC, NFT98GTL, NFT98GTLC, NFT98GTLO, NFT98GTM, NFT98GTMC, NFT98GTR, NT78G, NT7FG12G, NT7FG8G, NT98G, NT9FG12G, NT9FG8G		
accessories for	101700		
	No.	100904	Ref. No. 1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. 1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101273	Ref. No. 0100842 417810 MA417810 R0100842 SIR0100842
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101276	Ref. No. 459300 MA459300
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	No.	101333	Ref. No. 1888200 MA1888200
	plug thread 3/8" with O-ring		



710 Minisit series



No.	101437	Ref. No.	1393300 1451000 1451024 1677300 1677314 MA1393300
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller yes pressure regulator 3-18mbar gland nut		
For models:	FQG40, FQG60, FR74G, FR77G, FR92G13, FR94G13, MM10IG, P910G, P915G, P91A10G, PI707G		
spare parts for	101437		
	No.	101053	Ref. No. 24021499 MA24021499
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
accessories for	101437		
	No.	100809	Ref. No. 1394000 BN6A011606 MA1394000
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No. 1395714 MA1395714
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	No.	100904	Ref. No. 1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. 1393700 24020299 MA1393700
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. 1393600 MA1393600
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. 1393800 MA1393800
gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No. 1393900 MA1393900
gas connection thread 1/2" angled with O-ring MINISIT 710			

accessories for	101437		
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No. 0100842 417810 MA417810 R0100842 SIR0100842
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No. 459300 MA459300
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No. 1393500 1693500 24020399 MA1393500
knob suitable for Minisit ø 37mm			

	No.	101132	Ref. No. 1393100 410622 671111 MA1393100
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no		
For models:	C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, T9F4G, T9F6GS		
spare parts for	101132		
	No.	101053	Ref. No. 24021499 MA24021499
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102102	Ref. No. 24021699 BN6A011709 MA24021699
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for	101132		
	No.	100809	Ref. No. 1394000 BN6A011606 MA1394000
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100904	Ref. No. 1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			


accessories for 101132				
	No.	100905	Ref. No.	1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	1393700 24020299 MA1393700
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	1393600 MA1393600
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	1393800 MA1393800
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	1393900 MA1393900
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	0100842 417810 MA417810 R0100842 SIR0100842
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	459300 MA459300
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	1393500 1693500 24020399 MA1393500
knob suitable for Minisit ø 37mm				

	No.	101438	Ref. No.	139300 1393400 1685500 MA1393400 SIR0100855
description				
gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller yes pressure regulator 3-18mbar gland nut				
For models:				
BR707G				
spare parts for 101438				
	No.	101053	Ref. No.	24021499 MA24021499
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102102	Ref. No.	24021699 BN6A011709 MA24021699
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710				
accessories for 101438				
	No.	100809	Ref. No.	1394000 BN6A011606 MA1394000
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100904	Ref. No.	1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	1393700 24020299 MA1393700
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	1393600 MA1393600
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	1393800 MA1393800
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	1393900 MA1393900
gas connection thread 1/2" angled with O-ring MINISIT 710				

Table continues overleaf



accessories for 101438				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	0100842 417810 MA417810 R0100842 SIR0100842
olive for pipe 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe 16mm Qty 1 pcs				
	No.	101276	Ref. No.	459300 MA459300
union screw thread 3/8" tube 12mm Qty 1 pcs				
	No.	110068	Ref. No.	1393500 1693500 24020399 MA1393500
knob suitable for Minisit 37mm				



No.	101088	Ref. No.	1031501100 MA1031501100	
description	gas thermostat with pressure controller SIT type MINISIT 710 t.max. 100°C 30-100°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 125mm capillary pipe 1050mm probe type type A1 pressure controller yes pressure regulator 3-18mbar gland nut			
For models:	BMG40, BMG60			
spare parts for	101088			
	No.	101053	Ref. No.	24021499 MA24021499
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102100	Ref. No.	—
	probe 30-100°C probe ø 5mm probe L 122mm capillary pipe 1050mm t.max. 100°C bain marie probe type type A1 suitable for MINISIT 710			
accessories for	101088			
	No.	100809	Ref. No.	1394000 BN6A011606 MA1394000
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No.	1395714 MA1395714
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	No.	100904	Ref. No.	1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1			

accessories for 101088				
	No.	100905	Ref. No.	1394800 MA1394800
locking screw M10x1 for pipe 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm 17mm suitable for Minisit				
	No.	101136	Ref. No.	1393700 24020299 MA1393700
piezoelectric igniter suitable for Minisit with cover cap 6mm connection F6.3x0.8				
	No.	101137	Ref. No.	1393600 MA1393600
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	1393800 MA1393800
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	1393900 MA1393900
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	0100842 417810 MA417810 R0100842 SIR0100842
olive for pipe 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe 16mm Qty 1 pcs				
	No.	101276	Ref. No.	459300 MA459300
union screw thread 3/8" tube 12mm Qty 1 pcs				
	No.	110680	Ref. No.	—
knob graduated Min/Max 82mm shaft 6x4.6mm shaft flat upper black				

No.	101130	Ref. No.	1120813
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 100°C 30-100°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 122mm capillary pipe 1050mm probe type type A1 pressure controller no pressure regulator gland nut		
spare parts for	101130		
	No.	101053	Ref. No. 24021499 MA24021499
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	No.	102100	Ref. No. —
	probe 30-100°C probe ø 5mm probe L 122mm capillary pipe 1050mm t.max. 100°C bain marie probe type type A1 suitable for MINISIT 710		
accessories for	101130		
	No.	100809	Ref. No. 1394000 BN6A011606 MA1394000
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	No.	100820	Ref. No. 1395714 MA1395714
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		
	No.	100904	Ref. No. 1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. 1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101054	Ref. No. —
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	No.	101136	Ref. No. 1393700 24020299 MA1393700
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
	No.	101137	Ref. No. 1393600 MA1393600
	cover cap without piezoelectric igniter		
	No.	101267	Ref. No. —
	reducer IT 3/8" ET 1/2" L 21mm		
	No.	101268	Ref. No. 1393800 MA1393800
	gas connection thread 3/8" angled with O-ring MINISIT 710		
	No.	101269	Ref. No. 1393900 MA1393900
	gas connection thread 1/2" angled with O-ring MINISIT 710		
	No.	101270	Ref. No. —
	screw connection IT 3/8" ET 3/8" L 28mm		
	No.	101272	Ref. No. —
	screw connection IT 1/2" ET 3/8" L 57mm		

accessories for	101130		
	No.	101273	Ref. No. 0100842 417810 MA417810 R0100842 SIR0100842
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101274	Ref. No. —
	olive for pipe ø 16mm Qty 1 pcs		
	No.	101275	Ref. No. —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
	No.	101276	Ref. No. 459300 MA459300
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	No.	110068	Ref. No. 1393500 1693500 24020399 MA1393500
	knob suitable for Minisit ø 37mm		

No.	101131	Ref. No.	1031500300 1743300 1743324 SIR0108030
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulator gland nut		
For models:	FR74G, FR77G		
spare parts for	101131		
	No.	101053	Ref. No. 24021499 MA24021499
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	No.	102103	Ref. No. 24021799 BN6A015201 MA24021799
	probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710		
accessories for	101131		
	No.	100809	Ref. No. 1394000 BN6A011606 MA1394000
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	No.	100820	Ref. No. 1395714 MA1395714
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		
	No.	100904	Ref. No. 1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. 1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

Table continues overleaf




accessories for 101131				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	1393700 24020299 MA1393700
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	1393600 MA1393600
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	1393800 MA1393800
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	1393900 MA1393900
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	0100842 417810 MA417810 R0100842 SIR0100842
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	459300 MA459300
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	1393500 1693500 24020399 MA1393500
knob suitable for Minisit ø 37mm				

accessories

probes

No.	102102	Ref. No.	24021699 BN6A011709 MA24021699
description	probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710		
For models:	BR707G, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, T9F4G, T9F6GS		

			
No.	102103	Ref. No.	24021799 BN6A015201 MA24021799
description	probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710		

PEL

25ST series

1

				
No.	101441	Ref. No.	CM140500 MACM140500	
description	gas thermostat PEL type 25ST 30-90°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 160mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper			
For models:	B74G, B78G, B94G, B98G, NB74G, NB78G, NB94G, NB98G			
spare parts for	101441			
	No.	100259	Ref. No.	—
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	No.	101060	Ref. No.	24030199 MA24030199 SIO100752 SIR0100752
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
	No.	106200	Ref. No.	—
nut thread M9x1 suitable for PEL 24/255				
accessories for	101441			
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673600 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	867-20 MA86720
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	1326500 MA1326500
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				

accessories for 101441				
	No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			

			
No.	107470	Ref. No.	CR0933740
description	gas thermostat PEL type 25ST 90-250°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 1mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 120mm shaft ø 8x6.5mm shaft L 26/15mm shaft flat upper		

			
1			
No.	101906	Ref. No.	1031504000 MA1031504000
description	gas thermostat PEL type 25ST up to 250°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 1mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 120mm shaft ø 6x4.6mm shaft L 36/25mm shaft flat lower		
For models:	FTG40B, FTG40BLC, FTG40BR, FTG60B, FTG60BLC, FTG60BR, FTG-60BRR, FTG80B, FTG80BLC, FTG80BR		

spare parts for 101906				
	No.	100407	Ref. No.	—
	bypass nozzle type PEL22 bore ø 1mm thread M6x0.5			
	No.	101060	Ref. No.	24030199 MA24030199 SI0100752 SIR0100752
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	106199	Ref. No.	—
	nut thread M8x1			

accessories for 101906				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No.	673600 MA673600
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101278	Ref. No.	867-20 MA86720
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	101300	Ref. No.	1326500 MA1326500
	union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			

accessories for 101906				
	No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			
	No.	110078	Ref. No.	—
	knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal			
	No.	110079	Ref. No.	—
	knob dial plate gas thermostat 1-8 silver			

			
1			
No.	101907	Ref. No.	1031503900 MA1031503900
description	gas thermostat PEL type 25ST up to 280°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 1mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 120mm shaft ø 6x4.6mm shaft L 36/20mm shaft flat lower		
For models:	FTG40B, FTG40BLC, FTG40BR, FTG60B, FTG60BLC, FTG60BR, FTG-60BRR, FTG80B, FTG80BLC, FTG80BR		

spare parts for 101907				
	No.	100407	Ref. No.	—
	bypass nozzle type PEL22 bore ø 1mm thread M6x0.5			
	No.	101060	Ref. No.	24030199 MA24030199 SI0100752 SIR0100752
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	106199	Ref. No.	—
	nut thread M8x1			

accessories for 101907				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No.	673600 MA673600
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101278	Ref. No.	867-20 MA86720
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	101300	Ref. No.	1326500 MA1326500
	union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			



accessories for 101907				
	No.	110078	Ref. No.	—
knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal				
	No.	110079	Ref. No.	—
knob dial plate gas thermostat 1-8 silver				

			
1			
No.	107515	Ref. No.	CR0933730
description	gas thermostat PEL type 25ST up to 280°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 1mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 120mm shaft ø 8x6.5mm shaft L 26/15mm shaft flat upper		

SABAF

				
1				
No.	101173	Ref. No.	1031500000 1661300 1699400 MA1699400	
description	gas thermostat SABAF type SABAF t.max. 300°C gas inlet M13x1 ET (tube ø 8mm) bypass nozzle ø 0.8mm gas outlet 3/8" ET (tube ø 10mm) gas outlet 2 thermocouple connection M8x1 pilot connection capillary pipe 850mm probe ø 4mm probe L 140mm shaft ø 6x4.6mm shaft L 37/15mm shaft flat lower			
For models:	C7011GFG, C707GFE, C707GFG, CFG101, CFG101D, CFG101L, CFG101P, CFG120, CFG70, CFG70D, CFG70L, CFG70M, CFG70P, EC74G-VG, EC78GVG, EC7FG8G, OCFG101, OCFG120, OCFG70, T7011GFG, T707GFG			
spare parts for	101173			
	No.	101060	Ref. No.	24030199 MA24030199 SI0100752 SI0100752
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
accessories for	101173			
	No.	101277	Ref. No.	—
olive ID ø 8mm Qty 1 pcs				
	No.	101278	Ref. No.	867-20 MA86720
olive for pipe ø 10mm Qty 1 pcs				
	No.	101474	Ref. No.	—
air mixing tube for pilot burner				
	No.	101476	Ref. No.	1665300 MA1665300
union nut thread M13x1 for pipe ø 8mm				
	No.	101478	Ref. No.	1665200 MA1665200
union nut thread 3/8" for pipe ø 10mm				

accessories for 101173				
	No.	110361	Ref. No.	1036702900 1036703300 1841100 MA1036702900 MA1036703300
knob without symbol ø 65mm shaft ø 6x4.6mm shaft flat lower black				
	No.	110603	Ref. No.	1930400 MA1930400
knob dial plate gas thermostat t.max. 300°C 90-300°C				

gas valves and ignition boxes

gas control valves

HONEYWELL

1

			
No.	106004	Ref. No.	R63020150
description	gas valve type VK4105C 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type pressure controller type V5306E 1234 1 suitable for HONEYWELL flange 32x32mm		
	For models: GC106M, GC110M, GC210M, GV106M, GV106M+SC, GV110M, GV-110M+SC, GV210M, GV210M+SC		
accessories for	106004		
	No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

1

No.	102320	Ref. No.	R63020160
description	gas valve type VK4105Q 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type HONEYWELL coil type 220/240V (V4336A 2212 1) flange 32x32mm		
For models:	GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P		
accessories for	102320		
	No.	102845	Ref. No.
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			

accessories for 102320				
	No.	102846	Ref. No.	—
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			



No.	106012	Ref. No.	R63020170	
description	gas valve type VK4115V 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type HONEYWELL flange 32x32mm			
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P			
accessories for	106012			
	No.	102845	Ref. No.	—
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	No.	102846	Ref. No.	—
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			




No.	101395	Ref. No.	R63020010	
description	gas valve type VR4605P 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection pressure range 8-50mbar operator type 230V (V404A 1071) pressure controller type 220/240V (V404A 1071 4) HONEYWELL coil type 220/240V (V4336A 2220) flange 45x45mm			
For models:	CVG105H, CVG105M, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, VG105M, VG105X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X, VG220M, VG220P, VG220X			
accessories for	101395			
	No.	101320	Ref. No.	—
	cover suitable for gas valves HONEYWELL			
	No.	102845	Ref. No.	—
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			

accessories for 101395				
	No.	102846	Ref. No.	—
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			

SIT

ELETTROSIT



No.	101126	Ref. No.	R63025020	
description	gas valve SIT type ELETROSIT 230V gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.136			
For models:	FG105M, FG105X, PG040M, PG040X			
spare parts for	101126			
	No.	101312	Ref. No.	1454900 CR0507660 MA1454900
	microswitch			
	No.	101352	Ref. No.	—
	solenoid coil 230V 50Hz suitable for ELETROSIT			
accessories for	101126			
	No.	100006	Ref. No.	—
	piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	100904	Ref. No.	1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101301	Ref. No.	—
	gas connection thread 1/2" straight ELETROSIT screw with O-ring			
	No.	101303	Ref. No.	1451300
	gas connection straight thread 3/4" ELETROSIT			
	No.	101309	Ref. No.	—
	extension			



1

No.	101127	Ref. No.	1450100 LAR63025030
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
For models:	BR94G, BR94GI, BR96G, BR96GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, FC10G, FC20G, FC5G, FC7G, FG110M, FG110X, FG210M, FG210X, FR92G22, FR94G23, P9I10G, P9IA10G, PG080M, PG080X		
spare parts for	101127		
	No.	101312	Ref. No. 1454900 CR0507660 MA1454900
microswitch			
	No.	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETTROSIT			
accessories for	101127		
	No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	100904	Ref. No. 1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101301	Ref. No. —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	No.	101303	Ref. No. 1451300
gas connection straight thread 3/4" ELETTROSIT			
	No.	101309	Ref. No. —
extension			

MINISIT



1

No.	101106	Ref. No.	1060500
description	gas valve gas inlet 3/8" gas outlet 3/8" operable temperature range manual thermocouple connection M9x1 pilot connection M10x1 Minisit SIT		
spare parts for	101106		
	No.	100809	Ref. No. 1394000 BN6A011606 MA1394000
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	101053	Ref. No. 24021499 MA24021499
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. 1393700 24020299 MA1393700
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. 1393600 MA1393600
cover cap without piezoelectric igniter			
	No.	110068	Ref. No. 1393500 1693500 24020399 MA1393500
knob suitable for Minisit ø 37mm			
accessories for	101106		
	No.	100904	Ref. No. 1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. 1393800 MA1393800
gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No. 1393900 MA1393900
gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			

Table continues overleaf

accessories for 101106				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	0100842 417810 MA417810 R0100842 SIR0100842
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	459300 MA459300
union screw thread 3/8" tube ø 12mm Qty 1 pcs				

accessories for 101187				
	No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	102116	Ref. No.	1870712 MA1870712
thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"				

NOVASIT

1

No.	101187	Ref. No.	1870800 826920090 BN826920090 MA1870800	
description	gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt			
For models:	F94G22, F98G22, F9S4G22, F9S8G22, FR92G22, FR94G22, MM10IG, P9110G, P91A10G			
spare parts for	101187			
	No.	101065	Ref. No.	—
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
accessories for	101187			
	No.	100110	Ref. No.	1949700 MA1949700
	pilot burner SIT type 190 series 3 flames nozzle ømm gas connection mm			
	No.	101305	Ref. No.	2865700 MA2865700 R63080010
	gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No.	2865800 MA2865800 R63080020
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT, HONEYWELL			
	No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT, HONEYWELL			

1

No.	101162	Ref. No.	2863300 MA2863300	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010			
For models:	BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9S84G, BR9S84GI, CS10, CS102G, CS102GP, CS6, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS			
spare parts for	101162			
	No.	101065	Ref. No.	—
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT				
	No.	101313	Ref. No.	—
solenoid coil 230V 50Hz				
accessories for	101162			
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	101305	Ref. No.	2865700 MA2865700 R63080010
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	No.	101306	Ref. No.	2865800 MA2865800 R63080020
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101312	Ref. No.	1454900 CR0507660 MA1454900
microswitch				

Table continues overleaf



accessories for 101162				
	No.	101314	Ref. No.	—
solenoid coil 24V 50Hz				
	No.	101317	Ref. No.	1880600 MA1880600
plug with cable L 1000mm suitable for NOVASIT				
	No.	101318	Ref. No.	—
cover cap for solenoid coil suitable for NOVASIT				



1

No.	101908	Ref. No.	1871200 MA1871200	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurebar pressure regulator connection blind equiv. no. 0.820.018 output pilot burner M10x1 input pressure max. 60bar setting range 3-30bar			
For models:	BR912GFM, BR912GIM, BR98GF, BR98GFM, BR98GI, BR98GIM, F94G22K, F98G22K, F954G22K, F958G22K, FR92G22T, FR94G22T, NBR912GFM, NBR912GIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM, NF94G23K, NF98G23K, NPC74G, NPC76G, NPC78G, NPC94G, NPC96G, NPC98G, NPD76G5, NPD78G8, NPD96G5, NPD98G10, NPD98G15, NPD98G15A, NPI76G5, NPI78G8, NPI96G5, NPI98G10, NPI98G14, NPI98G14A			
spare parts for	101908			
	No.	101065	Ref. No.	—
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT				
	No.	101313	Ref. No.	—
solenoid coil 230V 50Hz				
accessories for	101908			
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	101305	Ref. No.	2865700 MA2865700 R63080010
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	No.	101306	Ref. No.	2865800 MA2865800 R63080020
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT, HONEYWELL				
	No.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT, HONEYWELL				
	No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT, HONEYWELL				

accessories for 101908				
	No.	101312	Ref. No.	1454900 CR0507660 MA1454900
microswitch				
	No.	101314	Ref. No.	—
solenoid coil 24V 50Hz				
	No.	101317	Ref. No.	1880600 MA1880600
plug with cable L 1000mm suitable for NOVASIT				
	No.	101318	Ref. No.	—
cover cap for solenoid coil suitable for NOVASIT				



1

No.	101967	Ref. No.	5118500 MA5118500	
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection perforated equiv. no. 0.822.110			
For models:	CON102G, CON102GP, CON201G, CON201GP, CON202G, CON202GP, CP9A15GD, CSM102G, CSM102GP, CSM201G, CSM201GP, CSM202G, CSM202GP			
spare parts for	101967			
	No.	101313	Ref. No.	—
solenoid coil 230V 50Hz				
	No.	101542	Ref. No.	—
solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V				
accessories for	101967			
	No.	100904	Ref. No.	1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101305	Ref. No.	2865700 MA2865700 R63080010
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	No.	101306	Ref. No.	2865800 MA2865800 R63080020
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				



accessories for		101967		
		No.	101308	Ref. No. —
		gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
		No.	101503	Ref. No. —
		O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs		
		No.	101924	Ref. No. —
		plug with cable L 1090mm suitable for NOVA 822/826/827		

accessories				
				
1				
No.	101306	Ref. No.	2865800 MA2865800 R63080020	
description				
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
For models:				
BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CS10, CS102G, CS102GP, CS6, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G, CSM6GP, CVG105H, CVG105M, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X...(Other models you can see in the webshop)				
spare parts for				
101306				
				
No.	517104	Ref. No.	—	
O-ring EPDM thickness 2.62mm ID ø 31.42mm Qty 1 pcs				

				
1				
No.	101305	Ref. No.	2865700 MA2865700 R63080010	
description				
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
For models:				
BR94G, BR94GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9SB4G, BR9SB4GI, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CS10, CS102G, CS102GP, CS6, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G, CSM6GP, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG210M, MG210P, MG210X, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG210M, VG210P...(Other models you can see in the webshop)				
spare parts for				
101305				
				
No.	101503	Ref. No.	—	
O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs				

				
1				
No.	101817	Ref. No.	CM091301 CM091302 MACM091302	
description				
knob adapter L 30mm shaft ø 10x8mm shaft L 30/20mm size 10x8mm suitable for MARENO				
For models:				
BR912GFM, BR912GIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9S8GF, BR9S8GI				

				
1				
No.	101391	Ref. No.	1923500 MA1923500	
description				
knob adapter shaft ø 6x4.6mm shaft L 31/15mm suitable for NOVA-SIT				
For models:				
BR94G, BR94GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9SB4G, BR9SB4GI, MM10IG, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS, P9110G, P91A10G				

				
1				
No.	100905	Ref. No.	1394800 MA1394800	
description				
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
For models:				
BR707G, CS10, CS102G, CS102GP, CS6, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, FR74G, FR77G				

				
1				
No.	101312	Ref. No.	1454900 CR0507660 MA1454900	
description				
microswitch				
For models:				
BR912GFM, BR912GIM, BR98GF, BR98GFM, BR98GI, BR98GIM, CS10, CS102G, CS102GP, CS6, FR92G22, FR94G23, NBR912GFM, NBR912GIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM, NF94G23K, NF98G23K, NPC74G, NPC78G, NPC94G, NPC98G, NPD76G5, NPD78G8, NPD96G5, NPD98G10, NPD98G15, NPD98G15A, NPI76G5, NPI78G8, NPI96G5, NPI98G10, NPI98G14, NPI98G14A				

				
1				
No.	100110	Ref. No.	1949700 MA1949700	
description				
pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm				
For models:				
MM10IG, P9110G, P91A10G				
accessories for				
100110				
				
No.	100202	Ref. No.	—	
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm				

Tshla continues onwards



accessories for		100110	
No.		100203	Ref. No.
			—
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
No.		100701	Ref. No.
			1888300 1949900 MA1888300 MA1949900
ignition electrode connection M4 Qty 1 pcs			
No.		100906	Ref. No.
			1888400 MA1888400
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
No.		100907	Ref. No.
			1891700 24010899 MA1891700 MA24010899
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
No.		100908	Ref. No.
			0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
No.		100909	Ref. No.
			—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
No.		101282	Ref. No.
			469000 MA469000
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
No.		101287	Ref. No.
			—
olive for pipe ø 6mm Qty 1 pcs			
No.		102110	Ref. No.
			1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
No.		102111	Ref. No.
			1690200
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
No.		107650	Ref. No.
			0100802 CR0410100 R0100802 SIR0100802
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			



1

No.	101317	Ref. No.	1880600 MA1880600
description plug with cable L 1000mm suitable for NOVASIT			
For models: BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9S84G, BR9S84GI, CON201G, CON201GP, CON202G, CON202GP, CSM201G, CSM201GP, CSM202G, CSM202GP, F94G22K, F98G22K, F9S-4G22K, F9S8G22K, FR92G22T, FR94G22T, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS, NBR912GFM, NBR912GIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM, NF94G23K, NF98G23K, NPC74G, NPC78G, NPC94G, NPC98G, NPD76G5, NPD78G8, NPD96G5...(Other models you can see in the webshop)			

TANDEM



1

No.	101189	Ref. No.	2942600 MA2942600
description gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.040 suitable for Tandem			
For models: CON10G, CON10GP, CON6G, CON6GP, CSM10G, CSM10GP, CSM6G, CSM6GP, PI98G10, PI98G14, PI98G14A			
spare parts for 101189			
No.	101379	Ref. No.	—
			—
solenoid coil 230V 50Hz suitable for Tandem			
accessories for 101189			
No.	100904	Ref. No.	1388000 1394700 MA1394700
			—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
No.	100905	Ref. No.	1394800 MA1394800
			—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
No.	101274	Ref. No.	—
			—
olive for pipe ø 16mm Qty 1 pcs			
No.	101275	Ref. No.	—
			—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
No.	101925	Ref. No.	—
			—
plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT			
No.	102845	Ref. No.	—
			—
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
No.	102846	Ref. No.	—
			—
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			
No.	102847	Ref. No.	—
			—
O-ring			



ignition boxes

HONEYWELL

Honeywell



1

No.	102367	Ref. No.	LAR63060120
description	ignition box HONEYWELL type S4565A 2092 1 electrodes 3 waiting times safety time 10s 220-240V 4VA 50/60Hz		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGV06D, MGV06P, MGV10D, MGV10P, MGV20D, MGV20P, MGV21D, MGV21P, MGV40D, MGV40P, MGV051P		

Honeywell



1

No.	102318	Ref. No.	R63060100
description	ignition box HONEYWELL type S4565AF 1007V01 electrodes 2 waiting times safety time 10s 220-240V 4VA 50/60Hz		
For models:	GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P		

SIT



1

No.	102303	Ref. No.	5153200 MA5153200
description	ignition box SIT type 501EFD electrodes 2 waiting time 1.5s safety time 5s 250V 10VA 50-60Hz		
For models:	CON102G, CON102GP, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CP9A15GD, CSM102G, CSM102GP, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G, CSM6GP		

safety valves

SIT

400 series



1

No.	101470	Ref. No.	1491900 MA1491900
description	safety valve front fixing M12x1 pressure range 50mbar gas inlet 1/8" IT gas outlet 1/8" - M6x0.75 thermocouple connection M8x1 equiv. no. 0.400.088 suitable for SIT		
For models:	BR96G, BR96GI, BR9M6G, BR9M6GI, MS10AG, MS10IG		
spare parts for	101470		
	No.	101052	Ref. No. —
	magnet unit L 43.5mm D1 ø 15.3mm D2 ø 10.5mm suitable for SIT M1		
accessories for	101470		
	No.	101299	Ref. No. —
	nut thread M12x1		
	No.	101499	Ref. No. —
	protection cap for safety valve thread M12x0.75 ID ø 18mm L 24mm aluminium		

ignition parts

pilot burners

SIT

100 series



1

No.	107103	Ref. No.	24022099 BN6A013100
description	pilot burner SIT 1 flame nozzle ø 0.2mm gas connection 6mm		
spare parts for	107103		
	No.	100245	Ref. No. 1415100 3020054 MA1415100
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100885	Ref. No. 1324900 MA1324900
	air mixing sleeve for pilot burner Qty 1 pcs		
	No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		



spare parts for 107103				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107160	Ref. No.	—
pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs				
	No.	107166	Ref. No.	—
pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for 107103				
	No.	100246	Ref. No.	1422600 MA1422600
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	1690200
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	1031502100 1842300 MA1031502100 MA1842300
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	1031501800 1314800 MA1314800
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				




1

No.	106902	Ref. No.	94400	
description	pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm			
spare parts for	106902			
	No.	100245	Ref. No.	1415100 3020054 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100842	Ref. No.	—
pilot burner cap 2 flames Qty 1 pcs				

spare parts for 106902				
	No.	100885	Ref. No.	1324900 MA1324900
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107161	Ref. No.	—
pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for 106902				
	No.	100246	Ref. No.	1422600 MA1422600
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	1690200
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	1031502100 1842300 MA1031502100 MA1842300
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	1031501800 1314800 MA1314800
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				

			
1			
No.	106906	Ref. No.	1040511 1314500 431500 6A013200 BN6A013200 LAR63050020 MA1040511 MA431500
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, F9SB2G, F9SB2GR, F9SB4G, F9SB-4GR, F9SB4GRL, F9V2G, F9V2GR, F9V4G, F9V4GR, F9V4GRL, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, P9110G, P91A10G, PG040M, PG040X, PG080M, PG080X, T7011GFG, T707G, T707GFG, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS		
spare parts for	106906		
	No.	100245	Ref. No. 1415100 3020054 MA1415100
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100855	Ref. No. —
	pilot burner bracket triple		
	No.	100885	Ref. No. 1324900 MA1324900
	air mixing sleeve for pilot burner Qty 1 pcs		
	No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	No.	100918	Ref. No. —
	screw for pilot burner		
	No.	107162	Ref. No. —
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	No.	107701	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	106906		
	No.	100245	Ref. No. 1415100 3020054 MA1415100
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100246	Ref. No. 1422600 MA1422600
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100904	Ref. No. 1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. 1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

accessories for	106906		
	No.	102110	Ref. No. 1413100 1413200 1682300 1876500
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No. 1690200
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	No.	107171	Ref. No. 1031502100 1842300 MA1031502100 MA1842300
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
	No.	107700	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm		
	No.	107702	Ref. No. 1031501800 1314800 MA1314800
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		

			
1			
No.	106907	Ref. No.	1315100 CR0588730
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
For models:	C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, NG74G, NG78G, NG94G, NG98G, P9D10G, P9D15G, P9DA10G, P9DA15G, T9F4G, T9F6GS		
spare parts for	106907		
	No.	100246	Ref. No. 1422600 MA1422600
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100855	Ref. No. —
	pilot burner bracket triple		
	No.	100885	Ref. No. 1324900 MA1324900
	air mixing sleeve for pilot burner Qty 1 pcs		
	No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	No.	100918	Ref. No. —
	screw for pilot burner		
	No.	107162	Ref. No. —
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	No.	107702	Ref. No. 1031501800 1314800 MA1314800
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		

Table continues overleaf



accessories for 106907				
	No.	100245	Ref. No.	1415100 3020054 MA1415100
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No.	1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No.	1413100 1413200 1682300 1876500
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	1690200
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No.	1031502100 1842300 MA1031502100 MA1842300
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

accessories

pilot burner caps



1

No.	100837	Ref. No.	1576000 MA1576000
description	pilot burner cap 3 flames H 24mm L 48mm Qty 1 pcs		
For models:	EF74G15, F12C4G15, F74G10, F74G15, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F96G10, F98G15, F98G22, F98G22K, F9S4G15, F9S4G22, F9S4G22K, F9S8G15, F9S8G22, F9S8G22K, FR74G, FR77G, FR92G13, FR92G22, FR92G22T, FR94G13, FR94G22, FR94G22T, NF74G15T, NF78G15T		

pilot burner bottom parts



1

	No.	107702	Ref. No.	1031501800 1314800 MA1314800
description		pilot burner bottom part SIT 100 series nozzle ø 0.35mm		
For models:		C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9SB4GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS		
spare parts for		107702		
	No.	100246	Ref. No.	1422600 MA1422600
		pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100916	Ref. No.	—
		compression spring for pilot burner Qty 1 pcs		
	No.	100917	Ref. No.	—
		gasket for pilot burner Qty 1 pcs aluminium		
accessories for		107702		
	No.	100245	Ref. No.	1415100 3020054 MA1415100
		pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100904	Ref. No.	1388000 1394700 MA1394700
		locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No.	1394800 MA1394800
		locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	102110	Ref. No.	1413100 1413200 1682300 1876500
		pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No.	1690200
		pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	No.	102742	Ref. No.	—
		pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs		




pilot burner nozzles			
			
1			
No.	100245	Ref. No.	1415100 3020054 MA1415100
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
For models:	B9S82G, B9S84G, B9V2G, B9V4G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9S84GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS, EF74G15, F12C4G15, F74G10, F74G15, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F96G10, F98G15, F98G22, F98G22K, F9S4G15, F9S4G22, F9S4G22K, F9S8G15, F9S8G22, F9S8G22K, F9S82G, F9S82GR, F9S84G, F9S84GR...(Other models you can see in the webshop)		

1

ignition electrodes



No.	100706	Ref. No.	1031502500 224211 636700 MA224211 MA636700
description	ignition electrode connection M4 Qty 1 pcs		
For models:	702BMG, 706, 706S, B9SB2G, B9SB4G, B9V2G, B9V4G, BIG40, BIG60, BMG40, BMG60, BR707G, BR94G, BR94GI, BR96G, BR96GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BRG40, BRG40G, C7011GF, C7011GFG, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, CFG101, CFG101D, CFG101L, CFG101P, CFG120, CFG70, CFG70D, CFG70L, CFG70M, CFG70P, CP707G, CP92G, CP94G, CS10, CS102G, CS102GP, CS6, EC74GVG...(Other models you can see in the webshop)		



No.	100707	Ref. No.	R63050010
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		
For models:	FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, PG040M, PG040X, PG080M, PG080X		

miscellaneous



No.	100885	Ref. No.	1324900 MA1324900
description	air mixing sleeve for pilot burner Qty 1 pcs		
For models:	C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9SB4GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS		

140 - 145 -150 series



No.	106943 ¹	Ref. No.	1887700 MA1887700
description	pilot burner SIT type 140 series 1 flame nozzle 6mm gas connectionmm		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BM74G, BM77G, BR707G, BR707GI, BR94G, BR94GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9SB4G, BR9SB4GI, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C78G, C7FE12G, C7FE8G, C7FG12G, C7FG8G, C7FG-M12G, C912G, C912GS, C94G, C94GP, C94GS, C98G, C98GP, C98GS, C9F4E, C9F4GS, C9F6E, C9F6GS, C9F8GS...(Other models you can see in the webshop)		
spare parts for	106943		
	No.	100907	1891700 24010899 MA1891700 MA24010899
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		

¹incl. thermocouple fitting



No.	107114 ¹	Ref. No.	CM029000 MACM029000
description	pilot burner SIT type 140 series 2 flames nozzle 6mm gas connectionmm		
For models:	B74G, B78G, B94G, B98G, BR78GF, BR78GI, BR912GFM, BR912GIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9S8GF, BR9S8GI, C7FG9G, EFT74GLVG, EFT74GRVG, EFT78GLVG, EFT78GMVG, ET78GVG, ET-7FG8G, FT129GLC, FT129GM, FT12C9GL, FT12C9GM, FT12C9GTL, FT-12C9GTMC, FT74GL, FT74GLC, FT74GR, FT74GRC, FT76GL, FT76GLC, FT76GM, FT76GMC, FT76GR, FT78GL, FT78GLC, FT78GLT, FT78GM, FT78GMC, FT78GMT, FT78GR, FT78GRT, FT94G, FT94GL, FT94GLC, FT-94GR, FT94GRC, FT96GL...(Other models you can see in the webshop)		
spare parts for	107114		
	No.	100907	1891700 24010899 MA1891700 MA24010899
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	107114		
	No.	100204	1888000 MA1888000
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
	No.	100205	1033722000 BN822140380 MA1033722000
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
	No.	100206	—
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
	No.	100207	1887800 MA1887800
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
	No.	100216	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series		
	No.	100701	1888300 1949900 MA1888300 MA1949900
	ignition electrode connection M4 Qty 1 pcs		
	No.	100801	—
	gasket for pilot burner Qty 1 pcs		
	No.	100897	1881000 1888100 MA1888100
	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	No.	100898	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
	No.	100906	1888400 MA1888400
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

¹incl. thermocouple fitting
Table continues overleaf

accessories for 107114				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No.	1413100 1413200 1682300 1876500
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	1690200
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

160 series



1

No.	100109	Ref. No.	CM040800 MACM040800	
description	pilot burner SIT type 160 series 1 flame nozzle ømm gas connecti-onmm			
For models:	BF78G, BF912G, BF912GH, BF98G, C12FGP9G, C7FG12G, C7FG8G, C7FGM12G, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FGM12G, EF74G8VA, EF74G8VG, EPC74G, FQG41, FQG61, NC7FG12G44, NC7FG8G32, NC7FG8G36, NC7FG8G48, NC7FGM12G, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NF74G10, NF74G15, NF74G8, NF76G10, NF76G8, NF78G15, NF94G15, NF94G23, NF94G23K, NF96G10, NF98G15, NF98G23, NF98G23K, NPC74G, NPC78G, NPC94G, NPC98G, NPD76G5, NPD78G8, NPD96G5, NPD98G10, NPD98G15...(Other models you can see in the webshop)			
spare parts for	100109			
	No.	100907	Ref. No.	1891700 24010899 MA1891700 MA24010899
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	100109			
	No.	100202	Ref. No.	—
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm				
	No.	100203	Ref. No.	—
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm				
	No.	100701	Ref. No.	1888300 1949900 MA1888300 MA1949900
ignition electrode connection M4 Qty 1 pcs				
	No.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100869	Ref. No.	—
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm				
	No.	100906	Ref. No.	1888400 MA1888400
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				

accessories for 100109				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101282	Ref. No.	469000 MA469000
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
	No.	101287	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No.	1413100 1413200 1682300 1876500
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	1690200
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107650	Ref. No.	0100802 CR0410100 R0100802 SIR0100802
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs			

190 series

1						
No.	100110	Ref. No.	1949700 MA1949700			
description	pilot burner SIT type 190 series 3 flames nozzle ømm gas connecti-onmm					
For models:	MM10IG, P9I10G, P9IA10G					
accessories for	100110					
	No.	100202	Ref. No.	—		
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm					
	No.	100203	Ref. No.	—		
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm					
	No.	100701	Ref. No.	1888300 1949900 MA1888300 MA1949900		
	ignition electrode connection M4 Qty 1 pcs					
	No.	100906	Ref. No.	1888400 MA1888400		
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10					
	No.	100907	Ref. No.	1891700 24010899 MA1891700 MA24010899		
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple					

Table continues overleaf



accessories for 100110				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101282	Ref. No.	469000 MA469000
olive for pipe ø 4mm L 7.4mm Qty 1 pcs				
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	1690200
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107650	Ref. No.	0100802 CR0410100 R0100802 SIR0100802
pilot burner nozzle SIT LPG code 30 Qty 1 pcs				

JUNKERS

CB 505 series

pilot burners



1

No.	100073	Ref. No.	1031027800 411111 509900 578800 MA509900	
description	pilot burner JUNKERS type CB505018 3 flames natural gas nozzle no.9 gas connection 6mm with primary air			
For models:	704, 704S, 706, 706AS, 706S, BIG40, BIG60, BMG40, BMG60, BR707G, BR94G, BR94GI, BR96G, BR96GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BRG40, BRG40G, CP707G, CP92G, CP94G, CS10, CS102G, CS102GP, CS6, FC10G, FC20G, FC5G, FC7G, FQG40, FQG60, FR15G, FR15G2, FR2G, FR2G15, FR4G, FR4G15, FR74G, FR77G, FR92G22, FR94G23, FT74G, FT74GR, FT77G, FT77GRL, FTG40B, FTG40BLC, FTG-40BR...(Other models you can see in the webshop)			
spare parts for	100073			
	No.	100231	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 4 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100703	Ref. No.	1031025700 638700
ignition electrode D1 ø 9mm connection M4 D2 ø 11mm L1 8mm BL1 13mm BL2 4mm BL3 22mm to clip				
	No.	100907	Ref. No.	1891700 24010899 MA1891700 MA24010899
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				

spare parts for 100073				
	No.	101282	Ref. No.	469000 MA469000
olive for pipe ø 4mm L 7.4mm Qty 1 pcs				
	No.	101283	Ref. No.	468800 MA468800
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	101292	Ref. No.	636600 MA636600
union screw for igniter suitable for CB 502/505 Qty 1 pcs				
accessories for 100073				
	No.	100217	Ref. No.	—
pilot burner nozzle LPG gas pressure 30mbar code 3 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100230	Ref. No.	932900 MA932900
pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100232	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 9 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100233	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 8 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100234	Ref. No.	—
pilot burner nozzle natural gas gas pressure 20mbar code 14 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101288	Ref. No.	—
olive for pipe ø 6mm L 6mm aluminium Qty 1 pcs ED ø 8.5mm				

producer-specific pilot burners

MARENO

700 series



1

No.	100089	Ref. No.	432600	
description	pilot burner			
accessories for	100089			
	No.	100217	Ref. No.	—
	pilot burner nozzle LPG gas pressure 30mbar code 3 Qty 1 pcs suitable for JUNKERS CB5050_			
	No.	100230	Ref. No.	932900 MA932900
	pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB5050_			
	No.	100231	Ref. No.	—
	pilot burner nozzle natural gas gas pressure 25mbar code 4 Qty 1 pcs suitable for JUNKERS CB5050_			
	No.	100232	Ref. No.	—
	pilot burner nozzle natural gas gas pressure 25mbar code 9 Qty 1 pcs suitable for JUNKERS CB5050_			

accessories for 100089				
	No.	100233	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 8 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100234	Ref. No.	—
pilot burner nozzle natural gas gas pressure 20mbar code 14 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101282	Ref. No.	469000 MA469000
olive for pipe ø 4mm L 7.4mm Qty 1 pcs				
	No.	101283	Ref. No.	468800 MA468800
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	101288	Ref. No.	—
olive for pipe ø 6mm L 6mm aluminium Qty 1 pcs ED ø 8.5mm				

Snack 600 / Protagonista 70 / Easy series



1

No.	100082	Ref. No.	N/A	
description pilot burner				
accessories for 100082				
	No.	100202	Ref. No.	—
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm				
	No.	100203	Ref. No.	—
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm				
	No.	100834	Ref. No.	—
pilot burner cap				
	No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101282	Ref. No.	469000 MA469000
olive for pipe ø 4mm L 7.4mm Qty 1 pcs				
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	101860	Ref. No.	—
nut thread M10x1 H 4mm WS 14 chrome-plated brass Qty 1 pcs				
	No.	107650	Ref. No.	0100802 CR0410100 R0100802 SIR0100802
pilot burner nozzle SIT LPG code 30 Qty 1 pcs				



1

No.	102979	Ref. No.	1032501300 MA1032501300
description	pilot burner suitable for MARENO		
For models:	C74GS, C78GS, C79G, C7FE12GS, C7FE8GS, C7FG12GS, C7FG8GS, C7FG9G, CFG101, CFG70, CFG70M, CFGE61, CFGE61D, CFGE61L, CFGE61P, EC74GVG, EC78GVG, EC7FG8G, OCFG101, OCFG70, OCFG61, OPCG41, OPCG61, PCG41, PCG41L, PCG61, PCG61L		
accessories for	102979		
	No.	101860	Ref. No. —
nut thread M10x1 H 4mm WS 14 chrome-plated brass Qty 1 pcs			
	No.	102980	Ref. No. 1033717300 1033717300R MA1033717300
pilot burner mushroom cap with mounting thread			

NP70 / NP90 series



1

No.	103074	Ref. No.	CR0586451
description venturi for burner cap ø 102mm with pilot burner suitable for 900 series			
For models: NC912G44, NC94G16, NC94G20, NC98G28, NC98G40, NC9FE12G44, NC9FE8G28, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NC9FGM12G, NT9FG12G			



1

No.	107422	Ref. No.	CR0586441				
description venturi for burner cap ø 64mm with pilot burner suitable for 900 series							
For models: NC712G36, NC74G12, NC78G24, NC7FE12G36, NC7FE8G24, NC7FG12G44, NC7FG8G32, NC7FGM12G, NC912G44, NC94G16, NC94G20, NC98G28, NC98G40, NC9FE12G44, NC9FE8G28, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NC9FGM12G, NS78GS, NS7FG12GS, NT7FG12G, NT9FG12G							
accessories for 107422							
 <table> <tr> <td>No.</td> <td>103071</td> <td>Ref. No.</td> <td>CR0580010</td> </tr> </table> burner cap ø 64mm H 26mm suitable for 900 series				No.	103071	Ref. No.	CR0580010
No.	103071	Ref. No.	CR0580010				
 <table> <tr> <td>No.</td> <td>103072</td> <td>Ref. No.</td> <td>CR0580030</td> </tr> </table> burner head for burner cap ø 64mm H 37mm suitable for 900 series				No.	103072	Ref. No.	CR0580030
No.	103072	Ref. No.	CR0580030				
 <table> <tr> <td>No.</td> <td>103075</td> <td>Ref. No.</td> <td>CR0581700</td> </tr> </table> nozzle holder ø 34mm H 150mm suitable for 900 series				No.	103075	Ref. No.	CR0581700
No.	103075	Ref. No.	CR0581700				

Table continues overleaf




accessories for	107422		
	No.	103083	Ref. No.
			8204760 R8204760 SI8204760 SIR8204760
gasket L 77mm W 69mm thickness 2mm graphite for Venturi suitable for 900 series			

accessories universal


covers


			
1			
No.	107883	Ref. No.	CM060801 MACM060801
description	cover for pilot burner for gas range suitable for LAINOX		
For models:	C124G, C129G, C12C2G9, C12C9G, C12FG9G, C712G, C74G, C78G, C7FE12G, C7FE8G, C7FG12G, C7FG8G, C7FGM12G, C912G, C912GS, C94G, C94GP, C94GS, C98G, C98GP, C98GS, C9FE12G, C9FE12GS, C9FE8G, C9FE8GS, C9FG12G, C9FG12GS, C9FG16G, C9FG8G, C9FG8GP, C9FG8GS, C9FGM12G		


electrodes


			
1			
No.	100730	Ref. No.	R63050040
description	glow plug cable length 100mm connection $\varnothing 2.4$ mm L1 47mm L2 60mm		
For models:	CVG105H, CVG105M, MG106M, MG106P, MG106X, MG110M, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, VG105M, VG105X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X, VG220M, VG220P, VG220X		

			
1			
No.	100701	Ref. No.	1888300 1949900 MA1888300 MA1949900
description	ignition electrode connection M4 Qty 1 pcs		
For models:	B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BF78G, BF912G, BF912GH, BF98G, BM74G, BM77G, BR707G, BR707GI, BR78GF, BR78GI, BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C12FGP9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G...(Other models you can see in the webshop)		
accessories for	100701		
	No.	100906	Ref. No.
			1888400 MA1888400
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			

			
1			
No.	100706	Ref. No.	1031502500 224211 636700 MA224211 MA636700
description	ignition electrode connection M4 Qty 1 pcs		
For models:	702BMG, 706, 706S, B9SB2G, B9SB4G, B9V2G, B9V4G, BIG40, BIG60, BMG40, BMG60, BR707G, BR94G, BR94GI, BR96G, BR96GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BRG40, BRG40G, C7011GFE, C7011GFG, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, CFG101, CFG101D, CFG101L, CFG101P, CFG120, CFG70, CFG70D, CFG70L, CFG70M, CFG70P, CP707G, CP92G, CP94G, CS10, CS102G, CS102GP, CS6, EC74GVG...(Other models you can see in the webshop)		


			
No.	102314	Ref. No.	CR0687080
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 2mm BL1 28mm BL2 3mm BL3 23mm to clip		
For models:	NC712G36, NC74G12, NC78G24, NC7FE12G36, NC7FE8G24, NC7FG12G44, NC7FG8G32, NC7FGM12G, NC912G44, NC94G16, NC94G20, NC98G28, NC98G40, NC9FE12G44, NC9FE8G28, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NC9FGM12G, NS78GS, NS7FG12GS, NT7FG12G, NT9FG12G		

			
No.	100707	Ref. No.	R63050010
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		
For models:	FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, PG040M, PG040X, PG080M, PG080X		

			
No.	100703	Ref. No.	1031025700 638700
description	ignition electrode D1 ø 9mm connection M4 D2 ø 11mm L1 8mm BL1 13mm BL2 4mm BL3 22mm to clip		



No.	104687	Ref. No.	R63050080 R63050090
description	ignition electrode flange length 17mm flange width 24mm D1 ø 9.5mm D2 ø 9.5mm L1 49mm BL1 64mm BL2 52mm connection male faston 2.8mm fixing dimensions 4.5mm flange		
For models:	MG102M, MG102P, MG102T, MG201M, MG201P		



No.	104695	Ref. No.	R63050310
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm D2 ø 7mm L1 13mm L2 19mm L3 13mm BL1 31mm BL2 24mm connection M4 fixing dimensions 4x5mm flange		
For models:	GC106M, GM106H, GM106M, GM106M+SC, GM106P, GV106H, GV106M, GV106M+SC, GV106P		