

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS

Spare parts suitable for

MASTRO


heating elements


heating elements for ovens


			
1			
No.	416533	Ref. No.	665.062.00
description	heating element 1400W 230V heating circuits 1 L 305mm W 180mm L1 52mm L2 250mm W1 75mm W2 30mm flange length 100mm flange width 22mm hole distance 79mm bridge length 300mm hole ø 4mm tube ø 6.3mm connection male faston 6.3mm rectangular flange grill setting oven		
For models:	6060CFE, 6060CFG		


No.	416969	Ref. No.	09950327000
description	heating element 1400W 230V heating circuits 1 L 370mm W 400mm L1 45mm L2 325mm W1 184mm W2 30mm flange length 70mm flange width 22mm hole distance 46mm bridge length 420mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm windings 3 rectangular flange dry heating element		
For models:	AIB0017		
accessories for	416969		
	No.	510368	Ref. No.
	—		
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
1			
No.	416042	Ref. No.	X68203
description	heating element 1500W 230V heating circuits 1 L 365mm W 500mm L1 45mm L2 315mm W1 240mm W2 30mm flange length 100mm flange width 22mm hole distance 86mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm mounting pos. lower rectangular flange dry heating element oven		
For models:	ACA2010, ACA206V, ACA210V		

			
1			
No.	417441	Ref. No.	665.082.00
description	heating element 2300W 230V heating circuits 2 L 355mm W 393mm L1 38mm L2 317mm W1 165mm W2 67mm flange length 100mm flange width 22mm hole distance 86mm hole ø 4mm tube ø 6.3mm connection male faston 6.3mm rectangular flange dry heating element oven		
For models:	6060CFGE		

			
1			
No.	419251	Ref. No.	01951017000
description	heating element 2500W 230V heating circuits 1 L 360mm W 530mm L1 110mm L2 250mm W1 250mm W2 30mm flange length 100mm flange width 22mm hole distance 86mm bridge length 700mm hole ø 5mm tube ø 6.5mm connection male faston 6.3mm windings 3		
For models:	AAA2002		

			
1			
No.	416041	Ref. No.	X68202
description	heating element 2600W 230V heating circuits 2 L 350mm W 355mm L1 36mm L2 314mm W1 147mm W2 60mm flange length 100mm flange width 22mm hole distance 80mm bridge length 480mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm mounting pos. upper rectangular flange dry heating element oven		
For models:	ACA2010, ACA206V, ACA210V		

							
1							
No.	416970	Ref. No.	09950317000				
description heating element 2800W 230V heating circuits 2 L 323mm W 393mm L1 30mm L2 293mm W1 166mm W2 61mm flange length 100mm flange width 22mm hole distance 76mm bridge length 485mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm rectangular flange dry heating element							
For models: AIB0017							
accessories for 416970							
 <table> <tr> <td>No.</td><td>528090</td><td>Ref. No.</td><td>01980518000</td></tr> </table> gasket L 100mm W 22mm thickness 1mm				No.	528090	Ref. No.	01980518000
No.	528090	Ref. No.	01980518000				

			
1			
No.	416043	Ref. No.	X47000
description heating element 990W 230V L 475mm W 106mm H 24mm lug length 55mm lug width 18mm hole distance 138mm hole ø 5mm tube ø 6.3mm connection M4 heating circuits 1 bracket mounting oven			
For models: ACA1004, ACA104V, ACA105V, ACA2007, ACA207V, ACA216, ACA216V, ADA104V, ADA106V, ADA205V, ADA208V, ADA210V, ADA212V			

heating elements for bain maries


			
1			
No.	416161	Ref. No.	071027
description heating element 1000W 230V heating circuits 1 L 430mm W 95mm connection male faston 6.3mm connection distance 40mm connection length 10mm tube ø 6.3mm dry heating element W2 39mm H 36mm			
For models: AXZ0003			

			
1			
No.	418344	Ref. No.	3710003
description heating element 1200W 220V heating circuits 1 L 395mm W 220mm H 24mm connection M4 tube ø 8mm dry heating element L1 50mm L2 345mm connection distance 212mm			
For models: IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012			

			
1			
No.	415927	Ref. No.	665.004.00
description heating element 1200W 240V heating circuits 1 L 405mm W 88mm H 32mm lug length 40mm lug width 18mm dry heating element hole distance 44mm connection M5 bracket mounting mounting thread M5			
For models: 6570BME, 7070BME			

			
1			
No.	416536	Ref. No.	665.056.00
description heating element 1500W 230V L 275mm W 80mm connection M4 tube ø 6.3mm 2 hole fixing thread 1/8" immersion heater H 22mm mounting distance 74mm			
For models: 6030BME			

			
1			
No.	415926	Ref. No.	665.003.00
description heating element 1800W 240V heating circuits 1 L 403mm W 128mm H 32mm lug length 40mm lug width 18mm tube ø 8.5mm dry heating element hole distance 80mm bracket mounting mounting thread M5			
For models: 6540BME, 7040BME			

			
1			
No.	416537	Ref. No.	96500100
description heating element 2200W 230V heating circuits 1 L 523mm W 134mm H 32mm lug length 40mm lug width 18mm tube ø 9mm dry heating element hole distance 79mm connection M5 bracket mounting connection length 30mm mounting thread M5 bain marie			
For models: 92BME, AFB0003			

							
1							
No.	417346	Ref. No.	665.058.00				
description heating element 3000W 230V heating circuits 1 L 278mm W 162mm connection M4 tube ø 6.5mm 2 hole fixing thread M10x1 immersion heater/dry heating element bain marie H 23mm mounting distance 156mm							
For models: 6060BME							
accessories for 417346							
 <table> <tr> <td>No.</td><td>510416</td><td>Ref. No.</td><td>—</td></tr> </table> flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				No.	510416	Ref. No.	—
No.	510416	Ref. No.	—				
 <table> <tr> <td>No.</td><td>510893</td><td>Ref. No.</td><td>456015</td></tr> </table> O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				No.	510893	Ref. No.	456015
No.	510893	Ref. No.	456015				

Table continues overleaf

accessories for 417346				
	No.	520231	Ref. No.	—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	No.	521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			

No.	418335	Ref. No.	003001040010
description heating element 500W 230V heating circuits 1 L 430mm L1 38mm W 280mm connection M4 connection distance 271mm tube ø 8.5mm dry heating element L2 392mm H 16mm			
For models: IFD0002-M			

heating elements for crepes makers

No.	416157	Ref. No.	071066
description heating element 2400W 230V L 305mm W 250mm H 60mm tube ø 8.5mm connection M4 connection length 16mm connection distance 225mm dry heating element heating circuits 1 crepes maker			
For models: APZ0001, APZ0002, APZ0012			

heating elements for chip scuttles

No.	416082	Ref. No.	X48400
description heating element 350W 230V heating circuits 8.5 L 172mm W 74mm flange length 110mm flange width 22mm hole distance 94mm connection length 20mm connection male faston 6.3mm tube ø 8.5mm rectangular flange hole ø 6mm dry heating element			
For models: ACD001V, ACD002V			

heating elements for fryers


off-center connection


with thread


No.	420560	Ref. No.	965.065.00
description heating element 20000W 400V heating circuits 3 L 425mm W 255mm H 35mm flange length 19mm flange ø1 62mm flange ø2 57mm L1 21mm L2 408mm W2 34mm thread M54x1.5 tube ø 8.5mm cable length 510mm fryer			


with retaining rings


No.	416408	Ref. No.	Y17000
description heating element 12000W 230/400V heating circuits 3 mounting pos. left L 280mm W 225mm H 32mm flange length 45mm flange length 1 9.6mm flange length 2 35.4mm flange ø1 44.5mm flange ø2 39.5mm thermostat sleeves ø 7mm length thermostat sleeves 280mm number of thermostat sleeves 1 thermostat sleeve eccentric, non clinging windings 5 L1 10mm L2 270mm W1 13mm W2 31mm tube ø 8.5mm cable length 600mm rotation flange fryer connection length 50mm			
For models: ACC005V			
accessories for 416408			
	No.	510899	Ref. No. X05400
	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
	No.	528155	Ref. No. CGR4131NT X05300
	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
	No.	532545	Ref. No. X05000
	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs		
	No.	691621	Ref. No. M29600
	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471		


			
No.	416407	Ref. No.	Y14400
description	heating element 15000W 230/400V heating circuits 3 mounting pos. left L 355mm W 190mm H 32mm flange length 45mm flange length 1 9.6mm flange length 2 35.4mm flange ø1 44.5mm flange ø2 39.5mm thermostat sleeves ø 7mm length thermostat sleeves 280mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging windings 4 L1 15mm L2 340mm W1 13mm W2 32mm tube ø 8.5mm cable length 570mm rotation flange connection length 60mm		
For models:	ADC006V		
accessories for	416407		
	No.	510899	Ref. No. X05400
O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs			
	No.	528155	Ref. No. CGR4131NT X05300
O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	532545	Ref. No. X05000
O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	691621	Ref. No. M29600
retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471			

			
No.	416409	Ref. No.	X57000
description	heating element 7500W 230/400V heating circuits 3 L 315mm W 170mm H 190mm L1 60mm L2 258mm W1 58mm W2 135mm W3 250mm H1 165mm H2 25mm windings 15 flange ø 30mm rotation flange cable length 980mm mounting ø 30mm tube ø 6.2mm connection length 21mm		
For models:	ACC0003, ACC003V, ACC008V, ACC010V, ADC004V		

			
No.	418870	Ref. No.	Y01100
description	heating element 3200W 230V		
For models:	ACC004V		

2 hole fixing			
			
No.	416169	Ref. No.	071052
description	heating element 3000W 230V heating circuits 1 L 290mm W 160mm H 185mm L1 18mm L2 272mm thread 1/4" mounting distance 144mm tube ø 8.5mm windings 4 2 hole fixing connection M5 fryer heaters		
For models:	AMZ0004, AMZ0005, AMZ0006, AMZ0007, IFA0004		

			
No.	419100	Ref. No.	071109
description	heating element 3000W 230V heating circuits 1 L 355mm W 110mm H 225mm thread 1/4" mounting distance 100mm tube ø 8.5mm windings 3 2 hole fixing connection M5 fryer		
For models:	AMZ0008		

			
No.	417567	Ref. No.	071001
description	heating element 3000W 230V heating circuits 1 L 290mm W 205mm H 195mm VNR/D1 connection screw immersion heater L1 35mm L2 270mm W1 60mm W2 75mm tube ø 8mm thread M12 windings 3		
For models:	AMZ0006, AMZ0007, IFA0004		

No.	415929	Ref. No.	665.028.00
description	heating element 2500W 230V heating circuits 1 L 293mm W 40mm H 205mm L1 23mm L2 270mm H1 165mm H2 40mm thread M14x1.5 mounting distance 35mm tube ø 8.5mm 2 hole fixing connection M5 connection length 23mm immersion heater windings 4		
For models:	6030FRE, 6060FRE, 6540FRE, 6570FRE, 7040FRE10, 7070FRE10		
accessories for	415929		
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	520230	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	521101	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560112	Ref. No. 12009944 Q232030000
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	No.	560132	Ref. No. Q162030000
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

No.	419031	Ref. No.	965.009.00
description	heating element 3400/3700W 230/240V heating circuits 1 L 405mm W 44mm H 228mm L1 25mm L2 380mm H1 192mm H2 36mm thread M14x1.5 mounting distance 36mm tube ø 8.5mm 2 hole fixing connection M5 immersion heater windings 4 fryer		
For models:	AFC0003		

No.	416172	Ref. No.	071005
description	heating element 3000W 230V heating circuits 1 L 300mm W 80mm H 255mm L1 43mm L2 257mm H1 215mm H2 40mm thread 1/4" mounting distance 67mm tube ø 8.5mm 2 hole fixing connection M5 connection length 12mm immersion heater windings 4		
For models:	AAC0001, AAC0002		
spare parts for	416172		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	528723	Ref. No. —
flat gasket FIBER ED ø 20mm ID ø 13mm thickness 1mm Qty 1 pcs			
accessories for	416172		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560112	Ref. No. 12009944 Q232030000
plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	No.	560132	Ref. No. Q162030000
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

heating elements for griddles

No.	416534	Ref. No.	665.057.00
description	heating element 1000W 230V heating circuits 1 L 422mm W 70mm H 66mm tube ø 8.5mm connection M5 connection distance 61mm dry heating element		
For models:	6030FTE, 6060FTE, 6060FTRE, 6060FTRRE		

No.	416161	Ref. No.	071027
description	heating element 1000W 230V heating circuits 1 L 430mm W 95mm connection male faston 6.3mm connection distance 40mm connection length 10mm tube ø 6.3mm dry heating element W2 39mm H 36mm		
For models:	AXZ0003		



No.	418498	Ref. No.	PD.411K
description	heating element 1000W 230V heating circuits 1 L 472mm W 76mm H 38mm tube ø 8.5mm connection M4 connection length 27mm dry heating element		
For models:	AHC0004, AHC0005		



No.	420537	Ref. No.	Y15800
description	heating element 1750W 230V heating circuits 1 L 430mm W 60mm H 87mm tube ø 8.5mm		
For models:	ACH301V, ACH302V, ACH303V, ACH304V, ACH305V, ACH306V, ACH307V, ACH318V, ACH319V, ACH320V, ACK1002, ACK101V, ACK102V		



No.	415928	Ref. No.	665.002.00
description	heating element 1800W 240V heating circuits 1 L 470mm W 90mm H 65mm tube ø 8.5mm connection M5 connection distance 82mm dry heating element		
For models:	6540FTE, 6540FTECR, 6540FTRE, 6540FTRECR, 6570FTE, 6570FTECR, 6570FTRE, 6570FTRECR, 6570FTRRE, 7040FTE, 7040FTECR, 7040FTES, 7040FTRE, 7070FTE, 7070FTECR, 7070FTRE, 7070FTRECR, 7070FTRRE		



No.	420105	Ref. No.	665.102.00
description	heating element 2000W 230V heating circuits 1 L 480mm W 90mm H 42mm tube ø 8.5mm IRCA L1 50mm L2 430mm W1 49mm W2 20mm flange connection connection M5 hole distance 89mm flange length 100mm flange width 35mm hole ø 6mm windings 2 dry heating element		



No.	416046	Ref. No.	Y10400
description	heating element 2350/2560W 220/240V heating circuits 1 L 590mm W 77mm H 80mm tube ø 8.5mm dry heating element		
For models:	ADH301V, ADH302V, ADH303V, ADH304V, ADH305V, ADH306V		

heating elements for gyros grills



No.	416164	Ref. No.	071085
description	heating element 1500W 230V L 343mm W 74mm H 53mm connection male faston 6.3mm L1 125mm L2 110mm L3 108mm tube ø 6.3mm bracket mounting thread dry heating element		
For models:	AJE0002, AJE0003		



	No.	416163	Ref. No.	071067.1
description		heating element 2800W 230V L 327mm W 230mm H 68mm connection M6 thread 1/4" tube ø 8.5mm connection length 28mm 2 hole fixing dry heating element mounting distance 295mm		
For models:		AJE0001		
accessories for		416163		
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

heating elements for hot dog machines



No.	416159	Ref. No.	071015
description	heating element 750W 230V L 180mm W 327mm H 6.5mm tube ø 6.3mm W1 137mm W2 50mm connection male faston 6.3mm connection length 19mm dry heating element heating circuits 1		
For models:	ARZ0001		

heating elements for coffee machine



No.	417467	Ref. No.	4.0.000.0214
description	heating element 1800W 230V heating circuits 2 mounting ø 38mm hole distance 57mm L 178mm W 28mm H 46mm H1 24mm H2 22mm hole ø 11mm tube ø 8.3mm connection M6 immersion heater 3 hole flange		
For models:	EFA0015		

			
No.	417503	Ref. No.	1601311
description	heating element 2200W 230V heating circuits 1 L 56mm H 240mm W1 34mm H1 175mm H2 65mm mounting distance 28mm thread M10x1.5 windings 7 tube ø 6.5mm connection male faston 6.3mm suitable for COFFEE QUEEN		
For models:	EFB0017, EFB0018, EFC0003		

			
No.	417502	Ref. No.	1601312
description	heating element 3000W 230V heating circuits 1 L 600mm W 50mm H 35mm mounting distance 50mm tube ø 8mm thread M14x1.5 windings 3 connection M4 2 hole fixing suitable for COFFEE QUEEN		
For models:	EFB0014, EFB0019		

			
No.	417095	Ref. No.	5.0.000.0802
description	heating element 3500W 230V heating circuits 2 mounting ø 39mm hole distance 57mm L 330mm W 34mm H 53mm L1 30mm L2 70mm L3 225mm H1 24mm H2 29mm windings 2 hole ø 11mm tube ø 8.3mm connection M6 immersion heater 3 hole flange		
For models:	EFA0016		
accessories for	417095		
	No.	528013	Ref. No. —
	gasket ID ø 40mm fibre thickness 4mm hole ø 11mm hole distance 57mm for heating element coffee machine parts		
	No.	528740	Ref. No. —
	gasket ID ø 44mm PTFE thickness 3.5mm hole ø 9.5mm hole distance 58mm suitable for ITALCREM, VISACREM for heating element coffee machine parts		

			
No.	417468	Ref. No.	4.0.000.0217
description	heating element 5000W 230V heating circuits 2 mounting ø 38mm hole distance 56mm L 438mm W 35mm H 52mm L1 40mm L2 68mm L3 330mm H1 23mm H2 29mm hole ø 11mm tube ø 8.3mm connection M6 immersion heater 3 hole flange		
For models:	EFA0023		

			
No.	417483	Ref. No.	120811
description	hot plate 95W 230V heating circuits 1 L 160mm W 150mm H 15mm connection plug connection cable length 200mm suitable for COFFEE QUEEN		
For models:	EFB0001, EFB0002, EFB0003, EFB0004		

heating elements for refrigeration

heating elements for defrosting

			
No.	419200	Ref. No.	B00REZ114
description	heating element 1080W 220V L 1065mm W 170mm L1 10mm L2 1060mm W1 70mm W2 60mm cable length 800mm tube ø 8.5mm		
For models:	BMA0099		

			
No.	419195	Ref. No.	B00REZ116
description	heating element 2x100W 2x115V L 380mm Wmm cable length 1500mm tube ø 8.5mm defrosting		
For models:	9925F, 9931F, 9932F, BNC0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0018-F, CCZ0050, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, HCE2004-F, HCE2005-F, HCE2006-F, IEC0050, IEC0051, IEC0052, SALADBAR2, SALADBAR3, TIM3, TIM3PI, USN4, VAEN030-F, VAEN060-F, VAEN075-F		

			
No.	419197	Ref. No.	B00REZ111
description	heating element 2x200W 2x110V L 400mm Wmm cable length 1500mm tube ø 8.5mm defrosting		
For models:	BMB0002-FG, BMC0001-FG, HCE2007-F, HCE2008-F, HCE2009		



No.	419196	Ref. No.	B00REZ100
description	heating element 55W 220V L 410mm W 50mm H 80mm cable length 1600mm tube ø 8.5mm defrosting		
For models:	BMB0002-FG, BNA0068, BNA0069, BNC0002-F, BNC0007-F, BNC0008-F, BNC0030, TIM3		

condensing trays heated



No.	750516	Ref. No.	EV-V000016
description	condensing tray L 465mm W 178mm H 180mm 800W 230V		
For models:	BHZ0034, BHZ0035, BHZ0036, BHZ0037, BHZ0038, BHZ0039		



No.	750517	Ref. No.	EV-V000017	
description	condensing tray L 468mm W 300mm H 120mm 800W 230V total length 525mm overall height 160mm			
For models:	BHZ0034, BHZ0035, BHZ0036, BHZ0037, BHZ0038, BHZ0039			
spare parts for	750517			
	No.	417744	Ref. No.	R010-REU500
	heating element 400W 230V L 485mm W 70mm H 9.5mm heating circuits 1 cable length 500mm defrosting			

heating elements for tilting bratt pan



No.	416539	Ref. No.	665.023.00
description	heating element 2100W 230V heating circuits 1 L 383mm W 170mm H 60mm W1 35mm W2 100mm connection M5 connection distance 92mm tube ø 8.5mm dry heating element tilting bratt pan		
For models:	6570BRE, 7070BRE, 7070BREM		




No.	420556	Ref. No.	965.074.00
description	heating element for tilting bratt pan 6350W 230V L 550mm W 310mm H 30mm connection screw heating circuits 1 tube ø 8.5mm		



No.	416540	Ref. No.	96500715
description	heating element tilting bratt pan 3330W 230V L 506mm W 200mm H 63mm dry heating element heating circuits 1 tube ø 8.5mm W1 30mm W2 140mm		
For models:	94BRE, 94BREM, 96BRE, 96BREM		



No.	416045	Ref. No.	X48100
description	heating element tilting bratt pan 3400W 230V L 313mm W 195mm H 82mm connection M5 dry heating element heating circuits 1 tube ø 10mm W1 67mm W2 61mm		
For models:	ACK2003, ACK2004, ACK203V, ACK204V		



No.	417344	Ref. No.	Y10500
description	heating element tilting bratt pan 4700W 230V L 540mm W 210mm H 60mm heating circuits 1 tube ø 8.5mm W1 70mm W2 70mm		
For models:	ADK201V, ADK202V, ADK203V, ADK204V		

heating elements for pasta cookers



No.	416408	Ref. No.	Y17000
description	heating element 12000W 230/400V heating circuits 3 mounting pos. left L 280mm W 225mm H 32mm flange length 45mm flange length 1 9.6mm flange length 2 35.4mm flange ø1 44.5mm flange ø2 39.5mm thermostat sleeves ø 7mm length thermostat sleeves 280mm number of thermostat sleeves 1 thermostat sleeve eccentric, non clinging windings 5 L1 10mm L2 270mm W1 13mm W2 31mm tube ø 8.5mm cable length 600mm rotation flange fryer connection length 50mm		
For models:	ACC005V		
accessories for	416408		



No.	510899	Ref. No.	X05400
-----	--------	----------	--------

O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs

accessories for 416408				
	No.	528155	Ref. No.	CGR4131NT X05300
	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	532545	Ref. No.	X05000
	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	691621	Ref. No.	M29600
	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471			



1

No.	416407	Ref. No.	Y14400	
description	heating element 15000W 230/400V heating circuits 3 mounting pos. left L 355mm W 190mm H 32mm flange length 45mm flange length 1 9.6mm flange length 2 35.4mm flange ø1 44.5mm flange ø2 39.5mm thermostat sleeves ø 7mm length thermostat sleeves 280mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging windings 4 L1 15mm L2 340mm W1 13mm W2 32mm tube ø 8.5mm cable length 570mm rotation flange connection length 60mm			
For models:	ADC006V			
accessories for	416407			
	No.	510899	Ref. No.	X05400
	No.	528155	Ref. No.	CGR4131NT X05300
	No.	532545	Ref. No.	X05000
	No.	691621	Ref. No.	M29600
retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471				

1

No.	418651	Ref. No.	Y19800
description	heating element 1500W 230V heating circuits 1 L 300mm W 51mm 2 hole fixing connection male faston 6.3mm thread M14x1 tube ø 8.5mm mounting distance 43mm pasta cooker immersion heater		
For models:	ACE008V		
spare parts for	418651		
	No.	507313	Ref. No.
	12009837 Q307050000		
	O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs		
accessories for	418651		
	No.	510417	Ref. No.
	—		
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No.
	—		
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	521133	Ref. No.
	—		
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	550261	Ref. No.
	—		
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		

accessories for 418651				
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



1

No.	415902	Ref. No.	Y19900	
description	heating element 2510W 230V L 295mm W 115mm Hmm 2 hole fixing connection male faston 6.3mm thread M14x1 tube ø 8.5mm			
For models:	ACE003V, ACE004V			
accessories for	415902			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521133	Ref. No.	—
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	550261	Ref. No.	—
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

				
1				
No.	416535	Ref. No.	665.032.00	
description	heating element 3000W 230V heating circuits 1 L 303mm W 170mm Hmm 2 hole fixing connection M4 thread M10x1 tube ø 6.3mm mounting distance 164mm immersion heater			
For models:	6030CPE, 6060CPE, 6540CPE, 6570CPE			
spare parts for	416535			
	No.	510893	Ref. No.	456015
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			

				
1				
No.	418046	Ref. No.	46500000 66507400	
description	heating element 3800W 230V heating circuits 3 L 250mm W 41mm H 34mm round flange connection male faston 6.3mm tube ø 6.3mm mounting ø 57.5mm immersion heater with gasket			
For models:	7040CPE, 7070CPE, AFE0002			
spare parts for	418046			
	No.	510409	Ref. No.	835535651 F2680
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

Table continues overleaf



accessories for 418046				
	No.	550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			



1


No.	419247	Ref. No.	665.103.00
description	heating element 4500W 230V heating circuits 3 L 350mm connection male faston 6.3mm tube ø 6.3mm flange ø 72mm thermostat sleeves ø 8.5mm length thermostat sleeves 200mm immersion heater		




1

No.	418907	Ref. No.	Y18400	
description	heating element 7500W 230V heating circuits 3 L 422mm W 186mm H 25mm tube ø 6.3mm L1 32mm L2 390mm W1 170mm W2 28mm cable length 550mm flange length 1 9.6mm flange length 2 35.4mm flange length 45mm flange ø1 44.5mm flange ø2 40mm mounting pos. left			
	For models: ADE003V, ADE004V			
accessories for	418907			
	No.	510899	Ref. No.	X05400
	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs			
	No.	528155	Ref. No.	CGR4131NT X05300
	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	No.	532545	Ref. No.	X05000
	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs			
	No.	691621	Ref. No.	M29600
	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471			


heating elements for pizza ovens




1				
No.	418057	Ref. No.	91711041	
description	heating element 1000W 230V L 1060mm W 205mm thread 1/4" mounting distance 196mm connection length 109mm connection M5 tube ø 8.6mm heating circuits 1 dry heating element 2 hole fixing			
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046			
accessories for	418057			
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm t			

 1				
No.	416488	Ref. No.	IB5256400	
description	heating element 1000W 230V L 320mm W 240mm thread M12x1.5 mounting distance 233mm connection length 33mm connection male faston 6.3mm tube ø 6.3mm heating circuits 1 dry heating element 2 hole fixing			
For models:	IBA0012, IBA0013			
accessories for	416488			
	No.	560502	Ref. No.	—
	hexagonal nut thread M12x1.5 H 6mm WS 19 SS Qty 1 pcs zinc-plated			


			
No.	418880	Ref. No.	91711022
description	heating element 1000W 230V L 580mm W 235mm thread 1/4" mounting distance 227mm connection length 110mm connection M5 tube ø 8.5mm heating circuits 1 for pizza oven		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		

1 			
No.	418054	Ref. No.	91711050
description	heating element 1000W 230V L 708mm W 198mm thread 1/4" mounting distance 178mm connection length 108mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		
accessories for	418054		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
No.	418059	Ref. No.	91711042
description	heating element 1000W 230V L 710mm W 300mm thread 1/4" mounting distance 290mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		


			
No.	416437	Ref. No.	91711021
description	heating element 1000W 230V L 895mm W 132mm thread 1/4" mounting distance 122mm connection length 110mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		
accessories for	416437		
	 No. 361182 Ref. No. —	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs	
	 No. 510417 Ref. No. —	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs	
	 No. 520228 Ref. No. —	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14	
	 No. 550262 Ref. No. —	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm	

			
No.	418117	Ref. No.	RESI0057
description	heating element 1200W 230V heating circuits 1 mounting pos. upper L 147mm W 157mm L1 100mm ø 47mm thread M14x1.5 mounting distance 148mm cable length 970mm tube ø 8.5mm connection cable dry heating element 2 hole fixing		
For models:	CAD0004-ZN		


			
No.	418221	Ref. No.	91711062
description	heating element 1400W 230V L 1144mm W 1090mm thread 1/4" mounting distance 100mm connection length 160mm connection M5 tube ø 8.5mm dry heating element mounting pos. bottom at the back 2 hole fixing		
For models:	CAB0019, CAB0020		



No.	416438	Ref. No.	91711031
description	heating element 1400W 230V L 898mm W 132mm thread 1/4" mounting distance 123mm connection length 98mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		
spare parts for	416438		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	416438		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			


			
No.	418220	Ref. No.	91711061
description	heating element 1400W 230V L 938mm W 880mm thread 1/4" mounting distance 97mm connection length 24mm connection M5 tube ø 8.7mm dry heating element mounting pos. bottom/centre 2 hole fixing		
For models:	CAB0019, CAB0020		
accessories for	418220		
	 No. 361182 Ref. No. —	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs	
	 No. 510417 Ref. No. —	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs	
	 No. 520228 Ref. No. —	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14	
	 No. 550262 Ref. No. —	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm	

			
No.	418119	Ref. No.	RESI0079
description	heating element 1500W 230V heating circuits 1 mounting pos. upper L 142mm W 158mm L1 95mm ø 49mm thread M14x1.5 mounting distance 150mm cable length 970mm tube ø 8.5mm dry heating element 2 hole fixing		
For models:	CAD0004, CAD0004-ZN		



No.	418061	Ref. No.	91711043
description	heating element 1500W 230V L 1055mm W 280mm thread 1/4" mounting distance 272mm connection length 108mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		
accessories for	418061		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

			
No.	420501	Ref. No.	91711343
description	heating element 1500W 230V L 1060mm W 320mm thread 1/4" mounting distance 221mm connection length 110mm connection M5 tube ø 8.5mm heating circuits 1 mounting pos. lower threaded		
For models:	CAB0009-CD, CAB0058-DCG, CAB0062-DCG		





1


No.	418673	Ref. No.	91711010	
description	heating element 1500W 230V L 475mm W 445mm thread 1/4" mounting distance 436.5mm connection length 116mm connection male faston 6.3mm tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing			
For models:	CAB0029-CN, CAB0030-CN, CAB0032, CAB0033, CAB0035			
accessories for	418673			
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			


accessories for	418673			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

1

				
No.	416439	Ref. No.	91711023	
description	heating element 1500W 230V L 900mm W 245mm thread 1/4" mounting distance 237mm connection length 110mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing			
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046			
accessories for	416439			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				


1				
No.	418056	Ref. No.	91711051	
description	heating element 1600W 230V L 1060mm W 230mm thread 1/4" mounting distance 221mm connection length 110mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing			
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046			
accessories for	418056			
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
No.	418219	Ref. No.	91711060
description	heating element 1600W 230V L 710mm W 665mm thread 1/4" mounting distance 96mm connection length 148mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element mounting pos. bottom in the front 2 hole fixing		
For models:	CAB0019, CAB0020		
accessories for	418219		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

			
No.	418058	Ref. No.	91711052
description	heating element 1600W 230V L 715mm W 275mm thread 1/4" mounting distance 275mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		

			
No.	418118	Ref. No.	RESI0058
description	heating element 1800W 230V heating circuits 1 mounting pos. lower L 150mm W 155mm ø 55mm thread M14x1.5 mounting distance 150mm cable length 945mm tube ø 8.5mm connection cable dry heating element 2 hole fixing pizza oven		
For models:	CAD0004-ZN		
accessories for	418118		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	521101	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 SS Qty		

accessories for	418118		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

			
No.	418675	Ref. No.	91711011
description	heating element 1800W 230V L 575mm W 550mm thread 1/4" mounting distance 541mm connection length 116mm connection male faston 6.3mm tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0029-CN, CAB0030-CN, CAB0032, CAB0033, CAB0035		
spare parts for	418675		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
accessories for	418675		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		



			
No.	418677	Ref. No.	91711012
description	heating element 2000W 230V L 675mm W 650mm thread 1/4" mounting distance 651.5mm connection length 120mm connection male faston 6.3mm tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035		
accessories for	418677		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		

Table continues overleaf

accessories for 418677				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

			
No.	416440	Ref. No.	91711033
description	heating element 2000W 230V L 892mm W 245mm thread 1/4" mounting distance 237mm connection length 97mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		

spare parts for 416440				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for 416440				
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				



No.	418120	Ref. No.	RESI0080
description	heating element 2200W 230V heating circuits 1 mounting pos. lower L 150mm W 155mm L1 95mm ø 49mm thread M14x1.5 mounting distance 146mm cable length 950mm tube ø 8.5mm connection cable dry heating element 2 hole fixing		
For models:	CAD0004, CAD0004-ZN		



1


No.	418121	Ref. No.	RESI0060	
description	heating element 2200W 230V heating circuits 1 mounting pos. upper L 230mm W 262mm L1 170mm ø 60mm thread M14x1.5 mounting distance 254mm cable length 1120mm tube ø 8.5mm connection cable dry heating element 2 hole fixing			
For models:	SY850VELED			
accessories for	418121			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				


accessories for 418121				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				


						
No.	418212	Ref. No.	91711072			
description heating element 2400W 230V L 1043mm W 1090mm thread 1/4" mounting distance 100mm connection length 160mm connection M5 tube ø 8.5mm dry heating element mounting pos. upper/lower 2 hole fixing pizza oven						
For models: CAB0019, CAB0020						

accessories for 418212				
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

1

			
No.	418060	Ref. No.	91711053
description	heating element 2400W 230V L 1060mm W 265mm thread 1/4" mounting distance 257mm connection length 108mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		
accessories for	418060		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			


			
No.	418674	Ref. No.	91711015
description	heating element 2400W 230V L 475mm W 445mm thread 1/4" mounting distance 436.5mm connection length 116mm connection male faston 6.3mm tube ø 8.5mm dry heating element 2 hole fixing		
For models:	CAB0029-CN, CAB0030-CN, CAB0032, CAB0033, CAB0035		
accessories for	418674		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

			
No.	418213	Ref. No.	91711071
description	heating element 2400W 230V L 930mm W 883mm thread 1/4" mounting distance 109mm connection length 159mm connection M5 tube ø 8.5mm dry heating element 2 hole fixing		
For models:	CAB0019, CAB0020		
accessories for	418213		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		


			
No.	418214	Ref. No.	91711070
description	heating element 2600W 230V L 710mm W 665mm thread 1/4" mounting distance 93mm connection length 151mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing W1 101mm W2 564mm		
For models:	CAB0019, CAB0020		
accessories for	418214		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

			
No.	420502	Ref. No.	91711353
description	heating element 2690W 230V L 1060mm W 320mm thread 1/4" mounting distance 109mm connection length 159mm connection M5 tube ø 8.5mm heating circuits 1 mounting pos. upper threaded		
For models:	CAB0009-CD, CAB0058-DCG, CAB0062-DCG		

			
No.	418123	Ref. No.	RESI0081
description	heating element 2800W 230V heating circuits 1 mounting pos. upper L 228mm W 260mm L1 168mm ø 60mm thread M14x1.5 mounting distance 251.5mm cable length 1170mm tube ø 8.5mm connection cable dry heating element 2 hole fixing		
For models:	CAD0005		

			
No.	418676	Ref. No.	91711016
description	heating element 2800W 230V L 570mm W 520mm thread 1/4" mounting distance 511mm connection length 118mm connection male faston 6.3mm tube ø 8.5mm heating circuits 1		
For models:	CAB0029-CN, CAB0030-CN, CAB0032, CAB0033, CAB0035		

1



No.	418678	Ref. No.	91711017	
description	heating element 3200W 230V L 675mm W 650mm thread 1/4" mounting distance 641mm connection length 120mm connection male faston 6.3mm tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing			
For models:	CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035			
spare parts for	418678			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	418678			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

1



No.	418122	Ref. No.	RESI0061	
description	heating element 3300W 230V heating circuits 1 mounting pos. lower L 230mm W 263mm L1 168mm ø 60mm thread M14x1.5 mounting distance 254.5mm cable length 1140mm tube ø 8.5mm connection cable dry heating element 2 hole fixing			
For models:	SY850VELED			
spare parts for	418122			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	418122			
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

1




No.	418124	Ref. No.	RESI0082
description	heating element 4100W 230V heating circuits 1 mounting pos. lower L 230mm W 248.5mm L1 175mm ø 65mm thread M14x1.5 mounting distance 240mm cable length 1200mm tube ø 8.5mm connection cable dry heating element 2 hole fixing		
For models:	CAD0005		

1



No.	416435	Ref. No.	91711020	
description	heating element 600W 230V L 605mm W 130mm thread 1/4" mounting distance 120mm connection length 110mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing pizza oven			
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046			
accessories for	416435			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

1




No.	418055	Ref. No.	91711040	
description	heating element 700W 230V L 711mm W 194mm thread 1/4" mounting distance 185mm connection length 121mm connection M5 tube ø 8.8mm heating circuits 1 dry heating element 2 hole fixing			
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046			
accessories for	418055			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				


			
No.	416436	Ref. No.	91711030
description	heating element 800W 230V L 605mm W 130mm thread 1/4" mounting distance 122mm connection length 110mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		
spare parts for	416436		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
accessories for	416436		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

heating elements for chargrills


			
No.	416000	Ref. No.	Y00200
description	heating element 1500W 230V L 438mm W 80mm H 62mm thread 1/4" mounting distance 19mm tube ø 8.5mm connection male faston 6.3mm windings 2 heating circuits 1 connection length 23mm 2 hole fixing dry heating element		
For models:	ACK301V, ACK302V, ACK303V, ACK304V		
spare parts for	416000		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
accessories for	416000		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

heating elements for salamanders/toast-

			
No.	416154	Ref. No.	071018
description	heating element 2500W 230V L 368mm W 255mm thread 1/4" mounting distance 246mm connection M5 dry heating element tube ø 8.5mm heating circuits 1 connection length 36mm H 8.5mm connection distance 247mm		
For models:	AJH0001		

			
No.	416156	Ref. No.	071036
description	heating element 3000W 230V L 600mm W 265mm flange with thread thread 1/4" mounting distance 260mm connection M5 dry heating element tube ø 8.5mm connection length 34mm		
For models:	AJH0002		

heating elements for heated cabinets

			
No.	418344	Ref. No.	3710003
description	heating element 1200W 220V heating circuits 1 L 395mm W 220mm H 24mm connection M4 tube ø 8mm dry heating element L1 50mm L2 345mm connection distance 212mm		
For models:	IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012		

dry heating elements for dishwashers

			
No.	420561	Ref. No.	12048965
description	heating element 2800W 230V heating circuits 1 L 325mm W 55mm H 40mm tube ø 6.5mm connection F6.3x0.8 dry heating element dishwasher		
For models:	GLB0061C-F, GLB0063C-F		

heating cables

drain heating cables

			
No.	381244	Ref. No.	B00REZ104
description	drain heating cable 40W 220V 50Hz L 2000mm L1 (unheated) 1000mm L2 (heated) 1000mm cable ø 5mm connection 2-wire		
For models:	BMA0098, BMA0099		

connection on both sides

with wire end ferrules



No.	381402	Ref. No.	B00REZ112
description	heating cable 37W 220V 50Hz L 7000mm L1 (unheated) 300mm L2 (heated) 6700mm cable ø 3mm		
For models:	HCE2008-F, VAEK170-F, VAEK210-F, VAEK220-F		



No.	419220	Ref. No.	B00REZ113
description	heating cable 37W 220V L 9000mm L1 (unheated) 740mm L2 (heated) 8260mm silicone impregnated glass fibre braiding ø 3mm connection terminal		
For models:	HCE2009		

heating cartridges



No.	419212	Ref. No.	B00REZ106 BOOREZ106
description	heating cartridge 190W 230V ø 12mm L 180mm thread 3/8" cable length 1000mm		
For models:	BMA0098, BMA0099, BMC0001-F, BMC0003-F		



No.	417612	Ref. No.	R010-PTC/3
description	heating cartridge 400W 230V L 283mm ø 12.2mm thread 3/8" cable length 1500mm for tank		
For models:	BHZ0001, BHZ0002, BHZ0003, BHZ0004, BHZ0005, BHZ0006, BHZ0007, BHZ0008, BHZ0009, BHZ0010, BHZ0011, BHZ0012, BHZ0013, BHZ0034, BHZ0035, BHZ0036, BHZ0037, BHZ0038, BHZ0039		



No.	418346	Ref. No.	3710022
description	heating element 400W 230V ø 10mm L 380mm thread M14x1.25 cable length 110mm flange with thread		
For models:	Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		

heating plates



No.	418433	Ref. No.	PD.411R
description	hot plate 2700W 230V heating circuits 1 cable length 1650mm L 360mm W 250mm		
For models:	AHC0001, AHC0002		

ceramic heaters

245x60mm



	No.	415104	Ref. No.	665.010.00
description		ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm		
For models:		6030SPE, 6540SPE, 7040SPE		
spare parts for		415104		
	No.	415109	Ref. No.	—
	spring clip			
accessories for		415104		
	No.	415110	Ref. No.	—
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm			



1

	No.	415103	Ref. No.	071053 X48000
description		ceramic emitter 650W 230V cable beaded cord L 245mm W 60mm H 35mm		
For models:		AAD0001, ACD001V, ACD002V		
spare parts for		415103		
	No.	415109	Ref. No.	—
	spring clip			
accessories for		415103		
	No.	415110	Ref. No.	—
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm			

contact heaters



No.	416237	Ref. No.	999206
description	contact heater 1400W 230V heating circuits 1 L 133mm W 120mm H 10mm dishwasher connection soldering connection connection distance 76mm connection length 37mm heat-conducting paste included hole ø 7mm dry heating element		
For models:	OPT1012		

quartz heating elements

1 

No.	416152	Ref. No.	071014.1
description	quartz heating element 500W 230V L 390mm ø 12mm connection male faston 6.3mm		
For models:	AJG0001, AJG0002		

1 

No.	418834	Ref. No.	071051
description	quartz heating element 600W 230V L 525mm ø 10mm connection male faston 6.3mm		
For models:	2158, AJG0004		

1


No.	416153	Ref. No.	071051.1
description	quartz heating element 600W 230V L 530mm ø 12mm connection male faston 6.3mm		
For models:	2158, AJG0003, AJG0004, AJH0003		


coil heating elements




No.	420330	Ref. No.	927132
description	heating element 2000W 240V L 454mm W 210mm ø 27.5mm thread M14x1 connection M4 for drying warewashing heating circuits 1 2 hole fixing		
For models:	GLB0046		

immersion heating elements

3 hole flange ø38.5mm


1  			
No.	418642	Ref. No.	230113
description	heating element 2600W 230V mounting ø 38.5mm heating circuits 1 L 260mm W 33mm H 24mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 175mm thermostat sleeve eccentric, non clinging tube ø 6.5mm hole distance 57mm 3 hole flange connection male faston 6.3mm immersion heater		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060		
accessories for	418642		
	No.	532577	Ref. No.
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			

3 hole flange ø47.5mm

				
1				
No.	415001	Ref. No.	230081	
description	heating element 4500W 230V mounting $\varnothing$ 47.5mm heating circuits 3 L 316mm W 35mm H 34mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 180mm thermostat sleeve eccentric, non clinging tube $\varnothing$ 6.3mm hole distance 62mm hole $\varnothing$ 8mm connection M4 3 hole flange immersion heater			
For models:	GLB0072			
spare parts for	415001			
	No.	510408	Ref. No.	456002 E11700
O-ring EPDM thickness 5.34mm ID $\varnothing$ 47mm Qty 1 pcs				
accessories for	415001			
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID $\varnothing$ 47mm Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID $\varnothing$ 4.3mm ED $\varnothing$ 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID $\varnothing$ 4.3mm ED $\varnothing$ 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	Q162020000
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

1

No.	416240	Ref. No.	230083C
description	heating element 6545W 230/400V mounting ø 48mm heating circuits 3 L 355mm W 31mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 175mm thermostat sleeve upper centre not clinging tube ø 6.5mm hole distance 63mm hole ø 10mm connection M4 3 hole flange immersion heater		
For models:	GLB0043, GLB0044, OPT1012, OPT1012C		
accessories for	416240		
	No.	510408	Ref. No. 456002 E11700
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No. —
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			


1


No.	418439	Ref. No.	E11500	
description	heating element 8000W 230V mounting ø 47.5mm heating circuits 3 L 315mm W 37mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 8.5mm length thermostat sleeves 215mm thermostat sleeve clinging tube ø 8.5mm hole distance 62mm hole ø 8mm connection M4 3 hole immersion heater			
	For models: ADL001V, ADL003V			
	accessories for 418439			
	No.	510408	Ref. No.	456002 E11700
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			





1

No.	416241	Ref. No.	230020C	
description	heating element 8000W 230V mounting ø 47.5mm heating circuits 3 L 355mm W 35mm H 35mm number of thermostat sleeves 1 thermo- stat sleeves ø 7.5mm length thermostat sleeves 185mm thermostat sleeve not clinging tube ø 6.3mm hole distance 64mm hole ø 8mm connection M4 3 hole flange immersion heater			
For models:	GLB0043, GLB0046, GLB0070, GLB0071, GLB0073			
spare parts for	416241			
	No.	510408	Ref. No.	456002 E11700
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
accessories for	416241			
	No.	510093	Ref. No.	467002 69870
	protection cap			
	No.	510408	Ref. No.	456002 E11700
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

 				
No.	416410	Ref. No.	E11600	
description	heating element 9000W 230V mounting ø 47.5mm heating circuits 3 L 395mm W 33mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 210mm thermostat sleeve eccentric, clinging tube ø 8.5mm hole distance 63mm hole ø 8mm connection M4			
For models:	ACL0002, ACL002V, ADL002V, ADL004V, ADL005V			
accessories for	416410			
	No.	510408	Ref. No.	456002 E11700
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	No.	510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

1  				
No.	416242	Ref. No.	80398C	
description	heating element 9500W 230V mounting $\varnothing$ 47.5mm heating circuits 3 L 330mm W 35mm H 35mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 175mm thermostat sleeve eccentric, non clinging tube $\varnothing$ 8.5mm hole distance 72mm hole $\varnothing$ 8/10mm connection M4 3 hole flange immersion heater			
For models:	GLB0044			
spare parts for	416242			
	No.	510408	Ref. No.	456002 E11700
	O-ring EPDM thickness 5.34mm ID $\varnothing$ 47mm Qty 1 pcs			

with compression flange 50 x 26mm


  				
No.	416234	Ref. No.	230098	
description	heating element 600W 230V heating circuits 1 flange 50x26mm L 160mm W 45mm H 27mm tube ø 8.8mm connection male faston 6.3mm connection length 40mm immersion heater compression flange			
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057			
accessories for	416234			
	No.	510387	Ref. No.	437086
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			
	No.	510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm			



No.	420331	Ref. No.	230112	
description	heating element 1400W 230V compression flange flange 50x26mm L 160mm heating circuits 1 H 29mm W 190mm connection male faston 6.3mm immersion heater tube ø 8.4mm			
For models:	OPT1012C			
spare parts for	420331			
	No.	510387	Ref. No.	437086
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm			
	No.	510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm			

with compression flange 70 x 26mm

1  			
No.	417278	Ref. No.	003001020002
description	heating element 1950W 230V heating circuits 3 L 230mm W 70mm washing		
For models:	IFD0001-MN		

1

No.	415000	Ref. No.	230088	
description	heating element 2900W 230V heating circuits 1 flange 70x26mm L 272mm W 51mm Hmm tube ø 6.3mm connection M4 immersion heater compression flange			
For models:	GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066			
spare parts for	415000			
	No.	521128	Ref. No.	437048
	gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK			
accessories for	415000			
	No.	521128	Ref. No.	437048
	gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK			

with expansion flange 70 x 18mm



No.	416381	Ref. No.	12024951	
description	heating element 2000W 230V heating circuits 1 flange 70x18mm L 280mm W 78mm H 22mm connection M4 immersion heater expansion flange tube ø 8.5mm			
For models:	GLB0035-FN, GLB0037-FN			
accessories for	416381			
	No.	510429	Ref. No.	—
	gasket L 76mm W 23mm hole distance 25mm 3 holes for heating element type DB 70 without thermostat sensor hole			

			
1			
No.	416239	Ref. No.	230100
description	heating element 2600W 230V heating circuits 1 flange 70x18mm L 270mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039		

			
1			
No.	416382	Ref. No.	12024645 Z203601000
description	heating element 2800W 230V heating circuits 1 flange 70x18mm L 370mm W 102mm H 27mm immersion heater tube ø 8.5mm		
For models:	GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF		

1			
No.	418529	Ref. No.	12023778 Z743601000
description	heating element 4500W 230V heating circuits 3 flange 70x18mm L 365mm W 65mm H 27mm connection male faston 6.3mm immersion heater expansion flange tube ø 6.7mm		
For models:	OPT1012-CF, OPT1012-CFN		

with round flange ø57.5mm

			
1			
No.	416662	Ref. No.	66502200
description	heating element 6000W 230V heating circuits 3 L 405mm W 31mm H 46mm tube ø 6.3mm thermostat sleeves ø 7.5mm length thermostat sleeves 270mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging connection male faston 6.3mm immersion heater round flange mounting ø 57.5mm		
For models:	7070PEI		
spare parts for	416662		
	No.	510409	Ref. No. 835535651 F2680
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

Table continues overleaf

accessories for 416662			
	No.	520235	Ref. No. 63501100
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	No.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

1 			
No.	416663	Ref. No.	96502500
description heating element 8000W 230V heating circuits 3 L 510mm W 43mm H 30mm tube ø 6.3mm thermostat sleeves ø 7.5mm length thermostat sleeves 275mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging connection male faston 6.3mm immersion heater round flange mounting ø 57.5mm			
For models: 94PE100I, 94PE100IA, 94PE100IAS, 94PE100IS, 94PE150I, 94PE150IA			
accessories for 416663			
	No.	520235	Ref. No. 63501100
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	No.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

with round flange (miscellaneous)

1 			
No.	419247	Ref. No.	665.103.00
description heating element 4500W 230V heating circuits 3 L 350mm connection male faston 6.3mm tube ø 6.3mm flange ø 72mm thermostat sleeves ø 8.5mm length thermostat sleeves 200mm immersion heater			

miscellaneous

1 			
No.	417575	Ref. No.	230118
description heating element 2100W 230V W 165mm H 25mm L 270mm format angled			
For models: OPT1012C			

1 			
No.	416383	Ref. No.	12024559
description heating element 2400W 230V heating circuits 1 mounting ø 42mm L 278mm W 39mm H 39mm hole distance 64mm hole ø 7mm connection M4 immersion heater 5 hole flange			
For models: GLB0035-FN			
accessories for 416383			
	No.	505092	Ref. No. 12010062
O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs			

1 			
No.	416375	Ref. No.	12024907
description heating element 2800W 230V heating circuits 1 mounting ø 42mm L 290mm W 37mm H 32mm tube ø 8mm hole distance 42mm hole ø 7mm connection M4 5 hole flange			
For models: GLB0037-FN			
accessories for 416375			
	No.	505092	Ref. No. 12010062
O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs			
	No.	524478	Ref. No. —
O-ring Viton thickness 5.7mm ID ø 44.2mm Qty 1 pcs			

1 			
No.	416384	Ref. No.	12024683 Z201706000
description heating element 2800W 230V mounting ø 63mm heating circuits 1 L 427mm W 44mm H 43mm thermostat sleeves ø 6.5mm length thermostat sleeves 190mm number of thermostat sleeves 1 thermostat sleeve not clinging hole distance 41mm hole ø 7.5mm connection M4 3 hole flange round flange			
For models: GLB0061C-F, GLB0061C-FN, GLB0063C-F			
accessories for 416384			
	No.	691033	Ref. No. 12010051 Q307035000
O-ring EPDM thickness 5.34mm ID ø 62.87mm Qty 1 pcs			

1 			
No.	416385	Ref. No.	12024732 Z241701000
description heating element 6000W 230V mounting ø 63mm heating circuits 3 L 420mm W 39mm H 49mm thermostat sleeves ø 6.3mm length thermostat sleeves 190mm number of thermostat sleeves 1 thermostat sleeve not clinging tube ø 8mm hole distance 41mm hole ø 7mm connection M4 immersion heater 6 hole flange			
For models: GLB0063C-FN, OPT1012-CF, OPT1012-CFN			
accessories for 416385			
	No.	691033	Ref. No. 12010051 Q307035000
O-ring EPDM thickness 5.34mm ID ø 62.87mm Qty 1 pcs			

1" 1 			
No.	420074	Ref. No.	965.066.00
description heating element 260W 230V heating circuits 1 L 242mm W 18mm H 6.25mm tube ø 6.25mm thermostat sleeves ø 5mm length thermostat sleeves 230mm number of thermostat sleeves 1 thermostat sleeve centred, adjacent connection male faston 6.3mm connection length 35mm immersion heater flange with thread WS 32 thread 1"			
spare parts for 420074			
	No.	503158	Ref. No. —
flat gasket FIBER ED ø 44mm ID ø 33mm thickness 2mm Qty 1 pcs			

accessories for 420074				
	No.	507532	Ref. No.	12009831
nut thread 1" H 10mm WS 40 brass Qty 1 pcs				

1

				
No.	415664	Ref. No.	230085	
description	heating element 2250W 230V heating circuits 1 L 300mm W 90mm H 25mm thread 1/8" mounting distance 64mm tube ø 6.3mm connection M4 immersion heater 2 hole fixing			
For models:	GLB0058, GLB0059, GLB0060			
accessories for	415664			
	No.	510893	Ref. No.	456015
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	Q162020000
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				



1

No.	415665	Ref. No.	230086	
description	heating element 2750/3250W 220/240V heating circuits 1 L 380mm W 110mm H 30mm thread M10x1 mounting distance 75mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing			
For models:	GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072			
spare parts for	415665			
	No.	510893	Ref. No.	456015
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
accessories for	415665			
	No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				
	No.	520876	Ref. No.	463007
protection cap for heating element ø 11.5mm H 32mm W 25mm plastic				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				

accessories for 415665				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	Q162020000
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

1

				
No.	416235	Ref. No.	80360	
description	heating element 3000W 230V heating circuits 1 L 320mm W 50mm H 40mm thread M10x1 mounting distance 44mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing L1 32mm L2 288mm			
For models:	GLB0070, GLB0071			
spare parts for	416235			
	No.	510893	Ref. No.	456015
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
accessories for	416235			
	No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				
	No.	510893	Ref. No.	456015
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				
	No.	560192	Ref. No.	—
tooth lock washer ID ø 10.4mm ED ø 18mm SS DIN/ISO DIN 6798A Qty 1 pcs for thread M10				

heating elements for convection

1

No.	418042	Ref. No.	01951147000
description	heating element 1200W 230V heating circuits 1 ID ø 180mm ED ø 194mm L 245mm H 34mm L1 44mm W1 31mm H1 15mm H2 18mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	AAA2002		
spare parts for	418042		
	No.	510368	Ref. No.
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
1			
No.	415925	Ref. No.	66500800
description	heating element 1260W 230V heating circuits 1 ID ø 180mm L 380mm H 19mm L1 188mm W1 32mm flange length 100mm flange width 22mm hole distance 86mm ED ø 192mm connection M5 connection length 30mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	65110CFGE, 6570CFE, 6570CFGE, 70110CFGE, 7070CFEQ, 7070CFGE, 7070CFVE		



1

No.	418345	Ref. No.	3710004
description	heating element 1600W 230V heating circuits 1 ID ø 178mm ED ø 191mm L 250mm H 40mm L1 50mm W1 32mm H1 16mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012		
accessories for	418345		
	No.	510368	Ref. No.
	—		
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

1

No.	418043	Ref. No.	09950987000
description	heating element 1600W 230V heating circuits 1 ID ø 180mm ED ø 192mm L 245mm H 25mm L1 45mm W1 30mm H1 12mm H2 18mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	AIB0014		
spare parts for	418043		
	No.	510368	Ref. No.
	—		
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

1

No.	416532	Ref. No.	665.061.00
description	heating element 2300W 230V heating circuits 1 ID ø 183mm ED ø 197mm L 212mm H 30mm L1 15mm W1 31mm H1 5mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
For models:	6060CFE		
accessories for	416532		
	No.	510368	Ref. No.
	—		
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

1

No.	418044	Ref. No.	09950977000
description	heating element 2500W 230V heating circuits 1 ID ø 180mm ED ø 192mm L 245mm H 28mm L1 45mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	AIB0012, AIB0013, AIB0015, AIB0017		
accessories for	418044		
	No.	550937	Ref. No.
	01960368000		
gasket L 71mm W 21mm hole ø 5mm hole distance 57mm fibre thickness 1mm for heating element			



1

No.	416040	Ref. No.	X68002
description	heating element 2500W 230V heating circuits 1 ID ø 185mm ED ø 198mm L 212mm H 30mm L1 17mm W1 32mm H1 6mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 33mm tube ø 6.5mm dry heating element hole ø 5mm rectangular flange		
For models:	ACA2010, ACA206V, ACA210V		
accessories for	416040		
	No.	510368	Ref. No.
	—		
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
1			
No.	419016	Ref. No.	11950537000
description	heating element 3000W 230V heating circuits 1 ID ø 227mm ED ø 240mm L 265mm H 50mm L1 21mm W1 30mm H1 18mm H2 32mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 34mm tube ø 6.5mm convection heating element hole ø 5mm		
For models:	KF733, KF933U, KF965, KF981D		

			
1			
No.	419024	Ref. No.	09950247000 RES30006
description	heating element 4000W 230V heating circuits 1 ID ø 217mm ED ø 233mm L 265mm H 50mm L1 25mm W1 33mm H1 5mm H2 45mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 29mm tube ø 8.5mm convection heating element hole ø 5mm rectangular flange oven		
For models:	KF981D, VG715RXS		
accessories for	419024		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

radiation heaters

			
1			
No.	490151	Ref. No.	665.054.00
description	radiation heater octagonal 2100W 230V L 230mm W 230mm heating circuits 1 with heating coil energy regulation with temperature signalization connections 2+2 connection type cable AD		
For models:	7040PVE		

			
1			
No.	490152	Ref. No.	Y17602
description	radiation heater octagonal 2500W 230V L 250mm W 250mm heating circuits 2 with heating coil energy regulation with temperature signalization connections 3+2 connection type cable AD		
For models:	ACA1010, ACA106V, ACA110V		

			
1			
No.	490079	Ref. No.	96504100
description	radiation heater octagonal 3400W 230V L 300mm W 300mm heating circuits 2 H 30mm with heating coil energy regulation with temperature signalization connections 4+2 connection type cable AD		
For models:	92PCV, 94CFV, 94PCV		
spare parts for	490079		
	No.	390931	Ref. No. —
	safety thermostat for radiation heater		

			
1			
No.	419076	Ref. No.	97032038
description	heating element rectangular L 840mm W 190mm 2500W 230/400V H 40mm cable length 450mm chicken rotisserie		
For models:	53054-CN, 53304, AJD0002-CCN, AJD0003-CCN, AJD0014-C, AJD0019-C		

			
1			
No.	418230	Ref. No.	071096
description	radiation heater rectangular 4000W 230V L 425mm W 265mm heating circuits 3 connections 3x 2 IRCA griddle		
For models:	AJA0017, AJA0018		



1

No.	490156	Ref. No.	965.037.00
description	radiation heater rectangular 7500W 400V L 280mm W 400mm heating circuits 3 connections 6 connection type cable AD		
For models:	7040CPE, 7070CPE, 92CPE, 92CPES, 94CPE, 94CPES		

1-circuit



1

No.	490042	Ref. No.	665.065.00 Y17702
description	radiation heater ø 200mm 1800W 230V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm EGO		
For models:	ACA1003, ACA1010, ACA103V, ACA106V, ACA110V, ACJ006V, VI6030PVED, VI6060PVED		

2-circuit



1

No.	490118	Ref. No.	665.052.00 Y17802
description	radiation heater ø 250mm 2500W heating circuits 2 partial power 1000W		
For models:	7040PVE, ADA102V, ADA105V, VI6060PVED		


flow heaters



1

No.	417480	Ref. No.	1205101
description	flow heater 2200W 230V ø 68mm L 104mm Wmm connection male faston 6.3mm suitable for COFFEE QUEEN		
For models:	EFB0001, EFB0002, EFB0003, EFB0004, EFB0008, EFB0008-C, EFB0009, EFB0009-C		

foil heating elements



1

No.	416406	Ref. No.	Y15900
description	foil heating element L 400mm W 240mm 1000W 230V t.max. 150°C with temperature limiter silicone cable length 2000mm thickness 1mm		
For models:	ACB0004, ACB002V, ACB004V, ADB002V, ADB003V		

accessories

hexagonal nuts



1

No.	560131	Ref. No.	Q162020000
description	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0063C-F, OPT1012-CF, OPT1012-CFN		



1

No.	560132	Ref. No.	Q162030000
description	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		

washers



1

No.	560112	Ref. No.	12009944 Q232030000
description	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		



1

No.	560333	Ref. No.	0010026
description	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 1 pcs DIN 125A for thread M6		
For models:	FGZ0009, FGZ0026, FGZ0027, FGZ0028		

			
No.	560113	Ref. No.	Q232040000
description	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 20 pcs DIN 125A for thread M6		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		

tooth lock washers


			
No.	560125	Ref. No.	Q242020000
description	tooth lock washer ID ø 4.2mm ED ø 8mm SS DIN/ISO DIN 6798A Qty 20 pcs for thread M4		
For models:	OPT1012-CF, OPT1012-CFN		


retaining rings


			
No.	691621	Ref. No.	M29600
description	retaining ring shaft ø 40mm thickness 1.8mm steel DIN 471		
For models:	ACC005V, ADC006V, ADE003V, ADE004V		

sealing washers


fibre gaskets

			
No.	507332	Ref. No.	12010260 Q306024000
description	flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs		
For models:	GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		


			
No.	529484	Ref. No.	953.030.00
description	flat gasket fibre ED ø 58mm ID ø 50mm thickness 2mm Qty 1 pcs		


			
No.	510406	Ref. No.	E50300
description	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs		
For models:	ADL001V, ADL002V, ADL003V, ADL004V, ADL005V, ADL006V, ADL007V, ADL008V, ADL009V, ADL010V, ADL011V, ADL012V, ADL013V, ADL014V, ADL015V		

PTFE gaskets


			
No.	528021	Ref. No.	5.0.000.0307
description	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		
For models:	EFA0015, EFA0016, EFA0023		


O-rings


			
No.	510893	Ref. No.	456015
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		


			
No.	510072	Ref. No.	456016
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	GLB0070, GLB0071, GLB0072		


			
No.	510899	Ref. No.	X05400
description	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
For models:	ACC005V, ACK1002, ACK101V, ACK102V, ADC006V, ADE003V, ADE004V		

			
No.	521120	Ref. No.	456075
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060		

			
No.	505092	Ref. No.	12010062
description	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs		
For models:	GLB0035-FN, GLB0037-FN		

			
No.	510408	Ref. No.	456002 E11700
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	ACL0002, ACL002V, ADL001V, ADL002V, ADL003V, ADL004V, ADL005V, GLB0043, GLB0044, GLB0070, GLB0071, GLB0072, GLB0073, OPT1012, OPT1012C		

			
No.	510409	Ref. No.	835535651 F2680
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	7040CPE, 7070PEI, FLC0001-F, FLC0003-F, FLC0012-F, FMD0001-F, FMD0002-F		

			
No.	532545	Ref. No.	X05000
description	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs		
For models:	ACC005V, ADC006V, ADE003V, ADE004V		

flange gaskets

			
No.	528090	Ref. No.	01980518000
description	gasket L 100mm W 22mm thickness 1mm		
For models:	AAA2002, AIB0017		

			
No.	550937	Ref. No.	01960368000
description	gasket L 71mm W 21mm hole ø 5mm hole distance 57mm fibre thickness 1mm for heating element		
For models:	AAA2002, AIB0012, AIB0013, AIB0014, AIB0015, AIB0017, KF630, KF733, KF933U, KF965, KF981D		



1

No.	510387	Ref. No.	437086
description	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, OPT1012C		
accessories for	510387		
	No.	510388	Ref. No.
	—		
			
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm		

			
No.	521128	Ref. No.	437048
description	gasket L 66mm W 21mm ømm for heating element suitable for ELETTOBAR, WOLK		
For models:	GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066		

counterflanges



1

No.	520235	Ref. No.	63501100
description	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
For models:	7070PEI, 94PE100I, 94PE100IA, 94PE100IAS, 94PE100IS, 94PE150I, 94PE150IA		

capillary tube clips



1

No.	551105	Ref. No.	M86800
description	capillary tube clip for pipe ø 6mm Qty 1 pcs		
For models:	ACC0003, ACC003V, ACC008V, ACC010V, ADC004V		



1

No.	550138	Ref. No.	063002
description	capillary tube clip for pipe ø 8.5mm for circular tube heating elements		
For models:	AAC0001, AAC0002, AMZ0004, AMZ0005, AMZ0006, AMZ0007, AMZ0008, AMZ0024, IFA0004		



1

No.	550980	Ref. No.	M86900
description	capillary tube clip for pipe ø 8.5mm Qty 1 pcs		
For models:	ACC004V		

spring clips



1

No.	550041	Ref. No.	063001
description	probe clip for pipe ø 7mm for probe ø 6mm		
For models:	AAC0001, AAC0002, AMZ0004, AMZ0005, AMZ0006, AMZ0007, AMZ0008, AMZ0024, IFA0004		



1

No.	550419	Ref. No.	238.003.00
description	probe clip for pipe ø 8.5mm for probe ø 6mm Qty 1 pcs		
For models:	6030FRE, 6060FRE, 6540FRE, 6570FRE, 7040FRE10, 7070FRE10, AFC0003		



1

No.	550258	Ref. No.	M86500
description	probe clip for pipe ø 8mm for probe ø 6mm		
For models:	ACC0003, ACC003V, ACC004V, ACC008V, ACC010V, ADC004V		



1

No.	550795	Ref. No.	PIA30014
description	probe clip for pipe ø 6mm for probe ø 3.5mm Qty 1 pcs for oven		
For models:	VP800U, VP824RU, VP914RXS, VP920RXS		

protection caps



1

No.	510093	Ref. No.	467002 69870
description	protection cap		
For models:	GLB0043, GLB0044, GLB0046, GLB0072, GLB0073, OPT1012, OPT1012C		



1

No.	520357	Ref. No.	12024282 Z101723000
description	protection cap for flange ø 57.5mm ø 62mm H 42mm		
For models:	GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CFN		



1

No.	520876	Ref. No.	463007
description	protection cap for heating element ø 11.5mm H 32mm W 25mm plastic		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		



1

No.	510034	Ref. No.	12025258
description	protection cap for heating element ø 53mm mounting distance 74mm plastic L 35mm		
For models:	GLB0035-FN, GLB0037-FN		



1

No.	505208	Ref. No.	12022859 Z603602000
description	bracket for heating element		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF		



1

No.	692776	Ref. No.	983.009.00
description	support bracket for heating element		
For models:	AFC0003		

hot plates

square & rectangular

with radiused edge



1

No.	490066 ¹	Ref. No.	X45500
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	ACA1001, ACA1002, ACA1004, ACA101V, ACA102V, ACA104V, ACA105V		

¹incl. protector



1

No.	490056 ¹	Ref. No.	96500300
description	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	92PCE, 94CFE, 94PCE, 96CFE, 96PCE		

¹incl. protector



1

No.	490071 ¹	Ref. No.	Y12100
description	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	ADA101V, ADA103V, ADA104V, ADA106V		

¹incl. protector

tiltable



1

No.	490215	Ref. No.	965.083.00
description	hot plate dimensions 300x300mm 4000W 230V with cast edge tilt boiling plate connection 4 screw clamps H 45mm square		

round

with radiused edge

for domestic and commercial kitchens



1

No.	490014	Ref. No.	665.059.00
description	hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring		
For models:	6030PCE, 6060CFE, 6060PCE		



1

No.	490018	Ref. No.	071009 X45400
description	hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	ACJ005V, ACJ007V, ACJ008V, AOZ0001, AOZ0002		

			
No.	490020	Ref. No.	665.006.00 X45300
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring		
For models:	6540PCE, 6570CFE, 6570PCE, 7040PCE, ACJ005V, ACJ007V, ACJ008V		
accessories for	490020		
	No.	550796	Ref. No. —
	 fixing plate for hot plate ø220mm		

accessories

miscellaneous

			
No.	490111	Ref. No.	X44900
description	cover for hot plate ø 237mm		
For models:	ACJ005V, ACJ007V, ACJ008V		

energy regulators

EGO

1-circuit

			
No.	380034	Ref. No.	661.069.00
description	energy regulator 230V 13A 2-stage turn direction clockwise shaft ø 6x4.6mm shaft L 36mm power release 6-100%		
For models:	6570PVE, 7040PVE, 7070CFVE, 7070PVE		

			
No.	380015	Ref. No.	073010 11950017000 3700010 661.058.00 C5322489 TERM0014 TERM0050 X44400
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	2158, 53054-CN, 53304, 6030CPE, 7040PVE, AAD0001, ACA1010, ACA106V, ACA110V, ACK301V, ACK302V, ACK303V, ACK304V, AJD0002-CCN, AJD0003-CCN, AJD0014-C, AJD0019-C, AJE0001, AJE0002, AJE0003, AJG0003, AJG0004, AJH0001, AJH0002, AJH0003, AJH0007, AJH0008, AJH0009, ARZ0001, ARZ0002, ARZ0004, ARZ0005, ARZ0006, CAD0005, IIA4002, IIA4003, KF981D, SY850VELED, VI-6030PVED, VI6060PVED		

2-circuit

			
No.	381304	Ref. No.	Y17604
description	energy regulator EGO 230V 13A dual circuit turn direction right shaft ø 6x4.6mm shaft L 22mm mounting thread M4 no. 50.55071.100		
For models:	ACA1003, ACA1010, ACA103V, ACA106V, ACA110V, ACJ006V, ADA102V, ADA105V		

			
No.	380027	Ref. No.	661.068.00 661.102.00
description	energy regulator EGO 230V 13A dual circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-70% no. 50.55021.100		
For models:	6570PVE, 7040PVE, 7070CFVE, 7070PVE, 92PCV, 94CFV, 94PCV, VI6030PVED, VI6060PVED		



ROBERTSHAW

MSA series



1

No.	380858	Ref. No.	TER30004
description	energy regulator ROBERTSHAW 240V 15A turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread 8"-32UNC		
For models:	VG715RXS, VP914RXS, VP916RXS, VP920RXS		



1

No.	390451	Ref. No.	R213004000	
description	bi-metal safety thermostat hole distancemm switch-off temp. 115°C 1NC 1-pole 16A connection F6.3			
For models:	OPT1012-CF			
accessories for	390451			
	No.	505093	Ref. No.	12024049 N503017000
	gasket for thermostat ED ø 35mm ID ø 24mm thickness 7mm equiv. no. N503017			

thermostats

bi-metal thermostats

safety bi-metal thermostats



1

No.	390233	Ref. No.	236039 926189	
description	bi-metal safety thermostat hole distance 24mm switch-off temp. 110°C 1NC 1-pole 16A connection F6.3 2 hole fixing without holder			
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0043, GLB0044, GLB0046, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0070, GLB0071, GLB0072, GLB0073, OPT1012, OPT1012C			
accessories for	390233			
	No.	504736	Ref. No.	—
	bracket for contact thermostat			
	No.	550388	Ref. No.	—
	bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8			



1

No.	390367	Ref. No.	4.0.000.0250
description	bi-metal safety thermostat hole distance 39-44mm switch-off temp. 130°C 2NC 2-pole 16A connection F6.3 2 hole fixing		
For models:	EFA0015, EFA0016, EFA0023		



1

No.	390459	Ref. No.	236053
description	bi-metal safety thermostat hole distance 24mm switch-off temp. 200°C 1NC 1-pole 16A connection F6.3 M4		
For models:	OPT1012		



1

No.	390318	Ref. No.	236047
description	bi-metal safety thermostat switch-off temp. 95°C 1-pole 2 hole fixing		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057		

bi-metal thermostats



1

No.	390634	Ref. No.	TER30002
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 145°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing		
For models:	VP800U		



1

No.	391045	Ref. No.	12095019
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 51°C 1NC 1-pole 10A connection F6.3 threaded probe ø 16mm		
For models:	GLB0035-F, GLB0037-F		

			
1			
No.	390301	Ref. No.	236035
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 60°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, OPT1012C		

			
1			
No.	390319	Ref. No.	236048
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 80°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057		

			
1			
No.	390504	Ref. No.	236052
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 90°C 1NO 1-pole 16A 250V connection F6.3 2 hole fixing probe ø 16mm		
For models:	OPT1012C		

			
1			
No.	390129	Ref. No.	236056
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 125°C 1NC 1-pole 16A connection F6.3 M4		
For models:	OPT1012		

			
1			
No.	390450	Ref. No.	12023708 Z718405000
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 66/57°C NC/NO 2-pole 16A connection F6.3		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		
accessories for	390450		
	No.	505093	Ref. No.
			12024049 N503017000
gasket for thermostat ED ø 35mm ID ø 24mm thickness 7mm equiv. no. N503017			

			
1			
No.	390158	Ref. No.	072011
description	bi-metal thermostat switch-off temp. 140°C connection M4		
For models:	ARZ0001, ARZ0002		

sets

			
1			
No.	390725	Ref. No.	160212-03
description	bi-metal safety thermostat NC 1+1-pole connection male faston 6.3mm vertical mounting ø 16mm set		
For models:	EFB0001, EFB0002, EFB0003, EFB0004, EFB0008, EFB0008-C, EFB0009, EFB0009-C		

control and safety thermostats

EGO

control thermostats

55.10/19_ series

			
1			
No.	375001	Ref. No.	661.004.00
description	thermostat t.max. 112°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated gland nut M9x1 shaft L 23mm shaft position upper rotation 270°		
For models:	6540BME, 7040BME, 92BME, AFB0003		


			
1			
No.	375363	Ref. No.	E10600
description	thermostat t.max. 161°C temperature range 73-161°C 1-pole 1NO 16A probe ø 3mm probe L 144mm capillary pipe 1600mm capillary pipe isolated 1600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	ACL0002, ACL002V, ADL001V, ADL002V		

E·G·O



No.	375720	Ref. No.	072051
description	thermostat t.max. 184°C temperature range 80-184°C 1-pole 1NO 16A probe ø 6mm probe L 87mm capillary pipe 570mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	AAC0001, AAC0002, AMZ0004, AMZ0005, AMZ0006, AMZ0007, AMZ0008, AMZ0024, IFA0004		

E·G·O



No.	375463	Ref. No.	09953137000
description	thermostat t.max. 277°C 1-pole 1NO 16A probe ø 3.03mm probe L 139mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm		
For models:	KF733		

E·G·O




No.	375237	Ref. No.	Y16000
description	thermostat t.max. 190°C temperature range 100-190°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1200mm gland nut M9x1 shaft L 23mm shaft position upper rotation 270°		
For models:	ACC004V, ACC005V, ADC006V		

E·G·O




No.	375216	Ref. No.	661.073.00
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 228mm capillary pipe 1300mm capillary pipe isolated 1150mm gland nut shaft L 23mm shaft position upper rotation 318°		
For models:	6060CFE		

E·G·O



No.	390068	Ref. No.	X43600
description	thermostat t.max. 269°C temperature range 55-269°C 1-pole 1CO 16A probe ø 3.1mm probe L 219mm capillary pipe 1280mm capillary pipe isolated 1270mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318°		
For models:	ACK1002, ACK101V, ACK102V		

E·G·O



No.	375327	Ref. No.	072005.1
description	thermostat t.max. 297°C temperature range 58-297°C 1-pole 1NO 16A probe ø 3.03mm probe L 219mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	AJA0014, AJA0015, AJA0016, AJA0017, AJA0018, APZ0001, APZ0002, APZ0012		

E·G·O


No.	375797	Ref. No.	Y19200
description	thermostat t.max. 300°C temperature range 50-300°C 1-pole 1NO 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	ACK2003, ACK2004, ACK203V, ACK204V, ADK201V, ADK202V, ADK203V, ADK204V, ADK207V, ADK208V, ADK209V, ADK210V		

E·G·O


No.	375594	Ref. No.	01951317000
description	thermostat t.max. 318°C temperature range 60-318°C 1-pole 1NO 16A probe ø 3.03mm probe L 139mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	AIB0012, AIB0013, KF630		

E·G·O


No.	375595	Ref. No.	11950417000
description	thermostat t.max. 303°C temperature range 71-303°C 1-pole 1NO 16A probe ø 3mm probe L 114mm capillary pipe 1230mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° with 2 probes		
For models:	KF1001G		

E·G·O


No.	375002	Ref. No.	X68205
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	ACA2010, ACA206V, ACA210V		

E·G·O


No.	375800	Ref. No.	09952637000
description	thermostat t.max. 308°C temperature range 65-308°C 1-pole 1NO 16A probe ø 3.03mm probe L 120mm capillary pipe 600mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° with 2 probes		
For models:	AIB0014, AIB0017, KF933U, KF965, KF981D		


E·G·O


No.	375499	Ref. No.	TERM0013
description	thermostat t.max. 320°C temperature range 60-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	CAD0004		



1

No.	375491	Ref. No.	G4210010
description	thermostat t.max. 346°C temperature range 63-346°C 1-pole 1NO probe ø 3mm probe L 144mm capillary pipe 900mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270°		
For models:	CAB0099		



1

No.	375253	Ref. No.	91310003
description	thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	CAB0013, CAB0014, CAB0015, CAB0024, CAB0025, CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		



1

No.	375381	Ref. No.	3700002
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 2000mm capillary pipe isolated 2000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012, IIA4002, IIA4003		



1

No.	375321	Ref. No.	661.070.00
description	thermostat t.max. 90°C temperature range 35-90°C 1-pole 1NO 16A probe ø 11mm probe L 24mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° screw-in probe probe thread M14x1		
For models:	6030BME, 6060BME		

55.13_ series



1

No.	375400	Ref. No.	12024096 Z393005000
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 98mm capillary pipe 2380mm capillary pipe isolated 1700mm gland nut M9x1 shaft ø 6x4.6mm shaft L 18mm shaft position upper rotation 270°		
For models:	GLB0035-FN, GLB0037-FN, OPT1012-CF		




1

No.	375130	Ref. No.	Z203014000
description	thermostat t.max. 90°C temperature range 32-90°C 1-pole 1CO 16A probe ø 6mm probe L 129mm capillary pipe 710mm capillary pipe isolated 500mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	GLB0061C-F, GLB0063C-F		

E·G·O


No.	375426	Ref. No.	X57900
description	thermostat t.max. 93°C temperature range 30-93°C 1-pole 1CO 16A probe ø 6mm probe L 85mm capillary pipe 1230mm capillary pipe isolatedmm gland nut shaft position left rotation 270° probe material SS		
For models:	ACB0004, ACB002V, ACB004V		

55.17_ series
E·G·O



No.	390729	Ref. No.	SHELST01A100
description	thermostat t.max. 85°C 1-pole probe ø 6mm probe L 91mm capillary pipe 880mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 16mm		
For models:	IEA0002-I, IEC0002-I		

55.34_ series
E·G·O



No.	375143	Ref. No.	661.005.00
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	6570BME, 7070BME		

E·G·O


No.	375097	Ref. No.	661.041.00 X43800
description	thermostat t.max. 195°C temperature range 95-195°C 3-pole 3NO 16A probe ø 6mm probe L 117mm capillary pipe 1780mm capillary pipe isolated 1400mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	6030FRE, 6060FRE, 6540FRE, 6570FRE, 7040FRE10, 7070FRE10, ACC0003, ACC003V, ACC008V, ACC010V, ACK301V, ACK302V, ACK303V, ACK304V, ADC004V, AFC0003		

E·G·O


No.	375192	Ref. No.	66102700
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	65110CFGE, 6570CFE, 6570CFGE, 70110CFGE, 7070CFEQ, 7070CFGE, 7070CFVE, 94CFE, 94CFGE, 94CFV, 96CFE, 96CFGE		

E·G·O


No.	375453	Ref. No.	X43900
description	thermostat t.max. 308°C temperature range 100-300°C 3-pole 3NO 16A probe ø 6mm probe L 75mm capillary pipe 1150mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270° probe material SS		
For models:	ACA1004, ACA104V, ACA105V, ACA2007, ACA207V, ACA216, ACA216V, ACH301V, ACH302V, ACH303V, ACH304V, ACH305V, ACH306V, ACH307V, ACH318V, ACH319V, ACH320V, ADA104V, ADA106V, ADA205V, ADA208V, ADA210V, ADA212V, ADH301V, ADH302V, ADH303V, ADH304V, ADH305V, ADH306V		

E-G-O



No.	375614	Ref. No.	661.007.00
description	thermostat t.max. 330°C temperature range 100-330°C 3-pole 3NO 16A probe ø 6mm probe L 75mm capillary pipe 870mm capillary pipe isolated 870mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	6030FTE, 6060FTE, 6060FTRE, 6060FTRRE, 6540FTE, 6540FTECR, 6540FTRE, 6540FTRECR, 6570BRE, 6570FTE, 6570FTECR, 6570FTRE, 6570FTRECR, 6570FTRRE, 7040FTE, 7040FTECR, 7040FTES, 7040FTRE, 7070BRE, 7070BREM, 7070FTE, 7070FTECR, 7070FTRE, 7070FTRECR, 7070FTRRE, 92FTEL, 92FTELC, 92FTER, 92FTERC, 94BRE, 94BREM, 94FTEL, 94FTELC, 94FTELR, 94FTELCR, 94FTER, 94FTERC, 96BRE, 96BREM		

safety thermostats


55.10/19_ series

E-G-O




No.	375319	Ref. No.	66103400
description	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 11mm probe L 18mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe screw-in probe probe thread M14x1		
For models:	7040FRG13, 7070FRG13, AFC0001		

E-G-O




No.	375178	Ref. No.	X56700
description	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 4mm probe L 116mm capillary pipe 1500mm capillary pipe isolatedmm gland nut probe SS		
For models:	ADC003V, ADC008V, ADC009V, ADC010V		

E-G-O



No.	375282	Ref. No.	0000X43400
description	safety thermostat switch-off temp. 230°C 1-pole 16A probe ø 11mm probe L 28mm capillary pipe 850mm capillary pipe isolated 830mm gland nut probe screw-in probe probe thread M14x1		
For models:	ACC0001, ACC0002, ACC001V, ACC002V, ACC006V, ACC007V, ADC001V, ADC002V		
accessories for	375282		
	No.	507313	Ref. No. 12009837 Q307050000
	O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs		
	No.	510420	Ref. No. —
	gasket copper ED ø 19.9mm ID ø 14.3mm thickness 2mm Qty 1 pcs		
	No.	521133	Ref. No. —
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		

E-G-O



No.	390062	Ref. No.	661.021.00 X49500 Y16300
description	safety thermostat switch-off temp. 235°C 1-pole 0.5A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1500mm gland nut M9x1 probe SS		
For models:	6030FRG, 6060FRG, 6540FRG, 6570FRG, 92FRG20, 92FRG20S, 94FRG20, 94FRG20S, ACC0003, ACC003V, ACC004V, ACC005V, ACC008V, ACC010V, ADC004V, ADC006V		
accessories for	390062		
	No.	551083	Ref. No. 66103600
	cap for safety thermostat thread M8x1		

1

No.	375353	Ref. No.	Y16500
description	safety thermostat switch-off temp. 355°C 1-pole 0.5A probe ø 4mm probe L 120mm capillary pipe 870mm capillary pipe isolated 870mm gland nut probe SS		
For models:	ACK2003, ACK2004, ACK203V, ACK204V, ADH307V, ADH308V, ADH309V, ADH310V, ADH311V, ADH312V, ADK201V, ADK202V, ADK203V, ADK204V, ADK207V, ADK208V, ADK209V, ADK210V, ADL011V, ADL012V		

1

No.	375191	Ref. No.	91310050
description	safety thermostat switch-off temp. 500°C 1-pole 16A probe ø 3.9mm probe L 230mm capillary pipe 870mm capillary pipe isolated 660mm gland nut probe		
For models:	CAA0003, CAA0004, CAA0005, CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0016, CAB0017, CAB0018, CAB0019, CAB0020, CAB0026, CAB0027, CAB0029-CN, CAB0030-CN, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG, GIOTTOD, GIOTTOPI		

1

No.	375767	Ref. No.	3700014
description	safety thermostat switch-off temp. 170°C 1-pole 16A probe ø 3.1mm probe L 160mm capillary pipe 650mm capillary pipe isolated 600mm gland nut probe		
For models:	IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012, IIA4002, IIA4003		

1

No.	375910	Ref. No.	220220
description	safety thermostat switch-off temp. 115°C 1-pole 1NC 16A probe ø 6mm probe L 78mm capillary pipe 350mm capillary pipe isolatedmm gland nut M9x1 probe probe material SS		
For models:	EFB0014, EFB0019, EFC0003		

1

No.	375260	Ref. No.	PD.412H
description	safety thermostat switch-off temp. 240°C 1-pole 16A probe ø 6mm probe L 77mm capillary pipe 1280mm capillary pipe isolated 1050mm gland nut M10x1 probe SS		
For models:	AMZ0037-N		

1

No.	375316	Ref. No.	66105100
description	safety thermostat switch-off temp. 140°C 3-pole 20A probe ø 6mm probe L 173mm capillary pipe 830mm capillary pipe isolated 800mm gland nut probe SS		
For models:	7070PEI, 94PE100I, 94PE100IA, 94PE100IAS, 94PE100IS, 94PE150I, 94PE150IA		

E-G-O



No.	375364	Ref. No.	E10500
description	safety thermostat switch-off temp. 190°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 3000mm capillary pipe isolated 3000mm gland nut probe		
For models:	ACL0001, ACL0002, ACL0003, ACL001V, ACL002V, ACL003V, ADL001V, ADL002V, ADL006V, ADL007V		

E-G-O



No.	375290	Ref. No.	072027
description	safety thermostat switch-off temp. 240°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 2000mm capillary pipe isolated 1800mm gland nut probe SS		
For models:	AAC0001, AAC0002, AMZ0006, AMZ0007, AMZ0008, IFA0004		

E-G-O



No.	375312	Ref. No.	661.048.00	
description	safety thermostat switch-off temp. 245°C 3-pole 3NC 20A probe ø 4mm probe L 120mm capillary pipe 1800mm capillary pipe isolated 1800mm gland nut probe SS			
For models:	6030FRE, 6060FRE, 6540FRE, 6570FRE, 7040FRE10, 7070FRE10, AFC0003			
accessories for	375312			
	No.	550981	Ref. No.	—
	probe clip for pipe ø 8.5mm for probe ø 6mm for heating elements spacing 0.4mm Qty 1 pcs			

E-G-O



No.	375262	Ref. No.	661.045.00
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe		
For models:	6030FTE, 6060FTE, 6060FTRE, 6060FTRRE, 65110CFGE, 6540FTE, 6540FTECR, 6540FTRE, 6540FTRECR, 6570BRE, 6570CFE, 6570CFGE, 6570FTE, 6570FTECR, 6570FTRE, 6570FTRRE, 70110CFGE, 7040FTE, 7040FTECR, 7040FTES, 7040FTRE, 7070BRE, 7070BREM, 7070CFEQ, 7070CFGE, 7070CFVE, 7070FTE, 7070FTECR, 7070FTRE, 7070FTRECR, 7070FTRRE, 92FTEL, 92FTELC, 92FTER, 92FTERC, 94BRE, 94BREM, 94CFE, 94CFGE, 94CFV, 94FTEL, 94FTELC, 94FTELR, 94FTELR, 94FTER, 94FTERC, 96BRE, 96BREM, 96CFE...(Other models you can see in the webshop)		

E-G-O




No.	375252	Ref. No.	X44800
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 3000mm capillary pipe isolated 960mm gland nut probe		
For models:	ACA1004, ACA104V, ACA105V, ACA2007, ACA207V, ACA216, ACA216V, ACH301V, ACH302V, ACH303V, ACH304V, ACH305V, ACH306V, ACH307V, ACH318V, ACH319V, ACH320V, ACK1002, ACK101V, ACK102V, ADA104V, ADA106V, ADA205V, ADA208V, ADA210V, ADA212V, ADH301V, ADH302V, ADH303V, ADH304V, ADH305V, ADH306V		

E-G-O



No.	390999	Ref. No.	TER30011
description	safety thermostat switch-off temp. 350°C temperature range°C 2-pole NC 20A probe ø 3mm probe L 187mm capillary pipe 690mm capillary pipe isolated 680mm gland nut shaft ømm probe SS		
For models:	VP914RXS, VP920RXS		



No.	375065	Ref. No.	TERM0005
description	safety thermostat switch-off temp. 500°C 3-pole 3NC 20A probe ø 4mm probe L 308mm capillary pipe 890mm capillary pipe isolated-mm gland nut probe SS		
For models:	CAD0004, CAD0004-ZN, CAD0005, CAD0007, CAD0009, CAD0010, SY12100VELED, SY12100VGASD, SY1280VE, SY1280VG, SY850VELED		



No.	390610	Ref. No.	072028.1
description	safety thermostat switch-off temp. 235°C 1-pole 16A probe ø 3mm probe L 190mm capillary pipe 1000mm capillary pipe isolated 640mm gland nut probe SS		
For models:	AMZ0006, AMZ0007, IFA0004		



No.	375190	Ref. No.	91310051
description	safety thermostat switch-off temp. 560°C 3-pole 20A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 700mm gland nut probe		
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013, CAB0013-CD, CAB0014, CAB0014-CD, CAB0015, CAB0015-CD, CAB0024, CAB0024-CD, CAB0025, CAB0025-CD, CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		

accessories



No.	551083	Ref. No.	66103600
description	cap for safety thermostat thread M8x1		
For models:	7040FRG13, 7070FRG13		

56._series



No.	375263	Ref. No.	072028
description	safety thermostat switch-off temp. 232°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 510mm capillary pipe isolated 350mm gland nut		
For models:	AMZ0004, AMZ0005		


control thermostats with operation switch

55.10/19._series




No.	390039	Ref. No.	X57800
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 173mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	ADB002V, ADB003V		
accessories for	390039		
		No.	111934
		Ref. No.	3700057
	knob thermostat t.max. 90°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°		


55.13_ series



No.	375406	Ref. No.	PD.412B	
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1CO 16A probe ø 6mm probe L 113mm capillary pipe 2380mm capillary pipe isolated 1700mm gland nut M9x1 shaft ø 6x4.6mm shaft L 18mm shaft position upper rotation 270° outer switch 2NO			
For models:	NGSB990CE, NGSCD990			
accessories for	375406			
	No.	110545	Ref. No.	—
	knob dial plate silver thermostat t.max. 110°C 30-110°C rotation 310° ED ø 59mm ID ø 45.5mm			
	No.	112173	Ref. No.	—
	knob universal ø 62mm black without adaptor/dial plate			
	No.	112311	Ref. No.	—
	knob adapter shaft ø 6x4.6mm L 0mm with spring			



No.	375408	Ref. No.	PD.412C
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3.03mm probe L 160mm capillary pipe 1150mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	AHC0001, AHC0002, AHC0004, AHC0005, AHC0007, TP12EP, TP15EP		



No.	375780	Ref. No.	PD.412E
description	thermostat temperature range 120-190°C 1-pole 1NO 16A probe ø 3mm probe L 248mm capillary pipe 1730mm capillary pipe isolated 1660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
For models:	AMZ0037-N		

IMIT / TEMPOMATIC / ARTERMO

control thermostats



No.	375404	Ref. No.	003201820001
description	thermostat t.max. 110°C temperature range 0-90°C 1-pole 1CO 15A probe ø 6mm probe L 104mm capillary pipe 1400mm capillary pipe isolated 1350mm gland nut shaft ø 6x4.6mm shaft L 18mm shaft position upper rotation 270° probe material copper 400V		
For models:	IFD0001-MN		



	No.	390006	Ref. No.	072029
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°			
For models:	AXZ0003			
accessories for	390006			
	No.	110100	Ref. No.	—
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black			
	No.	110105	Ref. No.	—
	rosette knob ø 42mm ø 56mm zero mark			

CAEM
control thermostats


1

No.	390672	Ref. No.	236042	
description	thermostat t.max. 53°C temperature range fixed 53°C 1-pole 1CO 16A probe ø 9.5mm probe L 30mm capillary pipe 600mm capillary pipe isolated 540mm gland nut shaft Lmm screw-in probe probe thread M14x1			
For models:	GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072			
spare parts for	390672			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			



1

No.	390686	Ref. No.	236043
description	thermostat t.max. 83°C temperature range°C 1-pole 1CO 20A probe ø 6mm probe L 90mm capillary pipe 630mm capillary pipe isolated 550mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		

safety thermostats


1

No.	375597	Ref. No.	09952387000
description	safety thermostat switch-off temp. 335°C 1-pole 16A probe ø 5mm probe L 80mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe SS		
For models:	AIB0014, KF933U, KF965, KF981D		



1

No.	375456	Ref. No.	01951367000
description	safety thermostat switch-off temp. 335°C 2-pole 20A probe ø 3mm probe L 200mm capillary pipe 1050mm capillary pipe isolated 650mm gland nut probe SS at 250V 20A at 400V 10A		
For models:	KF630, KF733		

TECASA
safety thermostats


1

No.	390452	Ref. No.	12023830 Z213014000
description	safety thermostat switch-off temp. 125°C 1-pole 16A probe ø 6mm probe L 73mm capillary pipe 870mm capillary pipe isolated 690mm gland nut M9x1 probe SS		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		

CAMPINI
safety thermostats


1

No.	375892	Ref. No.	TER30013
description	safety thermostat switch-off temp. 318°C 1-pole 16A probe ø 3mm probe L 137mm capillary pipe 1260mm capillary pipe isolated 710mm gland nut probe SS type Ty 95-H		
For models:	VG715RXS, VP824RU, VP916RXS		

INVENSYS / ROBERTSHAW


safety thermostats




No.	580045	Ref. No.	GS.2183
description	safety thermostat switch-off temp. 232°C 1-pole 1COA probe ø 6.4mm probe L 120mm capillary pipe 760mm capillary pipe isolated-mm gland nut 3/8" NPT shaft ømm probe SS screw connection 1/4" 450°F		
For models:	AMZ0001-NM		

various

control thermostats



No.	375914	Ref. No.	TER30003
description	thermostat t.max. 290°C temperature range 50-290°C 1-pole 1NOA probe ø 3mm probe L 165mm capillary pipe 1040mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	VG715RXS, VP800U, VP824RU, VP914RXS, VP916RXS, VP920RXS		



No.	375904	Ref. No.	IB5866000
description	thermostat t.max. 90°C temperature range 0-90°C 1-pole 1NO 16A probe ø 6.5mm probe L 85mm capillary pipe 970mm capillary pipe isolatedmm gland nut shaft L 15mm shaft position upper° rotation 270° probe material copper ambient temperature max. 150°C		
For models:	IBA0012, IBA0013		

refrigeration thermostats

RANCO

K22 series



No.	390524	Ref. No.	NR23591
description	thermostat RANCO type K22L1082 probe ømm probe Lmm capillary pipe 2000mm temperature range -22 up to -3°C		
For models:	BAA0019, BAA0022, BAA0023, BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0033, BAA0034, BAA0037, BAA0038, BAA0046, BAA0046W, BAA0051, BAA0053-A, BAA0055		



No.	390589	Ref. No.	NR23597
description	thermostat RANCO type K22L1083 probe ø 2mm probe Lmm capillary pipe 2300mm		
For models:	BAA0040		

K50 series



No.	390288	Ref. No.	N23034 NR23034
description	thermostat RANCO type K50L3163 probe ømm probe Lmm capillary pipe 2100mm temperature range -24 up to -14°C		
For models:	BAB0001, BAB0001-W, BAB0002, BAB0002-W, BAB0003, BAB0004		



No.	390588	Ref. No.	NR23421
description	thermostat RANCO type K50L3274 probe ø 2mm probe Lmm capillary pipe 3000mm		
For models:	BAA0032, BAA0033, BAA0034, BAB0003, BAB0004, BAB0005, BAC0007, BAC0008		

			
No.	390286	Ref. No.	NR23005
description	thermostat RANCO type K50L3383 probe ømm probe Lmm capillary pipe 1500mm temperature range +1 up to +3°C		
For models:	BAA0019, BAA0022, BAA0023, BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0037, BAA0038, BAA0040, BAA0046, BAA0046W, BAA0051, BAA0053-A, BAA0055, BAB0001, BAB0001-W, BAB0002, BAB0002-W, BAC0009		

ATEA			
			
No.	390522	Ref. No.	1025
description	thermostat ATEA type A01 0716 probe ø 2mm probe Lmm capillary pipe 1200mm		
For models:	EAA0002, EAA0003, EBZ0001-CN, EBZ0002-CN, EBZ0003-CN		

accessories

probe clips

spring clips

for thermostat

			
No.	550041	Ref. No.	063001
description	probe clip for pipe ø 7mm for probe ø 6mm		
For models:	AAC0001, AAC0002, AMZ0004, AMZ0005, AMZ0006, AMZ0007, AMZ0008, AMZ0024, IFA0004		

			
No.	550419	Ref. No.	238.003.00
description	probe clip for pipe ø 8.5mm for probe ø 6mm Qty 1 pcs		
For models:	6030FRE, 6060FRE, 6540FRE, 6570FRE, 7040FRE10, 7070FRE10, AFC0003		

			
No.	550258	Ref. No.	M86500
description	probe clip for pipe ø 8mm for probe ø 6mm		
For models:	ACC0003, ACC003V, ACC004V, ACC008V, ACC010V, ADC004V		

for safety thermostat

			
No.	550795	Ref. No.	PIA30014
description	probe clip for pipe ø 6mm for probe ø 3.5mm Qty 1 pcs for oven		
For models:	VP800U, VP824RU, VP914RXS, VP920RXS		

capillary tube clips

			
No.	551105	Ref. No.	M86800
description	capillary tube clip for pipe ø 6mm Qty 1 pcs		
For models:	ACC0003, ACC003V, ACC008V, ACC010V, ADC004V		

			
No.	550138	Ref. No.	063002
description	capillary tube clip for pipe ø 8.5mm for circular tube heating elements		
For models:	AAC0001, AAC0002, AMZ0004, AMZ0005, AMZ0006, AMZ0007, AMZ0008, AMZ0024, IFA0004		

			
No.	550980	Ref. No.	M86900
description	capillary tube clip for pipe ø 8.5mm Qty 1 pcs		
For models:	ACC004V		

plunger sockets

			
No.	513031	Ref. No.	929038
description	thermowell L 125mm SS single		
For models:	GLB0046		



1

No.	505207	Ref. No.	Z263002000
description	thermowell thread M12x1.75 IT ET M12x1.75 ID ø 8mm L 95mm SS/brass single ø 10mm		
For models:	GLB0061C-F, GLB0063C-F		

connecting bows



1

No.	550060	Ref. No.	3700007 661.013.00 X44600
description	connecting bow long for thermostat Qty 1 pcs		
For models:	6030BME, 6030FRE, 6030FTE, 6060BME, 6060FRE, 6060FTE, 6060FTRE, 6060FTRRE, 65110CFGE, 6540BME, 6540FRE, 6540FTE, 6540FTECR, 6540FTRE, 6540FTRECR, 6570BME, 6570BRE, 6570CFE, 6570CFGE, 6570FRE, 6570FTE, 6570FTECR, 6570FTRE, 6570FTRECR, 6570FTRRE, 70110CFGE, 7040BME, 7040FRE10, 7040FTE, 7040FTECR, 7040FTES, 7040FTRE, 7070BME, 7070BRE, 7070BREM, 7070CFEQ, 7070CFGE, 7070CFVE, 7070FRE10, 7070FTE, 7070FTECR, 7070FTRE, 7070FTRECR, 7070FTRRE, 92BME, 92FRE18, 92FRE18S, 92FTEL, 92FTELC, 92FTER... (Other models you can see in the webshop)		

switches and momentary switches

rocker/momentary rocker switches

19x13mm



1

No.	301066	Ref. No.	661.072.00	
description	rocker switch mounting measurements 19x13mm black 2NO 250V 6A 0-I connection male faston 4.8mm ambient temperature max. 85°C protection IP40			
For models:	6060CFE			
accessories for	301066			
	No.	301064	Ref. No.	—
	protective cover for pressure switch external size 23.4x17.4mm internal size 19x13mm H 7.5mm clear mounting measurementsmm			

28x13.5mm



1

No.	346957	Ref. No.	KODK005
description	rocker switch mounting measurements 28x13.5mm green 1NO 250V 6A illuminated ON-OFF connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	FGZ0014		

30x11mm



1

No.	345489	Ref. No.	Z403033000
description	momentary rocker switch mounting measurements 30x11mm orange 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 90°C protection IP40		
For models:	GLB0061C-F, GLB0063C-F		



1

No.	301013	Ref. No.	F132
description	rocker switch mounting measurements 30x11mm black 1CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
For models:	EBZ0001-CN, EBZ0002-CN, EBZ0003-CN, MISSOFTY		



1

No.	345575	Ref. No.	F133
description	rocker switch mounting measurements 30x11mm black 1CO 250V 16A I O II connection male faston 6.3mm ambient temperature max. 90°C protection IP40 with neutral position		
For models:	EBZ0001-CN, EBZ0002-CN, EBZ0003-CN		



1

No.	301038	Ref. No.	SHELSWAYA100
description	rocker switch mounting measurements 30x11mm green 1NO/indicator light 250V 16A connection male faston 6.3mm		
For models:	IEA0002-I, IEC0002-I		

30x22mm



1

No.	301018	Ref. No.	3700102	
description	momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65			
For models:	IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012			
accessories for	301018			
	No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

			
No.	301020	Ref. No.	91310090 INTE0012
description	momentary rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65		
For models:	CAA0003, CAA0004, CAA0005, CAD0007		

			
No.	301003	Ref. No.	91310085 B00DU102 INTE0010
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	9925F, 9931F, 9932F, BMA0013-F, BMA0034-F, BMA0038-F, BMA0098, BMA0099, BMB0002-F, BMB0002-FG, BMB0004-F, BMB0014-F, BMB0014-FG, BMB0015-F, BMB0042-F, BMB0046-F, BMC0001-F, BMC0001-FG, BMC0003-F, BNA0068, BNA0069, BNC0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0007-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CAA0003, CAA0004, CAA0005, CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016...(Other models you can see in the webshop)		
accessories for	301003		
	No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

			
No.	301002	Ref. No.	IB5806000 INTE0009
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP65		
For models:	CAD0004, CAD0005, CAD0007, IBA0012, IBA0013, SY850VELED		
accessories for	301002		
	No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

			
No.	345512	Ref. No.	160801-04
description	rocker switch mounting measurements 30x22mm orange 2NO 400V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
For models:	EFB0008, EFB0008-C, EFB0009, EFB0009-C, EFB0017, EFB0018, EFC0003		

			
No.	301001	Ref. No.	INTE0004 R042
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	BGB0001, BGB0002, BGB0003, BGB0004, BGB0005, BGB0006, BGB0007, BGB0008, BGB0009, BGB0010, BGB0011, BGB0012, BGB0013, BGB0014, BGB0015, BGB0016, BGB0017, BGB0018, BGB0019, BGB0022, BGB0023, BGB0024, BGB0025, BGB0026, BGB0027, BGB0028, BGB0029, BGB0044, BGB0050, BHZ0001, BHZ0002, BHZ0003, BHZ0004, BHZ0005, BHZ0006, BHZ0007, BHZ0008, BHZ0009, BHZ0010, BHZ0011, BHZ0012, BHZ0013, BHZ0034, BHZ0035, BHZ0036, BHZ0037, BHZ0038, BHZ0039, CAD0005, IFF0001...(Other models you can see in the webshop)		
accessories for	301001		
	No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

			
No.	345491	Ref. No.	12039115 Z213033000
description	momentary rocker switch mounting measurements 30x22mm orange 1NO/indicator light 250V 16A connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN		
accessories for	345491		
	No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

			
No.	346689	Ref. No.	Z203080000
description	momentary rocker switch mounting measurements 30x22mm orange 1NO/indicator light 230V 16A illuminated connection male faston 6.3mm ambient temperature max. 125°C protection IP40		
For models:	GLB0061C-F, GLB0063C-F		

			
No.	301062	Ref. No.	SHELSONA100
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		
For models:	IEA0002-I, IEC0002-I		
accessories for	301062		
	No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

			
No.	301060	Ref. No.	073004
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	AJE0002, AJE0003, AJE0006, AJE0007, ARZ0004, ARZ0005, AXZ0003, IFB0001, IFB0002		



1

No.	301004	Ref. No.	F131	
description	rocker switch mounting measurements 30x22mm black 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40			
For models:	EBZ0001-CN, EBZ0002-CN, EBZ0003-CN			
accessories for	301004			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				



1

No.	301188	Ref. No.	1350	
description	rocker switch mounting measurements 30x22mm black 2NO/2NO 250V 16A I O II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40			
For models:	EBZ0001-CN, EBZ0002-CN, EBZ0003-CN, MISSOFTY			
accessories for	301188			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				



1

No.	346361	Ref. No.	INTE0011
description	rocker switch mounting measurements 30x22mm white 2CO 250V 16A I-II connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	CAD0007		
accessories for	346361		
	No.	301036	Ref. No.
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

blank



1

No.	346144	Ref. No.	210018	
description	push switch mounting measurements 30x22mm white 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65			
For models:	EEC0001, EED0010, EFF0002-Q			
accessories for	346144			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

labelled



1

No.	300125	Ref. No.	3700100 N23327 X50800	
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
For models:	ACB0004, ACB002V, ACB004V, ACD001V, ACD002V, ACK301V, ACK302V, ACK303V, ACK304V, BAA0019, BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0037, BAA0038, BAA0040, BAA0046, BAA0046W, BAA0051, BAB0001, BAB0001-W, BAB0002, BAB0002-W, BAB0003, BAB0004, BAB0005, IIA4002, IIA4003, IIA5005, IIA5006, IIA5010, IIA5011, IIA5012, IIA5013, IIA5014, IIA5015, Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ ER15, Z/ER23, Z/ER8			
accessories for	300125			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

					
1					
No.		301006	Ref. No.	3700101	
description		rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
For models:		IIA5005, IIA5006, IIA5010, IIA5011, IIA5012, IIA5013, IIA5014, IIA5015			
accessories for		301006			
		No.	301036	Ref. No.	—
		protective cover internal size 30x22mm for rocker switch mounting measurementsmm			



1

No.	346868	Ref. No.	19410102	
description	rocker switch mounting measurements 30x22mm white 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
For models:	AWZ0017			
accessories for	346868			
	No.	301036	Ref. No.	—
				

1

				
No.	347412	Ref. No.	160802-04	
description	rocker switch mounting measurements 30x22mm orange/orange 1NO/NO 250V 16A illuminated 0-I/0-II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40			
For models:	EFB0001, EFB0002, EFB0003, EFB0004			
accessories for	347412			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				



1

No.	345747	Ref. No.	073009	
description	rocker switch mounting measurements 30x22mm red/red 1NO/NO 250V 16A with LED 0-I/0-II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40			
For models:	AJG0001, AJG0002			
accessories for	345747			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

ø20mm			
			
No.	357074	Ref. No.	C5120729
description	rocker switch mounting measurements 20mm red 2NO 250V 10A I O connection male faston 4.8mm ambient temperature max. 85°C protection IP40		
For models:	53054-CN, 53304, AJD0002-CCN, AJD0003-CCN, AJD0014-C, AJD0019-C		

push/momentary push switches

28.5x28.5mm

			
No.	346317	Ref. No.	09950067023
description	momentary push switch mounting measurements 28.5x28.5mm black 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	AAA2001		

30x22mm

			
No.	301086	Ref. No.	4.0.085.0018
description	push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar		
For models:	EHZ0001		



1

No.	345712	Ref. No.	00000000296	
description	push switch mounting measurements 30x22mm red/green 2CO 250V 16A Stop / I connection male faston 6.3mm ambient temperature max. 85°C protection IP40 with indicator			
For models:	8921, 8922			
accessories for	345712			
	No.	301127	Ref. No.	00000000285
	protective cover internal size 30x55mm transparent			



			
No.	345510	Ref. No.	00000000306
description	push switch mounting measurements 30x22mm red/green 2NO 250V 16A latching Stop / I connection male faston 6.3mm ambient temperature max. 85°C protection IP40 with indicator		
For models:	8920, 8922		

ø16mm

			
No.	301100	Ref. No.	663.041.00
description	momentary push switch mounting ø 16mm red 1NO 250V 3A ignition connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	6060CFG, 6060CFGE		



1

No.	346315	Ref. No.	11950427000
description	momentary push switch mounting ø 16mm red 1NO/indicator light 250V 3A connection male faston 2.8mm ambient temperature max. 85°C protection IP40		
For models:	KF1001G		

accessories for	346315	No.	346343	Ref. No.	—
 protective cover					
 ring for protecting cover					

ø19.2mm



1

No.	346414	Ref. No.	LF1041001
description	momentary push switch mounting ø 19.2mm silver 1NC/1NO 250V 5A SS connection soldering connection ambient temperature max. 85°C protection IP40		
For models:	FIF0014, FIG0002, FIG0009M, FIG0010, TC32BU		



1

No.	346415	Ref. No.	LF1041000
description	momentary push switch mounting ø 19.2mm silver 1NO 50V 0.05A with LED connection soldering connection ambient temperature max. 85°C protection IP40		
For models:	FIF0014, FIG0002, FIG0009M, FIG0010, TC32BU		

ø22mm



1

No.	347425	Ref. No.	X56200 X69100
description	momentary push switch mounting measurements ø22mm black 1NC/1NO 250V 5A connection screw ambient temperature max. 85°C protection IP40		
For models:	ADK202V, ADK204V, ADK208V, ADK210V		



1

No.	347426 ¹	Ref. No.	X56300 X69000
description	momentary push switch mounting measurements ø22mm red 1NC/1NO 250V 5A connection screw ambient temperature max. 85°C protection IP40		
For models:	ADK202V, ADK204V, ADK208V, ADK210V		

¹incl. knob


1

No.	348220	Ref. No.	12115383
description	momentary push switch mounting ø 22mm silver 1NO/1NC/indicator light 220V 5A connection male faston 2.8mm round		
For models:	GLB0035-F, GLB0037-F, GLB0061C-F, GLB0063C-F		



1

No.	401357	Ref. No.	F2138
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-1 connection screw ambient temperature max. 125/55°C protection IP40		
For models:	FHZ0003, FIF0001, FIF0002, FIF0003-22HP, FIF0004, FIF0005, FIG0003-F, FIG0011-F, TCG22E-F		

spare parts for	401357	No.	346181	Ref. No.	—
 push button mounting ø 21mm external size 30x55mm oval					

accessories for	401357	No.	401709	Ref. No.	—
 protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm					



1

No.	699002	Ref. No.	SL0891
description	momentary push switch mounting ø 22mm black/white 1NO/1NC/indicator light 230V 6A 0-1 connection screw ambient temperature max. 70°C protection IP40		
For models:	CBF0001		



1

No.	301058	Ref. No.	00000000653
description	protective cover internal size 30x55mm		
For models:	8921, 8922		



1

No.	301127	Ref. No.	00000000285
description	protective cover internal size 30x55mm transparent		
For models:	8922		

ø25mm



1

No.	346312	Ref. No.	09951677000
description	momentary push switch mounting ø 25mm black 1NO 250V 16A water connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	AIB0014, AIB0015, KF1001G, KF630, KF933U, KF965		



1

No.	347355	Ref. No.	PUL30003
description	momentary push switch mounting ø 25mm red 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	VP800U		



1

No.	346316	Ref. No.	09951707000
description	push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	AIB0014, AIB0015, KF1001G, KF965, KF981D		

overload switches



1

No.	347067	Ref. No.	19410152
description	push switch KJD17 mounting measurements 45x22mm black/white 2NO/A1 250V 10A I O connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP54 with cover cap		

miscellaneous



1

No.	346955	Ref. No.	IB5804402	
description	momentary push switch mounting measurements 29x29mm black 1NO 250V 6A connection screw VORTEX			
For models:	FJZ0010, FJZ0011, FJZ0012			
accessories for	346955			
	No.	346960	Ref. No.	IB4104002
	protection cap for push-button L 45mm W 21mm			

accessories

protective covers



1

No.	346960	Ref. No.	IB4104002	
description	protection cap for push-button L 45mm W 21mm			
For models:	FJZ0010, FJZ0011, FJZ0012			
accessories for	346960			
	No.	346955	Ref. No.	IB5804402
	momentary push switch mounting measurements 29x29mm black 1NO 250V 6A connection screw VORTEX			

microswitches

universal



1

No.	345042	Ref. No.	IB5820800 N23196	
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black			
For models:	BAB0003, BAB0004, BAB0005, DRAGONEVV, MULTIPLO2S, MULTIPLO3S			
accessories for	345042			
	No.	345043	Ref. No.	—
	lever set 5-piece			



1

No.	348043	Ref. No.	MSC04N262
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm Lmm L1 27.8mm ambient temperature max. 125°C mounting distance 22mm with lever set type MS1-16 actuating force: 100g white		
For models:	FLA0014, FLA0015, FLA0016		

lever actuated



No.	347035	Ref. No.	0900466
description	microswitch with lever 30V 1A 1CO connection with cable L 25mm ambient temperature max. 85°C type D2FW-G 271M actuating force: 80g lever length 21mm		
For models:	FGZ0009		



No.	347034	Ref. No.	0900465
description	microswitch with lever 30V 1A 1NO connection with cable L 18mm ambient temperature max. 85°C type D2FW-G 271M actuating force: 100g lever length 25mm		
For models:	FGZ0006, FGZ0007, FGZ0009, FGZ0012, FGZ0013, FGZ0025, FGZ0026, FGZ0027, FGZ0028		



No.	347010	Ref. No.	IB5820700
description	microswitch with lever 250V 16A 1CO connection male faston 4.8mm L 36mm ambient temperature max. 105°C mounting distance 22mm type D3V-16G443-1C25-K actuating force: 50g lever length 28mm		
For models:	MULTIPL02S, MULTIPL03S		



No.	346314	Ref. No.	09951147000 09951727000
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 56mm ambient temperature max. 125°C mounting distance 22mm type VRSR01DA1 actuating force: 50g		
For models:	AAA2002, AIB0014, AIB0015		



No.	345773	Ref. No.	761.004.00 X52800
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm actuating force: 65g lever length 51mm		
For models:	6060FRE, 6540FRE, 6570FRE, 7040FRE10, 7070FRE10, 92FRE18, 92FRE18S, 94FRE18, 94FRE18S, ACC0003, ACC003V, ACC004V, ACC005V, ACC008V, ACC010V, ADC004V, ADC006V		



No.	345125	Ref. No.	927246
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 25mm type C99ZP3 actuating force: 25g lever length 63.5mm		
For models:	GLB0046		



No.	346506	Ref. No.	661.019.00
description	microswitch with lever 1NO lever length 66mm		
For models:	6030FRE, 6060FRE, AFC0003		



No.	346865	Ref. No.	1061/UL
description	microswitch with lever 250V 5A connection male faston 6.3mm ambient temperature max. 125°C type 831540		
For models:	EBZ0001-CN, EBZ0002-CN, EBZ0003-CN		

roller-lever actuated

microswitches



No.	346893	Ref. No.	MSC04N292
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 125°C mounting distance 22mm white		
For models:	FLA0014, FLA0015, FLA0016		



No.	345041	Ref. No.	SL0885
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C black lever length 20.5mm		
For models:	CBF0001, CBF0002, CBF0003		

			
1			
No.	345250	Ref. No.	661.052.00
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm L 27mm L1 36mm ambient temperature max. 125°C mounting distance 22mm type RL6-1-FGE-P12-5-L actuating force: 90g		
For models:	6570BRE, 7070BRE, 7070BREM, 7070BRGM		

pin-plunger actuated

			
1			
No.	347798	Ref. No.	A61424L0AG ANE61424L0AG
description	microswitch with plunger 250V 15A 1NO connection male faston 4.8mm L 20mm L2 22mm ambient temperature max. 105°C mounting distance 22mm type W-15-302C actuating force: 200g white		
For models:	NE1643, NE1653, NE1843, NE2140, NE3240		





1

	No.	345042	Ref. No.	IB5820800 N23196
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black			
For models:	BAB0003, BAB0004, BAB0005, DRAGONEVV, MULTIPLO2S, MULTIPLO3S			
accessories for	345042			
	No.	345043	Ref. No.	—
 lever set 5-piece				

			
1			
No.	347411	Ref. No.	160821
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L1 29.6mm ambient temperature max. 125°C mounting distance 22mm type V15T16-CZ100 actuating force: 46g grey		
For models:	EFB0001, EFB0002, EFB0003, EFB0004, EFB0008, EFB0008-C, EFB0009, EFB0009-C		

M10			
			
1			
No.	347216	Ref. No.	09950437000 96102100
description	microswitch with plunger thread M10x0.75 thread L 14mm 250V 10A 1CO connection male faston 6.3mm stroke 7.5mm mounting distance 22mm L 28mm ambient temperature max. 125°C type NR6K5 actuating force: 260g		
For models:	94BRE, 94BREM, 94BRG, 94BRGM, 96BRE, 96BREM, 96BRG, 96BRGM, BGEU411, BGEU611, BGEV1011, GEU411, GEU411P, GEU611, GEU611P, GEV1011, GEV1011P, KF1001G, KF630, KF733, KF933U, KF965, KF981D		



1

No.	345678	Ref. No.	073003 19410201
description	microswitch with plunger thread M10x0.75 thread L 16mm 250V 16A 1NO connection male faston 6.3mm stroke 2.5mm mounting distance 22mm ambient temperature max. 125°C actuating force: 290g		
For models:	AAC0001, AAC0002, AMZ0004, AMZ0005, AMZ0006, AMZ0007, AMZ0008, AMZ0024, FEB0031, FEB0033, FEB0034, FEB0035, IFA0004, MIRRA300, PALLADIO300AM, PALLADIO300T, PALLADIO330T, PALLADIO350AM		
accessories for	345678		
	No.	100779	Ref. No. —
nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs			

			
1			
No.	345032	Ref. No.	MSC04N276
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	FLA0014, FLA0015, FLA0016		

M12



1

No.	345350	Ref. No.	R31600	
description	microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g			
For models:	ACK301V, ACK302V, ACK303V, ACK304V			
accessories for	345350			
	No.	345351	Ref. No.	—
nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs				



1

No.	346176	Ref. No.	X54900
description	microswitch with plunger mounting distance 25mm thread M12x0.75 250V 1CO ambient temperature max. 125°C type MK V11D10		
For models:	ACK2003, ACK2004, ACK203V, ACK204V, ADK201V, ADK202V, ADK203V, ADK204V, ADK207V, ADK208V, ADK209V, ADK210V		

miscellaneous



1

No.	347432	Ref. No.	160817
description	microswitch front fixing 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C thread M12x0.8		
For models:	EFB0014		

with push button

switches with snap-fit



1

No.	348008	Ref. No.	B00DU103
description	microswitch with push button 250V 2.5A 1NO/1NC connection male faston 2.8mm/6.3mm L 27mm L1 22mm ambient temperature max. 104°C actuating force: 180g		
For models:	BMA0013-F, BMA0034-F, BMA0038-F, BMA0098, BMA0099, BMB0002-F, BMB0002-FG, BMB0004-F, BMB0014-F, BMB0014-FG, BMB0015-F, BMB0042-F, BMC0001-F, BMC0001-FG, BMC0003-F		

roller actuated

roller 0°



1

No.	347155	Ref. No.	MIC00308
description	microswitch with roller plunger 15A 1CO connection screw thread M12x1 type Z15G1308		
For models:	CBG0010-M, CBG0011-M, CBG0013-M		

accessories



1

No.	698204	Ref. No.	MSC04N264
description	bracket for microswitch C4-C6		
For models:	FLA0014, FLA0015, FLA0016		



1

No.	346395	Ref. No.	F2163
description	cover for microswitch L 80mm W 60mm H 70mm		
For models:	FHZ0003, FIF0004, FIF0005, TCG22E-F		



1

No.	347061	Ref. No.	MSC04N274
description	spacer ring for microswitch ID ø 10mm ED ø 14mm thickness 4mm		
For models:	FLA0014, FLA0015, FLA0016		

position switches

EMAS



1

No.	348162	Ref. No.	B00DU106
description	position switch plastic 1NC/1NO 240V 3A L 93mm W 30mm H 30mm protection IP67 actuating force: 750g screw connection PG13.5 mounting distance 22mm		
For models:	VAEK170-F, VAEK210-F, VAEK220-F, VAEN030-F, VAEN060-F, VAEN075-F		

system switches (ROLD)



1

No.	345721	Ref. No.	226102
description	blank cap holder		
For models:	OPT1012C		

			
1			
No.	346848	Ref. No.	226111
description	element holder dimensions 25x25mm ID ø 21.4mm grey		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072, OPT1012C		

			
1			
No.	347150	Ref. No.	226113
description	element holder mounting measurements 23.6x14.6mm grey arched for push buttons 11x21mm		
For models:	GLB0070		

			
1			
No.	346201	Ref. No.	226080
description	element holder mounting measurements 28.5x77.5mm grey three-fold element holder		
For models:	OPT1012		

			
1			
No.	345601	Ref. No.	299035
description	indicator lamp holder V ø 11mm		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		

			
1			
No.	345606	Ref. No.	226071
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		

			
1			
No.	347842	Ref. No.	227064
description	push button ø 21mm grey edition		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072, OPT1012C		

			
1			
No.	347470	Ref. No.	227065
description	push button ø 21mm grey with lens shaft 3.5x3.5mm suitable for ROLD		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		

			
1			
No.	346816	Ref. No.	227035
description	push button ø 23mm black		
For models:	OPT1012		

			
1			
No.	347152	Ref. No.	227067
description	push button size 11x21mm blue		
For models:	GLB0070		

			
1			
No.	346847	Ref. No.	409003
description	rotary disc green/black disc ø 18.7mm		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		



1

No.	345722	Ref. No.	4.0.000.0510
description	switch 1NO 250V 16A connection male faston 6.3mm		
For models:	EFA0016, EFA0023		



1

No.	345605	Ref. No.	208010
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072, OPT1012C		



1


No.	346851	Ref. No.	80804
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	GLB0070, OPT1012		



1

No.	345720	Ref. No.	4.0.000.0513
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	EAB0009		

float switches



1

No.	347494	Ref. No.	PD.404Q
description	float switch thread M16x1.5 1NO or 1NC ø 17mm L 88mm mounting ø 16mm 250V 1A cable cable length 520mm temp.-resist. -20 up to +105°C		
For models:	NGSB990CE, NGSCD990		

cam switches

on/off




1

No.	301115	Ref. No.	073015.46
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		
For models:	AJA0014, AJA0015, AJA0017, AJA0018, AJG0011, AMZ0024		



1

No.	300129	Ref. No.	073016
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	2158, 2623, AAC0001, AAC0002, AJA0016, AJE0001, AJE0002, AJE0003, AJE0005, AJE0006, AJE0007, AJH0003, AJH0008, AJH0009, AMZ0004, AMZ0005, AMZ0006, AMZ0007, APZ0001, APZ0012, ARZ0004, ARZ0005, ARZ0006, IFA0004		



1

No.	300151	Ref. No.	X51300
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	ACK1002, ACK101V, ACK102V, ADK201V, ADK202V, ADK203V, ADK204V, ADK207V, ADK208V, ADK209V, ADK210V		




1

No.	300176	Ref. No.	073005
description	cam switch 2 operating positions 4NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	AMZ0008, APZ0002		

4-position




1

No.	300023	Ref. No.	073055
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection screw 4-position ceramic		
For models:	AJA0015, AJG0011		



1

No.	300104	Ref. No.	X44000
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	ACE003V, ACE004V, ACE008V, ADE003V, ADE004V		

7-position




1

No.	300004	Ref. No.	X54100
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic		
For models:	ACA1001, ACA1002, ACA1004, ACA101V, ACA102V, ACA104V, ACA105V, ACJ005V, ACJ007V, ACJ008V, ADA101V, ADA103V, ADA104V, ADA106V		




1

No.	300025	Ref. No.	073007 661.002.00
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
For models:	6030PCE, 6060CFE, 6060PCE, 6540PCE, 6570CFE, 6570PCE, 7040PCE, 7040PCEQ, 7070CFEQ, 7070PCEQ, 92PCE, 94CFE, 94PCE, 96CFE, 96PCE, AOZ0001, AOZ0002		


accessories for	300025		
	No.	112172	Ref. No.
	—		
	No.	112213	Ref. No.
	—		
	No.	112311	Ref. No.
	—		




1


No.	300106	Ref. No.	96100000
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		
For models:	92PCE, 94CFE, 94PCE, 96CFE, 96PCE		

3 operating positions

1

No.	300167	Ref. No.	E11000
description	cam switch 3 operating positions 2NO/1CO sequence 0-1-2 16A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	ACL0002, ACL002V, ADL001V, ADL002V, ADL003V, ADL004V, ADL005V		



1

No.	345492	Ref. No.	Z213003000
description	cam switch 3 operating positions 3NO sequence 1-0-2 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		
For models:	GLB0061C-F, GLB0063C-F		

4 operating positions



1

No.	300229	Ref. No.	COM30001
description	cam switch 4 operating positions 4NO sequence 0-1-0-2 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	VP914RXS, VP916RXS, VP920RXS		




1

No.	300210	Ref. No.	661.037.00	
description	cam switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft Ø 6x4.6mm shaft L 23mm connection screw ceramic			
For models:	6060CPE, 6540CPE, 6570CPE, 7040CPE, 7070CPE, 92CPE, 92CPES, 94CPE, 94CPES, AFE0002			
accessories for	300210			
	No.	551456	Ref. No.	—
	gasket for switch ED Ø 14mm ID Ø 2.5mm thickness 3.5mm white			



1

No.	300145	Ref. No.	66106200
description	cam switch 4 operating positions 4NO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	7070PEI, 94PE100I, 94PE100IA, 94PE100IAS, 94PE100IS, 94PE150I, 94PE150IA		




1

No.	347386	Ref. No.	Z273005000
description	cam switch 4 operating positions 6NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7LA 840601		
For models:	OPT1012-CF		



1

No.	347817	Ref. No.	12024445
description	cam switch 4 operating positions 8NO sequence 1-0-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN		



1


No.	300184	Ref. No.	X44100
description	cam switch 4 operating positions sequence 0-3-2-1 shaft ø 6x4.6mm connection male faston 4-pole		
For models:	ACA1004, ACA104V, ACA105V, ACA2007, ACA207V, ACA216, ACA216V, ADA104V, ADA106V, ADA205V, ADA208V, ADA210V, ADA212V		



1

No.	345493	Ref. No.	Z223001000
description	cam switch 4 operating positions sequence 1-0-2-3 shaft ø 6x4.6mm connection male faston 8-pole		
For models:	GLB0061C-F, GLB0063C-F		

5 operating positions



1

No.	300114	Ref. No.	661.074.00
description	cam switch 5 operating positions 5NO sequence 0-1-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		
For models:	6060CFE, 6060CFGE		

7 operating positions



1

No.	301298	Ref. No.	12024932
description	cam switch 7 operating positions 12NO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic 12-pole		
For models:	OPT1012-CF		



1

No.	300269	Ref. No.	661.125.00
description	cam switch 7 operating positions 16A sequence 0-1-2-3-4-5-6 shaft ø 6x4.6mm shaft L 23mm connection screw		

10 operating positions



1

No.	301205	Ref. No.	01950037000
description	cam switch 10 operating positions 5NO/1CO sequence 0-1-2-3-4-5-6-7-8-9 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	AIB0017		



1


No.	345666	Ref. No.	X68204
description	cam switch 10 operating positions 6NO/1CO sequence 0-1-2-3-4-5-6-7-8-9 8A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	ACA2010, ACA206V, ACA210V		

operation switches




1

No.	300080	Ref. No.	661.000.00
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
For models:	6030BME, 6030FRE, 6030FTE, 6030SPE, 6060BME, 6060FRE, 6060FTE, 6060FTRE, 6060FTRRE, 65110CFGE, 6540BME, 6540FRE, 6540FTE, 6540FTECR, 6540FTRE, 6540FTRECR, 6540SPE, 6570BME, 6570BRE, 6570CFE, 6570CFGE, 6570FRE, 6570FTE, 6570FTECR, 6570FTRE, 6570FTRECR, 6570FTRRE, 70110CFGE, 7040BME, 7040FRE10, 7040FTE, 7040FTECR, 7040FTES, 7040FTRE, 7040SPE, 7070BME, 7070BRE, 7070BREM, 7070CFEQ, 7070CFGE, 7070CFVE, 7070FRE10, 7070FTE, 7070FTECR, 7070FTRE, 7070FTRECR, 7070FTRRE, 92BME, 92FRE18, 92FRE18S...(Other models you can see in the webshop)		
accessories for	300080		
	No.	551456	Ref. No. —
	gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white		



1

No.	301214	Ref. No.	91310095
description	cam switch 2 operating positions operation switch 16A sequence 0-1 shaft ø 6x4.6mm shaft L 33mm connection male faston 6.3mm plastic ambient temperature max. 150°C		
For models:	CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035		



1

No.	300180	Ref. No.	961.031.00
description	cam switch 2 operating positions operation switch 32A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		



1

No.	300269	Ref. No.	661.125.00
description	cam switch 7 operating positions 16A sequence 0-1-2-3-4-5-6 shaft ø 6x4.6mm shaft L 23mm connection screw		

1

No.	345668	Ref. No.	X49700
description	operation switch		
For models:	ACA1004, ACA104V, ACA105V, ACA2007, ACA207V, ACA216, ACA216V, ACH301V, ACH302V, ACH303V, ACH304V, ACH305V, ACH306V, ACH307V, ACH318V, ACH319V, ACH320V, ADA104V, ADA106V, ADA205V, ADA208V, ADA210V, ADA212V, ADH301V, ADH302V, ADH303V, ADH304V, ADH305V, ADH306V		



1

No.	300183	Ref. No.	01950337400
description	operation switch 5 operating positions 5NO 16A sequence 0-1-2-3-4 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic ambient temperature max. 270°C		
For models:	AAA2002		



1

No.	300091	Ref. No.	3700003 Y16200
description	operation switch EGO 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	ACC0003, ACC003V, ACC004V, ACC005V, ACC008V, ACC010V, ACK2003, ACK2004, ACK203V, ACK204V, ADC004V, ADC006V, IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012, IIA4002, IIA4003		

rotary switches

BREMAS

A1600 series



1

No.	347401	Ref. No.	205004
description	rotary switch 4 momentary switch-0-1-momentary switch sets of contacts 8 type CS0077762 600V 16A shaft ø 5x5mm shaft L 22mm shaft square connection screw		
For models:	OPT1012		

A1700 series



1

No.	346397	Ref. No.	5.0.000.0061	
description	rotary switch 3 0-1-2 sets of contacts 6 type CA020V200 400V 20A shaft ø 5x5mm shaft L 23mm shaft square connection screw			
For models:	EFA0015, EFA0016, EFA0023			
accessories for	346397			
	No.	110619	Ref. No.	—
	knob switch zero mark t.max.°C°C ø 48mm shaft ø 5x5mm shaft flat black			

GOTTAK



1

No.	347874	Ref. No.	12023965
description	rotary switch 5 0-1-2-3-4 sets of contacts 10 type 46RCTH 400V 16A shaft ø 6x4.6mm shaft L 23mm shaft 6x4.6 connection male faston 6.3mm		
For models:	OPT1012-CFN		

producer-specific rotary switches
DIHR / KROMO



No.	345896	Ref. No.	0065736
description	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs		
For models:	FGZ0009		

miscellaneous




No.	347040	Ref. No.	0220060
description	rotary switch sets of contacts 3 2 0-1 momentary type 400V 32A shaft ø 5x5mm shaft Lmm connection screw		
For models:	FGZ0007, FGZ0009, FGZ0027, FGZ0028		

accessories
levers


No.	347041	Ref. No.	0220065
description	knob 2 0-1 typeVA shaft ømm shaft Lmm connection for rotary switch		
For models:	FGZ0007, FGZ0009, FGZ0027, FGZ0028		

magnetic switches
36x13mm


No.	345335	Ref. No.	IV5820000
description	magnetic switch L 36mm W 13mm 1NO 250V 0.04A P max. 10W connection cable cable length 960mm		
For models:	FLA0028		
accessories for	345335		
	No.	519049	Ref. No.
			—
magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm			



No.	345118 ¹	Ref. No.	211002 211002AG 80871 F2066 PD.424D
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection cable cable length 980mm		
For models:	AMZ0037-N, FHZ0001, FIF0023, GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0046, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0070, GLB0071, GLB0072, GLB0073, OPT1012, OPT1012C		
accessories for	345118		
	No.	345399	Ref. No.
			927088
magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			

¹with coded connector

40x13mm




1

No.	300273	Ref. No.	LF1010005
description	magnetic switch L 40mm W 13mm 1NO 250V 1A P max. 50W connection cable cable length 1180mm		
For models:	FID0005, FID0006, FIF0014, TC32BU, TC32NEVADAT		

65x20mm



1



No.	345116	Ref. No.	927017	
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm			
For models:	GLB0043, GLB0044, GLB0046			
accessories for	345116			
	No.	345399	Ref. No.	927088
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			

$\varnothing$ 6mm



1

No.	345202	Ref. No.	12024477 Z203009000
description	magnetic switch 250V 0.04A P max. 10W probe L 29mm 1NO connection plug cable length 1400mm		
For models:	GLB0035-F, GLB0035-FN, GLB0037-F, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		

accessories

magnets

1

No.	346392	Ref. No.	F2063
description	magnet		
For models:	FHZ0001, FIF0023		

1

No.	345399	Ref. No.	927088
description	magnet $\varnothing$ 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		
For models:	GLB0046, GLB0070, GLB0071, OPT1012, OPT1012C		

1

No.	345336	Ref. No.	926014
description	magnet $\varnothing$ 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		
For models:	GLB0046		


1

No.	347968	Ref. No.	F2925
description	magnet $\varnothing$ 6mm L 20mm H mm W mm mounting $\varnothing$ 6mm		
For models:	FLC0001-F, FLC0003-F, FLC0012-F, FMD0001-F, FMD0002-F		

1

No.	505004	Ref. No.	12024303 Z200506000
description	magnet $\varnothing$ mm L 17mm H 12mm W 14mm		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		

			
1			
No.	346953	Ref. No.	999108
description	magnet ømm L 23mm H 17mm W 18mm M6 hole ø 6.5mm		
For models:	GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		

			
1			
No.	345398	Ref. No.	217003
description	magnet ømm L 36mm H 8mm W 13mm hole distance 20mm M3 hole ø 3mm		
For models:	OPT1012		

magnetic holders

			
1			
No.	700816	Ref. No.	12024094 Z200507000
description	protection cap for magnet internal size 14x17mm H 17mm for dishwasher		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		

miscellaneous

			
1			
No.	347811	Ref. No.	A61583050GP
description	switch for microwave left 1CO		
For models:	NE1880, NE2140, NE3240		

			
1			
No.	347810	Ref. No.	A61583030GP
description	switch for microwave right 1CO		
For models:	NE1880, NE2140, NE3240		

control equipment

ABB

ø22mm

switches (complete)

			
1			
No.	347425	Ref. No.	X56200 X69100
description	momentary push switch mounting measurements ø22mm black 1NC/1NO 250V 5A connection screw ambient temperature max. 85°C protection IP40		
For models:	ADK202V, ADK204V, ADK208V, ADK210V		

			
1			
No.	347426 ¹	Ref. No.	X56300 X69000
description	momentary push switch mounting measurements ø22mm red 1NC/1NO 250V 5A connection screw ambient temperature max. 85°C protection IP40		
For models:	ADK202V, ADK204V, ADK208V, ADK210V		

¹incl. knob

			
1			
No.	347153	Ref. No.	0220006
description	push switch mounting measurements ø22mm black 2NO 300V 5A connection screw ambient temperature max. 85°C protection IP40		
For models:	FGZ0005, FGZ0006, FGZ0007, FGZ0009, FGZ0012, FGZ0013, FGZ0025, FGZ0026, FGZ0027, FGZ0028		



BRETER

switches (complete)



1

No.	345771	Ref. No.	66105600
description	momentary push switch yellow 1NC/1NO		
For models:	7070BREM, 7070BRGM		

ERSCE



1

No.	345989	Ref. No.	X56500
description	contact block ERSCE C01B 1NC max 230V 10(4)A red		
For models:	ADK202V, ADK204V, ADK208V, ADK210V		

GENERAL ELECTRIC (AEG)



1

No.	345779	Ref. No.	079003
description	contact block GENERAL ELECTRIC P9B10VN 1NO max 400V 10A brown		
For models:	2158, 2623		

GIOVENZANA

switches (complete)



1

No.	401357	Ref. No.	F2138	
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-I connection screw ambient temperature max. 125/55°C protection IP40			
For models:	FHZ0003, FIF0001, FIF0002, FIF0003-22HP, FIF0004, FIF0005, FIG0003-F, FIG0011-F, TCG22E-F			
spare parts for	401357			
	No.	346181	Ref. No.	—
	push button mounting ø 21mm external size 30x55mm oval			
accessories for	401357			
	No.	401709	Ref. No.	—
	protective cover external size 57x32mm internal size 47x22mm mat finish rubber H 27.5mm			

LOVATO



1

No.	301321	Ref. No.	961.051.00
description	contact block LOVATO LPX C10 1NO max 690V 10A light grey		

plastic series

rotary switches



1

No.	301320	Ref. No.	961.050.00
description	rotary selector mounting measurements ø22mm black/silver sequence 1-0-2 latching		

TELEMECANIQUE (EFA)

XB4 series

switches (complete)



1

No.	346934	Ref. No.	66105700
description	momentary push switch mounting measurements ø22mm blue 1NO/1NC		
For models:	7070BREM, 7070BRGM		

encoders and potentiometers



1

No.	401953	Ref. No.	IB5944010
description	PCB hand blenders VORTEX with potentiometer 230V		
For models:	FJZ0010, FJZ0011, FJZ0012		



1

No.	300189	Ref. No.	ELET0200
description	potentiometer		
For models:	CAD0004, CAD0005, CAD0007, SY850VELED		

			
1			
No.	300362	Ref. No.	19414060N
description	potentiometer 0.1KOhm rotation 270° shaft ø 6mm confectioned shaft L 42mm thread M10 cable length 28mm Orione		
For models:	FLA0014, FLA0015		

			
1			
No.	300227	Ref. No.	IB5940011
description	potentiometer 0.1KOhm rotation 270° shaft ø 6mm shaft L 42mm thread M10 cable length 600mm		
For models:	SIRIO1VVCAFFE, SIRIO2VVCAFFE		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø 8mm (type RL-2)

			
1			
No.	359819	Ref. No.	09950388535
description	indicator light lens green Qty 1 pcs ø 8mm		
For models:	AAA2002, AIB0012, AIB0013, AIB0014, AIB0015, AIB0017, KF630, KF733, KF933U, KF965, KF981D		

			
1			
No.	359820	Ref. No.	09950368534
description	indicator light lens yellow Qty 1 pcs ø 8mm		
For models:	AAA2002, AIB0012, AIB0013, AIB0014, AIB0015, AIB0017, KF1001G, KF630, KF733, KF933U, KF965, KF981D		

indicator lamps for socket type RL



1

No.	359818	Ref. No.	01950377000 01951177000
description	indicator light 230V clear connection male faston 6.3mm		
For models:	AAA2002, AIB0012, AIB0013, AIB0014, AIB0015, AIB0017, KF1001G, KF630, KF733, KF933U, KF965, KF981D		
accessories for	359818		
	No.	359820	Ref. No. 09950368534
 indicator light lens yellow Qty 1 pcs ø 8mm			

accessories for 359818			
			
No.	359833	Ref. No.	—
indicator light lens red Qty 1 pcs ø 8mm			
			
No.	359948	Ref. No.	—
indicator light lens clear Qty 1 pcs ø 8mm			



1

No.	359817	Ref. No.	01951187000 09950377000	
description	indicator light 230V green connection male faston 6.3mm			
For models:	AAA2002, AIB0012, AIB0013, AIB0014, AIB0015, AIB0017, KF630, KF733, KF933U, KF965, KF981D			
accessories for	359817			
	No.	359819	Ref. No.	09950388535
indicator light lens green Qty 1 pcs ø 8mm				

indicator lamps for socket type SRZ / SDK / SDY / SFK

			
1			
No.	359130	Ref. No.	216006
description	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		

indicator lights (complete)

ø 6mm

			
1			
No.	359031	Ref. No.	IND30001
description	indicator light ø 6mm 230V green		
For models:	VP914RXS, VP916RXS, VP920RXS		

			
1			
No.	359038	Ref. No.	91310116
description	indicator light ø 6mm 230V red		
For models:	CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035		

			
1			
No.	359032	Ref. No.	IND30002
description	indicator light ø 6mm 230V yellow		
For models:	VG715RXS, VP800U, VP824RU, VP914RXS, VP916RXS, VP920RXS		



1

No.	357072	Ref. No.	C5120219
description	indicator light ø 6mm 220V red connection cable 300mm cable length 300mm metal		
For models:	53054-CN, 53304, AJD0002-CCN, AJD0003-CCN, AJD0014-C, AJD0019-C		



1

No.	359336	Ref. No.	91310115
description	indicator light ø 6mm 230V green		
For models:	CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035		

ø 8mm



1

No.	360742	Ref. No.	963.016.00
description	indicator light ø 8mm green 28V connection male faston 2.8mm		

ø 9mm



1

No.	359137	Ref. No.	Z203079000
description	indicator light ø 9mm 230V yellow connection male faston 6.3mm temp.-resist. 120°C with lens		
For models:	OPT1012-CF		

ø10mm

with screw socket



1

No.	359791	Ref. No.	3760004
description	indicator light ø 10mm 230V green cable length 250mm		
For models:	IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012, IIA4002, IIA4003		



1

No.	360481	Ref. No.	SHELSLYA100
description	indicator light ø 10mm 250V green cable length 300mm socket screw base		
For models:	IEA0002-I, IEC0002-I		

with plug-in socket



1

No.	359139	Ref. No.	4.0.025.0130
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	EFA0015, EFA0016, EFA0023		



1

No.	359140	Ref. No.	4.0.025.0135 46301200 IB5846400
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	92BME, 92FRE18, 92FRE18S, 92FTCL, 92FTCLC, 92FTER, 92FTERC, 94BRE, 94BREM, 94CFE, 94CFGE, 94CFV, 94FRE18, 94FRE18S, 94FTCL, 94FTCLC, 94FTCLR, 94FTELRC, 94FTER, 94FTERC, 96BRE, 96BREM, 96CFE, 96CFGE, EFA0015, EFA0016, EFA0023, IBA0012, IBA0013		

ø12mm

with screw socket



1

No.	359048	Ref. No.	076006
description	indicator light ø 12mm 230V yellow connection male faston 6.3mm		
For models:	2158, AAC0001, AAC0002, AAD0001, AJA0014, AJA0015, AJA0017, AJA0018, AJE0001, AJG0003, AJG0004, AJH0001, AJH0002, AJH0003, AJH0007, AJH0008, AJH0009, AMZ0004, AMZ0005, AMZ0006, AMZ0007, AMZ0008, AMZ0024, AOZ0001, AOZ0002, APZ0001, APZ0002, APZ0012, ARZ0004, ARZ0005, ARZ0006, AXZ0003, IFA0004, IFB0001, IFB0002		



1

No.	359027	Ref. No.	076005 12025211 R693055000
description	indicator light ø 12mm 250V green connection male faston 6.3mm		
For models:	2158, 2623, AAC0001, AAC0002, AJA0014, AJA0015, AJA0017, AJA0018, AJE0001, AJE0005, AJG0003, AJG0004, AJG0011, AJH0003, AJH0008, AJH0009, AMZ0004, AMZ0005, AMZ0006, AMZ0007, AMZ0008, AMZ0024, APZ0001, APZ0002, APZ0012, ARZ0001, ARZ0002, ARZ0004, ARZ0005, ARZ0006, GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, IFA0004, OPT1012-CF, OPT1012-CFN		



1

No.	359291	Ref. No.	663.043.00
description	indicator light ø 12mm 400V green connection male faston 6.3mm		
For models:	6030BME, 6030CPE, 6030FRE, 6030FTE, 6030PCE, 6030SPE, 6060BME, 6060CFE, 6060CFG, 6060CFGE, 6060CPE, 6060FRE, 6060FTE, 6060FTRE, 6060FTRRE, 6060PCE, 6570BME, 7040CPE, 7040PVE, 7070CPE, AFE0002, VI6030PVED, VI6060PVED		

			
No.	359290	Ref. No.	663.044.00
description	indicator light ø 12mm 400V yellow connection male faston 6.3mm		
For models:	6030BME, 6030CPE, 6030FRE, 6030FTE, 6060BME, 6060CFE, 6060CFGE, 6060CPE, 6060FRE, 6060FTE, 6060FTRE, 6060FTRRE, 6570BME		

with plug-in socket

			
No.	359041	Ref. No.	X50900
description	indicator light ø 12mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	ACA1001, ACA1002, ACA1003, ACA1004, ACA1010, ACA101V, ACA102V, ACA103V, ACA104V, ACA105V, ACA106V, ACA110V, ACA2007, ACA2010, ACA204V, ACA206V, ACA207V, ACA208V, ACA210V, ACA216, ACA216V, ACC0003, ACC003V, ACC004V, ACC005V, ACC008V, ACC010V, ACE003V, ACE004V, ACE008V, ACH301V, ACH302V, ACH303V, ACH304V, ACH305V, ACH306V, ACH307V, ACH318V, ACH319V, ACH320V, ACJ005V, ACJ006V, ACJ007V, ACJ008V, ACK1002, ACK101V, ACK102V, ACK2003, ACK2004, ACK203V...(Other models you can see in the webshop)		

			
No.	359042	Ref. No.	X41200
description	indicator light ø 12mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	ACA1004, ACA104V, ACA105V, ACA2007, ACA2010, ACA206V, ACA207V, ACA210V, ACA216, ACA216V, ACB0004, ACB002V, ACB004V, ACC0003, ACC003V, ACC004V, ACC005V, ACC008V, ACC010V, ACH301V, ACH302V, ACH303V, ACH304V, ACH305V, ACH306V, ACH307V, ACH318V, ACH319V, ACH320V, ACK2003, ACK2004, ACK203V, ACK204V, ACK301V, ACK302V, ACK303V, ACK304V, ADA104V, ADA106V, ADA205V, ADA208V, ADA210V, ADA212V, ADB002V, ADB003V, ADC004V, ADC006V, ADH301V, ADH302V, ADH303V...(Other models you can see in the webshop)		

			
No.	505099	Ref. No.	12024254 R693056000
description	indicator light ø 12mm 230V yellow		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		

ø13mm

with screw socket



1

No.	359146	Ref. No.	963.013.00
description	indicator light ø 13mm 230V yellow		
For models:	GEU411, GEU611, GEV1011		
accessories for	359146		



No.	510302	Ref. No.	—
-----	--------	----------	---

O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs

accessories for		359146		
	No.	511505	Ref. No.	—
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs			

			
No.	359049	Ref. No.	66300000
description	indicator light ø 13mm 400V green		
For models:	65110CFGE, 6540BME, 6540CPE, 6540FRE, 6540FTE, 6540FTECR, 6540FTRE, 6540FTRECR, 6540PCE, 6540SPE, 6570BME, 6570BRE, 6570CFE, 6570CFGE, 6570CPE, 6570FRE, 6570FTE, 6570FTECR, 6570FTRE, 6570FTRECR, 6570FTRRE, 6570PCE, 6570PVE, 70110CFGE, 7040BME, 7040CPE, 7040FRE10, 7040FTE, 7040FTECR, 7040FTES, 7040FTRE, 7040PCE, 7040PCEQ, 7040PVE, 7040SPE, 7070BME, 7070BRE, 7070BREM, 7070CFEQ, 7070CFGE, 7070CFVE, 7070CPE, 7070FRE10, 7070FTE, 7070FTECR, 7070FTRE, 7070FTRECR, 7070FTRRE, 7070PCEQ, 7070PEI...(Other models you can see in the webshop)		

accessories for		359049		
	No.	510302	Ref. No.	—
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	No.	511505	Ref. No.	—
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs			

			
No.	359050	Ref. No.	66300100
description	indicator light ø 13mm 400V yellow		
For models:	65110CFGE, 6540BME, 6540FRE, 6540FTE, 6540FTECR, 6540FTRE, 6540FTRECR, 6570BME, 6570BRE, 6570CFE, 6570CFGE, 6570FRE, 6570FTE, 6570FTECR, 6570FTRE, 6570FTRECR, 6570FTRRE, 70110CFGE, 7040BME, 7040FRE10, 7040FTE, 7040FTECR, 7040FTES, 7040FTRE, 7070BME, 7070BRE, 7070BREM, 7070CFEQ, 7070CFGE, 7070CFVE, 7070FRE10, 7070FTE, 7070FTECR, 7070FTRE, 7070FTRECR, 7070FTRRE, 94CFE, AFB0003, AFC0003		

accessories for		359050		
	No.	510302	Ref. No.	—
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	No.	511505	Ref. No.	—
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs			

ø16mm

with screw socket



1

No.	359835	Ref. No.	PD.414K
description	indicator light ø 16mm 230V green connection male faston 6.3mm		
For models:	AHC0001, AHC0002, AHC0004, AHC0005		
accessories for	359835		



No.	550559	Ref. No.	—
nut thread M16x1 H 5.5mm WS 19			

1

			
No.	359834	Ref. No.	PD.414J PD.414JB
description	indicator light ø 16mm 230V yellow connection male faston 6.3mm temp.-resist. 120°C		
For models:	AHC0001, AHC0002, AHC0004, AHC0005, AHC0007, AMZ0037-N, TP12EP, TP15EP		
accessories for	359834		
	No.	550559	Ref. No. —
nut thread M16x1 H 5.5mm WS 19			

30x22mm

			
No.	301303	Ref. No.	B00DU101
description	indicator lamp mounting measurements 30x22mm red indicator light 250V 16A connection male faston 6.3mm ambient temperature max. 125°C protection IP40		
For models:	9925F, 9931F, 9931VF, 9932F, 9953F, BMA0013-F, BMA0034-F, BMA0038-F, BMA0098, BMA0099, BMB0002-F, BMB0002-FG, BMB0004-F, BMB0014-F, BMB0014-FG, BMB0015-F, BMB0042-F, BMC0001-F, BMC0001-FG, BMC0003-F, BNA0068, BNA0069, BNC-0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0007-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0018-F, CCZ0050, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, HCE2004-F, HCE2005-F, HCE2006-F... (Other models you can see in the webshop)		



1

No.	359178	Ref. No.	LAMP0006	
description	indicator light mounting measurements 30x22mm 230V green connection male faston 6.3mm temp.-resist. 85°C type Marquardt 1667.. IP44			
For models:	CAD0005, CAD0007, SY850VELED			
accessories for	359178			
	No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				



1

No.	359180	Ref. No.	LAMP0002	
description	indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm type Marquardt 1667..			
For models:	CAD0004, CAD0005, CAD0007, SY850VELED			
accessories for	359180			
	No.	301036	Ref. No.	—
	 protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

			
No.	357022	Ref. No.	160804-04
description	indicator light mounting measurements 30x22mm 250V yellow connection male faston 6.3mm coffee		
For models:	EFB0002, EFB0003, EFB0008, EFB0008-C		

miscellaneous

			
No.	359851	Ref. No.	KODK006
description	indicator light mounting measurements 32.5x8.5mm white 230V		
For models:	FGZ0014		

LED

indicator lamps

mounting diameter 6mm

			
No.	359404	Ref. No.	216028
description	indicator light LED mounting ø 6mm 5VDC green connection cable 200mm 2mA		
For models:	GLB0070, OPT1012		

			
No.	358098	Ref. No.	216029
description	indicator light LED mounting ø 6mm 5VDC yellow connection cable 200mm 2mA		
For models:	GLB0070, OPT1012, OPT1012C		

LED bars

			
No.	357216	Ref. No.	B00LA370
description	LED bar L 1200mm W 20mm H 20mm aluminium cable length 1000mm		
For models:	BNA0068, IEA0010, IEC0050		

			
1			
No.	357211	Ref. No.	B00LA110
description	LED bar L 1320mm W 20mm H 20mm aluminium cable length 1mm		
For models:	BMA0098, BMA0099		

			
1			
No.	357217	Ref. No.	B00LA470
description	LED bar L 1600mm W 20mm H 20mm aluminium cable length 750mm		
For models:	IEA0011, IEA0012, IEC0051, IEC0052		

			
1			
No.	357212	Ref. No.	B00LA150
description	LED bar L 300mm W 20mm H 20mm aluminium cable length 1500mm		
For models:	BMB0046-F		

			
1			
No.	357215	Ref. No.	B00LA700
description	LED bar L 500mm W 19mm H 7mm aluminium cable length 900mm		
For models:	BMB0002-FG, BMC0001-FG		

			
1			
No.	357214	Ref. No.	B00LA270
description	LED bar L 690mm W 20mm H 20mm aluminium cable length 850mm		
For models:	BNA0069		

screw-on/push-on fit

light bulbs

for ovens

			
1			
No.	359610	Ref. No.	01950108400 663.045.00 91310190 IB5946010
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	6060CFE, 6060CFG, 6060CFGE, AAA2002, AIB0012, AIB0013, AIB0014, AIB0015, AIB0017, CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035, IBA0012, IBA0013, KF1001G, KF630, KF733, KF933U		

			
1			
No.	359615	Ref. No.	91310191
description	light bulb t.max. 300°C socket E14 25W 230V ø 45mm L 76mm lens L 50mm for oven lamp IMPORT		
For models:	CAA0003, CAA0004, CAA0005, CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		

halogen lamp

for socket E14 / E27

			
1			
No.	359728	Ref. No.	91310205
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	CAB0019, CAB0020		



for socket G4 / G6.35 / G9



No.	359599	Ref. No.	91310196
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0019, CAB0020, CAB0024-CD, CAB0025-CD, CAB0029-CN, CAB0030-CN, CAB0032-CN, CAB0033-CN, GIOTOD, GIOTOP		



No.	359074	Ref. No.	11950097000
description	halogen lamp socket G6.35 12V 35W temp.-resist. 500°C		
For models:	KF981D		



No.	359946	Ref. No.	91310206 91310207
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C		
For models:	CAA0003, CAA0004, CAA0005, GIOTOD, GIOTOP		



No.	357196	Ref. No.	5L020005
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C OSRAM HALOPIN OVEN		
For models:	5771P, 5772P, 5773P, 5774P, 5778P, 5779P, 5782P, 5783P		

for socket GU5.3 / GU10 / GZ5.3



No.	357054	Ref. No.	91310208
description	halogen lamp socket GU5.3 12V 20W ø 50mm H 38mm temp.-resist. 300°C AC/DC		
For models:	CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		

hard-glass infrared lamps



No.	359463	Ref. No.	003151620002
description	infrared lamp socket E27 240V 250W ø 125mm L 173mm type BR125 red hard glas		
For models:	9560T-MN, 9561T-MN, ICE0001, ICE0002		

fluorescent lamps

fluorescent lamps

G13

No.	359386	Ref. No.	3760019 3760026
description	fluorescent lamp socket G13 L 1198mm 36W 230V Qty 1 pcs		
For models:	IIA5012, IIA5013, IIA5014, IIA5015, Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		

No.	359383	Ref. No.	3760025
description	fluorescent lamp socket G13 L 438mm 15W 230V Qty 1 pcs light colour 640		
For models:	Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		

No.	359372	Ref. No.	3760027
description	fluorescent lamp socket G13 L 895mm 30W 230V Qty 1 pcs		
For models:	Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		

complete with holder

No.	357115	Ref. No.	SHELAR36A100
description	fluorescent lamp L 1224mm W 23mm 28W 220/240V type TCH128 1xTL5-28W/830 HF		
For models:	IEA0002-I, IEC0002-I		

No.	359391	Ref. No.	3760018
description	fluorescent lamp L 1245mm W 37mm 36W		
For models:	IIA5012, IIA5013, IIA5014, IIA5015		

accessories
sockets


1

No.	359388	Ref. No.	3760024
description	lamp socket socket G13 for fluorescent lamps		
For models:	Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		



1

No.	359389	Ref. No.	3760023
description	lamp socket socket G13 for fluorescent lamps		
For models:	Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		

starter


1

No.	380464	Ref. No.	3760028
description	starter 4-65W		
For models:	Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		

ballasts


1

No.	401440	Ref. No.	3760020
description	electrical ballast 15W 230V for fluorescent lamps		
For models:	Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		



1

No.	401141	Ref. No.	3760021
description	electrical ballast 30W 230V for fluorescent lamps Qty 1 pcs		
For models:	Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		



1

No.	401441	Ref. No.	3760022
description	electrical ballast 36-40W for fluorescent lamps		
For models:	Z/EI12, Z/EI15, Z/EI23, Z/EI8, Z/ER12, Z/ER15, Z/ER23, Z/ER8		

fridge lamps
producer-specific fridge lamps
FRENOX


1

No.	357242	Ref. No.	B00LA142
description	lamp with protective grid 42W 230V ømm L 225mm W 105mm H 110mm cable lengthmm		
For models:	VAEK170-F, VAEK210-F, VAEK220-F, VAEN030-F, VAEN060-F, VAEN075-F		

microwave lamps
light bulbs


1

No.	359549	Ref. No.	ANE6030Q50GN
description	light bulb socket E14 220-240V 25W ø 25mm L 60mm Qty 1 pcs for microwave		
For models:	NE1880, NE2140, NE3240, NEC1475		

oven lamps
universal oven lamps
mounting diameter 35.5mm


1

No.	359718	Ref. No.	663.047.00 IB5846000	
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas			
For models:	6060CFE, 6060CFG, 6060CFGE, IBA0012, IBA0013			
spare parts for	359718			
	No.	359701	Ref. No.	09950197400 91310185
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			
	No.	359740	Ref. No.	—
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT			

			
No.	357158	Ref. No.	LAM00003 LAM30003-A
description	oven lamp mounting ø 35.5mm 230V 40W socket G9 cable length 100mm connection male faston 6.3mm with gasket		
For models:	VG715RXS, VP800U, VP824RU, VP914RXS, VP916RXS, VP920RXS		
spare parts for	357158		
	No.	357160	Ref. No. —
	lamp socket socket G9 220-230V mounting ø 35.5mm connection cable 100mm		
	No.	358135	Ref. No. —
	gasket for oven lamp PTFE ID ø 44mm ED ø 53mm thickness 3mm with silicone O-ring		
	No.	359705	Ref. No. —
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
	No.	359946	Ref. No. 91310206 91310207
	halogen lamp socket G9 230V 40W temp.-resist. 300°C		

			
No.	359701	Ref. No.	09950197400 91310185
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
For models:	AAA2002, AIB0014, AIB0015, CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035, KF1001G, KF630, KF733, KF933U		
accessories for	359701		
	No.	359705	Ref. No. —
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
	No.	359709	Ref. No. 09950208400 91610020
	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		
	No.	359721	Ref. No. —
	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
	No.	359942	Ref. No. —
	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		

			
No.	359709	Ref. No.	09950208400 91610020
description	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		
For models:	AAA2002, AIB0014, AIB0015, CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035, KF1001G, KF733, KF933U		

mounting diameter 65.5mm

			
No.	359022	Ref. No.	91310186
description	lamp socket socket E14 mounting ø 65.5mm connection male faston 6.3mm		
For models:	CAA0003, CAA0004, CAA0005, CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0019, CAB0020, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		

			
No.	357002	Ref. No.	91310187
description	lamp socket socket G9 mounting ø 65.5mm connection male faston 6.3mm		
For models:	CAA0003, CAA0004, CAA0005		

			
No.	359724	Ref. No.	91610021
description	oven lamp glass thread ø 62mm H 46mm ø 74mm hard glas temp.-resist. 350°C		
For models:	CAA0003, CAA0004, CAA0005, CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0019, CAB0020, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		

			
1			
No.	359729	Ref. No.	91410000
description	gasket glass fibre ID ø 57mm ED ø 67mm thickness 5mm ø 67mm		
For models:	CAA0003, CAA0004, CAA0005, CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0019, CAB0020, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		

55x70mm

			
1			
No.	358148	Ref. No.	91810185
description	lamp socket socket G4 12-250V mounting measurements 55x70mm connection cable 135mm		
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0024-CD, CAB0025-CD, CAB0030-CN, CAB0033-CN		



1

No.	358131	Ref. No.	5P110003
description	lamp socket socket G6.35 12-250V mounting measurements 55x70mm connection cable 300mm		
For models:	5771P, 5772P, 5773P, 5774P, 5778P, 5779P, 5782P, 5783P		
accessories for	358131		
	No.	359937	Ref. No. 5V010003 91610025
lamp glass L 80mm W 65mm mounting measurements 52x67mm			

			
1			
No.	359937	Ref. No.	5V010003 91610025
description	lamp glass L 80mm W 65mm mounting measurements 52x67mm		
For models:	5771P, 5772P, 5773P, 5774P, 5778P, 5779P, 5782P, 5783P, CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0024-CD, CAB0025-CD, CAB0029-CN, CAB0030-CN, CAB0032-CN, CAB0033-CN		

			
1			
No.	359937	Ref. No.	5V010003 91610025
description	lamp glass L 80mm W 65mm mounting measurements 52x67mm		
For models:	5771P, 5772P, 5773P, 5774P, 5778P, 5779P, 5782P, 5783P, CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0024-CD, CAB0025-CD, CAB0029-CN, CAB0030-CN, CAB0032-CN, CAB0033-CN		

55x100mm

1

No.	101372	Ref. No.	C5125419	
description	oven lamp complete L 100mm W 55mm 230V 25W socket E14 rectangular temp.-resist. 300°C connection male faston 6.3mm			
For models:	53054-CN, 5305-CN, 5330, 53304, AJD0002-CCN, AJD0003-CCN, AJD0005-CCN, AJD0006-CCN, AJD0014-C, AJD0015-C, AJD0017-C, AJD0018-C, AJD0019-C, AJD0023-C, AJD0030, AJD0031, AJD0032			
spare parts for	101372			
	No.	359612	Ref. No.	—
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	No.	359698	Ref. No.	—
	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm			
	No.	359714	Ref. No.	—
	gasket for bulb socket			
	No.	359715	Ref. No.	—
	lamp glass L 110mm W 65mm thickness 5mm			
	No.	359716	Ref. No.	—
	frame for bulb socket			

lamps
light bulbs

			
1			
No.	359610	Ref. No.	01950108400 663.045.00 91310190 IB5946010
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	6060CFE, 6060CFG, 6060CFGE, AAA2002, AIB0012, AIB0013, AIB0014, AIB0015, AIB0017, CAB0029-CN, CAB0030-CN, CAB0032, CAB0032-CN, CAB0033, CAB0033-CN, CAB0035, IBA0012, IBA0013, KF1001G, KF630, KF733, KF933U		

			
1			
No.	359615	Ref. No.	91310191
description	light bulb t.max. 300°C socket E14 25W 230V ø 45mm L 76mm lens L 50mm for oven lamp IMPORT		
For models:	CAA0003, CAA0004, CAA0005, CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0013, CAB0014, CAB0015, CAB0016, CAB0017, CAB0018, CAB0024, CAB0025, CAB0026, CAB0027, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046		

halogen lamps

for socket E14 / E27

			
1			
No.	359728	Ref. No.	91310205
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	CAB0019, CAB0020		

for socket G4 / G6.35 / G9

			
1			
No.	359599	Ref. No.	91310196
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0019, CAB0020, CAB0024-CD, CAB0025-CD, CAB0029-CN, CAB0030-CN, CAB0032-CN, CAB0033-CN, GIOTTOD, GIOTTO		

			
1			
No.	359074	Ref. No.	11950097000
description	halogen lamp socket G6.35 12V 35W temp.-resist. 500°C		
For models:	KF981D		

			
1			
No.	359946	Ref. No.	91310206 91310207
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C		
For models:	CAA0003, CAA0004, CAA0005, GIOTTOD, GIOTTO		

			
1			
No.	357196	Ref. No.	5L020005
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C OSRAM HALOPIN OVEN		
For models:	5771P, 5772P, 5773P, 5774P, 5778P, 5779P, 5782P, 5783P		

for socket GU5,3 / GU10

			
1			
No.	357054	Ref. No.	91310208
description	halogen lamp socket GU5.3 12V 20W ø 50mm H 38mm temp.-resist. 300°C AC/DC		
For models:	CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		

lamp accessories


lenses


glass panels

			
1			
No.	357250	Ref. No.	91610013
description	lamp glass L 180mm W 84mm thickness 9.5mm for pizza oven		
For models:	CAB0019, CAB0020, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		

timers

programme timers

			
1			
No.	361350	Ref. No.	Z613003000
description	timer 4803F1 engines 1 chambers 3 operation time 20min 230V shaft ømm shaft Lmm		
For models:	GLB0061C-F, GLB0063C-F		

			
1			
No.	360005	Ref. No.	238052
description	timer BIGATTI D94 engines 1 chambers 1 operation time 20min 230V shaft ømm shaft Lmm manif. no. WE006 motor type 82354021L		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0059		



1

No.	360349	Ref. No.	238053
description	timer CDC 11803 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. 11803F1BEE000.0010 motor type M48R ATS type 11803F1 / 238046		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060		
spare parts for	360349		
	No.	360673	Ref. No.
			—
motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			



1

No.	360743	Ref. No.	PRG30005
description	timer CDC 11902F1 engines 1 chambers 2 operation time 240s 230V 50/60Hz manuf. no. 11902F1AGE000.0070 motor type M48R 230V		
For models:	VG715RXS, VP824RU, VP914RXS, VP916RXS, VP920RXS		



1

No.	360329	Ref. No.	09951027000
description	timer CDC 11902F3 engines 1 chambers 2 operation time 240s 230V manuf. no. PWE5J02H620 motor type M51B10R0000		
For models:	AIB0015, KF1001G, KF630, KF733, KF933U, KF965, KF981D		
spare parts for	360329		
	No.	360118	Ref. No.
			—
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

No.	360528	Ref. No.	561.035.00
description	timer CDC 11902F3 engines 1 chambers 2 operation time 450s 230V motor type M48L ATS voltage AC		
For models:	GEU411, GEU611, GEV1011		



1

No.	360525	Ref. No.	N23247
description	timer CDC 11904 engines 1 chambers 4 operation time 10min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BCR000.0000 motor type M48R ATS		
For models:	BAA0019, BAA0022, BAA0023, BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0033, BAA0034, BAA0037, BAA0038, BAA0046, BAA0046W, BAA0053-A, BAA0055		
spare parts for	360525		
	No.	360118	Ref. No.
			—
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

No.	360524	Ref. No.	N23222
description	timer CDC 11904 engines 1 chambers 4 operation time 12min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BDR000.0000 motor type M48R ATS		
For models:	BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0033, BAA0034, BAA0037, BAA0038, BAA0046, BAA0046W		
spare parts for	360524		
	No.	360118	Ref. No.
			—
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

No.	360566	Ref. No.	N23259
description	timer CDC 11904 engines 1 chambers 4 operation time 15min 115V 60Hz shaft ømm shaft Lmm manu. no. 11904F1BEI000.0010 motor type M48R ATS voltage AC		
For models:	BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0037, BAA0038, BAA0046, BAA0046W		



1

No.	360565	Ref. No.	N23396 N23780
description	timer CDC 11904 engines 1 chambers 4 operation time 18min 230V 50/60Hz shaft ømm shaft Lmm manu. no. 11904F1BFE000.0030 motor type M48R ATS voltage AC		
For models:	BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0033, BAA0034, BAA0037, BAA0038, BAA0046, BAA0046W		



1

No.	360549	Ref. No.	N23635
description	timer CDC 11904 engines 1 chambers 4 operation time 8min 230V 50/60Hz shaft ømm shaft Lmm manu. no. 11904F1 / DER000.0010		
For models:	BAA0040, BAA0051		
spare parts for	360549		
	No.	360118	Ref. No. —
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

No.	361357	Ref. No.	12024873
description	timer CDC 7803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm motor type M37LN		
For models:	GLB0035-F, GLB0035-FN, GLB0037-F, GLB0037-FN, GLB0061C-FN		



1

No.	360133	Ref. No.	238066
description	timer CDC 7804DV engines 2 chambers 4 operation time 60s / 20min 230V shaft ømm shaft Lmm manu. no. 7804DV / 360133 motor type M37RN/M37LN		
For models:	GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066		
spare parts for	360133		
	No.	360119	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			
	No.	360131	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			



1

No.	361354	Ref. No.	Z213008000
description	timer CDC 7804DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm motor type M37RN/M37LN		
For models:	GLB0061C-F, GLB0063C-F		

			
1			
No.	361355	Ref. No.	12024177 Z243004000
description	timer CDC 7804DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm motor type M37RN/M37LN		
For models:	OPT1012-CF, OPT1012-CFN		

			
2			
No.	360440	Ref. No.	Z213002000
description	timer CDC 7805DV engines 2 chambers 5 operation time 6s / 3min 230V 50Hz shaft ømm shaft Lmm		
For models:	GLB0061C-F, GLB0063C-F		

			
1			
No.	360439	Ref. No.	12024204
description	timer CDC 7805DV engines 2 chambers 5 operation time 6s/180s 230V 50Hz shaft ømm shaft Lmm		
For models:	GLB0063C-FN		



1

No.	360264	Ref. No.	238073	
description	timer CDC 7805DV engines 2 chambers 5 operation time 72s/20min 230V shaft ømm shaft Lmm manuf. no. 7805DV / 238073 motor type M37RN/M37LN			
For models:	GLB0072			
spare parts for	360264			
	No.	360119	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			
	No.	360131	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			

1

No.	360154	Ref. No.	N23248
description	timer FIBER P20 engines 1 chambers 4 operation time 15min 230V shaft ømm shaft Lmm manuf. no. P205J04J714 motor type M51B-J0R6400		
For models:	BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0033, BAA0034, BAA0037, BAA0038, BAA0046, BAA0046W		

spare parts for

360154

No.	360673	Ref. No.	—
motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			

electric timers

			
1			
No.	350072	Ref. No.	09950677000
description	timer MS65 with bell operation time 120min 2CO/1NO at 250V 16A impulse electric shaft ø 6x4.6mm shaft L 23mm with permanent position mounting distance 28mm connection lateral Invensys 3-pole 230V		
For models:	AAA2002		

with time spread

			
1			
No.	350142	Ref. No.	09952437000
description	timer MS65 with bell operation time 120min time spread 30min 1CO/1NC/2NO at 250V 16A permanent position yes time range 0-120min impulse electric 16A shaft ø 6x4.6mm shaft L 22mm connection male faston 6.3mm Invensys screw/F6.3 230V voltage AC 50Hz		
For models:	AIB0012, AIB0013, AIB0017, KF1001G, KF733, KF933U, KF965, KF981D		



1

No.	350073	Ref. No.	09950507000
description	timer MS65 with buzzer board operation time 120min time spread 30min 1CO/1NC/2NO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 20mm with bell mounting distance 28mm connection lateral 3-pole		
For models:	AIB0013, AIB0014, AIB0015		

mechanical timers



1

No.	350130	Ref. No.	PRG30001
description	timer M11 with bell 1-pole operation time 120min impulse mechanical 1NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm 4 hole fixing shaft flat upper		
For models:	VG715RXS, VP800U, VP824RU, VP914RXS, VP920RXS		



1

No.	350032	Ref. No.	073008
description	timer M2 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 18mm mounting distance 28mm connection rear		
For models:	AJG0001, AJG0002, AJG0003, AJG0004, AJH0007		
accessories for	350032		
	No.	110366	Ref. No. —
knob switch zero mark t.max. °C °C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	No.	110371	Ref. No. —
dial plate graduation 15min permanent position no rotation 30-330° ø 60mm timers knob ø 45mm			

alarm devices

buzzer boards



1

No.	403497	Ref. No.	A605S3030GP
description	buzzer board for microwave suitable for PANASONIC		
For models:	NE1880, NE2140, NE3240, NEC1475		

contactors

ABB

power contactors



1

No.	380100	Ref. No.	210034
description	power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type B6-30-10 / B7-30-10		
For models:	EFF0002-Q		



1

No.	380110	Ref. No.	210035
description	power contactor resistive load 20A 400VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type B6-30-10 / B7-30-10		
For models:	EFF0002-Q		

GENERAL ELECTRIC (AEG)
power contactors


1

No.	380237	Ref. No.	12024011
description	power contactor resistive load 16A 230VAC (AC3/400V) 6A/3kW main contacts 3NO auxiliary contacts 1NC connection male faston 6.3mm type AEG LS0701F		
For models:	GLB0035-F, GLB0035-FN, GLB0037-F, GLB0037-FN, GLB0061C-F, GLB0063C-F, GLB0063C-FN, OPT1012-CF		



1

No.	380244	Ref. No.	Y10000
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		
For models:	ACC0003, ACC003V, ACC005V, ACC008V, ACC010V, ACK2003, ACK2004, ACK203V, ACK204V, ADC006V, ADK201V, ADK202V, ADK203V, ADK204V		



1

No.	381191	Ref. No.	926282
description	power contactor resistive load 25A 400VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL01A310T6		
For models:	GLB0043, GLB0044		



1

No.	380262	Ref. No.	Y11100
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm		
For models:	ACC005V, ACL0002, ACL002V, ADC006V, ADK201V, ADK202V, ADK203V, ADK204V, ADL001V, ADL002V		



1

No.	380261	Ref. No.	ELET0002
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310		
For models:	CAD0004, CAD0005, CAD0007, CAD0009, SY12100VELED, SY850VELED		

ISKRA (FANAL)
power contactors


1

No.	380547	Ref. No.	461.021.00
description	power contactor resistive load 20A 230VAC (AC3/400V) 5A/2.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type Fanal DSL3 01 type ISKRA K03M 01		
For models:	BGEU411, GEU411		



1

No.	380213	Ref. No.	073050 3700080
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		
For models:	AAC0001, AAC0002, AMZ0006, AMZ0007, AMZ0008, IFA0004, IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012		

LOVATO

power contactors



1

No.	380087	Ref. No.	66106600
description	power contactor resistive load 16A 230VAC (AC3/400V) 5A/2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0610A230		
For models:	7070BRE, 7070BREM		



1

No.	380704	Ref. No.	66101700
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 11BG0901A230		



1

No.	380712	Ref. No.	Z213007000
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection male faston type 11BGF0910A230		
For models:	GLB0061C-F, GLB0063C-F		



1

No.	380964	Ref. No.	N23594
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection screw connection type 11BG09T4A230		
For models:	BAA0033, BAB0005		



1

No.	381102	Ref. No.	0221005
description	power contactor resistive load 20A 24VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection screw connection type 11BG09T4A24		
For models:	FGZ0006, FGZ0026		



1

No.	380714	Ref. No.	91310136
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type BF0910A230		
For models:	CAB0007, CAB0007-CD, CAB0008, CAB0008-CD, CAB0009, CAB0009-CD, CAB0010, CAB0011, CAB0012, CAB0013, CAB0013-CD, CAB0014, CAB0014-CD, CAB0015, CAB0015-CD, CAB0016, CAB0017, CAB0018, CAB0019, CAB0020, CAB0024, CAB0024-CD, CAB0025, CAB0025-CD, CAB0026, CAB0027, CAB0029-CN, CAB0030-CN, CAB0032-CN, CAB0033-CN, CAB0039, CAB0040, CAB0041, CAB0042, CAB0043, CAB0044, CAB0045, CAB0046, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		



1

No.	381103	Ref. No.	0221106
description	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4.2kW main contacts 4NO auxiliary contacts connection screw connection type BF09T4A024		
For models:	FGZ0007, FGZ0009, FGZ0027, FGZ0028		



1

No.	380716	Ref. No.	96100200
description	power contactor resistive load 28A 230VAC (AC3/400V) 12A/5.7kW main contacts 3NO auxiliary contacts 1NO connection screw connection type BF1210A230		
For models:	92FRE18, 92FRE18S, 94BRE, 94BREM, 94FRE18, 94FRE18S, 96BRE, 96BREM, BGEU611, BGEU1011, GEU411P, GEU611, GEU611P, GEV1011, GEV1011P		



1

No.	380788	Ref. No.	ELET0432
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 4NO connection screw connection type BF18T4A230		
For models:	CAD0009, SY12100VELED, SY850VELED		

overload switches



1

No.	380754	Ref. No.	0221124
description	overload switch setting range 4-6.5A for contactors BF (09-38) series connection screw		
For models:	FGZ0007, FGZ0009, FGZ0027		

SIEMENS

power contactors



1

No.	381387	Ref. No.	73350
description	power contactor resistive load 22A 230VAC (AC3/400V) 4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT2016-1AP01		
For models:	OPT1012C		



1

No.	380614	Ref. No.	12024040 12111795 Z203050000
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection elastic terminals type 3RT2016-2AP01		
For models:	GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		



1

No.	380389	Ref. No.	229037 Z743009000
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		
For models:	GLB0043, GLB0044, GLB0061C-F, GLB0063C-F, GLB0070, GLB0071		



1

No.	380390	Ref. No.	80351
description	power contactor resistive load 40A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-24-1AL20 50/60Hz		
For models:	GLB0046		

small relay switches



1

No.	380696	Ref. No.	12024012 Z683087000
description	small relay switch 230V (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection male faston 6.3mm resistive load 16A		
For models:	GLB0063C-FN, OPT1012-CF, OPT1012-CFN		

motor protection circuit breakers



1

No.	380541	Ref. No.	927368
description	motor protection circuit breaker type 3RV1011-0JA10 setting range 0.7-1A (AC3/400V) 0.25kW		
For models:	GLB0046		

TELEMECANIQUE (Schneider Electric)

power contactors



1

No.	380965	Ref. No.	Y10100
description	power contactor resistive load 20A 230VAC (AC3/400V) 6A/2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LC1K0610P7+		
For models:	ACC004V, ACK1002, ACK101V, ACK102V, ACK301V, ACK302V, ACK303V, ACK304V, ADC004V		



1

No.	380090	Ref. No.	11950197000
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 4NO auxiliary contacts 1NO/1NC connection screw connection type LC1DT25P7		
For models:	AIB0014, AIB0015		

ALLEN BRADLEY

power contactors



1

No.	380523	Ref. No.	1602231
description	power contactor resistive load 32A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 100-C09KF10		
For models:	EFB0014, EFB0019		

			
1			
No.	380469	Ref. No.	ELET0160
description	power contactor resistive load 32A 230VAC (AC3/400V) 9A/4kW main contacts 4NO connection screw connection type 100-C09KF400		
For models:	CAD0009, SY12100VELED, SY1280VE, SY850VELED		

solid state relays

accessories

diodes

high voltage diodes

			
1			
No.	358161	Ref. No.	A62024000AP
description	hv diode type 2X062+HVR-1X connection F6.3mm / lug M4 cable lengthmm for microwave		
For models:	NE1880		

relays

power relays

with DIN rail mounting

upper

			
1			
No.	380809	Ref. No.	12023706 Z203062000
description	power relays FINDER 230VAC 16A 2NO connection male faston 6.3mm bracket mounting manuf. no. 62.82.8.230.0307		
For models:	GLB0035-FN, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN		

lateral

			
1			
No.	380313	Ref. No.	229036
description	power relays FINDER 230VAC 16A 3CO connection male faston DIN rail manuf. no. 62.83.8.230.0008		
For models:	GLB0046, OPT1012		

with bracket mounting

			
1			
No.	380197	Ref. No.	09950287000
description	power relays 230VAC 16A 2CO connection male faston bracket mounting		
For models:	AIB0014, AIB0015		

			
1			
No.	380312	Ref. No.	229023 229024
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		

			
1			
No.	380139	Ref. No.	929115
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	GLB0043, GLB0044, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0070, GLB0071, GLB0073		



1

No.	380702	Ref. No.	229040
description	power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V		
For models:	GLB0072		



1

No.	380311	Ref. No.	229030
description	power relays Italiana Relè 230VAC 20A 1NC/1NO connection F6.3 bracket mounting manuf. no. A1B-230AC-FA		
For models:	GLB0058, GLB0059, GLB0060		



1

No.	380185	Ref. No.	229029 DER111
description	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A1O-230AC-FA		
For models:	GLB0070, GLB0071, GLB0072, GLB0073, OPT1012		

with male contacts

female contact 2.0mm



1

No.	380494	Ref. No.	3700053	
description	power relays FINDER 230VAC 7A 4CO connection F2 plug-in connection manuf. no. 55.34.8.230.0054 94.74/ZMD4 250V connection 2mm			
For models:	IIA5005, IIA5006, IIA5010, IIA5011, IIA5012, IIA5013, IIA5014, IIA5015			
accessories for	380494			
	No.	380341	Ref. No.	—
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4			

accessories for 380494



No.	380399	Ref. No.	—
relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3			

plug-in/print relays



1

No.	380941	Ref. No.	PD.2476
description	print relay 250VAC 2CO at 250V 8A connection pins raster size 5mm		
For models:	NGSB990CE, NGSCD990		

relay sockets



1

No.	380393	Ref. No.	3700054
description	relay socket 4-pole		
For models:	IIA5005, IIA5006, IIA5010, IIA5011, IIA5012, IIA5013, IIA5014, IIA5015		

supervisory relays



1

No.	401610	Ref. No.	N23633
description	supervisory relay revolutions		
For models:	BAB0003, BAB0004, BAB0005		

magnetrons

			
1			
No.	402845	Ref. No.	2M244-M1GL
description	Magnetron PANASONIC type 2M244-M23		
For models:	NE3240		

transformers

open transformers

with clamp terminal

			
1			
No.	401198	Ref. No.	ELET0094
description	transformer primary 0/230/400V secondary 12/0/12V 160VA		
For models:	CAD0004, CAD0005, CAD0007, SY850VELED		

			
1			
No.	403683	Ref. No.	0223017
description	transformer primary 220 secondary 10 500VA Mini Jumbo/ Jumbo35 / Boxer35		
For models:	FGZ0005, FGZ0012		

			
1			
No.	402080	Ref. No.	0223026
description	transformer primary 220/380VAC secondary 0-20VAC 600VA connection screw connection 50/60Hz		
For models:	FGZ0009, FGZ0027		

			
1			
No.	402081	Ref. No.	0223032
description	transformer primary 220/380VAC secondary 0-21.4VAC 900VA connection screw connection 50/60Hz		
For models:	FGZ0007, FGZ0028		

			
1			
No.	402086	Ref. No.	0223011
description	transformer primary 230/400VAC secondary 0-9/0-24VAC 64.5VA connection screw 50/60Hz		
For models:	FGZ0005, FGZ0006, FGZ0007, FGZ0009, FGZ0012, FGZ0013, FGZ0025, FGZ0026, FGZ0027, FGZ0028		

			
1			
No.	403573	Ref. No.	ELET0003
description	transformer primary 230/400VAC secondary 115VAC 63VA secondary 0.5A H 78mm L 85mm W 77mm connection screw 50/60Hz type SFM00063CC15 open		
For models:	CAD0007, CAD0010, SY12100VGASD, SY1280VG		

			
1			
No.	402084	Ref. No.	0223049
description	transformer primary 380/400VAC secondary 0-24VAC 1150VA connection screw connection 50/60Hz		
For models:	FGZ0027		



1

No.	402082	Ref. No.	0223035
description	transformer primary 380/400VAC secondary 0-33,1VAC 1150VA connection screw connection 50/60Hz		
For models:	FGZ0028		

encapsulated transformers

multiple connections



1

No.	402085	Ref. No.	0223004
description	transformer primary 230VAC secondary 24VAC 30VA secondary 1.25A connection male faston 6.3mm 50/60Hz type 65.16.230.323.224.05		
For models:	FGZ0005, FGZ0012, FGZ0013, FGZ0025		

PMA



1

No.	379054	Ref. No.	91310350
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	CAA0003, CAA0004, CAA0005		

power supplies



1

No.	378410	Ref. No.	B00LA222
description	power supply primary 100-240VAC secondary 12VDC 15.6VA secondary 1.3A H 28.5mm L 91mm W 52mm connection screw 50/60Hz type NES-15-12 switched-mode power supply		
For models:	BMB0046-F, IEA0010, IEA0011, IEA0012, IEC0050, IEC0051, IEC0052		



1

No.	378362	Ref. No.	B00LA111
description	power supply primary 100-240VAC secondary 12VDC 50VA secondary 4.2A H 40mm L 130mm W 100mm connection screw 50-60Hz type NES-50-12		
For models:	BMA0098, BMA0099		



1

No.	378661	Ref. No.	B00LA106
description	power supply primary 100-240VAC secondary 12VDC H 31mm L 100mm W 83mm connection screw 50/60Hz type LRS-50-12 switched-mode power supply		
For models:	BMC0001-FG, CCZ0009-F, CCZ0050, IEA0010, IEA0011, IEA0012, IEC0050, IEC0051, IEC0052		

HV transformers



1

No.	403496	Ref. No.	A600B3580GP
description	HV transformer type NE1540/NE1840/NE1880 for microwave		
For models:	NE1880		

electronic controllers

CAREL

refrigeration controllers

built-in version



1

No.	378030	Ref. No.	R055PJ32 R055PJEZSNH000K
description	electronic controller CAREL PJEZSNH000K mounting measurements 71x29mm built-in depth 31mm 230V voltage AC NTC relay outputs 1 CO-12A(2) NTC NTC yes protection IP54 incl. bezel°C display 2½ digit		
For models:	BGB0001, BGB0002, BGB0003, BGB0004, BGB0005, BGB0006, BGB0007, BGB0008, BGB0009, BGB0010, BGB0011, BGB0012, BGB0013, BGB0014, BGB0015, BGB0016, BGB0017, BGB0018, BGB0019, BGB0022, BGB0023, BGB0024, BGB0025, BGB0026, BGB0050, BHZ0001, BHZ0002, BHZ0003, BHZ0004, BHZ0005, BHZ0006, BHZ0009, BHZ0010, BHZ0011		
accessories for	378030		
	No.	378261	Ref. No. —
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire		
	No.	379057	Ref. No. —
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	No.	379160	Ref. No. A00DJ102
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379161	Ref. No. —
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379342	Ref. No. —
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 1.5m 2-wire protection IP67		
	No.	379343	Ref. No. —
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
	No.	379458	Ref. No. —
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	No.	379784	Ref. No. —
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	No.	379860	Ref. No. —
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		

DIXELL

universal controllers



1

No.	403393	Ref. No.	A00DJ124
description	electronic controller DIXELL type XT110C-5H1AU mounting measurements 71x29mm 230V voltage AC mV/mA relay outputs 1 CO-8A(3) mV/mA DI DI yes defr. funct. no dependent on probe°C display 3½ digits		
For models:	BMA0098, BMA0099		

refrigeration controllers

accessories



1

No.	381247	Ref. No.	A00DJ108
description	data cable DIXELL		
For models:	BMA0013-F, BMA0034-F, BMA0038-F, BMB0002-F, BMB0004-F, BMB0014-F, BMB0014-FG, BMB0015-F, BMB0042-F, BMC0001-F, BMC0003-F, BNA0068, BNA0069, BNC0002-F, BNC0007-F, BNC0008-F, BNC0030, TIM3, VAEK170-F, VAEK210-F, VAEK220-F, VAEN030-F, VAEN060-F, VAEN075-F		
accessories for	381247		
	No.	381245	Ref. No. —
	display DIXELL DX60 mounting measurements 157x28mm built-in depth 20mmV voltage relay outputs protection IP00°C display 3½ digits		
	No.	381246	Ref. No. —
	refrigeration controller DIXELL XW60K-5L1CO mounting measurements 140x110mm built-in depth 60mm 230V voltage AC NTC relay outputs 4 NO-20A(8) NO-16A(5) NO-8A(3) NO-16A(5) NTC NTC DI DI yes protection -40 up to 110°C display DX60		



ELIWELL

universal controllers

built-in version



No.	379605	Ref. No.	91310030
description	electronic controller ELIWELL type ICP22J135000 mounting measurements 71x29mm 12V voltage AC/DC Pt100/TC (J,K) relay outputs 2 NO-8A(4) NO-8A(4) Pt100/TC (J,K) cooking front measurements 78x37mm built-in depth 59mm mode of operation cooking protection IPx0 accuracy 1% built-in version defr. funct. no dependend on probe°C display 3½ digits		
For models:	CAA0003, CAA0004, CAA0005		
accessories for	379605		
	No.	379050	Ref. No. —
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
	No.	379054	Ref. No. 91310350
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	No.	379785	Ref. No. —
	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C probe ø6x100mm cable length 1.5m without screw connection 2-wire resistor 0.1kOhm		
	No.	379786	Ref. No. —
	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C probe ø6x100mm cable length 3m without screw connection 2-wire resistor 0.1kOhm		
	No.	379787	Ref. No. —
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 2-wire resistor 0.1kOhm		



No.	379568	Ref. No.	TERM0012
description	electronic controller ELIWELL type ICP22J1750000 mounting measurements 71x29mm 230V voltage AC Pt100/TC (J,K) relay outputs 2 CO-8A(4) CO-8A(4) Pt100/TC (J,K,S) DI front measurements 78x37mm built-in depth 60mm mode of operation cooking protection IPx0 accuracy 1% built-in version defr. funct. no -150 to 1350°C display 3½ digits		
For models:	CAD0005, CAD0007, SY850VELED		
accessories for	379568		
	No.	378065	Ref. No. —
	alarm device AKO type AKO-520641 mounting measurements 214x214mm 230V voltage AC relay outputs 1 CO-8A(4) up to 4 front measurements 222x222mm yes yes		
	No.	378074	Ref. No. —
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø3x100mm cable length 3m without screw connection 2-wire		

ELECTRONIC CONTROLLERS MASTRO

accessories for	379568		
	No.	378075	Ref. No. —
	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C probe ø4.5x150mm cable length 3m without screw connection 2-wire		
	No.	379050	Ref. No. —
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
	No.	379062	Ref. No. —
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x50mm cable length 3m without screw connection 2-wire		

EVCO - EVERY CONTROL

universal controllers

built-in version



No.	378134	Ref. No.	TERM0060
description	electronic controller EVERY CONTROL EVK411 mounting measurements 71x29mm built-in depth 59mm 230V voltage AC NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA relay outputs 1 CO-16A(8) NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA yes protection IP55 dependend on probe°C display 3½ digits		
For models:	SY850VELED		
accessories for	378134		
	No.	378075	Ref. No. —
	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C probe ø4.5x150mm cable length 3m without screw connection 2-wire		
	No.	379051	Ref. No. 91310211
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire		
	No.	379062	Ref. No. —
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x50mm cable length 3m without screw connection 2-wire		

refrigeration controllers

built-in version



No.	379998	Ref. No.	3700041
description	electronic controller EVERY CONTROL type FK200XN7 mounting measurements 71x29mm 230V voltage AC NTC		
For models:	IIA5005, IIA5006, IIA5010, IIA5011, IIA5012, IIA5013, IIA5014, IIA5015		

built-in version 2-piece


1

No.	403412	Ref. No.	A00DJ120
description	keypad PCB refrigerated counter BGL2-VT incl. control panel mounting pos. horizontal buttons 6		
For models:	BNC0001BAR-F, BNC0007BAR-F, BNC0015BAR-F, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, IBC0055		
accessories for	403412		
	No.	381249	Ref. No. A00DJ109
	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x14mm cable length 3m		

SHANGFANG
accessories


1

No.	379054	Ref. No.	91310350
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	CAA0003, CAA0004, CAA0005		

probes
universal probes
temperature probes


1

No.	379160	Ref. No.	A00DJ102
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
For models:	9925F, 9931F, 9932F, BMA0034-F, BMA0098, BMA0099, BMB0002-FG, BMB0014-FG, BMB0015-F, BMB0042-F, BMC0001-FG, BNC0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0018-F, CCZ0050, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, HCE2004-F, HCE2005-F, HCE2006-F, HCE2007-F, HCE2008-F, HCE2009, IEC0050, IEC0051, IEC0052, SALADBAR2, SALADBAR3, TIM3, TIM3PI, USN4, VAEK170-F...(Other models you can see in the webshop)		



1

No.	379051	Ref. No.	91310211
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire		
For models:	CAA0003, CAA0004, CAA0005, CAB0019, CAB0020, GIOTTOD, GIOTTOPI		
accessories for	379051		
	No.	379877	Ref. No. —
	electronic controller HONEYWELL type DC10N-400 mounting measurements 92x92mm 24/230V voltage AC TC (J) relay outputs 1 CO-10A(6) TC (J) universal built-in depth 55mm protection IP54 accuracy 1% built-in version defr. funct. no 0 up to +400°C display 3 digits		

humidity probes



1

No.	403390	Ref. No.	A00DJ114
description	humidity probe humidity range 0-99% supply 9-28VDC outlet 4-20mA probe ø17.5x120mm cable lengthm 0 up to +70°C XH20P		
For models:	BMA0098, BMA0099		

producer-specific probes
probes


1

No.	403942	Ref. No.	231016
description	temperature probe		
For models:	GLB0071, GLB0073, OPT1012C		



1

No.	403571	Ref. No.	A601L4000AP
description	temperature probe connection soldering connection for microwave PANASONIC		
For models:	NE1880, NE2140, NE3240		



1

No.	403713	Ref. No.	A601L5150AP
description	temperature probe connection soldering connection for microwave PANASONIC		
For models:	NE1643, NE1653, NE1843		



1

No.	381249	Ref. No.	A00DJ109
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x14mm cable length 3m		
For models:	9925F, 9931F, 9932F, BMA0034-F, BMA0098, BMA0099, BMB0002-F, BMB0002-FG, BMB0014-F, BMB0014-FG, BMB0015-F, BMB0042-F, BMB0046-F, BMC0001-F, BMC0001-FG, BMC0003-F, BNA0068, BNA0069, BNC0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0007-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0018-F, CCZ0050, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, HCE2004-F, HCE2005-F, HCE2006-F, HCE2007-F, HCE2008-F, HCE2009, IEA0010...(Other models you can see in the webshop)		



1

No.	400910	Ref. No.	231014
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø4.5x30mm cable length 0.35m		
For models:	GLB0043, GLB0044, GLB0046, GLB0070, GLB0071, OPT1012		



1

No.	379519	Ref. No.	1604133 711000
description	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection male faston thread probe ø10x30mm cable length 0.05m		
For models:	EFB0014, EFB0017, EFB0018, EFB0019, EFC0003		

accessories for	379519	No.	531063	Ref. No.	1605361
gasket ø 24mm ID ø 9mm H 19mm mounting ø 20mm silicone					



1

No.	379944	Ref. No.	TERM0019 TERM0049
description	temperature probe Pt1000 cable Vetrotex probe -70 up to +500°C cable -50 up to +350°C connection 2-wire thread probe ø6x180mm cable length 1.7m		
For models:	CAD0004, CAD0004-ZN, CAD0005, CAD0007, CAD0009, CAD0010, SY12100VELED, SY12100VGASD, SY1280VE, SY1280VG, SY850VELED		



1

No.	403694	Ref. No.	91310212
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C connection 2-wire thread probe ø6x100mm cable length 0.45m		
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0019, CAB0020, CAB0024-CD, CAB0025-CD, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		



1

No.	379941	Ref. No.	TERM0020
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C connection 2-wire thread probe ø6x200mm cable length 1m		
For models:	CAD0005, CAD0007, SY850VELED		



1

No.	379598	Ref. No.	91310215
description	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C connection 2-wire thread probe ø3x200mm cable length 1.5m		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0016, CAB0017, CAB0018, CAB0026, CAB0027		

sensors



1

No.	401611	Ref. No.	NR23676
description	sensor ø 18mm L 44mm thread M10x1 cable length 1450mm		
For models:	BAB0003, BAB0004, BAB0005		
accessories for	401611		
	No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		



accessories

miscellaneous




1

No.	531063	Ref. No.	1605361
description	gasket ø 24mm ID ø 9mm H 19mm mounting ø 20mm silicone		
For models:	EFB0014, EFB0017, EFB0018, EFB0019, EFC0003		

electronics

EPROMS



1

No.	401558	Ref. No.	81000
description	EPROM CODE 81000-1		
For models:	GLB0071		



1

No.	401559	Ref. No.	81021
description	EPROM CODE 81000-1		
For models:	GLB0070		



1

No.	403246	Ref. No.	81006
description	EPROM for dishwasher CODE 81006-5		
For models:	OPT1012		



1

No.	403244	Ref. No.	81008
description	EPROM for dishwasher CODE 81008		
For models:	GLB0046		



1


No.	403241	Ref. No.	81001
description	EPROM type U61E for dishwasher CODE 81001-3		
For models:	GLB0043, GLB0044		

PCBs




1

No.	403497	Ref. No.	A605S3030GP
description	buzzer board for microwave suitable for PANASONIC		
For models:	NE1880, NE2140, NE3240, NEC1475		



1			
No.	401149	Ref. No.	91310255
description	control PCB		
For models:	CAB0019, CAB0020		




1			
No.	403693	Ref. No.	91310258
description	control PCB for pizza oven Michelangelo L 230mm W 80mm connection screw clamps		
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0024-CD, CAB0025-CD, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		



1			
No.	400859	Ref. No.	91310250
description	control PCB pizza oven TH4351DC		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0016, CAB0017, CAB0018, CAB0026, CAB0027		



1			
No.	401204	Ref. No.	ELET0155
description	display PCB		
For models:	CAD0004, CAD0004-ZN, CAD0005, CAD0007, CAD0009, CAD0010, SY12100VELED, SY12100VGASD, SY1280VE, SY1280VG, SY850VELED		



1			
No.	400897	Ref. No.	227084
description	display PCB dishwasher GS 60		
For models:	GLB0073		
accessories for	400897		
	No.	403250	Ref. No.
			80933
	ribbon cable 10-pole L 3000mm plug type coded 2 row plug: number of poles 10		



1			
No.	400898	Ref. No.	80889 80900
description	keypad PCB dishwasher LP10/20/30 with display		
For models:	GLB0043, GLB0044, GLB0046, GLB0071		
accessories for	400898		
	No.	402970	Ref. No.
			41523
	ribbon cable 10-pole L 1200mm plug type 2 row coded Qty 1m		



1			
No.	401205	Ref. No.	ELET0212
description	main PCB		
For models:	CAD0004, CAD0004-ZN, CAD0005, CAD0007, CAD0009, CAD0010, SY12100VELED, SY12100VGASD, SY1280VE, SY1280VG, SY850VELED		



1			
No.	403725	Ref. No.	11950577000
description	main PCB combi-steamer L 262mm W 108mm		
For models:	KF981D		



1

No.	402940	Ref. No.	4SCHS090
description	main PCB CSK 120 L 124mm W 100mm type MIR90		
For models:	VSFK170, VSFK200, VSFK203, VSFK400, VSFN075, VSFN122, VSFN200		




1

No.	402771	Ref. No.	1031640
description	PCB coffee machine COFFEE QUEEN L 134mm W 48mm 230V with display		
For models:	EFB0001, EFB0004, EFB0009, EFB0009-C		




1

No.	402834	Ref. No.	1031641
description	PCB coffee machine COFFEE QUEEN L 135mm W 48mm 230V with display		
For models:	EFC0003		



1

No.	401727	Ref. No.	19413007
description	PCB cutter C4-C6 230V		
For models:	FLA0014, FLA0015		




1

No.	403621	Ref. No.	215036
description	PCB dishwasher 25/26/27-05 26/27-20 L 60mm W 40mm		
For models:	OPT1012C		



1

No.	402880	Ref. No.	215027
description	PCB dishwasher L 152mm W 80mm		
For models:	GLB0071		



1

No.	401049	Ref. No.	215022
description	PCB dishwasher LP10/20/30		
For models:	GLB0043, GLB0044, GLB0046		



1

No.	403518	Ref. No.	215034-5
description	PCB dishwasher R4258E1120T7S L 136mm W 85.5mm 230V		
For models:	OPT1012C		



1

No.	401730	Ref. No.	IB5940800
description	PCB drink mixer Dragone 50/60Hz 230V		
For models:	DRAGONEVV		



1

No.	401729	Ref. No.	IB5940005
description	PCB drink mixer Sirio 50/60Hz 110-250V 1.5A		
For models:	SIRIO1VVCAFFE, SIRIO2VVCAFFE		



1

No.	401728	Ref. No.	IB5940000
description	PCB drink mixer Sirio 50/60Hz 120/240V 1.6A		
For models:	SIRIO1VVCAFFE, SIRIO2VVCAFFE		



1

No.	403692	Ref. No.	91310259
description	PCB for pizza oven Michelangelo L 80mm W 32mm connection coded plug for flues		
For models:	CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		



1

No.	403515	Ref. No.	IB5940702
description	PCB fruit squeezer APOLLO L 111mm W 56mm 230V		
For models:	MULTIPL02S, MULTIPL03S		



1

No.	401953	Ref. No.	IB5944010
description	PCB hand blenders VORTEX with potentiometer 230V		
For models:	FJZ0010, FJZ0011, FJZ0012		



1

No.	402831	Ref. No.	1031646
description	PCB L 135mm W 48mm 230V with display for COFFEE QUEEN		
For models:	EFB0017, EFB0018		



1

No.	402835	Ref. No.	1031642
description	PCB L 135mm W 48mm 230V with display for COFFEE QUEEN		
For models:	EFB0014, EFB0019		



1

No.	403688	Ref. No.	F2140
description	PCB meat mincer/cheese grater T12 230V		
For models:	FHZ0003, FIF0001, FIF0002, FIF0003-22HP, FIF0004, FIF0005, FMC0001-F, TCG22E-F		

1			
No.	401385	Ref. No.	LF1033020
description	PCB Mod.12 230/400V type TGM7		
For models:	FID0005, FID0006, FID0007, FID0008, FIF0014, TC32BU, TC32NEVADAT		

1			
No.	401360	Ref. No.	F2141
description	PCB Mod.12 400V		
For models:	FHZ0003, FIF0001, FIF0002, FIF0003-22HP, FIF0004, FIF0005, FMC0001-F, TCG22E-F		

1			
No.	401358	Ref. No.	F2027
description	PCB Mod.8 230V		
For models:	FHZ0001, FIF0016-F		

1			
No.	401206	Ref. No.	ELET0203
description	PCB motor control		
For models:	CAD0004, CAD0005, CAD0007, SY850VELED		

1			
No.	401207	Ref. No.	ELET0213
description	PCB motor control		
For models:	CAD0004, CAD0004-ZN, CAD0005, CAD0007, CAD0009, CAD0010, SY12100VELED, SY12100VGASD, SY1280VE, SY1280VG, SY850VELED		

1			
No.	401150	Ref. No.	91310305 91310306
description	PCB pizza oven MAX 4/35		
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0019, CAB0020, CAB0024-CD, CAB0025-CD, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG, GIOT-TOD, GIOTTOP		

1			
No.	400814	Ref. No.	91310301
description	PCB pizza oven TH4351DC 2kW		
For models:	CAB0007, CAB0008, CAB0009, CAB0010, CAB0011, CAB0012, CAB0016, CAB0017, CAB0018, CAB0026, CAB0027		

1			
No.	401451	Ref. No.	66304800
description	PCB pyroceram range 110/920 series		
For models:	92PCV, 94CFV, 94PCV		



1

No.	400955	Ref. No.	19411008
description	PCB slicer 230/400V		
For models:	FEB0031, FLA0016, FLA0028, MIRRA300		
accessories for	400955		
	No.	401357	Ref. No. F2138
momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-1 connection screw ambient temperature max. 125/55°C protection IP40			
	No.	401709	Ref. No. —
protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm			



1

No.	400785	Ref. No.	00000000359
description	PCB slicer 300SCEP 230V		
For models:	8921, 8922		
accessories for	400785		
	No.	301058	Ref. No. 00000000653
protective cover internal size 30x55mm			



1

No.	403315	Ref. No.	19411000.06
description	PCB slicer CANOVA L 128mm W 42mm H 42mm		
For models:	PALLADIO300AM, PALLADIO350AM		



1

No.	400954	Ref. No.	19411007
description	PCB slicer/cutter 50/60Hz 230V		
For models:	FEB0031, FLA0014, FLA0015, FLA0016, FLA0028, MIRRA300		



1

No.	401965	Ref. No.	91310270
description	PCB suitable for EV385		
For models:	GIOTTOD, GIOTTOP, ZCKEV2AS, ZCKEVAS		



1

No.	402093	Ref. No.	0230040
description	PCB vacuum packing machine B35 / B-M 42/42XL H_HD4		
For models:	FGZ0006, FGZ0007, FGZ0009, FGZ0026, FGZ0027, FGZ0028		
spare parts for	402093		
	No.	358596	Ref. No. —
fine fuse size ø5x20mm 0.25A slow-acting rated 250V Qty 10 pcs			



1

No.	402095	Ref. No.	0230042
description	PCB vacuum packing machine B35 / B-M 42/42XL H_HD4 with sensor		
For models:	FGZ0006, FGZ0007, FGZ0009, FGZ0026, FGZ0027, FGZ0028		



1

No.	402092	Ref. No.	0230036
description	PCB vacuum packing machine JUMBO		
For models:	FGZ0005, FGZ0012, FGZ0013, FGZ0025		



No.	403784	Ref. No.	215037
description	PCB warewashing ELETTOBAR / COLGED L 60mm W 30mm		
For models:	OPT1012C		



No.	403509	Ref. No.	999298
description	PCB warewashing NIAGARA/SILVER		
For models:	GLB0073		



No.	400899	Ref. No.	215023
description	power PCB dishwasher LP10/20/30 without EPROM		
For models:	GLB0043, GLB0044, GLB0046, GLB0070, GLB0071, OPT1012		
accessories for	400899		
	No.	400761	Ref. No.
			—
	No.	400900	Ref. No.
			—
	No.	401558	Ref. No.
			81000
	No.	403241	Ref. No.
			81001
	No.	550048	Ref. No.
			—

central units



No.	403703	Ref. No.	4.0.000.0953
description	central unit 240V 50/60Hz L 130mm W 120mm suitable for GICAR		
For models:	EFA0015, EFA0016, EFA0023		



No.	401092	Ref. No.	50PAA78246
description	control box 400V		
For models:	FIB0001		




No.	400788	Ref. No.	00000000297
description	control box for slicer 230V		
For models:	8921, 8922		



No.	402942	Ref. No.	074154
description	control box for vegetable slicer 230V for Star 10		
For models:	9654		

keypads


front foils



No.	696452	Ref. No.	MSC04V238
description	front foil cutter C9VV CE blue L 60mm W 60mm		
For models:	FLA0014, FLA0015, FLA0016		




No.	403238	Ref. No.	Z222903000
description	front foil dishwasher FI48 grey model FI-48B suitable for FAGOR L 585mm W 62.5mm		
For models:	GLB0061C-F, GLB0063C-F		



No.	401145	Ref. No.	91611080
description	keypad foil		
For models:	CAB0019, CAB0020		



No.	401146	Ref. No.	91611090
description	keypad foil		
For models:	CAB0019, CAB0020		



No.	403710	Ref. No.	A00DJ105
description	keypad foil for fridge suitable for FRENEX		
For models:	9925F, 9931F, 9932F, BMA0013-F, BMA0034-F, BMA0038-F, BMB0002-F, BMB0002-FG, BMB0004-F, BMB0014-F, BMB0014-FG, BMB0015-F, BMB0042-F, BMC0001-F, BMC0001-FG, BMC0003-F, BNA0068, BNA0069, BNC0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0007-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0018-F, CCZ0050, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, HCE2004-F, HCE2005-F, HCE2006-F, HCE2007-F, HCE2008-F, HCE2009, IEA0010...(Other models you can see in the webshop)		

membrane keypads



No.	401356	Ref. No.	F2033
description	membrane keypad		
For models:	FHZ0001, FIF0016-F		



No.	401202	Ref. No.	ELET0165
description	membrane keypad 6 buttons		
For models:	CAD0004, CAD0004-ZN, CAD0005, CAD0009, SY12100VELED, SY-1280VE, SY850VELED		



No.	401203	Ref. No.	ELET0153
description	membrane keypad 6 buttons		
For models:	CAD0007, CAD0010, SY12100VELED, SY12100VGASD, SY1280VG		



No.	402839	Ref. No.	1603853
description	membrane keypad buttons 2 suitable for COFFEE QUEEN L 67mm W 40mm		
For models:	EFC0003		



No.	402773	Ref. No.	1603854
description	membrane keypad buttons 3 suitable for COFFEE QUEEN L 125mm W 41mm		
For models:	EFB0001, EFB0004, EFB0009, EFB0009-C		

			
1			
No.	402862	Ref. No.	1603859
description	membrane keypad buttons 3 suitable for COFFEE QUEEN L 333mm W 52mm		
For models:	EFB0019		

			
1			
No.	402838	Ref. No.	1603856
description	membrane keypad buttons 6 suitable for COFFEE QUEEN L 330mm W 50mm		
For models:	EFB0014		

			
1			
No.	402100	Ref. No.	0900105
description	membrane keypad vacuum packing machine with frame		
For models:	FGZ0007, FGZ0009, FGZ0027		

			
1			
No.	402096	Ref. No.	0900100
description	membrane keypad with frame		
For models:	FGZ0005, FGZ0012, FGZ0013, FGZ0025		

keypad units

			
1			
No.	403001	Ref. No.	LF1007001 LF1010027
description	keypad unit bone saw SO1650/SO2020 L 120mm W 49mm with cable		
For models:	FIG0002, FIG0009M		

			
1			
No.	401737	Ref. No.	19702021
description	keypad unit buttons 2 blue L 130mm W 41mm		
For models:	FEB0031, FLA0014, FLA0015, FLA0016, MIRRA300		

			
1			
No.	401736	Ref. No.	19702022
description	keypad unit buttons 2 white L 130mm W 41mm		
For models:	FEB0031, FLA0014, FLA0015, FLA0016, MIRRA300		

			
1			
No.	402667	Ref. No.	4.0.000.0955
description	keypad unit buttons 5 silver/black L 120mm W 50mm		
For models:	EFA0015, EFA0016, EFA0023		

1

No.	401735	Ref. No.	LF1033021	
description	keypad unit meat mincer TC12 buttons 3 cable length 90mm L 130mm W 41mm cable colours brown/yellow/grey/green/pink/white			
For models:	FID0005, FID0006, FID0007, FID0008, TC32NEVADAT			
accessories for	401735			
	No.	401373	Ref. No.	19563034
				
gasket for keypad housing L 135mm W 50mm				



			
1	No.	403006	Ref. No. 19702034
description keypad unit slicer BAYONNE/CANOVA buttons 2 L 130mm W 41mm			
For models: PALLADIO300AM, PALLADIO350AM			

							
1	No.	401694	Ref. No. 19702004				
description keypad unit slicer BAYONNE/CICLONE/SAN-DANIELE buttons 2 L 130mm W 41mm							
For models: FEB0031, FLA0014, FLA0015, FLA0016, MIRRA300							
accessories for 401694							
 <table> <tr> <td>No.</td><td>401373</td><td>Ref. No.</td><td>19563034</td></tr> </table>				No.	401373	Ref. No.	19563034
No.	401373	Ref. No.	19563034				
gasket for keypad housing L 135mm W 50mm							

							
1	No.	403002	Ref. No. 19702000				
description keypad unit slicer buttons 2 MIRRA/SAN-DANIELE/YORK L 120mm W 48mm							
For models: FEB0031, FLA0014, FLA0015, FLA0028, MIRRA300							
accessories for 403002							
 <table> <tr> <td>No.</td><td>403004</td><td>Ref. No.</td><td>19563030</td></tr> </table>				No.	403004	Ref. No.	19563030
No.	403004	Ref. No.	19563030				
gasket for keypad housing L 122mm W 52mm							

							
1	No.	403003	Ref. No. 19702002				
description keypad unit slicer GEMMA 300/350 buttons 2 L 150mm W 55mm							
For models: FLA0016							
accessories for 403003							
 <table> <tr> <td>No.</td><td>401380</td><td>Ref. No.</td><td>19563032</td></tr> </table>				No.	401380	Ref. No.	19563032
No.	401380	Ref. No.	19563032				
gasket for keypad housing L 150mm W 60mm							

			
1	No.	401356	Ref. No. F2033
description membrane keypad			
For models: FHZ0001, FIF0016-F			

KEYPADS/SOLENOID VALVES MASTRO

control panel

			
1	No.	692142	Ref. No. 0330120
description housing vacuum packing machine 200/220			
For models: FGZ0009, FGZ0028			

accessories

			
1	No.	403004	Ref. No. 19563030
description gasket for keypad housing L 122mm W 52mm			
For models: FEB0031, FIG0002, FIG0010, FLA0014, FLA0015, FLA0028, MIRRA300			

			
1	No.	401373	Ref. No. 19563034
description gasket for keypad housing L 135mm W 50mm			
For models: FEB0009-SNT, FEB0010-SNT, FEB0031, FEB0033, FEB0034, FEB0035, FIC0001, FIC0002, FID0006, FID0007, FID0008, FIG0002, FIG0009M, FIG0010, FLA0014, FLA0015, FLA0016, MIRRA300, PALLADIO300AM, PALLADIO300T, PALLADIO330T, PALLADIO350AM			

			
1	No.	401380	Ref. No. 19563032
description gasket for keypad housing L 150mm W 60mm			
For models: FLA0016			

solenoid valves

solenoid valves (water)

ELBI							
straight							
							
1	No.	373017	Ref. No. 240016				
description solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI							
For models: GLB0070, GLB0071, GLB0073, OPT1012C							
spare parts for 373017							
 <table> <tr> <td>No.</td><td>370467</td><td>Ref. No.</td><td>—</td></tr> </table>				No.	370467	Ref. No.	—
No.	370467	Ref. No.	—				
solenoid valve filter suitable for ELBI							

			
1			
No.	370315	Ref. No.	929172
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm input 16l/min t.max. 90°C ELBI plastic flow regulating valve inlet black		
For models:	GLB0043, GLB0044, GLB0046		

			
1			
No.	370246	Ref. No.	240010
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C ELBI plastic output B 0.5l/min flow regulating valve outlet B red		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0059, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066		

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C
 ambient temperature: 60°C 25°C 60°C
 duty cycle: 40% 100% 100%

solenoid valves with reducers

single

			
1			
No.	370613	Ref. No.	120624-01
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm input 10l/min output 2.5l/min EATON (INVENSYS) plastic flow regulating valve outlet brown flow regulating valve inlet white		
For models:	EFC0003		

			
1			
No.	370608	Ref. No.	120620-01
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm input 9l/min output 0.95l/min EATON (INVENSYS) flow regulating valve outlet stainless steel flow regulating valve inlet blue		
For models:	EFB0001, EFB0009, EFB0009-C, EFB0017, EFB0018		

			
1			
No.	370624	Ref. No.	120634
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm input 9l/min output 5l/min EATON (INVENSYS) plastic flow regulating valve outlet black flow regulating valve inlet blue 6VA		
For models:	EFB0014, EFB0019		

2-fold

			
1			
No.	370609	Ref. No.	120621-01
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm input 9l/min flow regulating valve inlet blue output A 0.95l/min output B 0.95l/min flow regulating valve outlet A stainless steel flow regulating valve outlet B stainless steel		
For models:	EFB0004		

RPE

			
1			
No.	374017	Ref. No.	3740017
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		
For models:	IIA3006, IIA3007, IIA3008, IIA3010, IIA3011, IIA3012		

JOHN GUEST

			
1			
No.	370772	Ref. No.	ELE30005
description	solenoid valve double straight 230VAC inlet 3/4" outlet JG 8 DN10 t.max. 60°C duty cycle 100% RPE		
For models:	VP914RXS, VP916RXS		
accessories for	370772		
	No.	371265	Ref. No.
			—
reducer flow rate 3l/min black			
	No.	371269	Ref. No.
			—
reducer flow rate 0.07-0.14l/min brown			

solenoid valves with reducers

single



No.	374009	Ref. No.	ELE30004
description	solenoid valve single straight 220-240VAC inlet 3/4" outlet JG 8 input 10-12l/min output 0.07-0.14l/min t.max. 60°C duty cycle 100% RPE plastic flow regulating valve outlet brown flow regulating valve inlet white 1-ways medium temp max. 25°C		
For models:	VG715RXS, VP800U, VP824RU		

TP



No.	370021	Ref. No.	12023794 P255001000
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
For models:	GLB0037-FN, GLB0061C-F, GLB0063C-F		
spare parts for	370021		
	No.	371013	Ref. No. —
solenoid coil TP 230VAC 50/60Hz			
accessories for	370021		
	No.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance $\pm 15\%$			
	No.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$			
	No.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance $\pm 15\%$			
	No.	371223	Ref. No. —
reducer TP flow rate 10l/min white tolerance $\pm 15\%$			
	No.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$			
	No.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$			
	No.	371226	Ref. No. —
reducer TP flow rate 20l/min red tolerance $\pm 15\%$			
	No.	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$			
	No.	371231	Ref. No. —
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$			

accessories for	370021		
	No.	371232	Ref. No. —
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$			
	No.	371233	Ref. No. —
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$			
	No.	371234	Ref. No. P305013000
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$			
	No.	371235	Ref. No. —
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$			
	No.	371236	Ref. No. —
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$			
	No.	371237	Ref. No. —
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$			
	No.	371238	Ref. No. —
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$			
	No.	371239	Ref. No. —
reducer TP flow rate 5l/min black tolerance $\pm 25\%$			
	No.	371240	Ref. No. —
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$			



No.	370017	Ref. No.	11950277000 12025161 240011 Z701135000
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
For models:	AIB0014, AIB0015, GLB0035, GLB0035-FN, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0061C-F, GLB0061C-FN, GLB0062, GLB0063, GLB0063C-F, GLB0063C-FN, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072, OPT1012, OPT1012-CF, OPT1012-CFN		
spare parts for	370017		
	No.	371013	Ref. No. —
solenoid coil TP 230VAC 50/60Hz			
accessories for	370017		
	No.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance $\pm 15\%$			
	No.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$			
	No.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance $\pm 15\%$			

Table continues overleaf

accessories for 370017				
	No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance $\pm 15\%$			
	No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$			
	No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$			
	No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance $\pm 15\%$			
	No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$			
	No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$			
	No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$			
	No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$			
	No.	371234	Ref. No.	P305013000
	reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$			
	No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$			
	No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$			
	No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$			
	No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$			
	No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance $\pm 25\%$			
	No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance $\pm 20\%$			

solenoid valves with reducers

1

No.	370437	Ref. No.	23010 N23010
description	solenoid valve double angled 230VAC inlet 3/4" input 10l/min output 1.2/1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve inlet white outlet 11.5mm output A 1.2l/min output B 1.2l/min flow regulating valve outlet A dark brown flow regulating valve outlet B dark brown		
For models:	BAA0029, BAA0031, BAA0032, BAA0038, E		

1

No.	370436	Ref. No.	N23498
description	solenoid valve double angled 230VAC inlet 3/4" inputl/min output 0.6/0.6l/min DN10 t.max. 90°C TP plastic outlet 11.5mm output A 0.6l/min output B 0.6l/min flow regulating valve outlet A orange flow regulating valve outlet B orange		
For models:	BAA0023		

1

No.	370395	Ref. No.	N23116
description	solenoid valve double angled 230VAC inlet 3/4" inputl/min output 0.8/0.8l/min DN10 t.max. 90°C TP plastic outlet 11.5mm output A 0.8l/min output B 0.8l/min flow regulating valve outlet A white flow regulating valve outlet B white		
For models:	BAA0027, BAA0053-A, BAB0001-W		

1

No.	370434	Ref. No.	N23157
description	solenoid valve double angled 230VAC inlet 3/4" inputl/min output 2,5/2,5l/min DN10 t.max. 90°C TP plastic outlet 11.5mm output A 2.5l/min output B 2.5l/min flow regulating valve outlet A yellow flow regulating valve outlet B yellow		
For models:	BAA0034, BAA0046W		

1

No.	370435	Ref. No.	N23542
description	solenoid valve double angled 230VAC inlet 3/4" t.max. 90°C TP plastic outlet 11.5mm output A 0.5l/min output B 0.8l/min flow regulating valve outlet A orange flow regulating valve outlet B white		
For models:	BAA0025		



1

No.	370449	Ref. No.	N23220
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 2.5l/min outputl/min DN10 t.max. 90°C TP plastic flow regulating valve inlet yellow		
For models:	BAA0032, BAA0033, BAA0037, BAA0046		



1

No.	370451	Ref. No.	N23787 N23819
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 3l/min t.max. 90°C TP plastic flow regulating valve inlet red		
For models:	BAA0033, BAA0046, BAA0051		



1

No.	370450	Ref. No.	N23623
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 5l/min t.max. 90°C TP plastic flow regulating valve outlet white flow regulating valve inlet pink		
For models:	BAA0040		



1

No.	370426	Ref. No.	N23497
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm inputl/min output 0.6l/min DN10 t.max. 90°C TP plastic flow regulating valve outlet orange		
For models:	BAA0022, BAA0024		



1

No.	370399	Ref. No.	N23115
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm inputl/min output 0.8l/min DN10 t.max. 90°C TP plastic		
For models:	BAA0026, BAA0053-A, BAB0001, BAB0002, BAB0003, BAB0004		



1

No.	370427	Ref. No.	N23001
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm inputl/min output 1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve outlet dark brown		
For models:	BAA0028, BAA0030, BAA0032, BAA0037, BAA0055, BAB0005		

spare parts and accessories

reducers

outlet side



1

No.	371234	Ref. No.	P305013000
description	reducer TP flow rate 1l/min light blue tolerance ±25%		
For models:	GLB0061C-F, GLB0063C-F		

various



1

No.	370448	Ref. No.	N23537
description	solenoid valve single angled 230VAC cable length 600mm inlet 1/4"mm		
For models:	BAA0040, BAA0051		

			
No.	371141	Ref. No.	160230-05
description	solenoid valve single angled 240VAC outlet 11.5mm inlet 15mm		
For models:	EFB0014, EFB0019		

metal
ASCO
2-way

			
No.	370509	Ref. No.	0280042
description	solenoid valve 2-ways 24VAC inlet 1/2" outlet 1/2" connection 1/2" L 52mm DN 12.5mm slide-on receptacle DIN -20° up to 85°C membranes NBR (water) p max 7bar 1/2" brass		
For models:	FGZ0007, FGZ0009, FGZ0027, FGZ0028		

3-way

			
No.	370510	Ref. No.	0280052
description	solenoid valve brass 3-ways 24VAC connection 1/4" L 43mm DN 4.4mm -20 up to +90°C membranes NBR (water) p max 3bar p min 0bar 1/4"		
For models:	FGZ0009, FGZ0028		

LUCIFER
3-way
131F series

1

No.	370053	Ref. No.	5.0.000.0123	
description	solenoid valve 3-ways 230VAC DN 2.5mm slide-on receptacle DIN -10 up to 140°C type series 131F coil type DZ06S6 membranes FKM (water/steam) p max 10bar flange 32x32mm			
For models:	EFA0015, EFA0016, EFA0023			
spare parts for	370053			
	No.	370061	Ref. No.	—
solenoid valve body LUCIFER-PARKER 3-ways outer cone				
	No.	371031	Ref. No.	—
solenoid coil LUCIFER-PARKER 230VAC 9VA coil type DZ06S6 seat ø 15mm				
accessories for	370053			
	No.	371090	Ref. No.	—
power socket plug type DIN 43650A screw				
	No.	371095	Ref. No.	—
O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs				
	No.	371100	Ref. No.	—
O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs				

solenoid valves (refrigeration)
CASTEL
valves

			
No.	370402	Ref. No.	A00SL100
description	solenoid valve CASTEL type 1028/2 230V p max 45bar 1/4" connection 1/4" -35 up to 110°C refrigeration copper/brass DN 6.35mm		
For models:	BMA0038-F, BMB0002-F, BMB0004-F, BMC0001-F, BMC0003-F, IBC0055, VAEN030-F, VAEN060-F, VAEN075-F		



valve bodies

STANDARD series

suitable for refrigerants R22, R134a, R404A, R407C, R410A, R507



1

No.	370151	Ref. No.	N20410
description	solenoid valve body NC type 1028/2 S p max 45bar connection 1/4" soldering connection DN 2.2mm -35 up to +105°C L 125mm refrigeration straight CASTEL		
For models:	BAA0019, BAA0022, BAA0023, BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0037, BAA0038, BAA0055		
accessories for	370151		
	No.	371084	Ref. No. —
solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2			
	No.	371090	Ref. No. —
power socket plug type DIN 43650A screw			
	No.	371301	Ref. No. —
solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2			
	No.	371314	Ref. No. —
solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm			
	No.	371321	Ref. No. —
solenoid coil CASTEL 12/24VAC 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2			

spare parts and accessories



1

No.	371041	Ref. No.	N23091
description	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HM2		
For models:	BAA0019, BAA0022, BAA0023, BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0033, BAA0034, BAA0037, BAA0038, BAA0040, BAA0046, BAA0046W, BAA0051, BAA0055, BAC0007, BAC0009		
accessories for	371041		
	No.	371090	Ref. No. —
power socket plug type DIN 43650A screw			
	No.	371092	Ref. No. —
power socket plug type DIN large cable length 1000mm			

PARKER

valves



1

No.	370366	Ref. No.	3740021
description	solenoid valve NC type YB09 with cable 230V pressure range 0-10bar connection 4mm soldering connection PARKER refrigeration straight		
For models:	IIA5005, IIA5006, IIA5010, IIA5011, IIA5012, IIA5013, IIA5014, IIA5015		
spare parts for	370366		
	No.	371033	Ref. No. —
solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm			

SANHUA

valves



1

No.	370837	Ref. No.	A00SL101
description	solenoid valve SANHUA type MDF-A03-3H003 230V p max 45bar L 112mm -35 up to 110°C refrigeration copper/brass		
For models:	BMA0013-F, BMA0034-F, BMB0002-F, BMB0004-F, BMB0014-F, BMB0014-FG, BMB0015-F, BMB0042-F, BMB0046-F		

solenoid valves for vacuum machines



1

No.	370507	Ref. No.	0280021
description	solenoid valve 2-ways 24VAC inlet 1/8" outlet 1/8"mm L 31mm DN 3.3mm 1/8" brass		
For models:	FGZ0006, FGZ0026		

			
1			
No.	370506	Ref. No.	0280010
description	solenoid valve 3-ways 24VAC inlet 1/8" outlet 1/8"mm L 35mm body inner cone DN 2.8mm 1/8" 24V brass		
For models:	FGZ0007, FGZ0027		

			
1			
No.	370816	Ref. No.	0280026
description	solenoid valve assembly 24VAC inlet 1/2" outlet 21mm 2 coils coil type VA12 24V thread 1/2" hose 21mm J35/J42/B35		
For models:	FGZ0013		

			
1			
No.	370511	Ref. No.	0280025
description	solenoid valve assembly 24VAC inlet 1/2" outlet 7.5mm 2 coils coil type VA12 thread 1/2" MJ		
For models:	FGZ0005		

			
1			
No.	541011	Ref. No.	224010
description	pressure control pressure range 110/70mbar connection 6mm 58mm pressure connection horizontal warewashing		
For models:	GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066		

			
1			
No.	541647	Ref. No.	224011
description	pressure control pressure range 115/85mbar connection 6mm 58mm pressure connection 6mm		
For models:	GLB0072		

			
1			
No.	541899	Ref. No.	224025
description	pressure control pressure range 125/105mbar connection 6mm 58mm pressure connection horizontal warewashing pressure connection 6mm		
For models:	OPT1012C		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal

			
1			
No.	541002	Ref. No.	224002
description	pressure control pressure range 110/60mbar connection 6mm 58mm pressure connection horizontal warewashing pressure connection 6mm		
For models:	GLB0070, GLB0071		

			
1			
No.	541898	Ref. No.	224023
description	pressure control pressure range 165/140mbar connection 6mm 58mm pressure connection horizontal warewashing pressure connection 6mm		
For models:	OPT1012C		

			
1			
No.	541776	Ref. No.	12023804 Z713002000
description	pressure control pressure range 170/95mbar connection 6mm 58mm pressure connection horizontal warewashing		
For models:	OPT1012-CF, OPT1012-CFN		



1

No.	541105	Ref. No.	926049
description	pressure control pressure range 180/70mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	GLB0043, GLB0044, GLB0046		



1

No.	541864	Ref. No.	12023803
description	pressure control pressure range 28/13mbar connection 6mm ø 58mm pressure connection horizontal warewashing suitable for FAGOR		
For models:	GLB0035-F, GLB0035-FN, GLB0037-F, GLB0037-FN		



1

No.	541001	Ref. No.	224004
description	pressure control pressure range 35/17mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0043, GLB0044, GLB0056, GLB0057		



1

No.	541302	Ref. No.	12023802 Z203023000
description	pressure control pressure range 40/15mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN		



1

No.	541132	Ref. No.	224015
description	pressure control pressure range 40/18mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	OPT1012		



1

No.	541003	Ref. No.	224003
description	pressure control pressure range 55/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	GLB0058, GLB0059, GLB0060, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		



1

No.	541299	Ref. No.	12023805 Z223005000
description	pressure control pressure range 95/75mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	GLB0061C-F, GLB0063C-F, GLB0063C-FN		



1

No.	541017	Ref. No.	69850
description	pressure control with mounting strap pressure range 40/20mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	GLB0071, GLB0073		

ø 84mm with coded plug



1

No.	541296	Ref. No.	12024981
description	pressure control 2 pressure ranges pressure range 28/13 65/50mbar connection 6mm ø 84mm pressure connection horizontal warewashing pressure connection ø 5.5mm		
For models:	GLB0035-F, GLB0037-F		

			
1			
No.	541592	Ref. No.	12024269
description	pressure control 3 pressure ranges pressure range 40/15 120/60 150/95mbar connection 6mm ø 84mm pressure connection ø 6mm		
For models:	GLB0063C-FN		

accessories

			
1			
No.	541598	Ref. No.	12023163 Z602923000
description	bracket stainless steel H 37mm L 60mm W 12mm for pressure switch		
For models:	GLB0035-F, GLB0035-FN, GLB0037-F, GLB0037-FN, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		

			
1			
No.	541109	Ref. No.	035031 12023510 Z103077000
description	Y-piece plastic hose ø 8-6-8mm for pressure switch		
For models:	GLB0061, GLB0061C, GLB0061C-F, GLB0062, GLB0063, GLB0063C-F, GLB0063C-FN, GLB0064, GLB0064C, GLB0065, GLB0066, GLB0072		

for gas equipment

			
1			
No.	541348	Ref. No.	ELET0130
description	pressure control gas technology connection male faston 6.3mm suitable for ZANOLLI		
For models:	CAD0007, CAD0010, SY12100VGASD, SY1280VG		



1

No.	542115	Ref. No.	ELET0641	
description	pressure control ø 65mm pressure range 0.17-0.75mbar connection 6.8mm pressure connection ø 6.8mm			
For models:	CAD0007, CAD0010, SY12100VGASD, SY1280VG			
accessories for	542115			
	No.	542366	Ref. No.	—
bracket for pressure switches				
	No.	542367	Ref. No.	SUPP0414
bracket for pressure switches				
	No.	560521	Ref. No.	—
sheet-metal screw ø 4mm L 10mm SS Qty 1 pcs 14585 intake Phillips head ø 8mm				

for refrigeration
SAGI NO MIYA

			
1			
No.	541480	Ref. No.	N23342
description	pressure control HD reset manual p max 33bar refrigeration type FTB-3UC37 connection male faston 6.3mm switch-off pressure 30bar -20 to +70°C		
For models:	BAA0034, BAA0040, BAB0003, BAB0004, BAB0005, BAC0007, BAC0008, BAC0009		

			
1			
No.	541479	Ref. No.	N23175
description	pressure control HD reset automatic refrigeration type HTB-X114 connection 2.4mm		
For models:	BAA0023, BAA0025, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0033, BAA0034, BAA0037, BAA0038, BAA0040, BAA0046, BAA0046W, BAA0051, BAB0001, BAB0001-W, BAB0002, BAB0002-W, BAB0003, BAB0004, BAB0005, BAC0007, BAC0008		



accessories



1

No.	542367	Ref. No.	SUPP0414
description	bracket for pressure switches		
For models:	CAD0007, CAD0010, SY12100VGASD, SY1280VG		
accessories for	542367		
	No.	542115	Ref. No. ELET0641
	pressure control ø 65mm pressure range 0.17-0.75mbar connection 6.8mm pressure connection ø 6.8mm		

electrodes



1

No.	402832	Ref. No.	1205305
description	level electrode thread probe L 30mm ø 3mm thread M3 suitable for COFFEE QUEEN		
For models:	EFB0017, EFB0018		



1

No.	402863	Ref. No.	1205301
description	level electrode thread probe L 82mm ø 3mm thread M3 suitable for COFFEE QUEEN		
For models:	EFB0014, EFB0019		



1

No.	402837	Ref. No.	1205302
description	level electrode thread total length 55mm probe L 38mm insulated probe lengthmm connection ø 3mm thread M3 suitable for COFFEE QUEEN		
For models:	EFB0014, EFB0019, EFC0003		

accessories

gaskets



1

No.	531064	Ref. No.	1605362
description	gasket for electrode thread double ømm ID ø 3mm L 30mm silicone		
For models:	EFB0014, EFB0017, EFB0018, EFB0019, EFC0003		

flow meters and flow sensors

flow meters

GICAR



1

No.	400779	Ref. No.	000403.06.01
description	flow meter thread 1/4" stainless steel with LED		

cooling aggregates

No.	379304***	Ref. No.	123456
description			
For models:			

No.	379304***	Ref. No.	123456
description			
For models:			

compressors

EMBRACO / ASPERA

R134A

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605017	Ref. No.	L8113/3
description	compressor coolant R134a type EMT36HLP 220-240V 50Hz LBP fully hermetic 7.52kg 1/10HP power input 108W cylinder capacity 3.97cm³ RSIR 71W 94W 123W 160W 203W 253W test method ASHRAE		
For models:	EAA0002		

			
1			
No.	605129	Ref. No.	SHSGKM0104A2
description	compressor coolant R134a type FF 8.5HBK 220-240V 50Hz LMBP cylinder capacity 7.95cm ³		
For models:	IEC0002-I		

HBP monophase

High evaporation temperature above -15°C

			
1			
No.	605189	Ref. No.	A00KO110
description	compressor coolant R134a type EMT6160Z 220-240V 50Hz HBP 7.8kg 1/4HP cylinder capacity 6.76cm ³ CSIR H 166mmWWW 325W 412W 513W 630W 762W 910W ambient temperature max. 45°C		
For models:	BNC0001BAR-F, BNC0030PI, HAB0001-F, HAB0015-F		

			
1			
No.	605135	Ref. No.	A00KO101
description	compressor coolant R134a type EMT6170Z 220-240V 50Hz HBP fully hermetic 8.1kg 1/6HP cylinder capacity 7.69cm ³ CSIR H 166mmWWW 281W 358W 448W 550W 663W 982W		
For models:	9931F, 9932F, BMA0038-F, BMB0015-F, BMC0001-F, BMC0001-FG, BNC0007BAR-F, BNC0007-F, BNC0008-F, BNC0015-F, BNC0016-F, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0050, HAB0007-F, HAB0009-F, HCE2006-F, IEC0050, IEC0051, SALADBAR2, SALADBAR3, TIM3, TIM3PI, USN4		

			
1			
No.	605208	Ref. No.	A00KO109
description	compressor coolant R134a type NEK6210Z-A 220-240V 50Hz HBP 11kg 1/3HP cylinder capacity 12.1cm ³ CSIR H 200mmWWW 364W 485W 636W 818W 1030W 1273W test method EN 12900 ambient temperature max. 55°C		
For models:	BMC0003-F, BNC0015BAR-F, HAB0020, HAB0021, IBC0055, IEC0052		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

			
1			
No.	605016	Ref. No.	A00KO100 L8116/2
description	compressor coolant R134a type EM65HHR 220-240V 50Hz HBP fully hermetic 7.62kg 1/6HP cylinder capacity 5.54cm ³ CSIRWWW 287W 389W 499W 617W 742W test method ASHRAE 842W		
For models:	9925F, 9931VF, 9953F, BMA0013-F, BMA0034-F, BNA0068, BNA0069, BNC0001-F, BNC0002-F, BNC0008-F, BNC0030, BNC0032, CCZ0018-F, EAA0003, HCE2004-F, HCE2005-F		



R404a/R507

LBP monophase

Lower evaporation temperature below -20°C

1

No.	605256	Ref. No.	A00KO105
description	compressor coolant R404a type NEU2140GK 220-240V 50Hz LBP 10.6kg 1/2HP cylinder capacity 8.77cm ³ CSR H 206mm 326W 421W 531W 658W 801WWWWWW test method EN 12900		
For models:	BMB0014-F, BMB0014-FG, BMB0046-F		



1

No.	605144	Ref. No.	A00KO102
description	compressor coolant R404a/R507 type NEK2168GK 220-240V 50Hz LBP 22.9kg 3/4HP cylinder capacity 14.28cm ³ CSR H 200mm 345W 454W 587W 742W 921W 1123WWWWWW		
For models:	BMA0098, BMB0002-F, BMB0002-FG, BMB0042-F		



1

No.	605174	Ref. No.	A00KO103
description	compressor coolant R404a/R507 type NJ2192GK 220-240V 50Hz LBP 20.4kg 1 1/4HP cylinder capacity 26.2cm ³ CSR H 265mm 685W 989W 1342W 1745W 2196W 2196WWWWWW		
For models:	BMA0099, BMB0004-F, HCE2007-F, HCE2008-F, HCE2009		



1

No.	605235	Ref. No.	A00KO114
description	compressor coolant R404a/R507 type NT2212GK 220-240V 50Hz LBP 18.3kg 1 1/4HP cylinder capacity 27.8cm ³ CSR H 250mm 876W 1125W 1421W 1770W 2174WWWWWW test method EN 12900		
For models:	VAEK170-F, VAEK210-F		



1

No.	605005	Ref. No.	3650048
description	compressor coolant R404a/R507 type T2155GK 230V 50Hz LBP fully hermetic 16.3kg power input 458W cylinder capacity 14.5cm ³ CSR H 221mm 368W 524W 717W 948W 1215W test method ASHRAE		
For models:	IIA5012, IIA5013, IIA5014, IIA5015		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

1

No.	605133	Ref. No.	R093C-E9213GK
description	compressor coolant R404a/R507 type NE9213GK 220-240V 50Hz HMBP 12kg 1/2HP cylinder capacity 12.12cm ³ CSR H 205mmWWWW 862W 1080W 1327W 1602WW		
For models:	BGB0005, BGB0010, BGB0015, BGB0018, BGB0022, BGB0050, BHZ0002, BHZ0009, HDC0001		



1

No.	605178	Ref. No.	A00KO113
description	compressor coolant R404a/R507 type NEK6217GK 220-240V 50Hz HMBP 11.6kg 5/8HP cylinder capacity 14.3cm ³ CSR H 206mmW 777W 954W 955W 1171W 1386W 1651W 1916W		
For models:	VAEN030-F, VAEN060-F		



1

No.	605190	Ref. No.	N23438
description	compressor coolant R404a/R507 type NJ9232GK 220-240V 50Hz HMBP 22.1kg 1 1/4HP cylinder capacity 26.2cm ³ CSR H 277mmWW 1093W 1470W 1911W 2413W 2973W 3588W 4255W ambient temperature max. 45°C		
For models:	BAA0033		

accessories



1

No.	380070	Ref. No.	L51
description	start relay 11F13 220-240V		
For models:	EAA0002, EAA0003		

SECOP DANFOSS

R404a/R507

LBP 3-phase

Lower evaporation temperature below -20°C

SECOP


1

No.	605255	Ref. No.	A00KO112
description	compressor coolant R404a/R507 type NTZ048A4LR1A 380-415/380-460V 50/60Hz LBP 21kg 2HP cylinder capacity 48cm ³ H 333mm 1239W 1700W 2236W 2856W 3567W test method EN 12900		
For models:	VAEK220-F		

accessories

overload protector (klixon)



1

No.	390575	Ref. No.	L39
description	overload protector for engine protective curcuit breaker T0221/26 150°C reset automatic suitable for Luke 2		
For models:	EAA0002, EAA0003		



1

No.	390573	Ref. No.	L52
description	overload protector for engine protective curcuit breaker 734LFBYY 110°C/61°C reset automatic suitable for Luke 3-4/Fast Cold 2		
For models:	EAA0002, EAA0003		



fans

axial fans

import



1

No.	602165	Ref. No.	764.055.00
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 15/14W manuf. no. 4715MS-23T-B5A connection male faston 2.8mm NMB fan wheel ø 110mm		



1

No.	698721 ¹	Ref. No.	R030-FP-108-1-B
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bea- ring ball bearing manif. no. connection cable cable length 3000mm COMMONWEALTH fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m³/h 2600rpm		
For models:	BGB0027, BGB0028, BGB0029, BHZ0001, BHZ0002, BHZ0003, BHZ0004, BHZ0005, BHZ0006, BHZ0007, BHZ0008, BHZ0009, BHZ0010, BHZ0011, BHZ0012, BHZ0013, BHZ0034, BHZ0035, BHZ0036, BHZ0037, BHZ0038, BHZ0039		

¹with ball bearings

1

No.	601080 ¹	Ref. No.	12023862	
			91310320	
			VENT0012	
			Z103066000	
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C			
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014- CD, CAB0015-CD, CAB0019, CAB0020, CAB0024-CD, CAB0025-CD, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG, CAD0005, CAD0007, CAD0009, CAD0010, OPT1012-CF, OPT1012-CFN, SY12100VELED, SY12100VGASD, SY1280VE, SY1280VG, SY850VELED			
accessories for	601080			
	No.	550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	No.	692519	Ref. No.	12025177 Z713015000
	guard L 120mm W 120mm plastic			

¹with ball bearings

1

No.	601934	Ref. No.	A00FA100	
description	axial fan L 120mm W 120mm H 40mm 220V 50-60Hz 21W bearing slide bearing manuf. no. DMX-G12038HA ² BL connection cable cable length 200mm DEMEX input current 0.14A			
For models:	BMA0098, BMB0046-F			
accessories for	601934			
	No.	601935	Ref. No.	—
	fanwheel cover ø 120mm mounting distance 103mm for axial fan 119mm			




1

No.	601130 ¹	Ref. No.	VENT0024	
description	axial fan L 80mm W 80mm H 25mm 230VAC 50/60Hz 13/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C airflow 30.6m³/h			
For models:	CAD0004-ZN, CAD0007			
accessories for	601130			
	No.	550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			

¹with ball bearings



1



No.	601388 ¹	Ref. No.	F067/4
description	axial fan L 172mm W 150mm H 38mm 230VAC 50/60Hz 38/35W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 145mm mounting distance 162mm		
For models:	EBZ0001-CN, MISSOFTY		

¹with ball bearings


1



No.	601932	Ref. No.	A00FA107
description	axial fan L 172mm W 150mm H 51mm 230 50/60Hz 23W bearing ball bearing manuf. no. AC17251CU7C1Y connection cable 1000mm MA-VIB airflow 336/390m³/h		
For models:	BMA0099, BMB0002-F, BMB0002-FG, BMB0004-F, BMC0001-F, BMC0001-FG, BMC0003-F		

accessories

fan guards



1

No.	692519	Ref. No.	12025177 Z713015000	
description	guard L 120mm W 120mm plastic			
For models:	OPT1012-CF, OPT1012-CFN			
accessories for	692519			
	No.	601080	Ref. No.	12023862 91310320 VENT0012 Z103066000
	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C			



1

No.	691104	Ref. No.	A00FA101
description	guard ø 115mm mounting distance 105mm for axial fan 119mm		
For models:	9931VF, 9953F, BMA0098, BMB0046-F, BMC0001-F, BMC0003-F, BNC0008-F		



refrigeration fans

refrigeration motors universal

ELCO

N series - multi fit



No.	601427	Ref. No.	5010
description	fan motor ELCO 10W 230V 50/60Hz bearing slide bearing L1 49mm L2 59mm L3 86.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT10-20/028		
For models:	EAA0002, EAA0003		
spare parts for	601427		
	No.	560140	Ref. No. —
	hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking		
	No.	560332	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs		
	No.	560340	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
	No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		



No.	601430	Ref. No.	5045
description	fan motor ELCO 5W 230V 50/60Hz bearing slide bearing L1 48mm L2 52mm L3 79.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT5-13/027		
For models:	EAA0002, EAA0003		
spare parts for	601430		
	No.	560140	Ref. No. —
	hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking		
	No.	560332	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs		
	No.	560340	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

spare parts for	601430		
	No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

N series - standard



No.	601930	Ref. No.	A00FA109 A00KN100-A A00KN101-A A00KN700-A
description	fan motor ELCO 10W 230V 50/60Hz bearing slide bearing L1 55.5mm L2 91.5mm L3 119mm W 83mm cable length 2000mm 1300/1550rpm 5 mounting options VN10-20/929		
For models:	9925F, 9931F, 9932F, BMA0034-F, BMA0098, BMA0099, BMB0015-F, BMC0001-FG, BNC0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0018-F, CCZ0050, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, HCE2004-F, HCE2005-F, HCE2006-F, HCE2007-F, IEC0050, IEC0051, IEC0052, SALADBAR2, SALADBAR3, TIM3, TIM3PI, USN4		
spare parts for	601930		
	No.	601284	Ref. No. 1100 N20031
	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 28° W 42mm aluminium		




No.	601928	Ref. No.	A00FA104 A00KN102-A A00KN701-A
description	fan motor ELCO 16W 230V 50Hz bearing slide bearing L1 55.5mm L2 91.5mm L3 119mm W 83mm cable length 2000mm 1300/1550rpm 5 mounting options VNT16-25/1774		
For models:	BMA0098, BMA0099, BMB0002-FG, BMB0014-FG, BMB0042-F, HCE2008-F, HCE2009, IBC0055, VAEK170-F, VAEK210-F, VAEK220-F, VAEN030-F, VAEN060-F, VAEN075-F		
spare parts for	601928		
	No.	601284	Ref. No. 1100 N20031
	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 28° W 42mm aluminium		
	No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

BT series - capacitor motors


1

No.	601420 ¹	Ref. No.	N23121
description	fan motor 45W 230V 50Hz L1 53mm L2 18mm L3 120mm W 103mm cable length 500mm 1300rpm ELCO 3FBT 50-40/15 3 mounting options bearing slide bearing		
For models:	BAA0033, BAA0034, BAA0040, BAB0003, BAB0004, BAC0007, BAC0008		


¹incl. capacitor

accessories
fan wheels
aluminium

1


No.	601385	Ref. No.	L8022
description	fan wheel sucking ø 172mm fan wheel mounting 25.4mm blade angle 34° W 42mm aluminium		
For models:	EAA0002, EAA0003		


1

No.	601070	Ref. No.	L8055
description	fan wheel sucking ø 200mm fan wheel mounting 25.4mm blade angle 28° W 38mm aluminium		
For models:	EAA0002, EAA0003		


1

No.	601284	Ref. No.	1100 N20031
description	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 28° W 42mm aluminium		
For models:	BAA0030, BAA0031, BAA0032, BAA0033, BAA0034, BAA0037, BAA0046, BAB0002, EBZ0002-CN, EBZ0003-CN		


1


No.	601387	Ref. No.	1112
description	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		
For models:	EBZ0002-CN, EBZ0003-CN		


1

No.	601410	Ref. No.	N20407
description	fan wheel sucking ø 300mm fan wheel mounting 25.4mm blade angle 28° W 45mm aluminium		
For models:	BAA0033, BAA0040, BAB0003, BAB0004, BAC0007, BAC0008		




plastic




No.	601412	Ref. No.	N10213
description	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
For models:	BAA0023, BAA0024, BAA0025, BAA0026, BAA0027, BAA0029, BAA0030, BAA0031, BAA0032, BAA0033, BAA0034, BAA0038, BAA0046, BAA0046W, BAA0055, BAB0001-W, BAB0002-W		

aluminium



No.	601571	Ref. No.	L8092
description	fan wheel blowing ø 230mm fan wheel mounting 25.4mm blade angle 28° W 43mm aluminium		
For models:	EAA0002, EAA0003		



No.	601573	Ref. No.	A00FA105
description	fan wheel blowing ø 254mm fan wheel mounting 25.4mm blade angle 28° W 44mm aluminium		
For models:	IBC0055, VAEK170-F, VAEK210-F, VAEK220-F, VAEN030-F, VAEN060-F, VAEN075-F		

cooling motors (complete)



No.	601702	Ref. No.	SHSGFM53A100
description	fan 230V 10W 50Hz fan wheel ø 254mm feet depth 84mm blade angle 28°		
For models:	IEC0002-I		

cooling motors (various)

refrigeration motors with foot



No.	601418	Ref. No.	N23029
description	fan motor 10W 230V 50Hz L1 48mm L2 70mm L3 85mm W 83mm feet depth 72mm cable length 500mm connection with plug		
For models:	BAA0019, BAA0022, BAA0023, BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAA0032, BAA0033, BAA0037, BAA0038, BAB0001, BAB0001-W, BAB0002, BAB0002-W		




No.	601433	Ref. No.	1099
description	fan motor 16W 230V 50Hz L1 42mm L3 95mm W 83mm feet depth 84mm cable length 500mm connection with plug		
For models:	EBZ0002-CN		

			
1			
No.	601380	Ref. No.	1113
description	fan motor 25W 230V 50Hz L1 53mm L3 111.5mm W 83mm feet depth 84mm cable length 500mm connection with plug		
For models:	EBZ0003-CN		

cold air circulating fans (complete)

ebm-papst

A4E series

			
1			
No.	601623	Ref. No.	4MTVZ004
description	fan A4E315-AC08-19 fan wheel ø 315mm blades 5 230V 50Hz 95W 1370rpm cable length 450mm ebm-papst sucking suitable capacitor 3µF		
For models:	VSFK400, VSFN200		
accessories for	601623		
	No.	365137	Ref. No.
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection		

cold air circulating fans

cold air circulating fans

			
1			
No.	601919	Ref. No.	A00FA102 A00SHP006-A A00SHP009-A
description	fan motor 220-230V 50-60Hz 5W shaft ø 6mm shaft L 14mm L 73mm W 62mm H 62mm cable length 2900mm input current 2A		
For models:	9925F, 9931F, 9932F, BMA0034-F, BMB0002-F, BMB0014-FG, BMC0003-F, BNA0068, BNA0069, BNC0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0007-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0018-F, CCZ0050, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, HCE2004-F, HCE2005-F, HCE2006-F, HCE2007-F, HCE2008-F, HCE2009, IEC0050, IEC0051, IEC0052, SALADBAR2, SALADBAR3, TIM3, TIM3PI, USN4		

cooling fans

			
1			
No.	602086	Ref. No.	A490W3050GP
description	fan 220/240V 50Hz 25W W 140mm H 120mm D 150mm PANASONIC type J40013A6 cable length 145mm mounting pos. left		
For models:	NE1880, NE2140		

cross flow fans

ebm-papst

			
1			
No.	601936	Ref. No.	A00FA103
description	cross flow fan QLZ06/1800A265-2524 roller ø 60mm roller length 180mm laminated core thickness 28mm motor position right 230V/50Hz 31W refrigeration bearing rubber connection male faston 6.3mm airflow 160m³/h 0 up to +60°C 230V 150m³/h 50Hz		
For models:	BMA0013-F, BMA0038-F, BMB0004-F, BMB0014-F, BMB0015-F, IBC0055		



EMMEVI - FERGAS

with standard coil



1

No.	601018	Ref. No.	15950427000
description	cross flow fan TG 180 roller ø 60mm roller length 180mm motor position right 230V/50Hz 25W universal bearing silicone connection male faston 6.3mm -10 up to +60°C 230V connections 1-2 1950U/min connections 1-4 1500U/min		
For models:	AIB0014		

COPREL


with moulded coils



1


No.	601194	Ref. No.	09951057000
description	cross flow fan roller ø 60mm roller length 300mm laminated core thickness 20mm motor position right 230V/50Hz 43W universal bearing silicone connection male faston 6.3mm -30 up to +100°C 230V 50Hz		
For models:	AIB0015		

hot air motors




1

No.	601648	Ref. No.	09954527000	
description	fan motor 220-240V 1 phase 50/60Hz 0.12kW 2800/3400rpm speeds 1 L1 95mm L2 32mm L3 23mm L4 12mm D1 ø 6x8mm D2 ø 10mm M6R ET 0.9A power input 0.12W at 50Hz 2800rpm at 60Hz 3400rpm suitable capacitor 6.3µF/450V			
For models:	KF733, KF933U, KF981D			
accessories for	601648			
	No.	365012	Ref. No.	00000000149
	206009			
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			



1

No.	601195	Ref. No.	09951627000
description	fan motor 220-240V 1 phase 50/60Hz 0.12kW 2800/3400rpm speeds 1 L1 95mm L2 32mm L3 23mm L4 12mm D1 ø 7x8mm D2 ø 10mm M6R ET 0.9A at 50Hz 2800rpm at 60Hz 3400rpm suitable capacitor 6.3µF/450V type FIR1004		
For models:	AIB0015, KF1001G, KF630, KF965		



1

No.	500681	Ref. No.	MOTO0030	
description	fan motor 220-240V 1 phase 50Hz 0.37kW 1400rpm speeds 1 L1 265mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M8L IT 2A suitable capacitor 12.5µF/400V at 50Hz 1400rpm type 1021S2252			
For models:	CAD0005, CAD0007, CAD0009, CAD0010, SY12100VELED, SY12100V-GASD, SY1280VE, SY1280VG, SY850VELED			
spare parts for	500681			
	No.	521078	Ref. No.	—
	fan wheel			
	No.	601217	Ref. No.	VENT0015
	fan wheel D1 ø 335mm H1 100mm blades 24 D2 ø 19.5mm D3 ø 23mm H2 45mm			
accessories for	500681			
	No.	365014	Ref. No.	150064 F2028
	operating capacitor capacity 12.5µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection			






1

No.	601178	Ref. No.	66400000
description	fan motor 230V 1 phase 50Hz 0.12kW 1400rpm speeds 1 L1 120mm L2 77mm D1 ø 12mm 1.1A suitable capacitor at 50Hz 230V type MA71TYP01DX		
For models:	65110CFGE, 6570CFE, 6570CFGE, 70110CFGE, 7070CFEQ, 7070CFGE, 7070CFVE		
spare parts for	601178		
		No. 365013	Ref. No. 00000000182 150070 19410301 206001
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		




1

No.	601993	Ref. No.	564.039.14
description	fan motor 230V 1 phase 50Hz 0.18/0.12kW 2800rpm speeds 1 L1 85mm L2 65mm L3 23mm D1 ø 8mm D2 ø 6mm M5x0.8 0.8A suitable capacitor 5µF/450V		
For models:	BGEU411, BGEU611, BGEV1011, GEU411P, GEU611P, GEV1011P		
accessories for	601993		
		No. 365017	Ref. No. 206010
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

1

No.	500664	Ref. No.	MOTO0034
description	fan motor 230V 1 phase 50Hz 0.37kW 1400rpm speeds 1 L1 170mm L2 50mm L3 28mm D1 ø 17mm D2 ø 12mm M8L IT 2.2A suitable capacitor 10µF/450V Cos(φ) 0.95 at 50Hz 1400rpm type 1020A2353		
For models:	CAD0004-ZN		

1

No.	500964	Ref. No.	MOT30006
description	fan motor 230V 3 phase 50Hz 0.08kW 2700rpm speeds 1 L1 78mm L2 7mm L3 47mm L4 12mm D1 ø 8/6mm D2 ø 12mm M5R ET at 50Hz 2700rpm suitable capacitor 6.3µF/450V with capacitor 6,3µF/450V		
For models:	VG715RXS, VP824RU		



1

No.	602097	Ref. No.	11951439400
description	fan wheel blades 38 D1 ø 200mm D2 ø 6.5x8mm D3 ø 7mm H1 38mm H2 22mm H3 3mm		
For models:	KF933U, KF981D		



1

No.	601819	Ref. No.	64400000
description	fan wheel D1 ø 160mm H1 60mm blades 36 D2 ø 12mm D3 ø 12mm H2 23mm		
For models:	65110CFGE, 6570CFE, 6570CFGE, 70110CFGE, 7070CFEQ, 7070CFGE, 7070CFVE		



1

No.	601778	Ref. No.	VEN30004
description	fan wheel D1 ø 197mm H1 43mm blades 45 D2 ø 8mm D3 ø 8x6.8mm H2 14mm H3 1.5mm		
For models:	VG715RXS		



1

No.	601187	Ref. No.	11950389400
description	fan wheel D1 ø 200mm H1 40mm blades 38 D2 ø 8mm D3 ø 8mm H2 28mm		
For models:	KF965		



1

No.	601186	Ref. No.	11950509400
description	fan wheel D1 ø 215mm H1 40mm blades 38 D2 ø 8mm D3 ø 8mm H2 26.5mm		
For models:	KF1001G		



1

No.	601215	Ref. No.	VENT0001
description	fan wheel D1 ø 250mm H1 78mm blades 20 D2 ø 11.5mm D3 ø 16mm H2 30mm		
For models:	CAD0001-ZN, CAD0004, CAD0004-ZN		



1

No.	601241	Ref. No.	VENT0018
description	fan wheel D1 ø 300mm H1 100mm blades 20 D2 ø 19.5mm D3 ø 23mm H2 46mm		
For models:	CAD0005, CAD0007, SY850VELED		



1


No.	601217	Ref. No.	VENT0015
description	fan wheel D1 ø 335mm H1 100mm blades 24 D2 ø 19.5mm D3 ø 23mm H2 45mm		
For models:	CAD0009, CAD0010, SY12100VELED, SY12100VGASD		

hot air fans

miscellaneous




1



No.	601699	Ref. No.	664.025.00
description	hot air fan 220/240V 30W 50/60Hz L1 57mm L2 13mm L3 25mm L4 87mm fan wheel ø 150mm IMS type 7100VRD150H2023 fan wheel mounting 6x5mm		
For models:	6060CFE, 6060CFGE		
spare parts for	601699		
	No.	601441	Ref. No.
	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7		
accessories for	601699		
	No.	601441	Ref. No.
	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7		




1



No.	601448	Ref. No.	V03000
description	hot air fan 220-240V 32W 50/60Hz L1 60mm L2 11mm L3 25mm L4 87mm fan wheel ø 155mm FIME type C20X0E01/11		
For models:	ACA2010, ACA204V, ACA206V, ACA208V, ACA210V		
spare parts for	601448		
	No.	601261	Ref. No.
			—
	fan wheel ø 154mm W 25mm shaft intake ø 6x5mm chrome-plated blades 7		
accessories for	601448		
	No.	550879	Ref. No.
			V05400
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		



1




No.	601125	Ref. No.	11950057000
description	hot air fan 220-240V 45W 50/60Hz L1 70mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C30R0479CLF		
For models:	AAA2002, AIB0012, AIB0013, AIB0014, AIB0017		
accessories for	601125		
	No.	550879	Ref. No.
			V05400
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		

accessories

miscellaneous



1



No.	601694	Ref. No.	MOT30005
description	hot air fan 220-240V 33W 50/60Hz L1 57mm L2 13mm L3 21mm L4 87mm fan wheel ø 150mm IMS type VRB150H2022		
For models:	VP800U		



1

No.	211088	Ref. No.	09960218715
description	guard L 155mm W 155mm for fan		
For models:	AAA2002, AIB0012, AIB0013, AIB0014, AIB0015, AIB0017		



1

No.	550879	Ref. No.	V05400
description	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		
For models:	ACA2010, ACA204V, ACA206V, ACA208V, ACA210V		



accessories universal



No.	521073	Ref. No.	A00EP101
description	fanwheel cover ø 290mm for evaporator fan hole distance 210mm plastic black H 50mm		
For models:	BMA0098, BMA0099, BNC0001BAR-F, BNC0007BAR-F, BNC0015BAR-F, BNC0030PI, BNC0034PI, CCZ0009-F, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, TIM3PI, USN4, VAEK170-F, VAEK210-F, VAEK220-F, VAEN030-F, VAEN060-F, VAEN075-F		



No.	601933	Ref. No.	A00EP100
description	fanwheel cover W 180mm for fan wheel H 50mm mounting distance 160mm		
For models:	9925F, 9931F, 9932F, BNA0068, BNA0069, BNC0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0007-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0018-F, CCZ0050, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, HCE2004-F, HCE2005-F, HCE2006-F, HCE2007-F, HCE2008-F, HCE2009, IBC0055, IEC0050, IEC0051, IEC0052, SALADBAR2, SALADBAR3, TIM3, TIM3PI, USN4		

for drink dispensers



No.	500911	Ref. No.	L8102
description	gear motor FIBER type G025J0BAFSR 230V 50/60Hz 40rpm shaft ø 4mm L 66mm W 50mm H 34mm for drink dispenser motor type M51BJ0R0000 shaft length 19mm		
For models:	EAA0002, EAA0003		
spare parts for	500911		
	No.	360673	Ref. No.
			—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



No.	501508	Ref. No.	P201
description	gear motor MECHTEX 230V 50/60Hz shaft ø 6mm L 66mm W 48mm H 36mm for drink dispenser		
For models:	EAA0002, EAA0003		

motors

gear motors

for ice-cube maker

miscellaneous



No.	500675	Ref. No.	N23532
description	gear motor 220/240V 50Hz for flake ice maker		
For models:	BAB0001, BAB0001-W, BAB0002, BAB0002-W		



No.	500909	Ref. No.	F033/1
description	gear motor KENTA type CD79F 60/68W 115/230V 50/60Hz 33/40rpm shaft ø 6x12mm L 220mm W 70mm H 105mm for drink dispenser		
For models:	EBZ0001-CN, EBZ0002-CN, EBZ0003-CN		

for grills



No.	499111	Ref. No.	534027P
description	gear motor CEG type MM56A4-STD 90W 230V 50Hz 6500rpm L 705mm W 115mm H 550mm chicken rotisserie 0.12HP		
For models:	53054-CN, 5305-CN, 5330, 53304, AJD0002-CCN, AJD0003-CCN, AJD0005-CCN, AJD0006-CCN, AJD0014-C, AJD0015-C, AJD0017-C, AJD0018-C, AJD0019-C		



1

No.	500498	Ref. No.	079501
description	gear motor shaft ø 24mm L 180mm W 105mm H 95mm		
For models:	2158, 2623		

for gyros grills



1

No.	500868	Ref. No.	079515 664.026.00
description	gear motor BITRON type 323 4W 230V 50/60Hz 2.4rpm shaft ø 9mm shaft diameter 6x6mm L 81mm W 57mm H 31mm		
For models:	6060CFG, AJE0001, AJE0005		



1

No.	500869	Ref. No.	079513
description	gear motor KENTA type K9113077 21W 230V 50Hz 0.5rpm shaft ø 8.5mm L 152mm W 60mm H 110mm for gyro grill		
For models:	AJE0002, AJE0003, AJE0006, AJE0007		

for tilting bratt pans



1

No.	501582	Ref. No.	964.003.00
description	gear motor type AO-4/M 24V for tilting bratt pan		



1

No.	500349	Ref. No.	66401000
description	gear motor type MB564A 150W 230V 50Hz 1 phase shaft ø 14mm L 280mm W 105mm H 160mm for tilting bratt pan		
For models:	7070BREM, 7070BRGM		

for ovens

for conveyor belt



1

No.	500809	Ref. No.	MOTO0052
description	gear motor TRANSTECNO type MCB34480190G8 70W 48V 7.46rpm shaft ø 12mm L 220mm W 95mm H 175mm for conveyor belt		
For models:	CAD0004, CAD0004-ZN, CAD0005, CAD0007, CAD0009, CAD0010, SY12100VELED, SY12100VGASD, SY1280VG, SY850VELED		

for flues



1

No.	602083	Ref. No.	91310530
description	gear motor MOTEC type 04BUA1 230V 50Hz 500rpm shaft ø 6mm L 46mm W 48mm H 65mm		
For models:	CAB0019, CAB0020, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		

for dishwashers



1

No.	601861	Ref. No.	927105
description	gear motor FIR type 71-B5 180W 400V voltage AC 50/60Hz 3 phase 900/1100rpm shaft ø 14mm L 227mm for transport system without gearbox		
For models:	GLB0046		

miscellaneous




No.	500730	Ref. No.	IB9865132
description	gear motor CIARAMELLA 150W 230V voltage DC 50/60Hz shaft $\varnothing$ 14mm L 205mm W 115mm H 80mm for citrus juicers		
For models:	MULTIPL02S, MULTIPL03S		




No.	500932	Ref. No.	IB5036000
description	gear motor CROUZET 3.5W 230V 50Hz shaft $\varnothing$ 8mm L 80mm W 60mm H 40mm for pizza display		
For models:	IBA0012, IBA0013		

motors

for slicers



No.	500912	Ref. No.	00000000510
description	motor 230V 1 phase 50Hz 1380rpm shaft $\varnothing$ 15mm shaft length 28mm $\varnothing$ 115mm H 92mm mounting distance 49mm hole distance 145mm hole $\varnothing$ 6mm type H40-510 250 ELETTRMECANICA		
For models:	8921		



No.	500901	Ref. No.	19400107
description	motor 230V 275W 1 phase 50Hz 1400rpm shaft $\varnothing$ 16.5mm shaft length 32mm $\varnothing$ 130mm H 140mm mounting distance 108mm hole $\varnothing$ 8mm 300-330-350		
For models:	FEB0033, FEB0034, FEB0035, PALLADIO300T, PALLADIO330T		

for bar blender



No.	500728	Ref. No.	IB5000800
description	motor for bar blender 220V 450W 50Hz 18000rpm thread M6L shaft $\varnothing$ 8mm mounting distance 36mm H 60mm L 165mm W 80mm mounting thread M4 Dragone CIARAMELLA		
For models:	DRAGONEV, MULTIPL02S, MULTIPL03S		



No.	500729	Ref. No.	IB5000900
description	motor for bar blender 230V 750W 50Hz 14000/24000rpm thread M8L mounting distance 90mm Orione		
For models:	BARMASER, ORIONEVE		



No.	500731	Ref. No.	IB9865200
description	motor for bar blender 230V 100W 50/60Hz 14000rpm shaft $\varnothing$ 10mm shaft length 143mm H 83mm L 260mm W 83mm Sirio CIARAMELLA		
For models:	MULTIPL02S, MULTIPL03S, SIRIO1VVCAFFE, SIRIO2VVCAFFE		



No.	500732	Ref. No.	IB9865201
description	motor for bar blender 230V 100W 50/60Hz 14000rpm shaft $\varnothing$ 18mm shaft length 143mm H 83mm L 260mm W 83mm Sirio CIARAMELLA		
For models:	SIRIO1VVCAFFE, SIRIO2VVCAFFE		

for cutters



1

No.	500897	Ref. No.	MSC04N136
description	motor 230V 50Hz 1 phase shaft ø 20mm shaft length 25mm mounting distance 64mm ø 100mm H 140mm C4-C6-C9		
For models:	FLA0014, FLA0015, FLA0016		

for meat mincers

motors



1

No.	500866	Ref. No.	LF1839701
description	motor 3000W 230/400V 50Hz 3 phase shaft ø 19mm 1390rpm type M112 ø 175mm H 250mm CSM 3kW		
For models:	TC32BU		

1

No.	500861	Ref. No.	LF1838303
description	motor for mincer 230V		
For models:	FID0005		

1

No.	500865	Ref. No.	LF1839703
description	motor for mincer 230V		
For models:	TC32BU		

1

No.	500862	Ref. No.	LF1838301
description	motor for mincer 400V		
For models:	FID0005, FID0006		

1

No.	500864	Ref. No.	LF1838601
description	motor for mincer 400V		
For models:	TC32BU		

rotors



1

No.	500726	Ref. No.	F2095
description	rotor 230V ø 89.2mm shaft ø 25mm shaft length 357mm Mod.12 meat mincer/cheese grater		
For models:	FHZ0003, FIF0001, FIF0004		



1

No.	500725	Ref. No.	F2202 F2233
description	rotor 400V ø 89.2mm shaft ø 25mm shaft length 357mm Mod.22 meat mincer/cheese grater		
For models:	FIF0002, FIF0005, TCG22E-F		

stators

1

No.	500826	Ref. No.	F2008
description	stator		
For models:	FIF0016-F		

1

No.	500824	Ref. No.	F2076
description	stator 230V		
For models:	FHZ0001, FIF0023		



1

No.	500825	Ref. No.	F2077
description	stator 230V 50Hz 4-pole 1400rpm 1 phase ø 110mm ID ø 66mm H 60mm with temperature protection Mod.8		
For models:	FHZ0001, FIF0023		




1

No.	500828	Ref. No.	F2096
description	stator 230V 50Hz 4-pole 1400rpm 1 phase ø 150mm ID ø 90mm H 70mm with temperature protection Mod.12		
For models:	FHZ0003, FIF0001, FIF0004, FMC0001-F		




1

No.	500827	Ref. No.	F2009
description	stator 230V 50Hz 4-pole 1400rpm 3 phase ø 110mm ID ø 62mm H 75mm with temperature protection Mod.8		
For models:	FIF0016-F		



1

No.	500830	Ref. No.	F2203
description	stator 230V 50Hz 6-pole 900rpm 1 phase ø 150mm ID ø 103mm H 90mm with temperature protection Mod.22		
For models:	FIF0002, FIF0005, TCG22E-F		



1

No.	500829	Ref. No.	F2097
description	stator 400V 50Hz 4-pole 1400rpm 3 phase ø 150mm ID ø 83.6mm H 50mm with temperature protection Mod.12		
For models:	FHZ0003, FIF0001, FIF0004, FMC0001-F		



1

No.	500831	Ref. No.	F2204
description	stator 400V 50Hz 6-pole 900rpm 3 phase ø 150mm ID ø 90mm H 70mm with temperature protection Mod.22		
For models:	FIF0002, FIF0005, TCG22E-F		

for vegetable slicers



1

No.	500719	Ref. No.	IV5050002
description	motor 230V 515W 50Hz 1 phase shaft ø 14mm shaft length 37mm mounting distance 154mm TM		
For models:	FLA0028		

for coffee grinders

components



1

No.	500238	Ref. No.	270003
description	motor 230V 50Hz 1 phase ø 110mm ID ø 65mm H 160mm shaft ø 14mm type T80		
For models:	EFF0002-Q		

1			
No.	500861	Ref. No.	LF1838303
description	motor for mincer 230V		
For models:	FID0005		

1			
No.	500865	Ref. No.	LF1839703
description	motor for mincer 230V		
For models:	TC32BU		

1			
No.	500862	Ref. No.	LF1838301
description	motor for mincer 400V		
For models:	FID0005, FID0006		

1			
No.	500864	Ref. No.	LF1838601
description	motor for mincer 400V		
For models:	TC32BU		

accessories

vibration absorber

1			
No.	524000	Ref. No.	12025159 Z710316000
description	vibration damper H 15mm ø 20mm thread M6 thread L 14mm		
For models:	OPT1012-CF, OPT1012-CFN		

pumps

wash and rinse pumps

FIR

pumps

1			
No.	500037	Ref. No.	929167
description	pump inlet ø 28mm outlet ø 26mm type 2211.1410 230V 50Hz 1 phase 0.074kW 0.1HP L 190mm rotation direction left capacitor 5µF FIR		
For models:	GLB0044		
spare parts for	500037		
No.	365017	Ref. No.	206010
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
No.	510384	Ref. No.	—
description	pump cover inlet ø 28mm outlet ø 26mm ø 100mm ID ø 76mm		
No.	510695	Ref. No.	—
description	mechanical shaft seal height counter ring 5.5mm ID ø 11mm		
No.	521203	Ref. No.	—
description	impellor ø 72mm H 18mm thread M7 shaft ø 11mm shaft length 32mm blades 3		
No.	521703	Ref. No.	456038
description	pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs		



1

No.	499336	Ref. No.	929175
description	pump inlet ø 62 outlet ø 62 type 2250.2732 230/400V 50Hz 2.95kW 4HP		
For models:	GLB0044		
spare parts for	499336		
	No.	510687	Ref. No. 929179
	mechanical shaft seal for shaft ø 18mm height counter ring 8mm ID ø 17mm ED ø 39mm H 15mm mounting ø 42mm int. ø 1 21mm		
	No.	521026	Ref. No. —
	pump cover gasket ID ø 182.5mm thickness 5x4.5mm		
	No.	521028	Ref. No. —
	pump cover FIR inlet ø 62mm outlet ø 62mm turn direction right ø 215mm ID ø 175mm inner height 40mm		
	No.	521277	Ref. No. 929181
	impellor ø 135mm H 39mm pump type Fir 2275 - 3.6HP thread M14L		



1


No.	499334	Ref. No.	929174
description	pump inlet ø 62mm outlet ø 62mm type 2250.2731 230/400V 50Hz 1 phase 3kW FIR		
For models:	GLB0043, GLB0044		
spare parts for	499334		
	No.	510687	Ref. No. 929179
	mechanical shaft seal for shaft ø 18mm height counter ring 8mm ID ø 17mm ED ø 39mm H 15mm mounting ø 42mm int. ø 1 21mm		
	No.	512455	Ref. No. 929189
	fan wheel ø 155mm H 18mm shaft intake ø 18mm plastic blades 12		

spare parts for	499334		
	No.	521026	Ref. No. —
	pump cover gasket ID ø 182.5mm thickness 5x4.5mm		
	No.	521028	Ref. No. —
	pump cover FIR inlet ø 62mm outlet ø 62mm turn direction right ø 215mm ID ø 175mm inner height 40mm		
	No.	521277	Ref. No. 929181
	impellor ø 135mm H 39mm pump type Fir 2275 - 3.6HP thread M14L		



1

No.	500570	Ref. No.	75175
description	pump inlet ø 63mm outlet ø 47mm type 422512725 230/400V 50Hz 3 phase 1.1kW 1.5HP L 285mm rotation direction right FIR		
For models:	GLB0046		
spare parts for	500570		
	No.	510693	Ref. No. 141002 Z201081000
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521082	Ref. No. 80881
	impellor ø 96mm H 32mm rotation direction right thread M8L		
	No.	521513	Ref. No. —
	pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm		
	No.	524416	Ref. No. —
	pump cover gasket thickness 4x4mm Qty 1 pcs		

HANNING
pumps


1

No.	499166	Ref. No.	12024233
description	pump inlet ø 28mm outlet ø 26mm type UP60-414 220-240V 50/60Hz 1 phase 0.25kW L 190mm rotation direction right capacitor 5µF HANNING p max 1bar Qmax. 150l/min		
For models:	GLB0063C-FN		
spare parts for	499166		
	No.	365017	Ref. No. 206010
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	507558	Ref. No. —
	mechanical shaft seal for shaft ø 7mm height counter ring 5mm ID ø 6.75mm ED ø 20mm mounting ø counter ring 18.5/slide ring 20mm		
	No.	532644	Ref. No. —
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		

INSERT STAR
pumps


1

No.	500321	Ref. No.	12023429
description	pump inlet ø 38mm outlet ø 38mm type 2/102FA10 230V 50/60Hz 1 phase 0.26kW 0.35HP L 195mm rotation direction right capacitor 6µF INSERTSTAR		
For models:	GLB0035-F, GLB0035-FN, GLB0037-F, GLB0037-FN		
spare parts for	500321		
	No.	504578	Ref. No. —
	O-ring EPDM thickness 3.53mm ID ø 94.84mm Qty 1 pcs		
	No.	510693	Ref. No. 141002 Z201081000
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		

spare parts for	500321		
	No.	650240	Ref. No. —
	impeller ø 75mm H 27mm pump type 2/102FA10 shaft intake ø 8mm rotation direction right thread M8L suitable for INSERTSTAR blades 6		
accessories for	500321		
	No.	365093	Ref. No. 12024346
	operating capacitor capacity 6µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		



1

No.	501562	Ref. No.	12043287
description	pump inlet ø 38mm outlet ø 38mm type 2/123 FA-22 230V 50Hz 1 phase 0.59kW 0.8HP rotation direction right capacitor 10µF INSERT-STAR		
For models:	GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		




1

No.	499075	Ref. No.	12024270 Z203511000
description	pump inlet ø 38mm outlet ø 38mm type 2/123 FA31 230V 60Hz 1 phase 0.59kW L 240mm rotation direction right capacitor 10µF INSERTSTAR		
For models:	GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN		
spare parts for	499075		
	No.	510693	Ref. No. 141002 Z201081000
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521000	Ref. No. —
	pump cover FAGOR inlet ø 38mm outlet ø 38mm		
	No.	532491	Ref. No. —
	O-ring EPDM thickness 3.53mm ID ø 120.2mm Qty 1 pcs		
	No.	650238	Ref. No. —
	impeller ø 77mm H 32mm pump type 2/123 FA31 shaft intake ø 8mm rotation direction right thread M8L suitable for INSERTSTAR shaft ø 12mm shaft length 26mm blades 6		

Table continues overleaf



accessories for 499075					
	No.		365015	Ref. No.	00000000633
					12024376
					19410307
					206002
					V321300000
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection					



1

No.	500320	Ref. No.	12024265 Z201011000	
description	pump inlet ø 38mm outlet ø 38mm type 2/123/FA30 230V 50Hz 1 phase 0.59kW 0.8HP L 235mm rotation direction right capacitor 10µF INSERTSTAR			
For models:	GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012-CF, OPT1012-CFN			
spare parts for	500320			
	No.	510693	Ref. No.	141002 Z201081000
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm				
	No.	521000	Ref. No.	—
pump cover FAGOR inlet ø 38mm outlet ø 38mm				
	No.	521255	Ref. No.	Z201082000
impellor ø 88mm H 33mm M8L pump type 2/123/FA30 shaft ø 12mm				
	No.	532491	Ref. No.	—
O-ring EPDM thickness 3.53mm ID ø 120.2mm Qty 1 pcs				
accessories for	500320			
	No.	365015	Ref. No.	00000000633 12024376 19410307 206002 V321300000
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection				
	No.	551227	Ref. No.	—
female faston size 6.3x0.8mm 1.0-2.5mm ² straight CuZn gal Sn t.max. 110°C Qty 10 pcs				

LGB



1

No.	501484	Ref. No.	69122	
description	pump inlet ø 42mm outlet ø 37/24mm type LA50 230V 50Hz 1 phase 0.47kW L 220mm rotation direction right capacitor 10µF auxiliary pressure connection 8mm LGB			
For models:	OPT1012C			
spare parts for	501484			
	No.	365015	Ref. No.	00000000633 12024376 19410307 206002 V321300000
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection				
	No.	510702	Ref. No.	—
mechanical shaft seal height counter ring 5.5mm ID ø 12mm				
	No.	521024	Ref. No.	124057
impellor ø 88mm H 30mm rotation direction right thread M7L shaft ø 12mm blades 6				
	No.	698767	Ref. No.	335015
fan blade ø 110mm H 18mm shaft intake ø 12mm plastic blades 6				
	No.	698768	Ref. No.	480148
pump cover LGB inlet ø 42mm pump type LA50 AP ø 115mm ID ø 36mm				
	No.	698769	Ref. No.	116032
pump casing ø 125mm outlet ø 24/37mm				
	No.	698810	Ref. No.	456078
O-ring EPDM thickness 3.56mm ID ø 112mm Qty 1 pcs				
	No.	698827	Ref. No.	429074
threaded ring LGB pump type LA50 ø 120mm ID ø 70mm				



1

No.	500156	Ref. No.	130109
description	pump inlet ø 50mm outlet ø 50mm type ZF400SX 230V 50Hz 1 phase 0.6kW 0.8HP L 210mm rotation direction right capacitor 16µF LGB		
For models:	GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066		
spare parts for	500156		
	No.	509020	Ref. No. 124031
impellor ø 104mm H 25mm M8L			
	No.	510703	Ref. No. 141007 80843
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	513713	Ref. No. 315017
pump cover bottom part			
	No.	521548	Ref. No. 116019
pump cover LGB inlet ø 50mm outlet ø 50mm			
	No.	521562	Ref. No. 116021
pump cover			
	No.	521734	Ref. No. 315022
pump cover bottom part			
	No.	523509	Ref. No. 314001
deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1			
	No.	532623	Ref. No. 80844
O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs			
accessories for	500156		
	No.	365021	Ref. No. 206004 F2144
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			



1

No.	500361	Ref. No.	80112
description	pump inlet ø 60mm outlet ø 49mm type ZF400SX 230V 50Hz 1 phase 0.8kW 1HP L 210mm rotation direction right capacitor 16µF LGB		
For models:	GLB0073		
spare parts for	500361		
	No.	365021	Ref. No. 206004 F2144
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	No.	509020	Ref. No. 124031
impellor ø 104mm H 25mm M8L			
	No.	510703	Ref. No. 141007 80843
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	No.	521547	Ref. No. 116013
pump cover LGB inlet ø 60mm outlet ø 50mm supporting pressure M8 turn direction right ø 160mm ID ø 127mm inner height 36mm			
	No.	521736	Ref. No. 315011
pump cover bottom part bottom part			
	No.	532623	Ref. No. 80844
O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs			
accessories for	500361		
	No.	513264	Ref. No. 80545
fastening angle for wash pump			



1

No.	499126	Ref. No.	80113
description	pump inlet ø 60mm outlet ø 50mm type ZF400SX 230V 50Hz 1 phase 1.1kW L 215mm rotation direction right capacitor 16µF LGB		
For models:	GLB0070, GLB0071		
spare parts for	499126		
	No.	365021	Ref. No. 206004 F2144
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521090	Ref. No. 80845
	impellor ø 101mm H 32mm thread M8L shaft ø 13mm shaft length 12mm		
	No.	521547	Ref. No. 116013
	pump cover LGB inlet ø 60mm outlet ø 50mm supporting pressure M8 turn direction right ø 160mm ID ø 127mm inner height 36mm		
	No.	532623	Ref. No. 80844
	O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs		



1

No.	500360	Ref. No.	80114
description	pump inlet ø 62mm outlet ø 50mm type ZF522SX 230V 50Hz 1 phase 1.1kW 1.5HP L 220mm rotation direction right capacitor 16µF LGB		
For models:	GLB0070, GLB0071		
spare parts for	500360		
	No.	365021	Ref. No. 206004 F2144
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510551	Ref. No. 456023 926084
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	No.	510693	Ref. No. 141002 Z201081000
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521280	Ref. No. —
	impellor ø 107mm H 26mm thread M8L shaft ø 20mm shaft length 15mm seat ø 8.2mm blades 6		
	No.	521536	Ref. No. 926086
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm		



1

No.	499101	Ref. No.	79056
description	pump inlet ø outlet ø 38mm type C600 230V 50Hz 1 phase 0.8kW L 220mm rotation direction right capacitor 16µF LGB with drain and flange		
For models:	OPT1012		
spare parts for	499101		
	No.	365021	Ref. No. 206004 F2144
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	502280	Ref. No. —
	pump sump LGB auxiliary pressure connection 7mm supporting pressure closed pump type RV54		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	521234	Ref. No. 124052
	impellor thread M8L ED ø 93mm W 16mm		
	No.	523509	Ref. No. 314001
	deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1		
	No.	532537	Ref. No. 456067
	O-ring EPDM thickness 3.53mm ID ø 113.9mm Qty 1 pcs		



1

No.	500153	Ref. No.	999134
description	pump inlet ø outlet ø type W180SX 230V 50Hz 1 phase 0.19kW 0.26HP L 220mm rotation direction right capacitor 5µF LGB		
For models:	GLB0035		
spare parts for	500153		
	No.	365017	Ref. No. 206010
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	513267	Ref. No. 480054
	end cap for wash pump suitable for pump casing		
	No.	513283	Ref. No. 437082
	gasket		
	No.	518177	Ref. No. 111023
	drain unit thread 3/4" ID ø 35mm hose ø 24mm		
	No.	518204	Ref. No. 429065
	screw connection for filter ø 67mm		
	No.	518205	Ref. No. 437079 80182
	flat gasket rubber ED ø 61mm ID ø 47mm thickness 2mm Qty 1 pcs		
	No.	521147	Ref. No. 315024
	flange		
	No.	521221	Ref. No. 124048
	impellor ø 67mm H 16mm rotation direction right thread M7L shaft ø 13mm shaft length 12mm blades 8		
	No.	528800	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		



1

No.	500150	Ref. No.	999135
description	pump inlet ø outlet ø type W210SX 230V 50Hz 1 phase 0.24kW 0.33HP L 230mm rotation direction right capacitor 6.3µF LGB		
For models:	GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057		
spare parts for	500150		
	No.	365012	Ref. No. 00000000149 206009
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	No.	509004	Ref. No. 124049
	impellor ø 71mm H 16mm M7L rotation direction right shaft ø 13mm shaft length 13mm blades 8		
	No.	510703	Ref. No. 141007 80843
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	No.	513267	Ref. No. 480054
	end cap for wash pump suitable for pump casing		
	No.	513275	Ref. No. 456074
	O-ring EPDM thickness 1.78mm ID ø 82.27mm Qty 1 pcs		
	No.	518177	Ref. No. 111023
	drain unit thread 3/4" ID ø 35mm hose ø 24mm		
	No.	518204	Ref. No. 429065
	screw connection for filter ø 67mm		
	No.	518205	Ref. No. 437079 80182
	flat gasket rubber ED ø 61mm ID ø 47mm thickness 2mm Qty 1 pcs		
	No.	521147	Ref. No. 315024
	flange		

OLYMPIA

pumps



1

No.	500152	Ref. No.	130122
description	pump inlet ø 44mm outlet ø 30mm type T90 230V 50Hz 1 phase 0.33kW 0.45HP L 220mm rotation direction left capacitor 8µF OLYMPIA		
For models:	GLB0058, GLB0059, GLB0060		
spare parts for	500152		
	No.	365013	Ref. No. 00000000182 150070 19410301 206001
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	No.	509007	Ref. No. 124043
	impellor ø 85mm H 20mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 12		
	No.	510693	Ref. No. 141002 Z201081000
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521703	Ref. No. 456038
	pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs		

booster pumps I



1

No.	499155	Ref. No.	Z209508000
description	pump inlet ø 1" IT outlet ø 1" IT type PRISMA15 230V 50Hz 0.6kW L 400mm capacitor 12µF		
For models:	GLB0061C-F, GLB0063C-F		



1

No.	500359	Ref. No.	130143 DPE127
description	pump inlet ø 12 outlet ø 12 type PPL46DX 230V 50Hz 0.33kW capacitor 10µF LGB		
For models:	GLB0070, GLB0071		
spare parts for	500359		
	No.	698663	Ref. No.
	impellor ø 60mm H 12mm with flute shaft intake ø 12mm W 60mm suitable for LGB		
accessories for	500359		
	No.	365015	Ref. No.
	00000000633 12024376 19410307 206002 V321300000		
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			

</

accessories for		500358	
	No.	520677	Ref. No.
	—		
	hose connector brass straight thread 3/8" hose ø 13mm Qty 1 pcs		

drain pumps

ASKOLL

			
1			
No.	500210	Ref. No.	130123
description	drain pump 230V 40W		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057, GLB0060, GLB0072		

			
1			
No.	501541	Ref. No.	130177
description	drain pump 40W 220-240V inlet ø 30mm outlet ø 22mm 50Hz ASKOLL type M231 XP		
For models:	OPT1012C		

			
1			
No.	500214	Ref. No.	130105
description	drain pump inlet ø 30mm outlet ø 22mm 230/240V 30W 50Hz ASKOLL type R113		
For models:	GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066		

COPRECI



1

No.	500322	Ref. No.	Z220901000
description	drain pump inlet ø 25mm outlet ø 22mm 230V 30W 50Hz COPRECI		
For models:	GLB0061C-F, GLB0063C-F		

HANNING



1

No.	501561	Ref. No.	12094265
description	drain pump 38W 200-240V inlet ø 30mm outlet ø 24mm 50/60Hz type DP25R-396 HANNING		
For models:	GLB0063C-F, GLB0063C-FN		



1

No.	500363	Ref. No.	80117
description	drain pump 40W 230V		
For models:	GLB0070, GLB0071, GLB0073, OPT1012C		

accessories

holders



1

No.	500736	Ref. No.	Z220904000
description	fastening angle for drain pump		
For models:	GLB0061C-F, GLB0063C-F		



1

No.	513717	Ref. No.	035064	
description	fastening angle for drain pump			
For models:	GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066			
accessories for	513717			
	No.	518171	Ref. No.	—
	opposite support mounting pos. lower for wash arm support			

booster pumps II

accessories



1

No.	365015	Ref. No.	00000000633 12024376 19410307 206002 V321300000
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	8922, FEB0033, FEB0034, FEB0035, GLB0043, GLB0044, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012C, OPT1012-CF, OPT1012-CFN, PALLADIO300AM, PALLADIO300T, PALLADIO330T, PALLADIO350AM		

			
1			
No.	365017	Ref. No.	206010
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	GLB0035		

			
1			
No.	365012	Ref. No.	00000000149 206009
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
For models:	8920, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057		

pumps for ice machines



1

No.	500590	Ref. No.	N23377 NC23377
description	pump FIR type 4240.2300 120W 230V 50/60Hz inlet ø 22mm outlet ø 22mm L 240mm rotation direction right for ice-cube maker capacitor 5µF		
For models:	BAA0032, BAA0055		
spare parts for	500590		
	No.	601412	Ref. No. N10213
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

A photograph of the main pump assembly. It consists of a black plastic pump body with a grey fan wheel attached to the top. A red wire is connected to the pump, leading to a small white capacitor. The entire unit is mounted on a metal bracket.

1

No.	500166	Ref. No.	N23068	
description	pump REBO type 63/45 150W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 200mm rotation direction right capacitor 5µF			
For models:	BAA0033, BAA0034			
spare parts for	500166			
	No.	365017	Ref. No.	206010
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	No.	601412	Ref. No.	N10213
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic			
	No.	601413	Ref. No.	—
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

1

No.	499232	Ref. No.	NC26557	
description	pump REBO type NR40 55W 220/240V 50Hz inlet ø 19mm outlet ø 18mm L 110mm rotation direction left for ice-cube maker with filter			
For models:	BAC0007			
spare parts for	499232			
	No.	500970	Ref. No.	N23073
	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker			
	No.	695531	Ref. No.	N10139
	supply filter thread 1" total length 100mm plastic with metal filter ø 18mm			
	No.	695539	Ref. No.	N10188
	intake valve with float			



1

No.	500164	Ref. No.	NC23254
description	pump REBO type NR40 55W 220/240V 50Hz outlet ø 17mm L 113mm rotation direction left for ice-cube maker outlet upper		
For models:	BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031		



1

No.	500161	Ref. No.	NC23076	
description	pump REBO type NR40 55W 230V 50Hz outlet ø 17mm L 110mm rotation direction left for ice-cube maker			
For models:	BAA0019, BAA0022, BAA0023			
spare parts for	500161			
	No.	500970	Ref. No.	N23073
	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for ice maker			



1

No.	500596	Ref. No.	NC23626
description	pump REBO type NR50 60W 230V 50Hz outlet ø 17mm L 110mm rotation direction left for ice-cube maker		
For models:	BAA0040		



1

No.	501408	Ref. No.	N23818
description	pump REBO type PV35 110W 220/240V 50Hz inlet ø 20mm outlet ø 26mm L 205mm for ice-cube maker capacitor 2µF with temperature protection		
For models:	BAA0051		



1

No.	500970	Ref. No.	N23073
description	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker		
For models:	BAA0022, BAA0023, BAA0024, BAA0025, BAA0026, BAA0027, BAA0028, BAA0029, BAA0030, BAA0031, BAC0007, BAC0008		

vacuum pumps

vacuum pumps



1

No.	500990	Ref. No.	0431600	
description	vacuum pump 16m³/h 230V 0.55kW 50Hz type KB 0016 E 3Z0			
For models:	FGZ0013			
spare parts for	500990			
	No.	691537	Ref. No.	0939163
	oil separator filter flow rate 16m³/h ø 52mm L 120mm			



1

No.	500987	Ref. No.	0430130	
description	vacuum pump 4m³/h 230V 0.1kW 50Hz type PB 0004 B 000			
For models:	FGZ0005			
spare parts for	500987			
	No.	500988	Ref. No.	—
	level glass thread 1/2" plastic			



1

No.	499006	Ref. No.	04313000
description	vacuum pump 8m³/h 220/240V 0.35kW 50/60Hz type PB0008		
For models:	FGZ0025		

			
1			
No.	499346	Ref. No.	0431300
description	vacuum pump 8m³/h 220-240V 0.55/0.66kW 50/60Hz type J21TV513		
For models:	FGZ0012		

level glasses

			
1			
No.	691562	Ref. No.	0438005
description	level glass thread 3/4"		
For models:	FGZ0006, FGZ0007, FGZ0009, FGZ0013, FGZ0026, FGZ0027, FGZ0028		

accessories

pump covers

			
1			
No.	521563	Ref. No.	929191
description	pump cover		
For models:	GLB0043, GLB0044		

pump cover gaskets

			
1			
No.	513283	Ref. No.	437082
description	gasket		
For models:	GLB0035		

			
1			
No.	524535	Ref. No.	929180
description	pump cover gasket thickness 4.5x4.5mm ID ø 182mm Qty 1 pcs		
For models:	GLB0043, GLB0044		

condensators & interference suppression filters

operating capacitors

plastic

			
1			
No.	365015	Ref. No.	00000000633 12024376 19410307 206002 V321300000
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	8922, FEB0033, FEB0034, FEB0035, GLB0043, GLB0044, GLB0061C-F, GLB0061C-FN, GLB0063C-F, GLB0063C-FN, OPT1012C, OPT1012-CF, OPT1012-CFN, PALLADIO300AM, PALLADIO300T, PALLADIO330T, PALLADIO350AM		

			
1			
No.	365014	Ref. No.	150064 F2028
description	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
For models:	EFF0002-Q, FHZ0001, FIF0016-F, FIF0023		

			
1			
No.	365021	Ref. No.	206004 F2144
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
For models:	FHZ0003, FIF0001, FIF0004, FLC0001-F, FMC0001-F, FMD0001-F, FMD0002-F, GLB0061, GLB0061C, GLB0062, GLB0063, GLB0064, GLB0064C, GLB0065, GLB0066		



1

No.	365019	Ref. No.	206005 F2223 IV5820020
description	operating capacitor capacity 20μF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		
For models:	FIF0002, FIF0005, FLA0004-F, FLA0028, GLB0070, GLB0071, GLB0072, GLB0073, TCG22E-F		



1

No.	365017	Ref. No.	206010
description	operating capacitor capacity 5μF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	GLB0035		



1

No.	365012	Ref. No.	00000000149 206009
description	operating capacitor capacity 6.3μF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
For models:	8920, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057		



1

No.	365093	Ref. No.	12024346
description	operating capacitor capacity 6μF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
For models:	GLB0035-F, GLB0035-FN, GLB0037-F, GLB0037-FN		



1

No.	365013	Ref. No.	00000000182 150070 19410301 206001
description	operating capacitor capacity 8μF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
For models:	8921, EEC0001, EED0010, FEB0031, GLB0058, GLB0059, GLB0060, MIRRA300		

filters

interference suppression filters



1

No.	365221	Ref. No.	661.120.00
description	interference suppression filter 250V 50/60Hz connection 5 male faston 6.3mm M8 plastic capacity 0,22μF(X2)+2x2mH+2X2,5nF(Y2)+1MOhmμF		

RC circuits



1

No.	365211	Ref. No.	N23457
description	interference suppression filter type XRY RC MKPX2 275V connection plug		
For models:	BAB0002, BAB0002-W		

fuses

fine fuses



1

No.	358530	Ref. No.	926284
description	fine fuse size ø5x20mm 0.8A fast-acting rated 250V Qty 10 pcs		
For models:	GLB0043, GLB0044, GLB0046, GLB0070, GLB0071, OPT1012		

			
1			
No.	358675	Ref. No.	11950227000
description	fine fuse size ø5x20mm 2.5A fast-acting rated 250V Qty 10 pcs		
For models:	AIB0014		

			
1			
No.	358677	Ref. No.	228004 228010
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		
For models:	GLB0043, GLB0044, GLB0070, GLB0071, GLB0073, OPT1012, OPT1012C		

			
1			
No.	358074	Ref. No.	91310504
description	fine fuse size ø5x20mm 5A fast-acting rated 250V Qty 10 pcs		
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0024-CD, CAB0025-CD, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG		

			
1			
No.	358760	Ref. No.	926283
description	fine fuse size ø6.3x32mm 0.315A medium lag rated 250V Qty 10 pcs		
For models:	GLB0043, GLB0044, GLB0046, GLB0070, GLB0071, OPT1012		

various

			
1			
No.	358184	Ref. No.	A62304210BP
description	fine fuse size ø6x30mmmm 10A slow-acting rated 250V Qty 1 pcs		
For models:	NE1643, NE1653, NE1843, NE1880		

fine fuse holders


			
1			
No.	550691	Ref. No.	ELET0058
description	fuse holder		
For models:	CAD0005, CAD0007, SY850VELED		

			
1			
No.	550536	Ref. No.	12025158
description	fuse holder suitable fuse ø10x38mm 30A rated 600V		
For models:	OPT1012-CF		

			
1			
No.	550848	Ref. No.	ELET0440
description	fuse holder suitable fuse ø5x20mm		
For models:	CAD0007, CAD0010, SY12100VGASD, SY1280VG, SY850VELED		

			
1			
No.	550499	Ref. No.	H.228047
description	fuse holder suitable fuse ø5x20mm 6.3A rated 500V		
For models:	GLB0043, GLB0044, GLB0070, GLB0071, GLB0073, OPT1012, OPT1012C		

			
1			
No.	550105	Ref. No.	11950147000
description	rail-mounted terminal WIELAND type WK10/SIU 5X20 /V0 suitable fuse ø5x20mm 1.0-16mm ² 10A rated 250V		
For models:	AIB0014, AIB0015		

			
1			
No.	550519	Ref. No.	H.228048
description	cover plate suitable fuseA ratedV connection for fuse holder		
For models:	GLB0043, GLB0044, GLB0070, GLB0071, GLB0073, OPT1012, OPT1012C		

			
1			
No.	551332	Ref. No.	91310511
description	fuse holder suitable fuse 5x20 10A rated 250V L 42mm W 16mm max. 10A		
For models:	CAB0007-CD, CAB0008-CD, CAB0009-CD, CAB0013-CD, CAB0014-CD, CAB0015-CD, CAB0019, CAB0020, CAB0024-CD, CAB0025-CD, CAB0055-DCG, CAB0056-DCG, CAB0057-DCG, CAB0058-DCG, CAB0059-DCG, CAB0060-DCG, CAB0061-DCG, CAB0062-DCG, GIOT-TOD, GIOTTOP		



line circuit breakers

miscellaneous



No.	380927	Ref. No.	160429-02
description	power contactor nominal 6A 1-pole characteristic B		
For models:	EFB0014, EFB0019		

electric accessories

plugs - couplings - power sockets

appliance sockets/plugs

low temperature appliances 70°C



No.	550704	Ref. No.	160570 IB5520000
description	low temperature appliance plug C14 male faston 6.3mm max 10A/250V T70 mounting distance 40mm hole ø 3.5mm thermoplastic		
For models:	BARMASER, EFB0001, EFB0002, EFB0003, EFB0004, EFB0008, EFB0008-C, EFB0009, EFB0009-C, EFB0017, EFB0018, EFC0003, ORIONE FIVE, SIRIO1VVCAFFE, SIRIO2VVCAFFE		



No.	550962 ¹	Ref. No.	KODK008A
description	low temperature appliance plug C14 max 15A/250V T70 with cable		
For models:	FGZ0014		

¹with cable

cables

power supply cables



No.	551085	Ref. No.	00000009171
description	cable CEE7/7 type E+F 3-pole contacts P+N+E 1.5mm ² max. 16A max 230V 2m with plug H05VV-F 3G1.5		
For models:	8920, 8921, 8922		

FUSES/ELECTRIC ACCESSORIES MASTRO



No.	551116	Ref. No.	160565
description	low temperature appliance supply cable CEE7/7 - C13 3-pole contacts P+N+E 1.5mm ² max. 10A max 250V 1.4m H05VV F70 2-pole + earthing insulation PVC		
For models:	EFB0001, EFB0002, EFB0003, EFB0004, EFB0008, EFB0008-C, EFB0009, EFB0009-C, EFB0017, EFB0018, EFC0003		



No.	550726	Ref. No.	KODK008B
description	low temperature appliance supply cable CEE7/7 - C15 3-pole contacts P+N+E 1mm ² max. 10A max 250V 2.0m H05VV F70 2-pole + earthing insulation PVC		
For models:	FGZ0014		



No.	550927	Ref. No.	19410530
description	low temperature appliance supply cable CEE7/7 3-pole 1mm ² 1.5m T70 with connector strip insulation PVC		
For models:	FEB0009-SNT, FEB0010-SNT, FEB0033, FEB0034, FEB0035, PALLADIO300AM, PALLADIO300T, PALLADIO330T, PALLADIO350AM		



No.	550553	Ref. No.	IB5503010
description	medium temperature appliance supply cable CEE7/7 - C15 3-pole contacts P+N+E 1mm ² max. 10A max 250V 2.0m H05VV F T120 insulation PVC countries D/F/B/I black		
For models:	BARMASER, ORIONE FIVE, SIRIO1VVCAFFE, SIRIO2VVCAFFE		



No.	550767	Ref. No.	19410536
description	plug CEE 4-pole 3-pole+Nmm ² max. 16A max 415V 1.5m with cable		
For models:	PALLADIO300AM, PALLADIO300T, PALLADIO330T, PALLADIO350AM		

			
1			
No.	551265	Ref. No.	B00FK100
description	supply cord CEE7/7 type E+F 3-pole contacts P+N+E 1.5mm ² max. 16A max 230V 2m H05VVf insulation PVC countries D/F/B/I black		
For models:	9925F, 9931F, 9931VF, 9932F, 9953F, BMA0013-F, BMA0034-F, BMA0038-F, BMA0098, BMA0099, BMB0002-F, BMB0002-FG, BMB0004-F, BMB0014-F, BMB0014-FG, BMB0015-F, BMB0042-F, BMB0046-F, BMC0001-F, BMC0001-FG, BMC0003-F, BNA0068, BNA0069, BNC0001BAR-F, BNC0001-F, BNC0002-F, BNC0007BAR-F, BNC0007-F, BNC0008-F, BNC0015BAR-F, BNC0015-F, BNC0016-F, BNC0030, BNC0030PI, BNC0032, BNC0033, BNC0034, BNC0034PI, BNC0035, CCZ0009-F, CCZ0018-F, CCZ0050, HAB0001-F, HAB0007-F, HAB0009-F, HAB0015-F, HAB0020, HAB0021, HCE2004-F, HCE2005-F... (Other models you can see in the webshop)		

spiral cables

			
1			
No.	550101	Ref. No.	003553280001
description	spiral cable plug type CEE7/7 type E+F 1.5mm ² 3-pole with plug L 500mm expansion 5:1 countries A/B/D/F/I orange t.max. 70°C		
For models:	IFD0002-M		

ribbon cables

group 1

			
1			
No.	402970	Ref. No.	41523
description	ribbon cable 10-pole L 1200mm plug type 2 row coded Qty 1m		
For models:	GLB0043, GLB0044, GLB0046		

			
1			
No.	403250	Ref. No.	80933
description	ribbon cable 10-pole L 3000mm plug type coded 2 row plug: number of poles 10		
For models:	GLB0073		

			
1			
No.	400902	Ref. No.	80934
description	ribbon cable 10-pole L 750mm plug type FC-10P raster size 2.54mm		
For models:	GLB0071, OPT1012C		

terminals and connectors

not insulated

male fastons

			
1			
No.	699267	Ref. No.	0200090
description	male faston size 6.3mm with bore brass hole ø 4mmmm		
For models:	FGZ0005, FGZ0006, FGZ0007, FGZ0012, FGZ0013, FGZ0025, FGZ0026, FGZ0027		

terminals

terminal blocks

			
1			
No.	550239	Ref. No.	Z743006000
description	lustre terminal 12-pole cross section 16mm ² max. 75A max 500V temp.-resist. 150°C		
For models:	OPT1012-CF		

			
1			
No.	550232	Ref. No.	19410822
description	lustre terminal 12-pole cross section 2.5mm ² max. 32A max 450V temp.-resist. 150°C		
For models:	FEB0031, MIRRA300, SIRIO1VVCAFFE, SIRIO2VVCAFFE		

connection terminals with screw/faston connections

			
1			
No.	505212	Ref. No.	12024110
description	power terminal block 2-pole max. 20A max 600V connection ø2.5mm ² / F6.3 temp.-resist. 150°C cross section 4mm ²		
For models:	GLB0061C-F, GLB0063C-F		

			
1			
No.	550278	Ref. No.	12024382
description	power terminal block 3-pole max. 40A max 400V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	GLB0035-F, GLB0035-FN, GLB0037-F, GLB0037-FN		



1

No.	550349	Ref. No.	220010
description	power terminal block 4-pole max. 40A max 400V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		
For models:	GLB0058, GLB0059, GLB0060		



1

No.	550110	Ref. No.	PD.409B
description	power terminal block 5-pole max. 40A max 250V connection M6/ male faston 6.3mm temp.-resist. 130°C		
For models:	AHC0001, AHC0002, AHC0004, AHC0005, AMZ0037-N		



1

No.	550411	Ref. No.	12025183 220011 R253044000 X59000
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		
For models:	ACA1001, ACA1002, ACA101V, ACA102V, ACA2007, ACA207V, ACA216, ACA216V, ACC004V, ACE003V, ACE004V, ACE008V, ACH301V, ACH302V, ACH303V, ACH304V, ACH305V, ACH306V, ACH307V, ACH318V, ACH319V, ACH320V, ACJ005V, ACJ007V, ACJ008V, ACK2003, ACK2004, ACK203V, ACK204V, ACK301V, ACK302V, ACK303V, ACK304V, ACL0002, ACL002V, ADA101V, ADA103V, ADA205V, ADA208V, ADA210V, ADA212V, ADE003V, ADE004V, ADH301V, ADH302V, ADH303V, ADH304V, ADH305V, ADH306V, ADL001V...(Other models you can see in the webshop)		



1

No.	550977 ¹	Ref. No.	160549
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² with ground lug		
For models:	EFB0014, EFB0019		

¹with ground lug

connection terminals with screw connection



1

No.	550470	Ref. No.	X59200
description	power terminal block 3-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C cross section 6mm²		
For models:	ACA2010, ACA204V, ACA206V, ACA208V, ACA210V, ACB0004, ACB002V, ACB004V, ACD001V, ACD002V, ADB002V, ADB003V, ADK207V, ADK208V, ADK209V, ADK210V		



1

No.	551402	Ref. No.	463.026.00
description	power terminal block 3-pole max. 40A max 450V connection M5 temp.-resist. 150°C		



1

No.	550507	Ref. No.	09950957300 66303600 X59100
description	power terminal block 4-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C		
For models:	65110CFGE, 6570CFE, 6570CFGE, 6570FRE, 6570PCE, 6570PVE, 70110CFGE, 7040PCEQ, 7040PVE, 7070BRE, 7070BREM, 7070CFEQ, 7070CFGE, 7070FRE10, 7070PCEQ, 7070PVE, 92CPE, 92FRE18, 92FRE18S, 92FTEL, 92FTELC, 92FTER, 92FTERC, 92PCE, 92PCV, 94BRE, 94BREM, 94CFGE, 94CPE, 94CPES, 94FRE18, 94FRE18S, 94FTEL, 94FTELC, 94FTELR, 94FTELR, 94FTER, 94FTERC, 94PCE, 94PCV, 94PE100I, 94PE100IA, 94PE100IAS, 94PE100IS, 94PE150I, 94PE150IA, 96BRE, 96BREM, 96CFGE, ACC0003...(Other models you can see in the webshop)		



1

No.	550355	Ref. No.	5M100001 96300700
description	power terminal block 6-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C cross section 6mm² hole distance 122mm		
For models:	5771P, 5772P, 5773P, 5774P, 5778P, 5779P, 5782P, 5783P, 94CFE, 94CFV, 96CFE, 96PCE, V16030PVED, V16060PVED		

connection terminals with strain relief



1

No.	550356	Ref. No.	MSC04N202A
description	power terminal block 2-pole max 450V max. 16A cable ø 15mm cross section 1.5mm²		
For models:	FLA0014, FLA0015		



1

No.	550764	Ref. No.	MSC04N202
description	power terminal block 3-pole max 450V max. 16A cable ø 14.5mm cross section 1.5mm² connection male faston 6.3mm mounting ø 28mm with strain relief		
For models:	FLA0014, FLA0015, FLA0016		

connection boxes



1

No.	550755 ¹	Ref. No.	09950047000
description	connecting cable 3-pole contacts P+N+E with strain relief black L 1600mm 2.5mm²		
For models:	AIB0012, AIB0013, AIB0017, KF1001G, KF630, KF733		

¹with cable 1600mm


1

No.	550300	Ref. No.	459018
description	power terminal block 3-pole contacts P+N+E		
For models:	GLB0035, GLB0036, GLB0037, GLB0038, GLB0039, GLB0056, GLB0057		



1

No.	550671	Ref. No.	MOR30002
description	power terminal block 6-pole contacts 3P+N+E		
For models:	VP800U		

rail-mounted terminals

rail-mounted terminal blocks



1

No.	550407	Ref. No.	0000X53900
description	rail-mounted terminal block 5-pole cross section 16mm² max 600V		
For models:	ACA1003, ACA1004, ACA1010, ACA103V, ACA104V, ACA105V, ACA106V, ACA110V, ACC0003, ACC003V, ACC005V, ACC008V, ACC010V, ACJ006V, ADA102V, ADA104V, ADA105V, ADA106V, ADC004V, ADC006V, ADK201V, ADK202V, ADK203V, ADK204V		

SIEMENS

feed-through terminals



1

No.	551431	Ref. No.	663.076.00
description	rail-mounted terminal SIEMENS 16mm² blue H 46mm W 41mm L 10mm		

WEIDMÜLLER

accessories



1

No.	550789	Ref. No.	12024199
description	rail-mounted terminal grey for DIN rail 35mm		
For models:	OPT1012-CF		

WIELAND

rail-mounted terminals type 9700A



1

No.	550374	Ref. No.	12025191
description	rail-mounted terminal WIELAND type 9700A/10 S35 1.5-16mm² top-hat rail 35mm blue W 10mm L 49mm		
For models:	OPT1012-CFN		



No.	550373	Ref. No.	12025214
description	rail-mounted terminal WIELAND type 9700A/10 S35 1.5-16mm² top-hat rail 35mm grey W 10mm L 49mm		
For models:	OPT1012-CFN		




No.	550375	Ref. No.	12023727
description	rail-mounted terminal WIELAND type 9700A/10 SL2 S35 1.5-16mm² top-hat rail 35mm yellow/green W 10mm L 53mm		
For models:	OPT1012-CFN		



No.	550381	Ref. No.	12023373
description	rail-mounted terminal WIELAND type 9700A/8 S35 1.0-10mm² top-hat rail 35mm grey W 8mm L 46.6mm		
For models:	OPT1012-CF		

fuse terminal blocks



No.	550105	Ref. No.	11950147000
description	rail-mounted terminal WIELAND type WK10/SIU 5X20 /V0 suitable fuse ø5x20mm 1.0-16mm² 10A rated 250V		
For models:	AIB0014, AIB0015		

accessories



No.	550370	Ref. No.	11950137000
description	terminal block end bracket clampsmm²		
For models:	AIB0014, AIB0015		

ELECTRIC ACCESSORIES/GAS TAPS MASTRO

accessories

marking labels

1 R S T N ↓

No.	505000	Ref. No.	Z213005000
description	signboard R/S/T/N		
For models:	GLB0061C-F, GLB0063C-F		

holders



No.	550766	Ref. No.	19410820
description	bracket for connector strip cross section 2.5mm² 3-pole plastic L 51mm W 31mm		
For models:	FEB0031, MIRRA300		

various



No.	550794	Ref. No.	MOR30001
description	terminal 1-pole cross section 6-16mm² Qty 1 pcs		
For models:	VP800U, VP824RU, VP914RXS, VP920RXS		

gas taps

PEL

20S series



No.	101094	Ref. No.	671.000.00
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
For models:	65110CFG, 65110CFGE, 65110CFGG, 65110TPFG, 6540PCG, 6570CFG, 6570CFGE, 6570PCG, CEG110, CEG70		
spare parts for	101094		
No.	100408	Ref. No.	—
description	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
No.	101060	Ref. No.	GS.8036P
description	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
No.	101205	Ref. No.	—
description	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20		

spare parts for 101094				
	No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
accessories for 101094				
	No.	101278	Ref. No.	673.001.00
olive for pipe ø 10mm Qty 1 pcs				
	No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110081	Ref. No.	GS.3602
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	110083	Ref. No.	—
knob dial plate gas tap without ignition flame silver				



1

No.	101491	Ref. No.	X08000	
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower			
For models:	ACA2014, ACA214V			
spare parts for	101491			
	No.	100408	Ref. No.	—
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5				
	No.	101060	Ref. No.	GS.8036P
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
	No.	101205	Ref. No.	—
gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20				
	No.	101231	Ref. No.	—
thermocouple nut T1: M9x1 T2: M18x1				
accessories for	101491			
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				

accessories for 101491				
	No.	110081	Ref. No.	GS.3602
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	110083	Ref. No.	—
knob dial plate gas tap without ignition flame silver				

1

				
No.	106840	Ref. No.	3780	
description	gas tap PEL type 20S gas inlet pipe flange ø21mm bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper			
For models:	5305-CN, 5330, AJD0005-CCN, AJD0006-CCN, AJD0015-C, AJD0017-C, AJD0018-C			
spare parts for	106840			
	No.	101060	Ref. No.	GS.8036P
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101205	Ref. No.	—
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20			
	No.	101880	Ref. No.	—
	gasket Viton ED ø 14mm ID ø 9mm thickness 7.7mm Qty 1 pcs			
	No.	106202	Ref. No.	—
	bypass nozzle type PEL20/21 bore ø 0mm thread M5x0.5			
accessories for	106840			
	No.	101230	Ref. No.	—
	thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101278	Ref. No.	673.001.00
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101300	Ref. No.	—
	union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			



21S series



1

No.	101397	Ref. No.	671.001.00 GS.3875 X08100
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
For models:	110160PCG, 110170CFG, 6030FTG, 6060FTG, 6060FTRG, 6060FTRRG, 65110TPFG, 6540FTG, 6540FTRG, 6540GRG, 6540GRL, 6540PG40P, 6570FTG, 6570FTRG, 6570FTRRG, 6570GRG, 6570GRL, 6570TPFG, 6570TPG, 70110CFG, 70110CFGE, 70110PCG, 70110TPFG, 7040CPG, 7040FTG, 7040FTGS, 7040FTRG, 7040GRG, 7040GRL, 7040PCG, 7070CFG, 7070CFGE, 7070CPG, 7070FTG, 7070FTRG, 7070FTRRG, 7070GRG, 7070GRL, 7070PCG, 7070TPFG, 7070TPG, 92CPG, 92CPGS, 92PCG, 92PLG, 94CFG, 94CFGE, 94CPG, 94CPGS, 94PCG...(Other models you can see in the webshop)		
spare parts for	101397		
	No.	100408	Ref. No. —
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No. GS.8036P
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101206	Ref. No. —
gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21			
	No.	101231	Ref. No. —
thermocouple nut T1: M9x1 T2: M18x1			
accessories for	101397		
	No.	100908	Ref. No. 673.013.00 X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. 673.004.00
olive for pipe ø 4mm Qty 1 pcs			
	No.	101278	Ref. No. 673.001.00
olive for pipe ø 10mm Qty 1 pcs			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No. —
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No. —
union nut thread M16x1.5 tube ø 8mm			
	No.	110081	Ref. No. GS.3602
knob ø 70mm shaft ø 8x6.5mm shaft flat universal			

accessories for 101397



No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

22S/O series



1

No.	101086	Ref. No.	0000Y21400 67103100
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		
For models:	7070PGI, ACE0001, ACE0002, ACE001V, ACE002V, ACL0001, ACL0003, ACL001V, ACL003V, ADE001V, ADE002V		
spare parts for	101086		
	No.	100259	Ref. No. —
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101231	Ref. No. —
thermocouple nut T1: M9x1 T2: M18x1			
	No.	101240	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101086		
	No.	100908	Ref. No. 673.013.00 X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101241	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No. 673.004.00
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. —
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			

Table continues overleaf

accessories for 101086				
	No.	101250	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

23S/O series



1

No.	101092	Ref. No.	GS.3878					
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper							
	For models: NGPR6110							
spare parts for	101092							
		No.	100455	Ref. No.	—			
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5								
	No.					101059	Ref. No.	—
	magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1							
	No.					101204	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S							
	No.					101244	Ref. No.	—
	gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps							
	No.					101463	Ref. No.	—
	screw suitable for PEL23S Qty 4 pcs							
	No.					528455	Ref. No.	—
	O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs							
accessories for	101092							
		No.					100908	Ref. No.
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs								
	No.					100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs							
	No.					101246	Ref. No.	673.004.00
	olive for pipe ø 4mm Qty 1 pcs							

accessories for 101092				
	No.	101252	Ref. No.	—
	union nut thread M24x1.5 for pipe ø 12mm			
	No.	101253	Ref. No.	67302800
	union nut thread M24x1.5 PEL for pipe ø 16mm			
	No.	101254	Ref. No.	67303000
	union nut thread M28x1.5 tube ø 20mm			
	No.	101255	Ref. No.	—
	olive for pipe ø 12mm Qty 1 pcs			
	No.	101256	Ref. No.	67302700
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101257	Ref. No.	—
	olive for pipe ø 20mm Qty 1 pcs			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

23S/V series



1

No.	101093	Ref. No.	0000Y21300	
description	gas tap PEL type 23S/V gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower			
	For models: ADL014V, ADL015V			
spare parts for	101093			
	No.	100455	Ref. No.	—
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101059	Ref. No.	—
	magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1			
	No.	101204	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S			
	No.	101245	Ref. No.	—
	gas connection thread M24x1.5 tube ø 12/16mm vertical for PEL gas taps			
	No.	101463	Ref. No.	—
	screw suitable for PEL23S Qty 4 pcs			

Table continues overleaf



spare parts for 101093				
	No.	528455	Ref. No.	—
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs				
accessories for 101093				
	No.	100908	Ref. No.	673.013.00 X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673.004.00
olive for pipe ø 4mm Qty 1 pcs				
	No.	101252	Ref. No.	—
union nut thread M24x1.5 for pipe ø 12mm				
	No.	101253	Ref. No.	67302800
union nut thread M24x1.5 PEL for pipe ø 16mm				
	No.	101254	Ref. No.	67303000
union nut thread M28x1.5 tube ø 20mm				
	No.	101255	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs				
	No.	101256	Ref. No.	67302700
olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	—
olive for pipe ø 20mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

SABAF

1

No.	101747	Ref. No.	01991628700
description	gas tap SABAF type 10 gas inlet pipe flange ø14mm bypass nozzle ø 0.4mm gas outlet 1/4" (tube ø 8mm) front fixing M13x1 thermocouple connection M8x1 shaft ø 6x4.6mm shaft L 23.5/18.5mm shaft flat upper		
For models:	AAA2001, AAA2002		
spare parts for	101747		
	No.	101376	Ref. No. —
gasket ID ø 8mm ED ø 12mm H 3/5mm			

spare parts for 101747				
	No.	106724	Ref. No.	—
magnet unit L 30mm D1 ø 12.5mm D2 ø 8.5mm suitable for SABAF				
accessories for 101747				
	No.	101277	Ref. No.	673.005.00
olive ID ø 8mm Qty 1 pcs				
	No.	101751	Ref. No.	01990279512 X07400
bracket				
	No.	520656	Ref. No.	—
union nut thread 1/4" tube ø 6/8mm				
	No.	560082	Ref. No.	—
hexagonal screw thread M4 thread L 16mm SS WS 7 Qty 20 pcs DIN 933 / ISO 4017				

1

No.	101748	Ref. No.	01991578700	
description	gas tap SABAF type 10 gas inlet pipe flange ø14mm bypass nozzle ø 0.5mm gas outlet 1/4" (tube ø 8mm) front fixing M13x1 thermo-couple connection M8x1 shaft ø 6x4.6mm shaft L 24/18mm shaft flat upper			
For models:	AAA2001, AAA2002			
spare parts for	101748			
	No.	101376	Ref. No.	—
gasket ID ø 8mm ED ø 12mm H 3/5mm				
	No.	106724	Ref. No.	—
magnet unit L 30mm D1 ø 12.5mm D2 ø 8.5mm suitable for SABAF				
accessories for	101748			
	No.	101277	Ref. No.	673.005.00
olive ID ø 8mm Qty 1 pcs				
	No.	101751	Ref. No.	01990279512 X07400
bracket				
	No.	520656	Ref. No.	—
union nut thread 1/4" tube ø 6/8mm				

			
No.	101749	Ref. No.	01991608700
description	gas tap SABAF type 10 gas inlet pipe flange ø14mm bypass nozzle ø 0.74mm gas outlet 1/4" (tube ø 8mm) front fixing thermocouple connection M8x1 shaft ø 6x4.6mm shaft L 23/17mm shaft flat upper		
For models:	AAA2001, AAA2002		
spare parts for	101749		
	No.	101376	Ref. No. —
gasket ID ø 8mm ED ø 12mm H 3/5mm			
	No.	106724	Ref. No. —
magnet unit L 30mm D1 ø 12.5mm D2 ø 8.5mm suitable for SABAF			
accessories for	101749		
	No.	101277	Ref. No. 673.005.00
olive ID ø 8mm Qty 1 pcs			
	No.	101751	Ref. No. 01990279512 X07400
bracket			
	No.	520656	Ref. No. —
union nut thread 1/4" tube ø 6/8mm			

			
No.	101994	Ref. No.	671.077.00
description	gas tap SABAF type 10 gas inlet pipe flange ø16mm bypass nozzle ø 0.65mm gas outlet 1/4" (tube ø 8mm) front fixing thermocouple connection plug-in connection shaft ø 8x6.5mm shaft L 26/12mm shaft flat lower		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG		
spare parts for	101994		
	No.	101376	Ref. No. —
gasket ID ø 8mm ED ø 12mm H 3/5mm			
	No.	106725	Ref. No. —
magnet unit L 35mm D1 ø 12.5mm D2 ø 8.5mm suitable for SABAF			
accessories for	101994		
	No.	101277	Ref. No. 673.005.00
olive ID ø 8mm Qty 1 pcs			
	No.	101751	Ref. No. 01990279512 X07400
bracket			
	No.	520656	Ref. No. —
union nut thread 1/4" tube ø 6/8mm			
	No.	560082	Ref. No. —
hexagonal screw thread M4 thread L 16mm SS WS 7 Qty 20 pcs DIN 933 / ISO 4017			

			
No.	106842	Ref. No.	C5816299
description	gas tap SABAF type 10 gas inlet pipe flange ø23mm bypass nozzle ø 0mm gas outlet 1/4" (tube ø 8mm) front fixing M13x1 thermocouple connection M8x1 shaft ø 8x6.5mm shaft L 32/12.5mm shaft flat right		
For models:	5305-CN		
spare parts for	106842		
	No.	101051	Ref. No. —
magnet unit L 27mm D1 ø 12.5mm D2 ø 8.5mm suitable for JUNKERS/EGA/MADEC/SABAF standard			
	No.	101376	Ref. No. —
gasket ID ø 8mm ED ø 12mm H 3/5mm			
accessories for	106842		
	No.	101277	Ref. No. 673.005.00
olive ID ø 8mm Qty 1 pcs			
	No.	101751	Ref. No. 01990279512 X07400
bracket			
	No.	520656	Ref. No. —
union nut thread 1/4" tube ø 6/8mm			

SIRAL


			
No.	101699	Ref. No.	062140
description	gas tap SIRAL gas inlet pipe flange ø16mm bypass nozzle ø 0.85mm gas outlet 1/4" (tube ø 8mm) front fixing thermocouple connection M8x1 shaft ø 8x6.5mm shaft L 23/12mm shaft flat upper		
For models:	AJE0005, AJE0006, AJE0007		
spare parts for	101699		
	No.	101051	Ref. No. —
magnet unit L 27mm D1 ø 12.5mm D2 ø 8.5mm suitable for JUNKERS/EGA/MADEC/SABAF standard			
accessories for	101699		
	No.	101277	Ref. No. 673.005.00
olive ID ø 8mm Qty 1 pcs			
	No.	101351	Ref. No. —
mounting strap for gas tap			
	No.	520656	Ref. No. —
union nut thread 1/4" tube ø 6/8mm			



gas thermostats

SIT

630 Eurosit series



No.	101413	Ref. No.	X16700
description	gas thermostat type 630 Eurosit series t.max. 100°C 30-100°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 122mm capillary pipe 1050mm SIT		
For models:	ACB001V, ADB001V		
accessories for	101413		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. SP385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101273	Ref. No. 673.006.00 67300800
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. —
plug thread 3/8" with O-ring			



No.	101188	Ref. No.	X12900
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
For models:	ACC0001, ACC0002, ACC001V, ACC002V, ACC006V, ACC007V, ADC001V, ADC002V		
accessories for	101188		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. SP385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			

accessories for	101188		
	No.	101273	Ref. No. 673.006.00 67300800
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. —
plug thread 3/8" with O-ring			



No.	101915	Ref. No.	0000X13400
description	gas thermostat type 630 Eurosit series t.max. 320°C 80-320°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
For models:	ACA2012, ACA212V, ACH3016, ACH316V, ACK2001, ACK2002, ACK201V, ACK202V, ADA206V, ADA207V, ADA209V, ADA211V, ADA217V, ADH307V, ADH308V, ADH309V, ADH310V, ADH311V, ADH312V, AIE001V		
accessories for	101915		
	No.	100825	Ref. No. —
gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. SP385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	100949	Ref. No. —
gasket suitable for 630 Eurosit series			
	No.	101273	Ref. No. 673.006.00 67300800
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. —
plug thread 3/8" with O-ring			
	No.	101390	Ref. No. —
gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT			
	No.	101392	Ref. No. —
adapter suitable for 630 Eurosit series			
	No.	110357	Ref. No. —
gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series			

Table continues overleaf

accessories for 101915				
No.	110358	Ref. No.	—	
	adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series			

710 Minisit series



No.	101135	Ref. No.	671.004.00 671.018.00 Y23000	
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller no pressure regulatormbar gland nut			
For models:	6030FRG, 6060FRG, 6540FRG, 6570FRG, 92FRG20, 92FRG20S, 94FRG20, 94FRG20S, ADC003V, ADC008V, ADC009V, ADC010V			
spare parts for	101135			
	No.	101053	Ref. No.	—
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102118	Ref. No.	—
probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710				
accessories for	101135			
	No.	100809	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100820	Ref. No.	—
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	SP385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	—
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	671.005.00
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				


accessories for 101135				
No.	101269	Ref. No.	—	
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	673.006.00 67300800
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	671.006.00 Y23100
knob suitable for Minisit ø 37mm				

No.	101132	Ref. No.	67102900 67103300
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no		
For models:	7070BRG, 7070BRGM, 94BRG, 96BRG, 96BRGM		
spare parts for	101132		
	No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102102	Ref. No. —
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for	101132		
	No.	100809	Ref. No. —
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. SP.385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			

Table continues overleaf



accessories for 101132				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	—
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	671.005.00
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	673.006.00 67300800
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	671.006.00 Y23100
knob suitable for Minisit ø 37mm				

				
No.	107352 ¹	Ref. No.	67102500	
description	gas thermostat with threaded probe type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 14.4mm probe L 26mm capillary pipe 1050mm probe type type F3 pressure controller no pressure regulator mbar gland nut			
For models:	7040FRG13, 7070FRG13, AFC0001			
spare parts for	107352			
	No.	107564	Ref. No.	—
piezoelectric igniter body plastic blowing connection F6.3x0.8 ø 22mm				

¹probe thread 1/4"

PEL

25ST series



	No.	101172	Ref. No.	671.034.00	
description	gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper				
For models:	110170CFG, 6540FTGCR, 6540FTRGCR, 6570FTGCR, 6570FTRGCR, 7040FTGCR, 7040FTRGCR, 7070FTGCR, 7070FTRGCR, AFA2003, AFA2004, AFA2006, AFH3005, AFH3006, AFH3007, AFH3008, AFH3019				
spare parts for	101172				
	No.	100259	Ref. No.	—	
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5					
	No.	101060	Ref. No.	GS.8036P	
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA					
	No.	106200	Ref. No.	—	
nut thread M9x1 suitable for PEL 24/25S					
accessories for	101172				
	No.	100908	Ref. No.	673.013.00 X13200	
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs					
	No.	100909	Ref. No.	—	
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs					
	No.	101246	Ref. No.	673.004.00	
olive for pipe ø 4mm Qty 1 pcs					
	No.	101278	Ref. No.	673.001.00	
olive for pipe ø 10mm Qty 1 pcs					
	No.	101286	Ref. No.	—	
olive ID ø 6mm Qty 1 pcs					
	No.	101300	Ref. No.	—	
union nut thread M16x1.5 tube ø 10mm					
	No.	101450	Ref. No.	—	
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm					
	No.	101451	Ref. No.	—	
union nut thread M16x1.5 tube ø 8mm					
	No.	110079	Ref. No.	—	
knob dial plate gas thermostat 1-8 silver					
	No.	110081	Ref. No.	GS.3602	
knob ø 70mm shaft ø 8x6.5mm shaft flat universal					

			
No.	101441	Ref. No.	97100000
description	gas thermostat PEL type 25ST 30-90°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 160mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
For models:	92BMG, AFB0001, AFB0002		
spare parts for	101441		
	No.	100259	Ref. No. —
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101060	Ref. No. GS.8036P
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	106200	Ref. No. —
nut thread M9x1 suitable for PEL 24/25S			
accessories for	101441		
	No.	100908	Ref. No. 673.013.00 X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. 673.004.00
olive for pipe ø 4mm Qty 1 pcs			
	No.	101278	Ref. No. 673.001.00
olive for pipe ø 10mm Qty 1 pcs			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No. —
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No. —
union nut thread M16x1.5 tube ø 8mm			

SABAF

			
No.	101692	Ref. No.	671.002.00
description	gas thermostat SABAF t.max. 300°C gas inlet M13x1 IT (tube ø 8mm) bypass nozzle ø 0.5mm gas outlet 3/8" ET (tube ø 10mm) gas outlet 2 thermocouple connection M8x1 pilot connection capillary pipe 850mm probe ø 4mm probe L 140mm shaft ø 8x6.5mm shaft L 34/14mm shaft flat upper		
For models:	65110CFG, 65110CFGG, 65110TPFG, 6570CFG, 6570TPFG, 70110CFG, 70110TPFG, 7070CFG, 7070TPFG		
spare parts for	101692		
	No.	101060	Ref. No. GS.8036P
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	106660	Ref. No. —
bypass nozzle bore ø 0.85mm thread M4x0.5 SABAF			
accessories for	101692		
	No.	101277	Ref. No. 673.005.00
olive ID ø 8mm Qty 1 pcs			
	No.	101278	Ref. No. 673.001.00
olive for pipe ø 10mm Qty 1 pcs			
	No.	101476	Ref. No. —
union nut thread M13x1 for pipe ø 8mm			
	No.	101478	Ref. No. —
union nut thread 3/8" for pipe ø 10mm			

			
No.	106310	Ref. No.	671.086.00
description	gas thermostat SABAF t.max. 300°C gas inlet pipe flange bypass nozzle ø 0.39mm gas outlet 3/8" (tube ø 8mm) thermocouple connection M8x1 capillary pipe 850mm probe ø 4mm probe L 140mm shaft ø 8x6.5mm edition since year of construction 09/2002		
For models:	6060CFG		
spare parts for	106310		
	No.	101376	Ref. No. —
gasket ID ø 8mm ED ø 12mm H 3/5mm			
accessories for	106310		
	No.	101277	Ref. No. 673.005.00
olive ID ø 8mm Qty 1 pcs			
	No.	101477	Ref. No. 673.034.00
union screw thread M13x1 tube ø 8mm Qty 1 pcs			



ROBERTSHAW



No.	107562 ¹	Ref. No.	GS.2182
description	gas thermostat type GSE100301800 93-201°C 200-393°F gas inlet 1/4" CCT (tube ø 1/4") bypass nozzle ømm gas outlet 1/4" CCT (tube ø 1/4") thermocouple connection pilot connection capillary pipe 30" - 760mm probe ø 3/8" - 9.5mm probe L 5 3/8" - 135mm gland nut 1/4" NPT shaft ø 6.4x4.8mm shaft L 21/21mm shaft flat lower Invensys approval CE		
For models:	AMZ0001-NM		

¹with gland nut 1/4" NPT

gas valves and ignition boxes

gas control valves

ROBERTSHAW


gas controlled valves



No.	580077	Ref. No.	GS.2181
description	gas valve supply Operator gas inlet 1/4" CCT outlet 1/4" CCT gas inlet 3/4" gas outlet 3/4" thermocouple connection 11/32" pilot connection 1/4" pressure regulatormbar type U7000BGOL pressure controller unregulated 0-70°C max 65mbar		
For models:	AMZ0001-NM		

SIT

NOVASIT



1

No.	101162	Ref. No.	X11400	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010			
For models:	ADK207V, ADK208V, ADK209V, ADK210V			
spare parts for	101162			
	No.	101065	Ref. No.	—
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT				
	No.	101313	Ref. No.	—
solenoid coil 230V 50Hz				
accessories for	101162			
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	101305	Ref. No.	—
gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	No.	101306	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101312	Ref. No.	X49000
microswitch				
	No.	101314	Ref. No.	—
solenoid coil 24V 50Hz				
	No.	101317	Ref. No.	—
plug with cable L 1000mm suitable for NOVASIT				
	No.	101318	Ref. No.	—
cover cap for solenoid coil suitable for NOVASIT				

accessories


1

No.	100905	Ref. No.	SP385E
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
For models:	AHA0001, AHA0002, AHA0003, AHB0001		



1

No.	101312	Ref. No.	X49000
description	microswitch		
For models:	ADK207V, ADK208V, ADK209V, ADK210V		

SIGMA


1

No.	101989	Ref. No.	11950407000	
description	gas valve 230V 50Hz gas inlet 3/4" gas outlet 3/4" SIT pressure range 2-50mbar equiv. no. 0.840.016			
For models:	KF1001G			
spare parts for	101989			
	No.	106214	Ref. No.	—
	solenoid coil 230V 50Hz Sigma			
accessories for	101989			
	No.	107222	Ref. No.	—
	plug for solenoid valve 3-pole cable length 1070mm			

TANDEM


1

No.	101984	Ref. No.	GASI0007	
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition ignition times pressure range 2-50mbar power supply for modulator 230VAC rectified Tandem equiv. no. 0.836.010			
For models:	CAD0007, CAD0010, SY1280VG			
spare parts for	101984			
	No.	101379	Ref. No.	—
	solenoid coil 230V 50Hz suitable for Tandem			
accessories for	101984			
	No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101925	Ref. No.	—
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT			
	No.	102845	Ref. No.	—
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	No.	102846	Ref. No.	—
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			
	No.	102847	Ref. No.	—
	O-ring			



1

No.	101684	Ref. No.	91310340	
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition standard ignition time 3-7s pressure range 3-50mbar power supply for modulator type SIT equiv. no. 0.830.034			
For models:	CAA0003, CAA0004, CAA0005			
spare parts for	101684			
	No.	101379	Ref. No.	—
	solenoid coil 230V 50Hz suitable for Tandem			

Table continues overleaf



accessories for 101684				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	102845	Ref. No.	—
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem				
	No.	102846	Ref. No.	—
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem				
	No.	102847	Ref. No.	—
O-ring				

ignition boxes

BRAHMA



1


No.	102338	Ref. No.	ELET0134
description	ignition box BRAHMA type SM11PMIX electrodes 2 waiting time 1.5s safety time 5s 230V 7VA 50-60Hz		
For models:	CAD0007, CAD0010, SY12100VGASD, SY1280VG		

SIT



1

No.	101685	Ref. No.	91310280
description	ignition box SIT type 503EFD electrodes 2 waiting time 1.5s safety time 10s 220/240V 10VA 50-60Hz protection IP40		
For models:	CAA0003, CAA0004, CAA0005		



1

No.	101990	Ref. No.	11950397000
description	ignition box SIT type 537ABC electrodes 3 waiting time 1.5s safety time 5s 230V 10VA 50-60Hz protection IP40		
For models:	KF1001G		

safety valves

SIT

400 series




1

No.	101470	Ref. No.	Y21800	
description	safety valve front fixing M12x1 pressure range 50mbar gas inlet 1/8" IT gas outlet 1/8" - M6x0.75 thermocouple connection M8x1 equiv. no. 0.400.088 suitable for SIT			
For models:	ADK209V, ADK210V			
spare parts for	101470			
	No.	101052	Ref. No.	—
	magnet unit L 43.5mm D1 ø 15.3mm D2 ø 10.5mm suitable for SIT M1			
accessories for	101470			
	No.	101299	Ref. No.	—
	nut thread M12x1			
	No.	101499	Ref. No.	—
	protection cap for safety valve thread M12x0.75 ID ø 18mm L 24mm aluminium			


440 series


1

No.	101101	Ref. No.	GS.3713	
description	gas valve pressure range 50mbar gas inlet 3/4" gas outlet 3/4" pilot connection M10x1 (tube ø 6mm) thermocouple connection M9x1 type SIT D3			
For models:	AHA0005-NN, AHA0008-NN, AHA0009, AHA0014-NN, AHA0021-NN, NGDR910			
accessories for	101101			
	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	SP.385E
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			

ignition parts
pilot burners
SIT
100 series


1

No.	106901		Ref. No.	672.080.00	
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm				
For models:	110160PCG, 110170CFG, 6540PG40P, 70110CFG, 70110CFGE, 70110PCG, 70110TPFG, 7040PCG, 7070CFG, 7070CFGE, 7070PCG, AFA2001, AFA2002, AFA2003, AFA2004, AFA2008				
spare parts for	106901				
	No.	100854	Ref. No.	—	
	pilot burner bracket double				
	No.	100916	Ref. No.	—	
	compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—	
	gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—	
	screw for pilot burner				
accessories for	106901				
	No.	100904	Ref. No.	—	
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs				

accessories for	106901			
	No.	100905	Ref. No.	SP.385E
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	102742	Ref. No.	—
	pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs			



1

No.	106904	Ref. No.	0000X19900	
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm			
For models:	ACA2014, ACA2020, ACA214V, ACA220V, ADA206V, ADA207V, ADA209V, ADA211V, ADA213V			
spare parts for	106904			
	No.	100245	Ref. No.	GC.1001 SP.385F X19906
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100855	Ref. No.	GS.8042P SP.385D
	pilot burner bracket triple			
	No.	100885	Ref. No.	97203100 X19901
	air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No.	—
	screw for pilot burner			
	No.	107160	Ref. No.	—
	pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs			
	No.	107166	Ref. No.	97203000
	pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs			
	No.	107701	Ref. No.	672.094.00 97202900 GS.8040P SP.385B
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

Table continues overleaf



accessories for 106904				
	No.	100246	Ref. No.	672.059.00 GS.3828 SP.385C X19907
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	SP.385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				



1

No.	106902	Ref. No.	672.069.00	
description	pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm			
For models:	65110TPFG, 6570TPFG, 6570TPG, 70110TPFG, 7070TPFG, 7070TPG, AFA2005, AFA2006			
spare parts for	106902			
	No.	100245	Ref. No.	GC.1001 SP.385F X19906
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100842	Ref. No.	—
pilot burner cap 2 flames Qty 1 pcs				
	No.	100885	Ref. No.	97203100 X19901
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				

spare parts for 106902				
	No.	107161	Ref. No.	GS.8041P SP.385A
pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	672.094.00 97202900 GS.8040P SP.385B
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for 106902				
	No.	100246	Ref. No.	672.059.00 GS.3828 SP.385C X19907
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	SP.385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				

1

 No.	106906	Ref. No.	GS.3851 X13500
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:	ACA2013, ACA2020, ACA213V, ACA220V, ACB001V, ACE0001, ACE0002, ACE001V, ACE002V, ACH1003, ACH1004, ACH101V, ACH102V, ACH103V, ACH104V, ACJ0004, ACJ004V, ACK2001, ACK2002, ACK201V, ACK202V, ACL0001, ACL0003, ACL001V, ACL003V, ADA211V, ADA212V, ADB001V, ADE001V, ADE002V, ADH101V, ADH102V, ADL006V, ADL007V, ADL013V, AHA0001, AHA0002, AHA0003, AHA0005-NN, AHA0008-NN, AHA0009, AHA0011, AHA0013, AHA0014-NN, AHA0017, AHA0018, AHA0019, AHA0020, AHA0021-NN, AHB0001...(Other models you can see in the webshop)		
spare parts for	106906		
	No.	100245	Ref. No. GC.1001 SP.385F X19906
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			

Table continues overleaf

spare parts for 106906				
	No.	100855	Ref. No.	GS.8042P SP.385D
pilot burner bracket triple				
	No.	100885	Ref. No.	97203100 X19901
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	672.094.00 97202900 GS.8040P SP.385B
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for 106906				
	No.	100245	Ref. No.	GC.1001 SP.385F X19906
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100246	Ref. No.	672.059.00 GS.3828 SP.385C X19907
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	SP.385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				

1

No.	103344	Ref. No.	672.184.00	
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 4mm			
spare parts for	103344			
	No.	100246	Ref. No.	672.059.00 GS.3828 SP.385C X19907
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100855	Ref. No.	GS.8042P SP.385D
pilot burner bracket triple				
	No.	100883	Ref. No.	—
pilot burner bottom part PRO-GAS 100 series nozzle ø 0.35mm				
	No.	100885	Ref. No.	97203100 X19901
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	102664	Ref. No.	—
pilot burner cap 3 flames suitable for 100 series H 29mm L 40mm				

1

No.	106907	Ref. No.	672.057.00	
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm			
For models:	65110TPFG, 6570TPFG, 6570TPG, 70110TPFG, 7070TPFG, 7070TPG, 92FTGL, 92FTGLC, 92FTGR, 92FTGRC, 94FTGL, 94FTGLC, 94FTGLR, 94FTGLRC, 94FTGR, 94FTGRC, AFA2005, AFA2006			
spare parts for	106907			
	No.	100246	Ref. No.	672.059.00 GS.3828 SP.385C X19907
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100855	Ref. No.	GS.8042P SP.385D
pilot burner bracket triple				
	No.	100885	Ref. No.	97203100 X19901
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				

Table continues overleaf



spare parts for 106907			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
	No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			
accessories for 106907			
	No.	100245	Ref. No. GC.1001 SP.385F X19906
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. SP.385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No. —
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107701	Ref. No. 672.094.00 97202900 GS.8040P SP.385B
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

			
1			
No.	107881	Ref. No.	672.172.00
description pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm with igniter			

accessories			
pilot burner caps			
			
1			
No.	107790	Ref. No.	97300200 97300300
description pilot burner cap 1 flame suitable for SIT H 60mm Qty 1 pcs			
For models: 92PCG, 94CFG, 94CFGE, 94PCG, 96CFG, 96CFGE, 96PCG, 96TPFG, 98PCG			

			
1			
No.	100835	Ref. No.	PD.2264
description pilot burner cap 3 flames suitable for 100 series H 35mm L 48mm Qty 1 pcs W 52mm			
For models: NGDR910			

			
1			
No.	107161	Ref. No.	GS.8041P SP.385A
description pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs			
For models: AHA0001, AHA0002, AHA0003, AHA0011, AHB0001			

			
1			
No.	107166	Ref. No.	97203000
description pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs			
For models: 92PCG, 94CFG, 94CFGE, 94PCG, 96CFG, 96CFGE, 96PCG, 96TPFG, 98PCG			

pilot burner bottom parts

			
No.	107701	Ref. No.	672.094.00 97202900 GS.8040P SP.385B
description	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
For models:	110160PCG, 110170CFG, 6540PG40P, 92PCG, 94CFG, 94CFGE, 94PCG, 96CFG, 96CFGE, 96PCG, 96TPFG, 98PCG, AFA2001, AFA2002, AFA2003, AFA2004, AFA2008, AHA0001, AHA0002, AHA0003, AHA0011, AHB0001		
spare parts for	107701		
	No.	100245	Ref. No. GC.1001 SP.385F X19906
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
accessories for	107701		
	No.	100246	Ref. No. 672.059.00 GS.3828 SP.385C X19907
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. SP.385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	102742	Ref. No. —
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs			

pilot burner brackets
universal

			
No.	100855	Ref. No.	GS.8042P SP.385D
description	pilot burner bracket triple		
For models:	AHA0001, AHA0002, AHA0003, AHA0011, AHB0001		
accessories for	100855		
	No.	100855	Ref. No. GS.8042P SP.385D
	pilot burner bracket triple		
	No.	100886	Ref. No. —
pilot burner bracket suitable for 100 series 3-piece			
	No.	100888	Ref. No. —
screw bolt for pilot burner			

pilot burner nozzles




No.	100245	Ref. No.	GC.1001 SP.385F X19906
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
For models:	ACA2013, ACA2014, ACA2020, ACA213V, ACA214V, ACA220V, ACB001V, ACC0001, ACC0002, ACC001V, ACC002V, ACC006V, ACC007V, ACE0001, ACE0002, ACE001V, ACE002V, ACH1003, ACH1004, ACH101V, ACH102V, ACH103V, ACH104V, ACJ0004, ACJ004V, ACK2001, ACK2002, ACK201V, ACK202V, ACL0001, ACL0003, ACL001V, ACL003V, ADA206V, ADA207V, ADA209V, ADA211V, ADA212V, ADA213V, ADB001V, ADC001V, ADC002V, ADE001V, ADE002V, ADH101V, ADH102V, ADL006V, ADL007V, ADL013V, AHA0001...(Other models you can see in the webshop)		



No.	100246	Ref. No.	672.059.00 GS.3828 SP.385C X19907
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
For models:	65110TPFG, 6570TPFG, 6570TPG, 70110CFG, 70110CFGE, 70110PCG, 70110TPFG, 7040PCG, 7070CFG, 7070CFGE, 7070PCG, 92PCG, 94CFG, 94CFGE, 94PCG, 96CFG, 96CFGE, 96PCG, 96TPFG, 98PCG, ACA2013, ACA2014, ACA2020, ACA213V, ACA214V, ACA220V, ACB001V, ACC0001, ACC0002, ACC001V, ACC002V, ACC006V, ACC007V, ACE0001, ACE0002, ACE001V, ACE002V, ACH1003, ACH1004, ACH101V, ACH102V, ACH103V, ACH104V, ACJ0004, ACJ004V, ACK2001, ACK2002, ACK201V, ACK202V, ACL0001...(Other models you can see in the webshop)		



ignition electrodes



No.	100706	Ref. No.	672.060.00 GS.3856 X14600
description ignition electrode connection M4 Qty 1 pcs			
For models: 65110TPFG, 6570TPFG, 6570TPG, 70110TPFG, 7070TPFG, 7070TPG, 92FTGL, 92FTGLC, 92FTGR, 92FTGRC, 94FTGL, 94FTGLC, 94FTGLR, 94FTGLRC, 94FTGR, 94FTGRC, ACA2013, ACA2014, ACA2020, ACA204V, ACA208V, ACA213V, ACA214V, ACA220V, ACB001V, ACE0001, ACE0002, ACE001V, ACE002V, ACH1003, ACH1004, ACH101V, ACH102V, ACH103V, ACH104V, ACJ0004, ACJ004V, ACK2001, ACK2002, ACK201V, ACK202V, ACL0001, ACL0003, ACL001V, ACL003V, ADB001V, ADC003V, ADC008V, ADC009V, ADC010V...(Other models you can see in the webshop)			

miscellaneous



No.	100885	Ref. No.	97203100 X19901
description air mixing sleeve for pilot burner Qty 1 pcs			
For models: 92PCG, 94CFG, 94CFGE, 94PCG, 96CFG, 96CFGE, 96PCG, 96TPFG, 98PCG, ACA2014, ACA2020, ACA214V, ACA220V, ADA213V			



No.	100967	Ref. No.	623.241.00
description pilot burner bracket			
For models: 110160PCG, 110170CFG, 6540PG40P, 70110CFG, 70110CFGE, 70110PCG, 70110TPFG, 7040PCG, 7070CFG, 7070CFGE, 7070PCG, AFA2001, AFA2002, AFA2003, AFA2004, AFA2008			

140 - 145 -150 series



No.	107836	Ref. No.	672.013.00	
description	pilot burner SIT type 140 series 2 flames nozzle ø 0.40/0.38mm complete			
For models:	110170CFG, 6030FTG, 6060FTG, 6060FTRG, 6060FTRRG, 6540FTG, 6540FTGCR, 6540FTRG, 6540FTRGCR, 6540GRG, 6540GRL, 6570FTG, 6570FTGCR, 6570FTRG, 6570FTRGCR, 6570FTRRG, 6570GRG, 6570GRL, 7040CPG, 7040FTGCR, 7040FTGS, 7040FTRGCR, 7040GRG, 7040GRL, 7070BRG, 7070BRGM, 7070CPG, 7070FTG, 7070FTGCR, 7070FTRG, 7070FTRGCR, 7070FTRRG, 7070GRG, 7070GRL, 7070PGI, 92PLG, 94PG100I, 94PG100IA, 94PG150I, 94PG150IA, 94PLG, AFA2003, AFA2004, AFA2006, AFB0001, AFB0002, AFE0001, AFH3001, AFH3002, AFH3003...(Other models you can see in the webshop)			
spare parts for	107836			
	No.	100207	Ref. No.	67409100 GS.3829 X30300
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	No.	100701	Ref. No.	672.015.00 GS.3857 X13001
	ignition electrode connection M4 Qty 1 pcs			
	No.	100897	Ref. No.	673.003.00
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No.	673.014.00
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
accessories for	107836			
	No.	100801	Ref. No.	—
	gasket for pilot burner Qty 1 pcs			
	No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			



			
No.	107114 ¹	Ref. No.	672.014.00
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm		
For models:	110170CFG, 6030FTG, 6060FTG, 6060FTRG, 6060FTRRG, 6540FTG, 6540FTGCR, 6540FTRG, 6540FTRGCR, 6540GRG, 6570FTG, 6570FTGCR, 6570FTRG, 6570FTRGCR, 6570FTRRG, 6570GRG, 7040CPG, 7040FTG, 7040FTGCR, 7040FTGS, 7040FTRG, 7040FTRGCR, 7040GRG, 7040GRL, 7070BRG, 7070BRGM, 7070CPG, 7070FTG, 7070FTGCR, 7070FTRG, 7070FTRGCR, 7070FTRRG, 7070GRG, 7070GRL, 7070PGI, 92BMG, 92CPG, 92CPGS, 94CFG, 94CPGS, 94TPFG, 96CFG, 96TPFG, AFA2003, AFA2004, AFA2006, AFB0001, AFB0002, AFE0001, AFH3001...(Other models you can see in the webshop)		
spare parts for	107114		
	No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	107114		
	No.	100204	Ref. No. —
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
	No.	100205	Ref. No. 674.001.00 X30000
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
	No.	100206	Ref. No. 674.000.00 X30100
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
	No.	100207	Ref. No. 67409100 GS.3829 X30300
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
	No.	100216	Ref. No. —
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series		
	No.	100701	Ref. No. 672.015.00 GS.3857 X13001
	ignition electrode connection M4 Qty 1 pcs		
	No.	100801	Ref. No. —
	gasket for pilot burner Qty 1 pcs		
	No.	100897	Ref. No. 673.003.00
	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	No.	100898	Ref. No. —
	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
	No.	100906	Ref. No. 673.014.00
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	No.	100908	Ref. No. 673.013.00 X13200
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		

¹incl. thermocouple fitting

accessories for	107114		
	No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

			
No.	102450	Ref. No.	X14400
description	pilot burner SIT type 150 series 1 flame nozzle ømm gas connection 6mm		
For models:	ACA2010, ACA2012, ACA201V, ACA202V, ACA203V, ACA206V, ACA208V, ACA209V, ACA210V, ACA212V, ACA216, ACA216V, ACJ0001, ACJ0002, ACJ0003, ACJ001V, ACJ002V, ACJ003V, ADA201V, ADA202V, ADA203V, ADA204V, ADA205V, ADA206V, ADA207V, ADA208V, ADA209V, ADA210V, ADA217V, AIE001V		
spare parts for	102450		
	No.	100204	Ref. No. —
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
	No.	100205	Ref. No. 674.001.00 X30000
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
	No.	100206	Ref. No. 674.000.00 X30100
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
	No.	100207	Ref. No. 67409100 GS.3829 X30300
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
	No.	100216	Ref. No. —
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series		
	No.	100765	Ref. No. —
	pilot burner nozzle SIT LPG code 20 bore ø 0.35mm Qty 1 pcs suitable for 150 series		
	No.	100897	Ref. No. 673.003.00
	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	No.	100898	Ref. No. —
	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
	No.	100906	Ref. No. 673.014.00
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
	No.	100908	Ref. No. 673.013.00 X13200
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		



spare parts for	102450		
	No.	101246	Ref. No. 673.004.00
olive for pipe ø 4mm Qty 1 pcs			

	No.	100170	Ref. No.	X13000
description	pilot burner SIT type 150 series 1 flame nozzle ømm gas connectionmm			
For models:	ACE005V, ACH3015, ACH3016, ACH308V, ACH309V, ACH310V, ACH311V, ACH312V, ACH313V, ACH314V, ACH315V, ACH316V, ACH317V, ADA213V, ADH307V, ADH308V, ADH309V, ADH310V, ADH311V, ADH312V, ADK207V, ADK208V, ADK209V, ADK210V			
spare parts for	100170			
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	100170			
	No.	100204	Ref. No.	—
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series				
	No.	100205	Ref. No.	674.001.00 X30000
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series				
	No.	100206	Ref. No.	674.000.00 X30100
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series				
	No.	100207	Ref. No.	67409100 GS.3829 X30300
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series				
	No.	100216	Ref. No.	—
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series				
	No.	100701	Ref. No.	672.015.00 GS.3857 X13001
ignition electrode connection M4 Qty 1 pcs				
	No.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100897	Ref. No.	673.003.00
olive for pipe ø 4mm Qty 1 pcs for pilot burner				
	No.	100898	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs for pilot burner				
	No.	100906	Ref. No.	673.014.00
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100908	Ref. No.	673.013.00 X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				


160 series				
	No.	100056	Ref. No.	672.042.00
description	pilot burner SIT type 160 series 3 flames nozzle ømm gas connectionmm			
For models:	6030FRG, 6060FRG, 6540FRG, 6570FRG, 7040FRG13, 7070FRG13, 92FRG20, 92FRG20S, 94FRG20, 94FRG20S, AFC0001			
spare parts for	100056			
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	100056			
	No.	100202	Ref. No.	—
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm				
	No.	100203	Ref. No.	—
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm				
	No.	100701	Ref. No.	672.015.00 GS.3857 X13001
ignition electrode connection M4 Qty 1 pcs				
	No.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100869	Ref. No.	—
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm				
	No.	100870	Ref. No.	673.007.00
olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner				
	No.	100906	Ref. No.	673.014.00
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100908	Ref. No.	673.013.00 X13200
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107650	Ref. No.	674.052.00
pilot burner nozzle SIT LPG code 30 Qty 1 pcs				

accessories universal
covers



No.	106572	Ref. No.	X23200
description	cover for pilot burner		
For models:	ACC0001, ACC0002, ACC001V, ACC002V, ACC006V, ACC007V, ADC001V, ADC002V		

electrodes



No.	102496	Ref. No.	07991148000
description	gasket for ignition electrode		
For models:	AAA2002		



No.	100701	Ref. No.	672.015.00 GS.3857 X13001
description	ignition electrode connection M4 Qty 1 pcs		
For models:	110170CFG, 6030FTG, 6060FTG, 6060FTRG, 6060FTRRG, 6540FTG, 6540FTGCR, 6540FTRG, 6540FTRGCR, 6540GRG, 6540GRL, 6570FTG, 6570FTGCR, 6570FTRG, 6570FTRGCR, 6570FTRRG, 6570GRG, 6570GRL, 7040CPG, 7040FTG, 7040FTGCR, 7040FTGS, 7040FTRG, 7040FTRGCR, 7040GRG, 7040GRL, 7070BRG, 7070BRGM, 7070CPG, 7070FTG, 7070FTGCR, 7070FTRG, 7070FTRGCR, 7070FTRRG, 7070GRG, 7070GRL, 7070PGI, 92BMG, 92CPG, 92CPGS, 92PLG, 94CFG, 94CPGS, 94PG100I, 94PG100IA, 94PG150I, 94PG150IA, 94PLG, 94TPFG, 96CFG...(Other models you can see in the webshop)		
accessories for	100701		
	No.	100906	Ref. No. 673.014.00
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			



No.	100706	Ref. No.	672.060.00 GS.3856 X14600
description	ignition electrode connection M4 Qty 1 pcs		
For models:	65110TPFG, 6570TPFG, 6570TPG, 70110TPFG, 7070TPFG, 7070TPG, 92FTGL, 92FTGLC, 92FTGR, 92FTGRC, 94FTGL, 94FTGLC, 94FTGLR, 94FTGLRC, 94FTGR, 94FTGRC, ACA2013, ACA2014, ACA2020, ACA204V, ACA208V, ACA213V, ACA214V, ACA220V, ACB001V, ACE0001, ACE0002, ACE001V, ACE002V, ACH1003, ACH1004, ACH101V, ACH102V, ACH103V, ACH104V, ACJ0004, ACJ004V, ACK2001, ACK2002, ACK201V, ACK202V, ACL0001, ACL0003, ACL001V, ACL003V, ADB001V, ADC003V, ADC008V, ADC009V, ADC010V...(Other models you can see in the webshop)		




No.	100808	Ref. No.	672.115.00
description	ignition electrode D1 ø 5.5mm cable length 550mm connection F 2.8x0.8mm D2 ø 8mm L1 2mm BL1 16mm BL2 4mm BL3 13mm		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG		



No.	100817	Ref. No.	672.114.00
description	ignition electrode D1 ø 5mm cable length 700mm to clip		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG		




No.	102494	Ref. No.	01992307000
description	ignition electrode D1 ø 6mm total length 710mm cable length 660mm connection male faston 2.8mm D2 ø 8mm L1 1mm BL1 17mm BL2 3.5mm BL3 13mm		
For models:	AAA2002		



1

No.	100733	Ref. No.	X14500
description	ignition electrode D1 ø 7mm D2 ø 8.5mm cable length 600mm BL1 28mm BL2 3mm BL3 23mm to clip connection ø 2.4mm		
For models:	ACA2013, ACA2014, ACA2020, ACA213V, ACA214V, ACA220V, ACJ0004, ACJ004V		




1

No.	100822	Ref. No.	X16800
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 16mm L2 25mm L3 8mm BL1 18mm BL2 3mm BL3 23mm to clip		
For models:	ACC0001, ACC0002, ACC001V, ACC002V, ACC006V, ACC007V, ADA206V, ADA207V, ADA209V, ADA211V, ADC001V, ADC002V		



1

No.	100815	Ref. No.	672.019.00
description	ignition electrode D1 ø 7mm L1 12mm BL1 18mm BL2 17mm BL3 9mm connection M4 M11x1		
For models:	65110CFG, 65110CFGG, 65110TPFG, 6570CFG, 6570TPFG, 70110CFG, 70110TPFG, 7070CFG, 7070TPFG		



1

No.	106583	Ref. No.	4.0.100.0075
description	ignition electrode flange length 22mm flange width 16mm D1 ø 7mm L1 5mm L2 12mm BL1 26mm BL2 18mm connection ø2.4mm cable length 230mm fixing dimensions ø4.5mm		
For models:	BM11G		




1


No.	101795	Ref. No.	11950447000
description	ignition electrode flange length 23mm flange width 15mm D1 ø 6.5mm L1 12mm L2 27mm BL1 17mm BL2 17mm connection F 4.8x0.8mm cable length 970mm fixing dimensions 5x4mm with flange		
For models:	KF1001G		



No.	101794	Ref. No.	11950437000
description	ignition electrode flange length 23mm flange width 15mm D1 ø 6.5mm L1 9mm L2 16mm BL1 17mm BL2 17mm connection F 2.8x0.8mm cable length 960mm fixing dimensions ø5x4mm with flange		
For models:	KF1001G		



No.	100780	Ref. No.	91310490
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 100mm L2 30mm L3 26mm BL1 20mm BL2 19mm connection F 4.8x0.8mm cable length 1300mm fixing dimensions ø4.5mm mounting distance 28mm with flange		
For models:	CAA0003, CAA0004, CAA0005		



No.	100769	Ref. No.	91310480
description	ignition electrode flange length 40mm flange width 17mm D1 ø 9.5mm L1 47mm L2 18mm L4 10mm L3 26mm BL1 20mm BL2 21mm connection F 2.8x0.8mm cable length 800mm fixing dimensions ø4.5mm mounting distance 28mm with flange with earthing contact		
For models:	CAA0003, CAA0004, CAA0005		



No.	100729	Ref. No.	068032 672.005.00
description	ignition electrode L1 5mm D1 ø 8mm D2 ø 10mm BL1 41mm BL2 14mm connection F 2.8x0.8mm to clip with spring		
For models:	4567, 4568, 4569, 65110CFG, 65110CFGE, 65110TFPG, 6540PCG, 6570CFG, 6570CFGE, 6570PCG, APZ0003, APZ0004, APZ0013		



No.	100906	Ref. No.	673.014.00
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
For models:	110170CFG, 6030FRG, 6030FTG, 6060FRG, 6060FTG, 6060FTRG, 6060FTRRG, 6540FRG, 6540FTG, 6540FTGCR, 6540FTRG, 6540FTRGCR, 6540GRG, 6570FRG, 6570FTG, 6570FTGCR, 6570FTRG, 6570FTRGCR, 6570FTRRG, 6570GRG, 7040CPG, 7040FRG13, 7040FTG, 7040FTGCR, 7040FTGS, 7040FTRG, 7040FTRGCR, 7040GRG, 7040GRL, 7070BRG, 7070BRGM, 7070CPG, 7070FRG13, 7070FTG, 7070FTGCR, 7070FTRG, 7070FTRGCR, 7070FTRRG, 7070GRG, 7070GRL, 7070PGI, 92BMG, 92CPG, 92CPGS, 92FRG20, 92FRG20S, 92FTGL, 92FTGLC, 92FTGR, 92FTGRC...(Other models you can see in the webshop)		



			
1			
No.	102498	Ref. No.	07991159001
description	spring clip for ignition electrode		
For models:	AAA2002		

ignition cables

pre-assembled cables

			
1			
No.	100176	Ref. No.	X41000
description	ignition cable cable length 1000mm connection ø2.4mm / ø4mm permanent temperature 200°C		
For models:	ACA2013, ACA2014, ACA2020, ACA213V, ACA214V, ACA220V, ACE0001, ACE0002, ACE001V, ACE002V, ACL0001, ACL0003, ACL001V, ACL003V, ADC001V, ADC002V, ADC003V, ADC008V, ADE001V, ADE002V, ADL006V, ADL007V, ADL013V		

			
1			
No.	100026	Ref. No.	X40100
description	ignition cable cable length 1000mm connection ø4mm / F6.3mm		
For models:	ACB001V, ACC0001, ACC0002, ACC001V, ACC002V, ACC006V, ACC007V, ACE005V, ACH1003, ACH1004, ACH101V, ACH102V, ACH103V, ACH104V, ACH3015, ACH3016, ACH308V, ACH309V, ACH310V, ACH311V, ACH312V, ACH313V, ACH314V, ACH315V, ACH316V, ACH317V, ACK2001, ACK2002, ACK201V, ACK202V, ADB001V, ADC009V, ADC010V, ADH101V, ADH102V, ADH307V, ADH308V, ADH309V, ADH310V, ADH311V, ADH312V		

			
1			
No.	100193	Ref. No.	666.002.00
description	ignition cable cable length 1200mm connection ø2.4mm / ø4mm		
For models:	65110CFG, 65110TPFG, 6570CFG, 6570TPFG, 70110CFG, 70110TPFG, 7070CFG, 7070TPFG, 94CFG, 94CPGS, 94PG100I, 94PG100IA, 94PG150I, 94PG150IA, 94TPFG, 96CFG, 96TPFG		

			
1			
No.	100175	Ref. No.	X40300
description	ignition cable cable length 1750mm connection ø2.4mm / ø4mm		
For models:	ACA2012, ACA212V, ADA206V, ADA207V, ADA209V, ADA211V, ADA212V, ADA213V, ADA217V, AIE001V		

			
1			
No.	100194	Ref. No.	666.014.00
description	ignition cable cable length 1900mm connection ø2.4mm / ø4mm		
For models:	110170CFG, 65110CFG, AFA2003, AFA2004, AFA2006		

			
1			
No.	100036	Ref. No.	068033
description	ignition cable cable length 500mm connection F2.8mm / F2.8mm		
For models:	4567, 4568, APZ0003, APZ0004, APZ0013		

			
1			
No.	100197	Ref. No.	X40500
description	ignition cable cable length 600mm connection F2.8mm / ø2.4mm		
For models:	ADK207V, ADK208V, ADK209V, ADK210V		

			
1			
No.	100018	Ref. No.	666.001.00
description	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		
For models:	6030FRG, 6030FTG, 6060FRG, 6060FTG, 6060FTRG, 6060FTRRG, 65110TPFG, 6540FRG, 6540FTG, 6540FTGCR, 6540FTRG, 6540FTRGCR, 6540GRG, 6540GRL, 6570FRG, 6570FTG, 6570FTGCR, 6570FTRG, 6570FTRGCR, 6570FTRRG, 6570GRG, 6570GRL, 6570TPFG, 6570TPG, 70110TPFG, 7040CPG, 7040FTG, 7040FTGCR, 7040FTGS, 7040FTRG, 7040FTRGCR, 7040GRG, 7040GRL, 7070CPG, 7070FTG, 7070FTGCR, 7070FTRG, 7070FTRGCR, 7070FTRRG, 7070GRG, 7070GRL, 7070PGI, 7070TPFG, 7070TPG, 92BMG, 92FTGL, 92FTGLC, 92FTGR, 92FTGRC, 92PLG...(Other models you can see in the webshop)		

			
1			
No.	100199	Ref. No.	GS.3682
description	ignition cable cable length 600mm connection ø4mm / F2.8mm		
For models:	TP12JG, TP12JGP, TP15JG, TP15JGP		

			
1			
No.	100025	Ref. No.	66605100
description	ignition cable cable length 600mm connection ø4mm / F6.3mm		
For models:	7040FRG13, 7070BRG, 7070BRGM, 7070FRG13, 92FRG20, 92FRG20S, 94FRG20, 94FRG20S, AFC0001		

			
1			
No.	100178	Ref. No.	666.000.00
description	ignition cable cable length 900mm connection F2.8mm / ø2.4mm		
For models:	65110CFG, 65110CFGE, 65110TPFG, 6540PCG, 6570CFG, 6570CFGE, 6570PCG, 92CPG, 92CPGS		

piezoelectric igniters

mounting diameter 18mm

			
1			
No.	106782	Ref. No.	GS.3720A
description	piezoelectric igniter body metal blowing		
For models:	NGDR910, NGPR6110		

			
1			
No.	100004	Ref. No.	M02100
description	piezoelectric igniter body plastic blowing mounting ø 18mm connection ø2.4mm		
For models:	ACA2012, ACA2013, ACA2014, ACA2020, ACA204V, ACA208V, ACA212V, ACA213V, ACA214V, ACA220V, ACB001V, ACC0001, ACC0002, ACC001V, ACC002V, ACC006V, ACC007V, ACE0001, ACE0002, ACE001V, ACE002V, ACH1003, ACH1004, ACH101V, ACH102V, ACH103V, ACH104V, ACH3015, ACH3016, ACH308V, ACH309V, ACH310V, ACH311V, ACH312V, ACH313V, ACH314V, ACH315V, ACH316V, ACH317V, ACK2001, ACK2002, ACK201V, ACK202V, ACL0001, ACL0003, ACL001V, ACL003V, ADA206V, ADA207V, ADA209V...(Other models you can see in the webshop)		

			
1			
No.	100009	Ref. No.	4.0.100.0070 GS.3720
description	piezoelectric igniter body plastic blowing mounting ø 18mm connection ø2.4mm front measurements 26mm M18x1.5		
For models:	BM11G, TP12JG, TP12JGP, TP15JG, TP15JGP		
accessories for	100009		
  	No.	101339	Ref. No. —
	cover cap for piezoelectric igniter		
	No.	106869	Ref. No. —
	cover cap for piezoelectric igniter ID ø 22mm ED ø 35mm H 25mm		
	No.	107931	Ref. No. —
cover cap for piezoelectric igniter ID ø 21mm ED ø 36mm			

mounting diameter 22mm

			
1			
No.	100013	Ref. No.	672.006.00
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm		
For models:	110170CFG, 6030FRG, 6030FTG, 6030PCG, 6060FRG, 6060FTG, 6060FTRG, 6060FTRRG, 6060PCG, 65110CFG, 65110CFGE, 65110CFGG, 65110TPFG, 6540FRG, 6540FTG, 6540FTGCR, 6540FTRG, 6540FTRGCR, 6540GRG, 6540GRL, 6540PCG, 6570CFG, 6570CFGE, 6570FRG, 6570FTG, 6570FTGCR, 6570FTRG, 6570FTRGCR, 6570FTRRG, 6570GRG, 6570GRL, 6570PCG, 6570TPFG, 6570TPG, 70110CFG, 70110TPFG, 7040CPG, 7040FTG, 7040FTGCR, 7040FTGS, 7040FTRG, 7040FTRGCR, 7040GRG, 7040GRL, 7070CFG, 7070CPG, 7070FTG, 7070FTGCR, 7070FTRG, 7070FTRGCR...(Other models you can see in the webshop)		
accessories for	100013		
	No.	100023	Ref. No. —
	female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs		

ignition units

			
1			
No.	101009	Ref. No.	068160
description	ignition unit outputs 2 1.5 V/DC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 mounting ø 73mm		
For models:	2623, 4567, AJH0004, AJH0005, AJH0006, APZ0003, APZ0004, APZ0013		
accessories for	101009		
	No.	301195	Ref. No. 068163
	ignition switch for battery type AA 1.5V mounting ø 22mm built-in depth 42mm connection male faston 2.8mm/6.3mm red ignitionA protection IP40 ambient temperature max. 125/55°C		

			
1			
No.	102485	Ref. No.	X50000
description	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz		
For models:	ADK207V, ADK208V, ADK209V, ADK210V		

			
1			
No.	101017	Ref. No.	ELET0135
description	ignition unit outputs 2 230VAC dimensions 85x70x35mm mounting distance 60mm inlet cable outlet ø4mm type TC2STCAF 55VA 50/60Hz		
For models:	CAD0007, CAD0010, SY12100VGASD, SY1280VG		

			
1			
No.	101031	Ref. No.	068161
description	ignition unit outputs 4 1.5 V/DC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 mounting ø 100mm		
For models:	4568		



1

No.	101023	Ref. No.	663.042.00	
description	ignition unit outputs 4 230VAC dimensions 111x28x34mm mounting distance 98mm inlet F6.3x0.8 outlet F2.8x0.8 type ZAG4 0.3VA 50-60Hz			
For models:	6060CFG, 6060CFGE			
accessories for	101023			
	No.	103257	Ref. No.	—
	ignition unit outputs 4 230VAC dimensions 111x28x34mm mounting distance 98mm inlet F6.3x0.8 outlet F2.8x0.8 type FZ4 set 6-piece 0.3VA 50-60Hz			



1

No.	101037	Ref. No.	07950017000
description	ignition unit outputs 6		
For models:	AAA2002		

ignition switches



1

No.	301195		Ref. No.	068163	
description	ignition switch for battery type AA 1.5V mounting ø 22mm built-in depth 42mm connection male faston 2.8mm/6.3mm red ignitionA protection IP40 ambient temperature max. 125/55°C				
For models:	2623, 4567, 4568, AJH0004, AJH0005, AJH0006, APZ0003, APZ0004, APZ0013				
accessories for	301195				
		No.	101009	Ref. No.	068160
	ignition unit outputs 2 1.5 V/DC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 mounting ø 73mm				
		No.	101031	Ref. No.	068161
	ignition unit outputs 4 1.5 V/DC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 mounting ø 100mm				
		No.	101032	Ref. No.	—
	ignition unit outputs 6 1.5 V/DC dimensions 135x23x34mm mounting distance 123mm inlet F6.3x0.8 outlet F2.8x0.8 mounting ø 122mm				

thermocouples

thermocouple sets universal



1


No.	102281	Ref. No.	GS.2185
description	thermocouple set ROBERTSHAW 5-piece L 24" - 610mm		
For models:	AMZ0001-NM		

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6mm

SIT




1

No.	102438	Ref. No.	X13300
description	thermocouple M10x1 L 600mm plug connection ø6.0mm		
For models:	ACA2007, ACA2010, ACA201V, ACA202V, ACA203V, ACA204V, ACA206V, ACA207V, ACA208V, ACA209V, ACA210V, ACA216, ACA216V, ACJ0001, ACJ0002, ACJ0003, ACJ001V, ACJ002V, ACJ003V, ADA201V, ADA202V, ADA203V, ADA204V, ADA205V, ADA206V, ADA207V, ADA208V, ADA209V, ADA210V, ADA217V		

with barrel socket ø6(6.5)mm

thermocouples SIT



1

No.	107601	Ref. No.	068159
description	thermocouple SIT M8x1 L 600mm plug connection ø6.0(6.5)mm		
For models:	AJE0006, AJE0007		

No.	107612	Ref. No.	GS3890 X17600
description	thermocouple SIT M9x1 L 1000mm plug connection ø6.0(6.5)mm		
For models:	ADA213V, ADL013V, AHA0001, AHA0002, AHA0003, AHA0005-NN, AHA0008-NN, AHA0009, AHA0011, AHA0013, AHA0014-NN, AHA0017, AHA0018, AHA0019, AHA0020, AHA0021-NN, AHB0001, NGDR910, TP15JG		

No.	107614	Ref. No.	672.104.00
description	thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm		
For models:	110170CFG, 94CFG, 94TPFG, 96CFG, 96TPFG, AFA2003, AFA2004, AFA2006, AFA2008		


No.	107608	Ref. No.	672.001.00 672.025.00 X13900
description	thermocouple SIT M9x1 L 500mm plug connection ø6.0(6.5)mm		
For models:	110160PCG, 110170CFG, 6030FRG, 6030FTG, 6060FRG, 6060FTG, 6060FTRG, 6060FTRRG, 65110TPFG, 6540FRG, 6540FTG, 6540FTGCR, 6540FTRG, 6540FTRGCR, 6540GRG, 6540GRL, 6540PG40P, 6570FRG, 6570FTG, 6570FTGCR, 6570FTRG, 6570FTRGCR, 6570FTRRG, 6570GRG, 6570GRL, 6570TPFG, 6570TPG, 70110CFG, 70110CFGE, 70110PCG, 70110TPFG, 7040CPG, 7040FRG13, 7040FTG, 7040FTGCR, 7040FTGS, 7040FTRG, 7040FTRGCR, 7040GRG, 7040GRL, 7040PCG, 7070BRG, 7070BRGM, 7070CFG, 7070CFGE, 7070CPG, 7070FRG13, 7070FTG, 7070FTGCR, 7070FTRG...(Other models you can see in the webshop)		

No.	107609	Ref. No.	GS.3895 GS.3895B X14100 X14200
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		
For models:	ACA2007, ACA2010, ACA2012, ACA2014, ACA201V, ACA202V, ACA203V, ACA204V, ACA206V, ACA207V, ACA208V, ACA209V, ACA210V, ACA212V, ACA214V, ACA216, ACA216V, ACE0001, ACE0002, ACE001V, ACE002V, ACE005V, ACH3015, ACH3016, ACH308V, ACH309V, ACH310V, ACH311V, ACH312V, ACH313V, ACH314V, ACH315V, ACH316V, ACH317V, ACJ0001, ACJ0002, ACJ0003, ACJ001V, ACJ002V, ACJ003V, ADA201V, ADA202V, ADA203V, ADA204V, ADA205V, ADA206V, ADA207V, ADA208V, ADA209V, ADA210V...(Other models you can see in the webshop)		

No.	107611	Ref. No.	67208300 67209900
description	thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm		
For models:	7070PGI, 92CPG, 92CPGS, 92PCG, 94CFG, 94CFGE, 94PCGS, 94PCG, 94PG100I, 94PG100IA, 94PG150I, 94PG150IA, 94TPFG, 94TPG, 96CFG, 96CFGE, 96PCG, 96TPFG, 98PCG		


No.	107876	Ref. No.	672.168.00
description	thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm		

plug-in thermocouples with interruption




1

No.	100172	Ref. No.	X14300
description	thermocouple SIT with interrupter ASA 11/32 L 400mm plug connection ø6.0mm F 6.3mm		
For models:	ADH307V, ADH308V, ADH309V, ADH310V, ADH311V, ADH312V, ADK207V, ADK208V, ADK209V, ADK210V		



1

No.	107164	Ref. No.	X14000
description	thermocouple SIT with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm soldering connection		
For models:	ACL0001, ACL0003, ACL001V, ACL003V, ADL006V, ADL007V		



1


No.	107177	Ref. No.	X19100
description	thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm		
For models:	ACC0001, ACC0002, ACC001V, ACC002V, ACC006V, ACC007V, AD- C001V, ADC002V, ADC003V, ADC008V, ADC009V, ADC010V		

threaded thermocouples

threaded thermocouples standard


with socket with thread M8x1

SIT




1

No.	107633	Ref. No.	672.018.00	
description	thermocouple SIT M8x1 L 1200mm M8x1			
For models:	65110CFG, 65110CFGG, 65110TPFG, 6570CFG, 6570TPFG, 70110CFG, 70110TPFG, 7070CFG, 7070TPFG			
accessories for	107633			
	No.	102067	Ref. No.	C5811029
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			




1

No.	107634	Ref. No.	068138
description	thermocouple SIT M8x1 L 1500mm M8x1		
For models:	2623, 4568, 4570, AJH0004		
accessories for	107634		
	No.	102067	Ref. No.
	C5811029		
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			




1

No.	107627	Ref. No.	4.0.100.0055
description	thermocouple SIT M8x1 L 220mm M8x1		
For models:	BM11G		




1

No.	107629	Ref. No.	C5811039
description	thermocouple SIT M8x1 L 450mm M8x1		
For models:	53054-CN, 5305-CN, 5330, 53304, AJD0002-CCN, AJD0003-CCN, AJD0005-CCN, AJD0006-CCN, AJD0014-C, AJD0015-C, AJD0017-C, AJD0018-C, AJD0019-C		
accessories for	107629		
	No.	102067	Ref. No.
	C5811029		
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		



No.	107630	Ref. No.	672.000.00
description	thermocouple SIT M8x1 L 600mm M8x1		
For models:	65110CFG, 65110CFGE, 65110CFGG, 65110TPFG, 6540PCG, 6570CFG, 6570CFGE, 6570PCG, CEG110, CEG70		
accessories for	107630		
	No.	102067	Ref. No. C5811029
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		



No.	107636	Ref. No.	X15700
description	thermocouple SIT M9x1 L 600mm M8x1		
For models:	ACA2014, ACA214V		
accessories for	107636		
	No.	102067	Ref. No. C5811029
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

threaded thermocouples (miscellaneous)



No.	102492	Ref. No.	01992278700
description	thermocouple M8x1 L 600mm M6x0.75		
For models:	AAA2002		



No.	102257	Ref. No.	01990368700
description	thermocouple M8x1 L 600mm M8x1		
For models:	AAA2001		



No.	102493	Ref. No.	01992288700
description	thermocouple M8x1 L 650mm M6x0.75		
For models:	AAA2002		

threaded thermocouples with cable link



No.	102127	Ref. No.	672.134.00
description	thermocouple with two-conductors L 600mm M6x0.75 ø 2mm		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG		
accessories for	102127		
	No.	102680	Ref. No. —
	nut thread M6x0.75 H 2.6mm WS 8 brass Qty 1 pcs type SEF 2		



No.	102152	Ref. No.	672.135.00
description	thermocouple with two-conductors L 750mm M6x0.75 ø 2mm		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG		
accessories for	102152		
	No.	102680	Ref. No. —
	nut thread M6x0.75 H 2.6mm WS 8 brass Qty 1 pcs type SEF 2		

extensions



No.	102852	Ref. No.	X19400
description	thermocouple extension thread M9x1 L 1500mm		
For models:	ACA2012, ACA204V, ACA208V, ACA212V, ADA206V, ADA207V, ADA209V, ADA211V, ADA217V, AIE001V		
accessories for	102852		
	No.	101261	Ref. No. —
	thermocouple fitting thread M9x1 Qty 1 pcs		

accessories

nuts



No.	102497	Ref. No.	07991978700
description	nut thread M6x0.75 H 3mm WS 8 steel Qty 1 pcs		
For models:	AAA2002		



1

No.	102067	Ref. No.	C5811029
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	53054-CN, 5305-CN, 5330, 53304, AJD0002-CCN, AJD0003-CCN, AJD0005-CCN, AJD0006-CCN, AJD0014-C, AJD0015-C, AJD0017-C, AJD0018-C, AJD0019-C, AJD0023-C, AJD0030, AJD0031, AJD0032		

screws



1

No.	102464	Ref. No.	X16500
description	thermocouple fitting thread M10x1 brass Qty 1 pcs		
For models:	ACA2014, ACA2020, ACA214V, ACA220V, ADA213V		

interrupters



1

No.	101265	Ref. No.	672.020.00
description	interrupter thread M9x1		
For models:	6030FRG, 6060FRG, 6540FRG, 6570FRG, 7040FRG13, 7070FRG13, 92FRG20, 92FRG20S, 94FRG20, 94FRG20S, AFC0001		

miscellaneous



1

No.	102649	Ref. No.	666.005.00
description	cable connection male faston 6.3mm cable length 900mm Qty 1m		
For models:	6540FRG, 6570FRG		

gas burners

hob burners

universal hob burners

SABAF

2 series - standard



1

No.	105993	Ref. No.	01992246610
description	burner cap 1.8kW ø 75mm bright finish		
For models:	AAA2002		

IGNITION PARTS/GAS BURNERS MASTRO



1

No.	105054	Ref. No.	07991196610 672.113.00
description	burner cap 3kW ø 100mm H 3.5mm bright finish		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG, AAA2002		
accessories for	105054		
	No.	105058	Ref. No. 07991188901 672.112.00
burner head 3kW for igniter ø 6mm for burner cap ø 100mm			
	No.	105059	Ref. No. 672.111.00
burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm			



1

No.	104271	Ref. No.	01992238901
description	burner head 1.8kW for burner cap ø 75mm		
For models:	AAA2002		
accessories for	104271		
	No.	107372	Ref. No. —
burner lower part 1.8kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 75mm			
	No.	107373	Ref. No. —
burner cap 1.8kW ø 75mm matt finish			



1

No.	105058	Ref. No.	07991188901 672.112.00
description	burner head 3kW for igniter ø 6mm for burner cap ø 100mm		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG, AAA2002		
accessories for	105058		
	No.	105054	Ref. No. 07991196610 672.113.00
burner cap 3kW ø 100mm H 3.5mm bright finish			
	No.	105059	Ref. No. 672.111.00
burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm			
	No.	107374	Ref. No. —
burner cap 3kW ø 100mm H 3.5mm matt finish			

			
1			
No.	104272	Ref. No.	01992228900
description	burner lower part 1.8kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø0.97mm for burner cap ø 75mm		
For models:	AAA2002		



1

No.	105059	Ref. No.	672.111.00	
description	burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm			
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG			
accessories for	105059			
	No.	105054	Ref. No.	07991196610 672.113.00
	burner cap 3kW ø 100mm H 3.5mm bright finish			
	No.	105058	Ref. No.	07991188901 672.112.00
	burner head 3kW for igniter ø 6mm for burner cap ø 100mm			
	No.	107374	Ref. No.	—
	burner cap 3kW ø 100mm H 3.5mm matt finish			

1

No.	105120	Ref. No.	07991698900
description	burner lower part 3kW for igniter ø 7mm for thermocouple ø 6mm with nozzle ø1.15mm for burner cap ø 100mm		
For models:	AAA2002		
accessories for	105120		
	No.	105121	Ref. No.
			—
	burner head 3kW for igniter ø 7.5mm for burner cap ø 100mm		
	No.	105122	Ref. No.
			—
burner cap 3kW ø 100mm H 6mm matt finish			

2 series - flat skirt version

			
1			
No.	105993	Ref. No.	01992246610
description	burner cap 1.8kW ø 75mm bright finish		
For models:	AAA2002		



1

No.	105054	Ref. No.	07991196610 672.113.00	
description	burner cap 3kW ø 100mm H 3.5mm bright finish			
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG, AAA2002			
accessories for	105054			
	No.	105058	Ref. No.	07991188901 672.112.00
	burner head 3kW for igniter ø 6mm for burner cap ø 100mm			
	No.	105059	Ref. No.	672.111.00
	burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm			

			
1			
No.	104272	Ref. No.	01992228900
description	burner lower part 1.8kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø0.97mm for burner cap ø 75mm		
For models:	AAA2002		



1

No.	105059	Ref. No.	672.111.00	
description	burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm			
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG			
accessories for	105059			
	No.	105054	Ref. No.	07991196610 672.113.00
	burner cap 3kW ø 100mm H 3.5mm bright finish			
	No.	105058	Ref. No.	07991188901 672.112.00
	burner head 3kW for igniter ø 6mm for burner cap ø 100mm			
	No.	107374	Ref. No.	—
	burner cap 3kW ø 100mm H 3.5mm matt finish			



1

No.	105120	Ref. No.	07991698900
description	burner lower part 3kW for igniter ø 7mm for thermocouple ø 6mm with nozzle ø1.15mm for burner cap ø 100mm		
For models:	AAA2002		
accessories for	105120		
	No.	105121	Ref. No. —
burner head 3kW for igniter ø 7.5mm for burner cap ø 100mm			
	No.	105122	Ref. No. —
burner cap 3kW ø 100mm H 6mm matt finish			

triple ring burner series - standard version



1

No.	105063	Ref. No.	07991116610 672.108.00
description	burner cap 3.6kW ø 131mm H 4mm mounting pos. outer		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG, AAA2002		
accessories for	105063		
	No.	105064	Ref. No. 07991126610 672.109.00
burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish			
	No.	105065	Ref. No. 672.107.00
burner head 3.6kW for burner cap ø 61/131mm			
	No.	105717	Ref. No. 01992398900
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm			
	No.	105922	Ref. No. —
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm			



1

No.	105064	Ref. No.	07991126610 672.109.00
description	burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG, AAA2002		
accessories for	105064		
	No.	105063	Ref. No. 07991116610 672.108.00
burner cap 3.6kW ø 131mm H 4mm mounting pos. outer			
	No.	105065	Ref. No. 672.107.00
burner head 3.6kW for burner cap ø 61/131mm			
	No.	105717	Ref. No. 01992398900
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm			

accessories for	105064		
	No.	105922	Ref. No. —
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm			



1

No.	105065	Ref. No.	672.107.00
description	burner head 3.6kW for burner cap ø 61/131mm		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG		
accessories for	105065		
	No.	105063	Ref. No. 07991116610 672.108.00
burner cap 3.6kW ø 131mm H 4mm mounting pos. outer			
	No.	105064	Ref. No. 07991126610 672.109.00
burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish			
	No.	105717	Ref. No. 01992398900
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm			



1

No.	105717	Ref. No.	01992398900
description	burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm		
For models:	AAA2002		
accessories for	105717		
	No.	101277	Ref. No. 673.005.00
olive ID ø 8mm Qty 1 pcs			
	No.	101477	Ref. No. 673.034.00
union screw thread M13x1 tube ø 8mm Qty 1 pcs			



1

No.	105066	Ref. No.	672.106.00
description	burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm without nozzle ID ø 64mm for burner cap ø 61/131mm		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG		
accessories for	105066		
	No.	101277	Ref. No. 673.005.00
olive ID ø 8mm Qty 1 pcs			
	No.	101477	Ref. No. 673.034.00
union screw thread M13x1 tube ø 8mm Qty 1 pcs			

			
1			
No.	104273	Ref. No.	01981558000
description	gasket for burner cap ø 61/131mm		
For models:	AAA2002		

triple ring burner series - flat skirt version

			
1			
No.	105063	Ref. No.	07991126610 672.108.00
description	burner cap 3.6kW ø 131mm H 4mm mounting pos. outer		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG, AAA2002		
accessories for	105063		
	No.	105064	Ref. No. 07991126610 672.109.00
	burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish		
	No.	105065	Ref. No. 672.107.00
burner head 3.6kW for burner cap ø 61/131mm			
	No.	105717	Ref. No. 01992398900
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm			
	No.	105922	Ref. No. —
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm			

			
1			
No.	105064	Ref. No.	07991126610 672.109.00
description	burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG, AAA2002		
accessories for	105064		
	No.	105063	Ref. No. 07991126610 672.108.00
	burner cap 3.6kW ø 131mm H 4mm mounting pos. outer		
	No.	105065	Ref. No. 672.107.00
burner head 3.6kW for burner cap ø 61/131mm			
	No.	105717	Ref. No. 01992398900
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm			
	No.	105922	Ref. No. —
burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm			

			
1			
No.	105717	Ref. No.	01992398900
description	burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm		
For models:	AAA2002		
accessories for	105717		
	No.	101277	Ref. No. 673.005.00
	olive ID ø 8mm Qty 1 pcs		
	No.	101477	Ref. No. 673.034.00
union screw thread M13x1 tube ø 8mm Qty 1 pcs			

			
1			
No.	105066	Ref. No.	672.106.00
description	burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm without nozzle ID ø 64mm for burner cap ø 61/131mm		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG		
accessories for	105066		
	No.	101277	Ref. No. 673.005.00
	olive ID ø 8mm Qty 1 pcs		
	No.	101477	Ref. No. 673.034.00
union screw thread M13x1 tube ø 8mm Qty 1 pcs			

			
1			
No.	104273	Ref. No.	01981558000
description	gasket for burner cap ø 61/131mm		
For models:	AAA2002		

accessories
pan supports

			
1			
No.	210193	Ref. No.	GS.2720
description	pan support ø 275mm		
For models:	AHA0001, AHA0002, AHA0003, AHA0013, AHA0017, AHA0018, AHA0019, AHA0020		



1

No.	210203	Ref. No.	01960796610
description	pan support W 220mm L 530mm		
For models:	AAA2001, AAA2002		



1

No.	210173	Ref. No.	683.063.00
description	pan support W 265mm L 510mm		
For models:	6030PCG, 6060CFG, 6060CFGE, 6060PCG		



1

No.	210204	Ref. No.	01960806610
description	pan support W 290mm L 520mm		
For models:	AAA2001, AAA2002		



1

No.	210132	Ref. No.	681.008.00
description	pan support W 340mm L 570mm suitable for 700 series		
For models:	65110CFG, 65110CFGE, 65110CFGG, 65110TPFG, 6540PCG, 6570CFG, 6570CFGE, 6570PCG, 70110CFG, 70110CFGE, 70110PCG, 70110TPFG, 7040PCG, 7070CFG, 7070CFGE, 7070PCG, CEG110, CEG70		
accessories for	210132		



No.	210050	Ref. No.	—
description	reducer for pan support L 260mm W 260mm chrome-plated steel suitable for universal		



1

No.	210245	Ref. No.	1550Y63000
description	pan support W 370mm L 580mm		
For models:	ACA2007, ACA2010, ACA201V, ACA202V, ACA203V, ACA204V, ACA206V, ACA207V, ACA208V, ACA209V, ACA210V, ACA216, ACA216V, ACJ0001, ACJ0002, ACJ0003, ACJ001V, ACJ002V, ACJ003V		



1

No.	210060	Ref. No.	681.019.14
description	pan support W 400mm L 400mm enamelled		



1

No.	210137	Ref. No.	681.019.00
description	pan support W 400mm L 400mm suitable for 900 series		
For models:	110160PCG, 110170CFG, 6540PG40P, AFA2001, AFA2002, AFA2003, AFA2004, AFA2008		



1

No.	210196	Ref. No.	GS.4004
description	pan support W 500mm L 500mm		
For models:	AHB0001		

air mixers



1

No.	105570	Ref. No.	GS.8000S
description	air mixer complete		
For models:	AHA0001, AHA0002, AHA0003, AHA0009, AHA0011, AHB0001		



			
No.	104696	Ref. No.	923.271.00
description	air mixer ED ø 95mm thickness 0.75mm hole ø 10mm round burner		
For models:	94TPFG, 94TPG, 96TPFG		

			
No.	106282	Ref. No.	K98110
description	air mixer L 55mm W 45mm H 30mm		
For models:	ADC003V, ADC008V, ADC009V, ADC010V		

			
No.	106521	Ref. No.	0600V01500
description	air mixing sleeve L 30mm thread 3/8" IT		
For models:	ACA2007, ACA2010, ACA201V, ACA202V, ACA203V, ACA204V, ACA206V, ACA207V, ACA208V, ACA209V, ACA210V, ACA216, ACA216V, ACJ0001, ACJ0002, ACJ0003, ACJ001V, ACJ002V, ACJ003V, ADA201V, ADA202V, ADA203V, ADA204V, ADA205V, ADA206V, ADA207V, ADA208V, ADA209V, ADA210V, ADA217V		



1

No.	103127	Ref. No.	672.016.00
description	air mixing sleeve L 36mm ED ø 40mm ID ø 36mm aluminium		
For models:	110160PCG, 110170CFG, 65110CFG, 65110CFGE, 65110CFGG, 65110TPFG, 6540PCG, 6540PG40P, 6570CFG, 6570CFGE, 6570PCG, 70110CFG, 70110CFGE, 70110PCG, 70110TPFG, 7040PCG, 7070CFG, 7070CFGE, 7070PCG, AFA2001, AFA2002, AFA2003, AFA2004, AFA2008, CEG110, CEG70		
accessories for	103127		
	No.	103118	Ref. No. 672.044.00
burner cap ø 61mm			
	No.	103119	Ref. No. 672.098.00
burner ring for burner cap ø 61mm			
	No.	103120	Ref. No. 672.050.00
burner head for burner cap ø 61mm			
	No.	103121	Ref. No. 672.010.00
venturi			
	No.	103122	Ref. No. 673.020.00
burner holder ø 35mm H 82mm nozzle mounting M10x1 mounting distance 55mm connection M16x1.5mm with nozzle holder			
	No.	103124	Ref. No. 672.101.00
burner head E ø 150mm for burner cap ø 110mm 7.5kW code 672.077 A			
	No.	103125	Ref. No. 672.079.00
burner cap D ø 110mm 5.5kW bore ø 2.6mm with central hole			
	No.	103126	Ref. No. 672.093.00
burner cap E ø 110mm 7.5kW bore ø 3mm with central hole			

accessories for	103127				
		No.	105067	Ref. No.	67207800
	burner cap C ø 84mm 3.5kW				
	No.	105069	Ref. No.	67207600	
	burner head C for burner cap ø 84mm 3.5kW				
	No.	105070	Ref. No.	672.077.00	
	burner head D ø 150mm for burner cap ø 110mm 5.5kW code 672.077 E				

			
No.	106066	Ref. No.	X20200
description	air mixing tube dimensions 18x42mm ED ø 24mm		
For models:	ACH3015, ACH3016, ACH308V, ACH309V, ACH310V, ACH311V, ACH312V, ACH313V, ACH314V, ACH315V, ACH316V, ACH317V		

			
No.	106765	Ref. No.	GS.3660
description	air mixing tube dimensions 18x42mm ED ø 26mm		
For models:	TP12JG, TP15JG		

			
No.	104741	Ref. No.	X20300
description	air mixing tube L 42mm ø 20mm		
For models:	ADA206V, ADA207V, ADA209V, ADA211V		

			
No.	106615	Ref. No.	X23500
description	air mixing tube L 42mm ø 22mm		
For models:	ADH307V, ADH308V, ADH309V, ADH310V, ADH311V, ADH312V		

bar burners

bar burners



No.	105102	Ref. No.	X68046
description	bar burner 1-row ø 27mm Wmm Hmm L 418mm oven		
For models:	ACB001V, ACE005V, ADB001V		
spare parts for	105102		
	No.	104651	Ref. No.
	—		
mounting flange for igniter and thermocouple			