

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

METALSTYLE

electronic controllers

miscellaneous

speed controllers

1			
No.	379539	Ref. No.	A-RD MEC/D-8A
description	electronic controller for range hoods type EVERY CONTROL		

1			
No.	379774	Ref. No.	A-RD T 3009-10
description	speed controller T 3009-10 voltage input 230V/50-60HzV max. 16A load current 10A wall-mounted version length external size 158mm width external size 118mm D 78mm for range hoods protection IP56		

1			
No.	379625	Ref. No.	A-RD RED10A
description	speed controller voltage input 230V/50HzV vottage output 115-230V/50HzV 1200W max. 12A load current 10A wall-mounted version length external size 150mm width external size 118mm D 77mm for range hoods		

fans

extractor fans

extractor fans

1			
No.	499062	Ref. No.	DDM 9/9 E6G3405 DDM 9/9 E6G3405 + FL+SCT+GRG
description	radial fan 420W 230V max. 3.6A 1320rpm capacitor 16µF total length 378mm H 387mm outlet height 263mm outlet width 298mm medium temp max. 40°C protection IP55		

1			
No.	601508	Ref. No.	VEM94
description	radial fan type 1 420W 230V 50Hz max. 3.6A 1400rpm total length 380mm H 390mm outlet height 220mm outlet width 300mm number of pole pairs 2 voltage AC		

1			
No.	500882	Ref. No.	VEM126
description	radial fan type 12/12 746W 230V 50Hz max. 6A 928rpm capacitor 20µF total length 497.5mm H 536mm outlet height 210.8mm outlet width 394mm number of pole pairs 6 voltage AC		

1			
No.	601507	Ref. No.	A-DEM104 A-DEM104 / DAIN.1010.4P.550.1V
description	radial fan type DAIN 10/10 550W 230V 50Hz max. 4A 1400rpm total length 430mm H 450mm outlet height 180/290mm outlet width 330mm number of pole pairs 4 ambient temperature max. -20 up to +40°C voltage AC		
spare parts for	601507		
		No.	694841
		Ref. No.	—
	rubber pad H 30mm ø 29.5mm M8x1.25		

1



No.	499143	Ref. No.	A-VE01 DAIN.77.4P.184.1V.GRR
description	radial fan type DAIN 7/7 184W 230V 50Hz max. 1.5A 1400rpm capacitor 6.3µF flange 255x290mm fixing dimensions 230x260mm total length 320mm H 350mm outlet height 140mm outlet width 230mm number of pole pairs 1 voltage AC edition until 2012		
spare parts for	499143		
	No.	694841	Ref. No. — rubber pad H 30mm ø 29.5mm M8x1.25

1



No.	499144	Ref. No.	A-VE02 DA-IN 9/9R DAIN.99R.4P.420.1V.GRS DD 9/9 TIG M9G2 1F+FL+SCT+GRG
description	radial fan type DAIN 9/9 420W 230V 50Hz max. 4.3A 1380rpm capacitor 10µF flange 310x355mm fixing dimensions 260x300mm total length 390mm H 360mm outlet height 180mm outlet width 290mm number of pole pairs 1 ambient temperature max. -20 up to +40°C voltage AC		
spare parts for	499144		
	No.	694841	Ref. No. — rubber pad H 30mm ø 29.5mm M8x1.25
accessories for	499144		
	No.	401658	Ref. No. — speed controller voltage input 230V/50-60HzV 1500W max. 12A load current 7.5A length external size 170mm width external size 105mm D 82mm wall-mounted version for range hoods

1



No.	499198	Ref. No.	5128931500 A-VE01 CBM 7/7 147 4P CVR B8 DD 7/7 M9F3 1F 4P+ F109HL SCT+FL+GRG siehe Bemerkung
description	radial fan type DD 7/7 147W 230V 50/60Hz max. 1.7A 1290rpm capacitor 6.3µF flange 273x250mm fixing dimensions 24.8x23.9mm total length 327mm H 284mm outlet height 145mm outlet width 225mm number of pole pairs 4 ambient temperature max. -20 up to +40°C edition since 2013		

1



No.	499087	Ref. No.	DD RE 9/9 TIG E6G3405 +FL+GRG
description	radial fan type DDRE 9/9 400W 230V 50Hz max. 3.8A 1320rpm capacitor 16µF fixing dimensions 320x285mm total length 320mm H 340mm outlet height 260mm outlet width 298mm number of pole pairs 1 ambient temperature max. -20 up to +40°C		


1



No.	499049	Ref. No.	DDRE7/7 E5G3402 + FL+SCT+GRG FM025F /04 VEM74
description	radial fan type DDRE7/7 184W 230V 50Hz max. 1.9A 1250rpm capacitor 6.3µF total length 320mm H 320mm outlet height 203mm outlet width 233mm voltage AC with flange		

			
1			
No.	500896	Ref. No.	A-VE01 VEM74
description	radial fan type VEM74 184W 230V 50Hz max. 1.8A 1400rpm capacitor 6.3µF total length 320mm H 330mm outlet height 190mm outlet width 230mm number of pole pairs 4 voltage AC		

speed controllers

			
1			
No.	379539	Ref. No.	A-RD MEC/D-8A
description	electronic controller for range hoods type EVERY CONTROL		

			
1			
No.	379774	Ref. No.	A-RD T 3009-10
description	speed controller T 3009-10 voltage input 230V/50-60HzV max. 16A load current 10A wall-mounted version length external size 158mm width external size 118mm D 78mm for range hoods protection IP56		

			
1			
No.	379625	Ref. No.	A-RD RED10A
description	speed controller voltage input 230V/50HzV votage output 115-230V/50HzV 1200W max. 12A load current 10A wall-mounted version length external size 150mm width external size 118mm D 77mm for range hoods		

speed controllers

			
1			
No.	379539	Ref. No.	A-RD MEC/D-8A
description	electronic controller for range hoods type EVERY CONTROL		

			
1			
No.	379774	Ref. No.	A-RD T 3009-10
description	speed controller T 3009-10 voltage input 230V/50-60HzV max. 16A load current 10A wall-mounted version length external size 158mm width external size 118mm D 78mm for range hoods protection IP56		

			
1			
No.	379625	Ref. No.	A-RD RED10A
description	speed controller voltage input 230V/50HzV votage output 115-230V/50HzV 1200W max. 12A load current 10A wall-mounted version length external size 150mm width external size 118mm D 77mm for range hoods		



gas burners

ceramic burners

accessories

burner grids



1

No.	850027	Ref. No.	850.027
description	burner grid L 590mm W 160mm		

filters

air filters



1

No.	970511	Ref. No.	A-CFR1
description	air filter L 287mm W 592mm H 48mm metal ECO05+ECL5		



1

No.	970509	Ref. No.	CFR2
description	air filter L 592mm W 592mm H 48mm metal AIR-XFP6x6		



1

No.	970510	Ref. No.	CFS1
description	pre-filter L 287mm W 592mm H 48mm synthetik ECO5+ECL5		



1

No.	970508	Ref. No.	A-CFS2 CFS00-5959
description	pre-filter L 592mm W 592mm H 48mm synthetik AIR-XFP6x6		

pocket filters



1

No.	970700	Ref. No.	CFT1
description	pocket filter mounting measurements 290mm D 590mm 535		



1

No.	970525	Ref. No.	A-CFT2
description	pocket filter mounting measurements 590x590mm D 535mm		

active carbon filter



1

No.	890212	Ref. No.	A-SCA Sacco Carbone 25 kg
description	active carbon content 25kg for filter cartridge		



1

No.	970490	Ref. No.	A-CCA CARTUCIA PL
description	active carbon filter dimensions 160x400mm capacity 3kg mounting distance 114mm		