

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

METRO-PROFESSIO-

induction

induction coils

			
1			
No.	404010	Ref. No.	AD100087
description	induction coils ø 220mm H 10mm		
For models:	GIC3035		

heating elements

heating elements for ovens

1

A technical drawing of a heating element. It consists of three horizontal rectangular flanges stacked vertically, connected by a central vertical line. On the right side, there is a connection point with two terminals and a central screw-like fastener.

No.

416969

Ref. No.

01203250

description

heating element 1400W 230V heating circuits 1 L 370mm W 400mm
L1 45mm L2 325mm W1 184mm W2 30mm flange length 70mm
flange width 22mm hole distance 46mm bridge length 420mm hole
ø 5mm tube ø 6.3mm connection male faston 6.3mm windings 3
rectangular flange dry heating element

For models:

GCO2001

accessories for

416969

No.

510368

Ref. No.

—

A technical drawing of a gasket. It is a rectangular piece with three circular holes spaced evenly along its length.


gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER
thickness 2mm for heating element


1

No.	416970	Ref. No.	01203240
description	heating element 2800W 230V heating circuits 2 L 323mm W 393mm L1 30mm L2 293mm W1 166mm W2 61mm flange length 100mm flange width 22mm hole distance 76mm bridge length 485mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm rectangular flange dry heating element		
For models:	GCO2001		
accessories for	416970		
	No.	528090	Ref. No.
	01000160		
gasket L 100mm W 22mm thickness 1mm			

heating elements for fryers

2 hole fixing

			
1			
No.	417598	Ref. No.	1.07.HDF4140403
description	heating element 2500W 230V heating circuits 1 L 290mm W 130mm H 200mm L1 40mm L2 230mm tube ø 8mm		
For models:	GDF3004, GDF3024		


			
1			
No.	417599	Ref. No.	1.07.HDF8141903
description	heating element 3250W 230V heating circuits 1 thread M12x1.25 L 280mm W 190mm H 210mm L1 35mm L2 245mm W1 120mm W2 70mm tube ø 8mm connection M4		
For models:	GDF3008, GDF3028, GDF5008, GDF5028		

heating elements for griddles

			
1			
No.	419177	Ref. No.	D02169
description	heating element 1750W 230V heating circuits 1 L 255mm W 240mm H 60mm tube ø 6.3mm cable length 600mm bain marie connection distance 234mm dry heating element		
For models:	GEG2001		



heating elements for hot dog machines



No.	416718	Ref. No.	D02002
description	heating element 300W 230V L 170mm W 198mm tube ø 6.3mm L1 50mm L2 120mm W1 68mm W2 62mm connection male faston 6.3mm connection distance 56mm dry heating element heating circuits 1 hot dog machine		
For models:	GHM1001		

heating cables

miscellaneous



No.	417745	Ref. No.	W0310067
description	heating cable 600V L 1100mm silicone connection plug GFR2700		
For models:	GFR2700		

quartz heating elements



No.	420089	Ref. No.	D04034
description	quartz heating element 600W 115V L 365mm ø 11mm connection male faston 6.3mm		
For models:	GTO1001, GTO2001		
accessories for	420089		
	No.	551108	Ref. No. B07025
spring clip stainless steel for quartz heating element L 39mm W 25mm H 13.5mm bore ø 10mm			



No.	551108	Ref. No.	B07025
description	spring clip stainless steel for quartz heating element L 39mm W 25mm H 13.5mm bore ø 10mm		
For models:	GTO1001, GTO2001		

immersion heating elements

3 hole flange ø38.5mm



No.	416267	Ref. No.	905560
description	heating element 4500W 230V mounting ø 38.5mm heating circuits 3 L 358mm W 32mm H 58mm L1 36mm L2 72mm L3 250mm H1 28mm H2 30mm hole distance 57mm hole ø 10mm tube ø 6.3mm connection male faston 6.3mm immersion heater 3 hole flange		
For models:	GDW2001		
spare parts for	416267		
	No.	521120	Ref. No. 907981
O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs			
accessories for	416267		
	No.	532577	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			



No.	416260	Ref. No.	905745
description	heating element 2500W 230V heating circuits 1 L 357mm W 34mm H 39mm H1 4mm H2 35mm thread M10x1 mounting distance 28mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing immersion heater connection length 25mm		
For models:	GDW2001		
accessories for	416260		
	No.	510416	Ref. No. —
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			
	No.	510893	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
	No.	520231	Ref. No. —
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	No.	521129	Ref. No. —
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			

heating elements for convection



1

No.	418044	Ref. No.	01203260	
description	heating element 2500W 230V heating circuits 1 ID ø 180mm ED ø 192mm L 245mm H 28mm L1 45mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange			
For models:	GCO2001			
accessories for	418044			
	No.	550937	Ref. No.	01000140
				
gasket L 71mm W 21mm hole ø 5mm hole distance 57mm fibre thickness 1mm for heating element				



1

No.	419243	Ref. No.	RES30033	
description	heating element 2700W 230V heating circuits 1 ID ø 180mm ED ø 193mm L 208mm H 30mm L1 8mm W1 30mm H1 7mm H2 23mm flange length 70 no to be sold in Francemmm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange 70 x 22mm with screws			
For models:	GCO500			
spare parts for	419243			
	No.	560102	Ref. No.	—
 sheet metal screws ø 3.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 7.5mm oval head				

foil heating elements

1



No.	419256	Ref. No.	W0310080
description	foil heating element L 520mm W 220mm 61W 220V cable length 400mm connection plug GFR2700		
For models:	GFR2700		

accessories

various




1

No.	551108	Ref. No.	B07025
description	spring clip stainless steel for quartz heating element L 39mm W 25mm H 13.5mm bore ø 10mm		
For models:	GTO1001, GTO2001		

sealing washers

O-rings

 			
1			
No.	521120	Ref. No.	907981
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	GDW2001		

flange gaskets



1

No.	528090	Ref. No.	01000160
description	gasket L 100mm W 22mm thickness 1mm		
For models:	GCO2001		



1

No.	550937	Ref. No.	01000140
description	gasket L 71mm W 21mm hole ø 5mm hole distance 57mm fibre thickness 1mm for heating element		
For models:	GCO2001		

thermostats

bi-metal thermostats

safety bi-metal thermostats

1

No.	390717	Ref. No.	907297
description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 110°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing mounting ø 18.3mm		
For models:	GDW2001		

bi-metal thermostats



No.	390869	Ref. No.	253099000143
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 140°C 1NC 1-pole 10A 250V connection F4.8 Qty 1 pcs		
For models:	GMW1025		



No.	390634	Ref. No.	TER30002
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 145°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing		
For models:	GCO500		



No.	390867	Ref. No.	253099000224
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 180°C 1NC 1-pole 10A 250V connection F4.8 Qty 1 pcs		
For models:	GMW1025		



No.	390763	Ref. No.	907244
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 55°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing for tank		
For models:	GDW2001		


THERMOSTATS METRO-PROFESSIONAL

control and safety thermostats

EGO

control thermostats

55.17_ series



No.	371320	Ref. No.	A06032
description	thermostat t.max. 280°C temperature range 30-280°C 1-pole 1NO 16A probe ø 3mm probe L 170mm capillary pipe 860mm capillary pipe isolatedmm gland nut shaft L 14mm shaft position upper rotation 270°		
For models:	GEG2001		



No.	391048	Ref. No.	TER30016
description	thermostat t.max. 292°C 1-pole 1NO probe ø 3mm probe L 182mm shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° probe material SS with mounting accessories		
For models:	GCO500		

safety thermostats


55.32_ series



No.	390999	Ref. No.	01202690
description	safety thermostat switch-off temp. 350°C temperature range°C 2-pole NC 20A probe ø 3mm probe L 187mm capillary pipe 690mm capillary pipe isolated 680mm gland nut shaft ømm probe SS		
For models:	GCO2001		

IMIT / TEMPOMATIC / ARTHERMO


control thermostats



No.	390683	Ref. No.	TR0440
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 98mm capillary pipe 1000mm capillary pipe isolated 960mm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position +135° rotation 270° probe material copper		
For models:	GDW2001		
accessories for	390683		
	No.	110100	Ref. No. 903982
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		

TECASA

control thermostats



No.	376091	Ref. No.	01201220
description	thermostat t.max. 328°C temperature range 57-328°C 1-pole 1NO 16A probe ø 3mm probe L 98mm capillary pipe 1540mm capillary pipe isolated 490mm gland nut shaft ø 6x4.6mm shaft L 21mm rotation 270° outer switch probe thread disc ømm		
For models:	GCO2001		

various

control thermostats



No.	390871	Ref. No.	1.1.A.A06.02
description	thermostat t.max. 95°C temperature range 0-95°C 1-pole 1NO 6A probe ø 6mm probe L 95mm capillary pipe 550mm capillary pipe isolated 490mm gland nut shaft ø 6x4mm shaft L 23mm shaft position 45° rotation 270° probe material zinc-coated steel 250V contacts male faston 4.8mm Qty 1 pcs		
For models:	GGC1078, GGC1078B		



No.	390968	Ref. No.	1.06.1851713
description	thermostatcontroller t.max. 185°C temperature range°C 2-pole 1NO 16A probe ø 6mm probe L 77mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position upper rotation 270° probe material SS		
For models:	GDF3004, GDF3008, GDF3024, GDF3028, GDF5008, GDF5028		

safety thermostats



No.	390970	Ref. No.	1.06.230171301
description	safety thermostat switch-off temp. 230°C 2-pole 1NC 16A probe ø 5mm probe L 48mm capillary pipe 440mm capillary pipe isolated 150mm gland nut probe 250V model WQS-230		
For models:	GDF3004, GDF3008, GDF3024, GDF3028, GDF5008, GDF5028		

refrigeration thermostats

universal with housing



No.	698867	Ref. No.	GPC1046-09
description	thermostat probe capillary pipe 650mm 1NO threaded type WPF17C-L2		
For models:	GPC1046		



switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

No.	347791	Ref. No.	1.1.A.A07.10 205426 A07034 E2301GR00001 S900.01 W0308019
description	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		
For models:	GCV1600, GDS2600, GFR2700, GHM1001, GHS1600, GHS2600, GJU1001, GPS2600, GRE2700, GSA2600, GSD2600, GSF2600		

ø20mm



1

No.	347803	Ref. No.	DQKA0000
description	rocker switch mounting measurements 20mm red 1NO 250V 15A 0-I connection male faston 4.8mm ambient temperature max. 85°C protection IP40		
For models:	GSC1100G, GSC2336		

push/momentary push switches

30x22mm



1

No.	345712	Ref. No.	00000700296
description	push switch mounting measurements 30x22mm red/green 2CO 250V 16A Stop / I connection male faston 6.3mm ambient temperature max. 85°C protection IP40 with indicator		
For models:	GFS1022, GFS1025, GFS1030, GFS2019, GFS2022, GFS2025, GFS2030		
accessories for	345712		



No.	301127	Ref. No.	00000000285
protective cover internal size 30x55mm transparent			

ø22mm



1

No.	301127	Ref. No.	00000000285
description	protective cover internal size 30x55mm transparent		
For models:	GFS1022, GFS1025, GFS1030, GFS2019, GFS2025, GFS2030		

accessories

push buttons



1

No.	348239	Ref. No.	905346
description	push button for dishwasher shaft 3.7x3.7mm blue ED ø 21mm ID ø 19mm		
For models:	GDW2001		

element holders



1

No.	348240	Ref. No.	905341
description	element holder ø 23.5mm ID ø 21.5mm silver		
For models:	GDW2001		

microswitches

pin-plunger actuated



1

No.	347799	Ref. No.	253039000003
description	microswitch with plunger 250V 15A 1CO connection male faston 4.8mm ambient temperature max. 105°C mounting distance 22mm type W-15-102C actuating force: 180g white		
For models:	GMW1025		

miscellaneous



1

No.	347560	Ref. No.	00000000304
description	microswitch with plunger mounting distance 22mm thread M10 thread L 14mm 250V 12A 1NO connection male faston 6.3mm stroke 3.5mm ambient temperature max. 125°C type VRSR03AA1 actuating force: 135g		
For models:	GFS1025		

with push button

switches with snap-fit



1

No.	348227	Ref. No.	W0308012
description	microswitch 250V 0.5A connection male faston 2.8mm for fridge GFR2700/GRE2700		
For models:	GFR2700, GRE2700		



1

No.	348192	Ref. No.	I0202070
description	microswitch with push button 250VA 1NO connection male faston 6.3mm L 26x12mm ambient temperature max. 85°C actuating force: 500g		
For models:	GRE3600, GRE3600S		

position switches

METRO



1

No.	348088	Ref. No.	1.05.035011HDFMS116
description	microswitch 1NO 250V 16A L 41mm W 12mm H 44mm actuating force: 250g		
For models:	GDF3004, GDF3008, GDF3024, GDF3028, GDF5008, GDF5028		

system switches (ROLD)



1

No.	301104	Ref. No.	905312
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	GDW2001		



1

No.	348239	Ref. No.	905346
description	push button for dishwasher shaft 3.7x3.7mm blue ED ø 21mm ID ø 19mm		
For models:	GDW2001		



1

No.	345651	Ref. No.	905314
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	GDW2001		




1

No.	348238	Ref. No.	905447
description	switch 2NO 250V 16A connection male faston 6.3mm type SA		
For models:	GDW2001		

cam switches

4-position



1

No.	300094	Ref. No.	A01001
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 15mm connection screw 4-position ceramic		
For models:	GEG2001		



4 operating positions



No.	347101	Ref. No.	A01017
description	cam switch 4 operating positions 1NO/1CO sequence 0-1-2-3 13A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	GTO1001, GTO2001		


10 operating positions



No.	301205	Ref. No.	01200040
description	cam switch 10 operating positions 5NO/1CO sequence 0-1-2-3-4-5-6-7-8-9 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	GCO2001		

magnetic switches


37x16mm



No.	345341	Ref. No.	909290
description	magnetic switch L 37mm W 16mm 1NO 250V 0.04A P max. 10W connection cable length 1960mm		
For models:	GDW2001		

accessories

magnets



No.	519049	Ref. No.	903651
description	magnet $\varnothing$ mm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole $\varnothing$ 2mm		
For models:	GDW2001		
accessories for	519049		
	No.	560095	Ref. No. —
	sheet metal screws $\varnothing$ 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head $\varnothing$ 5.6mm oval head		

lamps


indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

 $\varnothing$ 8mm (type RL-2)

No.	359819	Ref. No.	00002360
description	indicator light lens green Qty 1 pcs $\varnothing$ 8mm		
For models:	GCO2001		



No.	359820	Ref. No.	00002350
description	indicator light lens yellow Qty 1 pcs $\varnothing$ 8mm		
For models:	GCO2001		

indicator lamps for socket type RL

1



No.	359818	Ref. No.	01200330 IND30009
description	indicator light 230V clear connection male faston 6.3mm		
For models:	GCO2001, GCO500		
accessories for	359818		
	No.	359820	Ref. No. 00002350
indicator light lens yellow Qty 1 pcs ø 8mm			
	No.	359833	Ref. No. —
indicator light lens red Qty 1 pcs ø 8mm			
	No.	359948	Ref. No. —
indicator light lens clear Qty 1 pcs ø 8mm			



1

No.	359817	Ref. No.	01200340	
description	indicator light 230V green connection male faston 6.3mm			
For models:	GCO2001			
accessories for	359817			
	No.	359819	Ref. No.	00002360
indicator light lens green Qty 1 pcs ø 8mm				

indicator lights (complete)

ø 6mm



1

	No.	359005	Ref. No.	903644
description		indicator light ø 6mm 230V yellow cable length 400mm		
For models:		GDW2001		

ø 9mm



1

No.	360766	Ref. No.	903688
description	indicator light ø 8.5mm green 250V connection male faston 6.3mm cable length 270mm temp.-resist. 120°C		
For models:	GDW2001		



1

No.	360765	Ref. No.	903686
description	indicator light ø 8.5mm yellow 250V connection male faston 6.3mm cable length 260/400mm temp.-resist. 90°C		
For models:	GDW2001		



1

No.	360767	Ref. No.	903685
description	indicator light ø 8.5mm yellow 250V connection male faston 6.3mm cable length 260mm temp.-resist. 120°C		
For models:	GDW2001		

ø12mm

with plug-in socket



1

No.	359041	Ref. No.	A08009
description	indicator light ø 12mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	GEG2001		



1

No.	359042	Ref. No.	A08003
description	indicator light ø 12mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	GEG2001, GTO1001, GTO2001		

ø14mm

with screw socket



1

No.	360622	Ref. No.	1.03.00020013
description	indicator light ø 14mm green 220V connection male faston 4.8mm plastic		
For models:	GDF3004, GDF3008, GDF3024, GDF3028, GDF5008, GDF5028		



1			
No.	360621	Ref. No.	1.03.00020017
description	indicator light ø 14mm yellow 220V connection male faston 4.8mm plastic		
For models:	GDF3004, GDF3008, GDF3024, GDF3028, GDF5008, GDF5028		



LED

LED bars



1

No.	357257	Ref. No.	DQLED007
description	LED bar L 1100mm W 14.4mm H 7.5mm 24VDC white number of lamps 36 cable length 120mm		
For models:	GSC2336		



1

No.	357256	Ref. No.	DQLED008
description	LED bar L 1200mm W 14.4mm H 7.5mm 24VDC white number of lamps 42 cable length 120mm		
For models:	GSC1100G		



1

No.	357260	Ref. No.	W0304086 W0304511
description	LED bar L 130mm W 14mm H 8mm cable length 300mm GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

accessories for 357260




No.	692879	Ref. No.	W0409863
cover for lamp L 185mm W 55mm H 40mm for GFR2700/GRE2700			



1

No.	357251	Ref. No.	DQLED066
description	LED bar L 400mm W 12mm H 12mm 24V blue number of lamps 30 cable length 280mm		
For models:	GBC1102		



1

No.	357255	Ref. No.	DQLED011
description	LED bar L 400mm W 14.4mm H 7.5mm 24VDC white number of lamps 18 cable length 380mm		
For models:	GSC2336		



1

No.	357241	Ref. No.	DQLED067
description	LED bar L 600mm W 11.5mm H 12.5mm 24V number of lamps 42 cable length 285mm voltage DC		
For models:	GBC1103		



1

No.	357138	Ref. No.	1.1.A.A01.03.03
description	LED bar L 698mm W 13mm H 13mm 230V number of lamps 27 cable length 800mm		
For models:	GCV1600		

accessories



1

No.	357152	Ref. No.	1.1.B.B25.20
description	power supply for LEDs RT-130-2-24cm Qty 1 pcs		
For models:	GCV1600		

fluorescent lamps

fluorescent lamps

G5

1 			
No.	357156	Ref. No.	DQDA0009
description	fluorescent lamp socket G5 L 285mm 8W ø 16mm 230V T5/865 Qty 1 pcs		
For models:	GBC1001, GBC1001S, GBC1001SS		

1 			
No.	357148	Ref. No.	DQDA0010
description	fluorescent lamp socket G5 L 547mm 14W ø 16mm 230V T5/865 Qty 1 pcs		
For models:	GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS		

accessories

sockets

1 			
No.	381169	Ref. No.	SLJY2010
description	lamp holder socket G13 L 26.5mm W 24.5mm Qty 1 pcs for fluorescent lamps		

1 			
No.	381447	Ref. No.	SLZA3000
description	lamp socket socket G13 L 33mm W 10mm H 28mm		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS		

starter holders

1 			
No.	381170	Ref. No.	SLZA1000
description	starter holder L 32mm W 24mm housing ø 23mm Qty 1 pcs		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS		

starter

1 			
No.	380464	Ref. No.	DQDF0000
description	starter 4-65W		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS		

1 			
No.	357150	Ref. No.	1.1.A.A01.02.01
description	starter for fluorescent lamps L 69mm W 38.5mm 11W type HG-YZ11E Qty 1 pcs		
For models:	GGC1078, GGC1078B, GGC2270, GGC2270B		

ballasts

1 			
No.	403192	Ref. No.	DQZB0005
description	electrical ballast 15W 220-240V connection screw clamp for fluorescent lamps type JF-1595M Qty 1 pcs		
For models:	GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS		

1 			
No.	403190	Ref. No.	DQZA0027
description	electrical ballast 30W 220-240V connection screw clamp for fluorescent lamps type JF-3095W Qty 1 pcs		

1 			
No.	403191	Ref. No.	DQZB0029
description	electrical ballast 9W 220V connection screw clamp for fluorescent lamps type JF-995M Qty 1 pcs		
For models:	GBC1001, GBC1001S, GBC1001SS		

covers

1 			
No.	699314	Ref. No.	SLZV0017
description	cover L 510mm W 30mm H 30mm		
For models:	GBC1001, GBC1001S, GBC1001SS		



1 			
No.	694873	Ref. No.	SLSE2008
description	cover L 590mm W 280mm H 1mm		
For models:	GSC2336		

1 			
No.	699312	Ref. No.	SLZV0018
description	cover L 810mm W 30mm H 30mm transparent		
For models:	GBC1002, GBC1002S, GBC1002SS, GBC1102		

1 			
No.	694874	Ref. No.	SLZQ0037
description	cover set mounting pos. left/right W 82mm H 280mm D 34		
For models:	GSC1100G, GSC2336		
spare parts for	694874		
	No.	692393	Ref. No. —
bezel for cover mounting pos. right/left W 82mm H 280mm D 34mm plastic Qty 1 pcs			
	No.	692394	Ref. No. —
bezel for cover mounting pos. left W 82mm H 280mm D 34mm plastic Qty 1 pcs			

1 			
No.	694872	Ref. No.	SLJV2040
description	cover support L 610mm W 20mm H 55mm mounting pos. lower		
For models:	GSC2336		

1 			
No.	694871	Ref. No.	SLJV2041
description	cover support L 610mm W 20mm H 55mm mounting pos. upper		
For models:	GSC2336		

microwave lamps

light bulbs

1 			
No.	357175	Ref. No.	253079000039
description	light bulb socket E14 230V 20W ø 25mm L 63mm Qty 1 pcs lens L 37mm		
For models:	GMW1025		

LAMPS METRO-PROFESSIONAL

oven lamps

universal oven lamps

mounting diameter 35.5mm

1 			
No.	359718	Ref. No.	00002330
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	GCO2001		
spare parts for	359718		
	No.	359701	Ref. No. —
lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			
	No.	359740	Ref. No. —
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT			

1 			
No.	357176	Ref. No.	LAM30006
description	oven lamp mounting ø 35.5mm 230V 40W socket G9 temp.-resist. 300°C connection cable 100mm hard glas		
For models:	GCO500		

lamp accessories

fascias

1 			
No.	692879	Ref. No.	W0409863
description	cover for lamp L 185mm W 55mm H 40mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	692879		
	No.	357260	Ref. No. W0304086 W0304511
LED bar L 130mm W 14mm H 8mm cable length 300mm GFR2700/GRE2700			

timers

mechanical timers

			
1			
No.	350130	Ref. No.	PRG30001
description	timer M11 with bell 1-pole operation time 120min impulse mechanical 1NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm 4 hole fixing shaft flat upper		
For models:	GCO500		

1

No.	350186	Ref. No.	01202980
description	timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm		
For models:	GCO2001		
accessories for	350186		
	No.	112627	Ref. No.
	—		
knob time 120min ø 58mm shaft ø 6x4.6mm shaft flat lower			

			
1			
No.	360164	Ref. No.	A02008
description	timer MT49 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position yes shaft 6x4.6mm shaft L 16mm mounting distance 28mm connection lateral		
For models:	GTO1001, GTO2001		

defrost timers

miscellaneous

			
1			
No.	360553	Ref. No.	1.1.A.A05.06
description	defrost timer SONXIE type DBZF-625-2G2B defrosting interval 6h defrosting time 2minmin fan delaymin 200-240V Qty 1 pcs		
For models:	GGC1078, GGC1078B		

alarm devices

buzzer boards

			
1			
No.	401062	Ref. No.	01201250
description	buzzer board 230VAC L 48mm W 45mm connection Faston 6.3mm		
For models:	GCO2001		

contactors

LOVATO

power contactors

1

No.	380705	Ref. No.	907190	
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0910A230			
For models:	GDW2001			
accessories for	380705			
	No.	380057	Ref. No.	—
	auxiliary contact contacts 1NO/1NC AC1 10A for contactors BG series connection screw type BGX1011			

solid state relays

accessories

diodes

high voltage diodes



1			
No.	403261	Ref. No.	253089000101
description	hv diode type RG501 connection F6.3mm / lug M4 cable lengthmm for microwave Qty 1 pcs		
For models:	GMW1025		

relays

power relays

with bracket mounting



1			
No.	380867	Ref. No.	DQWBZJ02
description	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
For models:	GSC1100G, GSC2336		

magnetrons



1			
No.	403173	Ref. No.	253017000051
description	Magnetron type 2M248J(JT)		
For models:	GMW1025		

transformers

power supplies



1			
No.	403903	Ref. No.	W0399114
description	power supply primary 100-240VAC secondary 24VDC H 30mm L 85mm W 45mm 50/60Hz type JKY36-SP2400600		
For models:	GFR2700		



1			
No.	403902	Ref. No.	W0399115
description	power supply primary 100-240VAC secondary 24VDC H 34mm L 114mm W 45mm 50/60Hz type JKY36-SP2401500 GRE2700		
For models:	GRE2700		

HV transformers



1			
No.	403257	Ref. No.	253029000256
description	HV transformer primary 230-240V 50Hz type GAL-1000E-1G for microwave		
For models:	GMW1025		

miscellaneous



1			
No.	403660	Ref. No.	DQLED069
description	transformer primary 100-240V secondary 24VDC 20VA secondary 0.84A		
For models:	GBC1001, GBC1001S, GBC1002, GBC1002S, GBC1003, GBC1003S, GBC1102, GBC1103		



1			
No.	403867	Ref. No.	DQLED055
description	transformer primary 100-240V secondary 24VDC secondary 0.42A H 25mm L 95mm W 40mm		
For models:	GSC1100G, GSC2336		

electronic controllers

DIXELL

refrigeration controllers

built-in version



1

No.	378256	Ref. No.	S900.02
description	electronic controller DIXELL XR02CX-5N0C0 mounting measurements 71x29mm built-in depth 56mm 230V voltage AC NTC relay outputs 1 CO-8A(4) NTC protection IP54 defrosting function/time control -40 up to +110°C display 2½ digit		
For models:	GHS1600, GHS2600		
spare parts for	378256		
	No.	379161	Ref. No.
	—		
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
accessories for	378256		
	No.	378194	Ref. No.
	—		
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire		
	No.	379057	Ref. No.
	—		
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	No.	379160	Ref. No.
	E21010150001		
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379161	Ref. No.
	—		
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379343	Ref. No.
	—		
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
	No.	379458	Ref. No.
	—		
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		



1

No.	378267	Ref. No.	E20A111C4D00
description	electronic controller DIXELL XR02CX-5N0C1 mounting measurements 71x29mm built-in depth 56mm 230V voltage AC NTC relay outputs 1 NO-20A(8) NTC DI protection IP54 defrosting function/time control -40 up to +110°C display 2½ digit		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		
accessories for	378267		
	No.	379161	Ref. No.
	—		
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	381249	Ref. No.
	—		
	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x14mm cable length 3m		



1

No.	378665	Ref. No.	W0302160
description	electronic controller DIXELL XR03CX-5R0C1 mounting measurements 71x29mm built-in depth 50mm 230V voltage AC NTC relay outputs 2 NO-20A(8) CO-8A(3) NTC DI protection IP65 defrosting function/time control -55 up to +99°C display 2 digit		
For models:	GRE2700		



1

No.	378363	Ref. No.	W0302159
description	electronic controller DIXELL XR06CX-5R0C1 mounting measurements 71x29mm 230V voltage AC NTC relay outputs 3 NO-20A(8) CO-8A(3) NO-5A(2) NTC NTC DI protection IP54 -40 up to +110°C display 3½ digits		
For models:	GFR2700		
accessories for	378363		
	No.	381249	Ref. No.
	—		
	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x14mm cable length 3m		



1

No.	379843 ¹	Ref. No.	1.1.A.A06.03.31
description	electronic controller kit DIXELL XR30CX-5N2C1 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 1x NTC probe inclusive -50 up to +150°C display 3½ digits 2 RoomTempIN NTC/PTC DEF Probe DigilN1 DigilN2 DEF Relay fan relay Temp4/Dig1 NTC/PTC/DIGI evaporator probe defr. funct. compressor relay NO-20A(8) light relay alarm relay CO-8A(3) auxiliary relay		
For models:	GCV1600		
spare parts for	379843		
	No.	379160	Ref. No. E21010150001
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		

¹incl. 1x NTC probe

SHANGFANG

refrigeration controllers

built-in version



1

No.	379799 ¹	Ref. No.	DQWBZX02
description	electronic controller SHANGFANG type SF-104S-2 mounting measurements 71x29mm 12V voltage AC NTC relay outputs 2 12VDC 12VDC NTC front measurements 77x35mm built-in depth 40mm protection IP54 accuracy 1% built-in version alarm without accessories defr. funct. yes -45 up to +45°C display 3 digits		
For models:	GSC1100G, GSC2336		
spare parts for	379799		
	No.	379054	Ref. No. —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	No.	380867	Ref. No. DQWBZJ02
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
	No.	381318	Ref. No. —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	No.	381319	Ref. No. —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
accessories for	379799		
	No.	379054	Ref. No. —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	No.	380867	Ref. No. DQWBZJ02
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		

¹without relay, cable harness, probe and transformer

accessories for	379799		
	No.	381318	Ref. No. —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	No.	381319	Ref. No. —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		

built-in version 2-piece



1

No.	379849 ¹	Ref. No.	DQWB0005
description	electronic controller SHANGFANG type SF-101S mounting measurements 71x29mm 230V voltage AC NTC relay outputs 1 NO-30A NTC Comp front measurements 77x35mm built-in depth 40mm protection IP54 accuracy 1% built-in version alarm incl. relay, cable harness, probe and transformer defr. funct. yes -45 up to +45°C display 3 digits		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS		
spare parts for	379849		
	No.	379054	Ref. No. —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	No.	380867	Ref. No. DQWBZJ02
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
	No.	381318	Ref. No. —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	No.	381319	Ref. No. —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
accessories for	379849		
	No.	379054	Ref. No. —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	No.	380867	Ref. No. DQWBZJ02
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
	No.	381318	Ref. No. —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	No.	381319	Ref. No. —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		

¹incl. relay, cable harness, probe and transformer

 71 x 29mm			
1			
No.	403074 ¹	Ref. No.	DQWB0002
description	electronic controller SHANGFANG type SF-104S-2 mounting measurements 71x29mm 230V voltage AC NTC relay outputs 2 NO-30A NO-30A NTC NTC front measurements 77x35mm built-in depth 38mm protection IP54 accuracy 1% built-in version alarm incl. relay, cable harness, probe and transformer defr. funct. yes -45 up to +45°C display 2½ digit		
For models:	GBC1001, GBC1001S, GBC1002, GBC1002S, GBC1003, GBC1003S, GBC1102, GBC1103, GSC1100G, GSC2336		
spare parts for	403074		
	No.	379054	Ref. No. —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	No.	380867	Ref. No. DQWBZJ02
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
	No.	381318	Ref. No. —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	No.	381319	Ref. No. —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
accessories for	403074		
	No.	379054	Ref. No. —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	No.	380867	Ref. No. DQWBZJ02
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
	No.	381318	Ref. No. —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	No.	381319	Ref. No. —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		

¹incl. relay, cable harness, probe and transformer

accessories



1

No.	380867	Ref. No.	DQWBZJ02
description	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
For models:	GSC1100G, GSC2336		

accessories universal for electronic con-

miscellaneous



1

No.	692369	Ref. No.	1.1.C.C63.71
description	bracket for thermometer W 81mm H 41mm plastic Qty 1 pcs		
For models:	GCV1600		

probes

universal probes

temperature probes



1

No.	379160	Ref. No.	E21010150001
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		

producer-specific probes

probes



1

No.	403899	Ref. No.	W0302305
description	probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -40 up to +110°C connection coded plug thread probe ø6x14mm cable length 600m GFR2700/GRE2700		
For models:	GFR2700		



1

No.	403901	Ref. No.	W0302304
description	probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -40 up to +110°C connection coded plug thread probe ø6x14mm cable length 800m GFR2700/GRE2700		
For models:	GFR2700, GRE2700		



No.	403910	Ref. No.	I0205805
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C connection 2-wire probe 5x20 cable length 1.475m		
For models:	GFR3600S, GRE3600, GRE3600S		


sensors



No.	403155	Ref. No.	AD400009
description	sensor for induction device ø 25mm H 17mm cable length 130mm		
For models:	GIC3035		

electronics

PCBs



No.	361873	Ref. No.	1.1.A.A17.01.01 1.1.A.A17.04.06
description	control PCB refrigerated show case GGC 1270/2270 cable length 225mm 2-piece type KB3150		
For models:	GGC2270, GGC2270B		




No.	403736	Ref. No.	43845000 I9R00462
description	control PCB refrigeration IARP L 222mm W 40mm		
For models:	GFR3600S, GRE3600, GRE3600S		




No.	403529	Ref. No.	263019008956
description	display PCB microwave GMW1025 L 160mm W 85mm cable length 200mm for microwave		
For models:	GMW1025		




No.	403154	Ref. No.	DQA020110R
description	keypad PCB induction device GIC3035 L 247mm W 53mm keypad connection 4 contact pins edition since 2012 buttons 8		
For models:	GIC3035		
accessories for	403154		
No.	403156	Ref. No.	LAC5000003
description	control panel induction device GIC3535 W 300mm H 58mm		
No.	403160	Ref. No.	—
description	control panel induction device GIC3535 W 300mm mounting pos. right H 58mm		



No.	403188	Ref. No.	263029001088
description	line filter microwave for GMW1025 250V 50/60Hz conductor 2 PCB connection male faston 4.8mm L 80mm H 20mm W 40mm PCB Qty 1 pcs cable length 120mm type DNV-0818A-5		
For models:	GMW1025		



No.	403153	Ref. No.	DQA010095R
description	main PCB induction device GIC3035 L 267mm W 160mm connection male faston 6.3mm vertical keypad connection 4 contact pins SZ-L5		
For models:	GIC3035		
accessories for	403153		
No.	403154	Ref. No.	DQA020110R
description	keypad PCB induction device GIC3035 L 247mm W 53mm keypad connection 4 contact pins edition since 2012 buttons 8		

1 			
No.	403680	Ref. No.	DQA010198R
description	main PCB induction device GIC3035 L 267mm W 160mm connection screw keypad connection 4 contact pins SZ-L5a		
For models:	GIC3035		

A green printed circuit board (PCB) with various electronic components. It features a large black circular component at the top, a blue integrated circuit in the center, and several green terminal blocks on the right side. The board is populated with various resistors, capacitors, and other small components.

1

No.	403165	Ref. No.	2852
description	PCB GSM1000 speed control		
For models:	GSM1000		
spare parts for	403165		

A black, circular knob with a slightly raised, textured surface. It has a central hole and a small indentation on the side, suggesting it is designed to be mounted on a PCB.

No.	696506	Ref. No.	2858
------------	--------	-----------------	------

knob for PCB ø 26mm black Qty 1 pcs

central units

1 			
No.	400788	Ref. No.	00000000297
description	control box for slicer 230V		
For models:	GFS1022, GFS1025, GFS1030, GFS2022, GFS2025		

1 			
No.	403682	Ref. No.	00000001752
description	control box for slicer 230V 50Hz edition since 04/2016		
For models:	GFS2019, GFS2030		

1 			
No.	401855	Ref. No.	00000009240
description	control box with pressure switch double for slicer 230V		
For models:	GFS1030		

keypads

front foils

1 			
No.	403156	Ref. No.	LAC5000003
description	control panel induction device GIC3535 W 300mm H 58mm		
For models:	GIC3035		
accessories for	403156		
	No.	403154	Ref. No. DQA020110R
	 keypad PCB induction device GIC3035 L 247mm W 53mm keypad connection 4 contact pins edition since 2012 buttons 8		

1 			
No.	403764	Ref. No.	49357000
description	front foil blast freezer L 165mm W 45mm		
For models:	GFR3600S, GRE3600, GRE3600S		

membrane keypads

1 			
No.	403187	Ref. No.	253069002692
description	membrane keypad microwave GMW1025 2-piece buttons 15 Qty 1 pcs L 164mm W 70mm		
For models:	GMW1025		

control panel

1 			
No.	506281	Ref. No.	909763
description	control panel for dishwasher L 250mm W 40mm black suitable for Silanos		
For models:	GDW2001		



solenoid valves

solenoid valves (water)

TP



1

No.	370017	Ref. No.	902390
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
For models:	GDW2001		
spare parts for	370017		
	No.	371013	Ref. No. —
solenoid coil TP 230VAC 50/60Hz			
accessories for	370017		
	No.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance $\pm 15\%$			
	No.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$			
	No.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance $\pm 15\%$			
	No.	371223	Ref. No. —
reducer TP flow rate 10l/min white tolerance $\pm 15\%$			
	No.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$			
	No.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$			
	No.	371226	Ref. No. —
reducer TP flow rate 20l/min red tolerance $\pm 15\%$			
	No.	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$			
	No.	371231	Ref. No. —
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$			
	No.	371232	Ref. No. —
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$			
	No.	371233	Ref. No. —
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$			
	No.	371234	Ref. No. —
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$			
	No.	371235	Ref. No. —
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$			

accessories for	370017		
	No.	371236	Ref. No. —
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$			
	No.	371237	Ref. No. —
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$			
	No.	371238	Ref. No. —
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$			
	No.	371239	Ref. No. —
reducer TP flow rate 5l/min black tolerance $\pm 25\%$			
	No.	371240	Ref. No. —
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$			

solenoid valves (refrigeration)

SANHUA

valves



1

No.	374110	Ref. No.	W0205011
description	solenoid valve type FDF2AT connection 6mm soldering connection L 143mm pipe connection $\varnothing$ 6mm 220-240V		
For models:	GFR2700		
accessories for	374110		
	No.	696787	Ref. No. W0208009
T-piece copper ID $\varnothing$ 4.5mm ED $\varnothing$ 6mm refrigeration for GFR2700			

pressure switches

for warewashing

 $\varnothing$ 58mm with male faston 6.3mm

with connection horizontal



1

No.	541001	Ref. No.	905264
description	pressure control pressure range 35/17mbar connection 6mm $\varnothing$ 58mm pressure connection horizontal warewashing		
For models:	GDW2001		

compressors

ACC/ZEL

R600A

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605141	Ref. No.	DQYD0015 E27B6F1Z0001
description	compressor coolant R600a type HPY12AA 220-240V 50Hz LBP 8.8kg 1/5HP cylinder capacity 12cm ³ RSIR H 200mmWWWWWWWWWW		
For models:	GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GDS2600, GPS2600, GSA2600, GSC2336, GSD2600, GSF2600		



1

No.	605150	Ref. No.	1.1.A.A02.01
description	compressor coolant R600a type HVM10AA 220-240V 50Hz LBP 8.7kg 1/6HP cylinder capacity 10cm ³ RSIR H 180mmWWWWWWWWWW		
For models:	GCV1600		



1

No.	650150	Ref. No.	VRX1560.01
description	compressor coolant R600a type HVM67AA 220-240V 50Hz LBP 7.5kg 1/8HP cylinder capacity 7cm ³ RSIR H 180mmWWWWWW		
For models:	GHS1600, GHS2600		



1

No.	605142	Ref. No.	1.1.A.A02.04 DQYD0014
description	compressor coolant R600a type HVM86AA 220-240V 50Hz LBP fully hermetic 7.83kg 1/7HP cylinder capacity 8.6cm ³ RSIR H 174mmWWWW		
For models:	GBC1001, GBC1001S, GBC1001SS, GGC1078, GGC1078B		

EMBRACO / ASPERA

R290A

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605258	Ref. No.	I0210981 W0201133
description	compressor coolant R290 type EMTE2134U 220-240V 50Hz LBP 9kg 3/8HP cylinder capacity 9.5cm ³ CSIR H 187mm 250W 278W 305W 330W 366WWWWWW		
For models:	GFR2700, GFR3600S		

R600A

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605281	Ref. No.	W0201151
description	compressor coolant R600a type EMB40CLC 220-240V 50Hz LBP 8kg 1HP cylinder capacity 7.24cm ³ H 160mm		
For models:	GRE2700		



1

No.	605257	Ref. No.	45004031
description	compressor coolant R600a type EMD46CLT 220-240V 50Hz LBP 7.5kg cylinder capacity 7.96cm ³ RSCR H 210mm 88W 118W 154W 196W 246W		
For models:	GRE3600, GRE3600S		

miscellaneous

R134A



1

No.	605140	Ref. No.	DQYA0087
description	compressor KONOR type GQR90AA coolant R134a 220-240V 50Hz 10.1kg 1/4HP cylinder capacity 9.1cm ³ RSIR H 186mm		

R600A



1

No.	605143	Ref. No.	1.1.A.A02.25
description	compressor DONPER type QD167YU coolant R600a 220-240V 50Hz fully hermetic 11.9kg power input 276W cylinder capacity 16.7cm ³ RSCR H 220mm 169W 199W 236W 280W 334W 391W test method ASHRAE capacitor 6μF		
For models:	GGC2270, GGC2270B		

accessories

miscellaneous



1

No.	699425	Ref. No.	1.1.C.C41.01
description	vibration damper ø 25mm H 10mm		
For models:	GGC1078, GGC1078B		

fans

axial fans

import



1

No.	601131 ¹	Ref. No.	I0221151
description	axial fan L 119mm W 119mm H 25mm 230VAC 50/60Hz 19/18W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	GFR3600S, GRE3600, GRE3600S		
accessories for	601131		



No.	550898	Ref. No.	I0221181
description	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		



1

No.	601909 ¹	Ref. No.	45003031
description	axial fan L 119mm W 119mm H 38mm 220-240 50/60Hz 31/29W bearing ball bearing connection male faston 2.8mm		
For models:	GFR3600S, GRE3600, GRE3600S		

¹with ball bearings



1

No.	601834 ¹	Ref. No.	1.1.A.A03.01.31
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 16/15W bearing ball bearing manuf. no. RAM1238B1 connection cable length 900mm XINRUILIAN fan wheel ø 110mm temp.-resist. -10 up to +70°C input current 0.16A		
For models:	GCV1600		

¹with ball bearings



1

No.	601604 ¹	Ref. No.	E17A1A010100 S900.34
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bearing slide bearing manuf. no. AA1282HS-AT connection cable 300mm fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m³/h 2600rpm		
For models:	GDS2600, GHS1600, GHS2600, GPS2600, GSA2600, GSD2600, GSF2600		

¹with slide bearings



1

No.	601787 ¹	Ref. No.	DQFA1000 DQFD1000 DQFD1001
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22/38.4W bearing slide bearing manuf. no. HT-A12038S220 connection plug cable length 300mm HUI TONG fan wheel ø 110mm input current 0.1/0.16A housing aluminium		
For models:	GBC1001, GBC1001S, GBC1001SS, GSC1100G, GSC2336		

¹with slide bearings



1

No.	602136	Ref. No.	DQFD2003
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22/38.4W bearing slide bearing manuf. no. HT-A12038S220 connection with cable 500mm cable length 300mm HUI TONG fan wheel ø 110mm input current 0.1/0.16A housing aluminium		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103		

accessories

fan guards



1

No.	691104	Ref. No.	I0427017 WJFZ0007
description	guard ø 115mm mounting distance 105mm for axial fan 119mm		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103, GRE3600, GRE3600S, GSC2336		



connecting cables



1

No.	550898	Ref. No.	I0221181
description	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
For models:	GRE3600, GRE3600S		

refrigeration fans

refrigeration motors universal

ebm-papst

miscellaneous



1

No.	601783	Ref. No.	E17A1A050500	
description	fan motor 10W 230V 50/60Hz L3 87mm W 67mm cable length 400mm 1300rpm ebm-papst M4Q045-CA03-51/C18 3 mounting options bearing slide bearing for refrigerated counters			
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600			
spare parts for	601783			
	No.	601413	Ref. No.	—
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			
accessories for	601783			
	No.	601385	Ref. No.	E181A1723401
	fan wheel sucking ø 172mm fan wheel mounting 25.4mm blade angle 34° W 42mm aluminium			

IMPORT

multi fit fan motors



1

No.	601020	Ref. No.	W0301906 W0301911
description	fan motor 5W 230V 50-60Hz L1 44mm L2 48mm L3 79mm W 84mm cable length 500mm 1300rpm YZF5-13-18/26 5 mounting options bearing slide bearing		
For models:	GFR2700, GRE2700		

miscellaneous



1

No.	601789	Ref. No.	1.1.A.A03.01.10	
description	fan motor 10W 220-240V 50/60Hz L1 50mm L2 72mm L3 90mm W 84mm cable length 460mm 1300rpm HANGZOU SAIWEI MOTOR YZ10-20			
For models:	GGC2270, GGC2270B			
spare parts for	601789			
	No.	601413	Ref. No.	—
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

accessories


fan wheels

aluminium




1

No.	601553	Ref. No.	W0301078
description	fan wheel sucking ø 172mm fan wheel mounting 25.4mm blade angle 28° W 35mm aluminium		
For models:	GFR2700, GRE2700		



1


No.	601385	Ref. No.	E181A1723401
description	fan wheel sucking ø 172mm fan wheel mounting 25.4mm blade angle 34° W 42mm aluminium		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		



1


No.	601070	Ref. No.	1.1.A.A03.03.05 W0301060
description	fan wheel sucking ø 200mm fan wheel mounting 25.4mm blade angle 28° W 38mm aluminium		
For models:	GFR2700, GGC2270, GGC2270B, GRE2700		

fan guards



1

No.	602101	Ref. No.	E192A1200300 E192A1723800
description	guard ø 210mm H 35mm mounting distance 1 230mm mounting distance 2 100mm		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		



1

No.	699432	Ref. No.	1.1.B.B10.36
description	guard ø 215mm mounting distance 230mm		
For models:	GGC2270, GGC2270B		

cooling motors (complete)



1

No.	602174	Ref. No.	W0301913
description	fan 220-240V 7W 50/60Hz fan wheel ø 170mm connection cable 350mm 1300rpm GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	602174		
		No. 699579	Ref. No. 80021501
	bracket for fan for evaporator L 130mm W 80mm hole distance 63mm for GFR2700/GRE2700		



1

No.	601836	Ref. No.	DQJB2004
description	fan 220V 25/3W 50/60Hz fan wheel ø 172mm L 82mm W 82mm connection spate terminal M4 cable length 1000mm		
For models:	GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103		



1

No.	601835	Ref. No.	DQJB2013
description	fan 220V 35/5W 50/60Hz L 82mm W 82mm connection spate terminal M4 cable length 1100mm		
spare parts for	601835		
		No. 602184	Ref. No. —
	fixing plate suitable for fanwheel ED ø 33mm shaft ø 6 mounting distance 17mm		



1

No.	601791	Ref. No.	1.1.A.A03.02.04
description	fan motor pair 220-240V 10W 50Hz fan wheel ø 110mm mounting distance 137mm cable length 800mm		
For models:	GGC2270, GGC2270B		

cold air circulating fans

cold air circulating fans



1

No.	601845	Ref. No.	1.1.A.A03.01.08	
description	fan motor 220-240V 50Hz IN 22W / OUT 5W shaft ø 4mm shaft L 20/48mm L 65mm W 66mm H 73mm Qty 1 pcs			
For models:	GGC1078, GGC1078B			
accessories for	601845			
	No.	601846	Ref. No.	1.1.C.C17.04
	fan wheel blowing ø 150mm shaft intake ø 4mm W 33mm plastic Qty 1 pcs			

accessories

fan wheels for cold air circulating fans



1

No.	601846	Ref. No.	1.1.C.C17.04
description	fan wheel blowing ø 150mm shaft intake ø 4mm W 33mm plastic Qty 1 pcs		
For models:	GGC1078, GGC1078B		

cross flow fans

EMMEVI - FERGAS

with standard coil



1

No.	601018	Ref. No.	01202330
description	cross flow fan TG 180 roller ø 60mm roller length 180mm motor position right 230V/50Hz 25W universal bearing silicone connection male faston 6.3mm -10 up to +60°C 230V connections 1-2 1950U/min connections 1-4 1500U/min		
For models:	GCO2001		

accessories for cross flow fans

air ducts



1


No.	701630	Ref. No.	00012330
description	air duct for cross flow fan for combi-steamer plastic grey		
For models:	GCO2001		

hot air fans

miscellaneous




1



No.	500902	Ref. No.	MOT30029	
description	fan motor 220V 55W 50/60Hz L1 68mm FIME type L25R without fan wheel			
For models:	GCO500			
accessories for	500902			
	No.	550879	Ref. No.	—
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan			




1



No.	602100	Ref. No.	01203230
description	hot air fan 240V 59W 50/60Hz L1 80mm L2 16mm fan wheel ø 150mm IMS type 138251		
For models:	GCO2001		




1



No.	601838	Ref. No.	278009000033
description	fan motor 220-240V 18W 2500rpm L1 33mm L2 12mm L3 15mm L4mm fan wheel ø 120mm shaft 2x2.5mm GALANZ type GAL6309E(30)-ZD Qty 1 pcs		
For models:	GMW1025		



1



No.	601827	Ref. No.	DQB000019R
description	hot air fan 18V 2750rpm L1 6mm L2mm L3 16mm L4mm fan wheel ø 85mm type YHWF-85		
For models:	GIC3035		

accessories

fan wheels for hot air fans



1

No.	601839	Ref. No.	223149000014
description	fan wheel ø 120mm W 32mm shaft intake ø 2x2.5mm plastic blades 4 Qty 1 pcs		
For models:	GMW1025		



1


No.	601261	Ref. No.	VEN30013
description	fan wheel ø 154mm W 25mm shaft intake ø 6x5mm chrome-plated blades 7		
For models:	GCO500		

miscellaneous



No.	601840	Ref. No.	223139000011
description	bracket ø 130mm L 135mm W 130mm for hot air fan Qty 1 pcs		
For models:	GMW1025		

speed controllers



No.	403165	Ref. No.	2852
description	PCB GSM1000 speed control		
For models:	GSM1000		
spare parts for	403165		
	No.	696506	Ref. No. 2858
knob for PCB ø 26mm black Qty 1 pcs			

motors

gear motors


for microwaves




No.	601867	Ref. No.	278019000017
description	gear motor GALANZ type GAL-33-30-TD(B) 4W 30V voltage AC 50/60Hz 33/40rpm shaft ø 6x3.5mm for microwave Qty 1 pcs		
For models:	GMW1025		

motors


for slicers




No.	501530	Ref. No.	00000001753
description	motor 230V 1 phase 50Hz 1380rpm shaft ø 15mm shaft length 25mm 195-220 edition since 04/2016		
For models:	GFS2019		



No.	501427	Ref. No.	00000700283
description	motor 230V 1 phase 50Hz 1380rpm shaft ø 15mm shaft length 25mm ø 115mm H 86mm mounting distance 44mm hole distance 145mm hole ø 6mm type H35-700283		
For models:	GFS1022, GFS2022		



No.	501434	Ref. No.	00000000423
description	motor 230V 1 phase 50Hz 1380rpm shaft ø 15mm shaft length 33mm ø 113mm H 91mm mounting distance 49mm hole distance 150mm hole ø 6mm type H40-423 ELETTRMECANICA capacitor 8µF		
For models:	GFS1025, GFS2025		

1

No.	501433	Ref. No.	00000000681
description	motor 230V 1 phase 50Hz 1380rpm shaft ø 15mm shaft length 35mm ø 113mm H 121mm mounting distance 79mm hole distance 150mm hole ø 6mm type H70-681 ELETTROMECHANICA capacitor 10µF		
For models:	GFS1030		

for hand blenders

motors



1

No.	698378	Ref. No.	2847
description	motor for hand blender 230V 100W shaft ø 6.4mm GSM1000		
For models:	GSM1000		

for citrus juicers



1

No.	501426	Ref. No.	900956
description	motor for citrus juicers 180W 230-240V 50Hz shaft ø 8mm shaft length 40mm type RCJ298252 0.18kW		
For models:	GJU1001		

pumps

wash and rinse pumps

LGB



1

No.	500984	Ref. No.	902263
description	pump inlet ø 45mm outlet ø 39mm type ZF270VSX 230V 50Hz 1 phase 0.4kW L 209mm rotation direction right capacitor 10µF LGB		
For models:	GDW2001		

drain pumps

HANNING



1

No.	501596	Ref. No.	902332
description	drain pump 40W 220-240V inlet ø 30mm outlet ø 24mm 50Hz type DPS35-061 HANNING		
For models:	GDW2001		

booster pumps II

accessories



1

No.	365015	Ref. No.	00000000633
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	GFS1030, GFS2030		



1

No.	365012	Ref. No.	00000000149
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
For models:	GFS1022		

condensators & interference suppression filters

operating capacitors

plastic



1

No.	365015	Ref. No.	00000000633
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	GFS1030, GFS2030		



1

No.	365012	Ref. No.	00000000149
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
For models:	GFS1022		



1

No.	365013	Ref. No.	00000000182
description	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
For models:	GFS1025, GFS2019, GFS2022, GFS2025		

filters

interference suppression filters



1

No.	365168	Ref. No.	902107
description	interference suppression filter type FCP045000 250V 50/60Hz conductor 4 with E connection male faston 6.3mm L 56mm ø 38mm Hmm Wmm M8 plastic Qty 1 pcs		
For models:	GDW2001		

line filters

without housing



1

No.	403188	Ref. No.	263029001088
description	line filter microwave for GMW1025 250V 50/60Hz conductor 2 PCB connection male faston 4.8mm L 80mm H 20mm W 40mm PCB Qty 1 pcs cable length 120mm type DNV-0818A-5		
For models:	GMW1025		

HV capacitors



1

No.	365159	Ref. No.	253059000142
description	HV capacitor for microwave 1.15µF type CH85-21115 2100V 50/60Hz double connection male faston 4.8mm L 105mm H 33mm W 52mm dependent on equipment aluminium Qty 1 pcs		
For models:	GMW1025		

fuses

fine fuses



1

No.	358186	Ref. No.	DZJ020003
description	fuse size ø6.3x32 15A slow-acting rated 250V Qty 1 pcs		
For models:	GLC3035		

electric accessories

cables

power supply cables



1

No.	551085	Ref. No.	00000009171 C03013
description	cable CEE7/7 type E+F 3-pole contacts P+N+E 1.5mm ² max. 16A max 230V 2m with plug H05VV-F 3G1.5		
For models:	GFS1022, GFS1025, GFS1030, GFS2019, GFS2022, GFS2025, GFS2030, GTO1001, GTO2001		



1

No.	698880	Ref. No.	E25EUB315300
description	connecting cable 3-pole contacts P+N+E 1.5mm ² max. 16A max 250V 2.9m		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		



1

No.	699317	Ref. No.	S900.47
description	connecting cable CEE7/7 type E+F 3-pole contacts P+N+E 1.5mm ² max. 16A max 250V 2.95m H05VV-F black		
For models:	GHS1600, GHS2600		



1

No.	551203	Ref. No.	C03007 CAV30014
description	connecting cable CEE7/7 type E+F 3-pole contacts P+N+E 2.5mm ² max. 16A max 230V 2m H07 RN-F with plug		
For models:	GCO500, GEG2001		



1

No.	551232	Ref. No.	253159002607
description	power lead CEE7/7 1mm ² max 500V 1.5m Qty 1 pcs connection male faston 6.3mm black		
For models:	GMW1025		



1

No.	551217	Ref. No.	DQXA6002
description	power lead CEE7/7 type E+F 3-pole contacts P+N+E 0.75mm ² max. 16A 2.2m with strain relief 16A Qty 1 pcs white		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103, GSC1100G, GSC2336		



1

No.	551218	Ref. No.	1.1.A.A08.02.02 1.1.A.A08.02.79 1.1.A.A08.02.87
description	power lead CEE7/7 type E+F 3-pole contacts P+N+E 0.75mm ² max. 16A max 230V 2m Qty 1 pcs grey		
For models:	GCV1600, GGC1078, GGC1078B, GGC2270, GGC2270B		



1

No.	551193	Ref. No.	900864
description	power lead CEE7/7 type E+F 3-pole contacts P+N+E 1.5mm ² max. 16A max 230V 1.37m H07RN-F 3G1.50mm ² countries A/B/D/F/I		



1

No.	552002	Ref. No.	I3306470
description	power lead CEE7/7 type E+F contacts P+N+E 1mm ² max. 16A max 230V 2.5m		
For models:	GRE3600, GRE3600S		



1

No.	551325	Ref. No.	XC0000071R
description	power lead P+N+E 1mm ² max 500V 1.5m Qty 1m connection screw		
For models:	GIC3035		



accessories

cable glands

threaded cable glands

screw connections



1

No.	551379	Ref. No.	PPC30004
description	cable gland thread PG13.5 cable ø 12mm mounting ø 20mm WS 24 plastic Qty 1 pcs with nut		
For models:	GCO500		



1

No.	551288 ¹	Ref. No.	A10032
description	cable gland thread PG16 cable ø 14mm mounting ø 22.5mm WS 27 plastic Qty 1 pcs		
For models:	GEG2001		

¹incl. fastening nut

strain reliefs



1

No.	506235	Ref. No.	1.1.C.C24.03
description	strain relief L 28mm W 12mm H 8mm hole ø 3.5mm hole distance 16mm plastic Qty 1 pcs		
For models:	GGC1078, GGC1078B		


cable harnesses



1

No.	694615	Ref. No.	253169000472
description	cable harness for microwave L 800mm Qty 1 pcs		
For models:	GMW1025		

connection cables




1

No.	699304	Ref. No.	DQXB9019
description	connection cable L 360mm 3-pole		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103		



1

No.	699305	Ref. No.	DQXB2003
description	connection cable L 650mm 3-pole		
For models:	GSC2336		



1

No.	699306	Ref. No.	DQXB4003
description	connection cable L 665mm 3-pole		
For models:	GSC1100G		

terminals

connection terminals with screw/faston connections



1

No.	551444	Ref. No.	01200720
description	power terminal block 3-pole max. 25A max 450V connection male faston 6.3mm temp.-resist. 150°C		
For models:	GCO2001		



1

No.	550516	Ref. No.	MOR30005
description	power terminal block 3-pole max. 40A max 400V connection M6/ male faston 6.3mm temp.-resist. 150°C cross section 6mm ² mounting distance 66.5mm		
For models:	GCO500		



1

No.	550411	Ref. No.	904150 A16014
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	GDW2001, GEG2001		

connection terminals with faston connections



1

No.	519372	Ref. No.	904167
description	distribution terminal block 4-pole max. 17.5A max 450V connection F6.3 temp.-resist. 110°C 450V		
For models:	GDW2001		

connection boxes



1

No.	550300	Ref. No.	A10007
description	power terminal block 3-pole contacts P+N+E		
For models:	GTO1001, GTO2001		

terminal boxes



1

No.	551214	Ref. No.	S900.48
description	terminal box 4-pole L 90mm W 52mm H 28mm with strain relief Qty 1 pcs		
For models:	GHS1600, GHS2600		



1

No.	551216	Ref. No.	SLZB3001
description	terminal box 4-pole L 90mm W 52mm H 33mm with strain relief 250V 1mm ² Qty 1 pcs		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103, GSC2336		

equipment-specific units


for slicers

covers



1

No.	696528	Ref. No.	00000000489
description	blade covering ø 180mm for knife ø 220mm mounting thread M6 fixing dimensions 12x12mm cast aluminium edition since year of construction 2010		
For models:	GFS1022, GFS2022		



1


No.	697749	Ref. No.	00000000463 00000000490
description	blade covering ø 209mm for knife ø 250mm mounting thread M6 fixing dimensions 12x12mm aluminium		
For models:	GFS1025, GFS2025		



1


No.	697744	Ref. No.	00000000403
description	blade covering ø 248mm for knife ø 300mm mounting thread M6 fixing dimensions 12x12mm aluminium		
For models:	GFS1030, GFS2030		

locking screws



1

No.	698376	Ref. No.	00000001302 00000701302
description	locking screw thread M6 L 134mm black		
For models:	GFS1022, GFS2022		



No. 697439 **Ref. No.** 00000000777

description locking screw thread M6 L 155mm handle ø 40mm


For models: GFS2025



No. 696602 **Ref. No.** 00000009958

description locking screw thread M6 L 188mm handle ø 39mm for model 300/S-G, Dolly Verticale VS300

For models: GFS1030



No. 698629 **Ref. No.** 00000709956

description locking screw thread M6 L 155mm ø 10mm L1 55mm handle ø 29mm

For models: GFS1025

adjustment knobs



1

No. 697419 **Ref. No.** 00000000130
00000700130

description adjusting knob 0-15 ø 55mm shaft ø 12mm shaft L 28mm handle ø 42mm 250

For models: GFS1022, GFS2019, GFS2022, GFS2025, GFS2030



1

No. 696522 **Ref. No.** 00000009503

description adjusting knob 0-22 ø 68mm shaft ø 18mm shaft L 50mm handle ø 68mm turn direction left

For models: GFS1030

eccentric disc for slice thickness



1

No. 697470 **Ref. No.** 00000000830

description eccentrics for cutting thickness hole ø 12mm groove width 6mm ED ø 52mm thickness 21.5mm

For models: GFS2025



1

No. 697471 **Ref. No.** 00000000379

description eccentrics for cutting thickness hole ø 12mm groove width 6mm ED ø 58mm thickness 21mm

For models: GFS1022, GFS1025, GFS2019, GFS2022, GFS2030

spring washers



1

No. 697478 **Ref. No.** 00000000671

description spring washer ID ø 19mm ED ø 26mm Qty 1 pcs

For models: GFS1030

guiding pieces

for sliding plates



1

No. 697483 **Ref. No.** 00000000117

description guide 195

For models: GFS1022, GFS2019, GFS2022



1

No. 697448 **Ref. No.** 00000009177

description guide 220-250

For models: GFS2025, GFS2030

			
1			
No.	696524	Ref. No.	00000000602 00000009691
description	guide L 117mm W 92mm H 51mm hole ø 18mm shaft intake ø 16mm aluminium		
For models:	GFS1030		

			
1			
No.	697477	Ref. No.	00000000126
description	connection plate L 75mm W 15mm		
For models:	GFS2019, GFS2022, GFS2025, GFS2030		

for carriage			
			
1			
No.	696510	Ref. No.	00000009466
description	guide 220		
For models:	GFS1022, GFS2019, GFS2022		

bushes			
			
1			
No.	698626	Ref. No.	00000000119
description	bush ED ø 18mm ID ø 16mm H 15mm		
For models:	GFS1030, GFS2025, GFS2030		

			
1			
No.	698627	Ref. No.	00000000611
description	bush ED ø 8mm ID ø 5mm H 10mm		
For models:	GFS1030		

spindles			
			
1			
No.	697782	Ref. No.	00000000501
description	spindle for carriage ø 16mm L 390mm thread M8		
For models:	GFS1025		

housings			
bottom parts			
			
1			
No.	696512	Ref. No.	00000000504
description	bottom plate 220		
For models:	GFS1022, GFS2019, GFS2022		

			
1			
No.	696345	Ref. No.	00000000516
description	bottom plate L 390mm W 190mm plastic 300		
For models:	GFS1025		

			
1			
No.	698393	Ref. No.	00000000701
description	bottom plate L 409mm W 174mm plastic		
For models:	GFS2025, GFS2030		

			
1			
No.	698389	Ref. No.	00000000768
description	cover L 447mm W 180mm plastic		
For models:	GFS1030		

hand guard			
			
1			
No.	697754	Ref. No.	00000000784
description	hand protection for knife ø 300mm H 125mm W 60mm thickness 1.2mm hole ø 6.5mm mounting distance 84mm stainless steel		
For models:	GFS1030		



1

No.	696511	Ref. No.	00000000197
description	wiper for knife ø 220/250mm stainless steel		
For models:	GFS1025, GFS2025		



1

No.	697755	Ref. No.	00000000162
description	hand protection for carriage 300 H 180mm W 152mm thickness 5mm hole ø 10mm mounting distance 110mm plastic		
For models:	GFS1030		



1

No.	697826	Ref. No.	00000000924
description	hand protection for slicer		
For models:	GFS1025, GFS2025		



1

No.	698964	Ref. No.	00000000482
description	hand protection for slicer 195-220		
For models:	GFS2019, GFS2022		

accessories



1

No.	697482	Ref. No.	00000000446
description	screw thread M5 ø 8mm L 15mm		
For models:	GFS1025, GFS1030, GFS2019, GFS2022, GFS2025		



1

No.	697481	Ref. No.	00000000623
description	Thumb screw thread M6 thread L 8mm ø 14mm H 6mm SS		
For models:	GFS1030, GFS2019, GFS2022, GFS2025		



1

No.	698640	Ref. No.	00000000924
description	blade pulley complete with shaft shaft ø 14 shaft length 95mm mounting thread M5 3 hole fixing		
For models:	GFS1022, GFS2022		



1

No.	697747	Ref. No.	00000000920
description	blade pulley with spindle D1 ø 40mm D2 ø 64.3mm D3 ø 67.5mm shaft ø 14 L 33mm shaft length 152mm mounting thread M5 mounting ø 3-hole		
For models:	GFS1025		



1

No.	697746	Ref. No.	000000009469
description	blade pulley with spindle D1 ø 40mm D2 ø 76mm shaft ø 16 L 40mm shaft length 157mm mounting thread M5 mounting ø 3-hole		
For models:	GFS1030		
spare parts for	697746		



No.	514030	Ref. No.	—
description	retaining ring shaft ø 20mm thickness 1.3mm steel DIN 471		



No.	523512	Ref. No.	00000000632
description	deep-groove ball bearing type 6204-2RS shaft ø 20mm ED ø 47mm W 14mm with sealing discs deep-groove ball bearing DIN 625-1		



No.	692029	Ref. No.	—
description	retaining ring bore ø 47mm thickness 1.8mm steel DIN 472		

food holders

handles



1

No.	698642	Ref. No.	00000001130
description	handle thread M10 ø 59mm L 100mm aluminium		
For models:	GFS1030		



1

No.	696515	Ref. No.	00000001242
description	handle thread M10x1.5 ø 34mm L 88mm food holder		
For models:	GFS1025		

accessories for		696515		
	No.	696517	Ref. No.	00000800678
	thread bolt for handle ø 12mm L 64mm thread M6/M10 stainless steel			



1

No.	697429	Ref. No.	00000000298
description	handle thread M6 ø 25mm L 126mm with hand guard D1 ø 70mm		
For models:	GFS2019, GFS2022, GFS2025, GFS2030		

food holders



1

No.	698644	Ref. No.	00000000608
description	food holder 300-350 L 290mm hole ø 12mm handle M10 CE		
For models:	GFS1030		

accessories for		698644		
	No.	110703	Ref. No.	—
	cylindrical handle thread M10 ø 28mm L 87mm			



1

No.	698418	Ref. No.	000000009878
description	food holder L 240mm hole ø 12mm handle M6 with handle		
For models:	GFS1025, GFS2025, GFS2030		

accessories



1

No.	698630	Ref. No.	00000000827
description	spike food holder ø 3mm L 11.5mm		
For models:	GFS1025, GFS1030, GFS2019, GFS2022, GFS2025, GFS2030		



1

No.	697480	Ref. No.	00000000151
description	stop bolt food holder ø 7.5mm L 8mm plastic		
For models:	GFS1025, GFS1030, GFS2019, GFS2022, GFS2025, GFS2030		



1

No.	696517	Ref. No.	00000800678
description	thread bolt for handle ø 12mm L 64mm thread M6/M10 stainless steel		
For models:	GFS1025		

accessories for		696517		
	No.	696515	Ref. No.	00000001242
	handle thread M10x1.5 ø 34mm L 88mm food holder			

blades

standard



1

No.	697546	Ref. No.	00000000254
description	slicing machine blade ED ø 195mm seat ø 30mm 3-hole ID ø 155mm H 12.8mm C45 standard		
For models:	GFS2019		



1

No.	697436	Ref. No.	00000000855
description	slicing machine blade ED ø 220mm seat ø 40mm 3-hole ID ø 180mm H 15.5mm C45		
For models:	GFS1022, GFS2022		



1

No.	697365	Ref. No.	00000000142
description	slicing machine blade ED ø 250mm seat ø 40mm 3-hole ID ø 210mm H 17.5mm C45 standard		
For models:	GFS1025, GFS2025		




1

No.	697385	Ref. No.	00000000636
description	slicing machine blade ED ø 300mm seat ø 40mm 3-hole ID ø 250mm H 20mm C45 standard		
For models:	GFS1030, GFS2030		

sharpener units

lids



1

No.	696514	Ref. No.	00000000863
description	lid for sharpener units L 116mm W 100mm mounting distance 26mm		
For models:	GFS1025, GFS2022, GFS2025		



1

No.	698643	Ref. No.	00000000596
description	lid for sharpener units L 150mm W 120mm		
For models:	GFS1030, GFS2030		

holders



1

No.	696493	Ref. No.	00000000771
description	bracket for sharpener units L 60mm W 31mm H 78mm hole ø 12mm mounting thread M6 with fastening angle		
For models:	GFS1030		

knobs



1

No.	697441	Ref. No.	00000000854
description	locking screw thread M5 handle ø 25mm black L 30mm		
For models:	GFS2022, GFS2025		



1

No.	696518	Ref. No.	00000000954
description	locking screw thread M5 L 47mm handle ø 25mm silver		
For models:	GFS1025		



1

No.	697428	Ref. No.	00000000138
description	locking screw thread M6 handle ø 25mm black L 15mm		
For models:	GFS2019		



1

No.	697384	Ref. No.	00000000734
description	locking screw thread M6 handle ø 25mm black L 54mm		
For models:	GFS2030		



1

No.	696523	Ref. No.	000000009510
description	locking screw thread M6 L 53mm handle ø 34mm silver		
For models:	GFS1030		



1

No.	697445	Ref. No.	00000000677
description	mushroom cap handle thread M6 handle ø 33mm L 26mm plastic black		
For models:	GFS2030		

sharpener units



No.	697397	Ref. No.	00000009864
description	blade sharpener 220/250/275		
For models:	GFS1022, GFS1025, GFS2022, GFS2025		



No.	697355	Ref. No.	00000009693
description	blade sharpener 350		
For models:	GFS1030		
spare parts for	697355		
	No.	697377	Ref. No. 00000000720
	grindstone ø 51mm thickness 12mm bore ø 8mm grained coarse without bevel		
	No.	697378	Ref. No. 00000000721
	grindstone ø 51mm thickness 7mm bore ø 8mm grained fine with bevel, without hub		



No.	697420	Ref. No.	00000009168
description	blade sharpener PARKER		
For models:	GFS2019		
spare parts for	697420		
	No.	697423	Ref. No. 00000000816
	grindstone ø 40mm thickness 8mm bore ø 6mm grained fine with bevel, with hub		
	No.	697424	Ref. No. 00000000871
	grindstone ø 40mm thickness 8mm bore ø 6mm grained coarse with bevel, with hub		
	No.	697428	Ref. No. 00000000138
	locking screw thread M6 handle ø 25mm black L 15mm		

spindles



No.	698633	Ref. No.	00000000778
description	spindle for sharpener units ø 12mm L 95mm thread M5		
For models:	GFS1030		

grindstones



No.	697378	Ref. No.	00000000721
description	grindstone ø 51mm thickness 7mm bore ø 8mm grained fine with bevel, without hub		
For models:	GFS1030, GFS2030		

grindstones with hub



No.	697424	Ref. No.	00000000871
description	grindstone ø 40mm thickness 8mm bore ø 6mm grained coarse with bevel, with hub		
For models:	GFS2019		



No.	697423	Ref. No.	00000000816
description	grindstone ø 40mm thickness 8mm bore ø 6mm grained fine with bevel, with hub		
For models:	GFS2019		



No.	697421	Ref. No.	00000000641
description	grindstone ø 45mm thickness 8mm bore ø 6mm grained coarse with bevel, with hub		
For models:	GFS1025, GFS2022, GFS2025		



No.	697422	Ref. No.	00000000642
description	grindstone ø 45mm thickness 8mm bore ø 6mm grained fine with bevel, with hub		
For models:	GFS1025, GFS2022, GFS2025		

grindstones cup form



1

No.	697377	Ref. No.	00000000720
description	grindstone ø 51mm thickness 12mm bore ø 8mm grained coarse without bevel		
For models:	GFS1030, GFS2030		

carriages

handles



1

No.	697440	Ref. No.	00000000432
description	handle thread M10 handle ø 66mm H 51mm black		
For models:	GFS1022		

accessories



1

No.	696516	Ref. No.	00000000186
description	bracket for carriage L 56mm aluminium		
For models:	GFS2019, GFS2022		



1

No.	698631	Ref. No.	00000000895
description	spindle for carriage thread M6 L 170mm ø 12mm		
For models:	GFS2025		



1

No.	697827	Ref. No.	00000000678
description	spindle for slicer thread M10 L 95mm thread L 12/15mm total length 122mm ø 16mm stainless steel		
For models:	GFS1030		

miscellaneous



1

No.	697356	Ref. No.	00000000300
description	bracket thread M10x0.75 ø 30mm for microswitch ID ø 14.5mm thickness 13mm mounting thread M5		
For models:	GFS1025		



1

No.	697476	Ref. No.	00000000509
description	bush ø 14mm L 88mm ID ø 12mm		
For models:	GFS1025, GFS2019, GFS2022, GFS2025, GFS2030		



1

No.	698388	Ref. No.	00000000765
description	mounting flange ø 18mm L 128mm W 28mm		
For models:	GFS1030		



1

No.	698392	Ref. No.	00000000828
description	thread bolt thread M6 ø 6mm L 35mm for slicer		
For models:	GFS1025, GFS1030, GFS2019, GFS2022, GFS2025, GFS2030		



1

No.	698628	Ref. No.	00000000774
description	threaded shaft thread M6 L 37mm for slicer		
For models:	GFS1030		

for hand blenders

housings



1

No.	699708	Ref. No.	2840M
description	cover for handle blue GSM1000 L 80mm W 42mm		
For models:	GSM1000		

			
1			
No.	696503	Ref. No.	2851
description	handle for hand blender plastic grey		
For models:	GSM1000		

			
1			
No.	699134	Ref. No.	2849M
description	housing left blue GSM1000		
For models:	GSM1000		
accessories for	699134		
	No.	699133	Ref. No.
			2843M
	 housing right blue GSM1000		

			
1			
No.	699133	Ref. No.	2843M
description	housing right blue GSM1000		
For models:	GSM1000		
accessories for	699133		
	No.	699134	Ref. No.
			2849M
	 housing left blue GSM1000		

			
1			
No.	698386	Ref. No.	2848M
description	sticker for hand blender silver L 125mm W 25mm thickness 1mm ON-OFF		
For models:	GSM1000		

			
1			
No.	698387	Ref. No.	2853M
description	sticker for lid silver L 50mm W 27mm		
For models:	GSM1000		

couplings

			
1			
No.	696504	Ref. No.	2846
description	coupling for hand blender D1 ø 19mm int. ø 1 6.3mm L 29.5mm teeth 8 GSM1000		
For models:	GSM1000		

			
1			
No.	696505	Ref. No.	2860
description	coupling with roll pin for hand blender D1 ø 19mm int. ø 1 8mm teeth 8 GSM1000		
For models:	GSM1000		

blender sticks

blades

blades with adaptor (complete)

			
1			
No.	698262	Ref. No.	0551
description	knife ø 39mm hole ø 4mm H 12mm		
For models:	GSM1000		



1

No.	698261	Ref. No.	0550
description	knife ø 39mm hole ø 4mm H 18mm		
For models:	GSM1000		



1

No.	698381	Ref. No.	0552
description	mixer disc ø 36mm hole ø 4mm H 0.8mm GSM1000		
For models:	GSM1000		



1

No.	698382	Ref. No.	0553
description	mixer disc ø 36mm hole ø 4mm H 3.4mm GSM1000		
For models:	GSM1000		

blender sticks



1

No.	698379	Ref. No.	2845M
description	blender stick GSM1000 L 234mm flange ø 66mm		
For models:	GSM1000		

spindles



1

No.	698380	Ref. No.	2844M
description	drive shaft for hand blender with coupling D1 ø 4mm D2 ø 8mm L 214mm SS		
For models:	GSM1000		
spare parts for	698380		
	No.	696505	Ref. No.
			2860
coupling with roll pin for hand blender D1 ø 19mm int. ø 1 8mm teeth 8 GSM1000			

miscellaneous



1

No.	698385	Ref. No.	2841
description	bracket for grab handle L 40mm W 37mm thickness 1.5mm		
For models:	GSM1000		



1

No.	696507	Ref. No.	2854
description	bracket for motor plastic black		
For models:	GSM1000		



1

No.	696506	Ref. No.	2858
description	knob for PCB ø 26mm black Qty 1 pcs		
For models:	GSM1000		



1

No.	532648	Ref. No.	2859
description	O-ring EPDM thickness 1.5mm ID ø 5mm Qty 1 pcs		
For models:	GSM1000		



1

No.	698384	Ref. No.	45710
description	protection cap for grab handle plastic black		
For models:	GSM1000		



1

No.	698383	Ref. No.	0632
description	shaft sealing ID ø 4mm ED ø 12mm for hand blender H 6.3mm		
For models:	GSM1000		

for citrus juicers

spillage trays



1

No.	696502	Ref. No.	900963
description	drain tray for citrus juicers ø 175mm hole ø 42mm H 110mm SS		
For models:	GJU1001		

gaskets



1

No.	532647	Ref. No.	900970
description	O-ring EPDM thickness 1.8mm ID ø 11.8mm Qty 1 pcs		
For models:	GJU1001		



1

No.	511953	Ref. No.	900871
description	seal kit for citrus juicers		
For models:	GJU1001		

motors



1

No.	501426	Ref. No.	900956
description	motor for citrus juicers 180W 230-240V 50Hz shaft ø 8mm shaft length 40mm type RCJ298252 0.18kW		
For models:	GJU1001		

juicer insert



1

No.	650168	Ref. No.	900901
description	filter for citrus juicers ø 155mm H 23mm plastic		
For models:	GJU1001		



1

No.	650167	Ref. No.	221266
description	juicer insert set for citrus juicers ø 57/62/79mm H 45/50/55mm plastic		
For models:	GJU1001		

spindles



1

No.	650170	Ref. No.	900895
description	spindle L 48mm square thread M8x1.25 for citrus juicers WS 12		
For models:	GJU1001		

miscellaneous



1

No.	650171	Ref. No.	900925
description	cover for spindle ø 44mm H 18mm aluminium		
For models:	GJU1001		



1

No.	650169	Ref. No.	221242
description	drip tray for citrus juicers ø 79mm H 20mm plastic black		
For models:	GJU1001		

for fridges

drain systems

drain valves



1

No.	699499	Ref. No.	W0409858
description	drain fitting connection A L 47mm hose ø 15mm for GFR2700/GRE2700 plastic		
For models:	GFR2700, GRE2700		
accessories for	699499		



1

No.	699567	Ref. No.	W0409859
description	drain fitting connection B L 20mm for GFR2700/GRE2700 plastic		



1

No.	699567	Ref. No.	W0409859
description	drain fitting connection B L 20mm for GFR2700/GRE2700 plastic		
For models:	GFR2700, GRE2700		
accessories for	699567		



No.	699499	Ref. No.	W0409858
description	drain fitting connection A L 47mm hose ø 15mm for GFR2700/GRE2700 plastic		

drain pans

1 			
No.	530916	Ref. No.	80012001
description	drain pan L 520mm W 233mm H 30mm for GFR2700/GRE2700 hole ø 24mm		
For models:	GFR2700, GRE2700		

control parts

1 			
No.	698848	Ref. No.	GPC1088-03
description	lamp with thermostat ø 140mm H 35mm		
For models:	GPC1088		

spare parts and accessories

1 			
No.	699568	Ref. No.	W0604038
description	base plate for door hinge mounting pos. lower L 35mm W 25mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

1 			
No.	699569	Ref. No.	W0604030
description	base plate for door hinge mounting pos. right L 74mm W 42mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

1 			
No.	694967	Ref. No.	SLCX0002
description	cover L 51mm W 44mm H 12mm plastic mounting distance 30mm		
For models:	GSC2336		

1

No.	692867	Ref. No.	W04102051
description	cover ø 20mm L 400mm W 43mm plastic Qty 1 pcs for GFR2700/ GRE2700		
For models:	GFR2700, GRE2700		
accessories for	692867		

No.	692870	Ref. No.	W0413062
-----	--------	----------	----------

rubber pad L 40mm W 17mm H 30mm for GFR2700/GRE2700

No.	696789	Ref. No.	W0210413
-----	--------	----------	----------

copper pipe with insulation pipe ø 6 for fridge GFR2700/GRE2700

			
No.	699574	Ref. No.	81131204
description	cover front for evaporator L 598mm W 295mm H 65mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	699574		
	No.	699577	Ref. No. 80021203
	cover left for evaporator L 255mm W 155mm H 15mm for GFR2700/GRE2700		
	No.	699578	Ref. No. 80021204
	cover right for evaporator L 255mm W 155mm H 15mm for GFR2700/GRE2700		

control panel

			
No.	699234	Ref. No.	44027000
description	bezel L 780mm W 67mm H 62mm mounting pos. upper		
For models:	GRE3600		

lids

			
No.	698864	Ref. No.	GPC1046-05 GPC1088-06
description	cover black L 50mm W 42mm H 7mm		
For models:	GPC1046, GPC1088		

housings

			
No.	699575	Ref. No.	81131401 81131403
description	front panel front-upper for fridge L 730mm W 300mm H 62mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

			
No.	699233	Ref. No.	I9500323
description	terminal box L 98mm W 74mm H 35mm kit		
For models:	GFR3600S, GRE3600, GRE3600S		

			
No.	699577	Ref. No.	80021203
description	cover left for evaporator L 255mm W 155mm H 15mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	699577		
	No.	699574	Ref. No. 81131204
	cover front for evaporator L 598mm W 295mm H 65mm for GFR2700/GRE2700		
	No.	699578	Ref. No. 80021204
	cover right for evaporator L 255mm W 155mm H 15mm for GFR2700/GRE2700		

			
No.	699578	Ref. No.	80021204
description	cover right for evaporator L 255mm W 155mm H 15mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	699578		
	No.	699574	Ref. No. 81131204
	cover front for evaporator L 598mm W 295mm H 65mm for GFR2700/GRE2700		
	No.	699577	Ref. No. 80021203
	cover left for evaporator L 255mm W 155mm H 15mm for GFR2700/GRE2700		

			
No.	699573	Ref. No.	80010942 80011042
description	deflector rear L 1030mm W 363mm H 20mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	699573		
	No.	699586	Ref. No. 80010941 80011041
	bracket for air baffle L 800mm W 38mm H 20mm for GFR2700/GRE2700 3 holes		

equipment feet



1

No.	698865	Ref. No.	GPC1088-12
description	equipment foot M8 thread L 15mm ø 29mm		
For models:	GPC1088		

handles



1

No.	692390	Ref. No.	LCCG0005
description	handle rod for door L 380mm W 40mm aluminium Qty 1 pcs		
For models:	GSC1100G		


caps



1


No.	692372	Ref. No.	S900.03
description	cap grey ø 16.5mm mounting ø 12.5mm H 7mm Qty 1 pcs		
For models:	GHS1600, GHS2600		

frame



1

No.	699583	Ref. No.	W04102045
description	frame rail for door mounting pos. left/right L 1530mm W 19mm H 7.5mm plastic for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	699583		
	No.	699584	Ref. No.
	W04102044		
	frame rail for door mounting pos. upper/lower L 650mm W 19mm H 7.5mm plastic for GFR2700/GRE2700		



1

No.	699584	Ref. No.	W04102044	
description	frame rail for door mounting pos. upper/lower L 650mm W 19mm H 7.5mm plastic for GFR2700/GRE2700			
For models:	GFR2700, GRE2700			
accessories for	699584			
	No.	699583	Ref. No.	W04102045
	frame rail for door mounting pos. left/right L 1530mm W 19mm H 7.5mm plastic for GFR2700/GRE2700			

miscellaneous



1

No.	692392	Ref. No.	SLSE4005
description	cover for lighting W 1170mm H 280mm thickness 1mm plastic Qty 1 pcs		
For models:	GSC1100G		



1

No.	692391	Ref. No.	SLZE0027
description	housing for bulb socket L 150mm W 40mm H 20mm plastic Qty 1 pcs		
For models:	GSC1100G, GSC2336		

doors

doors



1

No.	699571	Ref. No.	81130201
description	door right suitable for GFR2700/GRE2700 W 730mm H 1610mm thickness 45mm stainless steel		
For models:	GFR2700, GRE2700		
spare parts for	699571		
	No.	699569	Ref. No. W0604030
base plate for door hinge mounting pos. right L 74mm W 42mm for GFR2700/GRE2700			
	No.	701641	Ref. No. W0409842
bush upper for door hinge ID ø 11mm ED ø 13mm L 29.5mm for GFR2700/GRE2700			
	No.	701642	Ref. No. W0409843
bush lower for door hinge ID ø 11mm ED ø 13mm L 26mm for GFR2700/GRE2700			

spare parts for	699571		
	No.	902514	Ref. No. W0404514
refrigeration gasket profile 9750 W 660mm L 1537mm plug size			

			
1			
No.	699381	Ref. No.	BLGM4010
description	glass door left W 600mm H 1330mm D 40mm		
For models:	GSC1100G		

			
1			
No.	699382	Ref. No.	BLGM4011
description	glass door right W 600mm H 1330mm D 40mm		
For models:	GSC1100G		

miscellaneous			
			
1			
No.	692869	Ref. No.	81131801 W0409081
description	cover for drain pipe L 145mm W 49mm H 44mm plastic for GFR2700		
For models:	GFR2700, GRE2700		

			
1			
No.	698888	Ref. No.	SLZV0019
description	cover transparent for lamp L 810mm W 40mm H 30mm Qty 1 pcs		
For models:	GBC1003, GBC1003S, GBC1003SS, GBC1103		

			
1			
No.	692426	Ref. No.	LCCJ2029
description	guide for fridge L 1145mm W 26mm H 4.5mm Qty 1 pcs		
For models:	GSC1100G, GSC2336		

			
1			
No.	696783	Ref. No.	W0803011
description	insulation Styropor for drain pan L 515mm W 213mm H 18mm Qty pcs for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	696783		
	No.	699576	Ref. No. 81131203
cover for drain pan L 598mm W 218mm H 42mm for GFR2700/GRE2700			

			
1			
No.	698877	Ref. No.	LCKK0001
description	shelf support L 26.5mm W 8.5mm H 40mm aluminium		
For models:	GSC1100G, GSC2336		

for display coolers

control parts

			
1			
No.	692700	Ref. No.	1.1.C.C12.07
description	door handle L 100mm W 32mm hole distance 68mm black Qty 1 pcs		
For models:	GGC2270B		

			
1			
No.	692409	Ref. No.	1.1.C.C12.06
description	door handle L 100mm W 32mm hole distance 68mm white		
For models:	GGC2270		

			
1			
No.	692402	Ref. No.	1.1.C.C12.14
description	handle grey for vitrine H 9.5mm L 85mm W 25mm mounting distance 70mm Qty 1 pcs		
For models:	GGC1078		

			
1			
No.	692401	Ref. No.	1.1.C.C23.01
description	knob ø 27mm grey zero mark shaft ø 6x4.6mm shaft flat left for thermostat to clip Qty 1		
For models:	GGC1078, GGC1078B		

spare parts and accessories

			
1			
No.	699422	Ref. No.	1.1.C.C63.61
description	clip for dryer L 90mm W 20mm H 52mm plastic Qty 1 pcs		
For models:	GCV1600		

housing and bezels

fascias

			
1			
No.	692411	Ref. No.	1.1.C.C40.02
description	base plate for evaporator L 305mm W 241mm thickness 1.5mm plastic Qty 1 pcs		
For models:	GGC2270, GGC2270B		

			
1			
No.	692405	Ref. No.	1.1.C.C22.08
description	control panel for vitrine temperature MIN/MAX W 130mm D 23mm H 145mm plastic Qty 1 pcs		
For models:	GGC1078, GGC1078B		

			
1			
No.	699410	Ref. No.	1.1.C.C15.03.35
description	front panel mounting pos. front W 518mm D 35mm H 440mm black		
For models:	GGC2270B		



1

No.	699409	Ref. No.	1.1.C.C15.03.03
description	front panel mounting pos. front W 518mm D 35mm H 440mm white		
For models:	GGC2270		



1

No.	699401	Ref. No.	S24AC21A0001
description	front panel mounting pos. front W 865mm D 15mm H 248mm		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		



1

No.	698854	Ref. No.	1.1.C.C15.01.02
description	front panel mounting pos. in the front/at the back black W 427mm D 33mm H 190mm plastic Qty 1 pcs for vitrine		
For models:	GGC1078B		



1

No.	692417	Ref. No.	1.1.C.C21.01
description	housing for control W 130mm D 75mm H 145mm plastic Qty 1 pcs		
For models:	GGC1078, GGC1078B		



1

No.	699415	Ref. No.	1.1.C.C02.02
description	lamp cover W 310mm D 5mm H 172mm black		
For models:	GGC1078, GGC1078B, GGC2270B		



1

No.	699414	Ref. No.	1.1.C.C02.01
description	lamp cover W 310mm D 5mm H 172mm white		
For models:	GGC2270		



1


No.	699407	Ref. No.	S24AC20A0005
description	sheet mounting pos. upper for door W 890mm D 115mm H 10mm		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		

lids



1

No.	699403	Ref. No.	S24AC50A0003
description	top for display refrigerator W 910mm D 705mm H 125mm		
For models:	GSD2600		



1

No.	699404	Ref. No.	S24AC30A0003
description	top for display refrigerator W 910mm D 705mm H 55mm		
For models:	GDS2600, GSF2600		

housings



1

No.	698851	Ref. No.	1.1.C.C15.01.06
description	back panel for vitrine W 515mm D 45mm H 410mm black		
For models:	GGC2270B		



1

No.	692269	Ref. No.	1.1.C.C15.01.05
description	back panel for vitrine W 515mm D 45mm H 410mm white		
For models:	GGC2270		

			
1			
No.	692416	Ref. No.	1.1.C.C25.15
description	bottom for vitrine W 378mm H 115mm L 425mm Qty 1 pcs		
For models:	GGC1078		

			
1			
No.	692419	Ref. No.	1.1.C.C01.15
description	casing cover for display refrigerator W 425mm L 380mm plastic Qty 1 pcs white		
For models:	GGC1078		
accessories for	692419		
	No.	692414	Ref. No.
	—		
			
	lid L 313mm W 163mm for lighting Qty 1 pcs		

			
1			
No.	692437	Ref. No.	1.1.C.C22.07
description	casing cover W 130mm D 70mm H 6mm plastic Qty 1 pcs		
For models:	GGC2270, GGC2270B		

			
1			
No.	692420	Ref. No.	1.1.B.B05.02
description	cover for condenser W 365mm D 220mm H 130mm plate Qty 1 pcs		
For models:	GGC1078, GGC1078B		

			
1			
No.	692422	Ref. No.	1.1.C.C16.02
description	cover for evaporator W 280mm D 345mm H 35mm plastic Qty 1 pcs		
For models:	GGC1078, GGC1078B		

			
1			
No.	692403	Ref. No.	1.1.C.C15.01.01
description	front panel mounting pos. front for vitrine W 427mm D 33mm H 190mm plastic Qty 1 pcs white		
For models:	GGC1078		

			
1			
No.	698860	Ref. No.	1.1.C.C56.84
description	guide mounting pos. front for side part W 23mm D 30mm H 635mm Qty 1 pcs		
For models:	GGC1078B		

			
1			
No.	698861	Ref. No.	1.1.C.C56.85
description	guide mounting pos. rear for side part W 30mm D 30mm H 635mm Qty 1 pcs		
For models:	GGC1078B		

			
1			
No.	699175	Ref. No.	P04AC21A0003
description	housing for control part W 200mm D 115mm H 95mm		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		

			
1			
No.	692415	Ref. No.	1.1.C.C18.04
description	housing for evaporator W 370mm H 175mm L 420mm Qty 1 pcs		
For models:	GGC1078, GGC1078B		



1

No.	699323	Ref. No.	VRX1560.2
description	housing for switch W 114mm D 68mm H 100mm		
For models:	GHS1600, GHS2600		



1

No.	692436	Ref. No.	1.1.C.C21.03
description	housing W 128mm D 65mm H 38mm plastic Qty 1 pcs		
For models:	GGC2270, GGC2270B		



1

No.	692270	Ref. No.	1.1.C.C15.03.08 1.1.C.C15.03.09
description	side panel W 418mm H 410mm plastic white		
For models:	GGC2270		

ventilation grilles



1

No.	698855	Ref. No.	1.1.C.C14.02
description	cover for fan W 425mm D 380mm H 36mm plastic Qty 1 pcs black		
For models:	GGC1078B		



1

No.	699411	Ref. No.	1.1.C.C14.01
description	cover for fan W 425mm D 380mm H 36mm plastic Qty 1 pcs white		
For models:	GGC1078		



1

No.	698853	Ref. No.	1.1.C.C26.02
description	grid mounting pos. lower for ventilation W 350mm D 12mm H 57mm plastic Qty 1 pcs black		
For models:	GGC1078B		



1

No.	699417	Ref. No.	1.1.C.C26.01
description	grid mounting pos. lower for ventilation W 350mm D 12mm H 57mm plastic Qty 1 pcs white		
For models:	GGC1078		



1

No.	701253	Ref. No.	1.1.C.C49.09
description	ventilation grille for air fan plastic black H 50mm L 620mm Qty 1 pcs		
For models:	GCV1600		




1

No.	701254	Ref. No.	1.1.C.C49.10
description	ventilation grille for aspiration plastic black H 50mm L 260mm Qty 1 pcs		
For models:	GCV1600		



frame



1

No.	699412	Ref. No.	1.1.C.C63.14
description	door frame inner W 378mm D 10mm H 385mm		
For models:	GCV1600		



1

No.	699413	Ref. No.	1.1.C.C63.13
description	door frame outer W 375mm D 10mm H 375mm		
For models:	GCV1600		

side parts



1

No.	698862	Ref. No.	1.1.C.C38.19
description	side panel for door L 590mm thickness 17mm		
For models:	GGC1078B		



1

No.	698852	Ref. No.	1.1.C.C15.02.02
description	side panel mounting pos. left/right black W 316mm D 13.5mm H 190mm plastic Qty 1 pcs for vitrine		
For models:	GGC1078B		



1

No.	692404	Ref. No.	1.1.C.C15.02.01
description	side panel mounting pos. left/right white W 316mm D 13.5mm H 190mm plastic Qty 1 pcs for vitrine		
For models:	GGC1078		



1

No.	699444	Ref. No.	1.1.C.C56.06
description	side panel mounting pos. vertical W 40mm D 40mm H 1370mm black		
For models:	GGC2270B		



1

No.	699443	Ref. No.	1.1.C.C56.03
description	side panel mounting pos. vertical W 40mm D 40mm H 1370mm white		
For models:	GGC2270		



1

No.	699324	Ref. No.	VRX38.12
description	side panel W 390mm D 40mm H 222mm		
For models:	GHS1600, GHS2600		



1

No.	698850	Ref. No.	1.1.C.C15.03.10
description	side panel W 418mm H 410mm plastic black		
For models:	GGC2270B		

miscellaneous



1

No.	699427	Ref. No.	1.1.C.C03.01
description	blank H 5mm ø 12mm		
For models:	GGC1078, GGC2270		




1

No.	699428	Ref. No.	1.1.C.C03.02
description	blank H 5mm ø 12mm		
For models:	GGC1078B, GGC2270B		



1

No.	692369	Ref. No.	1.1.C.C63.71
description	bracket for thermometer W 81mm H 41mm plastic Qty 1 pcs		
For models:	GCV1600		



1

No.	692410	Ref. No.	1.1.C.C09.01
description	cover for lighting mounting pos. inner L 230mm W 84mm H 2.5mm plastic Qty 1 pcs		
For models:	GGC1078, GGC1078B, GGC2270, GGC2270B		



1

No.	699315	Ref. No.	SLZE0042
description	fixing plate for evaporator L 55mm W 27mm H 6mm		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103		




1

No.	692370	Ref. No.	1.1.C.C63.70
description	rail for gasket L 740mm W 42mm H 19mm plastic Qty 1 pcs		
For models:	GCV1600		


glass panels

glass panels



1

No.	692293	Ref. No.	1.1.E.E2.02.44
description	glass panel L 1392mm W 376mm thickness 10mm flat mounting pos. lateral for display refrigerator		
For models:	GGC2270, GGC2270B		




1

No.	699328	Ref. No.	1.1.E.E2.02.45
description	glass panel L 1395mm W 464mm thickness 17.5mm mounting pos. rear refrigerated show case GGC2270		
For models:	GGC2270, GGC2270B		



1

No.	699330	Ref. No.	1.1.E.E2.02.76
description	glass panel L 360mm W 357mm thickness 10.5mm for door GCV1600		
For models:	GCV1600		



1

No.	692291	Ref. No.	1.1.E.E2.02.64
description	glass panel L 635mm W 390mm thickness 10mm flat mounting pos. door for display refrigerator		
For models:	GGC1078, GGC1078B		




1


No.	699326	Ref. No.	1.1.E.E2.02.74
description	glass panel L 645mm W 595mm H 16mm thickness 8mm mounting pos. left for display refrigerator GCV1600		
For models:	GCV1600		




1

No.	699327	Ref. No.	1.1.E.E2.02.75
description	glass panel L 645mm W 595mm H 16mm thickness 8mm mounting pos. right for display refrigerator GCV1600		
For models:	GCV1600		

			
1			
No.	692292	Ref. No.	1.1.E.E2.02.12
description	glass panel L 655mm W 390mm thickness 10mm flat mounting pos. rear for display refrigerator		
For models:	GGC1078, GGC1078B		

			
1			
No.	692290	Ref. No.	1.1.E.E2.02.11
description	glass panel L 660mm W 332mm thickness 10mm flat mounting pos. lateral for fridge		
For models:	GGC1078, GGC1078B		

			
1			
No.	699329	Ref. No.	1.1.E.E2.04.15.A0
description	glass panel L 773mm W 710mm thickness 12mm mounting pos. front-side for display refrigerator GCV1600		
For models:	GCV1600		

			
1			
No.	692289	Ref. No.	1.1.E.E2.02.65
description	glass panel W 460mm H 1360mm thickness 17mm curved for fridge		
For models:	GGC2270, GGC2270B		

accessories			
			
1			
No.	699431	Ref. No.	1.1.B.B14.05
description	rail L 775mm		
For models:	GCV1600		

doors			
			
1			
No.	699176	Ref. No.	S24AC22A0001-LEFT
description	door L 515mm W 425mm H 55mm mounting pos. left		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		

			
1			
No.	699177	Ref. No.	S24AC22A0001-RIGHT
description	door L 515mm W 425mm H 55mm mounting pos. right		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		

			
1			
No.	698859	Ref. No.	1.1.C.C11.02
description	door frame L 425mm W 15mm H 28mm mounting pos. upper/lower		
For models:	GGC1078B		

			
1			
No.	699405	Ref. No.	S24AC50A0004
description	shelf L 255mm W 890mm H 30mm stainless steel		
For models:	GSD2600		

door mechanics

bolts



1

No.	699424	Ref. No.	1.1.B.B09.03
description	door bolt H 7mm W 7mm L 20.5mm mounting pos. upper		
For models:	GGC1078, GGC1078B		

bushes



1

No.	699430	Ref. No.	1.1.C.C13.02
description	bush H 15mm ø 10mm		
For models:	GGC1078B, GGC2270, GGC2270B		

miscellaneous



1

No.	694928	Ref. No.	WJCX0000
description	door magnet L 46mm W 16mm H 14.5mm		
For models:	GBC1102, GBC1103		



1

No.	694929	Ref. No.	WJCXG000
description	plate for magnet L 45mm W 12mm H 1.5mm mounting distance 32mm		
For models:	GBC1102, GBC1103		

for pyroceram ranges

ceramic hobs

ceramic glass plates



1

No.	694579	Ref. No.	MBF000032R
description	ceramic plate L 300mm W 300mm thickness 4mm		
For models:	GLC3035		

for deep fryers

fasteners



1

No.	692544	Ref. No.	2.02HDF4260701
description	mounting strap L 63mm W 25mm H 15mm		
For models:	GDF3024, GDF3028, GDF5028		

lids



1

No.	698544	Ref. No.	3.CP0603070100
description	mushroom cap handle handle ø 50mm ø 70mm L 36mm plastic black		
For models:	GDF3004, GDF3008, GDF3024, GDF3028, GDF5008, GDF5028		

miscellaneous



1			
No.	694737	Ref. No.	2.02HDF8A130001
description	bezel plate L 63mm H 15mm ID ø 26mm		
For models:	GDF5008, GDF5028		



1			
No.	699212	Ref. No.	2.HDF8A460201
description	pipe stainless steel L 30mm W 13mm thread M5		
For models:	GDF5008, GDF5028		

for convection ovens/combi-steamers



1			
No.	692843	Ref. No.	00004380
description	spacer bush ID ø 7mm H 7.5mm ED ø 17.5mm for glass plate white		
For models:	GCO2001		

spare parts and accessories



1			
No.	693043	Ref. No.	F02005
description	guard		
For models:	GTO1001, GTO2001		

glass panels



1			
No.	694950	Ref. No.	VET30017
description	door glass for combi-steamer L 485mm mounting pos. inner W 415mm thickness 4mm		
For models:	GCO500		



1			
No.	694951	Ref. No.	VET05021
description	door glass for combi-steamer L 555mm mounting pos. outer W 425mm thickness 4mm		
For models:	GCO500		



1			
No.	692841	Ref. No.	21100870
description	glass panel L 447mm mounting pos. inner W 585mm		
For models:	GCO2001		



No.	692842	Ref. No.	21100880
description	glass panel L 450mm mounting pos. outer W 590mm		



No.	692843	Ref. No.	00004380
description	spacer bush ID ø 7mm H 7.5mm ED ø 17.5mm for glass plate white		



1			
No.	692842	Ref. No.	21100880
description	glass panel L 450mm mounting pos. outer W 590mm		
For models:	GCO2001		



No.	692841	Ref. No.	21100870
description	glass panel L 447mm mounting pos. inner W 585mm		



No.	692843	Ref. No.	00004380
description	spacer bush ID ø 7mm H 7.5mm ED ø 17.5mm for glass plate white		



No.	694993	Ref. No.	00011680
description	door handle ø 18mm L 350mm stainless steel M5 black matt		

Fans - accessories



1			
No.	701630	Ref. No.	00012330
description	air duct for cross flow fan for combi-steamer plastic grey		
For models:	GCO2001		



for hot dog machines

lids



1

No.	694450	Ref. No.	F05051
description	lid for hot dog machine ø 205mm		
For models:	GHM1001		

glass cylinders



1

No.	693002	Ref. No.	F05009
description	glass cylinder ø 200mm Pyrex glass H 240mm		
For models:	GHM1001		

skewers



1

No.	693018	Ref. No.	F05010
description	bun spikes for hot dog machine		
For models:	GHM1001		


water containers



1

No.	693005	Ref. No.	F05022
description	water container for hot dog machine PTFE/aluminium		
For models:	GHM1001		

for induction devices



1

No.	970790	Ref. No.	AB600022
description	grease filter W 323mm H 144mm thickness 8mm SS layers 2 outer grids 1 inner grids 1 for induction device		
For models:	GIC3035		

for tilting bratt pans

miscellaneous




1

No.	523510	Ref. No.	00000000860
description	deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		
For models:	GFS1025, GFS2019, GFS2022, GFS2025, GFS2030		

for microwaves

electric


line filters



1

No.	403188	Ref. No.	263029001088
description	line filter microwave for GMW1025 250V 50/60Hz conductor 2 PCB connection male faston 4.8mm L 80mm H 20mm W 40mm PCB Qty 1 pcs cable length 120mm type DNV-0818A-5		
For models:	GMW1025		

ceramic plates



1

No.	692350	Ref. No.	243999000108
description	ceramic plate L 330mm W 335mm for microwave thickness 3.5mm GMW1025 Qty 1 pcs		
For models:	GMW1025		
accessories for	692350		



No.	901698	Ref. No.	593219000016
description	gasket L 330mm W 325mm silicone for ceramic plate Qty 1 pcs		

miscellaneous



1

No.	601869	Ref. No.	213149000023
description	bracket L 78mm W 20mm H 50mm for condenser Qty 1 pcs		
For models:	GMW1025		

doors

films




1

No.	692451	Ref. No.	515059000119
description	film L 287mm W 159mm for door inside thickness 0.1mm transparent suitable for GALANZ plastic Qty 1 pcs		
For models:	GMW1025		

for ovens

housing and bezels



1

No.	692763	Ref. No.	DEF30123
description	cover for hot air oven L 320mm W 325mm H 62mm		
For models:	GCO500		

for saladettes

housing and bezels



1

No.	692692	Ref. No.	KITSR4AC2A00
description	bridge L 168/330/534mm 6 pieces		
For models:	GSA2600		



1

No.	692691	Ref. No.	KITSR4AC4A00
description	bridge set 2-piece for saladette W 25mm D 184mm H 11mm		
For models:	GPS2600, GSD2600		



1

No.	993263	Ref. No.	P04AC20A0006
description	cutting board L 950mm W 130mm H 20mm		
For models:	GSA2600		



1

No.	692257	Ref. No.	VRX.01 VRX.02 VRX.04 VRX.05 VRX.06 VRX33-38
description	mounting set for glass plate for saladette 53-piece Qty 1 pcs 6x mounting clip 7x angle 12x flat-headed bolt 14x bush 14x screw connection		
For models:	GHS1600, GHS2600		

doors



1

No.	701546	Ref. No.	S24AC22A0006
description	door bolt L 28mm mounting pos. upper thread L 8mmmm		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		



for salamander grills



No.	692240	Ref. No.	30045
------------	--------	-----------------	-------

description drain tray for salamander grill L 350mm W 245mm

For models: GTO1001, GTO2001

backflow preventers

backflow preventers



1

No.	516101	Ref. No.	TR2433
------------	--------	-----------------	--------

description backflow preventer dishwasher hose ø 12mm

For models: GDW2001

spare parts for 516101



No. 506367 **Ref. No.** —
flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs

for dishwashers

boilers

boilers for dishwashers



1

No.	508429	Ref. No.	900384
------------	--------	-----------------	--------

description boiler 3500W 230V ø 127mm L 400mm

For models: GDW2001

air traps

air traps




1

No.	519643	Ref. No.	905262
------------	--------	-----------------	--------

description air trap L 91mm W 54mm H 41mm hose ø 4x7mm plastic

For models: GDW2001

air trap accessories



1

No.	519162	Ref. No.	904131
------------	--------	-----------------	--------

description spring

For models: GDW2001

door mechanics

linkage



1

No.	519261	Ref. No.	902740
------------	--------	-----------------	--------

description door pin tie bar

For models: GDW2001

threaded shafts



1

No.	519228	Ref. No.	905424
------------	--------	-----------------	--------

description threaded part end stop

For models: GDW2001

sliding plates



1

No.	519208	Ref. No.	904952
------------	--------	-----------------	--------

description sliding plate sliding plate

For models: GDW2001

hinges



1

No.	519035	Ref. No.	901245
------------	--------	-----------------	--------

description door hinge bores 3 hinge

For models: GDW2001

hinge pins



No.	519204	Ref. No.	904795
description	hinge pin hinge pin		
For models:	GDW2001		

locks



No.	519247	Ref. No.	906121
description	door catch door locking catch		
For models:	GDW2001		
accessories for	519247		
	No.	519050	Ref. No.
			—
nut thread M12x1.75 H 4mm WS 16 SS Qty 1 pcs for snap lock			

screw connections



No.	519645	Ref. No.	902111
description	nut thread 3/8" H 14mm WS 24 plastic Qty 1 pcs		
For models:	GDW2001		

washing and rinsing systems



No.	501351	Ref. No.	908154
description	flange mounting pos. upper ø 91mm H 11mm ID ø 45mm hole ø 5.5mm		
For models:	GDW2001		



No.	519444	Ref. No.	905449
description	opposite support mounting pos. upper/lower for wash arm support suitable for Silanos		
For models:	GDW2001		
accessories for	519444		
	No.	519445	Ref. No.
			908141
gasket D1 ø 80mm D2 ø 50mm thickness 3mm with 4 screw holes			



No.	519238	Ref. No.	906002
description	plain washer ID ø 15mm ED ø 33mm thickness 0.8mm SS Qty 1 pcs		
For models:	GDW2001		



No.	501349	Ref. No.	908456
description	reducer for rinse arm shaft		
For models:	GDW2001		



No.	517355	Ref. No.	908702
description	spacer piece for wash arm support ID ø 44mm ED ø 80mm thickness 18mm L 55mm plastic		
For models:	GDW2001		



No.	519085	Ref. No.	902880
description	Thumb screw ø 34mm thread M6		
For models:	GDW2001		



No.	519537	Ref. No.	908701
description	wash pipe ø 37mm L 720mm plastic suitable for Silanos		
For models:	GDW2001		


for toasters

spare parts and accessories



No.	693043	Ref. No.	F02005
description	guard		
For models:	GTO1001, GTO2001		

miscellaneous



No.	694449	Ref. No.	F01069
description	guard L 315mm W 200mm for toaster H 24mm		
For models:	GTO1001, GTO2001		

knobs

universal knobs



No.	112733	Ref. No.	3ZCK165BT19010101MGB
description	knob zero mark t.max.°C ø 55mm shaft ø 6x4.6mm shaft flat upper black		
For models:	GDF3004, GDF3008, GDF3024, GDF3028, GDF5008, GDF5028		

miscellaneous



No.	696506	Ref. No.	2858
description	knob for PCB ø 26mm black Qty 1 pcs		
For models:	GSM1000		

accessories

rosettes



No.	111806	Ref. No.	3.ZCK165BT20010101-1
description	rosette knob ø 16mm ø 55mm		
For models:	GDF3004, GDF3008, GDF3024, GDF3028, GDF5008, GDF5028		

handles and hand wheels

mushroom cap handles



No.	697445	Ref. No.	00000000677
description	mushroom cap handle thread M6 handle ø 33mm L 26mm plastic black		
For models:	GFS2030		



No.	698641	Ref. No.	00000001111
description	mushroom cap handle thread M6 handle ø 34mm L 25mm aluminium		
For models:	GFS1030		

handle bars

producer-specific handle rails

TECNOEKA



No.	694993	Ref. No.	00011680
description	door handle ø 18mm L 350mm stainless steel M5 black matt		
For models:	GCO2001		

handle rails

handle rails



No.	699449	Ref. No.	SLZB0020
description	handle rail for fridge L 220mm W 36mm H 23mm grey hole distance 120mm		
For models:	GSC2336		

miscellaneous

			
1			
No.	692409	Ref. No.	1.1.C.C12.06
description	door handle L 100mm W 32mm hole distance 68mm white		
For models:	GGC2270		

			
1			
No.	698858	Ref. No.	1.1.C.C12.15
description	handle black for vitrine H 9.5mm L 85mm W 25mm mounting distance 70mm Qty 1 pcs		
For models:	GGC1078B		

			
1			
No.	692402	Ref. No.	1.1.C.C12.14
description	handle grey for vitrine H 9.5mm L 85mm W 25mm mounting distance 70mm Qty 1 pcs		
For models:	GGC1078		

			
1			
No.	691960	Ref. No.	A15015
description	handle L 100mm W 32mm hole distance 70mm for lid		
For models:	GTO1001, GTO2001		

			
1			
No.	110921	Ref. No.	A15016
description	handle L 130mm W 39mm hole distance 91mm Qty 1 pcs		
For models:	GHM1001		

			
1			
No.	692545	Ref. No.	3.HDF409010101
description	handle L 96mm W 64mm hole distance 73mm mounting pos. side panel black		
For models:	GDF3004, GDF3024		

locks

locking devices

producer-specific

WEIBO

			
1			
No.	692878	Ref. No.	W0604007
description	key cylinder rotation 90° cam length 45mm cam width 14mm for GFR2700/GRE2700 with 2 keys		
For models:	GFR2700, GRE2700		

snap locks

producer-specific

METRO

			
1			
No.	692397	Ref. No.	WJLD1001
description	roller L 50mm mounting distance 32mm plastic Qty 1 pcs		

hinges

oven hinges



1

No.	701631	Ref. No.	00014600
description	opposite support mounting distance 119mm L 135mm W 12mm		
For models:	GCO2001		
accessories for	701631		
	No.	701573	Ref. No. 00014610
	oven hinge mounting distance 142mm mounting distance 2mm lug mountingmm lever lengthmm groove distance 12mm spring thickness 3.3mm mounting ear position spring length 116mm L 170mm mounting pos. left/right W 22mm		



1

No.	701573	Ref. No.	00014610
description	oven hinge mounting distance 142mm mounting distance 2mm lug mountingmm lever lengthmm groove distance 12mm spring thickness 3.3mm mounting ear position spring length 116mm L 170mm mounting pos. left/right W 22mm		
For models:	GCO2001		
accessories for	701573		
	No.	701631	Ref. No. 00014600
	opposite support mounting distance 119mm L 135mm W 12mm		



1

No.	701592	Ref. No.	CER30021 STA00028
description	oven hinge set mounting distance 140mm lever length 42mm groove distance 15mm spring thickness 2.9mm L 170mm mounting pos. left/right with opposite support Qty 2 pcs		
For models:	GCO500		

door bearing



1

No.	692406	Ref. No.	1.1.B.B10.17
description	bolt H 16.5mm ø 10/14mm ID ø 7mm brass for door hinge Qty 1 pcs		
For models:	GGC2270, GGC2270B		



1

No.	701562	Ref. No.	44447000
description	bolt L 36mm W 22mm thread M6 bolt 12mm bolt ø 12mm		
For models:	GFR3600S, GRE3600, GRE3600S		



1

No.	692421	Ref. No.	1.1.C.C13.01
description	bush H 15mm ø 10/13mm ID ø 7mm plastic for door hinge Qty 1 pcs		
For models:	GGC1078, GGC2270, GGC2270B		



1

No.	701567	Ref. No.	41649000
description	bush L 11mm ø 11/15mm thickness 2mm		
For models:	GFR3600S, GRE3600, GRE3600S		



1

No.	701572	Ref. No.	I0534002
description	bush ø 18.5mm ID ø 12mm		
For models:	GFR3600S		

			
No.	701280	Ref. No.	WJMA4002
description	door hinge L 42mm W 33mm H 82mm mounting pos. bottom right/ left set Qty 1 pcs		
For models:	GSC1100G		

			
No.	701281	Ref. No.	WJMA4005
description	door hinge L 43mm W 82mm H 71mm mounting pos. upper right/ left set Qty 1 pcs		
For models:	GSC1100G		

			
No.	698866	Ref. No.	GPC1046-12 GPC1088-13
description	door hinge L 90mm W 40mm H 19mm mounting pos. lower bolt 13mm bolt ø 10.5mm		
For models:	GPC1046, GPC1088		

			
No.	698863	Ref. No.	GPC1046-04 GPC1088-05
description	door hinge L 90mm W 40mm H 19mm mounting pos. upper bolt 13mm bolt ø 10.5mm		
For models:	GPC1046, GPC1088		

			
No.	701564	Ref. No.	46996000
description	hinge L 130mm W 85mm H 38mm mounting distance 48mm mounting distance 2 33mm thread M6 ø 8mm bolt 13mm bolt ø 8mm		
For models:	GRE3600		

			
No.	692690	Ref. No.	S24AC22A0003
description	hinge L 40mm W 70mm H 22mm mounting distance 2 20mm		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		

1

No.	699587	Ref. No.	W0604033
description	hinge L 87mm W 46mm mounting pos. upper right thickness 3.6mm bolt 46mm bolt ø 10.5mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

accessories for	699587			
	No.	699588	Ref. No.	W0604037

hinge L 88mm W 50mm mounting pos. bottom right thickness 3.6mm
bolt 29mm bolt ø 11mm for GFR2700/GRE2700



1

No.	699588	Ref. No.	W0604037	
description	hinge L 88mm W 50mm mounting pos. bottom right thickness 3.6mm bolt 29mm bolt ø 11mm for GFR2700/GRE2700			
For models:	GFR2700, GRE2700			
spare parts for	699588			
	No.	699568	Ref. No.	W0604038
	base plate for door hinge mounting pos. lower L 35mm W 25mm for GFR2700/GRE2700			
accessories for	699588			
	No.	699587	Ref. No.	W0604033
	hinge L 87mm W 46mm mounting pos. upper right thickness 3.6mm bolt 46mm bolt ø 10.5mm for GFR2700/GRE2700			

			
No.	701563	Ref. No.	43870000
description	hinge L 98mm W 48mm H 38mm mounting distance 40mm mounting distance 2 20mm thread M6		
For models:	GFR3600S, GRE3600, GRE3600S		

			
No.	694866	Ref. No.	WJMA2003
description	hinge mounting pos. lower L 82mm W 53mm H 43mm mounting distance 30mm mounting distance 2 56mm thickness 4mm bolt 20mm bolt ø 7mm		
For models:	GSC2336		



			
1			
No.	694865	Ref. No.	WJMA0004
description	hinge mounting pos. upper L 50mm W 33mm H 42mm mounting distance 27mm thickness 3mm bolt 32.5mm bolt ø 9mm Qty 1kg		
For models:	GSC2336		

			
1			
No.	699419	Ref. No.	1.1.B.B09.01
description	hinge bearing L 55mm W 15mm H 14mm mounting distance 26mm mounting pos. upper		
For models:	GGC1078, GGC1078B		

			
1			
No.	701565	Ref. No.	48205000
description	hinge bearing L 72mm W 39mm H 30mm mounting distance 25mm mounting distance 2 25mm mounting pos. left		
For models:	GRE3600		

			
1			
No.	701566	Ref. No.	46997000
description	hinge bearing L 72mm W 39mm H 30mm mounting distance 25mm mounting distance 2 25mm mounting pos. right		
For models:	GRE3600		

			
1			
No.	699423	Ref. No.	1.1.B.B09.17
description	hinge bearing L 85mm W 17mm H 17mm mounting distance 48mm mounting pos. upper		
For models:	GGC2270, GGC2270B		

accessories

bushes

			
1			
No.	701642	Ref. No.	W0409843
description	bush lower for door hinge ID ø 11mm ED ø 13mm L 26mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

			
1			
No.	701641	Ref. No.	W0409842
description	bush upper for door hinge ID ø 11mm ED ø 13mm L 29.5mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

base plate

			
1			
No.	699568	Ref. No.	W0604038
description	base plate for door hinge mounting pos. lower L 35mm W 25mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

			
1			
No.	699569	Ref. No.	W0604030
description	base plate for door hinge mounting pos. right L 74mm W 42mm for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

filters

accessories

fastening material

			
1			
No.	694581	Ref. No.	WJB000079R
description	frame L 317mm W 170mm H 9mm for filter		
For models:	GIC3035		

equipment feet and end caps

equipment feet

with screw mounting



1

No.	701640	Ref. No.	W0409018
description	equipment foot tube ø 51mm plate size 70x70mm hole distance 50mm H 11,7-18mm Qty 1 pcs for GFR2700/GRE2700 adjustable		
For models:	GFR2700, GRE2700		

with fixing plate



1

No.	701640	Ref. No.	W0409018
description	equipment foot tube ø 51mm plate size 70x70mm hole distance 50mm H 11,7-18mm Qty 1 pcs for GFR2700/GRE2700 adjustable		
For models:	GFR2700, GRE2700		

screw-in feet



1

No.	701230	Ref. No.	900888
description	equipment feet kit thread M5 thread L 10mm ø 22mm H 12mm rubber WS Qty 4 pcs bore ø 5/10mm		
For models:	GJU1001		



1

No.	700972	Ref. No.	S900.13
description	equipment foot thread M10 thread L 16mm ø 29mm H 11.5mm Qty 1 pcs for fridge		
For models:	GHS1600, GHS2600		



1

No.	701593	Ref. No.	PIE30010
description	equipment foot thread M10 thread L 18.5mm ø 49mm H 35mm plastic Qty 4 pcs		
For models:	GCO500		



1

No.	692235	Ref. No.	A13012
description	equipment foot thread M10 thread L 20mm ø 26mm H 6mm Qty 1 pcs		
For models:	GEG2001		



1

No.	802156	Ref. No.	00002790
description	equipment foot thread M10 thread L 20mm ø 60mm H 50mm Qty 1 pcs		
For models:	GCO2001		



1

No.	701112	Ref. No.	I0403014
description	equipment foot thread M10 thread L 43mm ø 29mm H 52mm plastic WS 35 Qty 1 pcs		
For models:	GRE3600, GRE3600S		



1

No.	701451	Ref. No.	00000001240
description	equipment foot thread M5 thread L 13mm ø 37.5mm H 25mm conical aluminium WS Qty 1 pcs bore ø 6mm		
For models:	GFS1025		



1

No.	701219	Ref. No.	AB300035
description	equipment foot thread M5 thread L 9mm Ø 33mm H 34mm Qty 1 pcs		
For models:	GIC3035		



1

No.	701220	Ref. No.	AB300055
description	equipment foot thread M6 thread L 20mm Ø 33mm H 20mm WS 12 Qty 1 pcs		
For models:	GIC3035		



1

No.	701279	Ref. No.	WJLB0008
description	equipment foot thread M8 thread L 22mm Ø 35mm H 38mm Qty 1 pcs		



1

No.	698495	Ref. No.	00000001251
description	equipment foot thread M8 thread L 9mm Ø 48mm H 43mm conical aluminium WS Qty 1 pcs		
For models:	GFS1030		

bolting feet



1

No.	691814	Ref. No.	A13003
description	equipment foot Ø 22mm H 20mm bore Ø 4mm Qty 1 pcs		
For models:	GHM1001, GTO1001, GTO2001		



1

No.	698546	Ref. No.	3.0000161
description	equipment foot Ø 29mm H 16mm rubber bore Ø 6mm Qty 1 pcs		
For models:	GDF3004, GDF3008, GDF3024, GDF3028, GDF5008, GDF5028		



1

No.	697433	Ref. No.	00000000140 00000700140
description	equipment foot Ø 35mm H 26mm bore Ø 5mm Qty 1 pcs		
For models:	GFS1022, GFS2019, GFS2022, GFS2025, GFS2030		

equipment feet with stem



1

No.	701251	Ref. No.	223189000015
description	equipment foot Ø 20mm H 12mm mounting Ø 8mm mounting measurements 19mm overall height 19mm plastic Qty 1 pcs		
For models:	GMW1025		

miscellaneous

with fixing plate

Ø30mm



1

No.	701277 ¹	Ref. No.	WJLA1001 WJLA1009
description	swivel castor 2 with & 2 without brake Ø 30mm plate fixing housing zinc-plated sheet steel plate size 61x51mm hole distance 6mm capacity 60kg bearing slide bearing wheel body PVC tread PVC H 44mm wheel width 23.5mm		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103, GSC2336		

¹with swivel brake

ø75mm



1

No.	701282	Ref. No.	WJLA1002
description	swivel castor set 2 with & 2 without brake ø 75mm plates fixing 102x83mm housing zinc-plated sheet steel hole distance 55/75mm bearing slide bearing H 112mm wheel width 31mm Qty 4 pcs		
For models:	GSC1100G		

with spigot

ø40mm



1

No.	701120	Ref. No.	1.1.B.B10.95 1.1.B.B10.96
description	castor set 2 with & 2 without brake ø 40mm with thread bolt housing chrome-plated steel thread L 24mm thread ø M10x1.5mm capacity 60kg bearing ball bearing wheel body nylon tread nylon H 68mm wheel width 20mm Qty 4 pcs		
For models:	GGC2270, GGC2270B		

baskets

crumb screens



1

No.	970869	Ref. No.	2.HDF405069510
description	crumb screen L 220mm W 160mm H 35mm 4 litre		
For models:	GDF3004, GDF3024		



1

No.	970870	Ref. No.	2.HDF812020609510
description	crumb screen L 245mm W 200mm H 35mm 8 litre		
For models:	GDF3008, GDF3028, GDF5008, GDF5028		

wire baskets for hot dog machines



1

No.	693004	Ref. No.	F04012
description	grid basket for hot dog grill ø 180mm H 210mm		
For models:	GHM1001		

shelves and shelf rails

grates

universal

without upstand



1

No.	970801	Ref. No.	WJGA9008
description	grate W 345mm D 400mm chrome-plated steel wire gauge frame 6mm lengthwise wires gauge 2.5mm crossing wires 4 Qty 1 pcs		
For models:	GBC1003, GBC1003S, GBC1003SS, GBC1103		



1

No.	970800	Ref. No.	WJGA9002
description	grate W 345mm D 500mm chrome-plated steel wire gauge frame 6mm lengthwise wires gauge 2.5mm crossing wires 4 Qty 1 pcs		
For models:	GBC1001, GBC1001S, GBC1001SS		



1

No.	970747	Ref. No.	F01070
description	grate W 350mm D 240mm H 7mm SS for toaster wire gauge frame 4mm lengthwise wires gauge 3mm crossing wires ROLLER GRILL		
For models:	GTO1001, GTO2001		



1

No.	970905	Ref. No.	GPC1046-13 GPC1088-14-half size
description	grate W 365mm D 165mm H 7mm wire gauge frame 4mm lengthwise wires gauge 3mm		
For models:	GPC1046, GPC1088		



1

No.	970906	Ref. No.	WJGA9005
description	grate W 400mm D 345mm chrome-plated steel wire gauge frame 6mm crossing wires 4		
For models:	GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1102		

with upstand



1

No.	970925	Ref. No.	S14AC29A0001
description	grate W 325mm D 570mm GN 1/1 H 55mm plastic-coated steel wire gauge frame 7.5mm lengthwise wires gauge 4mm crossing wires 3 grey		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		



1

No.	970904	Ref. No.	GPC1088-14-full size
description	grate W 350mm D 295mm H 30mm chrome-plated steel wire gauge frame 4mm lengthwise wires gauge 2mm crossing wires 1 Qty 2 pcs		
For models:	GPC1088		



1

No.	970795	Ref. No.	1.1.B.B25.15
description	grate W 735mm D 235mm H 37mm chrome-plated steel wire gauge frame 8mm lengthwise wires gauge 3mm crossing wires 1		
For models:	GCV1600		



1

No.	970794	Ref. No.	1.1.B.B25.16
description	grate W 735mm D 365mm H 35mm chrome-plated steel wire gauge frame 8mm lengthwise wires gauge 3mm crossing wires 1		
For models:	GCV1600		

producer-specific



1

No.	698856	Ref. No.	1.1.B.B02.01.03
description	grate W 360mm D 305mm plastic-coated steel		
For models:	GGC1078B		
accessories for	698856		



No.	692400	Ref. No.	1.1.C.C10.07
description	shelf support L 28.5mm W 14mm H 17.5mm plastic Qty 1 pcs		



No.	698857	Ref. No.	1.1.C.C10.08
description	shelf support L 28.5mm W 14mm H 17.5mm plastic Qty 1 pcs		



1

No.	970876	Ref. No.	1.1.B.B02.01.01
description	grate W 360mm D 305mm plastic-coated steel		
For models:	GGC1078		



1


No.	692696	Ref. No.	1.1.B.B02.04.02
description	grate W 430mm D 390mm H 8mm plastic-coated steel refrigeration wire gauge frame 8mm lengthwise wires gauge 3.6mm crossing wires 5 black		
For models:	GGC2270B		

1 			
No.	692339	Ref. No.	1.1.B.B02.04.01
description	grate W 430mm D 390mm H 8mm plastic-coated steel refrigeration wire gauge frame 8mm lengthwise wires gauge 3.6mm crossing wires 5 white		
For models:	GGC2270		

1 			
No.	970799	Ref. No.	WJGA4078
description	grate W 540mm D 505mm H 41mm plastic-coated steel wire gauge frame 6mm lengthwise wires gauge 3mm crossing wires 3 white Qty 1 pcs		
For models:	GSC1100G		

1 			
No.	970982	Ref. No.	W0402040
description	grate W 620mm D 530mm plastic-coated steel with hinge camp crossing wires 2 suitable for GRE2700		
For models:	GRE2700		

1 			
No.	970980	Ref. No.	W0402366
description	grate W 630mm D 602mm plastic-coated steel crossing wires 2 suitable for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

1 			
No.	970930	Ref. No.	44714000
description	grate W 650mm D 330mm H 9mm wire gauge frame 7mm lengthwise wires gauge 3mm crossing wires 1		
For models:	GRE3600, GRE3600S		

1 			
No.	970981	Ref. No.	W0402369
description	grate W 650mm D 530mm plastic-coated steel crossing wires 2 suitable for GFR2700		
For models:	GFR2700		

1 			
No.	970929	Ref. No.	44379000
description	grate W 665mm D 560mm H 30mm wire gauge frame 7mm lengthwise wires gauge 3mm crossing wires 2		
For models:	GFR3600S, GRE3600, GRE3600S		

accessories

1 			
No.	691917	Ref. No.	F03006
description	grid handle L 204mm W 80mm		
For models:	GTO1001, GTO2001		

grid attachments

1 			
No.	692368	Ref. No.	1.1.B.B25.27
description	rack support L 220mm H 83mm mounting pos. bottom right SS Qty 1 pcs		
For models:	GCV1600		

1 			
No.	692365	Ref. No.	1.1.B.B25.28
description	rack support L 220mm H 83mm mounting pos. upper left SS Qty 1 pcs		
For models:	GCV1600		

1 			
No.	692366	Ref. No.	1.1.B.B25.29
description	rack support L 220mm H 83mm mounting pos. upper right SS Qty 1 pcs		
For models:	GCV1600		

			
1			
No.	692367	Ref. No.	1.1.B.B25.26
description	rack support L 320mm H 83mm mounting pos. bottom left SS Qty 1 pcs		
For models:	GCV1600		

			
1			
No.	701252	Ref. No.	1.1.B.B25.35
description	rail for grid attachment L 405mm Hmm mounting pos. left/right W 19mm SS Qty 1 pcs		
For models:	GCV1600		

shelf rails and supports

producer-specific

			
1			
No.	698870	Ref. No.	LCCJ2001
description	guide L 390mm W 25mm mounting pos. left/right inner height 4mm		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103		

1

No.	701643	Ref. No.	80037407
description	guide U-shape L 620mm W 15mm H 20mm mounting pos. left for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

accessories for	701643			
	No.	701644	Ref. No.	80037408

	guide U-shape L 620mm W 15mm H 20mm mounting pos. right for GFR2700/GRE2700		
--	---	--	--



1

No.	701644	Ref. No.	80037408
description	guide U-shape L 620mm W 15mm H 20mm mounting pos. right for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	701644		



No.	701643	Ref. No.	80037407
description	guide U-shape L 620mm W 15mm H 20mm mounting pos. left for GFR2700/GRE2700		

			
1			
No.	699231	Ref. No.	I0402137
description	guide white L 1350mm W 20mm H 5mm Qty 1		
For models:	GRE3600, GRE3600S		

			
1			
No.	696443	Ref. No.	KITGD4AC2A00
description	pair of setting bar U-shape L 548mm W 20mm inner height 13mm mounting pos. left/right		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		

			
1			
No.	701550	Ref. No.	S24AC29A0002
description	rack L 244mm W 50mm H 8mm mounting pos. front		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		

			
1			
No.	701548	Ref. No.	S24AC29A0004
description	rack L 245mm W 40mm H 30mm mounting pos. left		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		

			
1			
No.	701549	Ref. No.	S24AC29A0005
description	rack L 245mm W 40mm H 30mm mounting pos. right		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		

			
1			
No.	699585	Ref. No.	80037402
description	rack L 985mm W 57mm H 38mm mounting pos. left/right aperture 15x15mm hole distance 55mm 18 holes for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	699585		
	No.	701643	Ref. No. 80037407
	guide U-shape L 620mm W 15mm H 20mm mounting pos. left for GFR2700/GRE2700		
	No.	701644	Ref. No. 80037408
	guide U-shape L 620mm W 15mm H 20mm mounting pos. right for GFR2700/GRE2700		

			
1			
No.	692398	Ref. No.	LCCK0002
description	shelf support L 24mm W 9mm H 29mm aluminium for fridge Qty 1 pcs		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103		

			
1			
No.	692400	Ref. No.	1.1.C.C10.07
description	shelf support L 28.5mm W 14mm H 17.5mm plastic Qty 1 pcs		
For models:	GGC1078		

			
1			
No.	698857	Ref. No.	1.1.C.C10.08
description	shelf support L 28.5mm W 14mm H 17.5mm plastic Qty 1 pcs		
For models:	GGC1078B		

			
1			
No.	692408	Ref. No.	1.1.C.C10.09
description	shelf support L 38.5mm W 14mm H 18mm plastic Qty 1 pcs		
For models:	GGC2270		


			
1			
No.	699416	Ref. No.	1.1.C.C10.10
description	shelf support L 38.5mm W 14mm H 18mm plastic Qty 1 pcs		
For models:	GGC2270B		

gaskets


refrigeration gaskets

plug-in gaskets

profile 9750


			
1			
No.	902514	Ref. No.	W0404514
description	refrigeration gasket profile 9750 W 660mm L 1537mm plug size		
For models:	GFR2700, GRE2700		

profile 9149




No.	902216	Ref. No.	R04AC22A0002
description	refrigeration gasket profile 9149 W 385mm L 480mm plug size		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		

profile 9058




No.	902395	Ref. No.	44404000
description	refrigeration gasket profile 9058 W 770mm L 1810mm plug size Qty 1		
For models:	GFR3600S, GRE3600, GRE3600S		

profile 9156




No.	901662	Ref. No.	SLJP4007
description	door seal profile 9156 W 569mm L 1295mm plug size Qty 1 pcs		
For models:	GSC1100G		



No.	901648	Ref. No.	SLJP2010
description	refrigeration gasket profile 9156 W 595mm L 1340mm plug size Qty 1 pcs		
For models:	GSC2336		


profile 9930




No.	901645	Ref. No.	1.1.C.63.69
description	refrigeration gasket profile 9930 Wmm L 746mm plug size		
For models:	GCV1600		

screw-in gaskets

profile 9968




No.	901649	Ref. No.	1.1.E.E1.35
description	refrigeration gasket profile 9968 W 418mm L 658mm external size with metal reinforcement Qty 1 pcs		
For models:	GGC1078B		




No.	901650	Ref. No.	1.1.E.E1.25
description	refrigeration gasket profile 9968 W 515mm L 1390mm external size with metal reinforcement Qty 1 pcs		
For models:	GGC2270		

profile 9910





No.	901651	Ref. No.	1.1.C.C63.67
description	refrigeration gasket profile 9910 Wmm L 735mm Qty 1 mounting pos. left		
For models:	GCV1600		


			
No.	901646	Ref. No.	1.1.C.C63.76
description	refrigeration gasket profile 9910 Wmm L 735mm Qty 1 mounting pos. right		
For models:	GCV1600		

gaskets for heated units

door seals


			
No.	902446	Ref. No.	GUA30015
description	door seal profile 2718 L 5500mm		
For models:	GCO500		

			
No.	902497	Ref. No.	01000770
description	door seal profile 2764 L 1020mm suitable for TECNOEKA		
For models:	GCO2001		

			
No.	902419	Ref. No.	01000810
description	door seal profile 2767 L 1780mm suitable for TECNOEKA		
For models:	GCO2001		

O-rings

EPDM

			
No.	532648	Ref. No.	2859
description	O-ring EPDM thickness 1.5mm ID ø 5mm Qty 1 pcs		
For models:	GSM1000		

			
No.	532647	Ref. No.	900970
description	O-ring EPDM thickness 1.8mm ID ø 11.8mm Qty 1 pcs		
For models:	GJU1001		

			
No.	510955	Ref. No.	00002001
description	O-ring EPDM thickness 3mm ID ø 6mm Qty 1 pcs		
For models:	GCO2001		

			
No.	521120	Ref. No.	907981
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	GDW2001		

sealing washers

rubber gaskets

			
No.	519114	Ref. No.	903260
description	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs		
For models:	GDW2001		

shaft gaskets

shaft gaskets



1

No.	697475	Ref. No.	00000012671
description	shaft seal ID ø 20mm ED ø 30mm thickness 5mm		
For models:	GFS1025		



1

No.	698383	Ref. No.	0632
description	shaft sealing ID ø 4mm ED ø 12mm for hand blender H 6.3mm		
For models:	GSM1000		

miscellaneous



1

No.	511953	Ref. No.	900871
description	seal kit for citrus juicers		
For models:	GJU1001		

special gaskets

for microwaves



1

No.	901698	Ref. No.	593219000016
description	gasket L 330mm W 325mm silicone for ceramic plate Qty 1 pcs		
For models:	GMW1025		

miscellaneous



1

No.	698545	Ref. No.	3.0000404
description	gasket ED ø 31mm ID ø 21mm		
For models:	GDF3008, GDF3028, GDF5008, GDF5028		



1

No.	698543	Ref. No.	3.0000403
description	gasket external height 4mm ED ø 25mm ID ø 16mm		
For models:	GDF3008, GDF3028, GDF5008, GDF5028		

gaskets for wash arm support



1

No.	519445	Ref. No.	908141
description	gasket D1 ø 80mm D2 ø 50mm thickness 3mm with 4 screw holes		
For models:	GDW2001		

refrigeration cycle components

valves

Schrader valves

Schrader valves (complete)



1

No.	750636	Ref. No.	S900.42
description	Schrader valve complete connection 1/4"SAE ø 6mm L 120mm		
For models:	GHS1600, GHS2600		

filter driers

accessories

holders



1

No.	699297	Ref. No.	SLJAC008
description	bracket L 40mm W 30mm H 31mm ID ø 18mm ED ø 22mm for dryer		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103, GSC1100G, GSC2336		

miscellaneous



1

No.	750381	Ref. No.	TCGV0002
description	dryer ø 18.5mm L 115.5mm connection 2,4/5,2mm Qty 1 pcs		
For models:	GBC1001, GBC1001S, GBC1001SS, GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103, GSC2336		



1

No.	750693	Ref. No.	1.1.A.A04.01
description	dryer ø 19mm L 120.5mm connection 2/5mm Qty 1 pcs		
For models:	GCV1600, GGC1078, GGC1078B		



1

No.	750378	Ref. No.	C01AE66A0001 C04AC26A0001
description	dryer ø 19mm L 145mm connection 4,5/8mm type XH9 Qty 1 pcs		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		



1

No.	750748	Ref. No.	W0204101
description	dryer ø 19mm L 166mm connection 2,7/5,2 for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		



1

No.	750694	Ref. No.	1.1.A.A04.06
description	dryer ø 25mm L 144mm connection 6/8mm Qty 1 pcs		
For models:	GGC2270, GGC2270B		



1

No.	750324	Ref. No.	S900.44
description	dryer size 20g ø 23mm L 117mm connection 4,8/8,3mm		
For models:	GHS1600, GHS2600		



1

No.	750382	Ref. No.	TCGV0009
description	dryer ø 18.5mm L 120mm connection 4/7mm Qty 1 pcs		
For models:	GSC1100G		
accessories for	750382		



No.	694868	Ref. No.	—
description	bracket for dryer L 40mm W 30mm H 31mm Qty 1 pcs		

refrigeration pipes

copper pipes uninsulated



1

No.	694931	Ref. No.	VRX.15
description	capillary pipe ID ø 0.8mm ED ø 2mm L 2340m		
For models:	GHS1600, GHS2600		



1

No.	692407	Ref. No.	1.1.B.B06.21
description	copper pipe copper ID ø 3.8mm ED ø 4.8mm L 0.1m Qty 1 pcs		
For models:	GGC2270, GGC2270B		



1

No.	692730	Ref. No.	TCGO3004
description	copper pipe ID ø 4mm ED ø 6mm L 0.095m		
For models:	GBC1002, GBC1002S, GBC1003, GBC1003S, GBC1102, GBC1103		



1

No.	692418	Ref. No.	1.1.B.B06.26
description	refrigeration pipe copper ID ø 5mm ED ø 6mm L 1m Qty 1		
For models:	GCV1600, GGC1078, GGC1078B, GGC2270, GGC2270B		



1

No.	692872	Ref. No.	W0210284
description	refrigeration pipe ID ø 2/3mm ED ø 5mm L 0.4m refrigeration GFR2700		
For models:	GFR2700		



1

No.	692871	Ref. No.	W0210452
description	refrigeration pipe ID ø 3/7mm ED ø 6/8mm L 0.38m refrigeration GFR2700		
For models:	GFR2700		



1

No.	692874	Ref. No.	W0210412
description	refrigeration pipe ID ø 5.5mm ED ø 6.5mm L 0.3m refrigeration GFR2700		
For models:	GFR2700		



1

No.	692876	Ref. No.	W0210411
description	refrigeration pipe ID ø 5mm ED ø 6.5mm L 0.28m refrigeration GFR2700		
For models:	GFR2700		



1

No.	692875	Ref. No.	W0210416
description	refrigeration pipe ID ø 6,5/7,5mm ED ø 7,5/8,5mm L 0.38m refrigeration GRE2700		
For models:	GRE2700		



1

No.	692873	Ref. No.	W0210282	
description	refrigeration pipe ID ø 6.5mm ED ø 8mm L 0.36m refrigeration GFR2700			
For models:	GFR2700			
accessories for	692873			
	No.	696787	Ref. No.	W0208009
	T-piece copper ID ø 4.5mm ED ø 6mm refrigeration for GFR2700			



1

No.	692877	Ref. No.	W0210417
description	refrigeration pipe ID ø 6/7mm ED ø 7/8mm L 0.41m refrigeration GRE2700		
For models:	GRE2700		

copper pipes insulated



1

No.	696789	Ref. No.	W0210413	
description	copper pipe with insulation pipe ø 6 for fridge GFR2700/GRE2700			
For models:	GFR2700, GRE2700			
accessories for	696789			
	No.	692867	Ref. No.	W04102051
	cover ø 20mm L 400mm W 43mm plastic Qty 1 pcs for GFR2700/GRE2700			
	No.	692870	Ref. No.	W0413062
	rubber pad L 40mm W 17mm H 30mm for GFR2700/GRE2700			



1


No.	699570	Ref. No.	W0210414
description	refrigeration pipe pipe ø 8 L 1700mm GFR2700		
For models:	GFR2700		



1

No.	699572	Ref. No.	W0210418
description	refrigeration pipe pipe ø 8 L 1700mm GRE2700		
For models:	GRE2700		

connections



1

No.	696787	Ref. No.	W0208009
description	T-piece copper ID ø 4.5mm ED ø 6mm refrigeration for GFR2700		
For models:	GFR2700		

accessories for 696787


	No.	374110	Ref. No.	W0205011
	solenoid valve type FDF2AT connection 6mm soldering connection L 143mm pipe connection ø 6mm 220-240V			
	No.	692873	Ref. No.	W0210282
	refrigeration pipe ID ø 6.5mm ED ø 8mm L 0.36m refrigeration GFR2700			

heating tubes




1

No.	701583	Ref. No.	C04AC26A0002
description	heater ED ø 6mm ID ø 3mm L 260mm copper		
For models:	GPS2600, GSA2600, GSD2600, GSF2600		



1

No.	701495	Ref. No.	TCGD4010
description	heater ED ø 6mm ID ø 5mm Qty 1m for evaporator connection ø 6mm		
For models:	GSC1100G		

			
1			
No.	701582	Ref. No.	TCGD2001
description	heater pipe ED ø 5mm ID ø 3mm L 355mm H 250mm		
For models:	GBC1001, GBC1001S, GBC1001SS		

evaporators

for fridges

producer-specific


			
1			
No.	750387	Ref. No.	TLZA9000
description	evaporator for fridge GBC1001 L 430mm W 500mm		
For models:	GBC1001, GBC1001S, GBC1001SS		

			
1			
No.	750376	Ref. No.	TLZD9001
description	evaporator for fridge GBC1002 L 760mm W 500mm		
For models:	GBC1002, GBC1002S, GBC1002SS, GBC1102		

			
1			
No.	750377	Ref. No.	TLZD9002
description	evaporator for fridge L 1000mm W 500mm		
For models:	GBC1003, GBC1003S, GBC1003SS, GBC1103		

			
1			
No.	750352	Ref. No.	1.1.A.A10.27
description	evaporator L 250mm W 50mm H 117mm		
For models:	GGC1078, GGC1078B		

			
1			
No.	750629	Ref. No.	GPC1088-02
description	evaporator L 320mm W 320mm H 5mm		
For models:	GPC1088		

			
1			
No.	750350	Ref. No.	1.1.A.A10.40
description	evaporator L 345mm W 100mm H 215mm total length 345mm overall width 100mm overall height 240mm for fridge		
For models:	GGC2270, GGC2270B		




1

No.	750744	Ref. No.	W0202112
description	evaporator L 404mm W 175mm H 142mm GFR2700		
For models:	GFR2700		
accessories for	750744		
	No.	699574	Ref. No. 81131204
cover front for evaporator L 598mm W 295mm H 65mm for GFR2700 GRE2700			
	No.	699577	Ref. No. 80021203
cover left for evaporator L 255mm W 155mm H 15mm for GFR2700/ GRE2700			
	No.	699578	Ref. No. 80021204
cover right for evaporator L 255mm W 155mm H 15mm for GFR2700 GRE2700			

			
1			
No.	750371	Ref. No.	1.1.A.A10.23
description	evaporator L 545mm W 50mm H 110mm total length 600mm overall width 50mm overall height 123mm		
For models:	GCV1600		

			
1			
No.	750660	Ref. No.	TLZA4003
description	evaporator L 620mm W 225mm H 160mm		

			
1			
No.	750375	Ref. No.	TLZA4004
description	evaporator L 760mm W 140mm H 225mm		



1

No.	750743	Ref. No.	W0202117	
description	evaporator W 150mm H 135mm L 300mm GRE2700			
For models:	GRE2700			
accessories for	750743			
	No.	699574	Ref. No.	81131204
cover front for evaporator L 598mm W 295mm H 65mm for GFR2700/GRE2700				
	No.	699577	Ref. No.	80021203
cover left for evaporator L 255mm W 155mm H 15mm for GFR2700/GRE2700				
	No.	699578	Ref. No.	80021204
cover right for evaporator L 255mm W 155mm H 15mm for GFR2700/GRE2700				

accessories

miscellaneous

			
1			
No.	692868	Ref. No.	W0409079
description	cover for evaporator plastic GFR2700/GRE2700		
For models:	GFR2700, GRE2700		

condensors

filters

			
1			
No.	699402	Ref. No.	P04AC28A0002
description	filter for condenser L 218mm W 230mm thickness 6mm Qty 1 pcs		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		

condensors

			
1			
No.	750746	Ref. No.	W0203051
description	condenser Capacitor W 250mm H 100mm L 260mm for GRE2700		
For models:	GRE2700		




1

No.	750742	Ref. No.	W0203052
description	condenser Capacitor W 250mm H 140mm L 260mm GFR2700		
For models:	GFR2700		




1

No.	750372	Ref. No.	DTLA9000
description	condenser W 195mm D 80mm H 205mm Qty 1 pcs		
For models:	GBC1001, GBC1001S, GBC1001SS		



1

No.	750319	Ref. No.	VRX.11
description	condenser for pizza table W 228mm D 77mm H 179mm		
For models:	GHS1600, GHS2600		



1

No.	750347	Ref. No.	C04AC28A0001
description	condenser W 220mm D 100mm H 230mm L 270mm		
For models:	GDS2600, GPS2600, GSA2600, GSD2600, GSF2600		




1

No.	750373	Ref. No.	DTLA9002
description	condenser W 190mm D 160mm H 205mm Qty 1 pcs		
For models:	GBC1003, GBC1003S, GBC1003SS, GBC1103		



1

No.	750384	Ref. No.	1.1.A.A09.01
description	condenser W 220mm D 60mm H 280mm Qty 1 pcs		
For models:	GGC1078, GGC1078B		



1

No.	750351	Ref. No.	1.1.A.A09.09
description	condenser W 255mm D 130mm H 235mm		
For models:	GGC2270, GGC2270B		




1

No.	750370	Ref. No.	1.1.A.A09.21
description	condenser W 265mm D 93mm H 140mm Qty 1 pcs		
For models:	GCV1600		




1

No.	750374	Ref. No.	DTLA4008
description	condenser W 555mm D 100mm H 275mm Qty 1 pcs		



1

No.	750703	Ref. No.	44918000
description	condenser W 790mm D 10mm H 1360mm		
For models:	GFR3600S		



1

No.	750699	Ref. No.	45034000
description	condenser W 790mm D 10mm H 750mm Qty 1 pcs		
For models:	GRE3600, GRE3600S		

evaporation and condensing trays

evaporation trays



1

No.	699302	Ref. No.	SLZJ0021
description	evaporation tray L 185mm W 130mm H 75mm		
For models:	GBC1001, GBC1001S, GBC1001SS		



1

No.	699299	Ref. No.	SLZJ0014
description	evaporation tray L 210mm W 105mm H 80mm		
For models:	GSC2336		



1

No.	699211	Ref. No.	I0425088
description	evaporation tray L 230mm W 144mm H 45mm		
For models:	GRE3600, GRE3600S		



1

No.	750745	Ref. No.	W0409071
description	evaporation tray rear L 527mm W 238mm for fridge for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	750745		
	No.	750747	Ref. No. W0409078
	overflow plastic for GFR2700/GRE2700		

unheated condensing trays



1

No.	750630	Ref. No.	GPC1088-08
description	condensing tray L 200mm W 135mm H 30mm plastic		
For models:	GPC1088		



1

No.	750632	Ref. No.	SLZJ0022
description	drip tray L 187mm W 128mm H 70mm plastic		
For models:	GBC1002, GBC1002S, GBC1002SS, GBC1003, GBC1003S, GBC1003SS, GBC1102, GBC1103		



1


No.	750631	Ref. No.	SLZJ0015
description	drip tray L 302mm W 204mm H 85mm plastic		
For models:	GSC1100G		



1

No.	699418	Ref. No.	1.1.C.C29.02
description	drip tray L 400mm W 144mm H 50mm plastic		
For models:	GGC2270, GGC2270B		

miscellaneous



1

No.	750747	Ref. No.	W0409078
description	overflow plastic for GFR2700/GRE2700		
For models:	GFR2700, GRE2700		
accessories for	750747		
	No.	750745	Ref. No. W0409071
	evaporation tray rear L 527mm W 238mm for fridge for GFR2700/GRE2700		



transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS

			
1			
No.	523501	Ref. No.	00000000637
description	deep-groove ball bearing type 608-2RS shaft $\varnothing$ 8mm ED $\varnothing$ 22mm W 7mm with sealing discs deep-groove ball bearing DIN 625-1		
For models:	GFS1030		


			
1			
No.	523510	Ref. No.	00000000860
description	deep-groove ball bearing type 6202-2RS shaft $\varnothing$ 15mm ED $\varnothing$ 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		
For models:	GFS1025, GFS2019, GFS2022, GFS2025, GFS2030		


			
1			
No.	523512	Ref. No.	00000000632
description	deep-groove ball bearing type 6204-2RS shaft $\varnothing$ 20mm ED $\varnothing$ 47mm W 14mm with sealing discs deep-groove ball bearing DIN 625-1		
For models:	GFS1030		


			
1			
No.	523504	Ref. No.	00000000862
description	deep-groove ball bearing type 626-2RS shaft $\varnothing$ 6mm ED $\varnothing$ 19mm W 6mm with sealing discs deep-groove ball bearing DIN 625-1		
For models:	GFS1025, GFS2019, GFS2022, GFS2025, GFS2030		

drive belts

poly-v belts

 			
1			
No.	698215	Ref. No.	00000000635
description	poly-v belt grooves 10 W 20mm L 400mm profile TB2		
For models:	GFS1030		

 			
1			
No.	698963	Ref. No.	00000000492
description	poly-v belt grooves 5 W 10mm L 310mm profile TB2		
For models:	GFS2019, GFS2022		

 			
1			
No.	698217	Ref. No.	00000000861
description	poly-v belt grooves 7 W 14mm L 330mm profile TB2		
For models:	GFS1025, GFS2025		

springs

compression springs

			
1			
No.	519162	Ref. No.	904131
description	spring		
For models:	GDW2001		



1

No.	692701	Ref. No.	1.1.B.B10.06
description	spring L 4mm wire gauge ø 1mm windings 5 D1 ø 9.5mm		
For models:	GGC1078, GGC1078B		

dosing pumps

membrane dosing pumps

self-priming

SEKO



1

No.	362031	Ref. No.	902201
description	dosing pump type DIB E rinse aid pump rate 0-5cm ³ per stroke pressure connection ø 4x6mm suction connection ø 4x6mm suction connection SEKO supporting pressure closed		
For models:	GDW2001		

accessories

miscellaneous



1

No.	513329	Ref. No.	906375
description	bracket for dosing pump L 70mm H 25mm W 40mm spring steel		
For models:	GDW2001		


hoses

drain hoses



1

No.	530921	Ref. No.	907446
description	drain hose 3/4" L 1500mm A int. ø 29mm A ext. ø 34mm B int. ø 21mm B ext. ø 26mm outer hose ø 24mm		
For models:	GDW2001		



1

No.	519456	Ref. No.	907439
description	drain hose L 1500mm D1 ø 21mm D2 ø 21mm		
For models:	GDW2001		

industrial hoses

PVC hoses

PVC hoses without fabric



1

No.	570027	Ref. No.	902046
description	PVC hose ID ø 4mm ED ø 7mm L 100m thickness 1.5mm t.max. 60°C transparent		
For models:	GDW2001		

silicone hoses

without fabric



1

No.	530410	Ref. No.	907279
description	silicone hose ID ø 4mm ED ø 7mm L 2m thickness 1.5mm t.max. 200°C transparent		
For models:	GDW2001		

formed hoses

straight



1

No.	519392	Ref. No.	903756
description	formed hose L 61mm dishwasher straight hose ext. ø 50mm hose int. ø 38mm		
For models:	GDW2001		

form L



1			
No.	503190	Ref. No.	903694
description	formed hose L 120mm supply EPDM warewashing 45 ED ø 56mm		
For models:	GDW2001		



1			
No.	506280	Ref. No.	909371
description	formed hose L 190mm EPDM warewashing black		
For models:	GDW2001		



1			
No.	505410	Ref. No.	903672
description	formed hose L 70mm warewashing ID ø 27mm ED ø 37mm		
For models:	GDW2001		

miscellaneous



1			
No.	699420	Ref. No.	1.1.C.C41.13
description	formed hose ID ø 19mm ED ø 24mm L 150mm		
For models:	GGC1078, GGC1078B		

for dishwashers

miscellaneous



1			
No.	503190	Ref. No.	903694
description	formed hose L 120mm supply EPDM warewashing 45 ED ø 56mm		
For models:	GDW2001		



1			
No.	506280	Ref. No.	909371
description	formed hose L 190mm EPDM warewashing black		
For models:	GDW2001		

fittings, hose and pipe connectors

hose connectors

without screw connection



1			
No.	519644	Ref. No.	905434
description	T-piece plastic connection ø12mm - ø5mm - ø12mm		
For models:	GDW2001		



1			
No.	519216	Ref. No.	905382
description	T-piece plastic hose ø 12-12-12mm 3-way		
For models:	GDW2001		

ancillary products

clamps

double wire clamps



1			
No.	513268	Ref. No.	902425
description	hose clamp ø 8-10mm wire gauge ø 1mm Qty 1 pcs		
For models:	GDW2001		

fastening material

screws

side bolts



1

No.	560551	Ref. No.	00000000615
description	side bolts thread M10 L 15mm SS Qty 1 pcs intake slotted head ø 24.5mm		
For models:	GFS1030		

knurled screws



1

No.	697481	Ref. No.	00000000623
description	Thumb screw thread M6 thread L 8mm ø 14mm H 6mm SS		
For models:	GFS1030, GFS2019, GFS2022, GFS2025		

nuts

hexagonal nuts

DIN 985



1

No.	560142	Ref. No.	902040
description	hexagonal nut thread M6 H 6mm SS WS 10 Qty 20 pcs DIN/ISO DIN 985 self-locking		
For models:	GDW2001		

miscellaneous



1

No.	551380	Ref. No.	DAD30010
description	cage nut thread M10 Qty 4 pcs		
For models:	GCO500		

washers

spring washers



1

No.	697478	Ref. No.	00000000671
description	spring washer ID ø 19mm ED ø 26mm Qty 1 pcs		
For models:	GFS1030		

washers

miscellaneous



1

No.	519238	Ref. No.	906002
description	plain washer ID ø 15mm ED ø 33mm thickness 0.8mm SS Qty 1 pcs		
For models:	GDW2001		

fasteners

mounting clips



1

No.	692865	Ref. No.	00007750
description	mounting clip for bulb socket L 16mm H 19mm		
For models:	GCO2001		

clamps

double wire clamps



1

No.	513268	Ref. No.	902425
description	hose clamp ø 8-10mm wire gauge ø 1mm Qty 1 pcs		
For models:	GDW2001		



roll pins



1

No.	691637	Ref. No.	0744
description	roll pin ø 3mm L 20mm		
For models:	GSM1000		