

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS








TOOLS






Spare parts suitable for


MORICE

h1heating elements






h2heating elements for ovens

			
No.	418453	Ref. No.	RS0889
description	heating element 1150W 230V heating circuits 1 L 735mm W 128mm L1 75mm L2 660mm thread M12x1 mounting distance 119mm tube ø 8.6mm connection length 36mm 2 hole fixing connection M4 dry heating element		
accessories for	418453		
	No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		
	No.	528110	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		


			
No.	420004	Ref. No.	RS0886
description	heating element 666W 230V heating circuits 1 L 345mm W 115mm L1 70mm L2 273mm thread M12x1 mounting distance 104mm tube ø 8.8mm 2 hole fixing connection M4 dry heating element		
accessories for	420004		
	No.	511508	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 10 pcs		
	No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		


			
No.	420003	Ref. No.	RS0888
description	heating element 800W 230V heating circuits 1 L 545mm W 110mm L1 80mm L2 263mm thread M12x1 mounting distance 102mm tube ø 8.5mm 2 hole fixing connection grip connection dry heating element		

h2heating elements for bain maries

			
No.	420012	Ref. No.	RS0905
description	heating element 850W 230V heating circuits 1 L 420mm W 40mm connection M5 tube ø 6.5mm 2 hole fixing thread M12x1 immersion heater mounting distance 34mm		
accessories for	420012		
	No.	511508	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 10 pcs		
	No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		

h2heating elements for frying pans

			
No.	419118	Ref. No.	RS0878
description	heating element 2400W 230V heating circuits 1 L 365mm W 200mm connection M4 tube ø 10mm dry heating element for frying pan H 98mm connection distance 70mm		

			
No.	420258	Ref. No.	RS0960
description	heating element 5500W 230V heating circuits 1 L 560mm W 185mm connection M4 tube ø 10mm dry heating element for frying pan H 48mm connection distance 170mm		



heating elements for fryers



No.	419123	Ref. No.	RS0863 RS0965 RS965
description	heating element 1100W 230V heating circuits 1 L 323mm W 9mm H 255mm rectangular flange connection M4 dry heating element H1 208mm H2 47mm tube ø 6.5mm		

heating elements for griddles



No.	420010	Ref. No.	RS0911
description	heating element 1200W 230V heating circuits 1 L 400mm W 70mm tube ø 6.3mm 2 hole fixing connection M4 mounting distance 64mm grill dry heating element		



No.	420008	Ref. No.	RS0856
description	heating element 2000W 230V heating circuits 1 L 535mm W 90mm H 74mm tube ø 10mm W1 13mm W2 56mm connection M4 griddle connection distance 46mm dry heating element		



No.	420009	Ref. No.	RS0864
description	heating element 2250W 230V heating circuits 1 L 590mm W 110mm tube ø 6.5mm 2 hole fixing connection M4 thread M12x1 mounting distance 104mm grill dry heating element		

accessories for 420009



No.	511508	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 10 pcs			



No.	520229	Ref. No.	—
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			



No.	521110	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			



No.	521131	Ref. No.	—
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			

heating elements for tilting bratt pan



No.	420256	Ref. No.	RS0909
description	heating element 1000W 230V L 460mm W 100mm H 64mm connection M4 dry heating element heating circuits 1 tube ø 6.3mm 2 hole fixing connection distance 94mm		



No.	420257	Ref. No.	RS0898
description	heating element 2000W 230V L 445mm W 100mm H 72mm connection M4 dry heating element tube ø 10mm W1 8mm W2 81mm 2 hole fixing connection distance 71mm		

heating elements for pasta cookers




No.	420214	Ref. No.	RS0935
description	heating element 5000W 240V heating circuits 3 L 375mm W 57mm H 59mm flange tube ø 6.5mm thermostat sleeves ø 7mm length thermostat sleeves 200mm mounting ø 96mm number of thermostat sleeves 1 for pasta cooker thermostat sleeve eccentric, non clinging immersion heater		

heating elements for pizza ovens



No.	420260	Ref. No.	RS0921
description	heating element 400W 230V L 640mm W 49mm thread M12x1 mounting distance 42mm connection M4 tube ø 6.5mm heating circuits 1 dry heating element 2 hole fixing for pizza oven		



No.	418456	Ref. No.	RS0922
description	heating element 650W 230V L 707mm W 80mm thread 1/4" mounting distance 68mm connection length 22mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		

accessories for 418456



No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			




No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			









No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			








No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			


			
No.	419120	Ref. No.	RS0927
description	heating element 650W 400V L 700mm W 73mm thread M12x1 mounting distance 65mm connection M4 tube ø 8mm heating circuits 1 dry heating element pizza oven		

			
No.	418455	Ref. No.	RS0923
description	heating element 750W 230V heating circuits 1 L 937mm W 80mm thread 1/4" mounting distance 72mm tube ø 8.5mm dry heating element 2 hole fixing connection length 34mm		
accessories for	418455		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		


			
No.	419121	Ref. No.	RS0928
description	heating element 750W 400V L 930mm W 73mm thread M12x1 mounting distance 65mm connection M4 tube ø 8mm heating circuits 1 dry heating element 2 hole fixing pizza oven		

h2>heating elements for salamanders/toast-





			
No.	420011	Ref. No.	RS0867
description	heating element 2000W 230V L 385mm W 210mm 2 hole fixing thread M10x1 mounting distance 200mm connection M5 dry heating element tube ø 6.3mm heating circuits 1		
accessories for	420011		
	No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		
	No.	532049	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 10 pcs		





			
No.	419126	Ref. No.	RS0920
description	heating element 2000W 400V heating circuits 1 L 340mm W 205mm H 45mm thread M12x1 mounting distance 197mm tube ø 8mm connection M4 2 hole fixing dry heating element salamander grill		

h2>heating rods



			
No.	418459	Ref. No.	RS0859
description	heating element 1000W 240V connection M5 L 630mm W 38mm H 8mm hole distance 650mm hole ø 8mm		







h2>coil heating elements

			
No.	418395	Ref. No.	RS0881 RS0969
description	heating element 1000W 230V L 513mm W 50mm H 25mm tube ø 8.5mm thread M14x1 connection M4 connection length 18mm dry heating element heating circuits 1 2 hole fixing		
accessories for	418395		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550261	Ref. No. —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		

			
No.	418396	Ref. No.	RS0892
description	heating element 1500W 230V L 765mm W 50mm H 25mm tube ø 8.5mm thread M14x1.5 connection 1/8" connection length 20mm dry heating element heating circuits 1 2 hole fixing		
accessories for	418396		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		









accessories for 418396				
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			


1 				
No.	418393	Ref. No.	RS0880	
description	heating element 500W 230V L 305mm W 50mm H 25mm tube ø 8.5mm thread M14x1.5 connection M4 dry heating element heating circuits 1 2 hole fixing			
spare parts for	418393			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	418393			
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				






immersion heating elements


3 hole flange ø57.5mm

<div><div></div><div></div></div> <div>1</div>				
No.	415021	Ref. No.	RS0963	
description	heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 343mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 294mm thermostat sleeve not clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M5 3 hole flange			
spare parts for	415021			
	No.	510409	Ref. No.	DM0578
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs				
accessories for	415021			
	No.	550002	Ref. No.	—
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				


<div><div><div>1</div></div><div></div></div>			
No.	419127	Ref. No.	RS0961
description	heating element 7000W 230/400V mounting ø 57.5mm heating circuits 3 L 340mm W 32mm H 53mm number of thermostat sleeves 1 thermostat sleeves ø 8.5mm length thermostat sleeves 268mm thermostat sleeve eccentric, non clinging tube ø 7.8mm hole distance 74mm hole ø 8mm connection M4 3 hole flange immersion heater		

			
No.	419119	Ref. No.	RS0890
description	heating element 1950W 230V heating circuits 1 L 460mm W 106mm thread M12x1 tube ø 6.5mm connection M4 dry heating element 2 hole fixing connection length 25mm thermostat sleeves ø 5.6mm length thermostat sleeves 255mm number of thermostat sleeves 1 thermostat sleeve clinging		

<div>1</div> 				
No.	418454	Ref. No.	RS0884	
description	heating element 1950W 230V heating circuits 1 L 462mm W 107mm thread M12x1 mounting distance 100mm tube ø 6.7mm connection M5 immersion heater 2 hole fixing connection length 27mm			
accessories for	418454			
	No.	520229	Ref. No.	—
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs				
	No.	521110	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs				
	No.	521131	Ref. No.	—
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs				
	No.	528110	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs				




No.	420255	Ref. No.	RS0908
description	heating element 2600W 230V heating circuits 1 L 435mm W 225mm H 23mm thread M12x1 mounting distance 219mm tube ø 6.3mm connection M4 immersion heater 2 hole fixing		

1 			
No.	418446	Ref. No.	RS0905
description	heating element 900W 230V heating circuits 1 L 420mm W 45mm thread M12x1 mounting distance 36mm tube ø 8.5mm 2 hole fixing immersion heater		

h2>heating elements for convection


1			
No.	420006	Ref. No.	RS0933
description	heating element 6000W 230V ED ø 315mm		

1 			
No.	420007	Ref. No.	RS0930
description	heating element 7500W 230V heating circuits 3 ID ø 300mm L 460mm H 57mm L1 148mm W1 32mm flange length 120mm flange width 72mm hole distance 100mm ED ø 312mm connection M4 tube ø 6.6mm convection heating element hole ø 7mm rectangular flange		

1			
No.	420005	Ref. No.	RS0950
description	heating element 9000W 230V		

h2>radiation heaters


h3>square

1 			
No.	490008	Ref. No.	DE0253
description	radiation heater L 300mm W 300mm 4000W 400V heating circuits 2 connections 3 square connection type male faston 6.3mm without pan detection EGO		
spare parts for	490008		
	No.	499157	Ref. No.
	protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm		

h2>accessories

h3>sealing washers

h3>O-rings

1 			
No.	510409	Ref. No.	DM0578
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

h2>hot plates

h3>square & rectangular


h3>with radiused edge

1 			
No.	490068 ¹	Ref. No.	PQ0887
description	hot plate dimensions 220x220mm 2600W 400V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector

1 			
No.	490071 ¹	Ref. No.	052199
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector


1 			
No.	490074 ¹	Ref. No.	PQ0786
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector



with cast edge


with screw connection



1


No.	490161	Ref. No.	PQ0889
description	hot plate dimensions 300x300mm 4000W 400V with cast edge H 42mm connection 4 screw clamps		

tiltable



1

No.	490089	Ref. No.	PQ0839
description	hot plate dimensions 300x300mm 4000W 230V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		



1

No.	490090	Ref. No.	PQ0840
description	hot plate dimensions 300x300mm 4000W 400V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		

round

with radiused edge

for domestic and commercial kitchens



1

No.	490016	Ref. No.	PQ0781
description	hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring		

HOT PLATES/ENERGY REGULATORS MORICE




1

No.	490017	Ref. No.	PQ0782
description	hot plate ø 180mm 2000W 400V connection 4 screw clamps with 8mm spill ring		



1

No.	490020	Ref. No.	PQ0783	
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring			
accessories for	490020			
	No.	550796	Ref. No.	—
	fixing plate for hot plate ø220mm			



1

No.	490021	Ref. No.	PQ0784
description	hot plate ø 220mm 2600W 400V connection 4 screw clamps with 8mm spill ring		

energy regulators

EGO

1-circuit



1


No.	380015	Ref. No.	DE0952
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		




1

No.	380013	Ref. No.	DE0953
description	energy regulator 400V 7A single-circuit turn direction right shaft ø 6x4.6mm mounting thread M4 no. 50.57031.010		

DIAMOND



1

No.	380039	Ref. No.	DE0426
description	energy regulator 400V 13.5A turn direction right shaft ø 6x4.6mm mounting thread 3/8"-24UNF equiv. no. 35ERE104400V		
accessories for	380039		
	No.	361181	Ref. No.
nut thread 1/8" H 4.5mm nickel-plated brass WS 14 Qty 1 pcs			

accessories

knobs

1

No.	110075	Ref. No.	DE0951
description	knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

accessories for

110075


No.	110135	Ref. No.	TH1067
-----	--------	----------	--------

rosette knob up to ø 52mm


thermostats

bi-metal thermostats

safety bi-metal thermostats

			
1			
No.	375751	Ref. No.	DE0450
description	bi-metal safety thermostat hole distance 23.5mm switch-off temp. 85°C 1NC 1-pole 16A connection F6.3 2 hole fixing		

bi-metal thermostats


			
1			
No.	390825	Ref. No.	DE0670
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 45°C 1NO 1-poleA 230V connection F6.3		

control and safety thermostats


EGO


control thermostats

55.10/19_ series



			
1			
No.	375001	Ref. No.	TH1081
description	thermostat t.max. 112°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolatedmm gland nut M9x1 shaft L 23mm shaft position upper rotation 270°		

			
1			
No.	375468	Ref. No.	TH1112 TH112
description	thermostat t.max. 180°C temperature range 80-180°C 1-pole 1NO 16A probe ø 6mm probe L 135mm capillary pipe 900mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		


E.G.O.



1

No.	376054	Ref. No.	FT4040	
description	thermostat t.max. 200°C temperature range 65-200°C 1CO 6.3A probe ø 6mm probe L 78mm capillary pipe 900mm capillary pipe isolatedmm gland nut M12 shaft ø 6x4.6mm shaft L 23mm rotation 270° probe material SS screw connection M9x1 disc ø 7.7mm			
accessories for	376054			
	No.	110121	Ref. No.	—
	knob thermostat t.max. 200°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 60-200°C rotation 270°			
	No.	110135	Ref. No.	TH1067
	rosette knob up to ø 52mm			

E·G·O



No.	390824	Ref. No.	TH1123
description	thermostat t.max. 60°C temperature range fixed 60°C 1-pole 1NO 16A probe ø 6mm probe L 134mm capillary pipe 1800mm capillary pipe isolatedmm gland nut shaft Lmm shaft position° shaft position rotation°		

55.13_ series

E·G·O



No.	375705	Ref. No.	TH0117
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 115mm capillary pipe 1430mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		


E·G·O



No.	375460	Ref. No.	TH0111
description	thermostat t.max. 255°C temperature range 55-255°C 1-pole 1NO 16A probe ø 3.1mm probe L 201mm capillary pipe 1170mm capillary pipe isolated 1100mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper		


55.34_ series

E·G·O



No.	375143	Ref. No.	TH1084
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E·G·O



No.	390055	Ref. No.	TH1084
description	thermostat t.max. 160°C temperature range 66-160°C 3-pole 3NO 16A probe ø 8mm probe L 115mm capillary pipe 800mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° with disc probe thread M14x1 disc ø 12.5mm		

E·G·O



No.	375043	Ref. No.	TH1079
description	thermostat t.max. 200°C temperature range 65-200°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 880mm capillary pipe isolated 800mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E·G·O



No.	375417	Ref. No.	TH1079
description	thermostat t.max. 200°C temperature range 65-200°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 840mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm rotation 270°		



No.	375038	Ref. No.	TH1086
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
accessories for	375038		
	No.	110123	Ref. No. —
	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		



No.	375026	Ref. No.	TH1088
description	thermostat t.max. 350°C temperature range 100-350°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 2430mm capillary pipe isolated 1100mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




No.	390038	Ref. No.	DE1237
description	thermostat t.max. 90°C temperature range 30-90°C 3-pole 3CO 16A probe ø 6mm probe L 215mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft Lmm		

safety thermostats

55.13_ series



No.	375214	Ref. No.	TH1290
description	safety thermostat switch-off temp. 140°C 1-pole 16A probe ø 6mm probe L 77mm capillary pipe 1540mm capillary pipe isolated 1350mm gland nut probe SS		



No.	375619	Ref. No.	TH1120
description	safety thermostat switch-off temp. 220°C 1-pole 1NO 16A probe ø 6mm probe L 77mm capillary pipe 830mm capillary pipe isolatedmm gland nut M9x1 probe		

55.32_ series



No.	375290	Ref. No.	TH1087
description	safety thermostat switch-off temp. 240°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 2000mm capillary pipe isolated 1800mm gland nut probe SS		

E·G·O



No.	375704	Ref. No.	TH1087
description	safety thermostat switch-off temp. 240°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 890mm capillary pipe isolated 600mm gland nut probe SS		

E·G·O



No.	375706	Ref. No.	TH1122
description	safety thermostat switch-off temp. 400°C 3-pole 3NC 20A probe ø 3.9mm probe L 228mm capillary pipe 1190mm capillary pipe isolatedmm gland nut probe SS		

55.33_ series

E·G·O



No.	375467	Ref. No.	TH0118
description	safety thermostat switch-off temp. 220°C 3-pole 3NC 20A probe ø 6mm probe L 75mm capillary pipe 1500mm capillary pipe isolatedmm gland nut M9x1 probe SS		

E·G·O





No.	375985	Ref. No.	TH0108
description	safety thermostat switch-off temp. 230°C 3-pole 1NC probe ø 6mm probe L 75mm capillary pipe 1780mm capillary pipe isolatedmm gland nut M12x0.75 starting temperature 16°C probe screw connection M10x0.75		

control thermostats with operation switch

55.10/19_ series


E·G·O



No.	390039	Ref. No.	DE0426
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 173mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
accessories for	390039		
	No.	111934	Ref. No. —
knob thermostat t.max. 90°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°			

55.34_ series

E·G·O



No.	375246	Ref. No.	DE0254
description	thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper		

accessories

connecting bows



No.	550059	Ref. No.	DM0348
description	connecting bow short for switch Qty 1 pcs		

switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

No.	347791	Ref. No.	DE3055
description	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		

push/momentary push switches

miscellaneous



1

No.	347737	Ref. No.	DE0040 1
description	momentary push switch mounting ø 12mm black 1CO 250V 6A with protecting cover connection male faston 4.8mm ambient temperature max. 100/55°C protection IP54		

toggle switches

M12x0.75



1

No.	347595	Ref. No.	DE0257
description	toggle switch thread M12x0.75 2CO 250V 15A ON-ON screw		

M12x1



1

No.	347738	Ref. No.	DE0206
description	toggle switch thread M12x1 1NO 250V 15A connection male faston 6.3mm		

accessories



1

No.	346525	Ref. No.	DE0258
description	protection cap L 23.5mm W 17.3mm protection cap rubber thread M11		

position switches

TELEMECANIQUE (EFA)



1

No.	347736	Ref. No.	DE0663
description	position switch plastic 1NO/1NC 600V 10A L 63mm W 21mm H 59mm protection IP44 actuating force: 300g screw connection mounting distance 75mm type XC1-ZB21		

float switches



1

No.	403024	Ref. No.	DE0986
description	float switch thread 1" 2NO ø 25mm L 200mm mounting ø 1"mm 230V 0.5A cable cable length 2000mm		

cam switches

on/off



1

No.	300248	Ref. No.	DE0204
description	cam switch ON-OFF 16A shaft ø 6x4.6mm connection screw clamp 3-pole		

7-position





1

No.	300025	Ref. No.	DE0781
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
accessories for	300025		



No.	112172	Ref. No.	—
description	knob universal ø 70mm black without adaptor/dial plate		

Table continues overleaf

accessories for 300025		No.	112213	Ref. No.	—
	knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm				
	No. 112311 Ref. No. — knob adapter shaft ø 6x4.6mm L 0mm with spring				

1

No.

300106

Ref. No.

DE0785

description

cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6
32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position
shaft flat upper

4 operating positions

1

No.	300360	Ref. No.	DE0205
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

operation switches


E.G.O.



1

No.

300091

Ref. No.

DE0197

description


operation switch EGO 2 operating positions 2NO 16A sequence 0-1
shaft ø 6x4.6mm shaft L 23mm connection screw ceramic

magnetic switches

32x15mm



1



No.	345109	Ref. No.	DE0192
description		magnetic switch L 32mm W 15mm 1NO 250V 1A P max. 40W connection cable length 2000mm	

accessories

magnets



1

No.	347739	Ref. No.	DE0216
description		magnet ømm L 32mm H 7mm W 15mm hole distance 17mm M4 hole ø 4x6mm	

control equipment

SIEMENS

3SB series ø22mm new



1

No.	346630	Ref. No.	DE1108
description		contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black	

accessories for 346630		No.	347520	Ref. No.	—
------------------------	--	-----	--------	----------	---



push button mounting measurements ø22mm non-illuminated black

rotary switches



1				
No.	346601	Ref. No.	DE1091	
description	rotary selector mounting measurements ø22mm black latching sequence 0-1			
accessories for	346601			
	No.	346602	Ref. No.	—
contact block SIEMENS 3SB3400-0D 2NO max 400V 10A black				
	No.	346603	Ref. No.	—
contact block SIEMENS 3SB3400-0E 2NC max 400V 10A black				
	No.	346630	Ref. No.	DE1108
contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black				
	No.	346631	Ref. No.	—
contact block SIEMENS 3SB3400-0C 1NC max 400V 10A black				
	No.	346632	Ref. No.	—
contact block SIEMENS 3SB3400-0D 1NC/1NO max 400V 10A black				

lamps

indicator lights

indicator lights (complete)

ø12mm

with screw socket



1				
No.	359893	Ref. No.	DE0581	
description	indicator light ø 12mm 400V green connection cable 200mm			



1				
No.	359895	Ref. No.	DE0584	
description	indicator light ø 12mm 400V yellow connection cable 200mm			



1				
No.	359894	Ref. No.	DE0577	
description	indicator light ø 12mm 400V red connection cable 200mm			

ø22mm



1				
No.	357000	Ref. No.	DE0582 1	
description	indicator light ø 22.5mm 400V green connection screw clamp			

screw-on/push-on fit

light bulbs

for ovens



1				
No.	359610	Ref. No.	DE0016	
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips			

oven lamps

universal oven lamps

mounting diameter 35.5mm



1				
No.	359720	Ref. No.	DE0576	
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas			
spare parts for	359720			
	No.	359701	Ref. No.	—
lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W				
	No.	359705	Ref. No.	DM0501
oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C				
	No.	359721	Ref. No.	DM0495
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs				
	No.	359740	Ref. No.	—
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT				



1

No.	359705	Ref. No.	DM0501
description	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		

accessories for 359705



No.	359610	Ref. No.	DE0016
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		



No.	359700	Ref. No.	—
description	gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm		



No.	359721	Ref. No.	DM0495
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		



No.	359837	Ref. No.	—
description	gasket ID ø 33mm ED ø 46mm thickness 1mm graphite		



No.	359838	Ref. No.	—
description	gasket ID ø 33mm ED ø 45mm		



1

No.	359721	Ref. No.	DM0495
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		

lamps

light bulbs



1

No.	359610	Ref. No.	DE0016
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

timers

mechanical timers



1

No.	350094	Ref. No.	DE0657
description	timer C53 4-pole operation time 60min impulse mechanical 2NO/2NC at 250V 16A permanent position no shaft ømm shaftmm shaft L 24mm mounting distance 28mm connection lateral front measurements 72x72mm		

audible timers



1

No.	350014	Ref. No.	DE0659
description	audible timer operation time 15min ø 56mm shaft ø 6x4.6mm shaft L 24mm mounting distance 28mm		



1

No.	350036	Ref. No.	DE0656
description	audible timer operation time 60min ø 55mm shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm		

contactors

ABB

power contactors



1

No.	380108	Ref. No.	DE0210
description	power contactor resistive load 30A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A16-30-10		



1

No.	380112	Ref. No.	D02000
description	power contactor resistive load 45A 230VAC (AC3/400V) 26A/11kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A26-30-10		

accessories for 380112



No.	381031	Ref. No.	—
description	auxiliary contact contacts 1NO/1NC AC1 16A AC15 3A connection screw connection for contactors B6/B7/VB7		

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380261	Ref. No.	DE0209
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310		



1

No.	380264	Ref. No.	DE0110
description	power contactor resistive load 45A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts connection screw connection type AEG LS11K 00A type GE CL25A 300		

auxiliary contacts



1

No.	380270	Ref. No.	DE0111
description	auxiliary contact contacts 1NO/1NC for contactors CL+LS_K connection screw AC-12 10A type AEG HS08K 11 type GE BCLL 11		

SIEMENS

power contactors



1

No.	380526	Ref. No.	DE0140
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type 3TG10-10-0A2L2		

relays

level relays

miscellaneous



1

No.	380961	Ref. No.	DE0960
description	level controller 1-pole 230V voltage AC type CNRVA1 FLT		

probes

universal probes

temperature probes

1



No.	375051	Ref. No.	DE0972
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø4x150mm cable length 1.5m 2-wire		

electronics

PCBs



1

No.	403134	Ref. No.	DE3052
description	keypad PCB induction device L 85mm W 45mm with ribbon cable buttons 2		



1


No.	403023	Ref. No.	DE3020 DE3105
description	PCB L 135mm W 85mm with screws for fryer		



pressure switches

for warewashing

ø 84mm with coded plug



1

No.	541176	Ref. No.	RB0655
description	pressure control 2 pressure ranges pressure range 60/20 110/80mbar connection 6mm ø 84mm pressure connection horizontal warewashing suitable for ZANUSSI		

electrodes



1

No.	403136	Ref. No.	DV0850 1
description	level electrode M4 total length 150mm probe L 145mm insulated probe length 130mm connection F6.3 ø 4mm		



1

No.	403135	Ref. No.	DV0851 1
description	level electrode M4 total length 200mm probe L 12mm insulated probe length 180mm connection male faston 6.3mm ø 6/4mm		



fans

axial fans

ebm-papst




1

No.	601030 ¹	Ref. No.	DE0669
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
accessories for	601030		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	692497	Ref. No. —
	guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm		

¹with ball bearings

1

No.	601038 ¹	Ref. No.	DE0710
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 12W bearing ball bearing manuf. no. 8556N metal connection cable 300mm ebm-papst fan wheel ø 75mm temp.-resist. 90°C airflow 50m³/h		
accessories for	601038		
	No.	691102	Ref. No. —
	guard ø 75mm mounting distance 71mm for axial fan 80mm		

¹with ball bearings


cross flow fans

COPREL

with standard coil




1


No.	601453	Ref. No.	DE0155
description	cross flow fan TFR 180 roller ø 60mm roller length 180mm laminated core thickness 16mm motor position right 230V/50-60Hz 17W universal bearing silicone connection male faston 6.3mm airflow 100m³/h -30 up to +100°C 230V 50Hz		
accessories for	601453		
	No.	415114	Ref. No. —
	heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V temperature restriction 105°C heating circuits 2 connection cable cable length 150mm L 192mm for cross flow fan		

hot air fans

ebm-papst



1



No.	601014	Ref. No.	DE0684
description	hot air fan 230V 32W 0.27A L1 60mm L2 28mm L3 20mm L4 157mm fan wheel ø 150mm ebm-papst type R2K150-AC01-25 2000rpm		

condensators & interference suppression filters

operating capacitors

plastic




1

No.	365021	Ref. No.	DE0084
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

fuses

fine fuses



1

No.	358608	Ref. No.	DE0839
description	fine fuse size ø5x20mm 10A slow-acting rated 250V Qty 10 pcs		

fine fuse holders



1

No.	358113	Ref. No.	DE3051
description	fuse holder suitable fuse ø5x20mm ø 15mm thread M12x0.75 1-pole 10A rated 250V L 34mm connection male faston 2.8mm		

electric accessories

plugs - couplings - power sockets

appliance sockets/plugs

low temperature appliances 70°C



1

No.	551133 ¹	Ref. No.	DE0836
description	appliance inlet C14 max 10A/250V T70 mounting distance 51mm hole ø 3.3mm plastic male faston 4.8mm with switch temp.-resist. 100°C		

¹incl. rocker switch

terminals and connectors

not insulated

female bullets



1

No.	100112	Ref. No.	DE0092
description	female bullet size 2mm 0.25-1.0mm ² CuZn gal Sn t.max. 125°C Qty 20 pcs		

terminals

connection terminals with screw connection



1

No.	550507	Ref. No.	DE0083
description	power terminal block 4-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C		



1

No.	550355	Ref. No.	DE0082
description	power terminal block 6-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C cross section 6mm² hole distance 122mm		

gas taps

PEL

20S series



1

No.	101491	Ref. No.	RB1213
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		

spare parts for 101491

No.	100408	Ref. No.	—
description	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		

No.	101060	Ref. No.	RB0661
description	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		

No.	101205	Ref. No.	—
description	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20		

No.	101231	Ref. No.	—
description	thermocouple nut T1: M9x1 T2: M18x1		

accessories for 101491

No.	101287	Ref. No.	—
description	olive for pipe ø 6mm Qty 1 pcs		

No.	101300	Ref. No.	—
description	union nut thread M16x1.5 tube ø 10mm		

No.	101450	Ref. No.	—
description	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		

No.	101451	Ref. No.	—
description	union nut thread M16x1.5 tube ø 8mm		

No.	110081	Ref. No.	—
description	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		

No.	110083	Ref. No.	—
description	knob dial plate gas tap without ignition flame silver		

21S series



1

No.	101397	Ref. No.	RB1214
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		

spare parts for 101397

No.	100408	Ref. No.	—
description	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		

No.	101060	Ref. No.	RB0661
description	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		

No.	101206	Ref. No.	—
description	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21		

No.	101231	Ref. No.	—
description	thermocouple nut T1: M9x1 T2: M18x1		

accessories for 101397

No.	100908	Ref. No.	—
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		

No.	100909	Ref. No.	—
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		

No.	101246	Ref. No.	—
description	olive for pipe ø 4mm Qty 1 pcs		

No.	101278	Ref. No.	—
description	olive for pipe ø 10mm Qty 1 pcs		

No.	101286	Ref. No.	—
description	olive ID ø 6mm Qty 1 pcs		

No.	101300	Ref. No.	—
description	union nut thread M16x1.5 tube ø 10mm		


No.	101450	Ref. No.	—
description	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		

No.	101451	Ref. No.	—
description	union nut thread M16x1.5 tube ø 8mm		

















No.	110081	Ref. No.	—
description	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		



No.	112206	Ref. No.	—
description	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm		

22S/O series



1

No.	101086	Ref. No.	RB1219	
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower			
spare parts for	101086			
	No.	100259	Ref. No.	—
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	No.	101058	Ref. No.	RB0660
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard				
	No.	101201	Ref. No.	—
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22				
	No.	101231	Ref. No.	—
thermocouple nut T1: M9x1 T2: M18x1				
	No.	101240	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
accessories for	101086			
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101241	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				






accessories for	101086			
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

1

				
No.	107201	Ref. No.	RB1003	
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 7x7mm shaft L 16/7mm shaft flat diagonal			
spare parts for	107201			
	No.	101058	Ref. No.	RB0660
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard				
	No.	101231	Ref. No.	—
thermocouple nut T1: M9x1 T2: M18x1				
	No.	101366	Ref. No.	—
gas connection thread M20x1.5 tube ø 14mm for PEL gas taps horizontal				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
	No.	106162	Ref. No.	—
gas tap front part shaft ø 7x7mm shaft L 16/7mm shaft flat diagonal suitable for PEL22				
	No.	106191	Ref. No.	—
bypass nozzle type PEL22 bore ø 0mm thread M6x0.5				
accessories for	107201			
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101241	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				

Table continues overleaf










accessories for 107201				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

22S/V series



1

No.	107200	Ref. No.	RB1005	
description	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 7x7mm shaft L 16/7mm shaft flat horizontal			
spare parts for	107200			
	No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No.	RB0660
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101230	Ref. No.	—
	thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
	No.	106162	Ref. No.	—
	gas tap front part shaft ø 7x7mm shaft L 16/7mm shaft flat diagonal suitable for PEL22			
accessories for	107200			
	No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			

accessories for 107200				
	No.	101240	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				

23S/V series



1









No.	101093	Ref. No.	RB1217
description	gas tap PEL type 23S/V gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		
spare parts for	101093		
	No.	100455	Ref. No. —
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101059	Ref. No. —
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1			
	No.	101204	Ref. No. —
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S			
	No.	101245	Ref. No. —
gas connection thread M24x1.5 tube ø 12/16mm vertical for PEL gas taps			
	No.	101463	Ref. No. —
screw suitable for PEL23S Qty 4 pcs			
	No.	528455	Ref. No. —
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs			
accessories for	101093		
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

Table continues overleaf

accessories for	101093	No.	100909	Ref. No.	—
	union screw	thread M10x1 for pipe ø 6mm	Qty 1 pcs		
	olive	for pipe ø 4mm	Qty 1 pcs		
	union nut	thread M24x1.5 for pipe ø 12mm			
	union nut	thread M24x1.5 PEL for pipe ø 16mm			
	union nut	thread M28x1.5 tube ø 20mm			
	olive	for pipe ø 12mm	Qty 1 pcs		
	olive	for pipe ø 16mm	Qty 1 pcs		
	olive	for pipe ø 20mm	Qty 1 pcs		
	olive	ID ø 6mm	Qty 1 pcs		
	knob	ø 70mm shaft ø 10x8mm shaft flat universal			
	knob dial plate	silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

STN3R

	1	No.	106176	Ref. No.	RB0927
description		gas tap STN3R gas inlet 3/8" (tube ø 10/8mm) bypass nozzle ø 0mm gas outlet 3/8" (tube ø 10/8mm) thermocouple connection pilot connection M10x1 shaft ø 7x7mm shaft L 18.5/7mm shaft flat diagonal suitable for MORICE pilot connection M10x1			

miscellaneous

	1	No.	103106	Ref. No.	RB0935
description		gas tap shaft ø 6x7mm shaft L 21mm gas outlet 1/4"			

gas thermostats

SIT

710 Minisit series


















	1	No.	101132	Ref. No.	RB0657
description		gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no			
spare parts for		101132			
		No.	101053	Ref. No.	—
		magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
		No.	102102	Ref. No.	—
		probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for		101132			
		No.	100809	Ref. No.	—
		O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
		No.	100904	Ref. No.	—
		locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
		No.	100905	Ref. No.	—
		locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
		No.	101054	Ref. No.	—
		magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
		No.	101136	Ref. No.	—
		piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
		No.	101137	Ref. No.	—
		cover cap without piezoelectric igniter			
		No.	101267	Ref. No.	—
		reducer IT 3/8" ET 1/2" L 21mm			

Table continues overleaf



accessories for 101132				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	RB0652
knob suitable for Minisit ø 37mm				

				
1 				
No.	101131	Ref. No.	RB0666	
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulator mbar gland nut			
spare parts for	101131			
	No.	101053	Ref. No.	—
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102103	Ref. No.	—
probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710				
accessories for	101131			
	No.	100809	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100820	Ref. No.	—
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				

accessories for 101131				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	—
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	—
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	RB0652
knob suitable for Minisit ø 37mm				

PEL

25ST series

1



				
	No.	101172	Ref. No.	RB1216
description		gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
spare parts for		101172		
	No.	100259	Ref. No.	—
		bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		

Table continues on page 2


spare parts for 101172				
	No.	101060	Ref. No.	RB0661
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
	No.	106200	Ref. No.	—
nut thread M9x1 suitable for PEL 24/255				
accessories for 101172				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110079	Ref. No.	—
knob dial plate gas thermostat 1-8 silver				
	No.	110081	Ref. No.	—
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				

gas valves and ignition boxes












gas control valves


SIT










NOVASIT



1


No.	101162	Ref. No.	RB1200	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010			
spare parts for	101162			
	No.	101065	Ref. No.	—
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT				
	No.	101313	Ref. No.	RB1197
solenoid coil 230V 50Hz				
accessories for	101162			
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	101305	Ref. No.	—
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	No.	101306	Ref. No.	RB1224
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101307	Ref. No.	RB1225
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101312	Ref. No.	RB1199
microswitch				
	No.	101314	Ref. No.	—
solenoid coil 24V 50Hz				
	No.	101317	Ref. No.	RB1201
plug with cable L 1000mm suitable for NOVASIT				
	No.	101318	Ref. No.	—
cover cap for solenoid coil suitable for NOVASIT				




No.	101540	Ref. No.	RB0983
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection closed ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.822.113		
spare parts for	101540		
	No.	101313	Ref. No. RB1197
solenoid coil 230V 50Hz			
	No.	101542	Ref. No. RB1196
solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V			
accessories for	101540		
	No.	101305	Ref. No. —
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No. RB1224
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101307	Ref. No. RB1225
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101308	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101317	Ref. No. RB1201
plug with cable L 1000mm suitable for NOVASIT			
	No.	101503	Ref. No. —
O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs			
	No.	101924	Ref. No. —
plug with cable L 1090mm suitable for NOVA 822/826/827			

accessories




No.	101306	Ref. No.	RB1224
description	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
spare parts for	101306		
	No.	517104	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 31.42mm Qty 1 pcs			



No.	101307	Ref. No.	RB1225
description	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
spare parts for	101307		
	No.	101503	Ref. No. —
O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs			



No.	101312	Ref. No.	RB1199
description	microswitch		




No.	101317	Ref. No.	RB1201
description	plug with cable L 1000mm suitable for NOVASIT		




No.	101776	Ref. No.	RB0984
description	plug with cable L 905mm suitable for NOVA 822/826/827		




No.	109128	Ref. No.	RB0600
description	pressure controller brass L 25mm ø 11.5mm thread M13x1 for gas valve suitable for gas valves Qty 1 pcs		



No.	101313	Ref. No.	RB1197
description	solenoid coil 230V 50Hz		
accessories for	101313		
	No.	550896	Ref. No. —
gasket with screw gas valves NOVASIT			
















			
No.	101542	Ref. No.	RB1196
description	solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V		






ignition parts

pilot burners

SIT

100 series

			
No.	106904	Ref. No.	RB1004
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm		
spare parts for	106904		
	No.	100245	Ref. No. —
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100855	Ref. No. —
	pilot burner bracket triple		
	No.	100885	Ref. No. RB0704
	air mixing sleeve for pilot burner Qty 1 pcs		
	No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	No.	100918	Ref. No. —
	screw for pilot burner		
	No.	107160	Ref. No. RB0675
	pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs		
	No.	107166	Ref. No. —
	pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs		
	No.	107701	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	106904		
	No.	100246	Ref. No. —
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty		

accessories for	106904		
	No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	No.	107171	Ref. No. —
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
	No.	107700	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm		
	No.	107702	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		













			
No.	106907	Ref. No.	RB0664
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
spare parts for	106907		
	No.	100246	Ref. No. —
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100855	Ref. No. —
	pilot burner bracket triple		
	No.	100885	Ref. No. RB0704
	air mixing sleeve for pilot burner Qty 1 pcs		
	No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	No.	100918	Ref. No. —
	screw for pilot burner		
	No.	107162	Ref. No. —
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	No.	107702	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		
accessories for	106907		
	No.	100245	Ref. No. —
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		

Table continues overleaf



accessories for 106907				
	No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No.	—
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

accessories

pilot burner caps



1

No.	107160	Ref. No.	RB0675
description pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs			

ignition electrodes



1

No.	100707	Ref. No.	DM0092
description ignition electrode D1 ø 7mm D2 ø 9mm connection ø 2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs			

miscellaneous



1

No.	100885	Ref. No.	RB0704
description air mixing sleeve for pilot burner Qty 1 pcs			

ROBERTSHAW

pilot burners

universal series - type 6

Width of caps:

6CH10 = 1" (25,4mm)

6CH14 = 1½" (38,1mm)

6CH24 = 2½" (63,5mm)

6CH30 = 3" (76,2mm)



1

No.	106346	Ref. No.	DM1164
description pilot burner ROBERTSHAW type 6CH14-10 3 flames natural gas code 22 for pipe ø 1/4" CCT gas connection 1/4" CCTmm			

producer-specific pilot burners


ILLICO




1


No.	107518	Ref. No.	RB0664-10
description pilot burner 1 flame nozzle ø 0.2mm burner bearing upper			


spare parts for 107518			
------------------------	--	--	--


	No.	100245	Ref. No.	—
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			


	No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

accessories for 107518			
------------------------	--	--	--

	No.	100246	Ref. No.	—
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			

	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			

	No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			

	No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			




	No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			


Table continues overleaf


accessories for	107518
	No. 102742 Ref. No. —
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs	


	1
No.	104450 Ref. No. DM1158
description pilot burner 1 natural gas nozzle ø 0.25mm	

	1
No.	104623 Ref. No. DM1159
description pilot burner 2 LPG nozzle ø 0.148mm	

electrodes


	1
No.	100707 Ref. No. DM0092
description ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs	

	1
No.	102330 Ref. No. DM5092
description ignition electrode D1 ø 7mm D2 ø 9mm L1 16mm BL1 18mm BL2 3mm BL3 23mm to clip connection ø 2.4mm	


	1
No.	104449 Ref. No. DE0005 DM0298
description ignition electrode flange length 64mm flange width 30mm D1 ø 8mm	

ignition cables

terminals and connectors


	1
No.	100112 Ref. No. DE0092
description female bullet size 2mm 0.25-1.0mm² CuZn gal Sn t.max. 125°C Qty 20 pcs	

ignition units


	1
No.	102388 Ref. No. DE0264
description ignition unit outputs 4 230VAC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 type WAC-T4 0.6VA 50/60Hz	

thermocouples

thermocouple sets universal

	1
No.	107647 Ref. No. RB0710
description thermocouple set SIT 11-piece L 900mm	




			
No.	102003	Ref. No.	RB0710
description thermocouple set 10-piece L 900mm			


plug-in thermocouples


plug-in thermocouples standard

with barrel socket $\varnothing 6(6.5)$ mm


thermocouples SIT

			
No.	107612	Ref. No.	RB0714
description thermocouple SIT M9x1 L 1000mm plug connection $\varnothing 6.0(6.5)$ mm			


			
No.	107614	Ref. No.	RB0713
description thermocouple SIT M9x1 L 1500mm plug connection $\varnothing 6.0(6.5)$ mm			



			
No.	107609	Ref. No.	RB0712
description thermocouple SIT M9x1 L 600mm plug connection $\varnothing 6.0(6.5)$ mm			

plug-in thermocouples with interruption

			
No.	102238	Ref. No.	RB0715
description thermocouple with interrupter M9x1 L 600mm M10x1 F 6.3mm			


extensions

			
No.	102241	Ref. No.	RB1223
description thermocouple extension flexible thread M9x1 - M9x1 L 500mm			

			
No.	102013	Ref. No.	RB0711
description thermocouple extension thread M9x1 L 500mm			
accessories for 102013			
	No.	101261	Ref. No. —
thermocouple fitting thread M9x1 Qty 1 pcs			

accessories

interrupters

			
No.	101265	Ref. No.	RB0658
description interrupter thread M9x1			

gas burners

hob burners

producer-specific hob burners

MORICE

859 series



1

No.	107058	Ref. No.	N/A
description	burner type 859 ø 80mm L 175mm complete		



1

No.	108002	Ref. No.	N/A
description	burner head ø 79mm seat ø 32mm H 50mm		



1

No.	108001	Ref. No.	BR0182 1
description	burner ring ø 73mm		

universal



1

No.	107033	Ref. No.	BR0107 BR0107 1
description	burner ø 115mm complete		







1

No.	107031	Ref. No.	BR0101 BR0101 1
description	burner ø 60mm complete		



1

No.	107032	Ref. No.	BR0095 BR0095 1	
description	burner ø 88mm complete			
spare parts for	107032			
	No.	108029	Ref. No.	BR0097
burner cap ø 88mm with ring				
	No.	108122	Ref. No.	BR0095.100 N/A
burner head for burner cap ø 88mm				
accessories for	107032			
	No.	106535	Ref. No.	—
gas injector thread 3/8" WS 17 bore ø 1.3mm				
	No.	106540	Ref. No.	—
gas injector thread 3/8" WS 17 bore ø 1.8mm				



1

No.	108030	Ref. No.	BR0109
description	burner cap ø 115mm with ring		



1

No.	108028	Ref. No.	BR0103
description	burner cap ø 60mm with ring		



1

No.	108029	Ref. No.	BR0097
description	burner cap ø 88mm with ring		



1

No.	108123	Ref. No.	N/A
description	burner head for burner cap ø 115mm		



1

No.	108121	Ref. No.	N/A
description	burner head for burner cap ø 60mm		



1

No.	108122	Ref. No.	BR0095.100 N/A
description	burner head for burner cap ø 88mm		



1

No.	107034	Ref. No.	BR0079
description	burner ø 145mm complete		



1

No.	107192	Ref. No.	DM1249
description	burner cap ø 145mm		

pan supports



1

No.	107100	Ref. No.	GI9037 PQ8755
description	pan support W 290mm L 320mm		



1

No.	107101	Ref. No.	5756 1 GI9036
description	pan support W 330mm L 440mm		



1

No.	107102	Ref. No.	5757 1 PQ0757
description	pan support W 330mm L 440mm		

reducers for pan supports



1

No.	107035	Ref. No.	PQ0758 PQ0758 1
description	reducer for pan support L 170mm W 170mm		

spillage trays



1

No.	109127	Ref. No.	DV8241 1
description	drain tray L 430mm W 318mm H 42mm ø 140mm hole ø 6mm hole distance 303mm		


accessories

reducers for pan supports



1

No.	107035	Ref. No.	PQ0758 PQ0758 1
description	reducer for pan support L 170mm W 170mm		

			
1			
No.	210057	Ref. No.	GI9035
description	reducer for pan support L 188mm W 188mm		

pan supports

			
1			
No.	107100	Ref. No.	GI9037 PQ8755
description	pan support W 290mm L 320mm		

			
1			
No.	107101	Ref. No.	5756 1 GI9036
description	pan support W 330mm L 440mm		

			
1			
No.	107102	Ref. No.	5757 1 PQ0757
description	pan support W 330mm L 440mm		


spillage trays


			
1			
No.	109127	Ref. No.	DV8241 1
description	drain tray L 430mm W 318mm H 42mm ø 140mm hole ø 6mm hole distance 303mm		


gas nozzles

main nozzles


gas nozzles 3/8"


			
1			
No.	106529	Ref. No.	IN0483
description	gas injector thread 3/8" WS 17 bore ø 0.9mm		

			
1			
No.	106533	Ref. No.	IN0488
description	gas injector thread 3/8" WS 17 bore ø 1.15mm		

			
1			
No.	106538	Ref. No.	IN0514
description	gas injector thread 3/8" WS 17 bore ø 1.6mm		

burner nozzles

			
1			
No.	102899	Ref. No.	DM1186
description	burner nozzle LPG code BP148 type F111		

			
1			
No.	102898	Ref. No.	DM1185
description	burner nozzle natural gas type F111		



auxiliary gas parts

gas pressure regulators

Standard pressure according to country:

Germany 50mbar

France 37mbar

Italy 30mbar

Spain 37/50mbar

UK 20mbar



1



No.	250010	Ref. No.	RB1303
description	gas pressure regulator 8kg/h output pressure 37mbar		

gas hoses

NF D36-123





1

No.	250025	Ref. No.	DM0383
description	gas hose L 1000mm 3/4" ET - 3/4" ET flex hose plastic-coated NF D36-123 with Viton gasket p max 2bar DN20		
accessories for	250025		
	No.	104663	Ref. No. —
snap-on connection thread 3/4" - 3/4" 3/4" - 3/4"			
	No.	250122	Ref. No. —
screw connection thread 3/4" DN15 Qty 1 pcs			



1

No.	250020	Ref. No.	DM0411
description	gas hose L 1250mm 1/2" IT - 1/2" IT flex hose plastic-coated NF D36-123 with Viton gasket p max 2bar DN15		
accessories for	250020		
	No.	104662	Ref. No. —
snap-on connection thread 1/2" - 1/2" 1/2" - 1/2"			
	No.	250097	Ref. No. —
connection set with gasket thread 1/2" AG - 1/2" IG & 1/2" AG - M20x1.5 IG adaptor 1/2" ET - M20x1.5 IT angle piece 1/2" IT - 1/2" ET 2 gaskets			

equipment-specific units

for espresso machines

brewing units

filter holder gaskets

O-rings



1

No.	510409	Ref. No.	DM0578
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

for deep fryers

miscellaneous



1

No.	696488	Ref. No.	DV0890 1
description	connecting piece for fryer L 250mm W 20mm H 1mm		

for convection ovens/combi-steamers

doors



1

No.	696430	Ref. No.	DM0933
description	bush L 11mm H 11mm D1 ø 11mm D2 ø 16mm ID ø 6.5mm		



1

No.	696431	Ref. No.	DM0334
description	suppressor for glass plate H 10mm ø 20mm ID ø 8.5mm		

door mechanics

miscellaneous



1

No.	696430	Ref. No.	DM0933
description	bush L 11mm H 11mm D1 ø 11mm D2 ø 16mm ID ø 6.5mm		



1

No.	696431	Ref. No.	DM0334
description	suppressor for glass plate H 10mm ø 20mm ID ø 8.5mm		

for ovens

level glasses



1

No.	696486	Ref. No.	DV1113 1 DV113 1
description	level glass ø 50mm chrome-plated for oven		

for pizza ovens

miscellaneous



1

No.	696487	Ref. No.	DV2002 DV2002 1
description	fixing plate for door spring L 90mm W 25mm H 3mm		


knobs

universal knobs




1

No.	110253	Ref. No.	DE0203
description	knob switch zero mark t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		



1

No.	110245	Ref. No.	TH1075
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		



1

No.	110247	Ref. No.	TH1077
description	knob thermostat t.max. 350°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-350°C		



1

No.	110075	Ref. No.	DE0951
description	knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

accessories for	110075		
No.	110135	Ref. No.	TH1067




rosette knob up to ø 52mm

producer-specific knobs

MORICE



1

No.	110075	Ref. No.	DE0951
description knob energy regulator 1-3 t.max. °C °C ø 50mm shaft ø 6x4.6mm shaft flat upper black			
accessories for 110075			
	No.	110135	Ref. No. TH1067
rosette knob up to ø 52mm			



1

No.	112202	Ref. No.	DM1155 2
description knob gas tap without ignition flame ø 52mm shaft ø 7x7mm black			



1

No.	112203	Ref. No.	DM2111 DM2111 1
description knob gas tap without ignition flame ø 72mm shaft ø 8x6.5mm shaft flat lower black			



1

No.	112632	Ref. No.	DM2111 DM2111 1
description knob gas tap without ignition flame ø 73mm shaft ø 8x6.5mm shaft flat lower black/red			



1

No.	112204	Ref. No.	DM2119
description knob gas tap without ignition flame t.max. °C °C ø 72mm shaft ø 10x8mm shaft flat right black			




1

No.	110253	Ref. No.	DE0203
description knob switch zero mark t.max. °C °C ø 50mm shaft ø 6x4.6mm shaft flat upper black			




1

No.	112631	Ref. No.	DM1152 DM1152 1
description knob t.max. °C °C ø 73mm shaft ø 7x7mm black/red			



1

No.	110245	Ref. No.	TH1075
description knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C			



1

No.	110247	Ref. No.	TH1077
description knob thermostat t.max. 350°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-350°C			



accessories

knob adaptors



1

No.	696432	Ref. No.	DM9555
description	knob adaptor shaft ø 6.3x7.7mm		

rosettes



1

No.	110135	Ref. No.	TH1067
description	rosette knob up to ø 52mm		

locks

turning lever locks

universal

RAHRBACH



1

No.	690027	Ref. No.	DM0792
description	handle latch left L 150mm H 59mm		

accessories for	690027		
-----------------	--------	--	--



No.	690045	Ref. No.	—
description	door catch mounting pos. left off-set 20mm L 110mm H 56mm W 33mm mounting distance 68/68mm zinc die cast series 6300		



No.	690135	Ref. No.	DM0803
description	door catch mounting pos. left off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750		



No.	690137	Ref. No.	—
description	sliding plate mounting pos. left L 28mm H 3mm W 21mm H2 12.5mm		



1

No.	690044	Ref. No.	DM0791
description	handle latch right L 185mm H 59mm handle material plastic type 6300 series		

accessories for	690044		
-----------------	--------	--	--



No.	690136	Ref. No.	—
description	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm		

accessories for	690044		
No.	700091	Ref. No.	—
description	door catch mounting pos. right off-set 20mm L 110mm H 56mm W 33mm mounting distance 68/68mm zinc die cast series 6300		
No.	700098	Ref. No.	DM0802
description	door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750		



1

No.	690135	Ref. No.	DM0803
description	door catch mounting pos. left off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm zinc die cast series 1750		

spare parts for	690135		
-----------------	--------	--	--



No.	690137	Ref. No.	—
description	sliding plate mounting pos. left L 28mm H 3mm W 21mm H2 12.5mm		



1

No.	700098	Ref. No.	DM0802
description	door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750		

spare parts for	700098		
-----------------	--------	--	--



No.	690136	Ref. No.	—
description	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm		

accessories for	700098		
-----------------	--------	--	--



No.	514281	Ref. No.	—
description	base plate L 110mm W 35mm for door catch thickness 10mm		

STUV



1

No.	700098	Ref. No.	DM0802
description	door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750		

spare parts for	700098		
-----------------	--------	--	--



No.	690136	Ref. No.	—
description	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm		

accessories for	700098		
-----------------	--------	--	--




No.	514281	Ref. No.	—
description	base plate L 110mm W 35mm for door catch thickness 10mm		





edgmount latches

handle latches

CAFF/FERMOD



1

No.	700060	Ref. No.	DM3460
description	handle latch L 150mm mounting distance 133mm non lockable heated units G 791		
accessories for	700060		
	No.	700061	Ref. No. —
door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units			
	No.	700062	Ref. No. —
handle protection heated units			

equipment feet and end caps

equipment feet

with screw mounting



1

No.	701097	Ref. No.	TP8001 1
description	equipment foot tube ø 50mm thread M8 H 164-220mm stainless steel Qty 1 pcs WS 30		

DERBY RUOTE

with bolt hole

stainless steel



1

No.	700223 ¹	Ref. No.	RL0978
description	swivel castor with swivel brake ø 125mm bolt hole bolt hole ø 12mm housing SS capacity 100kg bearing ball bearing wheel body polypropylene tread TPE tyres H 159mm wheel width 30mm Qty 1 pcs		

¹with swivel brake

baskets

fryer baskets

MORICE



1

No.	970495	Ref. No.	DM0824
description	fryer basket L1 285mm W1 235mm H1 140mm L2 470mm H2 250mm SS		



1

No.	970783	Ref. No.	DM0825
description	fryer basket W1 235mm L1 370mm H1 140mm chrome-plated steel		

pasta baskets

various




1

No.	970750	Ref. No.	DM0833
description	pasta basket H1 195mm W1 90mm L1 110mm H2 200mm		

shelves and shelf rails

chargrill grids


			
1			
No.	210043	Ref. No.	DI0401 GI0401
description	chargrill grid L 430mm W 365mm H 42mm chargrill		

			
1			
No.	210031	Ref. No.	PQ8795 1
description	chargrill grid L 470mm W 365mm H 26mm cast iron gril		




grates


universal

without upstand







1

No.	970120	Ref. No.	GI0414	
description	grate W 325mm D 530mm GN 1/1 chrome-plated steel wire gauge frame 7mm lengthwise wires gauge 4mm crossing wires 1			
accessories for	970120			
	No.	690330	Ref. No.	—
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel			
	No.	694700	Ref. No.	—
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs			
	No.	694701	Ref. No.	—
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs			







1

No.	970122	Ref. No.	GI0399	
description	grate W 325mm D 530mm GN 1/1 H 8mm stainless steel wire gauge frame 7mm lengthwise wires gauge 4mm crossing wires 1			
accessories for	970122			
	No.	690330	Ref. No.	—
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel			
	No.	694700	Ref. No.	—
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs			
	No.	694701	Ref. No.	—
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs			



1

No.	970121	Ref. No.	GI0408
description	grate W 650mm D 530mm GN 2/1 chrome-plated steel crossing wires 2		
accessories for	970121		
	No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		

			
No.	970123	Ref. No.	GI0404
description	grate W 650mm D 530mm GN 2/1 stainless steel wire gauge frame 7.8mm lengthwise wires gauge 3.8mm crossing wires 2 suitable for refrigerator		
accessories for	970123		
	No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		


gaskets

refrigeration gaskets

screw-in gaskets


profile 9031

We offer custom-made gaskets for this profile


			
No.	901433	Ref. No.	DM0562
description	gasket profile 9031 W 185mm L 555mm external size suitable for ILLICO		

gaskets for heated units


window seals

			
No.	901563	Ref. No.	DM0549 DM0549 1
description	window gasket profile 1881 L 1400mm suitable for MORICE Qty 1		


door seals



No.	901564	Ref. No.	DM1065
description	door seal profile 2060 W 464mm L 620mm external size Qty 1		



No.	901565	Ref. No.	DM1066
description	door seal profile 2060 W 624mm L 724mm external size Qty 1		



No.	901566	Ref. No.	DM0566
description	door seal profile 2200 W 510mm L 650mm external size Qty 1		

O-rings

EPDM



No.	510409	Ref. No.	DM0578
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

sealing washers

silicone gaskets



1

No.	359721	Ref. No.	DM0495
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		

special gaskets

miscellaneous



1

No.	694498	Ref. No.	DV2015 1 DV2015 2
description	gasket for pizza oven L 1600mm W 40mm external height 16mm		

springs

tension springs



1

No.	700891	Ref. No.	DM0922
description	tension spring ø 16mm total length 287mm wire gauge ø 2.2mm L1 50mm L2 187mm L3 50mm		

valves and tank inlets

ball valves

universal

ball valves with lever handle



1

No.	520282	Ref. No.	RB0938
description	ball valve connection 1" IT - 1" IT DN25 total length 67mm with lever handle		

1			
No.	520281	Ref. No.	RB0966
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 56mm with lever handle handle length 87mm		

consumables

fuses

fine fuses



1

No.	358608	Ref. No.	DE0839
description	fine fuse size ø5x20mm 10A slow-acting rated 250V Qty 10 pcs		