

Professionale pentru echipamente profesionale



heating elements

heating elements for bain maries





heating elements for fryers

side connection

. . .



No.	418077	Ref. No.	537026800
-----	--------	----------	-----------

description


heating element 19500W 230/400V heating circuits 3 mounting pos. right L 458mm W 190mm H 35mm flange length 36.5mm flange length 1 3mm flange length 2 33.5mm flange e1 65mm flange ø2 60mm thermostat sleeves ø 6mm length thermostat sleeves 180mm number of thermostat sleeves 2 thermostat sleeve eccentric, clinging/not clinging L1 18mm L2 440mm W1 38mm W2 152mm tube ø 8.5mm cable length 500mm rotation flange fryer heaters connection length 30mm

accessories for 418077

0


550494 Ref. No.


O-ring Viton thickness 3.53mm ID ø 47.22mm Qty 1 pcs






heating elements for griddles












heating elements for tilting bratt pan





heating elements for pasta cookers






heating elements for pizza ovens











immersion heating elements









heating elements for convection

hole ø 5mm rectangular flange



accessories







thermostats

bi-metal thermostats

safety bi-metal thermostats



No. 390480 Ref. No. 130803

description bi-metal safety thermostat hole distance 23.8mm switch-off temp. 105°C 1NC 1-pole 16A connection F6.3 2 hole fixing

control and safety thermostats

EGO

control thermostats

55.34_ series



description thermostat t.max. 90°C temperature range 30-90°C 3-pole capillary pipe isolatedmm gland nut

661005


safety thermostats

55.10/19_ series



No.	390063	Ref. No.	661021
description			20°C 1-pole 1NC 15A probe ø 'Omm capillary pipe isolatedmm
aland nut starting temporature 205°C probe SS			





IMIT / TEMPOMATIC / ARTHERMO

safety thermostats



No.	375500	Ref. No.	150026
	safety thermostat	switch-off temp. 14	10°C 1-pole 1CO 15A probe ø

5mm probe L 125mm capillary pipe 1000mm capillary pipe isolated 900mm gland nut probe



130827

switches and momentary switches

push/momentary push switches

28.5x77.5mm



No.	345866	Ref. No.	130825
description	green 2NO/1NO/ir	dicator light 250V	ng measurements 28.5x77.5mm 16A START/indicator light/on- bient temperature max. 85°C

345868 No. Ref. No. switch combination momentary mounting measurements 28.5x77.5mm green 2NO/indicator light 250V 16A drain/temperature connection male faston 6.3mm ambient temperature max. 85°C description

microswitches

pin-plunger actuated

protection IP40



No.	345032	Ref. No.	800267
description	1CO connection m	nale faston 6.3mm s	0x1 thread L 12mm 250V 16A troke 7mm mounting distance max. 125°C type SP9603 actua-

timers

programme timers



1	()				
No.	360356	Ref. No.	15	0045	
description	timer CDC 7804F engines 1 chambers 4 operation time 144s 230V shaft ømm shaft Lmm manuf. no. 7804F1/46103600 motor type M37RN				
spare parts for	for 360356				
	No.	360119	Ref. No.	_	
	motor CDC pinio ø 37mm motor ty		12 230V turn direc ner	tion right motor	



contactors

ISKRA (FANAL)

power contactors



No.	380547	Ref. No.	150348
description		auxiliary contacts	BOVAC (AC3/400V) 5A/2.2kW 1NC connection screw connec- 03M 01

electronics

PCBs



No.	402953	Ref. No.	M500086900
description	control PCB dishw	rasher MB630/930 L	. 133mm W 82mm







pressure switches

ø 58mm with male faston 6.3mm



No.	541314	Ref. No.	10706/A
description			6mbar connection 6mm ø Il warewashing pressure con-





58mm pressure connection horizontal warewashing

fans

description

hot air motors



male faston 6.3mm protection

No.	601178	Ref. No.		664000
description		ø 12mm 1.1A suitak		speeds 1 L1 120mm 50Hz 230V type
spare parts for	601178			
1.34	No.	365013	Ref. No.	_
a				5%Hz ambient tem 8 plastic connection

pumps

wash and rinse pumps

FIR



No.	500527	Ref. No.	13	3025	
description).75HP L 210mm r	Omm type 2233.B1 otation direction r		
spare parts for	500527				
	No.	365014	Ref. No.	_	
a	temperature max		uF 450V tolerance 5mm L 70mm M8 2.5 protection		
	No.	510552	Ref. No.	_	
O	pump cover gasket pump type 1292-2/3942/3981/3911/3983				
	No.	510608	Ref. No.	_	
	impellor ø 93mn 11mm	n H 32mm shaft in	take ø 9/8mm bla	des 6 inner hight	
	No.	510692	Ref. No.	_	
9			1mm slide ringext		



ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm

521511 Ref. No.

pump cover inlet \emptyset 60mm outlet \emptyset 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right \emptyset 160mm ID \emptyset 120mm inner hight 23mm



OLYMPIA pumps 1 500521 Ref. No. No. 131125 pump inlet ø 1" IT outlet ø 26mm type T33 230V 50Hz 1 phase $0.25 kW\,0.34 HP\,L\,225 mm$ rotation direction right capacitor $5 \mu F$ auxilidescription ary pressure connection 11mm supporting pressure closed OLYMPIA spare parts for 500521 No. 365017 Ref. No. operating capacitor capacity $5\mu F$ 450V tolerance 5%~50/60Hzambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection No. 510693 Ref. No. mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide 90 ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm 521256 impellor $\,$ Ø 74mm H 14mm thread M10L shaft Ø 12mm shaft length 7.5mm blades 8 521554 Ref. No. pump cover OLYMPIA inlet 1" ø 90mm ID ø 66mm inner hight 5mm 521724 Ref. No. O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs Ref. No. 528800

O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs



1				
No.	500519	Ref. No.	13	3029
description		3mm outlet ø 30mr L 195mm rotation o		
spare parts for	500519			
	No.	365017	Ref. No.	_
	ambient tempe	citor capacity 5µF 4 erature max25 to 4 le faston 6.3mm 16.	⊦85°C ø 28mm L 5 _°	
	No.	510693	Ref. No.	_
90	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
. 4	No.	521257	Ref. No.	_
20		nm H 12mm rotation ngth 7.5mm blades		ead M10R shaft ø
	No.	521553	Ref. No.	_
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm turn direction left ø 103mm ID ø 93mm inner hight 25mm			
	No.	521723	Ref. No.	_
	pump cover ga	sket EPDM thickne	ss 2mm ID ø 90mr	n Qty 1 pcs

drain pumps

No.

description

500514

PLASET 1

Ref. No.

drain pump inlet ø 30mm outlet ø 22mm 230V 34W

130010





gas thermostats

SIT

710 Minisit series



gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe description type type B1 pressure controller no pressure regulatormbar gland nut ignition gas no

101132 spare parts for

101053 Ref. No. magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit

102102

probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for

MINISIT 710 101132

accessories for

100809 Ref. No.

Ref. No.

671033

O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs

100904 Ref. No. locking screw M10x1 for pipe ø 4mm Qty 1 pcs

No.

100905 Ref. No.

locking screw M10x1 for pipe ø 6mm Qty 1 pcs

101054



magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit

Ref. No.

101136 Ref. No. No.



piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8



101137 Ref. No. No. cover cap without piezoelectric igniter



101267 Ref. No. No.



reducer IT 3/8" ET 1/2" L 21mm



101268 Ref. No. No. gas connection thread 3/8" angled with O-ring MINISIT 710



101269 Ref. No. No. gas connection thread 1/2" angled with O-ring MINISIT 710



101270 Ref. No. screw connection IT 3/8" ET 3/8" L 28mm



No. 101272 Ref. No.

screw connection	IT 1/2" ET 3/8" L	57mm
serem connection	, 2 2. 5, 6 2	J,

accessories for	101132			
	No.	101273	Ref. No.	_
10	olive for pipe	ø 12mm L 9.5m	m brass Qty 1 pcs so	uitable for universal
	No.	101274	Ref. No.	_
	olive for pipe	ø 16mm Qty 1 p	ocs	
	No.	101275	Ref. No.	_
6	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No.	_
	union screw 1	thread 3/8" tube	ø 12mm Qty 1 pcs	
6	No.	110068	Ref. No.	_
	knob suitable	e for Minisit ø 37	mm	

SABAF







ignition parts

pilot burners

SIT


100 sari

accessories

pilot burner bottom parts




No.	107701	Ref. No.	67	72.094.00	
description	pilot burner b	ottom part SIT 10	00 series nozzle ø 0	.2mm	
spare parts for	107701				
*	No.	100245	Ref. No.	_	
	pilot burner n M8x0.75	ozzle LPG code 2	0 bore ø 0.2mm Qt	ty 1 pcs thread	
0	No.	100916	Ref. No.	_	
TOPE	compression	spring for pilot bu	urner Qty 1 pcs		
0	No.	100917	Ref. No.	_	
O	gasket for pile	ot burner Qty 1 po	cs aluminium		
43	No.	100918	Ref. No.	_	
(B)	screw for pilot burner				
accessories for	107701				
	No.	100246	Ref. No.	_	
* >	pilot burner nozzle $$ natural gas bore ø 0.35mm Qty 1 pcs thread $$ M8x0.75 $$				
	No.	100904	Ref. No.	_	
6	locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	_	
0	locking screw	M10x1 for pipe ø	6mm Qty 1 pcs		
	No.	102110	Ref. No.	_	
/	pilot tube cop	oper pipe ø 4mm	thickness 1mm L 3	000mm	
	No.	102111	Ref. No.	_	
	pilot tube co	oper pipe ø 6mm	thickness 1mm L 3	000mm	
0	No.	102742	Ref. No.	_	
	pilot burner n	ozzle LPG code 2	5 bore ø 0.25mm (Qty 1 pcs	




description	pilot burner brac	.ket				
160 series	5					
1						
No.	100056	Ref. No.	67	2042		
description	pilot burner SIT	type 160 series 3	flames nozzle ømn	n gas connecti-		
spare parts for	100056					
And the second	No.	100907	Ref. No.	_		
	screw connection thermocouple	n thread M10x1 (Qty 1 pcs type SEF	1 ømm for		
accessories for	100056					
	No.	100202	Ref. No.	_		
	pilot burner nozz	zle natural gas co	de 41 Qty 1 pcs no	ozzle ø 0.41mm		
	No.	100203	Ref. No.	_		
	pilot burner nozz	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm				
fi	No.	100701	Ref. No.	_		
	ignition electrode connection M4 Qty 1 pcs					
	No.	100801	Ref. No.	_		
	gasket for pilot burner Qty 1 pcs					
	No.	100869	Ref. No.	_		
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm					
	No.	100870	Ref. No.	_		
	olive for pipe ø 4	4mm Qty 1 pcs su	itable for 160 serie	s for pilot burner		
No.	No.	100906	Ref. No.	_		
	screw connection pcs WS 10	n thread M10x1 f	or ignition electro	de brass Qty 1		
	No.	100908	Ref. No.	_		
13	union screw thre	ead M10x1 for pip	e ø 4mm Qty 1 pc	S		
	No.	100909	Ref. No.	_		
1	union screw thre	ead M10x1 for pip	e ø 6mm Qty 1 pc	S		
40	No.	101287	Ref. No.	_		
	olive for pipe ø 6	бmm Qty 1 pcs				
	No.	102110	Ref. No.	_		
	pilot tube coppe	er pipe ø 4mm thi	ckness 1mm L 300	0mm		
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm					

Table continues overleaf





electrodes




thermocouples

threaded thermocouples

threaded thermocouples standard

with socket with thread M8x1



gas burners

hob burners

accessories

pan supports




'					
No.	210132	Ref. No.		681008	
description	pan support W 340mm L 570mm suitable for 700 series				
accessories for	210132				
80	No.	210050	Ref. No.	_	
25	reducer for pan support L 260mm W 260mm chrome-plated steel suitable for universal				



air mixers					
1					
No.	103127	Ref. No.	67	2016	
description	air mixing sleeve	L 36mm ED ø 40	mm ID ø 36mm alı	ıminium	
accessories for	103127				
	No.	103118	Ref. No.	672044	
	burner cap ø 61r	nm			
	No.	103119	Ref. No.	672051 672098	
1	burner ring for burner cap ø 61mm				
63	No.	103120	Ref. No.	_	
	burner head for burner cap ø 61mm				
.E.	No.	103121	Ref. No.	672010	
T	venturi				
	No.	103122	Ref. No.	673020	
4	burner holder ø 35mm H 82mm nozzle mounting M10x1 mountin distance 55mm connection M16x1.5mm with nozzle holder				
	No.	103124	Ref. No.	672101	
	burner head E ø 150mm for burner cap ø 110mm 7.5kW code 672.077 A				
	No.	103125	Ref. No.	672079	
	burner cap Dø 110mm 5.5kW bore ø 2.6mm with central hole				





pilot burner nozzles

gas nozzles

pilot burner nozzles SIT



No.	107650	Ref. No.	674052
description	pilot burner nozzle	SIT LPG code 30 C	ty 1 pcs

equipment-specific units


for dishwashers


drain and intake components




	1					
	No.	517019	Ref. No.	130075		
	description	round filters				
_						

bar burners









containers dosing containers 517380 Ref. No. 131051 No. description cleaner container L 94mm W 80mm H 130mm suitable for Dihr




















Ref. No.

517173

air trap L 90mm W 55mm H 31mm





130025

Ref. No.

flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs


No.


description

accessories for


517171


517171


















1			
No.	517017	Ref. No.	130678
description	rinse pipe		

1			
No.	517126	Ref. No.	130965
description	rinse pipe		

1			
No.	517140	Ref. No.	131216
description	rinse pipe mo	ounting pos. lower	









gaskets


gaskets for heated units





O-rings















sealing washers





dosing pumps

membrane dosing pumps

self-priming with supporting pressure

DIHR



1					
No.	361744	Ref. No.	13	0997	
description	dosing pump type DW with auxiliary pressure connection rinse aid inlet 4mm outlet 8mm suction connection ø 4mm auxiliary pressure connection 10mm				
spare parts for	361744				
	No.	520026	Ref. No.	_	
	PVC hose ID ø 4mm ED ø 6mm L 10m thickness 1mm t.max. 60°C transparent				
	No.	520090	Ref. No.	_	
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent				

CI	-6	N A	Λ	
	351	M	ΔI	(
91.		B.ALI		



No.	361536	Ref. No.	150331		
escription	dosing pump type 2000 rinse aid inlet 4x6mm outlet 8mm suction connection ø 4x6mm supporting pressure 11mm rebound ball PTI 1mm GERMAC CODE VNR/D3				

spare parts for 361536





361550

Ref. No.

Ref. No.

hose connector hose ø 4x6mm



361551 compression spring wire gauge ø 1mm



361701 hose connector thread M10x1 grommet ø 7.5mm



361705 Ref. No.



gasket for hose connector M12x1



lip valve dosing pump suitable for DB2/DS5

510298

361553

accessories for 361536




No. membrane EPDM



361700 Ref. No. No.





hoses

drain hoses



formed hoses

form U



nuts




fittings, hose and pipe connectors

fittings double nipples 1 No. 517005 Ref. No. 130550 description double nipple

hose connectors producer-specific No. 691661 Ref. No. 150073 description angle piece thread M12x1 for hose ID 12mm

measuring equipment



fastening material



hexagor	nal nuts					
hexagonal nuts inch thread						
No.	520499	Ref. No.	130620			
description	nut thread 11/4" H 6mm WS 50 brass Qty 1 pcs					

